This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

J.P


HARVARD
UNIVERSITY
ARNOLD
ARBORETUM
PRESENTED BY
CHARLES - SPRAGUE - SARGENT
1892

SWEET'S HORTUS BRITANNICUS;

OR,

A CATALOGUE OF PLANTS,

INDIGENOUS, OR CULTIVATED IN THE GARDENS

OF

GREAT BRITAIN;

ARRANGED ACCORDING TO THEIR

NATURAL ORDERS,

WITH

REFERENCES TO THE LINNEAN CLASS AND ORDER TO WHICH EACH GENUS BELONGS;

THE WHOLE BROUGHT UP TO THE PRESENT TIME,

AND CONTAINS

Above 34,000 Plants;

By far the greatest Number ever before published in any Garden Catalogue of this or any other Country; with their Generic and Specific Names, Habitats, when introduced to this Country, Times of Flowering, Colours of the Flowers, Accentuations; and numerous other Arrangements, for the first Time introduced, with all the most useful Synonyms.

SECOND EDITION.

BY ROBERT SWEET, F.L.S.

Author of Hortus Suburbanus Londinensis; Botanical Cultivator; Geraniaceæ; Cistineæ; British Flower Garden; Flora Australasica; Florist's Guide; the British Warblers, &c.

LONDON:

JAMES RIDGWAY, 169, PICCADILLY.

1830.

Rc
42
Sw3
1830

TILLING, PRINTER, GROSVENOR ROW, CHELSEA.

PREFACE.

THE rapid sale of the last edition, at once shows the preference given to the superiority of the Natural Arrangement, over that of the Linnean, for a Garden Catalogue, as it brings together all the plants that are nearest related to each other, and which have a general similarity by which any person, who already has a tolerable knowledge of plants, may give a good guess at first sight to what family, or Order, any plant or specimen they possess may belong to, or is related; this gives a pleasing idea, that is not to be met with by the Linnean Botanist, as he only looks at the Stamens and Styles to see what Class and Order it belongs to, without ever thinking to what else it is allied; but we still consider the addition of the Linnean Classes and Orders, of great use, as they are so readily attained by the young Botanist, though he should always keep the natural arrangement in view.

The pains we have taken with the present edition may be readily supposed, by the length of time it has taken us to get *through* it; and had it not been for the kindness and liberality of A. B. Lambert, Esq. who always admitted us to his Library with pleasure, we should certainly not have been able to have made it so complete; he is also so kind as to give us information of any new plants or importations that he hears or knows of, for which we now return him our sincere thanks.

To Mr. David Don, Librarian of the Linnean Society, we feel much obliged for his readiness in procuring us any books or specimens we wish to examine, and also inform us of any new publications that we may not have heard of.

The Linnean collection of specimens being now in the Linnean Society's collection, has enabled us to clear up many doubts and mistakes, by examining Linnaeus's original specimens, several of which we intend setting to rights by publishing figures of them in our British Flower Garden, many of the very common plants having been confused with others, or were considered in a doubtful state.

To Robert Barclay, Esq. of Bury Hill, we also feel greatly obliged for his kindness in sending us specimens of the numerous new plants that are continually flowering in his delightful garden, where rarities are without end; and we must not forget his gardener, Mr. D. Cameron, to whose merit may be attached the highly cultivated state of the plants, and to whom we are indebted for the names of many that have not yet flowered, and that we should not have otherwise known were in the country.

We have also to return our thanks to A. H. Haworth, Esq. for his liberality in presenting us with all his papers as soon as published, of the new and rare succulent plants and bulbs, published in Taylor's Philosophical Magazine.

To the Honourable and Reverend William Herbert we are indebted for the arrangement of the genus Crinum, and for the names of the hybrid species of Amaryllideæ raised by him, and those that he possesses, which have been raised in other collections, and the references by whom, or at what place they were raised, which is added in the column of Native, and the two parents from which they originated is given, where known: the whole of which are marked with W. H.; he has also been so kind as to furnish us with a list of many other new plants, that have flowered with him, and that had not before been known in our collections.

We also return our thanks to Mr. G. Charlwood, for his readiness in lending us any Botanical publications that we did not ourselves possess, his collection consisting of many rare and valuable botanical works.

To Mr. William Anderson, the worthy Curator of the Apothecaries' Company's Garden, at Chelsea, we are also much indebted, for his kindness in allowing us to copy his catalogues of newly introduced plants, and for his observations on their habit and culture; and to numerous other Gardeners and Nurserymen we return our best thanks, for their kindness and attention to forward our researches.

We flatter ourselves that our Subscribers will be well satisfied with the present edition, as it contains all the new arrangements and improvements up to the present time, that no other Catalogue, however new, can boast of; we have also been careful what we have inserted, not to put in thousands of plants that were never in the country, nor likely ever to be, a plan sometimes resorted to, to swell the size of the book, and to show a great number of names, but we believe there would be a difficulty to find the plants, should they be sought for. As for its being entirely free from errors, we will not assert, as we have no doubt but some may be found, but none, we believe, of much consequence. We now conclude, with our sincerest thanks to our numerous Subscribers, and hope we shall continue to merit their favour and approbation, as we shall always do our utmost endeavours to give them satisfaction.

October, 1830.

REFERENCE TO THE BOOKS,

IN WHICH THE FIGURES REFERRED TO, ARE PUBLISHED.

Abb. ins. The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.

Act. Stock. Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.

A.DC. Decandolle (Alphonso.) Monographie des Campanulees. Paris. 1830.

All. auct. Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.

All. m. taur. Car. Allionii Miscellanea Philosophico-mathematica Societatis privatæ Taurinensis.

All. ped. Car. Allionii Flora Pedemontana.

Alp. Ægypt. Alpinus (Prosper.) De Plantis Ægypti liber. 1 vol. 4to.

Alp. ex. Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.

Amm. ruth. Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.

Amoen. ac. Caroli Linnæi Amoenitates academicæ. 8vo.

And.bot.rep. Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.

And. geran. Andrews (Henry.) Geraniums, or a monagraph of the genus Geranium. 1805. seq. 4to.

And. heaths. Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.

Ann. bot. Annals of Botany, by C. Konig and J. Sims. 1805. 8vo.

Ann. mus. Annales du Museum d'Histoire naturelle, par les Professeurs de cet etablissement. 1802. seq. 4to.

Ap. to B. Field's trav. Appendix to Baron Field's Travels. 4to.

Ard. mem. Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.

Ard. sag. pad. Arduino (Pietro.) Saggi di Padova.

Ard. spec. Arduino (Pietro.) Animadversionum botanicarum Specimen. 4to. Patavii. 1759.

Asso. arrag. De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.

Aub. Thou. obs. Aubert Du Petit Thouars Plantes des iles de l'Afrique australe. 4to. 1804.

Aub. gui. Histoire des plantes de la Guiane Francoise, par M. Fusée Aublet. 1775. 4to.

Balb. act. taur. } Miscellanea Botanica. 4to.
Balb. misc. taur. } ex Actis Academiæ Taurinensis exserta. 1804.

Balb. h. taur. Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.

Banks ic. Kæmp. Banks (Josephus.) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kæmpfer. fol. 1791.

Banks. rel. Hous. Reliquia Houstounianæ. 4to. 1781.

Barr. ic. } Plantæ per Galliam, Hispaniam,
Barr. rar. } et Italiam, observatæ, Iconibus æneis exhibitæ a Jac. Barreliero. 1714. fol.

Bart. med. bot. Barton (Benj. Smith.) Collections for an essay towards a materia medica of the United States. 1 fasc. in 8vo. Philadelphia. 1798.

Bartr. it. } Bartram (William.) Travels
Bartr. trav. } through North and South Carolina, Georgia, and Florida. 8vo. Philadelphia. 1791.

Bauer. n. hol. Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.

Bauh. hist. Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.

Bauh. prodr. Caspar Bauhini προδρομος Theatri Botanici. Basileæ. 1671. 4to.

Beau. fl. ow. Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.

Bell. act. taur. Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.

Berg. act. holm. Bergius (Pehr. Jonas.) Kongl Vetanskaps Academiens Handlingar. 8vo. 1739.

Berg. cap. Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1767.8vo.

Berg. phyt. Bergeret Phytonomatotechnie universelle. fol.

Berr. in As. res. Berry in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.

Besl. eyst. Besler (Basilius.) Hortus Eystettensis. fol. 1612.

Bieb. cent. Bieberstein (Marshall von.) Centuriæ plantarum rariorum Rossiæ meridionalis. Charkoviæ.

Big. med. bot. Bigelow (Jac.) American Medical Botany. 4to. 1817.

Biv. Bern. st. rar. Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.

Biv. cent. pl. Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. 8vo. 1806.

Blackw. Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.

Blum. fl. jav. Blume (C. L.) Flora Java, &c. fol. 1829.

Boc. Mus. Boccone (Paolo.) Museo di Piante rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.

Boc. sic. rar. Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galiæ et Italiæ. 4to. 1674.

Boer. lugd. Herm. Boerhaave Index alter Plantarum quæ in horto Academiæ Lugduno Batavæ aluntur. 4to. 1720.

Boiss. fl. eur. De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.

Bolt. fil. Bolton (James.) Filices Britanniæ. 4to. 1785.

Bonp. mon. Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.

Bonp. nav. Bonpland (Aimé.) Description des Plantes rares cultivés a Malmaison et a Navarre. fol. 1813.

Bory. it. / *Bory. voy.* Bory de St. Vincent (J. B. M.) A Voyage en Espagne a travers les royaumes de Galice, Leon, etc. 8vo.

Bot. mag. Curtis's Botanical Magazine, continued by J. Sims, J. Bellenden Ker, and W. J. Hooker. 8vo.

Bot. reg. Edwards (Sydenham.) The Botanical Register. descr. by J. Bellenden Ker. 8vo. 1815. continued by J. Lindley.

Bot. rep. Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.

Braam ic. chin. Braam's Icones Chinensis.

Bradl. Suc. Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.

Braun. Salz. De Braune (Franz. Ant.) Salzburgische flora. 8vo. 1791.

Breyn. cent. Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.

Breyn. ic. Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.

Brong. rham. Brongniart (Adolph.) Dissertatione des Rhamnees. 4to. Paris.

Brot. phyt. Brotero (Felix Avellar.) Phytographia Lusitaniæ selectior. fol. 1801.

Brown. gen. rem. Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.

Br. Jam. / *Brown. Jam.* Browne (Patrick.) The Civil and Natural History of Jamaica. fol. 1756.

Bruces. tr. Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.

Buchoz. ic. col. Buchoz (Pierre Joseph.) Collection des fleures qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.

Bull. herb. Bulliard. Herbier de la France. fol. 1780.

Burm. afr. / *Burm. dec.* Burmann (Johannes.) Rariorum Africanarum Plantarum. 4to. 1738.

Burm. Ind. Nic. Laur. Burmanni Flora Indica. 4to. 1768.

Burm. zeyl. Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.

Buxb. cent. Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuriæ quinque. 4to. 1728.

Camer. hort. Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.

Cates. car. Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.

Cav. diss. Cavanilles (Ant. Jos.) Monadelphiæ classis Dissertationes decem. 4to. 1785.

Cav. ic. Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1701.

Chabr. sci. Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.

Chois. p. hyp. / *Chois. m. h.* Choisy (J. D.) Prodromus d' une monographie de la famille des Hypericinees. 4to. 1821.

Chois. selag. Choisy (J. D.) Memoire sur la famille des Selaginees. 4to. Geneva. 1823.

Clus. hist. Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.

Col. ecphr. Columna (Fabius.) Minus cognitarum stirpium Ecphrasis. 4to. 1616.

Col. phyt. Columna (Fabius.) Phytobasanos. 4to. 1592.

Col. h. rip. Colla Hortus Ripulensis. 4to.

Com. hort. Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.

Comm. petrop. Commelyn (Casp.) Commentarii Academiæ Scientarium imperialis Petropolitanæ. 4to. 1728.

Comm. prael. Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.

Comm. rar. Commelyn (Casp.) Horti Medici Amstelodamensis Plantæ rariores et exoticæ. 4to. 1706.

Cook. et. Cook (J.) Voyages, 3 vols. 4to. 1777.

Corn. can. Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.

Crantz. Aust. Crantz (Hen. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.

Cup. pan. Capani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.

Curt. lond. Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.

Cyril. ic. fasc. / *Cyr. neap.* Cyrilli (Dom.) Plantarum rariorum regni Neapolitani fasciculus. 1778. fol.

Dalech. lug. Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.

Dard. trait. ren. D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.

DC. an. mus. De Candolle (Augustin Pyramus.) Annales du Museum d'histoire naturelle. 4to. 1802.

DC. astr. De Candolle (Augustin Pyramus.) Astragalogia. 4to. et fol. 1802.

DC. dis. cact. De Candolle (Aug. Pyr.) Revue de la famille des Cactees. 4to. Paris. 1829.

DC. h. mons. De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspeliensis addito observationum circa species novas ant non satis cognitas fasciculo. 8vo. 1813.

DC. ic. gall. rar. De Candolle (Augustin Pyramus.) Icones plantarum Galliæ rariorum. 4to. 1808.

DC. leg. mem. De Candolle (Augustin Pyramus.) Memoires sur la famille des Leguminensis. 4to. 1826.

DC. mem. mus. De Candolle (Augustin Pyramus.) Memoires du Museum d'histoire naturelle. 4to. 1815.

DC. mem. umb. De Candolle (Aug. Pyr.) Memoire sur la famille des Ombelliferes. 4to. Paris. 1829.

DC. plant. grass. De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.

Debr. flor. nov. De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.

Delil. ægyp. / *Del. fl. æg.* Delile (Alire Rafeneau.) Memoires botaniques extraits de la Description de l'Egypte. fol. 1813.

De la Roch. dis. De La Roche (Daniel.) Specimens botanicum inaugurale sistens descriptiones plantarum aliquot novarum. 4to. 1766.

Deless. ic. sel. Delessert (Benj.) Icones selectæ plantarum in system. univers. descriptarum. 4to. 1820.

Descrip. de Egyp. Description de l'Egypt on Recueil des observations et des recherches faites pendant l'expedition de l'armée Francaise. 4to. et fol. 1810.

Desf. act. par. Desfontaines (Rene Louiche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.

Desf. atl. Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.

Desv. j. bot. Desvaux. Journal de Botanique. 8vo. 1808.

D. et H. Dreves et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.

Dill. elt. Dillenius (Joh. Jac.) Hortus eltha-mensis. fol. 1732.

Dill. musc. Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.

Dodart mem. Dodart (Denys.) Mémoires pour servir a l'Histoire des Plantes. fol. 1676.

Dod. pemp. Dodart (Denys.) Stirpium historiæ pemptades. fol. 1583.

Du Fresn. Val. Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianees. 4to. 1811.

Duh. arb. Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.

Duham. ed. nov. Duhamel du Monceau (Henry Louis.) Traites des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.

Dun. mon. Dunal (Michel Felix.) Monographie de la Famille des Anonacees. 4to. 1817.

Dunal. solan. Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.

Ehret pict. Ehret (Georg. Dion.) Planta et Papiliones rariores. fol. 1748.

Eng. bot. English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.

Exot. bot. Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.

Ferr. hesp. Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.

Feuil. obs. / *Feuill. per.* Feuillee (Louis.) Journal des observationes Physiques, Mathématiques et Botaniques faites dans l'Amerique meridionale. 4to. 1814.

Fl. dan. Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.

Fl. lap. Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.

Flor. græ. Flora Græca J. E. Smith. fol. 1553.

Flor. mex. ic. ined. Sesse et Mocinno. Flora Mexicana Icones ineditæ.

Fl. per. Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.

Flugg. an. mus. Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.

Fraser mon. Fraser (John.) A short history of the Agrostis cornucopiæ. fol. 1784.

Forsk. egyp. / *Forsk. dis.* Forskaol (Petrus.) Flora Ægyptiaco arabica. 4to. 1775.

Forst. gen. Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.

Fourc. j. bot. Fourcroy (Ant. Franc.) La Médécine eclairee par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.

Froel. gent. Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.

Fuchs. hist. Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.

Gaert. carp. Gaertner (Car. Frid.) Supplementum Carpologiæ. 4to. 1805.

Gaert. fr. / *Gaert. sem.* Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.

Garid. aix. / *Garid. prov.* Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.

Gay dis. las. Gay dissertatio Lasiopetalæ.

Gerard. gal. / *Ger. prov.* Gerard (John.) Flora Gallo-provincialis. 8vo. 1761.

Ger. emac. Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.

Ger. herb. Gerard (John.) The Herbal, or general history of Plants. fol. 1797.

Gilib. h. pl. Gilibert (Joh. Em.) Histoire des plantes d'Europe, ou elemens de botanique pratique. 3 vol. in 8vo. Lyon. 1806.

Giorn. pis. Giornale Pisano. 8vo. 1801.

Giseck. ic. Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.

Gmel. fl. bad. Gmelin (Carol. Christ.) Flora Badensis-Alsatica. 8vo. 1808.

Gmel. sib. Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.

Gou. fl. mons. Gouan (Anton.) Flora Monspeliaca. 8vo. 1765.

Gouan. ill. Gouan (Anton.) Illustrationes botanicæ. fol. 1773.

Hacq. pl. alp. car. Hacquet (Balth.) Plantæ alpinæ Carniolicæ. 4to. 1782.

Hall. all. Haller (Albert.) Allii genus naturale constitutum. 4to, 1745.

Hall. helv. } Haller (Albert.) Historia Stir-
Hall. hist. } pium indigenarum Helvetiæ. fol. 1768.

Hayn. term. bot. Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.

Hayne in ust. an. Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.

H. et B. n. gen. Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.

H. et B. pl. aeq. Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantes equinoxiales. fol. 1808.

Herbert. append. Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.

Herm. lugd. Hermann (Paulus.) Floræ Lugduno-Batavæ flores. 8vo. 1690.

Herm. parad. Hermann (Paulus.) Paradisi Batavi prodromus. 12mo. 1689.

Hills. veg. syst. Hill (John.) Outlines of a system of vegetable generation. 8vo. 1758.

Hoff. c. gott. Hoffmann (Georg. Franz.) Programma Hortus Goettingensis. fol. 1793.

Hoff. deut. fl. Hoffmann (Georg. Franz.) Deutschlands flora, ou Flore de l'Allemagne. 12mo. 1791.

Hoff. phyt. Hoffmann (Georg. Franz.) Phytographische Blætter. 8vo.

Hoffm. salic. Hoffmann (Georg. Franz.) Historia salicum iconibus illustro. fol. 1785.

Hoff. umb. Hoffmann (Georg. Franz.) Plantarum umbelliferarum genera. 8vo. 1816.

Hoff. et Lk. fl. lus. } Hoffmansegg et Link.
Hoff. f. port. } Flore portugaise. fol. 1806.

Hook. ex. flor. Hooker (W. J.) Exotic flora. 8vo.

H. et G. fil. Hooker (W. J.) and Greville (W. K.) Icones Filicum. fol. London. 1827. et seq.

Hop. in. sturm. fl. fas. Hoppe in Sturm Deutschland flora. 4to. 1796.

Horn. fl. dan. Hornemann (J. W.) Icones Plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.

Hort. Kew. Aiton (Willam.) Hortus Kewensis, editio prima. 8vo. 1789.

Hort. trans. Transactions of the Horticultural Society of London. 4to.

Host. gram. Host (Nicol. Thomas.) Icones et descriptiones Graminum austriacorum. fol. 1801.

Hout. pflanz. Houttuyn (Mart.) Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks. 8vo. 1777.

Hout. syst. Houttuyn (Mart.) Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks. 14 vol. 8vo. 1777—1788.

Icon. Kæmpf. } Kæmpfer (Engelbert.) Ico-
Kæmpf. Icon. } nes selectæ plantarum. fol. 1791.

Icon. Hort. Kew. Delineations of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.

Isn. act. par. Isnard. Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathematique et de Physique.

Jacq. amer. Jacquin (Nic. Jos.) selectarum Stirpium Americanarum Historia. fol. 1763.

Jacq. am. pict. Jacquin (N. J.) Stirpium Americanarum Historia.

Jacq. aust. Von Jacquin (Nicol. Jos.) Floræ Austriacæ Icones. fol. 1773.

Jacq. coll. Von Jacquin (Nicol. Jos.) Collectanea ad Botanicam, etc. Spectantia. 4to. 1786.

Jacq. f. ecl. Von Jacquin (Jos. Franc.) Eclogæ Botanicæ. fol. 1811.

Jacq. frag. Von Jacquin (Nicol. Jos.) Fragmenta Botanica. fol. 1809.

Jacq. h. vind. Von Jacquin (Nicol. Jos.) Hortus Botanicus vindobonensis. fol. 1770.

Jacq. ic. Von Jacquin (Nicol. Jos.) Icones Plantarum rariorum. fol. 1781.

Jacq. misc. Von Jacquin (Nicol. Jos.) Miscellanea Austriaca ad Botanicam, etc. Spectantia. 4to. 1778.

Jacq. obs. Von Jacquin (Nicol. Jos.) Observationes botanicæ. fol. 1764.

Jacq. ox. Von Jacquin (Nicol. Jos.) Oxalis monographia iconibus illustrata. 4to. 1792.

Jacq. schoenb. Von Jacquin (Nicol. Jos.) Plantarum rariorum horti cæsari Schœnbrunensis. fol. 1797.

Jacq. stap. Von Jacquin (Nicol. Jos.) Stapeliæ cultæ. fol. 1806.

J. mem. ac. sci. par. Jussieu, Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.

Journ. sc. Ker (J. B.) Journal of Science and the Arts. 8vo.

Jung. ic. rar. Junghans (Phil. Casp.) Icones Plantarum ad vitam impressæ. fol. 1787.

Juss. an. Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.

Juss. rut. Jussieu (Adrien.) Mémoires sur les Rutacées. Paris. 1825. 4to.

Kæmp. am. Kæmpfer (Engelbert.) Amœnitates exoticæ. 4to. 1712.

Kalm. it. Kalm (Pehr.) Resatil norra America. 8vo. 1753.

Ker's review. Ker (J. B.) Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts. 8vo.

Ker's strelitz. Ker (H. B.) Coloured Figures of the Genus Strelitzia. fol.

Knight's prot. Knight (Joseph.) Horticultural Essays on the natural order of Proteeæ. 4to. 1809.

Knor. del. Knorr (Georg. Wolfgang.) Deliciæ naturæ selectæ oder auserlesene. fol. 1766.

Knorr. thes. Knorr (Georg. Wolfgang.) The-

saurus rei herbariæ hortensisque universalis. fol. 1770.

Kon. an. bot. Annals of Botany, by C. Konig and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.

Krock. siles. Krocker (Ant. Joh.) Flora Silesiaca renovata. 2 vol. 8vo.

Kth. mim. Kunth (Car. Sig.) Mimoses et autres plantes legumineuses du nouveau continent. fol. 1819.

Lab. nov. hol. Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.

Lab. ic. pl. Syr. / *Labil. Syr.* Labillardiere (Jac. Jul.) Icones plantarum Syriæ rariorum. 4to. 1791.

Lab. voy. Labillardiere (Jac. Jul.) Relation du Voyage a la recherche de La Peyrouse. 4to. 1798.

Lamb. cinch. Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.

Lamb. pin. Lambert (Aylm. Bourk.) A Description of the genus Pinus. fol. 1803.

Lam. ill. Monet De La Mark (Jean Bapt.) Illustration des Genres. 1791.

Lap. pyr. ic. ined. Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrenees. fol. 1795.

Laroch. eryng. De La Roche (Francois.) Eryngiorum nec non generis novi alepideæ historia. fol. 1808.

Ledeb. fl. alt. Ledebour. Flora Altaica. fol. 1829.

Leers. fl. herb. Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.

Lehm. nicot. Lehman (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.

L. Herit. ger. L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.

L. Her. sert. ang. L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.

L. Her. stirp. L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.

Lind. als. Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.

Lindl. coll. Lindley (John.) Collectanea Botanica. fol.

Lind. digit. Lindley (John.) Digitalium Monographia. fol.

Lindl. ros. Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.

Lin. amœn. ac. Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss. antehæ seorsim editæ. 8vo. 1749.

Lin. fl. lap. Linnæus (Carolus.) Flora Lapponica. 1 vol. 8vo. 1737.

Linn. hort. clif. Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.

Lin. f. dec. Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.

Linn. fil. fasc. Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.

Linn. sup. Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.

Linn. trans. Transactions of the Linnean Society of London. vol. 1. to 16. 4to.

Lk. et Ott. abb. Link et Otto. Abbildungen und Beschreibungen seltener Pflanzen im Berl. Garten. Berlin. 1821 et seq.

Lk. et Ott. dis. cac. Link et Otto. Cacti et Echinocacti. icones.

Link. et Ot. h. ber. Link et Otto. Hortus Berolinensis. fol.

Lobel. adv. De Lobel seu Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.

Lob. ic. Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.

Lodd. bot. cab. Botanical Cabinet, by Messrs. Loddiges'. 4to.

Loef. it. rar. / *Loef. hisp.* Loefling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.

Loes. prus. Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.

Loisel. gal. Loiseleur-Deslonchamps (J. L. A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.

Magn. b. mons. Magnol (Petrus.) Botanicon Monspeliense. 1 vol. 12mo. 1686.

Marcg. bras. Marcgravius (Georg.) Historia rerum naturalium Brasiliæ. 1 vol. fol. 1648.

Mart. cent. / *Mart. dec.* Martyn (John.) Historia Plantarum rariorum centuriæ 1 decas 1-5. fol. 1728.

Mart. fl. rust. Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.

Mart. n. pl. bras. Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, par Brasiliam. ann. 1817-1820. 4to.

Mass. Stap. Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.

Math. com. Mathiolus (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.

Meerb. ic. Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.

Mentz. pug. Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.

Merian. surin. Merian (Maria Sibylla.) De metamorphosibus insectorum Surinamensium. 1 vol. fol. 1726.

Mich. amer. Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.

Mich. arb. Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.

Mich. querc. Michaux (André.) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.

Mich. gen. Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol. 1729.

Mill. ic. Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.

J. Mill. ic. Seven coloured Plates of Plants, by John Miller.

J. F. Mill. ic. Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.

Miss Laur. ros. / *M. L. R.* A Collection of Roses from Nature, by Miss Lawrance (*now Mrs. Kearse*). 90 plates.

Moret. fl. vicent. Moretti (Gius.) Notizia

supra diverse piante da aggiungiarsi alla flora Vicentina. 4to. 1813.

Moris. hist. / *Moris. s.* / *Moris. ox.* Morison (Robert J.) Plantarum historia universalis Oxoniensis. 2 vol. fol. 1680.

Moris. umb. Morison (Robert.) Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.

Munt. phyt. cur. Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.

Murr. com. / *Mur. c. got.* Murray (Joh. Andr.) Commentarii Societatis regiæ Scientiarum Gœttingensis. 4to.

Nectoux voy. Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené. fol. 1808.

N. et Mart. ac. b. Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.

Nees. hor. ber. Nees von Esenbeck (G. G.) Horæ physicæ Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.

Niss. act. par. Nissole in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.

Nois. jard. fr. Noisette (Louis.) Le Jardin fruitier. 2 fasc. in 4to. Paris. 1813.

Nov. act. pet. Nova Acta Academiæ Scientiarum Imperialis Petropolitanæ.

Nov. com. pet. Novi Commentarii Academiæ Scientiarum Imperialis Petropolitanæ.

Oed. fl. dan. Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.

Ort. dec. De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.

Osb. it. Osbeck (Pehr.) Dagbock œf'er en ostendyck resa. 1 vol. 8vo.

Palisot d'owar. / *Pal. fl. d'ow.* Palisot de Beauvois. Flore des royaumes d'Oware et de Benin. fol. 1805 et seq.

Pall. act. pet. Pallas (Peter Simon.) In Acta Academiæ scientiarum imperialis Petropolitanæ. 4to.

Pall. it. ed. gal. Voyage dans l'Empire Russe. 8 vol. 8vo.

Pall. it. ed. germ. Pallas (P. S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.

Pall. ross. Pallas (P. S.) Flora Rossica. fol. 2 vol. 1784, 1788.

Par. lond. / *Sal. par. lond.* Salisbury (Rich. Anth.) Parad. Londinensis. 2 vol. 4to.

Park. par. Parkinson (John.) Paradisi in sole paradisus terrestris, or a garden of flowers. 1 vol. fol. 1629.

Park. theat. Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.

Patters. iter. A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.

Pet. eng. herb. / *Pet. h. brit.* Petiver (James.) Herbarii Britannici Catalogus. fol.

Pet. gaz. Petiver (James.) Gazophylacium naturæ et artis. fol. 1702, 1704.

Pet. Th. veg. afr. Aubert du Petit Thouars. Plantes des iles de l'Afrique australe. 3 fasc. in 4to. Paris. 1804—6.

Pio viol. Pio (Joh. Bapt.) De Violâ specimen. 4to. 1813.

Pis. bras. Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.

Piso. lib. Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.

Plenck. ic. Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.

Pl. rar. hung. / *W. et K. hung.* Waldstein (Franc.) et Kitaibel (Paul.) Descriptiones et Icones plantarum rariorum Hungariæ. 3 vol. fol.

Pluk. alm. Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.

Pluk. am. Plukenett (L.) Amalthenm botanicum. 1 vol. 4to. 1705.

Pluk. mant. Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.

Pluk. phyt. Plukenett (L.) Phytographia sive Stirpium illustriorum, etc. 4 vol. 4to. 1691.

Plum. amer. Plumier (Charles.) Description des Plantes de l'Amerique. 1 vol. fol. 1693 et 1713.

Plum. ed. B. / *Pl. ed. Burm.* Plantæ Americanæ à C. Plumier detectæ et à J. Burmanno editæ. 5 fasc. fol. 1755.

Plum. fil. Plumier (C.) Traité des fougères de l'Amerique. 1 vol. fol. 1705.

Plum. gen. Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.

Plum. ic. Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantes quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.

Pohl. pl. bras. Pohl Plantæ Brasiliæ. 4to. 1820.

Pollich Palat. Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.

Poit. et T. fl. Poiteau et Turpin. Flore Parisienne. 6 livr. fol. 1808.

Pursh amer. Flora Americæ Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.

Quer. hisp. Query Martiner (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.

Raii syn. / *Ray. syn.* Ray (Joh.) Synopsis Stirpium Britannicarum. 1 vol. 8vo.

Rauw. it. Rauwolf (Leonh.) Etlicher Schoner Ausslandischer Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.

Red. lil. / *Redoute lil.* Redoute (P. J.) Les Liliacées. 8 vol. fol. 1802—1816.

Redout. ros. Redoute (P. J.) Les Roses. 4to. et fol. 1817 et seq.

Reich. ac. Reichenbach (Ludov.) Monographia generis Aconiti et Delphinii. Lipsiæ. 1820. fol.

Reich. ic. Reichenbach (Ludov.) Icones et descriptiones plantarum. 4to. Lipsiæ. 1822 et seq.

Reliq. Houst. Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.

Rcneulm. spec. Paull Reneulmi Spectmen Historiæ Plantarum. 1 vol. 4to. 1611.

Retz. obs. Retzius (And. Joh.) Observationes Botanicæ. 6 fasc. fol. 1774—1791.

Rheed. mal. / *Rhe.hort.mal.* Van Rheede (Henricus.) Hortus Indicus Malabaricus. 12 vol. fol.

Rivin. monop. Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.

Riv. tetr. Rivinus (A. Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.

Riv. pent. Rivinus (A. Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.

Rob. ic. Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.

Rod. Scub. cer. Scubler (Gust.) Diss. sistens descriptiones cerealium cultorum. Tubing. 1818. 4to.

Rœm. arch. Rœmer (Joh. Jac.) Archiv für de Botanik. 2 vol. 4to. 1796, 1799, 1805.

Rœm. script. Rœmer (J. J.) Scriptores de Plantis Hispanicis, Lusitanicis, et Brasiliensis. 1 vol. 8vo. 1796.

Rœm. et Ust. mag. Rœmer (Joh. Jac.) et Usteri (Paul.) Magazin für die Botanik. 4to. 1789—1790. Zurich.

Rosc. scitam. Roscoe's Figures of the order of Scitamineæ. fol.

Rosc. fl. ill. sea. Roscoe (Mrs. M.) Floral Illustrations of the Seasons. Liverpool. Royal 4to. 1829 et seq.

Roth. abh. Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen. 4to. 1787.

Rottb. gram. / *Rottb. descr. rar.* Descriptiones et Icones Plantarum rariorum, etc. 1 vol. fol. 1778.

Roxb. corom. Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.

Rudg. gui. Rudge (Edward.) Plantarum Guianeæ rariorum Icones et desc. fol. 1665.

Ruiz. et P. prod. Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianeæ et Chilensis prodromus. fol.

Rumph. amb. Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750-1755.

Russ. alep. Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.

Sabb. hort. / *Sabb. h. rom.* Sabbati (Liberatus.) Hortus Romanus. fol. vol. 3. 8vo. 1772, 1774, 1805.

Sal. stirp. rar. Salisbury (R. A.) Icones stirpium rariorum. 1 fasc. fol. 1791.

San. viag. Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. II. 1798. III. 1806.

Savi fl. pis. Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.

Scheuch. gram. Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.

Scheuch. it. Scheuchzer (Joh. Jac.) Itinera Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.

Schk. caric. Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.

Schkuhr fllic. Schkuhr (Christ.) Abbildungen der Farrnkräuter. 4to.

Schk. hand. Schkuhr (C.) Botanisches handbuch. 3 vol. 8vo.

Schm. arb. / *Schmid. arb.* Schmidt (Franz.) Œsterreichs allegemeine Baumzucht 2 Band. fol. 1792—1794.

Schm. ic. Schmiedel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.

Schousb. marec. Schousboe (P. K. A.) Iagttagelser over vœxtriget i Marocco. 1 vol. 4to. 1800.

Schrad. d. hal. Schrader (Henr. Adolph.) De Halophytis Pallasii. 4to. 1810.

Schrad. gen. nov. Schrader (H.A.) Nova Plantarum genera. 1 fasc. fol. 1797.

Schrad. germ. Schrader (H.A.) Flora Germanica. 8vo. 1806.

Schr. s. han. Schrader (H.A.) Sertum Hannoveranum. 4 fasc. fol. 1795, 1796.

Schrad. verb. Schrader (H.A.) Monographia generis verbasci. 4to. 1813.

Schrad. ver. Schrader (H.A.) Commentatis de Veronicis spicatis. 8vo. 1808.

Schrank h. mon. / *Schrank pl. rar.* Schrank (Fr. von Paula.) Plantæ rariores horti Monacensis. 1817, 1818, 1819.

Schreb. a. ups. Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientarum Upsaliæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.

Sch. gram. Schreber (J. C. D.) Beschreibung der Grœser. fol. 1769—1779.

Scop. carn. Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.

Scop. del. / *Scop. ins.* Scopoli (J.A.) Deliciæ floræ Insubricæ. 2 vol. fol. 1786, 1788.

Seb. mus. / *Seb. thes.* Seba (Alb.) Locupletissimi Rerum naturalium Thesauri Descriptio. 4 vol. fol. 1734—1765.

Second. d. chen. De Secondat (M.) Mémoires sur l'Histoire naturelle du Chêne. 1785. fol.

Segu. ver. Seguier (Joh. Franc.) Plantæ Veronenses. 3 vol. 8vo. 1745.

Ser. m. helv. Seringe (N. C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.

Shaw afric. / *Shaw barb.* Shaw (Thomas.) Travels in Barbary and the Levant. 1 vol. fol. 1738.——Supplement. 1746.

Sinc. gr. wob. Sinclair (George.) Hortus gramineus Woburnensis. 1 vol. 8vo. 1825.

Sle. hist. / *Sloan. j.* Sloane (Hans.) A Voyage to the Islands Madeira, Barbadoes, Nieves, St. Christopher's, and Jamaica; with the Natural History of the last of those Islands. 2 vol. fol. 1707.

Sm. exot. bot. Smith (J. Edward.) Exotic Botany. 8vo. 1804—1806.

Sm. ic. ined. Smith (J. E.) Plantarum Icones hactenus ineditæ. fasc. 1-3. 1789, 1791. fol.

Smith ic. piet. Smith (J. E.) Icones pictæ Plantarum rariorum. 3 fasc. fol. 1790—1793.

Sm. nov. hol. Smith (J. E.) A specimen of the Botany of New Holland. 1 vol. 4to. 1793.

Smith spic. Smith (J. E.) Spicilegium Botanicum. 2 fasc. fol. 1791, 1792.

Smith. tracts. Smith (J. E.) Tracts relating to Natural History. 1 vol. 8vo. 1798.

Sole's mints. Sole (William.) Menthæ Britannicæ; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.

Sonner. it. Sonnerat (P.) Voyage aux Indes orientales et à la Chine. 2 vol. 4to.

Sonner. n. guin. Voyage à la nouvelle Guinée. 1 vol. 4to. 1776.

Sparrm. a. st. Sparrman (Andr.) Kongl. Vetenskaps Academiens Handlingar. Stockholm. 1739. seq. 8vo.

Spr. anl. Sprengel (Kurt.) Anleitung zur Kentniss der Gewachse. 2 theil. 8vo. 1817, 1818.

Spreng. crypt. Sprengel (K.) Introduction to the study of Cryptogamous Plants, translated from the German. 8vo. 1813.

Spr. fl. hall. Sprengel (K.) Floræ halensis Tentamen novum. 1 vol. 8vo. 1806.

Spreng. umb. Sprengel (K.) Species umbelliferarum minùs cognitarum illustratæ. 1 vol. 4to. 1818.

Sternb. saxif. Sternberg (Graf. Casp.) Revisio Saxifragarum Iconibus illustrata. 1 vol. fol. 1810.

Starr. lib. de. stram. Stærck (Ant.) Libellus de Stramonio, Hyosciamo. Aconito. 8vo. 1763.

Sturm. deut. Sturm (Jacob.) Deutschland flora. 4to.

Swartz ic. Swartz (Olof.) Icones Plantarum Indiæ occidentalis. 1 fasc. fol. 1794.

Swart. obs. Swartz (O.) Observationes botanicæ. 1 vol. 8vo. 1791.

Sw. syn. fil. Swartz (O.) Synopsis filicum earum genera et species compl. 1 vol. 8vo. 1806.

Swt. br. fl. gar. Sweet (Robert.) The British Flower Garden, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 3 vol. royal 8vo.

Swt. br. fl. gar. s. 2. Sweet (R.) British Flower Garden, series 2, number 1 to 17, et seq.

Swt. cist. Sweet (R.) Cistineæ. The natural Order of Cistus, or Rock-Rose, complete in one volume, containing 112 beautifully coloured figures of the different species and varieties of this handsome family of plants.

Swt. flor. aust. Sweet (R.) Flora Australasica, or a selection of the most beautiful and interesting plants, natives of New Holland, and the South Sea Islands, containing 56 beautifully coloured figures from the living plants. 1 vol. royal 8vo. London, 1827-1828.

Swt. flor. guid. Sweet (R.) The Florist's Guide, or Cultivator's Directory, containing elegantly coloured figures of the choicest flowers cultivated by Florists, including Tulips, Hyacinths, Ranunculus', Carnations, Pinks, Auriculas, Polyanthus's, Georgina's, and Roses. 1827 et seq. royal 8vo. London.

Sweet ger. Sweet (R.) Geraniaceæ, or the natural Order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, and their mode of culture. royal 8vo. Five volumes complete.

Swert. flor. Swertius (Eman.) Florilegium tractans de variis floribus. 1 vol. fol. 1612.

Tab. ic. Tabernæmontanus (Jac. Theod.) Eicones Plantarum cur N. Bassæo. 4to. 1590.

Tabern. kraut. Tabernæmontanus (Jac.Theod.) Kræuterbuch. fol. 1588.

Ten. flor. med. Tenore (Michel.) Saggio sulle qualita medicinali delle piante Napolitanæ. 8vo. Napoli. 1808.

Tenor. fl. nap. Tenore (Michel.) Flora Napolitana. fol. 1811.

Ten. mem. croc. Tenore (M.) Memoires sui Crochi. Naples.

Thunb. eric. Thunberg (Car. Petr.) de Erica. 4to.

Thunb. ir. Thunberg (Car. Petr.) Dissertatis de Iris. 4to. 1782.

Thunb. jap. Thunberg (Car. Petr.) Flora Japonica. 8vo. 1784.

Thunb. voy. Thunberg (Car. Petr.) Voyage au Japon, etc. 8vo. 1796.

Till. pis. Tilli (Mich. Ang.) Catalogus horti Pisani. fol. 1723.

Tourn. voy. Pitton De Tournefort (Joseph.) Relation d'un voyage du Levant. 4to. 1717.

Trat. arch. Trattinick (Leop.) Archiv der Gewæchskunde. 4to. 1811.

Trattin. fl. aust. Trattinick (Leop.) Flora Austriaca sicca. fol. 1792.

Tratt. tab. Trattinick (Leop.) Observationes botanicæ Tabularium rei herbariæ illustrates. 4to. 1811.

Tratt. thes. bot. Trattinick (Leop.) Thesaurus Botanicus. fol. 1819.

Trev. delph. Treviranus (Lud. Christ.) De Delphinio et Aquilegia observationes. 4to. 1817.

Trew. ehret. Trew (Christ. Jac.) Plantæ selectæ ab Ehret pictæ. fol. 1750.

Trew. pl. rar. Trew (Christ. Jac.) Plantæ rariores, ed. J. C. Keller. fol. 1763.

Trin. ic. gram. Trinius (Car. Bern.) Icones Graminiæ.

Triumf. obs. Triumfetti (Joh. Bapt.) Observationes de ortu et vegetatione Plantarum. 4to. 1635.

Ust. N. ann. Usteri (Paul.) Neue annalen der Botanik. 8vo. 1794.

Vahl. ecl. Vahl (Martinus.) Eclogæ Americanæ. fol. 1796.

Vahl. ic. rar. Vahl (Martinus.) Icones Plantarum in eclogis descriptarum. fol. 1798.

Vahl. symb. Vahl (Martinus.) Symbolæ botanicæ. fol. 1790.

Vail. par. Vaillant (Sebastien.) Botanicon Parisiense. fol. 1727.

Vent. cels. Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.

Vent. choix. Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.

Vent. malm. Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.

Vill. c. stras. Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.

Vill. dauph. } Villars (D.) Histoire des Plantes
Vill. delph. } du Dauphine. 8vo. 1786.

Viv. frag. } Viviani (Dom.) Floræ Ita-
Vivian. fr. fl. it. } licæ fragmenta. 4to. 1808.

Volck. norib. Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.

Wahl. helv. Wahlenberg (Georg.) De vegetatione et clymate Helvetiæ septentrionalis specimen. 8vo. 1813.

Wahl. lap. Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.

Wal. as. res. Wallich in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.

Wall. pl. as.
—— *ind. pl.* } Wallich (Nathanael.) Plantæ asiaticæ rariores, ou description et figures d'un choix de plantes inédites de l'Inde orientale. fol. 1829 et seq.

Walth. hort. Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.

Wang. amer. Von Wangenheim (Fried Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.

Wats. dend. brit. Watson (W.) Dendrologia Britannica. 2 vol. 8vo.

Weig. obs. Weigel (Christ. Ehret.) Observationes Botanicæ. 4to. 1772.

Wei. et N. rub. Weihe (Aug.) et Nees (C. G.) Rubi germanici.

Weinm. phyt. Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.

Wend. ac. Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.

Wendl. col. Wendland (H. Lud.) Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.

Wendl. er. Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.

Wend. h. herr. Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.

Wend. s. han. Wendland. (J. C.) Sertum Hannoveranum. 4 fasc. fol.

Willd. arb. Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.

W. ber. mag. Willdenow (Car. Lud.) Berlinischer magazin oder gesammlete schriften, etc. 4to. 1765.

Willd. hort. ber. Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.

Woodv. med. bot. Woodville (William.) Medical Botany. 3 vol. 4to. 1790.

Zanon. hist. Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.

Zorn. ic. Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

ABBREVIATIONS.

A. B. Annals of Botany.
A. DC. Alphonso De Candolle. Monographie des Campanulees.
Afz. Afzelius, a Swedish Professor.
A. G. Andrews's Geraniums.
A. H. Andrews's Heaths.
A. R. Andrews's Botanist's Repository.
All. Allioni, an Italian Botanist.
Aub. Aublet, a French Traveller in Guiana.
B. Mr. Robert Brown, a celebrated English Botanist.
B. A. Barton's Flora Boreali Americana. 2 vol. 4to.
Bal. Balbis, a Freneh Botanist.
Bau. Baumgarten.
B. C. Loddiges's Botanical Cabinet.
B. D. Bartling. Diosmeæ descriptæ et illustrate. 1824. 8vo.
Be. Bertoloni, an Italian Botanist.
Bes. Besser, a Russian Botanist.
BF. Bancroft.
B. F. G. Sweet's British Flower Garden.
Bhi. Bernhardi, a German Botanist.
B. M. Curtis's Botanical Magazine.
B. O. Beauvois. Flora d'Oware et de Benin.
Boj. Bojer, Professor of Botany in the Isle of France.
B. P. Brown's Prodromus Floræ novæ Hollandiæ.
B. R. Botanical Register.
Bro. Brogniart's Rhamneæ.
B. T. Burchell's Travels in Africa.
C. (Cav.) Cavanille's, a Spanish Botanist.
C. C. Colvill's Catalogue.
C. I. Cavanille's Icones.
C. L. T. Colebrooke, in Linnean Transactions.
C. S. Choisy. Memoire sur la Famille des Selaginees.
Cyr. Cyrilli, an Italian Botanist.
D. David Douglas, on the Plants of the West Coast of America.
DC. Decandolle (Augustin Pyramus.)
D. D. David Don, Librarian of the Linnean Society, Soho Square.
Desf. Desfontaines, a French Botanist.
Desv. (Dv.) Desvaux, a French Botanist.
DF. Dufresne's Valerianees.
D. L. (Lht.) David Lockhart, Botanical Gardener at Trinidad.
Dod. Dodonaeus, a Dutch Botanist.
D. P. David Don's Prodromus Floræ Nepalensis.
E. Ehrenberg, a Traveller in Egypt, &c.
E. B. Smith's English Botany.
E. C. Elliott's Flora of Carolina.
E. F. Smith's English Flora.
Ex. B. Smith's Exotic Botany.
F. Fischer, Curator of the Botanic Garden at St. Petersburgh.
F. D. Flora Danica.
F. E. Forskaol Flora Ægyptiaco-Arabica.
F. G. Flora Græca.
F. I. Flora Indica.
G. Gærtner, a celebrated German Carpologist.
G. B. Gray's Flora Britannica.
G. D. George Don, an English Botanist.
Gm. Gmelin, a Russian Botanist.
Gr. Graham, Regius Professor of Botany at Edinburgh.
G. R. Georgi, Geographische, etc. Bechreibung des Russichen Reichs.
H. Hornemann, a Danish Botanist.
H. A. Hooker's Flora Boreali Americana.
H. B. Hortus Bengalensis.
H. E. Hortus Epsomensis.
H. E. F. Hooker's Exotic Flora.
H. F. Hooker and Greville's Ferns.
H. G. Hoare's Geraniaceæ.
H. K. Hortus Kewensis.
H. M. Hooker's Miscellany.
H. M. N. Haworth's Miscellanea Naturalia.
H. P. Idem, in Taylor's Philosophical Magazine.
H. R. Idem, Saxifrages and Revisions of Succulent Plants.
H. S. Idem, Synopsis Plantarum Succulentarum.
H. S. S. Idem, Supplementum Plantarum Succulentarum.
H. S. L. Hortus Suburbanus Londinensis.
H. T. Transactions of the Horticultural Society.
H. U. Hoffman's Umbelliferæ.
J. Jussieu.
Jac. Jacquin.
J. E. (J. F.) Jacquin (Filius) Eclogæ Botanicæ.
J. I. Jacquin's Icones.
J. S. Jacquin's Stapeliæ.
K. F. Kaulfuss. Filices.
K. S. Kunth's Synopsis Plantarum.
L. Linnæus.
L. A. Lehman's Asperifoliæ.
L. A. Ledebour's Flora Altaica.
Lam. Lamarck.
L. C. Loddiges's Catalogue.
L. col. Lindley's Collectanea Botanica.
Led. Ledebour, a Russian Botanist.
L.en. Link's Enumeratio Plantarum.
LG. et Lag. Lagasca, a Spanish Botanist.
L'H. L'Heritier.
L. O. Link et Otto, Abbildungen et Beschreibungen seltener Pflanzen in Berlin Garten.
L. P. Lehman's Potentillæ.
L. R. Lindley, Rosarum Monographia.
L. T. Transactions of the Linnean Society.
M. Michaux. Flora Boreali Americana.
M. B. Marschall de Bieberstein, Flora Taurico-Caucasica.
M. C. Mackay's Catalogue.
Med. Medicus, a German Botanist of the last Century.
Mh. Mœnch, a German Botanist.

Mll. Miller, an English Gardener and Botanist.
M. N. Martius. Flora of Brazil.
M. P. Martius. Genera et Species Palmarum.
N. Nuttall's Genera of North American Plants.
N. A. Nee's Asters.
N. L. F. News of Literature and Fashion.
N. P. Nestler's Potentillæ.
Ot. Otto, Curator of the Botanic Garden at Berlin.
P. B. Pohl's Flora Brasiliana.
Ph. Pursh. Flora Americana Septentrionalis.
P. L. Salisbury in Paradisus Londinensis.
Poir. Poiret, a French Botanist.
Pr. Presl, a Bohemian Botanist.
P. S. Persoon's Synopsis Plantarum.
R. (Rox.) Roxburgh.
R. A. Reichenbach. Monographie Generis Aconiti et Delphinii.
Raf. Rafinesque Schmalz.
R. B. Roth's neue Beitrage zur Botanik.
R. C. Roxburgh's Plants of the Coast of Coromandel.
R. O. Richard's Orchideæ.
R. P. Ruiz et Pavon. Flora Peruviana.
R. S. Rœmer et Schultes Systema Vegetabilium.
R. U. (Rch.) Reichenbach Ubersicht der gattung Aconitum.
S. Schulte's Systema Vegetabilium.
S. C. Sweet's Cistineæ.
Sch. (Schl.) Schleicher, a Swiss Collector.
Sck. Schrank, a Bavarian Botanist.
Scop. Scopoli, an Italian Botanist.
Scr. Schrader, a German Botanist.
Sct. Schott, a Traveller in Brazil.
S. F. A. Sweet's Flora Australasica.
S. F. G. Sweet's Florist's Guide.
S. G. Sweet's Geraniaceæ.
Sie. Sieber, a Botanical Collector.
S. M. Sole's Mints.
S. O. Seidl et Opiz.
S. P. Salisbury's Prodromus.
S. S. Sprengel's Systema Vegetabilium.
S. T. Savi. Observationes in varias Trifoliorum Species.
Sw. Swartz, a Swedish Botanist.
T. C. Tenore. Catalogus Plantarum Horti Regii Neapolitani.
T. N. Idem, Flora Neapolitana.
T. P. Idem, Floræ Neapolitanæ Prodromi.
T. S. Idem Synopsis Floræ Neapolitanæ.
Th. Thunberg, a Swedish Botanical Traveller.
Tv. Treviranus, a German Botanist.
V. Ventenat, a French Botanist.
V. M. Ventenat's Jardin de Malmaison.
Viv. Viviani, an Italian Botanist.
W. Willdenow. Species Plantarum.
W. A. Idem, Historia Amaranthorum.
W.en. Idem, Enumeratio Plantarum Horti Bot. Berolinensis.
Wall. Wallich, Curator of the Botanic Garden at Calcutta.
W. C. Wendland. Collectio Plantarum.
W. D. Watson's Dendrologia Britannica.
W. H. William Herbert. Observations on the Amaryllideæ, &c.
W. K. Waldstein and Kitaibel. Descriptiones et icones plantarum rariorum Hungariæ.

1. 2. Flowering the first and second month of the year.
3. 6. Flowering from the third to the sixth month, and so on according to the different figures.
1. 12. Flowering all the year round, or at various seasons of the year, not having any settled period.
—— Denotes the same as the line above it.
.... Uncertain, or not properly known.
H. 5. Hardy large tree.
H. ♄. Hardy Shrub, or small tree.
H. ♆. Hardy Evergreen Shrub.
F. ♄. Frame Shrub, or requiring the protection of a Frame or Mats in severe frosty weather, but to be exposed when the weather is mild.
G. ♄. Greenhouse Shrub, requiring the protection of a Greenhouse in Winter.
S. ♄. Shrubs requiring to be kept in the Stove or Hothouse in Winter, but may be removed to the Greenhouse in Summer.
D. S. ♄. Dry Stove Shrub, a plant requiring very little water.
D. G. ♄. Dry Greenhouse Shrub, or a plant that requires but little water in Winter; many of which will succeed well in a good frame or pit, with the covering of a mat or two on the lights in severe frost, but to be continually exposed to the air in mild weather.
♆. Suffruticose, a dwarf Shrub, or a soft wooded Shrub.
♃. Herbaceous, perennial, dying down in Winter, and shooting up afresh the following Spring.
♄. ⌣. Climbing Shrub, a Shrub that requires support, either with a trellis, stick, or line, or any other convenient support.
♃. ⌣. Climbing, perennial, herbaceous plant, requiring the same sort of support as the last.
w. ♄. Water Shrub, or one that prefers growing in water, or in moist situations.
w. ♃. Perennial herbaceous plant, requiring to be grown in water, or in a moist situation.
♂. Biennial, seldom surviving more than two years.
⊙. Annual, requiring to be sown yearly.
b. Bulbous-rooted.
H. Hardy, surviving through the Winter without protection.
F. Frame, not quite hardy, but requiring the protection of a frame or mats in severe weather.
G. Greenhouse, requiring the protection of a Greenhouse in Winter, but to be well supplied with air in mild weather.
I. Intermediate between Stove and Greenhouse.
S. Stove, those require the protection of a Stove or Hothouse in Winter; the temperature should never be allowed to get below 60 degrees of Fahrenheit's Thermometer.
C. B. S. Cape of Good Hope.
N. S. W. New South Wales.
N. Holl. New Holland.
V. Diem. Isl. Van Dieman's Island.

NEW AND BEAUTIFUL WORKS, by the same Author.

THE BRITISH FLOWER GARDEN, & ORNAMENTAL SHRUBBERY.

Series the Second.

Publishing, in Monthly Numbers, at *Three Shillings* each; and each Number containing Four full and highly coloured Figures, with Dissections of the most essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants, or Flowering Shrubs, that may be cultivated in the open Borders, Shrubberies, or by the side of Walls, or Fences, in the Gardens of this Country; with a full account of the best and most successful mode of Management in Culture and Propagation; the Soils and Situations most suitable for them; the Protection necessary, if any be required in Winter; their Scientific and English Names, with full Descriptions; Natural and Linnean Classes and Orders; Derivations of the Generic Names; and all other information that may be considered of importance to the Botanist, Cultivator, or Amateur; and the most beautiful and interesting subjects are chosen. Twenty-five Numbers form each Volume, and Three Volumes complete each Series.

Sets of the First Series of SWEET'S BRITISH FLOWER GARDEN, complete, in Three Volumes, may still be obtained, each Volume containing One Hundred elegantly coloured Figures; with a Systematical, Alphabetical, and English Index to each, List of Books quoted, &c. Price 2*l.* 16*s.* each. Single Numbers, at 3*s.* each; any back Numbers may be obtained to complete Sets.

The First Series is published by W. SIMPKIN and R. MARSHALL, Stationers'-hall-court, Ludgate Street; and may be procured, by Order, from all Booksellers.

"The British Flower Garden ought to be in the hands of all Cultivators of Hardy Flowering Plants." *Loudon's Gardener's Magazine.*

"The Figures, drawn and coloured from living specimens, by E. D. Smith, under the Author's inspection, are correct portraits of the subjects intended, and the plates are full and well executed. At the bottom of the plates are given coloured dissections of the different parts of the flower, so that, by that means, the parts of fructification are well explained."—"We recommend the British Flower Garden to the Cultivators and admirers of hardy Flowering plants; and we have no doubt but they will feel themselves much interested by its perusal." *News of Literature and Fashion.*

SWEET'S GERANIACEÆ.

Now complete, in Five Volumes, each containing One Hundred beautifully coloured Figures of the choicest and most distinct Species and Hybrid Productions of this greatly admired Tribe. From this Work may be selected a collection of the sorts most suited to the taste of any Lady or Gentleman, who wishes to make a collection of this beautiful Family.

SWEET'S CISTINEÆ.

An Account of the Family of CISTUS, or ROCK-ROSE; illustrated with handsomely coloured Figures; now complete, in Twenty-eight Numbers, at 3*s.* each; containing One Hundred and Twelve Figures and Descriptions of this handsome and generally admired Tribe of Plants, with Descriptions of the other Species that could not be obtained; with a full account of the best Method for their Cultivation and Propagation; or any thing else belonging to them, considered of importance.

THE FLORIST'S GUIDE; or CULTIVATOR'S DIRECTORY.

Publishing, in Monthly Numbers, at 3*s.* each; and Two Volumes will complete the Work. Each Number contains Four highly finished coloured Figures, drawn from the living Plants of the Flowers most esteemed by Florists—as Tulips, Ranunculus', Auriculas, Hyacinths, Carnations, Pinks, Roses, &c.; with the most approved Methods of Cultivation, Directions for raising new Varieties from Seeds, &c.

FLORA AUSTRALASICA.

Published in one handsome Royal Octavo Volume; containing Fifty-six elegantly coloured Figures, of the most beautiful and curious Plants, Natives of New Holland, and the South Sea Islands, (generally called Botany Bay Plants.) They are well adapted for a Greenhouse, or Conservatory; and many will survive the Winters, in the open ground, with a very little protection. Price 2*l.* 2*s.* 6*d.* in Fourteen Numbers, Index, &c.; or single Numbers, at 3*s.* each.

In the Press, and soon will be published, a New Edition of

SWEET'S HOTHOUSE AND GREENHOUSE MANUAL; Or BOTANICAL CULTIVATOR.

Containing numerous Genera not before enumerated in any former edition; with Directions for their Treatment in Cultivation and Propagation; Treatment of Plants in Rooms, and all those grown in the Hothouses, Greenhouses, Frames, or in the open Ground of the Gardens, or Plantations in this Country; with a full account of the Management of Bulbs, and the Parasitical and other Orchideous Plants.

SWEET'S BRITISH WARBLERS;

Or an Account of the Summer Birds of Passage belonging to the Family of Sylvia; illustrated with beautiful coloured Figures of the natural size, chiefly taken from living Birds in the Author's collection; with full Directions for their Treatment, as practised by the Author, showing how all the fine singing Birds belonging to this tribe, may be kept in confinement in as good health as any common birds whatever, and will continue in full song nearly all the year; with an account of the best Method of catching them, or rearing them from the nest; and numerous other observations concerning their migration, food, habit when wild, or any thing relating to their history, that may be considered of importance. Published in Three Parts, and containing Sixteen Figures. Part 1, containing Six Figures, 6*s.* 6*d.*; Part 2, Five Figures, 5*s.*; and Part 3, Five Figures, 5*s.* The Figures are of the Nightingale, Blackcap, Larger and Lesser Whitethroats, Greater Pettychaps, or Garden Warbler; Willow and Wood Wrens; Dartford, Reed, and Sedge Warblers; Winchat, Stonechat, Wheatear, Redstart, &c.

Classis 1.

DICOTYLEDONEÆ seu EXOGENÆ.

* *Subclassis* 1. *THALAMIFLORÆ.*

ORDO I.

RANUNCULACEÆ. *DC. syst. nat.* 127.

Tribus 1. *CLEMATIDEÆ.*

Syst. Name.	*Color.*	*Eng. Name.*	*Native.*	*Introd.*	*Flower.*	*Habit.*	*Ref. to Figures.*
CLEMATIS. W.		Virgin's Bower. Polyandria Polygynia. L.					
1 erécta. DC.	(wh.)	upright.	Austria.	1597.	6. 8.	H. ♃.	Jacq. aust. 3. t. 291.
γ hispánica.	(wh.)	*Spanish.*					
2 flámmula. DC.	(wh.)	sweet-scented.	S. Europe.	1596.	7. 10.	H. ♄.◡.	Lob. ic. 627. f. 1.
α rotundifólia.	(wh.)	*round-leaved.*	———	——	——	H. ♄.◡.	Ten. fl. neap. v. 1. t. 48.
β vulgáris.	(wh.)	*oblong-leaved.*	———	——	——	H. ♄.◡.	
γ marítima.	(wh.)	*narrow-leaved.*	———	——	——	H. ♄.◡.	Zanic. ist. 69. t. 129.
3 Massoniàna. DC.	(wh.)	Masson's.	C. B. S.	....	....	G. ♄.◡.	
4 orientàlis. DC.	(ye.)	oriental.	Levant.	1781.	7. 10.	H. ♄.◡.	Dill. elt. t. 119. f. 145.
5 glàuca. W.	(ye.)	glaucous.	Siberia.	....	7. 8.	H. ♄.◡.	Willd.arb. 65. t. 4. f. 1.
6 paniculàta. DC.	(wh.)	panicled.	Japan.	1789.	6. 8.	H. ♄.◡.	Houtt. pflanz. 7. f. 2.
7 chinénsis. DC.	(wh.)	Chinese.	China.	1820.	....	H. ♄.◡.	Retz. obs. 2. n. 53. t. 2.
8 ternifiòra. DC.	(wh.)	three-flowered.	———	1826.	....	H. ♄.◡.	
9 Vitálba. DC.	(wh.)	Traveller's Joy.	England.	....	7. 9.	H. ♄.◡.	Eng. bot. 612.
10 virginiàna. DC.	(wh.)	Virginian.	N. America.	1767.	6. 8.	H. ♄.◡.	Wats. dend. brit. t. 74.
11 brasiliàna. DC.	(wh.)	Brazilian.	Brazil.	1820.	....	S. ♄.◡.	Deless. ic. sel. 1. t. 1.
12 dioica. DC.	(wh.)	Jamaica.	Jamaica.	1733.	5. 6.	S. ♄.◡.	Slo. hist. 1. t. 128. f. 1.
13 americàna. DC.	(wh.)	West-Indian.	W. Indies.	....	....	S. ♄.◡.	
14 coriàcea. DC.	(wh.)	leathery-l^{d}.	N. S. W.	1821.	....	G. ♄.◡.	
15 stemosépala. DC.	(wh.)	narrow-sepaled.	———	1826.	5. 8.	G. ♄.◡.	
16 aristàta. DC.	(wh.)	awned-anther'd.	———	1812.	5. 8.	G. ♄.◡.	Bot. reg. 238.
17 hedysarifólia. DC.	(wh.)	Hedysarum-l^{d}.	Nepaul.	1819.	7. 2.	G. ♄.◡.	Bot. reg. 599.
18 biternàta. DC.	(wh.)	biternate.	Japan.	1825.	7. 9.	H. ♄.◡.	
19 triternàta. DC.	(wh.)	triternate-l^{d}.	.....	1806.	....	H. ♄.◡.	
20 domínica. DC.	(wh.)	St. Domingo.	St. Domingo.	....	....	S. ♄.◡.	Jac. am. p. 2. t. 261. f. 244.
21 brachiàta. DC.	(wh.)	armed.	C. B. S.	1804.	10. 12.	G. ♄.◡.	Bot. reg. 97.
22 grandifiòra. DC.	(wh.)	great-flowered.	Sierra Leon.	1822.	....	S. ♄.◡.	
23 dahùrica. DC.	(pu.)	Dahurian.	Dahuria.	1822.	6. 8.	H. ♄.◡.	
24 zanzibárica.	(wh.)	Zanzibar.	Africa.	1826.	....	S. ♄.◡.	
25 angustifólia. DC.	(wh.)	narrow-leaved.	Siberia.	1787.	5. 9.	H. ♃.	Jacq. ic. 1. t. 104.
26 diversifólia. DC.	(pu.)	various-leaved.	.....	....	9. 10.	H. ♄.◡.	Deless. ic. sel. 1. t. 4.
27 Viórna. DC.	(pu.)	leathery-flow'd.	N. America.	1730.	6. 9.	H. ♄.◡.	Jacq. ecl. 1. t. 32.
28 cylindrica. DC.	(bl.)	long-flowered.	———	1802.	7. 9.	H. ♄.◡.	Bot. mag. 1160.
Viórna. A. B. 71.		*nec aliorum.*					
29 Símsii.	(pu.)	Sims's.	———	1812.	6. 9.	H. ♄.◡.	Bot. mag. 1816.
cordàta. B.M. *nec aliorum.*							
30 reticulàta. DC.	(pu.)	netted.	———	——	——	H. ♄.◡.	Wats. dend. brit. t. 72.
31 japónica. DC.	(pu.)	Japan.	Japan.	1826.	....	H. ♄.◡.	
32 integrifólia. DC.	(bl.)	entire-leaved.	Hungary.	1596.	6. 8.	H. ♃.	Bot. mag. 65.
β ? angustifólia.	(bl.)	*narrow entire l^{d}.*	Siberia.	....	——	H. ♃.	
γ. ? elongàta. DC.	(bl.)	*long-leaved.*	———	1823.	——	H. ♃.	Tratt. tab. 4. t. 178.

33	ochroleùca. DC.	(*st.*)	silky.	N. America.	1767.	6. 7.	H. ♃.	Bot. mag. 1175.
34	gentianoídes. DC.	(*wh.*)	gentian-like.	V. Diem. Isl.	1825.	....	G. ♃.	Deless. ic. sel. 1. t. 5.
35	flòrida. DC.	(*wh.*)	large-flowered.	Japan.	1776.	4. 9.	H. ♄.⌣.	Bot. mag. 834.
	β flòre plèno	(*wh.*)	*double-flowered.*	———	——	——	H. ♄.	
36	Viticélla. DC.	(*pu.*)	smooth-seeded.	Spain.	1569.	6. 9.	H. ♄.⌣.	Bot. mag. 565.
	a purpùrea.	(*pu.*)	*purple-flowered.*					
	β cærùlea.	(*bl.*)	*blue-flowered.*					
	γ pulchélla. P.S.	(*bl.*)	*double-flowered.*	———	——	——	H. ♄.⌣.	Chabr. sci. p. 117. f. 5.
37	crìspa. B.M.	(*pu.*)	curled-flower'd.	N. America.	1726.	7. 9.	H. ♄.⌣.	Bot. mag. 1892.
38	parviflòra. DC.	(*wh.*)	small-flowered.	.....	1822.	6. 8.	H. ♄.⌣.	Dc. pl. rar. gen. t. 18.
	campaniflòra. Lodd. bot. cab. 987. *non* DC.							
39	cirrhòsa. DC.	(*pu.*)	tendriled.	S. Europe.	1596.	3. 4.	H. ♄.⌣.	Flor. græc. t. 517.
40	pedicellàta.	(*st.*)	pedicled.	Majorca.	....	——	H. ♄.⌣.	Bot. mag. 1070.
	cirrhòsa. B.M. nec aliorum. *cirrhòsa β. pedicellàta.* DC.							
41	semitrilòba. DC.	(*st.*)	three-lobed.	Spain.	....	9. 11.	H. ♄.⌣.	
42	calycìna. H.K.	(*st.*)	evergreen.	Minorca.	1783.	4. 6.	H. ♄.⌣.	Bot. mag. 959.
	baleàrica. DC.							

ATRAG'ENE. W. ATRAG'ENE. Polyandria Polygynia. L.

1	austrìaca. B.M.	(*bl.*)	Austrian.	Austria.	1792.	5. 7.	H. ♄.⌣.	Bot. rep. 180.
	alpìna. S.S. *Clématis alpìna.* DC.							
2	sibírica. B.M.	(*wh.*)	Siberian.	Siberia.	1753.	3. 5.	H. ♄.⌣.	Bot. mag. 1951.
	Clématis sibírica. DC.							
3	ochoténsis. S.S.	(*wh.*)	linear-petaled.	———	1822.	——	H. ♄.⌣.	
	Clématis ochoténsis. DC.							
4	americàna. B.M.	(*pu.*)	American.	N. America.	1797.	5. 6.	H. ♄.⌣.	Bot. mag. 887.
	Clématis verticillàris. DC.							
5	occidentàlis. S.S.		shining-leaved.	.....	1824.	....	H. ♄.⌣.	

NARAV'ELIA. DC. NARAV'ELIA. Polyandria Polygynia. L.

	zeylánica. DC.		Ceylon.	Ceylon.	1796.	....	S. ♄.⌣.	
	β Roxbúrghii. DC.	(*ye.*)	*Roxburgh's.*	Coromandel.	——	....	S. ♄.⌣.	Roxb cor. 2. t. 188.

Tribus II. *ANEMONEÆ.*

THALI'CTRUM. DC. MEADOW-RUE. Polyandria Polygynia. L.

1	contórtum. DC.	(*wh.*)	crook-seeded.	Siberia.	1796.	6. 7.	H. ♃.	
2	aquilegifólium. DC.		Columbine-l^d.	Europe.	1731.	5. 7.	H. ♃.	
	a álbum.	(*wh.*)	*white-stamened.*	———	——	——	H. ♃.	Jacq. aust. t. 318.
	β atropurpùreum.	(*pu.*)	*purple.*	———	——	——	H. ♃.	Bot. mag. 1818.
	γ formòsum. B.M.	(*pu.*)	*Sabine's.*	———	——	——	H. ♃.	Bot. mag. 2025.
3	clavàtum. DC.	(*wh.*)	club-stamened.	N. America.	1812.	6. 8.	H. ♃.	
4	mexicànum. DC.	(*gr.*)	Mexican.	Mexico.	1826.	7. 9.	H. ♃.	Hern. mex. 236. ic.
5	corynéllum. DC.	(*wh.*)	purple-stemm'd.	N. America.	....	——	H. ♃.	
6	polygàmum. S.S.	(*ye.*)	polygamous.	———	....	5. 7.	H. ♃.	
7	revolùtum. DC.	(*ye.*)	revolute	———	1806.	6. 7.	H. ♃.	
	pubéscens. Ph. *non.* DC.							
8	dioícum. DC.	(*ye.*)	dicœcious.	———	1759.	——	H. ♃.	Deles. ic. sel. 1. t. 8.
9	caroliniànum. DC.	(*ye.*)	Carolina.	———	....	——	H. ♃.	
10	purpuráscens. DC.	(*pu.*)	dwarf purple.	———	1699.	——	H. ♃.	
11	petaloídeum. DC.	(*wh.*)	Dahurian.	Dahuria.	1799.	——	H. ♃.	Deles. ic. sel. 1. t. 9.
12	alpìnum. DC.	(*gr.*)	Alpine.	Britain.	....	5. 7.	H. ♃.	Eng. bot. 262.
13	fœ'tidum. DC.	(*wh.*)	fœtid.	Europe.	1640.	——	H. ♃.	W. et K. hung. 2. t. 174.
14	pubéscens. DC.	(*ye.*)	pubescent.	———	——	——	H. ♃.	
15	acutilòbum. DC.	(*ye.*)	acute-lobed.	Siberia.	....	——	H. ♃.	Deles. ic. sel. 1. t. 10.
16	divérgens. S.S.	(*gr.*)	divergent.	———	1820.	6. 7.	H. ♃.	
17	Schweiggeri. S.S.	(*ye.*)	Schweigger's.	.....	1826.	——	H. ♃.	
18	calàbricum. S.S.	(*ye.*)	Calabrian.	Sicily.	1802.	6. 8.	H. ♃.	Moris. 1. s. 9. t. 20. f. 16.
19	squarròsum. DC.	(*ye.*)	squarrose	Siberia.	1806.	——	H. ♃.	
20	sibíricum. DC.	(*ye.*)	Siberian.	———	1775.	——	H. ♃.	Gært. fruct. 1. t. 74.
21	mìnus. DC.	(*ye.*)	lesser.	Britain.	....	6. 7.	H. ♃.	Eng. bot. t. 11.
22	collìnum. DC.	(*ye.*)	hill.	Germany.	1823.	——	H. ♃.	
23	saxátile. DC.	(*ye.*)	rock.	Europe.	....	5. 7.	H. ♃.	
24	ambíguum. S.S.	(*ye.*)	ambiguous.	Switzerland.	1820.	——	H. ♃.	
25	elàtum. DC.	(*ye.*)	tall.	Hungary.	1794.	6. 8.	H. ♃.	Jacq. vind. 3. t. 95.
26	màjus. DC.	(*ye.*)	greater.	England.	....	——	H. ♃.	Eng. bot. 611.
27	nùtans. DC.	(*ye.*)	nodding.	Italy.	....	——	H. ♃.	
28	mèdium. DC.	(*ye.*)	middle.	Hungary.	1789.	——	H. ♃.	Jacq. vind. 3. t. 96.

29	concínnum. DC.	(wh.)	neat.	.....	....	6.	H. ♃.	
30	flexuòsum. Jac.	(ye.)	flexuose.	.....	....	6. 8.	H. ♃.	
31	trig'ynum. DC.	(ye.)	three-styled.	Dahuria.	1823.	——	H. ♃.	
32	glaucéscens. DC.	(pu.)	loose-flowered.	Russia.	——	6.	H. ♃.	
33	galioìdes. DC.	(ye.)	Galium-leaved.	Europe.	1816.	5. 7.	H. ♃.	Deles. ic. sel. 1. t. 11.
34	angustifòlium. DC.	(ye.)	narrow-leaved.	Germany.	1739.	6. 7.	H. ♃.	Jacq. vind. 3. t. 43.
35	divaricàtum. s.s.	(ye.)	spreading.	.....	——	——	H. ♃.	
36	cynapiifòlium. F.	(ye.)	Fool's-parsleyld	Siberia.	1821.	——	H. ♃	
37	oligospérmum. F.	(ye.)	few-seeded.	————	——	——	H. ♃.	
38	diffùsum. Sch.	(ye.)	diffuse.	.....	——	——	H. ♃.	
39	lùcidum. DC.	(ye.)	shining.	Spain.	1739.	5. 7.	H. ♃.	Pluk. alm. t. 65. f. 5.
40	rosmarinifòlium. s.s.	(ye.)	Rosemary-l'd	Italy.	1826.	6. 7.	H. ♃.	
41	nìgricans. DC.	(ye.)	black.	Austria.	1798.	5. 7.	H. ♃.	Jacq. aust. 5. t. 421.
42	flàvum. DC.	(ye.)	common.	Britain.	....	——	H. ♃.	Eng. bot. 367.
43	vaginàtum. Deaf.	(ye.)	sheathed.	Europe.	....	——	H. ♃.	
44	símplex. DC.	(ye.)	simple-stalked.	Sweden.	1778.	5. 6.	H. ♃.	Flor. dan. t. 244.
45	cinéreum. DC.	(ye.)	ash-coloured.	.....	....	——	H. ♃.	
46	glàucum. DC.	(ye.)	glaucous	S. Europe.	1798.	6. 7.	H. ♃.	
47	rugòsum. DC.	(ye.)	rugged.	N. America.	1774.	7.	H. ♃.	
48	ranunculìnum. DC	(ye.)	Ranunculus-ld.	————	1806.	6. 7.	H. ♃.	
49	tuberòsum. DC.	(wh.)	tuberous-rooted.	Spain.	1713.	6.	H. ♃.	Mill. ic. t. 265. f. 2.
50	anemonoìdes. DC.	(wh.)	Anemone-like.	N. America.	1768.	4. 5.	H. ♃.	Bot. mag. 866.
	Anemòne thalictròides. W.							
	β flòre plèno.		*double-flowered.*	————	1822.	——	H. ♃.	
PULSATÍLLA. W.en.			PASQUE-FLOWER. Polyandria Polygynia.					
1	vernàlis. s.s.	(pu.)	spring.	N. Europe.	1752.	4.	H. ♃.	Swt. br. fl. gar. 205.
2	Hallèri. s.s.	(bl.)	Haller's.	Switzerland.	1816.	4. 5.	H. ♃.	All. ped. t. 80. f. 2.
3	cérnua. s.s.	(bl.)	drooping.	Japan.	1806.	4. 6.	H. ♃.	
4	pàtens. s.s.	(va.)	spreading.	Siberia.	1752.	6. 7.	H. ♃.	Breyn. ic. t. 61.
	β ochrolèuca.	(st.)	*straw-coloured.*	————	——	5. 7.	H. ♃.	Bot. mag. 1994.
5	vulgàris. s.s.	(bl.)	common.	England.	....	——	H. ♃.	Eng. bot. 51.
	ß rùbra. DC.	(re.)	red-flowered.	Europe.	....	——	H. ♃.	Lob. ic. 282. f. 1.
6	intermèdia.	(bl.)	long-petal'd.	Switzerland.	1820.	——	H. ♃.	
	Anemòne intermèdia. Schult. *longipétala.* Schleich.							
7	praténsis. s.s.	(pu.)	meadow.	Germany.	1731.	5.	H. ♃.	Flor. dan. t. 611.
8	obsolèta.	(bl.)	pale-flowered.	————	——	——	H. ♃.	Bot. mag. 1863.
9	albàna. s.s.	(wh.)	white-flowered.	Caucasus.	1827.	——	H. ♃.	
10	dahùrica. DC.	(fl.)	Dahurian.	Dahuria.	1823.	....	H. ♃.	
11	alpìna. s.s.	(wh.)	Alpine.	Europe.	1658.	7.	H. ♃.	Bot. mag. 2007.
12	micrántha.	(wh.)	small-flowered.	————	1827.	——	H. ♃.	Jacq. aust. t. 85.
	Anemòne alpìna. Jacq. *alpìna β micrántha.* DC.							
13	apiifòlia.	(ye.)	Parsley-leaved.	————	....	——	H. ♃.	Jacq. misc. 2. t. 4.
	Anemòne alpìna ϐ flavéscens. DC.							
14	sulphùrea.	(st.)	sulphur-coloured.	————	....	——	H. ♃.	Cam. epit. 393. ic.
	Anemòne sulphùrea. L. *apiifòlia.* W.							
ANEMÓNE. W.en.			ANEM'ONE. Polyandria Polygynia. L.					
1	capénsis. DC.	(pu.)	Cape.	C. B. S.	1795.	3. 7.	G. ♄.	Bot. mag. 716.
	Atragène capénsis. W.							
2	coronària. DC.	(va.)	Poppy.	Levant.	1596.	1. 12.	H. ♃.	Bot. mag. 841.
	β flòre-plèno.	(va.)	*double flowered.*					
3	pavonìna. DC.	(re.)	acute-petaled.	————	....	4. 5.	H. ♃.	
	α coccìnea.	(sc.)	*scarlet.*	————	....	——	H. ♃.	
	β lilacìna.	(li.)	*lilac.*	————	....	——	H. ♃.	
	γ flòre-plèno.	(sc.)	*double scarlet.*	————	....	——	H. ♃.	Clus. hist. 1. p. 261. ic.
4	stellàta. DC.	(pu.)	star.	Italy.	1597.	——	H. ♃.	Chabr. sciagr. 461. f. 3.
	hortènsis. B.M. 123.							
	α versicolor.	(v.)	*various-coloured.*	————	——	——	H. ♃.	Bot. mag. 123.
	β purpùrea.	(pu.)	*purple.*	————	——	——	H. ♃.	Swt. br. fl. gar. 112.
5	palmàta. DC.	(ye.)	palmated.	Portugal.	1597.	5. 6.	H. ♃.	Bot. reg. 200.
	β flòre-plèno.	(ye.)	*double-flowered.*	————	——	——	H. ♃.	Chabr. sciagr. 461. f. 2.
6	parviflòra. DC.	(wh.)	small-flowered.	Labrador.	1823.	3. 5.	H. ♃.	Juss. ann. mus. 3. t. 21. f. 1
	cuneifòlia. Ph.							
7	caroliniàna. DC.	(pu.)	slender.	Carolina.	——	5.	H. ♃.	
	tenélla. Ph.							
8	apennìna. DC.	(bl.)	blue mountain.	England.	....	3. 4.	H. ♃.	Eng. bot. 1062.
9	cœrùlea. DC	(bl.)	blue.	Siberia.	1827.	——	H. ♃.	Deless. ic. sel 1. t. 14.
10	uralénsis. DC.	(bl.)	Uralian.	————	——	——	H. ♃.	
11	baldénsis. DC.	(wh.)	Strawberry-like.	Switzerland.	1792.	5.	H. ♃.	Jacq. ic. 1. t. 103.
	fragifera. Jacq.							

12	nemorósa. DC.	(wh.)	wood.	Britain.	....	3. 5.	H. ♃.	Eng. bot. 855.
	β flóre-plèno.	(wh.)	*double-flowered.*	———	....	——	H. ♃.	Debry.fl.nov.t.29 et 56.
	γ quinquefólia. DC.	(w.)	*five-leaved.*	N. America.	1812.	——	H. ♃.	
13	Fischeriàna. DC.	(wh.)	Fischer's.	Siberia.	1827.	4. 5.	H. ♃.	
14	lancifólia. DC.	(wh.)	lance-leaved.	N. America.	1823.	5. 7.	H. ♃.	
15	trifólia. DC.	(wh.)	three-leaved.	France.	1597.	4. 5.	H. ♃.	Lob. ic. 281. f. 1.
16	ranunculoídes. DC.	(ye.)	yellow wood.	England.	....	3. 4.	H. ♃.	Eng. bot. 1484.
17	refléxa. DC.	(wh.)	reflex-flowered.	Siberia.	1824.	4. 5.	H. ♃.	Deless. ic. sel. 1. t. 15.
18	sylvéstris. DC.	(wh.)	Snowdrop.	Europe.	1596.	4. 5.	H. ♃.	Bot. mag. 54.
19	álba. DC.	(wh.)	five-sepaled.	Dahuria.	1818.	4. 5.	H. ♃.	——— 2167.
	ochoténsis. F.							
20	virginiàna. DC.	(wh.)	Virginian.	N. America.	1722.	5. 6.	H. ♃.	Herm. par. t. 18.
21	pensylvánica. DC.	(wh.)	Pensylvanian.	———	1766.	——	H. ♃.	
22	dichótoma. DC.	(wh.)	forked.	———	1768.	——	H. ♃.	Lin. f. dec. 29. t. 15.
23	narcissiflòra. DC.	(wh.)	Narcissus-fl'd.	Europe.	1773.	5.	H. ♃.	Bot. mag. 1120.
24	umbellàta DC.	(wh.)	umbel flower'd.	Levant.	1824.	——	H. ♃.	Deless. ic. sel. 1. t. 18.
25	sibírica. DC.	(wh.)	Siberian.	Siberia.	1804.	6.	H. ♃.	
HEPA'TICA. DC.			HEPA'TICA.	Polyandria	Polygynia.	L.		
1	acutilòba. DC.	(bl.)	acute-lobed.	N. America.	1826.	3. 4.	H. ♃.	
2	americàna. DC.	(bl.)	American.	———	1819.	3. 4.	H. ♃.	Bot. reg 387.
3	trilòba. DC.	(va.)	three-lobed.	Europe.	1573.	2. 4.	H ♃.	Eng. bot. t. 51.
	α cærùlea.	(bl.)	*blue.*					
	β cærùleo-plèna.	(bl.)	*double-blue.*					
	γ rùbra.	(re.)	*red.*	———	——	——	———	Bot. mag. 10.
	δ rùbro-plèna.	(re.)	*double-red.*					
	ε álba.	(wh.)	*red-anthered white.*					
	ζ nívea.	(wh.)	*snowy-white.*					
HYDRA'STIS. DC.			YELLOW-ROOT.	Polyandria	Polygynia.	L.		
	canadénsis. DC.	(wh.)	Canadian.	Canada.	1759	5. 6.	H. ♃.	Pict. hort. par. 37. t. 17.
KNOWLTONIA. DC.			KNOWLTO'NIA.	Polyandria	Polygynia.	L.		
1	rígida. DC.	(gr.)	thick-leaved.	C. B. S.	1780.	3. 5.	G. ♃.	Vent. malm. p. 22. t. 22.
2	vesicatòria. DC.	(gr.)	blistering.	———	1691.	2. 4.	G. ♃.	Bot. mag. 775.
3	grácilis. DC.	(gr.)	slender.	———	1820.	——	G. ♃.	Deles. ic. sel. 1. t. 19.
4	hirsùta. DC.	(gr.)	hairy-leaved.	———	——	——	G. ♃.	Burm. afr. t. 51.
5	daucifólia. DC.	(gr.)	Carrot-leaved.	———	1822.	....	G. ♃.	
AD'ONIS. DC.			AD'ONIS.	Polyandria	Polygynia.	L.		
1	autumnàlis. DC.	(sc.)	Pheasant's-eye.	Britain.	....	5.10.	H. ☉.	Eng. bot. 808.
2	flàva. DC.	(ye.)	yellow.	France.	....	6. 7.	H. ☉.	Tab. ic. 790. f. 1.
3	micrántha. DC.	(ye.)	small-flowered.	S. France.	1826.	5. 6.	H. ☉.	
4	citrina. DC.	(st.)	Citron-colour'd.	———	1822.	5. 6.	H. ☉.	
5	flámmea. DC.	(fl.)	flame-coloured.	Austria.	1800.	6. 7.	H. ☉.	Jac. aust. 4. t. 355.
6	æstivàlis. DC.	(sc.)	tall.	S. Europe.	1629.	——	H. ☉.	Weinm. phyt. t. 27.
	miniàta. Jac. aust. t. 354.							
7	vernàlis. DC.	(ye.)	vernal.	Europe.	1629.	3. 4.	H. ♃.	Bot. mag. 134.
8	apennìna. W. en.	(ye.)	Apennine.	———	....	——	H. ♃.	Mentz. pug. t. 3. f. 1.
	vernàlis β Mentzèlii. DC.							
9	pyrenàica. DC.	(ye.)	Pyrenean.	Pyrenees.	1820.	6. 7.	H. ♃.	Deless. ic. sel. 1. t. 21.
10	sibírica. S.S.	(ye.)	Siberian.	Siberia.	1827.	4. 5.	H. ♃.	
11	davùrica. S.S.	(ye.)	Davurian.	———	——	——	H. ♃.	Reich ic. t. 321.
12	distòrta. T.P.	(ye.)	distorted.	Naples.	——	——	H. ♃.	Ten. fl. med. p. 448. t. 1.

Tribus III. *RANUNCULEÆ.*

MYOS'URUS. DC.			MOUSE-TAIL.	Pentandria	Polygynia.	L.		
	minimus. DC.	(gr.)	small.	Britain.	....	4. 5.	H. ☉.	Eng. bot. 435.
CERATOCE'PHALUS.			CERATOCE'PHALUS.	Pentandria	Polygynia.			
1	falcàtus. DC.	(ye.)	sickle-seeded.	S. Europe.	1739.	5.	H. ☉.	Jac. aust. t. 48.
2	orthocèras. DC.	(ye.)	straight-seeded.	Siberia.	1823.	——	H. ☉.	Deles. ic. sel. 1. t. 23.
RANU'NCULUS. DC.			CROW-FOOT.	Polyandria	Polygynia.	L.		
1	hederàceus. DC.	(wh.)	Ivy-leaved.	Britain.	....	5. 8.	H.w. ♃.	Eng. bot. 2003.
2	tripartitus. DC.	(wh.)	three-parted.	———	....	——	H.w. ♃.	DC. ic. g. rar. 1. t. 49.
	β obtusiflòrus. DC.	(w.)	*blunt-flowered.*	———	....	——	H.w. ♃.	Pet. eng. herb. t. 39. f. 1.
3	aquátilis. DC.	(wh.)	water.	———	....	4. 8.	H.w. ♃.	Eng. bot. 101.
	α heterophýllus. DC.	(w.)	*various-leaved.*	———	....	——	H.w. ♃.	Tab. ic. 54. f. 2.
	β peltàtus. DC.	(wh.)	*peltate-leaved.*	———	....	——	H.w. ♃.	Lob. ic. 2. p. 35. f. 2.

4	**pentothrix.** DC.	(wh.)	divided-leaved.	Britain.	....	4. 8.	H.w. ♃.	Lob. ic 791. f. 1.
	α capillàceus. DC.	(wh.)	*fine-leaved.*	———	....	——	H.w. ♃.	Pet. eng. herb. t. 39. f. 4.
	β cæspitòsus. DC.	(wh.)	*tufted.*	———	....	——	H.w ♃.	——— t. 39. f. 3.
	γ peucedanifòlius. DC.	(wh.)	*Fennel-ld.*	———	....	——	H w. ♃.	——— t. 39. f. 2.
	flaviátilis. W.							
5	rutæfòlius. DC.	(wh.)	Rue-leaved.	Austria.	1759.	5. 7.	H. ♃.	Jac. coll. 1. t. 6 et 7.
6	glaciàlis. DC.	(wh.)	two-flowered.	Lapland.	1775.	6. 8.	H. ♃.	Flor. dan. t. 19.
7	Seguíeri. DC.	(wh.)	Seguier's.	Switzerland.	1820.	——	H. ♃.	Vill. dauph. 4. t. 49.
8	alpéstris. DC.	(wh.)	Alpine.	Scotland.	....	——	H. ♃.	Eng. bot. 2390.
9	crenàtus. DC.	(wh.)	crenate-leaved.	Hungary.	1822.	——	H. ♃.	W. et K. hung. 1. t. 10.
10	aconitifòlius. DC.	(wh.)	Aconite-leaved.	Europe.	1596.	5. 6.	H. ♃.	J. Ger. hist. 951. f. 4.
	α hùmilis. DC.	(wh.)	*dwarf.*	———	....	——	H. ♃.	Lob. adv. 300. f. 2.
	β crassicàulis. DC.	(w.)	*thick-stalked.*	———	....	——	H. ♃.	
11	platanifòlius. W.	(wh.)	Plane-tree-ld.	Germany.	1760.	6. 7.	H ♃.	Flor. dan. t. 111.
	β flòre-plèno.	(wh.)	*double-flowered.*	———	——	——	H. ♃.	Bot. mag. 204.
	aconitifòlius. B.M. 204.							
12	lácerus. DC.	(wh.)	torn-leaved.	Piedmont.	....	——	H. ♃,	Bell. act. taur. 5. t. 8.
13	péllidus. DC.	(st.)	pale-yellow.	Hybrid.	....	——	H. ♃.	Schrank. hort. mon. t. 57.
14	pyrenæ'us. DC.	(wh.)	Pyrenean.	Pyrenees.	....	4. 6.	H. ♃.	Deles. ic. sel. 1. t. 27. f. B.
	β bupleurifòlius. DC.	(w.)	*one-flowered.*	———	....	——	H. ♃.	Jac. misc. 1. t. 18. f. 1.
	γ plantagineus. DC.	(wh.)	*many-flowered.*	———	....	——	H. ♃.	All ped. n. 1445. t. 76 f. 1.
15	angustifòlius. DC.	(wh.)	narrow-leaved.	———	1822.	——	H. ♃.	Deles. ic. sel. 1. t. 27. f. C.
16	amplexicàulis. DC.	(w.)	Plantain-leav'd.	———	1633.	4. 5.	H. ♃.	Bot. mag. 266.
17	parnassifòlius. DC.	(w.)	Parnassia-leav'd.	———	1769.	6. 7.	H. ♃.	——— 386.
18	gramíneus. DC.	(ye.)	grass-leaved.	Wales.	....	4. 6.	H. ♃.	Eng. bot. 2306.
	β flòre-plèno.	(ye.)	*double-flowered.*	.....	....	——	H. ♃.	Lob. ic. 671. f. 2.
19	bupleuròides. DC.	(ye.)	Hare's-ear-ld.	Portugal.	1826.	——	H. ♃.	
20	Lingua. DC.	(ye.)	great spear-wort.	Britain.	....	6. 8.	H.w. ♃.	Eng. bot. 100.
21	Flámmula. DC.	(ye.)	less. spear-wort.	———	....	6. 9.	H.w. ♃.	——— 387.
	β serràta. DC.	(ye.)	*saw-leaved.*	———	....	——	H.w. ♃.	Lob. ic. 670. f. 2.
	γ ovàta. DC.	(ye.)	*oval-leaved.*	———	....	——	H.w. ♃.	
22	réptans. DC.	(ye.)	least spear-wort.	———	....	——	H.w. ♃.	Flor. dan. t. 108.
23	filifórmis. M.	(ye.)	filiform.	N. America.	1816.	——	H.w. ♃.	
24	uliginòsus. DC.	(ye.)	marsh.	Teneriffe.	1826.	6. 7.	H.w. ⊙.	
25	bonariénsis. DC.	(ye.)	Buenos Ayres.	S. America.	1819.	——	H.w. ⊙.	Deles. ic. sel. 1. t. 29.
26	polyphy'llus. DC.	(ye.)	many-leaved.	Hungary.	——	5. 6.	H.w. ⊙.	W. et K. pl. hung. 1. t. 45.
27	ophioglossifòlius.	(ye.)	fistulous-stalk'd.	S. Europe.	1822.	6.	H.w. ⊙.	Vill. dauph. 4. t. 49.
28	nodiflórus. DC.	(ye.)	knot-flowered.	France.	1714.	5. 7.	H.w. ⊙.	
	β dentàtus. DC.	(ye.)	*toothed.*	Hungary.	——	——	H.w. ⊙.	Bot. mag. 2171.
29	salsuginòsus. DC.	(ye.)	Russian.	Russia.	1821.	——	H. ♃.	Jac. vind. 3. t. 31.
	ruthénicus. Jac. vind. 3. t. 31.							
30	Cymbalàriæ. Ph.	(ye.)	Ivy-like.	N. America.	1823.	——	H.w. ♃.	
31	bullàtus. DC.	(ye.)	blistered.	S. Europe.	1640.	5. 8.	H. ♃.	
	α parviflòrus. DC.	(ye.)	*small-flowered.*	———	——	——	H. ♃.	Clus. hist. 1. f. 2.
	β grandiflòrus. DC.	(ye.)	*large-flowered.*	———	——	——	H. ♃.	——— 1. f. 1.
	γ flòre-plèno.	(ye.)	*double-flowered.*	———	——	——	H. ♃.	Corn. can. 95. ic.
32	chærophy'llos. DC.	(ye.)	Chervil-leaved.	———	....	4. 6.	H. ♃.	Barr. ic. t. 581.
	α vulgàris. DC.	(ye.)	*common.*	———	....	——	H. ♃.	
	β gregàrius DC.	(ye.)	*villous.*	———	....	——	H. ♃.	
33	adscéndens. DC.	(ye.)	ascending.	Portugal.	1826.	5. 6.	H. ♃.	
34	millefoliàtus. DC.	(ye.)	numerous-ld.	Sicily.	1824.	4. 7.	H. ♃.	Flor. græc t. 521.
35	fumariæfòlius. DC.	(ye.)	Fumitory-leav'd.	.....	....	——	H. ♃.	Desf. ic. pict. h. par. t. 74.
36	oxyspérmus. DC.	(ye.)	awned-seeded.	Tauria.	1822.	5. 6.	H. ♃.	
37	pedàtus. DC.	(ye.)	pedate.	Hungary.	1806.	5. 6.	H. ♃.	Bot. mag. 2229.
38	ill'yricus. DC.	(ye.)	Illryian.	Europe.	1596.	——	H. ♃.	Jacq. aust. t. 222.
39	monspeliacus. DC.	(ye.)	Montpelier.	Montpelier.	1816.	——	H. ♃.	Swt. br. fl. gar. 94.
	α angustilòbus. DC.	(y.)	*narrow-lobed.*	———	....	——	H. ♃.	Besl. eyst. 1. t. 13. f. 1.
	β cuneàtus. DC.	(ye.)	*wedge-lobed.*	———	....	——	H. ♃.	DC. ic. gall. rar. t. 50.
	γ rotundifòlius. DC.	(y.)	*round-leaved.*	———	....	——	H. ♃.	
40	asiáticus. DC.	(va.)	garden.	Levant.	1596.	——	H. ♃.	Dard. trait. ren. 1. t. 6.
	A *vulgàris.* DC.	(va.)	*common.*	———	——	——	H. ♃.	Mill. ic. t. 216.
	α pictus. S.F.G.	(r.w.)	*Quillafila.*	.....	....	——	H. ♃.	Swt. flor. guid. 61.
	β incomparábilis.	(r.w.)	*Rose incomparable*	.....	....	——	H. ♃.	——— 54.
	γ Victoriànus.	(bh.)	*Princess Alexandrina Victoria.*	.....	....	——	H. ♃.	——— 12.
	δ mixtus.	(r.y.)	*Melange des beautes*	.....	....	——	H. ♃.	——— 28.
	ε Juliusiànus.	(p.y.)	*Julius.*	.....	....	——	H. ♃.	——— 68.
	ζ Galitzini.	(p.y.)	*Prince Galitzin.*	.....	....	——	H. ♃.	——— 6.
	η Douglásii.	(p.y.)	*Gadwin Douglas*	.....	....	——	H. ♃.	——— 84.
	θ áureus.	(ye.)	*Beroth.*	.....	....	——	H. ♃.	——— 87.
	ι Búrnsii.	(p.w.)	*Burns the Poet.*	.....	....	——	H. ♃.	——— 18.

	ε *àter.*	(d.p.)	*Vereatre.*	.....	....	5. 6.	H. ¼.	Swt. flor. guid. 43.
	λ *hæmánthus.*	(cr.)	*Xanthus.*	.....	....	——	H. ¼.	——— 78.
	μ *Agrícoli.*	(s.p.)	*Agrícola.*	.....	....	——	H. ¼.	——— 73.
	ν *Clarencednus.*	(s.p.)	*Duke of Clarence.*	.....	.....	——	H. ¼.	——— 83.
	ξ *Carlosiànus.*	(s.p.)	*Carlos.*	.....	....	——	H. ¼.	——— 90.
	B *sanguíneus.* DC	(va.)	*Turban.*	Levant.	1596.	——	H. ¼.	Lob. ic. 672. f. 2.
	C *tenuilòbus.* DC.	(va.)	*slender-lobed.*	———	——	——	H. ¼.	Debr. flor. nov. t. 31.
	α *atérrimus.*	(da.)	*Viola le vrai noir.*	.....	....	——	H. ¼.	Swt. flor. guid. 60.
	β *Nemiási.*	(pu.)	*Nomias.*	.....	....	——	H. ¼.	——— 24.
	γ *variegàtus.*	(w.r.)	*Oeillet parfait.*	.....	....	——	H. ¼.	——— 40.
	δ *càrus.*	(w.r.)	*Cara.*	.....	....	——	H. ¼.	——— 86.
41	crèticus. DC.	(ye.)	Cretan.	Candia.	1659.	4. 5.	H. ¼.	Clus. hist. 1. p. 239. f. 1.
42	cortusæfòlius. DC.	(ye.)	Cortusa-leaved.	Canaries.	1826.	4. 6.	H. ¼.	Deless. ic. sel. 1. t. 36.
43	Thòra. DC.	(ye.)	kidney-leaved.	AlpsEurope.	1710.	5. 6.	H. ¼.	Jacq. aust. 5. t. 442.
44	scutàtus. DC.	(ye.)	shield-leaved.	Hungary.	1822.	4. 5.	H. ¼.	Pl. rar. hung. 2. t. 187.
45	brevifòlius. DC.	(ye.)	short-leaved.	Naples.	1826.	——	H. ¼.	
46	hy'bridus. DC.	(ye.)	hybrid.	Austria.	1822.	6. 7.	H. ¼.	Sturm. deutsch. fl. ic.
47	aurícomus. DC.	(ye.)	Goldilocks.	Britain.	....	3. 5.	H. ¼.	Eng. bot. 624.
48	cassùbicus. DC.	(ye.)	Cassubian.	Siberia.	1794.	6. 7.	H. ¼.	Bot. mag. 2267.
49	abortìvus. DC.	(ye.)	three-flowered.	N. America.	1713.	5. 8.	H. ¼.	
50	sceleràtus. DC.	(ye.)	Celery-leaved.	Britain.	....	——	H.w.⊙.	Eng. bot. 681.
51	lappònicus. DC.	(ye.)	Lapland.	Lapland.	1827.	4. 6.	H. ¼.	Sm.fl.lapp.ed.2.t.3 f.5.
52	hyperbòreus. DC.	(ye.)	northern.	Siberia.	1822.	6. 8.	H. ¼.	Flor. dan. t. 31.
53	frígidus. DC.	(ye.)	frigid.	———	1826.	——	H. ¼.	Lax.n.c.ac.pet.v.18.t.8.
54	nivàlis. DC.	(ye.)	snowy.	Lapland.	1775.	——	H. ¼.	Fl.lap.ed.1.t.3.f.2.
55	Sabìni. s.s.	(ye.)	Sabine's.	N. America.	1827.	——	H. ¼.	
56	árcticus. s.s.	(ye.)	arctic.	———	——	——	H. ¼.	
57	Púrshii. s.s.	(ye.)	Pursh's.	———	——	——	H. ¼.	
58	affinis. s.s.	(ye.)	likened.	———	——	——	H. ¼.	
59	montànus. DC	(ye.)	mountain.	Austria.	——	——	H. ¼.	Jacq. aust. t. 325 et 6.
60	Villársii. DC.	(ye.)	Villars's.	France.	....	5. 7.	H. ¼.	Crantz. aust. 2. t. 4. f. 2?
61	Gouàni. DC.	(ye.)	Gouan's.	Pyrenees.	1818.	——	H. ¼.	Gouan ill. t. 17. f. 1. 2.
62	àcris. DC.	(ye.)	upright.	Britain.	....	6. 7.	H. ¼.	Eng. bot. 652.
	β *flòre plèno.*	(ye.)	*double-flowered.*	———	....	——	H. ¼.	Bot. mag. 215.
	γ *sylváticus.* DC.	(ye.)	*wood*	———	....	——	H. ¼.	
	δ *multifidus.* DC.	(ye.)	*multifid.*	———	....	——	H. ¼.	
63	Brùtius. DC.	(ye.)	Neapolitan.	Naples.	1828.	——	H. ¼.	Ten. fl. nap. 1. t. 50.
64	Stevèni. DC.	(ye.)	Steven's.	Poland.	1825.	——	H. ¼.	
65	caucàsicus. DC.	(ye.)	Caucasian.	Caucasus.	——	6. 8.	H. ¼.	
66	rùfulus. DC.	(ye.)	rufous-haired.	Portugal.	——	——	H. ¼.	
67	polyánthemos. DC.	(ye.)	many-flowered.	N. Europe.	1596.	5. 6.	H. ¼.	Cran. aus. 2. t. 4. f. 1. s.
68	nemoròsus. DC.	(ye.)	wood.	Switzerland.	1818.	5. 7.	H. ¼.	
69	Breyniánus. s.s.	(ye.)	Breynius's.	———	——	——	H. ¼.	
	áureus. Schl.	*villòsus.*	St. Àm. fl. ag. 227. bon. t. 5.					
70	lanuginòsus. DC.	(ye.)	woolly-leaved.	S. Europe.	1683.	6. 7.	H. ¼.	Flor. dan. t. 397.
71	obtusifòlius. DC.	(ye.)	blunt-leaved.	Spain.	1825.	——	H. ¼.	
72	tuberòsus. DC.	(ye.)	tuberous.	Pyrenees.	1824.	5. 7.	H. ¼.	
73	napellifòlius. DC.	(ye.)	Napellus-leav'd.	Greece.	1825.	——	H. ¼.	
74	platyspérmus. DC.	(ye.)	flat-seeded.	Siberia.	1827.	——	H. ¼.	
75	dissèctus. DC.	(ye.)	cut-leaved.	———	1823.	——	H. ¼.	
76	rèpens. DC.	(ye.)	creeping.	Britain.	....	5. 9.	H. ¼.	Eng. bot. 516.
	β *flòre-plèno.*	(ye.)	*double-flowered.*	———	....	——	H. ¼.	Tab. ic. 53. f. 1.
	γ *glàbratus.* DC.	(ye.)	*shining-leaved.*	———	....	——	H.w. ¼.	
77	lappàceus. DC.	(ye.)	New Holland.	N. S. W.	1822.	——	G. ¼.	
78	plebeius. DC.	(ye.)	plebeian.	———	1823.	5. 7.	G. ¼.	
79	hìrtus. DC.	(ye.)	hairy.	N. Zealand.	——	——	H. ¼.	
80	pensylvànicus. DC.	(ye.)	Pensylvanian.	N. America.	1785.	6. 7.	H. ¼.	Jacq. ic. 1. t. 105.
	canadénsis. Jac.							
81	fasciculàris. DC.	(ye.)	fascicled.	———	1823.	4. 5.	H. ¼.	
82	marylándicus. DC.	(ye.)	Maryland.	———	1811.	5. 7	H. ¼.	
83	caroliniànus. DC.	(ye.)	Carolina.	———	1826.	5. 7.	H. ¼.	
84	tomentòsus. DC.	(ye.)	tomentose.	———	1820.	——	H. ¼.	
85	bulbòsus. DC.	(ye.)	bulbous.	Britain.	....	4. 6	H. ⊙	Eng. bot. 515.
	β *flòre-plèno.*	(ye.)	*double-flowered.*	———	....	——	H. ¼.	Lob. ic. 666. f. 2.
86	bracteàtus. Sch.	(ye.)	bracted.	Switzerland.	1817.	——	H. ¼.	
87	Philonòtis. DC.	(ye.)	pale hairy.	Britain.	....	6. 10.	H. ⊙.	Curt. lond. 2. t. 40.
	α *hirsùtus.* E.B.	(ye.)	*hairy upright.*	———	....	——	H. ⊙	Eng. bot. t. 1504.
	β *intermèdius.* DC.	(ye.)	*intermediate.*	France.	....	——	H. ⊙.	
	γ *párvulus.* DC.	(ye.)	*little upright.*	England.	....	——	H. ⊙.	Col. ecphr. t. 316.
88	tuberculàtus. DC.	(ye.)	tubercled.	.....	1821.	5. 6.	H. ¼.	

89	Hornemánni. DC. *tuberósus.* Hort. pon.	(*ye.*)	Hornemann's. Lapeyr.	N. America.	1820.	5. 7.	H. ♃.		
90	arvénsis. DC.	(*ye.*)	corn.	Britain.	....	——	H. ☉.	Eng. bot. 135.	
91	muricàtus. DC.	(*ye.*)	prickly seeded.	S. Europe.	1683.	7. 8.	H. ☉.	Lam. ill. t. 498.	
92	echinàtus. V.	(*ye.*)	American.	N. America.	....	6. 7.	H. ☉.	Vent. cels. t. 73.	
93	parviflòrus. DC.	(*ye.*)	small-flowered.	England.	....	5. 6.	H. ☉.	Eng. bot. 120.	
94	trilòbus. DC.	(*ye.*)	three-lobed.	S. Europe	1824.	5. 7.	H. ☉.	Desf. atl. 1. t. 113.	
95	sessiliflòrus. DC.	(*ye.*)	sessile-flowered.	N. S. W.	1822.	——	H. ☉.		
96	laciniàtus. DC.	(*ye.*)	jagged.	Transylvania.	1826.	6. 7.	H. ♃.		
97	crassicàulis. H.	(*ye.*)	thick-stemmed.	.....	——	——	H. ♃.		
FICARIA. DC.			PILEWORT.	Polyandria Polygynia. L.					
	ranunculòides. DC. *vérna.* P. S. *Ranúnculus Ficària.* W.	(*ye.*)	vernal.	Britain.	....	3. 5.	H. ♃.	Eng. bot. 584.	
	β flòre-plèno.	(*ye.*)	*double-flowered.*	———	....	——	H. ♃.		

Tribus IV. *HELLEBOREÆ.*

CA'LTHA. DC.			MARSH-MARYGOLD.	Polyandria Polygynia L.					
1	palústris. DC.	(*ye.*)	common.	Britain.	....	3. 5.	H. *w.* ♃.	Eng. bot. 506.	
	β flòre-plèno.	(*ye.*)	*double-flowered.*	———	....	——	H. *w.* ♃.	Tab. ic. 751. f. 1.	
2	minor. Mill.	(*ye.*)	small.	———	....	——	H. *w.* ♃.	——— 750. f. 2.	
3	radicans. DC.	(*ye.*)	creeping.	Scotland.	....	——	H. *w.* ♃.	Linn. trans. 8. t. 17.	
4	integérrima. DC.	(*ye.*)	entire-leaved.	N. America.	1827.	5. 7.	H. *w.* ♃.		
5	parnassifòlia. DC. *flexuòsa.* Ph.	(*ye.*)	Parnassia-leav^d.	———	1825.	——	H. *w.* ♃.		
6	árctica. S. S.	(*ye.*)	northern.	———	1827.	——	H. *w.* ♃.		
7	flabellifòlia. DC.	(*ye.*)	fan-leaved.	.....	1818.	7. 8.	H. *w.* ♃.	Pur. fl. am. sept. 2. t. 17.	
8	nàtans. DC.	(*wh.*)	floating.	Siberia.	1823.	4. 5.	H. *w.* ♃.	Gmel. sib. 4. t. 82.	
TRO'LLIUS. DC.			GLOBE-FLOWER.	Polyandria Polygynia. L.					
1	europæ'us. DC.	(*ye.*)	European.	Britain.	....	5. 6.	H. ♃.	Eng. bot. t. 28.	
	α altíssimus. DC.	(*ye.*)	*tall.*	———	....	——	H. ♃.		
	β hùmilis. DC.	(*ye.*)	*dwarf.*	———	....	——	H. ♃.		
2	napellifòlius. DC.	(*ye.*)	intermediate.	.....	....	——	H. ♃.		
3	caucàsicus. DC.	(*ye.*)	Caucasean.	Caucasus.	....	——	H. ♃.		
4	pátulus. DC.	(*ye.*)	spreading.	Siberia.	....	5. 7.	H. ♃.	Deless. ic. sel. 1. t. 44.	
5	Ledebòurii. S. S.	(*ye.*)	Ledebour's.	———	1827.	——	H. ♃.	Reich. ic. t. 272.	
6	asiàticus. DC.	(*ye.*)	Asiatic.	———	1759.	——	H. ♃.	Bot. mag. 235.	
7	americànus. DC. *làxus.* Ph. *Gaissènia vérna.* Raf.	(*ye.*)	American.	N. America.	1805.	5. 7.	H. ♃.	——— 1988.	
ERA'NTHIS. DC.			WINTER-ACONITE.	Polyandria Polygynia. L.					
1	hyemàlis. DC.	(*ye.*)	common.	Europe.	1596.	1. 3.	H. ♃.	Bot. mag. 3.	
2	sibírica. DC.	(*ye.*)	Siberian.	Siberia.	1824.	2. 4.	H. ♃.		
HELLE'BORUS. DC.			HELLEBORE.	Polyandria Polygynia. L.					
1	níger. DC.	(*wh.*)	Christmas-Rose.	Europe.	1596.	1. 3.	H. ♃.		
	α latifòlius.	(*wh.*)	*broad-leaved.*	———	——	——	H. ♃.	Bot. mag. 8.	
	β angustifòlius.	(*wh.*)	*narrow-leaved.*	———	——	——	H. ♃.		
2	purpuráscens.	(*pu.*)	purplish.	Hungary.	1817.	3. 4.	H. ♃.	Pl. rar. hung. 2. t. 101.	
3	Boccòni. T. P.	(*gr.*)	Boccone's.	Sicily.	1826.	——	H. ♃.	Bocc. mus. 2. t. 11. f. 2.	
4	odòrus. DC.	(*gr.*)	sweet-scented.	Hungary.	——	——	H. ♃.		
5	víridis. DC.	(*gr.*)	green-flowered.	Britain.	....	4. 6.	H. ♃.	Eng. bot. 200.	
6	atrorùbens. DC.	(*pu.*)	dark-red.	Hungary.	1822.	1. 3.	H. ♃.	Pl. rar. hung. 3. t. 271.	
7	dumetórum. DC.	(*gr.*)	bush.	———	1817.	3. 4.	H. ♃.	Swt. br. fl. gar. 109.	
8	fœ'tidus. DC.	(*gr.*)	Bear's-foot.	England.	....	2. 4.	H. ♃.	Eng. bot. 613.	
9	lívidus. DC.	(*br.*)	three-leaved.	Corsica.	1710.	1 5.	H. ♃.	Bot. mag. 72.	
	β integrilòbus. DC.	(*br.*)	*entire-lobed.*	———	——	——	H. ♃.		
CO'PTIS. DC.			Co'PTIS.	Polyandria Polygynia. L.					
	trifòlia. DC.	(*wh.*)	three-leaved.	N. America.	1782.	6. 7.	H. ♃.	Lodd. bot. cab. t. 173.	
ISOP'YRUM. DC.			ISOP'YRUM.	Polyandria Polygynia. L.					
1	thalictróides. DC.	(*wh.*)	Meadow-Rue l^d.	Italy.	1759.	3. 4.	H. ♃.	Jac. anst. 2. t. 105.	
2	fumariòides. DC.	(*wh.*)	Fumitory-l^d.	Siberia.	1741.	6. 7.	H. ☉.	Schkuhr hand. 2. t. 153.	
3	grandiflòrum. F.	(*wh.*)	large-flowered.	Altay.	1804.	——	H. ♃.		

GARIDE'LLA. DC.		**Garide'lla. Decandria Trigynia. L.**						
Nigellástrum. DC.	(*wh.*)	Nigella-leaved.	S. Europe.	1736.	6. 7.	H. ⊙		Bot. mag. 1266.
NIGE'LLA. DC.		**Fennel-flower. Polyandria Pentagynia. L**						
1 corniculàta. DC.	(*st.*)	horned.	.....	1822.	6. 9.	H. ⊙.		
2 orientàlis. DC.	(*ye.*)	yellow.	Syria.	1699.	——	H. ⊙.		Bot. mag. 1264.
3 hispánica. DC.	(*bl.*)	Spanish.	Spain.	1629.	——	H. ⊙.		——— 1265.
4 arvénsis. DC.	(*wh.*)	field.	Europe.	1683	——	H. ⊙.		Bull. herb. t. 126.
5 sativa. DC.	(*wh.*)	small.	Egypt.	1548.	——	H. ⊙.		Flor. græc. t. 511.
β crètica. DC.	(*wh.*)	*Cretan.*	Crete.	——	——	H. ⊙.		Math. com. 581. f. IV.
γ citrìna. DC.	(*wh.*)	*yellow-seeded.*	.....	——	——	H. ⊙.		Lob. ic. 741. f. 1.
6 damascèna. DC.	(*wh.*)	common.	S. Europe.	1570.	——	H. ⊙.		Bot. mag. 22.
β flòre-plèno.	(*wh.*)	*double-flowered.*	———	——	——	H. ⊙.		Clus. hist. 2. p. 208. f. 1.
7 coarctàta. DC.	(*wh.*)	dwarf.	.....	1793.	——	H. ⊙.		
AQUIL'EGIA. DC.		**Columbine. Polyandria Pentagynia. L.**						
1 vulgàris. DC.	(*va.*)	common.	Britain.	....	5. 7.	H. ♃.		Eng. bot. 297.
β corniculàta. DC.	(*va.*)	*downward-spur'd*	.....	....	——	H. ♃		Barr.ic.614.615.616. &c.
γ invérsa. DC.	(*va.*)	*upward-spurred.*	.....	....	——	H. ♃.		——— 613.
δ stellàta. DC.	(*va.*)	*starry.*	.....	....	——	H. ♃.		——— 619. 620. &c.
ε degéner. DC.	(*gr.*)	*green-flowered.*	.....	....	——	H. ♃.		——— 608.
2 viscòsa. DC.	(*bl.*)	clammy.	S. Europe.	1752.	5. 6.	H. ♃.		Gouan. ill. t. 19.
3 sibírica. DC.	(*bl.*)	Siberian.	Siberia.	....	——	H. ♃.		Deles. ic. sel. 1. t. 47.
4 glandulòsa. F.	(*bl.*)	glandulous.	Altay.	1818.	——	H. ♃.		
α discolor. DC.	(*b.w.*)	*two-coloured.*	———	——	——	H. ♃.		
β concolor. DC.	(*bl.*)	*one-coloured.*	———	——	——	H. ♃.		
5 alpìna. DC.	(*bl.*)	Alpine.	Switzerland.	1731.	——	H. ♃.		Swt. br. fl. gar. 3. t. 219.
6 pyrenaìca. DC.	(*bl.*)	Pyrenean.	Pyrenees.	1821.	——	H. ♃.		Trev. delph. 28. t. 2.
7 canadénsis. DC.	(*re.*)	Canadian.	N. America.	1640.	4. 5.	H. ♃.		Bot. mag. 246.
8 formòsa. F.	(*re.*)	handsome.	Kamtschatka.	1824.	——	H ♃.		
9 viridiflòra. DC.	(*gr.*)	green-flowered.	Siberia.	1780.	5. 6.	H. ♃.		Jac. ic. 1. t. 102.
10 dahùrica. DC.	(*pu.*)	Dahurian.	Dahuria.	1821.	——	H. ♃.		Deless. ic. sel. 1. t. 49.
11 Fischerìana. DC.	(*pu.*)	Fischer's.	———	——	——	H. ♃.		
12 atropurpùrea. DC.	(*pu.*)	dark-purple.	Siberia.	....	5. 6.	H. ♃.		Botan. regist. 922.
13 hy'brida. DC.	(*p.y.*)	hybrid.	.....	....	——	H. ♃.		Bot. mag. 1221.
DELPHI'NIUM. DC.		**Larkspur. Polyandria Trigynia. L.**						
1 Ajácis. DC.	(*va.*)	Rocket.	Tauria.	1573.	6. 9.	H. ⊙.		Spreng. geh. 1. t. 24. f. 1. 5
β flòre-plèno.	(*va.*)	*double-flowered.*	———	——	——	H. ⊙.		Clus. hist. 2. f. 2.
2 Consólida. DC.	(*va.*)	field.	England.	....	——	H. ⊙.		Eng. bot. 1889.
β flòre-plèno.	(*va.*)	*double-flowered.*	———	....	——	H. ⊙.		Besl. eyst. 2. t. 14. f. 1.
3 pubéscens. DC.	(*bl.*)	pubescent.	S. France.	....	——	H. ⊙.		Flor. græc. t. 504.
4 Aconìti. DC.	(*pu.*)	Aconite-like.	Levant.	1801.	——	H. ⊙.		Vahl symb. 1. 40. t. 13.
5 ambíguum. DC.	(*bl.*)	doubtful.	Barbary.	1759.	7. 9.	H. ⊙.		
6 júnceum. DC.	(*bl.*)	Rush-like.	Italy.	1629.	——	H. ⊙.		Flor. græc. t. 506.
peregrìnum. Lin. *non* Lam.								
7 grácile. DC.	(*re.*)	slender.	Spain.	1826.	——	H. ⊙.		
8 cardiopètalum. DC.	(*bl.*)	heart-petaled.	Pyrenees.	1822.	——	H. ⊙.		Math. com. 557. ic.
peregrìnum. Lam. *non* Lin.								
9 vírgatum. DC.	(*bl.*)	twiggy.	Syria.	1824.	6. 9.	H. ⊙.		Deless. ic. sel. 1. t. 55.
10 grandiflòrum. DC.	(*bl.*)	great-flowered.	Siberia.	1741.	6. 9.	H. ♃.		Bot. mag. 1686.
β chinénse. F.	(*bl.*)	*Chinese.*	China.	1816.	——	H. ♃.		Bot. reg. 472.
γ álbum.	(*wh.*)	*white-flowered.*	———	——	——	H. ♃.		
δ flòre-plèno.	(*bl.*)	*double-flowered.*	———	——	——	H. ♃.		
11 cheilánthum. DC.	(*bl.*)	hairy-leaved.	Dahuria.	1818.	——	H. ♃.		Bot. reg. 473.
12 viréscens. N.	(*wh.*)	greenish.	N. America.	1827.	——	H. ♃.		
13 puníceum. DC.	(*pu.*)	dark-purple.	Tartary.	1785.	7. 9.	H. ♃.		
14 albiflòrum. DC.	(*wh.*)	white-flowered.	Armenia.	1823.	——	H. ♃.		Deless. ic. sel. 1. t. 58.
15 ochroleùcum. DC.	(*st.*)	sulphur-colour'd.	Iberia.	1817.	——	H. ♃.		
16 hy'bridum. DC.	(*bl.*)	hairy.	Siberia.	1794.	6. 9.	H. ♃.		
17 fissum. P. S.	(*bl.*)	cloven.	Hungary.	1816.	——	H. ♃.		Pl. rar. hung. 1. t. 81.
18 velutìnum. DC.	(*bl.*)	velvetty.	Italy.	1824.	——	H. ♃.		
19 pentágynum. DC.	(*bl.*)	five-styled.	Portugal.	1820.	——	H. ♃.		Pic. hort. par. t. 30.
20 Menziesii. DC.	(*bl.*)	Menzies'.	N. America.	1826.	6. 8.	H. ♃.		Bot. reg. 1192.
21 élegans. DC.	(*bl.*)	elegant.	———	1741.	——	H. ♃.		
β multiplex.	(*bl.*)	*common-double.*	———	——	——	H. ♃.		
22 tricórne. DC.	(*bl.*)	three-horned.	———	1806.	4. 6.	H. ♃.		Lodd. bot. cab. 306.
23 amœ'num. DC	(*bl.*)	pretty.	Siberia.	....	——	H. ♃		Gmel. sib. 4. t. 77.
24 azùreum. DC.	(*bl.*)	azure.	Carolina.	1805	5. 7.	H. ♃.		Deless. ic. sel. 1. t. 60.
25 exaltàtum. DC.	(*bl.*)	tall.	N. America.	1758.	7. 8.	H. ♃.		Mill. ic. t. 250. f. 2?
26 urceolàtum. DC.	(*bl.*)	hollow-leaved.	———	1806.	6. 7.	H. ♃.		Jac. ic. 1. t. 101.

27	revolùtum. DC.	(*bl.*)	revolute.	.....	....	7. 9.	H. ♃.	
28	mesolèucum. DC.	(*bl.*)	white-lipped.	.....	1824.	——	H. ♃.	Swt. br. fl. gar. ic.
29	palmatifidum. DC.	(*bl.*)	palmate.	Siberia.	....	6. 9.	H. ♃.	
	α hispìdum. DC.	(*bl.*)	*hispid.*	———	....	——	H. ♃.	Gmel. sib. 4. t. 79?
	β glàbellum. DC.	(*bl.*)	*smooth.*	———	....	——	H. ♃.	——— 4. t. 75?
30	intermèdium. DC.	(*bl.*)	intermediate.	Europe.	1710	7. 8.	H. ♃.	
	α pilosíssimum. DC.	(*bl.*)	*villous.*	———	....	——	H. ♃.	Gmel. sib. 4. t. 80?
	β alpìnum. DC.	(*bl.*)	*Alpine.*	———	1819.	——	H. ♃.	Pl. rar. hung. 3. t. 246.
	γ leptostáchyum. DC.	(*bl.*)	*slender-spiked.*	———	....	——	H. ♃.	
	δ ranunculifòlium. DC.		*Ranunculus-l.*	———	....	——	H. ♃.	
	ε làxum. DC.	(*bl.*)	*loose-flowered.*	———	....	——	H. ♃.	Mill. ic. t. 119?
31	cuneàtum. DC.	(*bl.*)	wedge-leaved.	Siberia.	1815.	——	H. ♃.	Bot. reg. 327.
32	villòsum. DC.	(*bl.*)	villous.	.....	1819.	——	H. ♃.	
33	dyctiocárpum. DC.	(*bl.*)	netted-capsuled.	Siberia.	——	——	H. ♃.	
34	laxiflòrum. DC.	(*bl.*)	loose-flowered.	———	——	6. 8.	H. ♃.	
35	montànum. DC.	(*bl.*)	mountain.	Pyrenees.	——	——	H. ♃.	
	β bracteòsum. DC.	(*bl.*)	*large-bracted.*	Switzerland.	——	——	H. ♃.	
36	dasycárpum. DC.	(*bl.*)	thick-capsuled.	Caucasus.	1824.	——	H. ♃.	
37	speciòsum. DC.	(*bl.*)	large-flowered.	———	1817.	8. 10.	H. ♃.	Deless. ic. sel. 1. t. 62.
38	spàrium. F.	(*bl.*)	spurious.	Siberia.	1817.	6. 9.	H. ♃.	
39	ucràinicum. Bes.	(*bl.*)	Ucranian.	———	1818.	——	H. ♃.	
40	pseudoperegrìnum. F.	(*bl.*)	Fischer's.	———	——	——	H. ♃.	
41	crassicaule. Gm.	(*bl.*)	thick-stemmed.	.....	1822.	——	H. ♃.	
42	pállidum. F.	(*pa.*)	pale-flowered.	Siberia.	1818.	——	H. ♃.	
43	flexuòsum. DC.	(*bl.*)	flexuose.	Caucasus.	1817.	7. 9.	H. ♃.	Trev. delph. t. 1. et 2.
44	díscolor. F.	(*v.*)	two-coloured.	Siberia.	1819.	6. 8.	H. ♃.	
45	tríste. DC.	(*da.*)	dark-flowered.	———	1822.	——	H. ♃.	
46	Requiénii. DC.	(*pa.*)	Requien's.	S. Europe.	1819.	6. 7.	F. ♂.	Deles. ic. sel. 1 t 63.
47	píctum. DC.	(*pa.*)	painted.	———	1810.	——	H. ♂.	Swt. br. fl. gar. 2. 128.
48	Staphysàgria. DC.	(*bl.*)	Stavesacre.	———	1596.	5. 6.	F. ♂.	Flor. græc. t. 508.

ACONÌTUM. DC. Monkshood. Polyandria Trigynia.

1	A'nthora. L.	(*st.*)	wholesome.	Pyrenees.	1596.	6. 8.	H. ♃.	Rch. ac. p. 61. t. 1. f. A.
	β grandiflòrum. R.U.	(*st.*)	*large-flower'd.*	———	....	——	H. ♃.	—— p. 63. t. 1. f. B.
	γ glabriflòrum. R.U.	(*st.*)	smooth-flower'd.	———	....	——	H. ♃.	
2	eulòphum. R.U.	(*st.*)	eatable.	Switzerland.	1824.	——	H. ♃.	Rch. ac. p. 69. t. 5.
	anthorìdeum. DC. non R.U.							
3	nemoròsum. R.U.	(*ye.*)	wood.	Caucasus.	1822.	——	H. ♃.	—— p. 71. t. 6.
4	Dec ndòllii. R.U.	(*ye.*)	Decandolle's.	Pyrenees.	——	——	H. ♃.	—— p. 67. t. 3.
5	Jacquìni. R.U.	(*ye.*)	Jacquin's.	Austria.	....	——	H. ♃.	—— p. 65. t. 2.
	A'nthora. Jacq. aust. t. 3b2.							
6	Pallàsii. R.U.	(*st.*)	Pallas's.	Siberia.	1824.	——	H. ♃.	—— p. 73. t. 6. f. A. B.
7	inclinàtum.	(*st.*)	inclined.	———	....	——	H. ♃.	Ser. m. helv. 1. t. 15. f. 2.
	anthoroìdeum. Rch. ac. 68. t. 4. non DC.							
8	Kœlleànum. R.U.	(*bl.*)	Koelle's.	Germany.	....	5. 7.	H. ♃.	Rch. ac. t. 11. f. 1.
9	ta'uricum. R.U.	(*bl.*)	Taurian.	Tauria.	1752.	6. 8.	H. ♃.	——— t. 12. f. 2—3.
10	firmum. R.U.	(*bl.*)	firm.	Germany.	1822.	——	H. ♃.	——— t. 14. f. 2.
11	acùtum. R.U.	(*bl.*)	acute.	———	——	——	H. ♃.	——— t. 14. f. 1.
12	læ'tum. R.U.	(*bl.*)	great-flowered.	Sweden.	1823.	——	H. ♃.	——— t. 13. f. 2.
13	Clùsii. R.U.	(*bl.*)	Clusius's.	Austria.	....	6. 7.	H. ♃.	Mor. his. 3. s. 12. t. 3. f. 17.
14	amœ'num. R.U.	(*bl.*)	delightful.	Sweden.	1824.	6. 8.	H. ♃.	Rch. ac. 93. t. 14. f. 1.
15	Hóppii. R.U.	(*bl.*)	Hoppe's.	Carinthia.	——	——	H. ♃.	
16	oligocárpum. R.U.	(*bl.*)	two-podded.	Styria.	1823.	——	H. ♃.	
17	callibòtrys. R.U.	(*bl.*)	long-spiked.	Moravia.	1824.	6. 7.	H. ♃.	Rch. ac. 98. t. 16. f. 1.
18	tenuifòlium. R.U.	(*bl.*)	slender-leaved.	Styria.	——	——	H. ♃.	
19	angustifòlium. R.U.	(*bl.*)	narrow-leaved.	Siberia.	——	——	H. ♃.	Rch. ac. 95. t. 15. f. 2.
20	eustàchyum. R.U.	(*bl.*)	loose-spiked.	M. Baldo.	——	——	H. ♃.	——— t. 15. f. 3.
21	Napéllus. R.U.	(*bl.*)	common.	Europe.	....	5. 7.	H. ♃.	Lob. ic. 679. f. 1.
22	compáctum. R.U.	(*bl.*)	compact.	Switzerland.	1823.	——	H. ♃.	
	β rubéllum. R.U.	(*re.*)	*red-flowered.*	———	——	——	H. ♃.	
23	Hallèri. R.U.	(*bl.*)	Haller's.	———	1824.	6. 7.	H. ♃.	Chabr. sci. p. 531. f. 2.
	β hàmile. R.U.	(*bl.*)	*dwarf.*	———	——	——	H. ♃.	
	γ ramòsum. R.U.	(*bl.*)	*branching.*	———	1822.	——	H. ♃.	
	δ bicolor. R.U.	(*w.b.*)	*two-coloured.*	———	——	——	H. ♃.	
24	virgàtum. R.U.	(*bl.*)	slender-branch'd.	———	1824.	——	H. ♃.	
25	venùstum. R.U.	(*bl.*)	beautiful.	———	1823.	6. 8.	H. ♃.	
26	laxiflòrum. R.U.	(*bl.*)	loose-flowered.	———	1824.	——	H. ♃.	
27	Fúnckii. R.U.	(*bl.*)	Funck's.	Germany	——	——	H. ♃.	
28	Bráunii. R.U.	(*bl.*)	Braune's	———	——	6. 7.	H. ♃.	
29	trichocárpum. R.U.	(*bl.*)	three-podded.	———	——	——	H. ♃.	

30	pubéscens. R.U.	(*bl.*)	pubescent.	Switzerland.	....	5. 7.	H. 4.	
31	Mielichóferi. R.U.	(*bl.*)	Mielichofer's.	Germany.	1823.	6. 8.	H. 4.	
32	plicàtum. R.U.	(*bl.*)	plaited.	Sweden.	1824.	——	H. 4.	
33	Kœhlèri. R.U.	(*bl.*)	Koehler's	———	1823.	——	H. 4.	
34	elàtum. R.U.	(*bl.*)	tall.	Germany.	....	——	H. 4.	
35	álbidum. R.U.	(*wh.*)	whitish.	.....	1824.	——	H. 4.	
36	neubergénse. R.U.	(*bl.*)	Styrian.	Styria.	....	——	H. 4.	Clus. hist. 2. p. 96. f. 1.
	Napéllus. Jacq. aust. 4. t. 381.							
37	Meyèri. R.U.	(*bl.*)	Meyer's.	Germany.	1824.	——	H. 4.	
38	Bernhardiànum.	(*bl.*)	Bernhardi's.	.....	1823.	——	H. 4.	
39	stríctum. R.U.	(*bl.*)	straight.	Siberia.	....	——	H. 4.	Rch. ac. t. 17. f. 1.
	spicàtum. Donn. h. cant. ed. 10. p. 209.							
40	Sprengèlii. R.U.	(*bl.*)	Sprengel's.	.....	1823.	6. 8.	H. 4.	
41	Willdenòwii. R.U.	(*bl.*)	Willdenow's.	Carniola.	——	——	H. 4.	
42	éminens. R.U.	(*bl.*)	eminent.	.....	1822.	——	H. 4.	
43	Schleichèri. R.U.	(*bl.*)	Schleicher's.	Switzerland.	....	5. 6.	H. 4.	
	β comòsum. R.U.	(*bl.*)	*tufted.*	———	....	——	H. 4.	Mor. his. 3.s.12.t.3.f.19.
44	microstáchyum. R.U.	(*b.*)	small-spiked.	Hungary.	1822.	6. 8.	H. 4.	
45	formòsum. R.U.	(*bl.*)	handsome.	Germany.	1824.	——	H. 4.	Rch. ac. t. 18. f. 2.
46	rígidum. R.U.	(*bl.*)	rigid.	Sweden.	——	——	H. 4.	
47	commutàtum. R.U.	(*bl.*)	changed.	Switzerland.	——	——	H. 4.	Rch. ac. t. 18. f. 3.
48	láxum. R.A.	(*bl.*)	loose.	Germany.	1823.	6. 8.	H. 4.	Rch. ac. 97. t. 15. f. 4.
49	autumnàle. R.A.	(*bl.*)	autumnal.	———	——	——	H. 4.	——— t. 17. f. 2.
50	amplifiórum. R.U.	(*bl.*)	large-flowered.	Austria.	1823.	——	H. 4.	
51	máximum. DC.	(*bl.*)	large.	Kamtschatka.	——	7. 8.	H. 4.	Ser. mus. 1.t.15.f.31.32.
52	bifiòrum. DC.	(*va.*)	two-flowered.	Altay.	1826.	6. 8.	H. ♂.	——— 1. t. 15.f.45.46.
	α lutèo-cærùleum(y.b.)		*blue and yellow.*	———	——	——	H. ♂.	
	β cærùleum.	(*bl.*)	*blue-flowered.*	———	——	——	H. ♂.	Rch. ac. 74. t. 7. f. 1. 2.
53	fèrox. DC.	(*pu.*)	poison-rooted.	Nepaul.	1820.	——	H. 4.	Ser. mus.1.t.15.f.43.44.
	viròsum. D.P.							
54	prodùctum. R.U.	(*bl.*)	long-lipped.	Siberia.	1824.	7. 8.	H. 4.	Rch. ac. 75. t. 7. f 3.
55	semigaleàtum. R.U.	(*bl.*)	half-helmeted.	Kamtschatka.	——	——	H. 4.	——— 77. t. 8.
56	uncinàtum. DC.	(*pu.*)	American.	N. America.	1768.	——	H. 4.	
	β Michauxiànum.	(*pu.*)	Michaux's	———	——	——	H. 4.	Bot. mag. 1119.
57	villòsum. R.U.	(*bl.*)	villous.	Siberia.	1825.	——	H. 4.	
58	fláccidum. R.U.	(*bl.*)	flaccid.	———	....	——	H. 4	Delea. ic. sel. 1. t. 65.
	ciliàre β polytrìchum. DC.							
59	volùbile. R.U.	(*bl.*)	twining.	———	1799.	——	H. 4.	
60	tortuòsum. DC.	(*bl.*)	twisting.	.....	1812.	——	H. 4.	Ser. mus.1.t.15.f.28.29.
61	eriósternum. DC.	(*bl.*)	woolly-stamen'd.	Siberia.	1824.	6. 8.	H. 4.	
62	recognìtum. R.U.	(*bl.*)	recognised.	.....	——	——	H. 4.	
63	ambíguum. R.U.	(*bl.*)	ambiguous.	Siberia.	1826.	——	H. 4.	
64	tóxicum. R.U.	(*bl.*)	poisonous.	Germany.	——	——	H. 4.	
65	reflèxum. R.U.	(*bl.*)	reflexed.	Carniola.	1826.	6. 8.	H. 4.	
66	cérnuum. R.U.	(*bl.*)	drooping-flow'd.	Germany.	1824.	6. 7.	H. 4.	Chabr. sci. 531. f. 6.
67	acuminàtum. R.U.	(*bl.*)	acuminate.	M. Baldo.	1824.	——	H. 4.	
68	parviflòrum. R.U.	(*bl.*)	small-flowered.	Switzerland.	——	——	H. 4	
69	hebégynum. DC.	(*bl.*)	downy-podded.	———	——	——	H. 4.	
70	paniculàtum. R.U.	(*bl.*)	panicled.	———	....	5. 7.	H. 4.	Chabr. sci. 531. f. 3.
71	laciniòsum. Sch.	(*bl.*)	jagged.	———	1822.	——	H. 4.	
72	mólle. R.U.	(*bl.*)	soft.	———	1824.	——	H. 4.	Ser. m. 1. t. 15. f. 35. 36.
73	gibbòsum. DC.	(*bl.*)	gibbous.	Caucasus.	1823.	——	H. 4.	—— 1. t. 15. f. 14. 15.
74	hamàtum. R.U.	(*bl.*)	hooked.	Sweden.	1804.	6. 8.	H. 4.	
75	palmatífidum. R.U.	(*bl.*)	palmatifid.	M. Carpathian.	1819.	——	H. 4.	
76	pyramidàle. R.U.	(*bl.*)	pyramidal.	Bohemia.	1596.	——	H. 4.	
	α densiflòrum. R.U.	(*bl.*)	*close-flowered.*	———	——	——	H. 4.	
	β elongàtum. R.U.	(*bl.*)	*elongated.*	———	....	——	H. 4.	
	γ bicolor. R.U.	(*w.b.*)	*two-coloured.*	———	....	——	H. 4.	
77	Stœrkiànum. R.U.	(*bl.*)	Stœrk's.	S. Europe.	1824.	——	H. 4.	Stor. lib. ac. 69. ic.
	β laxiflòrum. R.U.	(*bl.*)	*loose-flowered.*	.....	——	——	H. 4.	Blackw. ic. 561.
	γ bicolor. R.U.	(*w.b.*)	*variegated.*	.....	——	——	H. 4.	
78	versícolor. R.U.	(*va.*)	various-colored.	Switzerland.	....	——	H. 4.	
	β bicolor. R.U.	(*w.b.*)	*white and blue.*	———	....	——	H. 4.	Lodd. bot. cab. 794.
79	decòrum. R.U.	(*bl.*)	neat.	Pyrenees.	1824.	——	H. 4.	
80	exaltàtum. R.U.	(*bl.*)	lofty.	.....	——	——	H. 4.	Ser. m. 1. t. 15. f. 37. 38.
81	macránthum. R.U.	(*bl.*)	large-blossom'd.	Germany.	1826.	——	H. 4.	
82	Cámmarum. R.U.	(*pu.*)	purple.	Europe.	1752.	——	H. 4.	Jacq. aust. 5. t. 424.
83	illinìtum. R.U.	(*bl.*)	besmeared.	Switzerland.	1822.	——	H. 4.	
84	Breiteriànum. R.U.	(*bl.*)	Breiter's.	.....	1821.	——	H. 4.	

85	*Ottoniànum.* R.U.	(*bl.*)	Otto's.	.....	1823.	6. 8.	H. 4.	
86	*speciòsum.* R.U.	(*bl.*)	specious.	.....	1804.	7. 8.	H. 4.	Ser. m. 1. t. 15. f. 26. 27.
87	*bulbíferum.* R.U.	(*bl.*)	bulb-bearing.	.....	1824.	6. 8.	H. 4.	
88	*leucánthum.* R.U.	(*w.*)	white-flowered.	.....	....	——	H. 4.	
89	*lasiocárpum.* R.U.	(*bl.*)	woolly-podded.	Hungary.	1822.	——	H. 4.	
90	*grácile.* R.U.	(*bl.*)	slender.	Germany.	1824.	6. 7.	H. 4.	
91	*rhynchánthum.* R.U.		beaked.	Hungary.	1804.	6. 8.	H. 4.	
	β bicolor. R.U.	(*w. b.*)	*two-coloured.*	.....	——	——	H. 4.	
92	*n. sùtum.* R.U.	(*bl.*)	large-nosed.	Caucasus.	1823.	——	H. 4.	
93	*rostràtum.* R.U.	(*pu.*)	beaked.	Switzerland.	....	——	H. 4.	Lodd. bot. cab. 803.
94	*variegàtum.* DC.	(*p. w.*)	variegated.	S. Europe.	1597.	——	H. 4.	Clus. hist. 2. p. 96. f. 1.
95	*míxtum.* R.U.	(*p. w.*)	mixed.	.....	....	——	H. 4.	Rivin. pentap. ic.
96	*álbum.* R.U.	(*wh.*)	white.	Levant.	1752.	7. 8.	H. 4.	
97	*japónicum.* DC.	(*va.*)	Japan.	Japan.	1790.	6. 9.	H. 4.	Ser. m. 1. t. 15. f. 22. 23.
	α cárneum.	(*fl.*)	*flesh-coloured.*	———	——	——	H. 4.	
	β cærùleum.	(*bl.*)	*blue-flowered.*	———	——	——	H. 4.	
98	*boreàle.* R.U	(*st.*)	Siberian.	Siberia.	....	6. 8.	H. 4.	
99	*barbàtum.* DC.	(*st.*)	bearded.	———	1807.	——	H. 4.	Swt. br. fl. gar. v. 2. 164.
100	*híspidum.* DC. *Gmelìni.* R.U.	(*st.*)	hispid.	———	1826.	——	H. 4.	Gmel. sib. 4. t. 61.
101	*squarròsum.* DC.	(*st.*)	squarrose.	———	1823.	——	H. 4.	
102	*pállidum.* R U.	(*st.*)	pale-flowered.	.....	1823.	——	H. 4.	
103	*zoóctonum.* R.U.	(*st.*)	beast-bane.	Germany.	1824.	——	H. 4.	
104	*melóctonum.* R.U.	(*st.*)	Badger-bane.	Piedmont.	1823.	——	H. 4.	Chabr. sci. p. 531. f. 1.
105	*pyrenaìcum.* DC.	(*st.*)	Pyrenean.	Pyrenees.	1739.	——	H. 4.	Cam. epit. 831. ic.
106	*galéctonum.* R.U.	(*st.*)	Weasel-bane.	Hungary.	1823.	——	H. 4.	
107	*moldávicum.* R.U.	(*pu.*)	Moldavian.	Bohemia.	——	——	H. 4.	
108	*ochroleùcum.* R.U.	(*st.*)	pale-white.	Caucasus.	1794.	——	H. 4.	
109	*ægòphonum.* R.U.	(*st.*)	Goat-poison.	.....	1822.	——	H. 4.	
110	*perniciòsum.* R.U.	(*st.*)	pernicious.	France.	——	——	H. 4.	Bois. fl. eur. 2. t. 369.
111	*myóctonum.* R.U.	(*st.*)	Mouse-bane.	Thuringia.	——	——	H. 4.	
112	*strictíssimum.* R.U.	(*st.*)	straight.	Baruth.	....	——	H. 4.	
113	*altíssimum.* R.U.	(*st.*)	tallest.	Germany.	....	——	H. 4.	Tabern. ic. 563. f. 1.
114	*réctum.* R.U.	(*st.*)	upright.	Italy.	....	——	H. 4.	Barrel. ic. 599.
115	*vulpària.* R.U.	(*st.*)	Fox-bane.	Germany.	1824.	——	H. 4.	
	β latifólium. R.U.	(*st.*)	*broad-leaved.*	Bavaria.	——	——	H. 4.	
116	*tragóctonum.* R.U.	(*st.*)	Goat-bane.	Carinthia.	....	——	H. 4.	
117	*lupícida.* R.U.	(*st.*)	Wolf-bane.	Switzerland.	1824.	——	H. 4.	
118	*arctóphonum.* R.U.	(*st.*)	Bear-bane.	Styria.	1826.	——	H. 4.	
119	*lagóctonum.* R.U.	(*st.*)	Hare-bane.	Bavaria.	——	——	H. 4.	
120	*Phthòra.* R.U.	(*st.*)	destructive.	Hungary.	——	——	H. 4.	
121	*austràle.* R.U.	(*pu.*)	Carpathian.	M. Carpathian.	1815.	——	H. 4.	Bot. mag. 2196.
	septentrionàle β carpáthicum. B.M.							
122	*rubicùndum.* F.	(*pu.*)	rubicund.	Russia.	1822.	——	H. 4.	
123	*cynóctonum.* R.U.	(*st.*)	Dog-bane.	Germany.	1824.	——	H. 4.	Blackw. ic. 563.
124	*thely'phonum.* R.U.	(*st.*)	Elwert's.	Switzerland.	——	——	H. 4.	
125	*therióphonum.* R.U.	(*st.*)	park-bane.	Italy.	....	6. 7.	H. 4.	Barrel. ic. 600.
126	*lycóctonum.* R.U.	(*st.*)	great-yellow.	Germany.	1596.	7. 8.	H. 4.	Clus. hist. 5. p. 94. ic.
127	*lupária.* R.U.	(*st.*)	Wolf-wort.	———	....	——	H. 4.	Trag. stirp. 247. ic.
128	*septentrionàle.* R.U.	(*bl.*)	northern.	N. Europe.	1800.	——	H. 4.	Flor. dan. t. 198.

Tribus V. *PÆONIACEÆ. DC. prodr.* 1. 64.

CIMICI'FUGA. L. Bug-wort. Polyandria Pentagynia. L.

1	*fœ'tida.* W.	(*wh.*)	stinking.	Siberia.	1777.	6. 7.	H. 4.	Linn. amœn. ac. 8. t. 4.
2	*podocárpa.* *americàna.* M.	(*wh.*)	American. *Act'æa podocárpa.* DC.	Carolina.	1822.	8. 9.	H. 4.	
3	*palmàta.* Ph.	(*wh.*)	palmated.	———	1812.	7. 8.	H. 4.	Bot. mag. 1630.
4	*cordifólia.* Ph.	(*wh.*)	heart-leaved.	———	——	6. 7.	H. 4.	——— 2060.

MACR'OTYS. Raf. Snakeroot. Polyandria Monogynia. L.

	racemòsa. *Act'æa racemòsa.* W.	(*wh.*)	black-rooted. *Cimicífuga serpentària.* Ph.	N. America.	1732.	6. 7.	H. 4.	Dill. elth. 79. t. 67. f. 78.

ACT'ÆA. Ph. Bane-Berries. Polyandria Monogynia. L.

1	*spicàta.* DC.	(*wh.*)	common.	Britain.	....	4 6.	H. 4.	Eng. bot. 918.
2	*rùbra.* W.en. *brachypètala. β rùbra.* DC.	(*wh.*)	red-berried.	N. America.	....	——	H. 4.	

3 álba. Mill.	(wh.)	white-berried.	N. America.	....	4. 6.	H. ¼.	Corn. canad. t. 77.
brachypètala. α *álba.* DC.							
ZANTHORHIZA. DC.		YELLOW-ROOT. Pentandria Polygynia. L.					
apiifólia. DC.	(pu.)	Parsleyleaved.	N. America.	1766.	2. 4.	H. ½.	Bot. mag. 1736.
PÆONIA. DC.		PÆONY. Polyandria Digynia. L.					
1 Moután. H.K.		Chinese-tree.	China.	1789.	4. 6.	H. ½.	
α *papaveràcea.* L.T.	(w.)	*Poppy-flowered.*	———	1806.	——	H. ½.	Bot. rep. 463.
β *Bánksii.* L.T.	(bl.)	*common.*	———	1789.	——	H. ½.	——— 448.
γ *ròsea.* L.T.	(ro.)	*rose-coloured.*	———	1794.	——	H. ½.	——— 373.
2 èdulis. P.L.	(va.)	eatable-rooted.	.....	....	5. 6.	H. ¼.	
albiflòra. L.T.							
α *véstalis.* L.T.	(wh.)	*virgin.*	Siberia.	1784.	——	H. ¼.	Andr. rep. 64.
β *cándida.* L.T.	(wh.)	*pale-flowered.*	———	....	——	H. ¼.	
γ *tatárica.* L.T.	(bh.)	*Tartarian.*	Tartary.	....	——	H. ¼.	Bot. reg. 42.
δ *sibírica.* L.T.	(wh.)	*Siberian.*	Siberia.	....	——	H. ¼.	
ε *rubéscens.* L.T.	(bh.)	*pale-red.*	.....	....	——	H. ¼.	
ζ *uniflòra.* L.T.	(wh.)	*one-flowered.*	.....	....	——	H. ¼.	Bot. mag. 1756.
η *Whitlèji.* L.T.	(wh.)	*double-white.*	China.	1808.	6. 7.	H. ¼.	Bot. reg. 630.
θ *Hùmei.* L.T.	(re.)	*double-crimson.*	———	1810.	——	H. ¼.	Bot. mag. 1768.
ι *frágrans.* L.T.	(re.)	*Rose-scented.*	———	1805.	——	H. ¼.	Bot. reg. 485.
3 anómala. L.T.	(re.)	jagged-leaved.	Siberia.	1788.	5. 6.	H. ¼.	Bot. mag. 1754.
laciniata. Pall. ross. 2. t. 85.							
4 hybrida. DC.	(re.)	intermediate.	Caucasus.	1822.	....	H. ¼.	
5 tenuifólia. L.T.	(cr.)	slender-leaved.	Siberia.	1765.	5. 6.	H. ¼	Bot. mag. 926.
6 officinàlis. L T.	(va.)	officinal.	Europe.	1548.	5. 6.	H. ¼.	
α *Sabini.* L.T.	(sc.)	*Sabine's.*	———	....	——	H. ¼.	Bot. mag. 1784.
β *ròsea.* L.T.	(ro.)	*rose-coloured.*	———	....	——	H. ¼.	
γ *blánda.* L.T.	(bh.)	*blush-flowered.*	———	....	——	H. ¼.	
δ *rubra.* L.T.	(cr.)	*double-red.*	———	....	——	H. ¼.	Lob. ic. 684.
ε *carnéscens.* L.T.	(fl.)	*flesh-coloured.*	———	....	——	H. ¼.	
ζ *álbicans.* L.T.	(bh.)	*double-blush.*	———	....	——	H. ¼.	Park. par. f. 4.
7 corállina. L.T.	(cr.)	English.	England.	....	——	H. ¼.	Eng. bot. 1513.
8 daùrica. L.T.	(fl.)	Daurian.	Dauria.	1790.	——	H. ¼.	Bot. mag. 1441.
triternàta. DC. prodr.							
9 lobàta. DC.	(sc.)	lobed-leaved.	Portugal.	1821.	——	H. ¼.	Swt. br. fl. gar. 70.
10 Rússi. DC.	(cr.)	crimson.	Sicily.	....	——	H. ¼.	——— v. 2. t. 122.
11 pùbens. B M.	(re.)	pubescent.	.....	1821.	——	H. ¼.	Bot. mag. 2264.
12 hùmilis. L.T.	(re.)	dwarf.	Spain.	1633.	5.	H. ¼.	——— 1422.
13 decòra. L.T.	(re.)	comely.	Turkey.	....	——	H. ¼.	
α *Pallàsii.* L.T.	(re.)	*Pallas's.*	.....	....	——	H. ¼.	
β *elàtior.* L T.	(re.)	*tall.*	.....	....	——	H. ¼.	
14 arietìna. L.T.	(re.)	rams-horned.	.....	....	——	H. ¼.	
15 crètica. B.R.	(bh.)	Cretan.	Crete.	....	——	H. ¼.	Bot. reg. 819.
16 peregrina. L.T.	(re.)	Turkish.	Levant.	1588.	5. 6.	H. ¼.	
α *byzantìna.* L.T.	(re.)	*Levant.*	———	....	——	H. ¼.	Bot. mag. 1050.
β *compácta.* L.T.	(re.)	*compact.*	France?	....	——	H. ¼.	
γ *Grevillii.* L.T.	(re.)	*Greville's.*	.....	....	——	H. ¼.	
17 paradóxa. L.T.	(re.)	paradoxical.	Levant.	....	——	H. ¼.	
α *simpliciflòra.*	(re.)	*single-flowered.*	———	....	——	H. ¼.	
β *fimbriàta.* L.T.	(cr.)	*double-flowered.*	———	....	——	H. ¼.	Swt. br. fl. gar. 19.
18 móllis. L.T.	(re.)	soft-leaved.	Siberia?	....	——	H. ¼.	Bot. reg. 474.
19 villòsa. B.F.G.	(wh.)	villous.	.....	1822.	——	H. ¼.	Swt. br. fl. gar. 113.
sessiliflòra. B.M. 2648.							

ORDO II.

DILLENIACEÆ. *DC. syst. nat.* 1. *p.* 395.

Tribus I. *DELIMACEÆ.* DC.

TETRA'CERA. DC.		TETRA'CERA. Polygamia Dicœcia.					
1 volùbilis. DC.	(ye.)	climbing.	Barbadoes.	....	....	S. ½.⌣.	Pluk. alm. 48. t. 146. f. 1.
2 jamaicénsis. DC.	(ye.)	Jamaica.	Jamaica.	1826.	....	S. ½.⌣.	
3 obovàta. DC.	(ye.)	obovate-leaved.	Senegal	1822.	....	S. ½.⌣.	
4 alnifólia. DC.	(ye.)	Alder-leaved.	Sierra Leone.	——	....	S. ½.⌣.	
5 potatòria. Afz.	(ye.)	water-bearing.	———	——	....	S. ½.⌣.	
DOLIOCA'RPUS. DC.		DOLIOCA'RPUS. Polyandria Monogynia.					
1 Calínea. DC.	(wh.)	climbing.	Guiana.	1822.	....	S. ½.⌣.	Aub. Guian. 1. t. 231.
Tetrácera calínea. W.		*Calínea scándens.* Aub.					

DEL'IMA. DC.	DEL'IMA.	Polyandria Monogynia.						
sarmentòsa. DC.	sarmentose.	Ceylon.	1822.	....	S. ♄.◡.	Lam. ill. t. 475.		
Tetrácera sarmentòsa. W.								
CURATE'LLA. DC.	CURATE'LLA.	Polyandria Digynia.						
1 **americàna.** DC. (*wh.*)	American.	Guiana.	....	....	S. ♄.◡.	Aub. guian. 1. t. 232.		
2 ? **alàta.** V.	wing-petioled.	———	....	....	S. ♄.◡.	Venten. choix. t. 49.		

Tribus II. *DILLENEÆ.* DC.

PLEURA'NDRA. DC.	PLEURA'NDRA.	Polyandria Monogynia.						
1 **bracteàta.** DC. (*ye.*)	elegant.	N. S. W.	1822.	4. 8.	G. ♄.	Deles. ic. sel. 1. t. 78.		
2 **nítida.** DC. (*ye.*)	shining.	———	——	——	G. ♄.			
3 **cneòrum,** DC. (*ye.*)	blunt-leaved.	———	1824.	5. 7.	G. ♄.			
4 **scàbra.** DC. (*ye.*)	rough-leaved.	———	——	——	G. ♄.			
5 **aciculàris.** DC. (*ye.*)	needle-leaved.	———	——	4. 7.	G. ♄.	Labill. nov. holl. 2. t. 144.		
6 **stricta.** DC. (*ye.*)	upright.	———	1822.	——	G. ♄.			
7 **calycina.** DC. (*ye.*)	linear-leaved.	———	——	——	G. ♄.			
CANDO'LLEA.	CANDO'LLEA.	Polyadelphia Polyandria.						
cuneifórmis. DC. (*ye.*)	wedge-leaved.	N. Holland.	1823.	5. 8.	G. ♄.	Bot. mag. 2711.		
HIBBE'RTIA. DC.	HIBBE'RTIA.	Polyandria Mono-Pentagynia.						
1 **grossulariæfòlia.** DC. (*y.*)	Gooseberry-l^d.	N. Holland.	1803.	8. 8.	G. ♄.◡.	Bot. mag. 1218.		
crenàta. A.R. *t.* 472.								
2 **volùbilis.** DC. (*ye.*)	twining.	N. S. W.	1796.	5. 10.	G. ♄.◡.	Andr. rep. t. 126.		
3 **dentàta.** DC. (*ye.*)	tooth-leaved.	N. Holland.	1814.	1. 8.	G. ♄.◡.	Bot. reg. 282.		
4 **saligna** DC. (*ye.*)	Willow-leaved.	N. S. W.	1824.	5. 8.	G. ♄.			
5 **virgàta** DC. (*ye.*)	twiggy.	———	1822.	....	G. ♄.			
6 **fasciculàta.** DC. (*ye.*)	bushy.	———	1826.	5. 8.	G. ♄.			
7 **linearis.** DC. (*ye.*)	linear-leaved.	———	——	....	G. ♄.			
8 **monógyna.** DC. (*ye.*)	one-styled.	———	——	5. 8.	G. ♄.			
9 **pedunculàta.** DC. (*ye.*)	long-pedicled.	———	——	4. 9.	G. ♄.	Bot. reg. 1001.		
corifòlia. Bot. mag. 2672.								
WO'RMIA. DC.	WO'RMIA.	Polyandria Pentagynia.						
dentàta. DC. (*ye.*)	tooth-leaved.	Ceylon.	1821.	....	S. ♄.	Thunb. linn. tr. 1. t. 20.		
Dillènia dentàta. W.								
COLBE'RTIA. DC.	COLBE'RTIA.	Polyandria Pentagynia.						
1 **coromandeliàna.** DC. (*y.*)	Coromandel.	E. Indies.	1803.	....	S. ♄.	Roxb. cor. 1. t. 20.		
Dillènia pentágynia. Roxb.								
2 **scabrélla.** D.P.	rough.	Nepaul.	1826.	....	S. ♄.			
DILL'ENIA. DC.	DILL'ENIA.	Polyandria Monogynia. L.						
1 **speciòsa.** DC. (*wh.*)	large-flowered.	E. Indies.	1800.	....	S. ♄.	Exot. bot. t. 2. 3.		
2 **integra.** DC.	entire-leaved.	Ceylon.	1826.	....	S. ♄.	Thunb. linn. tr. 1. t. 18.		

ORDO III.

WINTEREÆ. *Brown in DC. syst.* 1. *add. p.* 548.

ILL'ICIUM. DC.	ANISEED-TREE.	Polyandria Polygynia. L.						
1 **floridànum.** DC. (*cr.*)	red-flowered.	Florida.	1766.	4. 6.	F. ♄.	Bot. mag. 439.		
2 **anisàtum.** DC. (*ye.*)	Chinese.	China.	....	——	F. ♄.	Lam. ill. t. 493. f. 2.		
3 **parviflòrum.** DC. (*ye.*)	small-flowered.	Florida.	1790.	——	F. ♄.	Vent. cels. t. 22.		
DR'IMYS. DC.	DR'IMYS.	Polyandria Tetra-Octogynia.						
Winteri. DC.	Winter-bark.	Magellan.	1825.	....	G. ♄.	Forst. gen. p. 84. t. 42.		
Wintèra aromàtica. W.	*Winteràna aromàtica.* Sol. med. obs. 5. p. 46. t. 1.							
TASMA'NNIA. DC.	TASMA'NNIA.	Diœcia Polyandria.						
dipétala. B.	two-petaled.	N. Holland.	1824.	5. 8.	G. ♄.			

ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v.* 1. *p.* 439.

MICH'ELIA. DC.	MICH'ELIA.	Polyandria Polygynia. L.						
Champàca. DC. (*ye.*)	sweet-scented.	E. Indies.	1779.	....	S. ♄.	Lam. ill. t. 493.		

MAGN'OLIA. DC.		MAGN'OLIA.	Polyandria	Polygynia.	L.				
1 grandiflòra. DC.	(wh.)	Laurel-leaved.	Carolina.	1734.	6. 10.	H.	♄.		
α rotundifòlia.	(wh.)	*round-leaved.*	———	....	——	H.	♄.		
β obovàta. H.K.	(wh.)	*obovate-leaved.*	———	....	——	H.	♄.		
γ elliptica. H.K.	(wh.)	*elliptic-leaved.*	———	....	——	H.	♄.	Mill. ic. v. 2. t. 172.	
δ ferruginea. B.M.	(w.)	*ferruginous.*	———	....	——	H.	♄.	Tr. Eh. p. 8. t. 33-35.	
ε lanceolàta. H.K.	(wh.)	*Exmouth.*	———	....	——	H.	♄.	Bot. mag. 1952.	
2 glaùca. DC.	(wh.)	glaucous-leaved.	N. America.	1688.	6. 9.	H.	♄.	Mich. arb. t. 2.	
3 longifòlia. *glaùca β longifòlia.* Ph.	(wh.)	narrow-leaved.	———	....	——	H.	♄.		
4 Thompsoniàna.	(wh.)	hybrid.	Hybrid.	1818.	——	H.	♄.		
5 umbrélla. DC. *tripètala.* W.	(wh.)	Umbrella.	N. America.	1752.	5. 6.	H.	♄.	Mich. arb. t. 5.	
6 acuminàta. DC.	(pa.)	bluish-flowered.	———	1736.	5. 7.	H.	♄.	Bot. mag. 2427.	
β Candòllii.	(st.)	*De Candolle's.*	———	....	——	H.	♄.	Sav.bi.ital.1819.n.47.ic.	
7 auriculàta. DC.	(wh.)	ear-leaved.	———	1786.	4. 5.	H.	♄.	Bot. mag. 1206.	
8 pyramidàta. DC.	(wh.)	small ear-leaved.	———	1811.	——	H.	♄.	Bot. reg. 407.	
9 macrophy'lla. DC.	(wh.)	large-leaved.	———	1800.	6. 7.	H.	♄.	Bot. mag. 2189.	
10 cordàta. DC.	(st.)	heart-leaved.	———	1801.	——	H.	♄.	Bot. reg. 325.	
11 conspícua. P.L. *Yulan.* DC.	(wh.)	Youlan.	China.	1789.	2. 5.	H.	♄.	Bot. mag. 1021. Bonpl. nav. t. 20.	
12 Soulangeàna.	(p.w.)	Soulange's.	Hybrid.	1826.	——	H.	♄.	Swt. br. fl. gar. 260.	
13 Kòbus. DC. *tomentòsa.* W.	(p.w.)	slender. *grácilis.* P.L.	China.	1804.	3. 4.	H.	♄.	Par. lond. 87.	
14 obovàta. DC. *purpùrea.* B.M.	(p.w.)	obovate-leaved. *discolor.* V.	———	1790.	4. 6.	H.	♄.	Bot. mag. 390.	
15 fuscàta. DC.	(br.)	brown-stalked.	———	1789.	——	G.	♄.	——— 1008.	
16 annonæfòlia. P.L.	(br.)	small-flowered.	———	1804.	——	G.	♄.	Par. lond. 5.	
17 pùmila. DC.	(wh.)	dwarf.	———	1786.	1. 12.	G.	♄.	Bot. mag. 977.	
LIRIODE'NDRON. W.		TULIP-TREE.	Polyandria	Polygynia.	L.				
tulipífera. W.	(ye.)	common.	N. America.	1663.	6. 7.	H.	5.	Bot. mag. 275.	
α acutilòba. M.	(ye.)	*acute-lobed.*	———	——	——	H.	5.		
β obtusilòba. M.	(ye.)	*blunt-lobed.*	———	....	——	H.	5.		

ORDO V.

ANONACEÆ. *DC. syst. nat.* 1. *p.* 463.

AN'ONA. DC.		CUSTARD-APPLE.	Polyandria	Polygynia.	L.			
1 muricàta. DC.	(st.)	Soursop.	W. Indies.	1656.	6. 8.	S.	♄.	Jacq. obs. 1. t. 5.
2 purpùrea. DC.	(pu.)	purple.	Mexico.	1826.	....	S.	♄.	Dunal. mon. p. 64. t. 2.
3 Humbóldtii. DC.	(ye.)	Humboldt's.	Cumana.	——	....	S.	♄.	——— p. 64. t. 3.
4 laurifòlia. DC.	(wh.)	laurel-leaved.	W. Indies.	1824.	6. 8.	S.	♄.	Catesb. car. 2. t. 67.
5 palústris. DC.	(ye.)	shining-leaved.	———	1731.	——	S.	♄.	Sloan. hist. 2. t. 229. f. 1.
6 longifòlia. DC.	(pu.)	long-leaved.	Guiana.	1820.	——	S.	♄.	Aub. gui. 1. t. 248.
7 punctàta. DC.	(st.)	spotted-fruited.	Cayenne.	1822.	——	S.	♄.	——— 1. t. 247.
8 paludòsa. DC.	(gr.)	marsh.	Guiana.	1803.	6. 8.	S.	♄.	——— 1. t. 246.
9 squamòsa. DC.	(st.)	Sweetsop.	S. America.	1731.	——	S.	♄.	Jacq. obs. 1. t. 6. f. 1.
10 cinèrea. DC.	(st.)	cinereous.	St. Thomas.	1823.	....	S.	♄.	
11 Cherimòlia. DC. *tripétala.* W. B.M.	(wh.)	Cherimolli.	S. America.	1739.	7. 8.	S.	♄.	Bot. mag. 2011.
12 reticulàta. DC.	(st.)	netted.	———	1690.	5. 7.	S.	♄.	Catesb. car. 2. t. 86.
13 mucòsa. DC.	(st.)	narrow-leaved.	Guiana.	....	....	S.	♄.	Rumph. amb. 1. t. 45.
14 glábra. DC.	(st.)	smooth-fruited.	Carolina.	1774.	7. 8.	S.	♄.	Catesb. car. 2. t. 64.
15 grandiflòra. DC.	(wh.)	great-flowered.	Mauritius.	1825.	....	S.	♄.	Dunal. mon. p. 75. t. 6.
16 amplexicaulis. DC.	(pu.)	stem-clasping.	———	1824.	....	S.	♄.	——— p. 76. t. 7.
17 asiàtica. DC.		Ceylon.	Ceylon.	....	....	S.	♄.	
18 senegalénsis. DC.	(st.)	Senegal.	Senegal.	1822.	....	S.	♄.	Deles. ic. sel. 1. t. 86.
MONOD'ORA. DC.		MONOD'ORA.	Polyandria	Monogynia.				
myrística. DC.	(wh.)	Nutmeg.	Jamaica.	....	....	S.	♄.	Gært. fr. 2. t. 125. f. 1.
ASI'MINA. DC.		ASI'MINA.	Polyandria	Polygynia.				
1 parviflòra. DC.	(pu.)	small-flowered.	N. America.	1806.	4. 5.	H.	♄.	Dun. mon. t. 9.
2 triloba. DC. *Annòna trilòba.* W.	(pu.)	trifid-fruited. *Porcèlia trilòba.* Ph.	———	1736.	——	H.	♄.	Duh. arb. ed. 2. v. 2. t. 25.
3 pygmæa. DC. *Orchidocárpum pygmæum.* M.	(wh.)	dwarf.	———	1812.	——	H.	♄.	Dun. mon. t. 10.
4 grandiflòra. DC. *Porcèlia grandiflòra.* P.S.	(wh.)	large-flowered.	Florida.	1820.	——	H.	♄.	Dun. mon. t. 11.

UVARIA. DC.		**Uvaria. Polyandria Polygynia. L.**						
1 zeylànica. DC.	(*pu.*)	Ceylon.	E. Indies.	1794.	....	S. ♄.		Lam. ill. t. 495. f. 2.
2 Gærtnèri. DC.	.....	Gærtner's.	———	....	....	S. ♄.		——— t. 495. f. 3.
3 lùtea. DC.	(*st.*)	yellow-fruited.	———	1822.	....	S. ♄.		Roxb. cor. 1. t. 36.
4 tomentòsa. DC.	(*br.*)	woolly.	———	——	....	S. ♄.		——— 1. t. 35.
5 velutìna. DC.	(*br.*)	velvetty.	E. Indies.	1825.	....	S. ♄.		
6 lucida. Boj.	.....	shining.	E. Africa.	——	....	S. ♄.		
UN'ONA. DC.		**Un'ona. Polyandria Polygynia. L.**						
1 Nàrum. DC.	(*re.*)	Rheede's.	E. Indies.	....	....	S. ♄.◡.		Rheed. mal. 2. t. 9.
2 fuscàta. DC.	(*br.*)	brown-flower'd.	Guiana.	1820.	....	S. ♄.		
3 acuminàta. DC.	(*br.*)	taper-pointed.	———	——	....	S. ♄.		
4 odoràta. DC.	(*st.*)	sweet-scented.	Java.	1804.	5. 7.	S. ♄.		Lam. ill. t. 495. f. 1.
5 longifòlia. DC.	(*ye.*)	long-leaved.	E. Indies.	1820.	....	S. ♄.		Sonn. voy. 4. t. 131.
6 aromàtica. DC.	(*pu.*)	aromatic.	Guiana.	——	....	S. ♄.		Aub. gui. 2. t. 248.
7 æthiòpica. DC.	(*wh.*)	Ethiopian.	Sierra Leone.	1822.	....	S. ♄.		Math. com. 1. p. 434. ic.
8 oxypètala. DC.	(*br.*)	sharp-petaled.	———	——	....	S. ♄.		
ARTAB'OTRYS. Br.		**Artab'otrys. Polyandria Polygynia. L.**						
odoratìssimus. B.R.	(*b.*)	sweet-scented.	China.	1758.	6. 7.	S. ♄.◡.		Bot. reg. 423.
Anàona hexapètala. w. *Uvària odoratìssima.* H.B.								
XYL'OPIA. DC.		**Bitter-wood. Polyandria Polygynia. L.**						
1 muricàta. DC.	(*br.*)	rough-fruited.	W. Indies.	1793.	....	S. ♄.		Brown. jam. 250. t. 5. f. 2.
2 frutéscens. DC.	(*br.*)	shrubby.	Guiana.	1823.	....	S. ♄.		Aub. gui. 1. t. 292.
3 glàbra. DC.	(*br.*)	smooth-fruited.	W. Indies.	....	....	S. ♄.		Dun. mon. t. 19.
GUATT'ERIA. DC.		**Guatt'eria. Polyandria Polygynia. L.**						
1 cerasòides. DC.	(*br.*)	Cherry-fruited.	E. Indies.	1820.	....	S. ♄.		Roxb. cor. 1. t. 33.
2 suberòsa. DC.	(*wh.*)	cork-barked.	———	——	....	S. ♄.		——— 1. t. 34.
3 rùfa. DC.	(*br.*)	rufous.	India.	——	4. 8.	S. ♄.		Bot. reg. 836.
4 virgàta. DC.	(*wh.*)	Lance-wood.	Jamaica.	1793.	——	S. ♄.		Dun. mon. t. 31.
Uvària lanceolàta. w.								
5 laurifòlia. DC.	(*wh.*)	Laurel-leaved.	———	1820.	....	S. ♄.		——— t. 32.
Uvària laurifòlia. Sw.								

ORDO VI.

MENISPERMACEÆ. *DC. prodr.* 1. *p.* 95.

Tribus II. *MENISPERMEÆ.* DC.

CO'CCULUS. DC.		**Co'cculus. Dicœcia Hexandria.**						
1 rotundifòlius. DC.	(*gr.*)	round-leaved.	.....	1820.	....	S. ♄.◡.		
2 cordifòlius. DC.	(*gr.*)	heart-leaved.	E. Indies.	1822.	....	S. ♄.◡.		Rheed. mal. 7. t. 21.
3 suberòsus. DC.	(*gr.*)	cork-barked.	———	1790.	....	S. ♄.◡.		Gært. fr. 1. t. 70. f. 7.
4 Plukenètii. DC.	(*gr.*)	Plukenet's.	———	——	....	S. ♄.◡.		Pluk. man. 52. t 345. f. 2.
5 incànus. L.T.	(*gr.*)	hoary.	———	1820.	....	S. ♄.◡.		
6 tomentòsus. L.T.	(*gr.*)	woolly-leaved.	———	——	....	S. ♄.◡.		
7 crispus. L.T.	(*gr.*)	curled.	———	1822.	....	S. ♄.◡.		Rumph. amb. 5 t. 44. f. 1.
8 palmàtus. DC.	(*gr.*)	palmated.	———	....	....	S. ♄.◡.		Berr. in As. res. 10. t. 5.
9 orbiculàtus. DC.	(*gr.*)	orbicular-leaved.	———	1790.	....	S. ♄.◡.		Rheed. mal. 11. t. 62.
10 laurifòlius. DC.	(*gr.*)	Laurel-leaved.	———	1820.	....	S. ♄.◡.		
COSCI'NIUM. C.L.T.		**Cosci'nium. Dicœcia Hexandria.**						
fenestràtum. L.T.	(*gr.*)	knotted.	Ceylon.	1820.	....	S. ♄.◡.		Gært. fr. 1. t. 46. f. 5.
TILIAC'ORA. C.L.T.		**Tiliac'ora. Dicœcia Hexandria.**						
racemòsa. L.T.	(*gr.*)	racemed.	E. Indies.	....	....	S. ♄.◡.		
WENDLA'NDIA. W.		**Wendla'ndia. Heptandria Polygynia. W.**						
populifòlia. w.	(*wh.*)	Poplar-leaved.	Carolina.	1759.	6. 7.	H. ♄.◡.		Wend. h. herr. 3. t. 16.
Menispérmum Carolìnum. L. *Cócculus Carolìnus.* DC.								
CISSA'MPELOS. DC.		**Cissa'mpelos. Dicœcia Monadelphia. L.**						
1 Parèira. DC.	(*gr.*)	velvet-leaf.	S. America.	1733.	7. 8.	S. ♄.◡.		Lam. ill. t. 830.
2 microcàrpa. DC.	(*gr.*)	small-fruited.	W. Indies.	1828.	....	S. ♄.◡.		
3 hirsùta. DC.	(*gr.*)	hairy.	Nepaul.	1820.	....	G. ♄.◡.		
4 Mauritiàna. DC.	(*gr.*)	hispid-branch'd.	Mauritius.	——	....	S. ♄.◡.		
5 Caapèba. DC.	(*gr.*)	nerved-leaved.	S. America.	1733.	7. 8.	S. ♄.◡.		Plum. ic. 67. f. 2.
6? capénsis. DC.	(*gr.*)	Cape.	C. B. S.	1775.	....	G. ♄.◡.		
MENISPERMUM. DC.		**Moon-seed. Dicœcia Dodecandria. L.**						
1 canadénse. DC.	(*st.*)	Canadian.	N. America.	1691.	6. 7.	H. ♄.◡.		Bot. mag. 1910.

2 daùricum. DC. (*st.*) Daurian. Dahuria. 1823. .... H. ♄.⌣. Deles. ic. sel. 1. t. 100.
3 smilacìnum. DC. (*st.*) Smilax-leaved. Carolina. 1776. .... G. ♄.⌣. Jacq. ic. 3. t. 629.
Cissámpelos smilacìna. W.
4 Lyòni Ph. (*st.*) Lyon's. N. America. 1812. 6. 7. H. ♃ ⌣.
AB'UTA. DC. AB'UTA. *Menispermi sp.* W.
ruféscens. DC. (*pu.*) brown-leaved. Guiana. 1822. .... S. ♄.⌣. Aub. gui. 1. t. 260.

Tribus III. *SCHIZANDREÆ. DC. prodr.* 1. *p.* 104.

SCHIZA'NDRA. DC. SCHIZA'NDRA. Monœcia Pentandria.
coccìnea. DC. (*sc.*) scarlet-flower'd. Carolina. 1806. 6. 7. G. ♄.⌣. Bot mag. 1418.

ORDO VII.

BERBERIDEÆ. *DC. syst. nat. v.* 2. *p.* 1.

BE'RBERIS. W. BARBERRY. Hexandria Monogynia. L.
1 vulgàris. DC. (*ye.*) common. England. .... 4. 5. H. ♄. Eng. bot. 49.
α rùbra. (*ye.*) *red-fruited.* ——— .... —— H. ♄.
β làtea. DC. (*ye.*) *yellow-fruited.* .... —— H. ♄.
γ violàcea. DC. (*ye.*) *violet-fruited.* .... —— H. ♄.
δ purpùrea. DC. (*ye.*) *purple-fruited.* .... —— H. ♄.
ε nìgra. DC. (*ye.*) *black-fruited.* Levant. .... —— H. ♄.
ζ álba. DC. (*ye.*) *white-fruited.* .... —— H. ♄.
ϑ aspérma. DC. (*ye.*) *stoneless.* .... —— H ♄.
2 ibérica. (*ye.*) Iberian. Iberia. 1790. —— H. ♄.
vulgàris β ibérica. DC.
3 emarginàta. DC. (*ye.*) emarginate. Siberia. 1820. —— H. ♄.
4 canadénsis. DC. (*ye.*) Canadian. Canada. 1759. 4. 6. H. ♄.
5 sinénsis. DC. (*ye.*) China. China. 1800. —— H. ♄. Wats. dend. brit. t. 26.
6 aristàta DC. (*ye.*) awned. Nepaul. 1820. 6. 8. H. ♄. Bot. mag. 2549.
Chìtria. Bot. reg. 729.
7 crética. DC. (*ye.*) Cretan. Crete. 1759. 5. 6. H. ♄. Flor. græc. t. 342.
8 ilicifòlia. DC. (*ye.*) Holly-leaved. Terra del Fuego. 1791. 7. 8. H. ♄.
9 asiática. DC. (*ye.*) Asiatic. Nepaul. 1820. 6. 8. H. ♄. Deles. ic. sel. 2. t. 1.
10 Wallichiàna. DC. (*ye.*) Wallich's. ——— —— 6. 7. H. ♄.
11 buxifòlia. DC. (*ye.*) Box-leaved. Magellan. 1827. .... G. ♄. Lam. ill. t. 253. f. 3.
12 empetrifòlia. DC. (*ye.*) Empetrum-l^d. ——— —— .... G. ♄.
13 heterophy'lla. DC. (*ye.*) various-leaved. ——— .... 5. 6. H. ♄. Hook. exot. fl. t. 14.
14 sibírica. DC. (*ye.*) Siberian. Siberia. 1790. 6. 7. H. ♄. Bot. reg. 487.
15 inérmis. DC. (*ye.*) spineless. Magellan. 1827. .... G. ♄.
16 pinnata. B.R. (*ye.*) pinnate-leaved. America. 1820. 3. 5. G. ♄. Bot. reg. 702.
Mahònia fasciculàris. DC.
17 rèpens. B.R. (*ye.*) creeping-rooted. N. America. 1822. 4. 6. H. ♄. Bot. reg. 1176.
18 nervòsa. P. (*ye.*) nerved-leaved. ——— 1826. .... H. ♄. Pursh. fl. am. sept. 1. t. 5.
NAND'INA. DC. NAND'INA. Hexandria Monogynia.
domèstica. DC. (*wh.*) garden. China. 1804. 6. 7. G. ♄. Bot. mag. 1109.
LEO'NTICE. DC. LEO'NTICE. Hexandria Monogynia. L.
1 Chrysógonum. DC. (*ye.*) Oak-leaved. Levant. 1740. 3. 6. H. ♃. Barrel. ic. 1113.
2 Leontopétalum. DC. (*y.*) Lion's-leaf. ——— 1597. 4. 5. H. ♃. Lam. ill. t. 254. f. 1.
3 vesicària. DC. (*ye.*) bladder-capsul'd. Siberia. 1822. —— H. ♃. Pal. a. p. 1779. 2. t. 9. f. 4.
4 altaìca. DC. (*ye.*) Altay. ——— —— H. ♃. —— p. 257. t. 8. f. 1. 2. 3.
5 thalictroìdes. DC. (*ye.*) Columbine-l^d. N. America. 1755. 5. H. ♃. Mich. amer. 1. t. 21.
Caulophy'llum thalictróides. M.
EPIM'EDIUM. DC. BARRENWORT. Tetrandria Monogynia. L.
alpìnum. DC. (*pu.*) Alpine. England. .... 4. 5. H. ♃. Eng. bot. 438.
DIPHYLL'EIA. DC. DIPHYLL'EIA. Hexandria Monogynia. L.
cymòsa. DC. (*wh.*) blue-berried. N. America. 1812. 5. 6. H. ♃. Bot. mag. 1660.

ORDO VIII.

PODOPHYLLEÆ. *DC. syst. nat.* 2. *p.* 31.

Tribus I. *PODOPHYLLEÆ.*

PODOPHY'LLUM. DC. DUCK'S-FOOT. Polyandria Monogynia. L.
peltàtum. DC. (*wh.*) May-apple. N. America. 1664. 5. H. 4. Bot. mag. 1819.
JEFFERSO'NIA. DC. JEFFERSO'NIA. Octandria Monogynia.
diphy'lla. DC. (*wh.*) two-leaved. N. America. 1792. 5. H. 4. Bot. mag. 1513.
Podophy'llum diphy'llum. W.

Tribus II. *HYDROPELTIDEÆ.*

CABO'MBA. DC. CABO'MBA. Hexandria Digynia. W.
aquática. DC. (*ye.*) water. Carolina. 1823. .... S.*w.*4. Aubl. gui. 1. t. 124.
Néctris peltàta. Ph.
HYDROPE'LTIS. DC. HYDROPE'LTIS. Polyandria Polygynia.
purpùrea. DC. (*pu.*) purple. N. America. 1798. 7. 8. F.*w.*4. Bot. mag. 1147.
Brasènia peltàta. Ph.

ORDO IX.

NYMPHÆACEÆ. *DC. syst. nat.* 2. *p.* 34.

Tribus I. *NELUMBONEÆ.*

NELU'MBIUM. DC. SACRED-BEAN. Polyandria Polygynia. L.
1 speciòsum. DC. (*bl.*) Indian. India. 1787. 6. 8. S.*w.*4. Bot. mag. 903.
Cyámus Nelúmbo. Sm. Exot. bot. 1. t. 31. 32.
2 Támara. (*ro.*) Rheede's. ——— .... —— S.*w.*4. Rheed. mal. XI. t. 30.
3 cáspicum. F. (*ro.*) Fischer's. Volga. 1821. .... S.*w.*4.
4 lùteum. DC. (*ye.*) yellow. N. America. 1810. .... F.*w.*4. Polt.a.m.18.t.29.f.42.
5 jamaicénse. DC. .... Jamaica. W. Indies. 1823. .... S.*w.*4.

Tribus II. *NYMPHÆEÆ.*

EURY'ALE. DC. EURY'ALE. Polyandria Monogynia. L.
férox. DC. (*re.*) prickly. India. 1809. 7. 9. S.*w.*4. Bot. mag. 1447.
Anneslèa spinòsa. And. bot. rep. 618.
NYMPHÆ'A. DC. WATER-LILY. Polyandria Monogynia. L.
1 scutifòlia. DC. (*bl.*) Cape blue. C. B. S. 1792. 6. 9. S.*w.*4. Bot. mag. 552.
cærùlea. Bot. rep. 197.
2 cærùlea. DC. (*bl.*) Egyptian blue. Egypt. 1812. —— S.*w.*4. Vent. malm. t. 6.
stellata. var. Bot. mag. 2058.
3 cyánea. H.B. (*bl.*) Indian-blue. E. Indies. 1809. —— S.*w.*4.
Cahlàra. Donn. cant. ed. 7.
4 stellàta. DC. (*bl.*) star-flowered. ——— 1803. —— S.*w.*4. Andr. rep. 330.
5 edulis. DC. (*wh.*) eatable. ——— .... —— S.*w.*4.
esculénta. H.B.
6 rùbra. DC. (*re.*) red-flowered. ——— 1803. 7. 8. S.*w.*4. Bot. mag. 1280.
7 rósea. (*ro.*) rose-coloured. ——— —— —— S.*w.*4. ——— 1364.
rùbra. β *rósea.* DC.
8 pubéscens. DC. (*wh.*) Indian Lotus. ——— —— 5. 8. S.*w.*4. Rheed. h. mal. XI. t. 26.
9 Lótus. DC. (*wh.*) Egyptian. Egypt. 1803. 6. 9. S.*w.*4. Del. fl. egyp. ill. t. 60. f. 1.
10 thérmalis. DC. (*wh.*) Hungarian. Hungary. —— —— S.*w.*4. Bot. mag. 797.
Lótus. And. bot. rep. 391.

11 ámpla. DC.	(*wh.*)	West-Indian.	W. Indies.	....	6. 9.	S.*w.* ♃.	Plum. mss. 123. t. 4.
12 versícolor. DC.	(*bh.*)	changeable	E. Indies.	1807.	——	S.*w.* ♃.	Bot. mag. 1189.
13 renifórmis. DC.	(*wh.*)	kidney-leaved.	Carolina.	1823.	7.	G.*w.* ♃.	Deles. ic. sel. 2. t. 5.
14 álba. DC.	(*wh.*)	white.	Britain.	....	6. 7.	H.*w.* ♃.	Eng. bot. 160.
15 odoràta. DC.	(*wh.*)	sweet-scented.	N. America.	1786.	7.	H.*w.* ♃	Bot. mag. 819.
16 minor. DC. *odoràta. β minor.* B.M.	(*wh.*)	smaller	————	1812.	——	H.*w.* ♃.	———— 1652.
17 nítida. DC.	(*wh.*)	cup-flowered.	Siberia.	1809.	7. 8.	H.*w.* ♃.	Bot. mag. 1359.
18 pygmæ'a. DC. *Castàlia pygmæ'a.* Sal. par. lond. 68.	(*wh.*)	pigmy.	China.	1805	5. 9.	H.*w.* ♃.	———— 1525.
19 blánda. DC.	(*wh.*)	handsome.	W. Indies.	1827.	....	S.*w.* ♃.	
N'UPHAR. DC.		N'UPHAR.	Polyandria Monogynia. L.				
1 lùtea. DC. *Nymph'æa lùtea.* W.	(*ye.*)	common.	Britain.	....	6. 7.	H.*w.* ♃.	Eng. bot. 159.
2 pùmila. DC. *mínima.* E.B.	(*ye.*)	small-yellow.	Scotland	....	——	H.*w.* ♃.	———— 2292.
3 Kalmiàna. DC.	(*ye.*)	Canadian.	N. America.	1807.	7. 8.	H.*w.* ♃.	Bot. mag. 1248.
4 ádvena. DC. *Nymph'æa ádvena.* W.	(*ye.*)	stripe-flowered.	————	1772.	——	H.*w.* ♃.	Bot. mag. 684.

ORDO X.

SARRACENIÆ.

SARRAC'ENIA. W.		SIDE-SADDLE-FLOWER.	Polyandria Monogynia. L.				
1 purpùrea. W.	(*pu.*)	purple.	N. America.	1640.	6. 7.	H. ♃.	Bot. mag. 849.
2 rùbra. W. *psittácina.* M?	(*re.*)	red-flowered.	————	1786.	——	H. ♃.	Hook. ex. flor. 13.
3 variolaris. W. *adúnca.* Ex. bot. t. 53. *minor* W.	(*st.*)	hook-leaved.	————	1803.	——	H. ♃.	Bot. mag. 1710.
4 flàva. W.	(*ye.*)	yellow.	————	1752.	——	H. ♃.	———— 780.

ORDO XI.

PAPAVERACEÆ. *DC. syst. nat.* 2. *p.* 67.

PAP'AVER. DC.		POPPY.	Polyandria Monogynia.				
1 nudicáule. DC.	(*ye.*)	naked-stalked.	Siberia.	1730.	6. 8.	H. ♃.	Bot. mag. 1633.
β glábratum. DC.	(*ye.*)	*smooth-stalked.*	————	....	——	H. ♃.	
γ radicàtum. DC.	(*ye.*)	*small hairy.*	Norway.	....	——	H. ♃.	
2 rùbro-aurantiacum. F.		red orange.	Dahuria.	1822.	——	H. ♃.	Bot. mag. t. 2344.
3 microcárpum. DC.	(*br.*)	small-capsuled.	Kamtschatka.	——	——	H. ♃.	
4 pyrenáicum DC. *aurantiacum.* Lois.	(*ye.*)	Pyrenean.	Pyrenees.	....	——	H. ♃.	Seg. ver. 1. t. 4. f. 4.
α lùteum. DC.	(*ye.*)	*yellow-flowered.*	————	....	——	H. ♃.	Barr. ic. t. 764.
β puniceum. DC.	(*re.*)	*red-flowered.*	————	....	——	H. ♃.	
5 alpínum. DC.	(*wh.*)	Alpine.	Austria.	1759.	——	H. ♃.	Swt. br. fl. gar. 217.
6 hy'bridum. DC.	(*re.*)	mongrel.	England.	....	6. 7.	H. ⊙.	Eng. bot. 43.
7 Argemòne. DC.	(*re.*)	rough.	Britain.	....	——	H. ⊙.	———— 643.
β maritimum. With.		*one-flowered.*	————	....	——	H. ⊙.	
8 dùbium. DC.	(*re.*)	smooth.	————	....	——	H. ⊙.	Eng. bot. 644.
9 Rh'œas. DC.	(*re.*)	common-corn.	————	....	——	H. ⊙.	———— 645.
α maculàtum.	(*re.*)	*spot-petaled.*	————	....	——	H. ⊙.	Curt. lond. t. 32.
β coccíneum.	(*sc.*)	*scarlet-flowered.*	————	....	——	H. ⊙.	Tab. ic. f. 1.
γ cárneum.	(*fl.*)	*flesh-coloured.*	————	....	——	H. ⊙.	Barr. obe. ic. t. 763.
δ álbum.	(*wh.*)	*white-flowered.*	————	....	——	H. ⊙.	Wein. phyt. t. 786. f. d.
ε álbo-marginàtum.		*white-edged.*	————	....	——	H. ⊙.	———— t. 790. f. e.
ζ coccíneo-marginàtum.		*scarlet-edged.*	————	....	——	H. ⊙.	———— t. 790. f. b.

10 lævigàtum. DC.	(*re.*)	slender.	Caucasus.	1823.	6. 7.	H. ⊙.	
11 arenàrium. DC.	(*re.*)	sand.	Siberia.	1825.	6. 8.	H. ⊙.	
12 Roubi'æi. DC.	(*re.*)	Roubieu's.	Montpelier.	1823.	——	H. ⊙.	Vig. diss. 39. n. 4. t. 1. f. 1.
13 floribúndum. DC.	(*re.*)	many-flowered.	Levant.	1815.	6. 7.	H. ♂.	Bot. reg. 134.
14 hórridum. DC.	(*eo.*)	prickly-stalk'd.	N. S. W.	1825.	6. 8.	H. ⊙.	Swt. br. fl. gar. 178.
15 orientàle. DC.	(*re.*)	oriental.	————	1714.	5. 6.	H. ↓.	Bot. mag. 57.
16 bracteàtum. DC.	(*re.*)	bracted.	Caucasus.	1821.	5. 8.	H. ↓.	Lind. coll. t. 23.
17 setígerum. DC.	(*wh.*)	bristle-pointed.	Italy.	1824.	——	H. ⊙.	Swt. br. fl. gar. 172.
18 somníferum. DC.	(*va.*)	garden.	England.	....	7. 8.	H. ⊙.	Lam. ill. t. 451.
* *nigrum.* DC.	(*va.*)	*black-seeded.*	.....	....	——	H. ⊙.	Lob. ic. t. 274. f. 1.
β *flore-pleno.*	(*re.*)	*double-red.*	.....	....	——	H. ⊙.	Swert. flor. 2. t. 22. f. 1.
γ *fimbriatum.*	(*va.*)	*fringed-flowered.*	.....	....	——	H. ⊙.	Wein. phyt. t. 795. f. c.
** *album.* DC.	(*wh.*)	*white-seeded.*	England.	....	——	H. ⊙.	Eng. bot. 2145.
β *flore-pleno.*	(*wh.*)	*double-white.*	————	....	——	H. ⊙.	Swert. flor. 2. t. 22. f. 2.
γ *variegatum.*	(*v.*)	*variegated.*	————	....	——	H. ⊙.	
19 caucásicum. DC.	(*re.*)	Caucasean.	Caucasus.	1813.	6. 7.	H. ⊙.	Bot. mag. 1675.
20 armeniacum. DC.	(*re.*)	Armenian.	Armenia.	1815.	——	H. ⊙.	
Argemòne armeniaca. W.							
ARGEMO'NE. DC.		ARGEMONE.	Polyandria Monogynia.				
1 mexicàna. DC.	(*ye.*)	Mexican.	Mexico.	1592.	7. 8.	H. ⊙.	Bot. mag. 243.
2 ochroleùca. B.F.G.	(*st.*)	straw-coloured.	————	1827.	7. 10.	H. ⊙.	Swt. br. fl. gar. 242.
3 albiflòra. B.M.	(*wh.*)	white-flowered.	Louisiana.	1820.	——	H. ↓.	Bot. mag. 2342.
4 grandiflòra. B.F.G.	(*w.*)	large-flowered.	Mexico.	1827.	7. 10.	H. ↓.	Swt. br. fl. gar. 226.
MECONO'PSIS. DC.		MECONO'PSIS.	Polyandria Monogynia.				
cámbrica. DC.	(*st.*)	Welsh.	Wales.	....	5. 8.	H. ↓.	Eng. bot. 66.
Papàver cámbricum. W.							
SANGUINA'RIA. DC.		PUCCOON.	Polyandria Monogynia.				
canadénsis. DC.	(*wh.*)	Bloodwort.	N. America.	1680.	3. 4.	H. ↓.	Bot. mag. 162.
MACLEA'YA. B.		MACLEA'YA.	Polyandria Monogynia.				
cordàta. B.	(*bl.*)	heart-leaved.	China.	1795.	5. 8.	H. ↓.	Bot. mag. 1905.
Bocconia cordàta. DC.							
BOCCO'NIA. DC.		BOCCO'NIA.	Dodecandria Monogynia.				
1 frutéscens. DC.	(*gr.*)	Tree Celandine.	W. Indies.	1739.	1. 4.	S. ♄.	Lodd. bot. cab. t. 83.
2 integrifólia. DC.	(*gr.*)	entire-leaved.	Peru.	1822.	....	S. ♄.	H. et B. nov. pl. 1. t. 35.
ESCHSCHO'LTZIA. D.		ESCHSCHO'LTZIA.	Polyandria Monogynia.				
califórnica. DC.	(*ye.*)	Menzies'.	California.	1826.	7. 10.	H. ↓.	Swt. br. fl. gar. 265.
HUNNEMA'NNIA. B.F.G.		HUNNEMA'NNIA.	Polyandria Monogynia.				
fumariæfólia. B.F.G.	(*y.*)	Fumitory-leav'd	Mexico.	1827.	7. 10.	H. ♄?	Swt. br. fl. gar. 276.
RŒME'RIA. DC.		RŒME'RIA.	Polyandria Monogynia.				
1 hy'brida. DC.	(*re.*)	violet-flowered.	England.	....	5. 7.	H. ⊙.	Eng. bot. 201.
Glàucium violàceum. H.K.							
2 refrácta. DC.	(*re.*)	pendulous-fruit.	Tauria.	1823.	——	H. ⊙.	Deles. ic. sel. 2. t. 8.
GLA'UCIUM. DC.		HORN-POPPY.	Polyandria Monogynia.				
1 flàvum. DC.	(*ye.*)	yellow.	Britain.	....	6. 10.	H. ♂.	Eng. bot. t. 8.
luteum. H.K. *Chelidònium glàucium.* L.							
2 fúlvum. DC.	(*or.*)	orange.	S. Europe.	1802.	8. 9.	H. ↓.	Swt. br. fl. gar. 35.
3 tricolor. S.S.	(*v.*)	three-coloured.	Poland.	1828.	6. 9.	H. ⊙.	
4 corniculàtum. DC.	(*re.*)	various-colour'd	Europe.	....	6. 7.	H. ⊙.	
α *phœnicéum.* DC.	(*re.*)	*red-flowered.*	England.	....	——	H. ⊙.	Eng. bot. 1433.
β *flaviflòrum.* DC.	(*ye.*)	*yellow-flowered.*	Tauria.	1823.	——	H. ⊙.	
CHELIDO'NIUM. DC.		CELANDINE.	Polyandria Monogynia. L.				
1 màjus. DC.	(*ye.*)	common.	Britain.	....	4. 10.	H. ↓.	Eng. bot. 1581.
2 grandiflòrum. DC.	(*ye.*)	large-flowered.	Dahuria.	1823.	——	H. ↓.	
3 laciniàtum. DC.	(*ye.*)	jagged.	S. Europe.	....	——	H. ↓.	Mill. ic. 1. t. 92. f. 2.
HYPE'COUM. DC.		HYPE'COUM.	Tetrandria Digynia. L.				
1 procúmbens. DC	(*ye.*)	procumbent.	S. Europe.	1596.	6. 7.	H. ⊙.	Swt. br. fl. gar. 3. t. 217.
2 péndulum. DC.	(*ye.*)	pendulous.	S. France.	1640.	——	H. ⊙.	Mill. ic. t. 250. f. 1.
3 erèctum. DC.	(*ye.*)	erect.	Siberia.	1759.	5. 6.	H. ♂.	Amm. ruth. 58. t. 9.

ORDO XII.

FUMARIACEÆ. *DC. syst. nat.* 2. *p.* 105.

DICL'YTRA. DC.		DICL'YTRA.	Diadelphia Hexandria. L.						
1 cucullària. DC.	(*wh.*)	naked stalked.	N. America.	1731.	6. 7.	H. ♃.	Bot. mag. 1127.
Fumària cucullària. B.M.							
β divaricàta. DC.	(*wh.*)	*spreading-spur'd.*	N.America.	——	——	H. ♃.	
2 bracteòsa. DC.	(*wh.*)	leafy-bracted.	————	1823.	——	H. ♃.	
3 formòsa. DC.	(*re.*)	blush.	————	1796.	——	H. ♃.	Bot. mag. 1335.
4 exímia. DC.	(*re.*)	choice.	————	1812.	——	H. ♃.	Bot. reg. 61.
Fumària eximia. B.R.							
5 tenuifòlia. DC.	(*bh.*)	slender-leav'd.	Kamtschatka.	1824.	5. 7.	H. ♃	Deles. ic. sel. 2. t. 9. f. B.
6 canadénsis. DC.	(*pu.*)	Canadian.	Canada.	1823.	——	H. ♃.	
7 lachenalíæflòra. DC.	(*p.*)	Lachenalia-fl^{d}.	Siberia.	1824.	....	H. ♃.	Rudol. m. sc. pet. 1. t. 19.
ADL'UMIA. DC.		ADL'UMIA.	Diadelphia Hexandria. L.				
cirrhòsa. DC.	(*bh.*)	tendrilled.	N. America.	1778.	6. 9.	H. ♂.	Vent. choix. t. 19.
Fumària fungòsa. W.							
CYSTICA'PNOS. DC.		CYSTICA'PNOS.	Diadelphia Hexandria. L.				
africàna. DC.	(*bh.*)	African.	C. B. S.	1696.	6. 8.	H ☉.	Wein. phyt. t. 521. f. c.
Fumària vesicària. W.							
CORY'DALIS. DC.		CORY'DALIS.	Diadelphia Hexandria. L.				
1 pauciflòra. DC.	(*pu.*)	few-flowered.	Siberia.	1823.	....	H. ♃.	
2 Marschalliàna. DC.	(*st.*)	Marschall's.	Tauria.	——	4. 5.	H. ♃.	
3 tuberòsa. DC.	(*pu.*)	hollow-rooted.	Europe.	1596.	2. 4.	H. ♃.	Bot. mag. 232.
β albiflòra.	(*wh.*)	*white-flowered.*	————	——	——	H. ♃.	———— 2340.
Fumària càva. albiflòra. B.M.							
4 fabàcea. DC.	(*pu.*)	Bean-leaved.	Germany.	1815.	——	H. ♃.	Horn. fl. dan. t. 1394.
5 caucásica. DC.	(*pu.*)	Caucasean.	Caucasus.	1823.	——	H. ♃.	
6 bulbòsa. DC.	(*pu.*)	solid-rooted.	Britain.	....	——	H. ♃.	Eng. bot. 1471.
Fumària sólida. E. B. *Cory'dalis Hallèri.* W. en.							
7 angustifòlia. DC.	(*pu.*)	narrow-leaved.	Iberia.	1823.	——	H. ♃.	
8 bracteàta. DC.	(*st.*)	large-bracted.	Siberia.	1822.	——	H. ♃.	
9 nòbilis. DC.	(*st.*)	great-flowered.	————	1783.	5.	H. ♃.	Bot. reg. 395.
10 Gebl'èri. F.	(*bh.*)	Altay.	Altay.	1827.	5. 6.	H. ♃?	
11 pæoniæfòlia. DC.	(*pu.*)	Pæony-leaved.	Siberia.	1823.	——	H. ♃.	Gmel. sib. 4. t. 34.
12 glàuca. DC.	(*bh.*)	glaucous.	N. America.	1683.	7. 8.	H. ☉.	Bot. mag. 179.
Fumària sempervirens. W.							
13 stricta. DC.	(*pu.*)	upright.	Siberia.	1825.	5. 7.	H. ♃.	
14 sibírica. DC.	(*ye.*)	Siberian.	————	——	——	H. ♃.	Amm. ruth. n. 173. t. 20.
15 impàtiens. DC.	(*ye.*)	impatient.	Dahuria.	1823.	——	H. ☉.	
16 àurea. DC.	(*ye.*)	golden.	N. America.	1812.	5. 7.	H. ♂.	Bot. reg. 66.
Fumària áurea. B.R.							
17 lùtea. P.S.	(*ye.*)	yellow.	England.	....	4. 10.	H. ♃.	Eng. bot. 588.
18 capnoídes. P.S.	(*wh.*)	white-flowered.	S. Europe.	1596.	5. 10.	H. ♂.	Pluk. alm. t. 90. f. 2.
19 acáulis. DC.	(*st.*)	stalkless.	Germany.	1825.	7. 9.	H. ☉.	Jacq. ic. 3. t. 554.
20 uralénsis. DC.	(*ye.*)	Fischer's.	Siberia.	1823.	....	H. ♃.	
21 breviflòra. DC.	(*st.*)	short-flowered.	Kamtschatka.	——	5. 10.	H. ☉.	
22 claviculàta. DC.	(*wh.*)	climbing.	Britain.	....	——	H. ☉.	Eng. bot. 103.
SARCOCA'PNOS. DC.		SARCOCA'PNOS.	Diadelphia Hexandria. L.				
enneaphy'lla. DC.	(*bh.*)	nine-leaved.	Spain.	1714.	5. 7.	H. ♃.	Barr. ic. t. 42.
Fumària enneaphy'lla. W.							
FUM'ARIA. DC.		FUMITORY.	Diadelphia Hexandria. L.				
1 spicàta. DC.	(*re.*)	narrow-leaved.	S. Europe.	1714.	4. 6.	H. ☉.	Lob. ic. t. 757. f. 2.
2 capreolàta. DC.	(*wh.*)	climbing.	Europe.	....	5. 9.	H. ☉.	DC. ic. rar. 1. t. 34.
β? Burchéllii. DC.	(*wh.*)	*Burchell's.*	C. B. S.	1812.	——	H. ☉.	
3 mèdia. DC.	(*pu.*)	intermediate.	Britain.	....	——	H. ☉.	Eng. bot. 943.
capreolàta. E.B.							
4 prehénsibilis. K.	(*pu.*)	short-leaved.	Hungary.	1821.	6. 9.	H. ☉.	
5 alexandrìna. E.....		Egyptian.	Egypt.	1826.	——	H. ☉.	
6 officinàlis. DC.	(*re.*)	common.	————	....	——	H. ☉.	Eng. bot. 589.
β grandiflòra DC.	(*re.*)	*large-flowered.*	C. B. S.	1818.	——	H. ☉.	
7 micrantha. DC.	(*wh.*)	small-blossom'd.	Spain.	1824.	4. 8.	H. ☉.	
8 parviflòra. DC.	(*wh.*)	small-flowered.	England.	....	8. 9.	H. ☉.	Eng. bot. 590.
9 Vaillántii. DC.	(*pu.*)	Vaillant's.	France..	....	5. 6.	H. ☉.	Vail. bot. par. t. 10. f. 6.
10 densiflòra. DC.	(*pu.*)	close-flowered.	Montpelier.	1823.	——	H. ☉.	
β albìda. DC.	(*wh.*)	*white-flowered.*	————	——	——	H. ☉.	

ORDO XIII.

CRUCIFERÆ. *DC. syst. nat.* 2. *p.* 139.

SUBORDO I. PLEURORHIZEÆ. DC.

Tribus I. *ARABIDEÆ* seu Pleurorhizeæ Siliquosæ. DC.

MATHIOLA. DC.		STOCK. Tetradynamia Siliquosa. L.						
1 simplicicáulis.	(*sc.*)	Brompton.	.....	....	5. 8.	H. ♂.		
α coccínea.	(*sc.*)	*scarlet.*	.....	....	——	H. ♂.	Besl. eyst. 2. t. 3. f. 3.	
β álba.	(*wh.*)	*white.*	.....	....	——	H. ♂.	—— 2. t. 3. f. 2.	
2 incàna. DC.	(*va.*)	queen.	England.	....	5. 11.	H. ♄.	Eng. bot. 1935.	
α coccínea.	(*sc.*)	*scarlet.*	——	....	——	H. ♄.		
β purpùrea.	(*pu.*)	*purple.*	——	....	——	H. ♄.	Wein. phyt. t. 642. f. 9.	
γ álba.	(*wh.*)	*white.*	——	....	——	H. ♄.	Besl. eyst. 2. t. 3. f. 2.	
δ multiplex.	(*va.*)	*double-flowered.*	——	....	——	H. ♄.	—— 2. t. 3. f. 1.	
3 ánnua. DC.	(*va*)	ten-week.	S. Europe.	1731.	5 11.	H. ☉.		
α coccínea.	(*sc.*)	*scarlet.*	——	——	——	H. ☉.		
β purpùrea.	(*pu.*)	*purple.*	——	——	——	H. ☉.	J. Bauh. hist. 2. f. 1.	
δ rùbra.	(*re.*)	*red.*	——	——	——	H. ☉.		
ε rósea.	(*ro.*)	*rose-coloured.*	——	——	——	H. ☉.		
ζ cárnea.	(*fl.*)	*flesh-coloured.*	——	——	——	H. ☉.		
η fuscàta.	(*br.*)	*brown.*	——	——	——	H. ☉.		
ϑ fúlva.	(*br.*)	*tawny.*	——	——	——	H. ☉.		
ι lilacína.	(*li.*)	*lilac.*	——	——	——	H. ☉.		
κ álba.	(*wh.*)	*white.*	——	——	——	H. ☉.	Dalech. lug. 802. f. 1.	
λ variegàta.	(*v.*)	*variegated.*	——	——	——	H. ☉.		
μ flòre plèno.	(*va.*)	*double-flowered.*	——	——	——	H. ☉.		
4 glábra. DC.	(*va.*)	Wall-flower-l^d.	.....	....	——	H. ♄.	Wein. phyt. t. 642. f. 2.	
α álba.	(*wh.*)	*white-flowered.*	.....	....	——	H. ♄.	Moris. ox. s. 3. t. 8. f. 2.	
β purpùrea.	(*pu.*)	*purple.*	.....	....	——	H. ♄.		
γ coccínea.	(*sc.*)	*scarlet.*	.....	....	——	H. ♄.		
δ flòre plèno.	(*va.*)	*double-flowered.*	.....	....	——	H. ♄.		
5 græca. DC.	(*wh.*)	smooth-leaved.	Greece.	....	——	H. ☉.		
6 fenestràlis. DC.	(*re.*)	window.	Crete.	1759.	7. 8	F. ♄.	Jacq. vind. 2. t. 179.	
7 sinuàta. DC.	(*pu.*)	great sea.	England.	....	5. 8.	H. ♂.	Eng. bot. 462.	
8 acànlis. DC.	(*pu.*)	stalkless.	Egypt.	1823.	——	H. ☉.		
9 torulòsa. DC.	(*pu.*)	twisted-podded.	C. B. S.	1816.	——	G. ♄.		
10 tatárica. DC.	(*br.*)	Tartarian.	Tartary.	1826.	——	H. ♃.	Pall. it. 1. app. 117. t. O.	
11 odoratíssima. DC.	(*br.*)	sweet-scented.	Tauria.	1797.	6. 7.	G. ♄.	Bot. mag. 1711.	
β tanaicénsis. DC.	(*br.*)	*fragrant.*	Tanaim.	1822.	——	G. ♄.		
12 vària. DC.	(*br.*)	entire-leaved.	Greece.	....	5. 7.	G. ♄.	Fl. græc. t. 636.	
13 trístis. DC.	(*br.*)	various-leaved.	S. Europe.	1768.	——	G. ♄.	Barr. ic. t. 603.	
14 coronopifólia. DC.	(*pu.*)	Buckshorn-l^d.	——	1825.	——	H. ♃.	Flor. græc. t. 637.	
15 lívida. DC.	(*br.*)	livid.	Egypt.	1828.	——	H. ☉.	Deles. ic. sel. 2. t. 12.	
16 longipétala. DC.	(*br.*)	long-petaled.	Bagdad.	1819.	——	H. ☉.	Vent. cels. t. 98.	
17 tricuspidàta. DC.	(*pu.*)	three-forked.	Barbary.	1739.	7. 10.	H. ☉.	Swt. br. fl. gar. 46.	
18 parviflòra. DC.	(*pu.*)	small-flowered.	Morocco.	1799.	——	H. ☉.		
CHEIRA'NTHUS. DC		WALL-FLOWER. Tetradynamia Siliquosa. L.						
1 Chéiri. DC.	(*ye.*)	garden.	S. Europe.	1573.	4. 7.	H. ♄.	Schkuhr hand. 2. t. 184.	
α vulgàris.	(*ye.*)	*common.*	——	——	——	H. ♄.	Besl. eyst. 2. t. 5. f. 3.	
β flòre plèno.	(*ye.*)	*double-yellow.*	——	——	——	H. ♄.	—— 2. t. 4. f. 2. 3.	
γ grandiflòrus.	(*ye.*)	*large-flowered.*	——	——	——	H. ♄.	—— 2. t. 5. f. 2.	
δ máximus.	(*ye.*)	*largest.*	——	——	——	H. ♄.	—— 2. t. 5. f. 1.	
ε serràtus.	(*ye.*)	*saw-leaved.*	——	——	——	H. ♄.		
ζ pátulus.	(*ye.*)	*double-spreading.*	——	——	——	H. ♄.		
ι ferrugíneus.	(*p.y.*)	*rusty-flowered.*	——	——	——	H. ♄.		
κ vários.	(*p.y*)	*various-coloured.*	——	——	——	H. ♄.		
λ sanguíneus.	(*p.y.*)	*bloody.*	——	——	——	H. ♄.		
μ hæmánthus.	(*p.y.*)	*double-bloody.*	——	——	——	H. ♄.		
ν flavéscens.	(*ye.*)	*pale-yellow.*	——	——	——	H. ♄.		
ξ thyrsoídeus.	(*ye.*)	*bunch-flowered.*	——	——	——	H. ♄.		

2	fruticulòsus. E.B.	(ye.)	common.	England.	....	4. 7.	H. ♄.	Eng. bot. 1934.
3	alpinus. DC.	(ye.)	Alpine.	Norway.	1823.	——	H. ♃.	Wahl. fl. lap. t. 12. f. 1.
4	ochroleúcus. DC.	(st.)	pale yellow.	Switzerland.	1820.	6. 8.	H. ♃.	
	decúmbens. W. en.							
5	tenuifòlius. DC.	(ye.)	fine-leaved.	Madeira.	1777.	5. 6.	F. ♄.	
6	mutábilis. DC.	(li.)	changeable.	———	——	3. 5.	F. ♄.	Bot. mag. 195.
7	longifólius. V.	(li.)	long-leaved.	———	1815.	9. 12.	F. ♄.	Vent. malm. t. 83.
8	scopárius. DC.	(va.)	rock.	Teneriffe.	——	3. 8.	F. ♄.	
	α purpuráscens. DC.	(p.)	*purplish.*	———	——	——	F. ♄.	
	β æruginòsus. DC.	(br.)	*rusty.*	———	——	——	F. ♄.	
	γ cham'æleo. DC.	(p.y.)	*Chameleon. Cheiri,* var. *Cham'æleon.* B.R.	———	——	——	F. ♄.	Bot. reg. 219.
9	semperflòrens. DC.	(w.)	ever-blowing.	Barbary.	——	1. 12.	F. ♄.	
10	frutéscens. P.S.	(wh.)	frutescent.	———	——	3. 7.	F. ♄.	
11	linifólius. DC.	(pu.)	flax-leaved.	Spain.	——	3. 8.	F. ♄.	
12	arboréscens. Sie.	(pu.)	arborescent.	Levant.	1827.	4. 8.	G. ♄.	
NASTU'RTIUM. DC.			NASTU'RTIUM.	Tetradynamia Siliquosa. L.				
	officinále. DC.	(wh.)	Water Cress.	Britain.	....	5. 7.	H.w. ♃.	Eng. bot. 855.
	Sisy'mbrium Nastúrtium. W.							
	β præcòcius. DC.	(wh.)	*early.*	———	——	——	H.w. ♃.	Pet. h. brit. t. 47. f. 2.
2	sylvéstre. DC.	(ye.)	creeping.	———	....	6. 9.	H.w. ♃.	Eng. bot. 2324.
3	ancéps. DC.	(ye.)	flat-edged.	N. Europe.	1826.	——	H.w. ♃.	Flor. dan. t. 984.
4	palústre. DC.	(ye.)	marsh.	Britain.	....	——	H.w. ☉.	Eng. bot. 1747.
	Sisy'mbrium terréstre. E.B.							
5	sagittàtum. DC.	(ye.)	arrow-leaved.	Siberia.	1780.	5. 6.	H. ♃.	Jacq. ic. 1. t. 122.
6	lippizénse. DC.	(ye.)	Carinthian.	Carinthia.	1823.	——	H. ♃.	——— 3. t. 505.
7	pyrenàicum. DC.	(ye.)	Pyrenean.	Pyrenees.	1775.	——	H. ♃.	All. fl. ped. t. 18. f. 1.
8	amphíbium. DC.	(ye.)	amphibious.	Britain.	....	6. 8.	H.w. ♃.	Eng. bot. 1840.
	α indivisum. DC.	(ye.)	*brd. wat.-radish.*	———	....	——	H.w. ♃.	Pet. h. brit. t. 49. f 8.
	β variifólium. DC.	(ye.)	*jag. wat.-radish.*	———	....	——	H.w. ♃.	——— t. 49. f. 10.
9	benghalénse. DC.	(wh.)	Bengal.	Bengal.	....	6. 10.	H. ☉.	
10	clandestìnum. DC.	(wh.)	small-flowered.	Brazil.	1821.	——	H. ☉.	
11	índicum. DC.	(gr.)	Indian.	E. Indies.	——	——	H. ☉.	
12	atrovírens. H.	(ye.)	dark green.	China.	1826.	——	H. ☉.	
LEPTOCA'RPÆA. DC.			LEPTOCA'RPÆA.	Tetradynamia Siliquosa. L.				
	Lœsélii. DC.	(ye.)	Loeselius's.	Germany.	1683.	5. 8.	H. ☉.	Jacq. aust. t. 324.
	Sisy'mbrium Lœsélii. W. *Turritis Lœsélii.* H. K.							
NOTO'CERAS. DC.			NOTO'CERAS.	Tetradynamia Siliquosa. L.				
1	canariénse. DC.	(ye.)	Canary.	Canaries.	1779.	8. 9.	H. ☉.	Jacq. fil. eclog. t. 111.
	Ery'simum bicórne. W.							
2	hispánicum. DC.	(ye.)	Spanish.	Spain.	1822.	3. 10.	H. ☉.	Deles. ic. sel. 2. t. 17.
3	quadricorne. DC.	(ye.)	four-horned.	Siberia.	1824.	5. 10.	H. ☉.	——— 2. t. 16.
BARBAR'EA. DC.			WINTER-CRESS.	Tetradynamia Siliquosa. L.				
1	vulgàris. DC	(ye.)	common.	Britain.	....	5. 8.	H. ♃.	Eng. bot. 443.
	Ery'simum Barbarèa. W.							
2	præcox, DC.	(ye.)	early.	England.	....	4. 10.	H. ♃.	——— 1129.
3	táurica. DC.	(ye.)	Taurian.	Tauria.	1825.	7. 9.	H. ♃.	
4	ibèrica. DC.	(ye.)	Iberian.	Iberia.	1816.	5. 8.	H. ♃.	
	Cheiránthus ibèricus. W. en.							
5	plantagínea. DC.		Plaintain-leav'd.	Levant.	1823.	——	H. ♃.	Deles. ic. sel. 2. t. 19.
STEVE'NIA. DC.			STEVE'NIA.	Tetradynamia Siliquosa. L.				
1	alyssóides. DC.	(wh.)	Alyssum-like.	Siberia..	1823.	6. 8.	H. ☉.	Deles. ic. sel. 2. t. 20.
2	cheiranthóides. DC.	(pu.)	Wall-flow.-like.	———	——	——	H. ♃.	——— 2. t. 21.
BRA'YA. DC.			BRA'YA.	Tetradynamia Siliquosa. DC.				
1	alpina. DC.	(pu.)	Alpine.	Carinthia.	1821.	4. 5.	H. ♃.	Deles. ic. sel. 2. t. 22.
2	glábella. DC.	(pu.)	smooth.	Arctic R.	1827.	——	H. ♃.	
TURRI'TIS. DC.			TOWER-MUSTARD.	Tetradynamia Siliquosa. L.				
1	glábra. DC.	(wh.)	long-podded.	England.	....	5. 6.	H. ☉.	Eng. bot. 777.
	β ramòsa. DC.	(wh.)	branching.	.....	....	——	H. ☉.	Clus. hist. 2. p. 126. f. 2.
2	salsuginòsa. DC.	(wh.)	shorter-podded.	Siberia.	1822.	——	H. ☉.	Pal.it.2.app.n. 114. t.V.
A'RABIS. DC.			WALL-CRESS.	Tetradynamia Siliquosa. L.				
1	vérna. DC.	(pu.)	vernal.	S. Europe.	1710.	4. 5.	H. ☉.	Flor. græc. t. 641.
	Hésperis vérna. W.							
2	rosèa. DC.	(ro.)	rose-coloured.	Calabria.	1827.	——	H. ☽.	Deles. ic. sel. 2. t. 23.
3	alpìna. DC.	(wh.)	Alpine.	Pyrenees.	1596.	3. 5.	H. ♃.	Bot. mag. 226.
	β Clusiàna. DC.	(wh.)	*Clusius's.*	———	——	——	H. ♃.	Clus. hist. 2. p. 125. f. 2.
	γ nàna. DC.	(wh.)	*dwarf.*	Hungary.	....	——	H. ♃.	
4	álbida. DC.	(wh.)	early-flowered.	Tauria.	1798.	1. 5.	H. ♃.	Jacq. f. ecl. 1. t. 71.
	caucàsica. B.M. 2046.							

5	**undulàta.** L. en.	(*wh.*)	wave-leaved.	S. Europe.	1823.	5. 8.	H. ☉.	
6	**thyrsòidea.** DC.	(*wh.*)	bunch-flowered.	Levant.	1826.	——	H. ♃.	Flor. græc. t. 642.
7	**longifòlia.** DC.	(*wh.*)	long-leaved.	Persia.	1820.	——	H. ♃.	Deles. ic. sel. 2. t. 25.
8	**móllis.** DC.	(*wh.*)	soft.	Caucasus.	1825.	5. 7.	H. ♂.	
9	**toxophy'lla.** DC.	(*wh.*)	bow-leaved.	Volga.	1828.	——	H. ♂.	
10	**auricalàta.** DC.	(*wh.*)	ear-leaved.	S. Europe.	1805.	5. 6.	H. ☉.	
	áspera. All. ped. t. 2. f. 2.							
11	**saxátilis.** DC.	(*wh.*)	rock.	———	——	——	H. ♂.	Vill. dauph. 3. t. 37.
12	**crispàta.** DC.	(*wh.*)	curled-leaved.	Carniola.	1816.	3. 4.	H. ♃.	
13	**sagittàta.** DC.	(*wh.*)	arrow-leaved.	Europe.	....	5. 7.	H. ♂.	
14	**hirsùta.** DC.	(*wh.*)	hairy.	Britain.	....	——	H. ♂.	Eng. bot. 587.
15	**stenopètala.** W. en.	(*w.*)	narrow-petal'd.	.....	1822.	6. 8.	H. ☉.	
16	**curtisiliqua.** DC.	(*wh.*)	short-podded.	Scania.	1825.	5. 7.	H. ♂.	
17	**Allionii.** DC.	(*wh.*)	Allioni's.	Italy.	....	5. 7.	H. ♃.	
18	**muràlis.** DC.	(*wh.*)	dwarf.	Switzerland.	1824.	5. 6.	H. ♃.	
19	**stricta.** DC.	(*wh.*)	Bristol.	England.	....	——	H. ♃.	Eng. bot. 614.
20	**ciliàta.** DC.	(*wh.*)	ciliated.	Ireland.	....	6. 7.	H. ♂.	——— 1746.
	Turrítis álpina. E.B.							
21	**incàna.** DC.	(*wh.*)	hoary.	Switzerland.	1816.	5. 6.	H. ♂.	
22	**Thaliàna.** DC.	(*wh.*)	common.	Britain.	....	4. 6.	H. ☉.	Eng. bot. 901.
23	**serpyllifòlia.** DC.	(*wh.*)	Thyme-leaved.	Pyrenees.	1824.	6. 7.	H. ♂.	
24	**procúrrens.** DC.	(*wh.*)	procurrent.	Hungary.	——	5. 6.	H. ♃.	W. et. Kit. hun. 2. t. 141.
25	**præ'cox.** DC.	(*wh.*)	early-flowering.	———	1822.	4. 6.	H. ♃.	
26	**Schivereckiàna.** DC.	(*w.*)	Schivereck's.	Austria.	1827.	——	H. ♃.	
27	**petræ'a.** DC.	(*wh.*)	short-podded.	Europe.	....	5. 7.	H. ♃.	
	α Crantziàna. DC.	(*w.*)	*Crantz's.*	Germany.	....	——	H. ♃.	Crantz. aust. t. 3. f. 2.
	β hispida. DC.	(*wh.*)	*hispid.*	Wales.	....	——	H. ♃.	Flor. dan. t. 386.
	γ hastulàta. DC.	(*wh.*)	*hastulate.*	Britain.	....	——	H. ♃.	Eng. bot. 469.
28	**ambígua.** DC.	(*wh.*)	ambiguous.	Siberia.	1824.	5. 7.	H. ♃.	
29	**lyràta.** DC.	(*wh.*)	lyre-leaved.	N. America.	1823.	5. 6.	H. ♃.	
30	**arenòsa.** DC.	(*ro.*)	purple.	Europe.	1796.	6. 7.	H. ♃.	Schranck. m. 3. t. 256.
31	**Hallèri.** DC.	(*wh.*)	Haller's.	———	1820.	5.	H. ♂.	W. et Kit. hun. 2. t. 120.
32	**stolonífera.** DC.	(*wh.*)	stoloniferous.	Carniola.	1824.	——	H. ♃.	Scop. carn. ed. 2. t. 39.
33	**ovirènsis.** DC.	(*ro.*)	reddish.	Carinthia.	——	5. 6.	H. ♃.	Jacq. ic. 1. t. 125
34	**cebennénsis.** DC.	(*re.*)	pale-violet.	S. France.	1824.	5. 7.	H. ♂.	Deles. ic. sel. 2. t. 26.
35	**lasiolòba.** DC.	(*wh.*)	woolly-podded.	Mexico.	——	——	H. ♂.	
36	**Turríta.** DC.	(*wh.*)	tower.	England.	....	4. 5.	H. ♂.	Eng. bot. 178.
37	**péndula.** DC.	(*wh.*)	pendulous.	Siberia.	1752.	5. 6.	H. ☉.	Jacq. vind. 3. t. 34.
38	**Patriniàna.** DC.	(*wh.*)	Patrin's.	———	1826.	——	H. ♂.	Deles. ic. sel 2. t. 27.
39	**oxyòta.** DC.	(*wh.*)	sharp-eared.	———	——	——	H. ♂.	
40	**làcida.** DC.	(*wh.*)	shining-leaved.	Hungary.	1790.	6. 7.	H. ♃.	
41	**canadénsis.** DC.	(*wh.*)	sickle-podded.	N. America.	1768.	5. 7.	H. ♃.	Deles ic. sel. 2. t. 28.
42	**pùmila.** DC.	(*wh.*)	nodding.	Switzerland.	1658.	4. 7.	H. ♃.	Jacq. fl. aust. t. 281.
	sàtans. B.M. 2219. *ciliaris.* W. en.							
43	**bellidifòlia.** DC.	(*wh.*)	Daisy-leaved.	Pyrenees.	1773.	5. 6.	H. ♃.	——— 3. t. 280.
44	**cœrùlea.** DC.	(*bl.*)	blue.	———	1793.	6. 7.	H. ♃.	Sturm. deut. fl. ic.
45	**collìna.** DC.	(*wh.*)	hill.	Naples.	1823.	——	H. ♃.	
46	**dasycárpa.** DC.	(*wh.*)	thick-podded.	Poland.	1826.	5. 7.	H. ♃.	

MACROP'ODIUM. DC. MACROP'ODIUM. Tetradynamia Siliquosa. L.

	nivàle. DC.	(*wh.*)	Siberian.	Siberia.	1796.	6. 9.	H. ♃.	Pall.it. 2. ap.n. 113.t.v.
	Cardámine nivàlis. Pall.							

CARDA'MINE. DC. LADY'S SMOCK. Tetradynamia Siliquosa. L.

1	**rhomboídea.** DC.	(*wh.*)	rhomboid.	N. America.	1825.	5. 7.	H. *w.* ♃.	Pluk. amal. t. 435. f. 6.
2	**rotundifòlia.** DC.	(*wh.*)	round-leaved.	———	1823.	5. 6.	H. *w.* ♃.	
3	**asarifòlia.** DC.	(*wh.*)	kidney-leaved.	Italy.	1710.	6. 7.	H. *w.* ♃.	Bot. mag. 1735.
4	**bellidifòlia.** DC.	(*wh.*)	Daisy-leaved.	Scotland.	....	4. 6.	H. ♃.	
	a petiolàris. DC.	(*wh.*)	*long-petioled.*	Lapland.	....	——	H. ♃.	Œd. fl. Dan. t. 20.
	β alpìna. DC.	(*wh.*)	*Alpine.*	Scotland.	....	——	H. ♃.	Eng. bot. 2335.
5	**resedifòlia.** DC.	(*wh.*)	Rocket-leaved.	Germany.	1658.	7.	H. ☉.	Sturm. fl. germ. ic.
6	**microphy'lla.** DC.	(*wh.*)	small-leaved.	Siberia.	1828.	5. 7.	H. ♃.	
7	**africàna.** DC.	(*wh.*)	African.	C. B. S.	1691.	5. 6.	G. ♃.	Pluk. alm. t. 101. f. 5.
8	**trifòlia.** DC.	(*wh.*)	three-leaved.	Europe.	1629.	3. 6.	H. *w.* ♃.	Bot. mag. 452.
9	**amàra.** DC.	(*wh.*)	bitter.	Britain.	....	4. 5.	H. *w.* ♃.	Eng. bot. 1000.
10	**prorèpens.** DC.	(*wh.*)	creeping.	Siberia.	1825.	4. 6.	H. *w.* ♃.	
11	**praténsis.** DC.	(*li.*)	Cuckoo-flower.	Britain.	....	——	H. *w.* ♃.	Eng. bot. 776.
	β flòre pléno.	(*li.*)	*double-flowered.*	———	....	——	H. *w.* ♃.	Clus. hist. 2. p. 129. f. 1.
12	**dentàta.** DC.	(*wh.*)	toothed.	Poland.	1823.	——	H. *w.* ♃.	
13	**hirsùta.** DC.	(*wh.*)	hairy.	Britain.	....	1. 12.	H. ☉.	Eng. bot. 492.
14	**sylvática.** DC.	(*wh.*)	wood.	Europe.	....	5. 6.	H. ☉.	Flor. dan. t. 735.

15	umbròsa. DC.	(*wh.*)	smooth.	Europe.	....	4. 6.	H. ☉.	
16	parviflòra. DC.	(*wh.*)	small-flowered.	———	1822.	4. 5.	H. ☉.	Gmel. fl. sib. 3. t. 64.
17	impàtiens. DC.	(*wh.*)	impatient.	Britain.	....	4. 6.	H. ☉.	Eng. bot. 80.
18	latifòlia. DC.	(*pu.*)	broad-leaved.	Spain.	1710.	6. 8.	H. *w.* ♃.	Herm. par. p. 203. t. 69.
19	macrophy'lla. DC.	(*li.*)	large-leaved.	Siberia.	1824.	——	H. ♃.	
20	chelidònia. DC.	(*pu.*)	Celandine-l^d.	Italy.	1739.	3. 5.	H. ♃.	W. et Kit. hung. 2. t. 140.
21	thalictróides. DC.	(*wh.*)	Thalictrum-l^d.	Switzerland.	1824.	6. 7.	H. ♂.	All. ped. n. 951. t. 57. f. 1.
22	glaùca. DC.	(*wh.*)	glaucous.	Calabria.	1824.	5. 7.	H. ♃.	Deles. ic. sel. 2. t. 31.
23	occúlta. DC.	(*gr.*)	hidden-flower'd.	China.	——	5. 9.	H. ☉.	

PTERONE'URUM. DC. PTERONE'URUM. Tetradynamia Siliquosa. L.

1	carnòsum. DC.	(*wh.*)	fleshy.	Dalmatia.	1824.	6. 8.	H. ♃.	W. et Kit. hung. 2. t. 129.
2	græ'cum. DC.	(*wh.*)	Grecian.	S. Europe.	1710.	——	H. ☉.	Flor. græc. t. 631.

Cardámine græ'ca. W.

DENT'ARIA. DC. TOOTH-WORT. Tetradynamia Siliquosa. L.

1	polyphy'lla. DC.	(*st.*)	many-leaved.	Hungary.	1817.	5. 6.	H. ♃.	W. et Kit. hung 2. t. 160.
2	enneaphy'lla. DC.	(*wh.*)	nine-leaved.	Austria.	1656.	——	H. ♃.	Jacq. fl. aust. t 316.
3	glandulòsa. DC.	(*pu.*)	glandular.	Hungary.	1815.	——	H. ♃.	W. et Kit. hung. 3. t. 272.
4	laciniàta. DC.	(*wh.*)	laciniate.	N. America.	1823.	4. 6.	H. ♃.	
5	diphy'lla. DC.	(*wh.*)	two-leaved.	———	1810.	5. 6.	H. ♃.	Bot. mag. 1465.
6	trifòlia. DC.	(*wh.*)	three-leaved.	Hungary.	1824.	——	H. ♃.	W. et K. hung. 2. t. 139.
7	digitàta. DC.	(*w.p.*)	fingered.	Switzerland.	1656.	——	H. ♃.	Bot. mag. 2202.

pentaphy'lla. B.M. *Cardamine pentaphy'lla.* H. K. ed. 2.

8	pinnàta. DC.	(*wh.*)	seven-leaved.	———	1683.	——	H. ♃.	Boiss. fl. eur. t. 449.
9	quinquefòlia. DC.	(*wh.*)	five-leaved.	Caucasus.	1823.	4. 5.	H. ♃.	Deles. ic. sel. 2. t. 33.
10	bulbífera. DC.	(*bh.*)	bulbiferous.	England.	....	——	H. ♃.	Eng. bot. 309.

Cardámine bulbífera. H.K. ed. 2.

11	tenuifòlia. DC.	(*pu.*)	slender-leaved.	Siberia.	1825.	5. 6.	H. ♃.	Gmel. sib. 3. n. 41. t. 65.

trífida. Lam. ill. t. 562. f. 2.

PA'RRYA. B. PA'RRYA. Tetradynamia Siliquosa.

1	árctica. B.	(*pu.*)	arctic.	Melvill Isl.	1827.	5. 6.	H. ♃.	
2	arabidiflòra.	(*pu.*)	Arabis-flower'd.	Siberia.	1798.	——	H. ♃.	Linn. am. ac. 2. t. L. f. 20.

Arabis grandiflòra. L. *Neurolòma arabidiflòrum.* DC.

PLATYPE'TALUM. B. PLATYPE'TALUM. Tetradynamia Siliquosa.

	purpuráscens. B.	(*pu.*)	purplish.	Melvill Isl.	1827.	5. 6.	H. ♃.	

Tribus II. *ALYSSINEÆ* seu Pleurorhizeæ Latiseptæ. DC.

LUN'ARIA. DC. HONESTY. Tetradynamia Siliculosa. L.

1	redivìva. DC.	(*li.*)	perennial.	Germany.	1596.	4. 6.	H. ♃.	Hill veg. syst. t. 38. f. 1.
2	biénnis. DC.	(*w.p.*)	biennial.	———	1570.	——	H. ♂.	——— t. 38. f. 2.

ánnua. W.

	α violàcea.	(*pu.*)	*violet-flowered.*	———	——	——	H. ♂.	
	β albiflòra.	(*wh.*)	*white-flowered.*	———	——	——	H. ♂.	

RIC'OTIA. DC. RIC'OTIA. Tetradynamia Siliculosa. L.

	Lunària. DC.		Syrian.	Syria.	1757.	6. 7.	H. ☉.	Lam. ill. t. 561.

ægyptìaca. Bot. Reg. 49.

FARS'ETIA. DC. FARS'ETIA. Tetradynamia Siliculosa. L.

1	ægyptìaca. DC.	(*br.*)	Stock-like.	Levant.	1788.	6. 7.	G. ♄.	Desf. atl. 2. t. 160.

cheiranthóides. H.K. *Cheiránthus Farsètia.* L.

FIB'IGIA. Med. FIB'IGIA. Tetradynamia Siliculosa.

1	suffruticòsa.	(*pu.*)	suffrutescent.	Persia.	1820.	4. 5.	G. ♄.	Vent. cels. t. 19.

Lunària suffruticòsa. Vent. *Farsètia suffruticòsa.* DC.

2	lunarioídes.	(*ye.*)	oriental.	Greece.	1731.	6. 7.	H. ♃.	Tourn. ic ed. ger. 1. t. 30.
3	clypeàta. Med.	(*ye.*)	buckler-podded.	S. Europe.	1596.	——	H. ♂.	Schkuhr. han. 2. t 181.

Aly'ssum clypeàtum. L. *Farsètia clypeàta.* DC.

BERTER'OA. DC. BERTER'OA. Tetradynamia Siliculosa. L.

1	incàna. DC.	(*wh.*)	hoary.	Europe.	1640.	7. 9.	H. ♂.	Horn. fl. dan. 1461.

Aly'ssum incànum. W.

2	mutábilis. DC.	(*bh.*)	changeable.	Levant.	1802.	7. 8.	H. ♃.	Vent. cels. t. 85.
3	oblíqua. DC.	(*wh.*)	oblique-podded.	Naples.	1824.	——	H. ♄.	Flor. græc. t. 628.

AUBRI'ETIA. DC. AUBRI'ETIA. Tetradynamia Siliculosa. L.

1	deltoídea. DC.	(*pu.*)	spreading.	Levant.	1710.	3. 5.	H. ♃.	Bot. mag. 126.

Farsètia deltoídea. H.K. *Aly'ssum deltoideum.* L.

2	purpurea. DC.	(*pu.*)	tufted.	———	1821.	——	H. ♃.	Swt. br. fl. gar. 207.

VESIC'ARIA. VESIC'ARIA. Tetradynamia Siliculosa. L.

1	utriculàta. DC.	(*ye.*)	smooth.	Levant.	1739.	4 6.	H. ♃.	Bot. mag. 130.

Aly'ssum utriculàtum. B.M.

2	reticulàta. DC.	(*ye.*)	veined-podded.	———	....	6.	H. ♃.	Tour. voy. 2. p. 252. ic.

3 **Ludoviciàna.** DC.	(*ye.*)	Missouri.	Missouri.	1825.	5. 6.	H. ♃.		
4 **sinuàta.** DC.		sinuate-leaved.	Spain.	1596.	4. 6.	H. ♂.		Schkuhr. han. 2. t. 181.
5 **crética.** DC.		Cretan.	Crete.	1739.	5. 8.	H. ♃.		Alp. ex. p. 117 et 118. ic.
Aly'ssum crèticum. W.								
6 **árctica.** DC.	(*ye.*)	arctic.	Greenland.	1826.	5. 6.	H. ♃.		Horn. fl. dan. t. 1520.
7 **arenòsa.** DC.	(*ye.*)	sand.	Arctic Reg.	——	6. 8.	H. ♃.		
SCHIVERE'CKIA. DC.		SCHIVERE'CKIA. Tetradynamia Siliculosa. L.						
podòlica. DC.	(*wh.*)	canescent.	Podolia.	1821.	5. 7.	H. ♃.		Swt. br. fl. gar. t. 77.
KO'NIGA. B.		KO'NIGA. Tetradynamia Siliculosa.						
1 **marítima.** DC.	(*wh.*)	sweet-scented.	S. Europe.	....	5. 10.	H. ♃.		Eng. bot. 1729.
Aly'ssum marítimum. E. B. *halimifòlium.* B.M. 101.								
2 **canariénsis.**	(*wh.*)	Canary.	Canaries.	1812.	——	G. ♄.		
Aly'ssum marítimum. β *canariénse.* DC.								
β *variegàta.*	(*wh.*)	*striped-leaved.*	————	....	——	G. ♄.		
ADYS'ETON. Scop.		ADYS'ETON. Tetradynamia Siliculosa.						
1 **saxátile.**	(*ye.*)	rock.	Russia.	1710.	4. 5.	H. ♄.		Bot. mag. 159.
Aly'ssum saxátile. D.		*Aurínia saxátilis.* Dv.						
2 **gemonénse.**	(*ye.*)	canescent.	Germany.	——	——	H. ♄.		Jacq. ic. 3. t. 503.
3 **orientàle.**	(*ye.*)	oriental.	Crete.	....	——	H. ♄.		Flor. græc. t. 625.
4 **spathulàtum.**	(*ye.*)	spathulate.	Siberia.	1821.	4. 6.	H. ♄.		Deles. ic. sel. 2. t. 37.
5 **argénteum.**	(*ye.*)	silvery.	Switzerland.	——	5. 6.	H. ♄.		All. ped. t. 54. f. 3.
6 **Bertolònii.**	(*ye.*)	Bertoloni's.	Italy.	1825.	——	H. ♄.		
7 **murále.**	(*ye.*)	wall.	Europe.	1801.	6. 8.	H. ♄.		W. et Kit. hung. 1. t. 6.
8 **obtusifòlium.**	(*ye.*)	blunt-leaved.	Siberia.	1812.	——	H. ♄.		Deles. ic. sel. 2. t. 38.
9 **serpyllifòlium.**	(*ye.*)	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ♄.		
10 **rèpens.**	(*ye.*)	creeping.	Transylvania.	1827.	——	H. ♃.		
11 **vernále.**	(*ye.*)	vernal.	.....	1823.	4. 5.	H. ♃.		Schrank hort. mon. t. 96.
12 **tortuòsum.**	(*ye.*)	twisted.	Hungary.	1804.	6. 7.	H. ♃.		W. et Kit. hung. 1. t. 91.
13 **alpéstre.**	(*ye.*)	Italian.	Italy.	1777.	6. 10	H. ♄.		Flor. græc. t. 624.
14 **nebrodènse.**	(*ye.*)	Sicilian.	Sicily.	1827.	5. 6.	H. ♄.		
15 **Marschallià̀num.**	(*ye.*)	Marschall's.	Caucasus.	——	——	H. ♄.		
16 **montà̀num.** SC.	(*ye.*)	mountain.	Germany.	1713.	5. 8.	H. ♃.		Bot. mag. 419.
Aly'ssum montà̀num. B.M.								
17 **cuneifòlium.**	(*ye.*)	wedge-leaved.	Naples.	1825.	5. 8.	H. ♃.		
18 **diffùsum.**	(*ye.*)	spreading.	————	——	——	H. ♃.		
19 **Wulfenià̀num.**	(*ye.*)	Wulfen's.	Carinthia.	1821.	——	H. ♃.		
20 **Fischerià̀num.**	(*ye.*)	Fischer's.	Siberia.	1828.	——	H. ♃.		
Aly'ssum Fischerià̀num. DC.								
ALY'SSUM. B.		MADWORT. Tetradynamia Siliculosa. L.						
1 **umbellàtum.** DC.	(*ye.*)	umbelled.	Tauria.	1828.	5. 8.	H. ☉.		
2 **rostràtum.** DC.	(*ye.*)	beaked.	————	1824.	6. 9.	H. ☉.		Stev. m. ac. P. 3. t. 15. f. 1.
3 **micropètalum.** DC.	(*ye.*)	small-petaled.	Iberia.	——	5. 8.	H. ☉.		Deles. ic. sel. 2. t. 39.
4 **hirsùtum.** DC.	(*ye.*)	hairy.	————	——	——	H. ☉.		———— 2. t. 40.
5 **campéstre.** DC.	(*ye.*)	field.	Europe.	1768.	6. 8.	H. ☉.		Flor. græc. t. 626.
6 **calycínum.** DC.	(*ye.*)	persistent-cal'd.	————	1740.	——	H. ☉.		Jacq. aust. t. 338.
7 **mínimum.** DC.	(*ye.*)	small.	————	1791.	——	H. ☉.		Tratt. thes. bot. t. 35.
ANODO'NTEA. DC.		ANODO'NTEA. Tetradynamia Siliculosa.						
1 **edéntula.**	(*ye.*)	toothless.	Hungary.	1821.	5. 6.	H. ♂.		W. et K. hung. 1. t. 92.
Aly'ssum edéntulum. DC. *Adyséton edéntulum.* L. enum.								
2 **dasycárpa.**	(*ye.*)	thick-podded.	Siberia.	1827.	6. 10.	H. ☉.		Trev. ber. mag. 1816. t. 2.
3 **rupéstris.**	(*wh.*)	silvery rock.	Italy.	1824.	5. 10.	H. ♃.		Tenor. fl. nap. t. 60.
4 **halimifòlia.**	(*wh.*)	Halimus-leaved.	————	——	——	H. ♄.		All. ped. n. 900. t. 54. f. 1.
Aly'ssum halimifòlium. DC.								
5 **spinòsa.**	(*wh.*)	thorny.	S. Europe.	1683.	6. 8.	H. ♄.		Barrel. ic. t. 808.
6 **macrocárpa.**	(*wh.*)	large-podded.	————	1825.	——	H. ♄.		Deles. ic. sel. 2. t. 41.
7 **canéscens.**	(*wh.*)	houry.	Siberia.	1828.	4. 9.	H. ♄.		
MENI'OCUS. DC.		MENI'OCUS. Tetradynamia Siliculosa. L.						
linifolius. DC.	(*ye.*)	Flax-leaved.	Levant.	1822.	5. 6.	H. ☉.		Deles. ic. sel. 2. t. 42.
Aly'ssum línifolium. W.								
CLYPE'OLA. DC.		TREACLE-MUSTARD. Tetradynamia Siliculosa. L.						
1 **Jouthláspi.** DC.	(*ye.*)	common.	S. Europe.	1710.	5. 7.	H. ☉.		Desv. j. bot. 3. t. 25. f. 7.
2 **eriophora.** DC.	(*wh.*)	woolly-podded.	Spain.	1820.	——	H. ☉.		———— 3. t. 25. f. 10.
PELTA'RIA. DC.		PELTA'RIA. Tetradynamia Siliculosa. L.						
alliàcea. DC.	(*wh.*)	garlic-scented.	Austria.	1601.	5. 7.	H. ♃.		Jacq. aust. 2. t. 128.
PETROCA'LLIS. DC.		PETROCA'LLIS. Tetradynamia Siliculosa. L.						
pyrenàica. DC.	(*ro.*)	Pyrenean.	Pyrenees.	1759.	5. 6.	H. ♃.		Lodd. bot. cab. 635.
Dràba pyrenàica. B.M. 713.								
DRA'BA. DC.		WHITLOW-GRASS. Tetradynamia Siliculosa. L.						
1 **aizóides.** DC.	(*ye.*)	sen-green.	Wales.	....	2. 4.	H. ♃.		Eng. bot. 1271.

2	brachystèmon. DC.	(*ye.*)	short-stamened.		1731.	2. 4.	H. ♃.	Bot. mag. 170.
	aizòides. B.M. *ciliàris.* H.K.							
3	aizòon. DC.	(*ye.*)	hairy-podded.	Hungary.	1821.	——	H. ♃.	
4	cuspidàta. DC.	(*ye.*)	sharp-pointed.	Tauria.	——	4. 5.	H. ♃.	
5	bryóides. DC.	(*ye.*)	Bryum-like.	Caucasus.	——	3. 4.	H. ♃.	
6	bruniæfòlia. DC.	(*ye.*)	Brunia-leaved.	————	1826.	5. 6.	H. ♃.	
7	ericæfòlia. DC.	(*ye.*)	Heath-leaved.	————	1823.	——	H. ♃.	
8	pilòsa. DC.	(*ye.*)	pilose.	Siberia.	1825.	——	H. ♃.	
9	alpìna. DC.	(*ye.*)	Alpine.	Norway.	1823.	4. 5.	H. ♃.	Flor. dan. t. 56.
10	glaciàlis. DC.	(*ye.*)	starry-haired.	Siberia.	1825.	5. 6.	H. ♃.	
11	rèpens. DC.	(*ye.*)	creeping.	Caucasus.	1823.	——	H. ♃.	
12	Gmelíni. DC.	(*ye.*)	Gmelin's.	Siberia.	——	——	H. ♃.	Gmel. sib. 3. t. 56. f. 2.
13	tridentàta. DC.	(*ye.*)	three-toothed.	Caucasus.	1828.	——	H. ♃.	
14	muricélla. DC.	(*wh.*)	tufted.	Norway.	——	——	H. ♃.	Wahl. fl. lap. t. 11. f. 2.
15	incómpta. DC.	(*ye.*)	straggling.	Caucasus.	——	6.	H. ♃.	Deles. ic. sel. 2. t. 44.
16	oblongàta. DC.	(*wh.*)	oblong-leaved.	Baffin's-bay.	1820.	5. 6.	H. ♃.	
17	corymbòsa. DC.	(*wh.*)	corymbose.	————	——	——	H. ♃.	
18	hírta. DC.	(*wh.*)	hairy.	Lapland.	....	5. 7.	H. ♃.	Wahl. f. lap. t. 11. f. 3.
19	rupéstris. DC.	(*wh.*)	rock.	Scotland.	....	——	H. ♃.	Eng. bot. 1338.
	hírta. E.B. non Linn.							
20	nivàlis. DC.	(*wh.*)	snowy.	Norway.	1824.	5. 6.	H. ♃.	Flor. dan. t. 142.
	stellàta. F.D. nec aliorum.							
21	lappònica. DC.	(*wh.*)	Lapland.	Lapland.	——	——	H. ♃.	Wahl. fl. lap. t. 11. f. 3.
22	helvètica. DC.	(*wh.*)	Swiss.	Switzerland.	1824.	——	H. ♃.	
23	fladnizénsis. DC.	(*wh.*)	fringe-leaved.	————	——	6. 8.	H. ♃.	Jacq. misc. 1. t. 17. f. 1.
24	tomentòsa. DC.	(*wh.*)	woolly-leaved.	————	——	5. 7.	H. ♃.	Wahl. helv. p. 123. t. 3.
25	stellàta. DC.	(*wh.*)	starry.	————	1820.	——	H. ♃.	Jacq. obs. t. 4. f. 3.
	hírta. Jacq. aust. t. 432.							
26	contórta. DC.	(*wh.*)	twisted-podded.	Britain.	....	5. 6.	H. ♂.	Eng. bot. t. 388.
	incàna. E.B.							
27	confùsa. DC.	(*wh.*)	confused.	N. Europe.	....	——	H. ♂.	Flor. dan. t. 130.
	incàna. F.D.							
28	arabisans. DC.	(*wh.*)	Arabis-like.	N. America.	1827.	——	H. ♂.	
29	daùrica. DC.	(*wh.*)	Daurian.	Dahuria.	1824.	——	H. ♂.	
30	áurea. DC.	(*ye.*)	golden.	Greenland.	——	——	H. ♂.	Flor. dan. t. 1460.
31	lùtea. DC.	(*ye.*)	yellow.	Caucasus.	1825.	5. 8.	H. ☉.	
32	grácilis. GR.	(*ye.*)	slender.	N. America.	1827.	——	H. ☉.	
33	nemoràlis. DC.	(*ye.*)	wood.	Europe, &c.	1759.	——	H. ☉.	Houtt. syst. 4. t. 60. f. 1.
34	muràlis. DC.	(*wh.*)	wall.	England.	....	4. 5.	H. ☉.	Eng. bot. 912.
ERO'PHILA. DC.			ERO'PHILA.	Tetradynamia Siliculosa. L.				
1	americàna. DC.	(*wh.*)	American.	N. America.	1823.	3. 4.	H. ☉.	
2	vulgàris. DC.	(*wh.*)	common.	Britain.	....	——	H. ☉.	Flor. dan. t. 983.
	Dràba vérna. Eng. bot. 586.							
3	pr'æcox. DC.	(*wh.*)	round-podded.	Caucasus.	1824.	2. 4.	H. ☉.	
KE'RNERA. Med.			KE'RNERA.	Tetradynamia Siliculosa.				
1	saxátilis.	(*wh.*)	rock.	Europe.	1775.	5. 7.	H. ♃.	Jacq. aust. 2. t. 128.
	myagróides. Med.		*Cochleària saxátilis.* DC.	*Myàgrum saxátile.* L.				
	β incisa.	(*wh.*)	*cut-leaved.*	————	——	——	H. ♃.	Mori. ox. 2. s. 3. t. 17. f. ult.
2	auriculàta.	(*wh.*)	eared.	Pyrenees.	1824.	——	H. ♃.	Berg. phyt. 3. p. 140. ic.
	Cochleària auriculàta. DC.							
ARMOR'ACIA. Plin.			HORSE-RADISH.	Tetradynamia Siliculosa.				
1	rusticàna. Bau.	(*wh.*)	common.	England.	....	5. 6.	H ♃.	Eng. bot. 2223.
	Cochleària Armoràcia. E.B.							
2	macrocárpa. Bau.	(*wh.*)	large-fruited.	Hungary.	1806.	6. 8.	H. ♃.	W. et K. hung. 2. t. 184.
COCHLE'ARIA. DC.			SCURVY-GRASS.	Tetradynamia Siliculosa. L.				
1	glastifólia. DC.	(*wh.*)	Woad-leaved.	S. Europe.	1648.	5. 7.	H. ♂.	Schuhr. hand. 2. t. 181.
2	ánglica. DC.	(*wh.*)	English.	England.	....	5.	H. ☉.	Eng. bot. 552.
3	officinàlis. DC.	(*wh.*)	common.	Britain.	....	4. 5.	H. ☉.	———— 551.
	β minor. DC.		*lesser.*	————	....	——	H. ☉.	
	γ rotundifólia. DC.		*round-leaved.*	————	....	——	H. ☉.	
	grænlándica. With. brit. 573. non. Lin.							
4	pyrenàica. DC.	(*wh.*)	Pyrenean.	Pyrenees.	....	6. 8.	H. ♂.	Deles. ic. sel. 2. t. 48.
5	grœnlándica. DC.	(*wh.*)	Greenland.	Scotland.	....	5. 6.	H. ♃.	Eng. bot. 2403.
6	dánica. DC.	(*wh.*)	Danish.	Britain.	....	——	H. ☉.	———— 696.
7	alpìna.	(*wh.*)	Alpine.	Ireland.	....	5. 6.	H. ♃.	
8	fenestràta. DC.	(*wh.*)	fenestrate.	Baffin's Bay.	1820.	4. 5.	H. ♃.	
9	grandiflòra. DC.	(*wh.*)	large-flowered.	Siberia.	1826.	5. 6.	H. ♃.	
10	integrifólia. DC.	(*wh.*)	entire-leaved.	Altay.	1827.	——	H. ♃.	
11	acáulis. DC.	(*li.*)	stalkless.	Portugal.	1823.	3. 4.	H. ♃.	Jacq. ecl. t. 132.

Tribus III. *THLASPIDEÆ* seu Pleurorhizeæ Angustiseptæ. DC.

THLA'SPI. DC. Bastard-cress. Tetradynamia Siliculosa. L.

1	latifòlium. DC.	(*wh.*)	broad-leaved.	Caucasus.	1828.	4. 5.	H. ♃.	Deles. ic. sel. 2. t. 51.
2	ceratocárpon. DC.	(*wh.*)	horn-podded.	Siberia.	1779.	7.	H. ☉.	Scop. insub. 1. t. 4.
3	arvénse. DC.	(*wh.*)	Penny-cress.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 1659.
4	collínum. DC.	(*wh.*)	hill.	Iberia.	1824.	4. 9.	H. ☉.	
5	alliàceum. DC.	(*wh.*)	Garlic-scented.	S. Europe.	1714.	5. 7.	H. ☉.	Jacq. ic. 1. t. 121.
6	strictum.	(*wh.*)	upright.	Persia.	1827.	4. 9.	H. ☉.	
7	perfoliàtum. DC.	(*wh.*)	perfoliate.	England.	....	4. 7.	H. ☉.	Eng. bot. 2354.
8	montànum. DC.	(*wh.*)	mountain.	Europe.	....	5. 6.	H. ♃.	Jacq. aust. 3. t. 287.
9	alpéstre. DC.	(*wh.*)	Alpine.	England.	....	5. 7.	H. ♃.	Eng. bot. t. 81.
10	cochleariformе. DC.	(*w.*)	Scurvy-grass.	Dahuria.	1827.	6. 7.	H. ♃.	

CA'PSELLA. DC. Shepherds-purse. Tetradynamia Siliculosa. L.

1	Bùrsa-pastòris. DC.	(*w.*)	common.	Britain.	....	1. 12.	H. ☉.	Eng. bot. 1485.
	Thlàspi Bùrsa-pastòris. L.							
	β minor. DC.	(*wh.*)	*small.*	———	....	——	H. ☉.	Tabern. ic. 199.
	γ integrifòlia. DC.	(*w.*)	*entire-leaved.*	———	....	——	H. ☉.	Moris. ox. 2. t. 20. f. 1.
	δ coronopifòlia. DC.	(*w.*)	*Buck's-horn-ld.*	———	....	——	H. ☉.	
2	procúmbens. B.	(*wh.*)	procumbent.	Europe.	1823.	3. 5	H. ☉.	Hill. veg. sys. 11. t. 42. f. 1.
	Lepídium procúmbens. L. *Hutchínsia procúmbens.* DC.							

HUTCHI'NSIA. DC. Hutchi'nsia. Tetradynamia Siliculosa. L.

1	rotundifòlia. DC.	(*bh.*)	round-leaved.	Switzerland.	1759.	5. 7.	H. ♃.	Scop. carn. n. 805. t. 37.
	Ibèris rotundifòlia. L.							
2	cepeæfòlia. DC.	(*pu.*)	toothed-leaved.	Carinthia.	1824.	4. 5.	H. ♃.	Jacq. misc. 2. p. 28. t. 1.
3	stylòsa. DC.	(*ro.*)	long-styled.	Naples.	1826.	3. 5.	H. ♃.	Bot. mag. 2772.
4	hastalàta. DC.	(*bh.*)	halbert-leaved.	Siberia.	1827.	——	H. ♃.	Gmel. sib. 3. t. 5.
5	calycìna. DC.	(*wh.*)	persistent-cal'd.	———	——	4. 5.	H. ♃.	
6	alpìna. DC.	(*wh.*)	Alpine.	Pyrenees.	1775.	4. 6.	H. ♃.	Jacq. aust. 2. t. 187.
	Lepídium alpìnum. L.							
7	petr'æa. DC.		rock.	England.	....	3. 5.	H. ♂.	Eng. bot. 111.
	Lepídium petr'æum. L.							

TEESD'ALIA. DC. Teesd'alia. Tetradynamia Siliculosa. L.

1	Ibèris. DC.		Shepherd's-cress.	England.	....	5. 7.	H. ☉.	Eng. bot. 327
	nudicáulis. H.K. *Ibèris nudicáulis.* L. *Guepínia Ibèris.* DC.							
2	Lepídium. DC.	(*wh.*)	equal-petal'd.	S. Europe.	....	5. 8.	H. ☉.	Magn. ic. n. car. 247.
	Lepídium nudicàule. L. *Teesdàlia regulàris.* L.T. *Guepínia Lepídium.* Dv.							

IBERIS. DC. Candy-tuft. Tetradynamia Siliculosa. L.

1	semperflòrens. DC.	(*w.*)	broad-leaved.	Sicily.	1679.	1. 12.	G. ♄.	Moris. ox. 2. t. 25. f. 5.
2	gibraltárica. DC.	(*bh.*)	Gibraltar.	Gibraltar.	1732.	5. 6.	G. ♄.	Bot. mag. 124.
3	saxátilis. DC.	(*wh.*)	rock.	S. Europe.	1759.	4. 6.	H. ♄.	Gou. fl. mons. 177. t. 1.
4	corifòlia.	(*wh.*)	Coris-leaved.	———	——	——	H. ♄.	Clus. hist. 2. p. 132. ic.
	saxátilis β corifòlia.		Bot. mag. 1642.					
5	pubéscens. DC.	(*wh.*)	pubescent.	.....	1821.	——	H. ♄.	
6	subvelutìna. DC.	(*wh.*)	velvetty.	Spain.	1824.	——	H ♄.	
7	sempervìrens. DC.	(*wh.*)	evergreen.	Crete.	1731.	——	H. ♄.	Flor. grec. t. 620.
8	Garrexiàna. DC.	(*wh.*)	Allioni's.	Pyrenees.	....	6. 8.	H. ♄.	All. ped. n. 920. t. 40. f. 3.
9	conférta. DC.	(*wh.*)	crowded-leaved.	Spain.	1824.	——	H. ♄.	
10	amára. DC.	(*wh.*)	bitter.	England.	....	——	H. ☉.	Eng. bot. 52.
11	pinnàta. DC.	(*wh.*)	wing-leaved.	S. Europe.	1596.	——	H. ☉.	Lob. ic. t. 217. f. 2.
12	odoràta. DC.	(*wh.*)	sweet-scented.	Crete.	1806.	——	H. ☉.	Swt. br. fl. gar. 50.
13	Lagascàna. DC.	(*wh.*)	Lagasca's.	Spain.	1824.	——	H. ☉.	
14	umbellàta. DC.	(*pu.*)	purple.	S. Europe.	1596.	——	H. ☉.	Bot. mag. 106.
15	linifòlia. DC.	(*pu.*)	Flax-leaved.	———	1759.	——	H. ♂.	Garid. aix. t. 105.
16	ciliàta. DC.	(*wh.*)	fringed.	———	....	6. 7.	H. ♂.	
17	taurica. DC.	(*wh.*)	Taurian.	Tauria.	1802.	5. 7.	H. ♂.	
18	violàcea. DC.	(*pu.*)	blunt-leaved.	.....	1782.	6. 7.	H. ☉.	
19	nàna. DC.	(*pu.*)	dwarf.	S. Europe.	1822.	5. 7.	H. ♂.	All. auct. p. 15. t. 2. f. 1.
20	spathulàta. DC.	(*pu.*)	spathulate.	Pyrenees.	1826.	6. 8.	H. ☉.	Berg. phyt. ic.
21	Tenoreàna. DC.	(*wh.*)	Tenore's.	Naples.	——	5. 7.	H. ♄.	Swt. br. fl. gar. 88.
22	Pruiti. DC.	(*wh.*)	Sicilian.	Sicily.	1828.	——	H. ♄.	
23	contrácta. DC.	(*wh.*)	contracted.	Spain.	1824.	4. 6.	H. ♄.	

BISCUTE'LLA. DC. Buckler-mustard. Tetradynamia Siliculosa. L.

1	auriculàta. DC.	(*ye.*)	ear-podded.	S. Europe.	1683.	6. 7.	H. ☉.	DC. diss. n. 1. t. 1. f. 2.
2	erigerifòlia. DC.	(*ye.*)	Erigeron-leav'd.	Spain.	1824.	——	H. ☉.	Deles. ic. sel. 2. t. 55.
3	hispida. DC.	(*ye.*)	hispid.	S. France.	1822.	——	H. ☉.	Bot. mag. 2444.
4	cichoriifòlia. DC.	(*ye.*)	Succory-leaved.	Pyrenees.	——	——	H. ♃.	DC. diss. n. 4. t. 2.

5 lyràta. DC.	(*ye.*)	lyre-leaved.	Spain.	1799.	6. 7.	H. ⊙.	Bocc. sic. 45. t. 28.
6 raphanifòlia. DC.	(*ye.*)	Radish-leaved.	Sicily.	1824.	——	H. ⊙.	
7 marítima. DC.	(*ye.*)	sea.	Naples.	——	——	H. ⊙.	Tenor. fl. nap. t. 61.
8 ciliàta. DC.	(*ye.*)	fringe-podded.	Italy.	1790.	——	H. ⊙.	DC. ic. gal. rar. 1. t. 89.
coronopifòlia. W. non. Lin.							
9 deprèssa. DC.	(*ye.*)	dwarf.	Egypt.	1823.	——	H. ⊙.	
10 microcárpa. DC.	(*ye.*)	small-podded.	Gibraltar.	——	5. 6.	H. ⊙.	
11 eriocárpa. DC.	(*ye.*)	woolly-podded.	Spain.	1826.	5. 7.	H. ⊙.	DC. diss. n. 12. t. 9. f. 2.
12 Colúmnæ. DC.	(*ye.*)	Columna's.	Apulia.	1824.	6. 7.	H. ⊙.	Col. ecphr. 1. t. 284. f. 1.
13 ápula. DC.	(*ye.*)	spear-leaved.	Italy.	1710.	——	H. ⊙.	Fl. græc. t. 629.
14 leiocárpa. DC.	(*ye.*)	smooth-capsul'd.	Levant.	1824.	——	H. ⊙.	Gært. fruct. 2. t. 141.
15 obovàta. DC.	(*ye.*)	obovate-leaved.	.....	....	——	H. ⊙.	
16 montàna. DC.	(*ye.*)	mountain.	Spain.	1824.	3. 4.	H. ⊙.	Cavan. ic. 2. t. 177.
17 lævigàta. DC.	(*ye.*)	smooth-podded.	Europe.	1777.	——	H. ♃.	DC. ic. rar. 11. t. 38.
β alpéstris. W. en.	(*ye.*)	*Hungarian.*	Hungary.	1816.	——	H. ♃.	W. et Kit. hung. 3. t. 228.
18 lùcida. DC.	(*ye.*)	glossy.	Italy.	1827.	4. 6.	H. ♃.	DC. diss. n. 20. t. 7.
19 coronopifòlia. DC.	(*ye.*)	Buck's-horn-l^d.	S. Europe.	1790.	——	H. ♃.	DC. diss. n. 22. t. 18.
20 ambígua. DC.	(*ye.*)	ambiguous.	————	....	——	H. ♃.	———— n. 23. t. 11. f. 1.
21 saxátilis. DC.	(*ye.*)	rock.	————	1824.	——	H. ♃.	———— n. 24. t. 10.
22 sempervìrens. DC.	(*ye.*)	downy-leaved.	Spain.	1784.	——	F. ♄.	Barr. ic. t. 841.
MEGACA'RPÆA. DC.		MEGACA'RPÆA.	Tetradynamia Siliculosa. L.				
laciniàta. DC.	(*ye.*)	jagged-leaved.	Volga.	1821.	6. 7.	H. ♃.	DC. diss. bisc. n. 5. t. 3.
Biscutélla megalocárpa. F.							

Tribus IV. *EUCLIDIEÆ* seu Pleurorhizeæ Nucamentaceæ. DC.

EUCLI'DIUM. DC.		EUCLI'DIUM.	Tetradynamia Siliculosa. L.					
1 syrìacum. DC.	(*wh.*)	Syrian.	Levant.	1778.	7. 8.	H. ⊙.	Jacq. aust. 1. t. 6.	
Bùnias syrìaca. W.		*Anastática syrìaca.* Jacq.						
2 tatáricum. DC.	(*wh.*)	Tartarian.	Tartary.	1823.	4. 5.	H. ⊙.	Pall. it. 3. ap. t. u. f. 2.	
Bùnias tatárica. W.								
OCHTH'ODIUM. DC.		OCHTH'ODIUM.	Tetradynamia Siliculosa. L.					
ægyptìacum. DC.	(*ye.*)	Egyptian.	Egypt.	1787.	8.	H. ⊙.	Jacq vind. t. 145.	
Rapistrum ægyptìacum. H.K. *Bùnias ægyptìaca.* L.								

Tribus V. *ANASTATICEÆ* seu Pleurorhizeæ Septulatæ. DC.

ANASTA'TICA. DC.	ROSE OF JERICHO.	Tetradynamia Siliculosa. L.					
Hierochúntina. DC.	(*w.*)	common.	Levant.	1597.	5. 8.	H. ⊙.	Jacq. vind. 1. t. 58.

Tribus VI. *CAKILINEÆ* seu Pleurorhizeæ Lomentaceæ. DC.

CAK'ILE. DC.	CAK'ILE.	Tetradynamia Siliculosa. L.					
1 marítima. DC.	(*pu.*)	Sea Rocket.	Britain.	....	6. 9.	H. ⊙.	Eng. bot. 231.
β sinuatifòlia. DC.	(*p.*)	*sinuate-leaved.*	————	....	——	H. ⊙.	Horn. fl. dan. t. 1583.
2 americàna. DC.	(*li.*)	American.	America.	....	——	H. ⊙.	Tussac fl. ant. 1. f. 17.
CHORISP'ORA. DC.	CHORISP'ORA.	Tetradynamia Siliquosa. L.					
1 tenélla. DC.	(*pu.*)	purple.	Tauria.	1780.	6. 7.	H. ⊙.	Pall. it. 3. ap. t. L. f. 3.
2 stricta. DC.	(*pu.*)	upright.	Siberia.	1825.	5. 7.	H. ⊙.	
3 sibírica. DC.	(*ye.*)	Siberian.	Siberia.	1822.	——	H. ⊙.	Murr. com. gœtt. t. 11.
4 ibérica. DC.	(*ye.*)	strong-scented.	Iberia.	——	——	H. ⊙.	Deles. ic. sel. 2. t. 582.

Subordo II. NOTORHIZEÆ. *DC. syst.* 2. *p.* 438.

Tribus VII. *SISYMBREÆ* seu Notorhizeæ Siliquosæ. DC.

MALC'OMIA. DC.	MALC'OMIA.	Tetradynamia Siliquosa. L.					
1 africàna. DC.	(*pu.*)	African.	Africa.	1747.	6. 7.	H. ⊙.	Buxb. cent. 4. t. 44.
2 taraxacifòlia. DC.	(*pu.*)	Dandelion-l^d.	.....	1795.	——	H. ⊙.	
3 láxa. DC.	(*pu.*)	loose-branched.	Siberia.	1822.	——	H. ⊙.	

4 Chia. DC.	(*pu.*)	dwf.-branching.	Chio.	1732.	5. 6.	H. ☉.	Swt. br. fl. gar. 40.
5 maritima. DC.	(*p.w.*)	dwarf annual.	S. Europe.	1713.	——	H. ☉.	Bot. mag. 166.
Cheiránthus maritimus. B.M.							
6 arenària. DC.	(*pu.*)	sand.	Barbary.	1804.	——	H. ☉.	Desf. fl. atl. 2. t. 162.
Hésperis arenària. Desf.							
7 parviflòra. DC.	(*pu.*)	small-flowered.	S. Europe.	1822.	6. 8.	H. ☉.	DC. ic. gall. rar. t. 35.
8 lyràta. DC.	(*pu.*)	rigid.	Levant.	1824.	5. 8.	H. ☉.	Flor. græc. t. 635.
9 littòrea. DC.	(*li.*)	sea.	S. Europe.	1683.	6 11.	H. ♂.	Swt. br. fl. gar. 54.
10 pátula. DC.	(*pu.*)	spreading.	Spain.	1825.	5. 7.	H. ♃.	
11 lácera. DC.	(*pu.*)	cut-leaved.	S. Europe.	——	——	H. ☉.	Desf.ann. mus. 11.t. 34.
Hésperis pinnatífida. Desf.							
HE'SPERIS. DC.		ROCKET.	Tetradynamia Siliquosa. L.				
1 tristis. DC.	(*br.*)	night-smelling.	Europe.	1622.	4. 6.	H. ♂.	Bot. mag. 730.
β *major.*	(*st.*)	*larger.*	———	1827.	4. 7.	H. ♂.	
2 frágrans. F.	(*pu.*)	evening-scented.	Siberia?	1821.	——	H. ♂.	Swt. br. fl. gar. 61.
3 laciniàta. DC.	(*pu.*)	laciniated.	Italy.	1820.	5. 6.	H. ♂.	All. ped. n. 985. t. 82. f. 1.
4 villòsa. DC.	(*pu.*)	villous.	Italy.	1827.	——	H. ♂.	
5 grandiflòra. B.M.	(*pu.*)	large-flowered.	.....	1818.	5. 8.	H. ♂.	Bot. mag. 2683.
6 elàta. H.	(*pu.*)	tall.	.....	1825.	——	H. ♂.	
7 runcinàta. DC.	(*bh.*)	runcinate.	Hungary.	1804.	5. 7.	H. ♂.	W. et Kit. hung. 2. t. 200.
8 bituminosa. W.en.	(*bh.*)	clammy.	.....	1816.	——	H. ♂.	
9 matronàlis. L.	(*va.*)	common.	Europe.	1597.	5. 8.	H. ♃.	Lob. ic. t. 323. f. 2.
α *albiflòra.* DC.	(*wh.*)	*single-white.*	———	——	——	H. ♃.	Tabern. kraut. 692. f. 1.
β *álbo-plèna.*	(*wh.*)	*double-white.*	———	——	——	H. ♃.	
γ *purpùrea.* DC.	(*pu.*)	*single-purple.*	———	——	——	H. ♃.	Tabern. kraut. 692. f. 2.
δ *purpùreo-plèna.*	(*pu.*)	*double-purple.*	———	——	——	H. ♃.	Wein. phyt. t. 572. f. c.
ε *variegàta.* DC.	(*v.*)	*dble.-variegated.*	———	——	——	H. ♃.	Munt. phyt. cur. t. 186.
ζ *foliiflòra.* DC.	(*gr.*)	*green-flowered.*	———	——	——	H. ♃.	Wein. phyt. t. 572. f. a.
10 inodòra. L.	(*pu.*)	scentless.	Britain.	....	——	H. ♃.	Eng. bot. 731.
11 sibírica. L.	(*pu.*)	Siberian.	Siberia.	....	——	H. ♃.	
12 heterophy'lla. DC.	(*pu.*)	various-leaved.	Naples.	1825.	5. 7.	H. ♃.	
13 áprica. DC.	(*pu.*)	sun.	Siberia.	1823	5. 6.	H. ♃.	Deles. ic. sel. 2. t. 62.
14 ramosíssima. DC.	(*pu.*)	branched.	Barbary.	1827.	——	H. ☉.	Desf. atl. 2. t. 161.
ANDREO'SKIA. DC.		ANDREO'SKIA.	Tetradynamia Siliquosa. L.				
1 integrifòlia. DC.	(*wh.*)	entire-leaved.	Siberia.	1824.	6. 7.	H. ☉.	
Sisy'mbrium integrifòlium. W. *Hésperis glándulòsa.* P.S.							
2 pectinàta DC.	(*wh.*)	pectinated.	Dahuria.	1827.	5. 6.	H. ♂.	
SISY'MBRIUM. DC.		SISY'MBRIUM.	Tetradynamia Siliquosa. L.				
1 officinàle. DC.	(*ye.*)	Hedge-mustard.	Britain.	....	5. 7.	H. ☉.	Eng. bot. 725.
Ery'simum officinàle. E.B.							
2 strictíssimum DC.	(*ye.*)	spear-leaved.	Europe.	1658.	6. 8.	H. ♃.	Jacq. aust. 2. t. 194.
Cheirínia strictíssima. L. en.							
3 júnceum. DC.	(*ye.*)	rushy.	Hungary.	1804.	7.	H. ♃.	W. et Kit. hung. 3. t. 234.
Ery'simum júnceum. W. *Cheirínia júncea.* L. en.							
4 hispánicum. DC.	(*ye.*)	Spanish.	Spain.	1820.	5. 6.	H. ♂.	Jacq. ic. rar. 1. t. 124.
5 pùmilum. DC.	(*ye.*)	dwarf.	Caucasus.	——	4. 5.	H. ☉.	
6 obtusángulum. DC.	(*ye.*)	blunt-angled.	Switzerland.	....	5. 8.	H. ☉.	Moris. ox. 2. s. 3. t. 5. f. 10.
7 acutángulum. DC.	(*ye.*)	acute-angled.	Pyrenees.	1791.	6. 7.	H. ♂.	Jacq. vind. 3. t. 97.
sinapóides. H.K. *Sinápis pyrendica.* Jacq.							
8 taraxacifòlium. DC.	(*y.*)	Dandelion-l^d.	France.	1823.	5. 6.	H. ♂.	DC. ic. rar. p. 11. t. 37.
9 contórtum. W.en.	(*ye.*)	twisted.	Spain.	1824.	——	H. ♂.	
10 affine. W.en.	(*ye.*)	related.	.....	1823.	5. 8.	H. ♂.	
11 austriacum. DC.	(*ye.*)	Austrian.	Austria.	1799.	6. 8.	H. ☉.	Jacq. aust. 3. t. 262.
12 eckartsbergénse. w.	(*y.*)	bending-podd'd.	———	——	——	H. ♂.	
13 Tillieri. W.	(*ye.*)	Tillier's.	Switzerland.	1824.	6. 8.	H. ☉.	
14 I'rio. DC.	(*ye.*)	London Rocket.	England.	....	5. 8.	H. ☉.	Eng. bot. 1631.
15 glábrum. W.en.	(*ye.*)	smooth.	.....	1823.	——	H. ☉.	
16 gallicum. W.en.	(*ye.*)	French.	France.	——	——	H. ☉.	
17 nítidum. DC.	(*ye.*)	glossy.	.....	....	6. 8.	H. ☉.	
18 subhastátum. DC.	(*ye.*)	halbert-leaved.	Archipelago.	1822.	4. 5.	H. ☉.	
19 Colúmnæ. W.	(*ye.*)	Columna's.	Italy.	1796.	6. 7.	H. ☉.	Jacq. aust. t. 323.
20 altíssimum. L.	(*ye.*)	tall.	Siberia.	1759.	8.	H. ☉.	Walth. hort. t. 122.
21 orientàle. L.	(*ye.*)	oriental.	Levant.	1739.	7. 8.	H. ☉.	
22 pannónicum. DC.	(*st.*)	Hungarian.	Hungary.	1787.	——	H. ☉.	Jacq. ic. rar. 1. t. 123.
23 lyràtum. DC.	(*ye.*)	lyrate.	C. B. S.	....	5. 8.	G. ♃.	Deles. ic. sel. 2. t. 64.
24 ásperum. DC.	(*ye.*)	rough-podded.	S. Europe.	1778.	5. 6.	H. ☉.	J. Bauh. hist. 2. f. 3.
25 fugáx. DC.	(*ye.*)	fugacious.	Spain.	1820.	7. 8.	H. ♃.	
26 Sophia. DC.	(*ye.*)	Flix-weed.	Britain.	....	7. 8.	H. ☉.	Eng. bot. 963.

27	pérsicum. DC.	(ye.)	Persian.	Persia.	1820.	7. 8.	H. ☉.	
28	Richardsòni.	(ye.)	Richardson's.	N. America.	1828.	6. 7.	H. ☉.	
	canescens. Richardson. *non* Nutt.							
29	brachycarpum. DC.		short-podded.	———	——	——	H. ☉.	
30	tripinnàtum. DC.	(ye.)	tripinnate.	C. B. S.	1817.	——	H. ☉.	
31	millefòlium. DC.	(ye.)	Milfoil-leaved.	Canaries.	1779.	5. 9.	G. ♄.	Jacq. ic. rar. 1. t. 127.
32	tanacetifòlium. DC.	(ye.)	Tansy-leaved.	Italy.	1731	6. 7.	H. ♃.	Mor. his. 2. s. 3. t. 6. f. 19.
33	supìnum. DC.	(wh.)	trailing.	S. Europe.	1778.	——	H. ☉.	Isn. act. Par. 1724. t. 18.
	Ery'simum supìnum.		L. en.					
34	hirsùtum. DC.	(ye.)	hairy-podded.	———	1822.	——	H. ☉.	
	Ery'simum hirsùtum.		L. en.					
35	polyceràtium. DC.	(ye.)	sinuate-leaved.	———	1633.	6. 8	H. ☉.	Jacq. vind. t. 79.
	Ery'simum polyceràtium. L. en.							
36	rígidum. DC.	(wh.)	rigid.	Tauria.	1824.	6. 8.	H. ☉.	Pall. it. 3. ap. t. Mm. f. 1.
37	bursifòlium. DC.	(wh.)	various-leaved.	———	1732.	——	H. ☉.	Dill. elt. t. 148. f. 177.
38	pinnatífidum. DC.	(wh.)	pinnatifid.	———	1822.	5. 8.	H. ♃.	All. ped. t. 57. f. 3.
39	erysimóides. DC.	(wh.)	Erysimum-like.	Spain.	1827.	10. 12.	H. ♃.	Desf. alt. 2. t. 158.
40	contortuplicàtum.	(bl.)	twisted-podded.	Cumana.	——	6. 8.	H. ☉.	Deles. ic. sel. 2. t. 68. B.
	Hésperis contortuplicàtus. Bieb. *Cheiránthus contortuplicàtus.* W.							
ALLIARIA. DC.			ALLI'ARIA.	Tetradynamia	Siliquosa.	L.		
1	officinàlis. DC.	(wh.)	garlick-scented.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 796.
	Ery'simum Alliària. E.B. *Hésperis Alliària.* Lam.							
2	brachycárpa. DC.	(wh.)	short-podded.	Iberia.	1827.	5. 7.	H. ♃.	
ERY'SIMUM. DC.			ERY'SIMUM.	Tetradynamia	Siliquosa.	L.		
1	siliculòsum. DC.	(ye.)	siliculose.	Tauria.	1824.	5. 6.	H. ♂.	Deles. ic. sel. 2. t. 65.
2	sículum. DC.	(ye.)	Sicilian.	Sicily.	1824.	6. 7.	H. ♂.	
3	sessiliflòrum. DC.	(ye.)	sessile-flower'd.	Siberia.	1794.	——	H. ♃.	L. Her. strirp. 1. t. 44.
	Cheiránthus quadrángulus. W. *Cheirínia sessiliflòra.* L. en. *Syrènia Lamárckii.* Andrz.							
4	angustifòlium. DC.		narrow-leaved.	Hungary.	1800.	7. 8.	H. ♂.	W. et Kit. hung. 1. t. 98.
	Cheirínia angustifòlia. L. en. *Syrènia Ehrárti.* Andrz.							
5	cuspidàtum. DC.	(ye.)	sharp-pointed.	Caucasus.	1800.	5. 6.	H. ♂.	Buxb. cent. 2. t. 33. f. 1.
	Syrènia Bieberstèinii. Andrz. *Cheiránthus cuspidàtus.* W.							
6	leptosty'lum. DC.	(ye.)	slender-styled.	Caucasus.	1825.	——	H. ♂.	
7	exaltàtum. DC.	(ye.)	tall.	Poland.	——	——	H. ♂.	
8	suffruticòsum. DC.	(st.)	suffruticose.	.....	1822.	4. 5.	H. ♄.	
9	strictum. DC.	(ye.)	upright.	Austria.	1795.	6. 8.	H. ♂.	Jacq. aust. 1. t. 73.
	odoràtum. W. *hieracifòlium.* Jacq. *Cheirínia stricta.* L. en.							
10	virgàtum. DC.	(ye.)	twiggy.	Portugal.	1807.	6. 7.	H. ♂.	Fl. Dan. t. 923?
11	longisiliquòsum. DC.	(y.)	long-podded.	Switzerland.	1823.	——	H. ♂.	DC. ic. gal. rar. t. 36.
12	hieracifòlium. DC.	(ye.)	Hawkweed-l^d.	Europe.	——	5. 6.	H. ♂.	J. Bauh. his. 2. t. 2.
13	Marschallianum.	(ye.)	Marschall's.	Poland.	1827.	——	H. ♂.	
14	pátulum. H.	(ye.)	spreading.	.....	1824.	——	H. ♂.	
15	pùmilum. H.	(ye.)	dwarf.	Switzerland.	——	——	H. ♂.	
16	áureum. DC.	(ye.)	golden.	Caucasus.	1824.	——	H. ♂.	Deles. ic. sel. 2. t. 66.
17	ibéricum. DC.	(ye.)	Iberian.	Iberia.	1803.	5. 8.	H. ♂.	Bot. mag. 885.
	Cheiránthus armenìacus. B.M. *Cheiránthus ibéricus.* Bieb.							
18	cheiranthóides. DC.	(y.)	treacle.	Britain.	....	6. 8.	H. ☉.	Eng. bot. 942.
19	repándum. DC.	(ye.)	small-flowered.	S. Europe.	1772.	5. 6.	H. ☉.	Jacq. aust. 1. t. 22.
20	helvéticum. DC.	(ye.)	Swiss.	Switzerland.	1793.	——	H. ♂.	Jacq. vind. t. 9.
	Cheiránthus helvéticus. Jacq. *Cheirínia helvética.* L. en.							
21	canéscens. DC.	(ye.)	canescent.	S. Europe.	1731.	5. 7.	H. ♂.	Barr. ic. t. 884.
	diffusum. W. *Cheiránthus alpìnus.* Jacq. aust. 1. t. 75.							
22	Andrzejowskiànum.	(y.)	Andrzejowski's.	Tauria.	1828.	——	H. ♂.	
23	collìnum. DC.	(ye.)	hill.	Caucasus.	——	——	H. ♂.	
24	leptophy'llum. DC.	(ye.)	slender-leaved.	Iberia.	1827.	——	H. ♂.	
25	versícolor. DC.	(va.)	various-color'd.	Persia.	1823.	5. 7.	H. ♂.	
	Cheiránthus versicolor. M.B.							
26	lanceolàtum. DC.	(ye.)	spear-leaved.	———	1597.	——	H. ♂.	Jacq. aust. t. 74.
	Cheiránthus erysimoides. Jacq.							
27	fírmum.	(ye.)	hoary-podded.	Switzerland.	1824.	——	H. ♂.	
	Cheirínia firma. L. en. *Cheiránthus firmus.* W. en.							
28	rhæ'ticum. DC.	(ye.)	Rhætian.	Rhætia.	——	——	H. ♂.	
29	dùbium. DC.	(ye.)	doubtful.	.....	——	——	H. ♂.	
30	longifòlium. DC.	(ye.)	long-leaved.	Algiers.	1822.	——	H. ♃.	
31	grácile. DC.	(ye.)	slender.	Caucasus.	1824.	6. 8.	H. ♂.	
32	ásperum. DC.	(ye.)	rough.	Missouri.	——	——	H. ♂.	
33	strigòsum. DC.	(ye.)	strigose.	Siberia.	1828.	——	H. ♂.	
34	Redòwskii. DC.	(ye.)	Redowski's.	———	1825.	——	H. ♂.	

35 altíssimum. DC.	(*ye.*) tallest.	Limbourg.	1822.	6. 7	H. ♂.			
Cheirínia altíssima. L.en.								
36 sabulósum. F.	(*ye.*) gravel.	Siberia.	1823.	——	H. ♂.			
37 bicolor. DC.	(*v.*) two-coloured.	Switzerland.	1827.	——	H. ♂.			
CONRI'NGIA. L. en.	CONRI'NGIA.	Tetradynamia Siliquosa. L.						
1 alpína. L. en.	(*wk.*) Alpine.	Europe.	1795.	5. 6.	H. ♃.	Vill. dauph. 3. t. 36.		
Brássica alpìna. L.	*Ery'simum alpinum.* DC.							
2 perfoliata. L. en.	(*wk.*) perfoliate.	England.	....	——	H. ☉.	Eng. bot. 1804.		
Brássica orientàlis. E.B.	*Ery'simum perfoliàtum.* DC.							
3 austríaca.	(*st.*) Austrian.	Austria.	....	——	H. ☉.	Jacq. aust. t. 283.		
Brássica austríaca. Jacq.	*Ery'simum austríacum.* DC.							
STANLEYA. DC.	STANLEYA.	Tetradynamia Siliquosa.						
pinnatífida. DC.	pinnatifid.	Missouri.	1812.	5. 6.	H. ♃.			
Cleome pinnata. Ph.								

Tribus VIII. *CAMELINEÆ* seu Notorhizeæ Latiseptæ. DC.

CAMEL'INA. DC.	CAMEL'INA.	Tetradynamia Siliculosa. L.				
1 satíva. DC.	(*ye.*) Gold of pleasure.	Britain.	....	5. 7.	H. ☉.	Eng. bot. 1254.
Aly'ssum satívum. E.B.	*Myàgrum satívum.* L.					
α pilósa. DC.	(*ye.*) *hairy.*	———	....	——	H. ☉.	Moris.ox.2.s.3.t.21.f.2.
β glábrata. DC.	(*ye.*) *smooth.*	.....	....	——	H. ☉.	Lind. als. 94. t. 1.
2 dentàta. DC.	(*ye.*) tooth-leaved.	Europe.	1806.	6. 7.	H. ☉.	J. Bauh.hist.2.p.893.ic.
3 pinnatífida. H.	(*ye.*) pinnatifid.	Spain.	——	——	H. ☉.	
4 microcárpa. DC.	(*ye.*) small-podded.	Poland.	1827.	——	H. ☉.	Deles. ic. sel. 2. t. 69.
5 barbareæfó.ia. DC.	(*ye.*) Barbarea-ld.	Siberia.	1824.	5. 7.	H. ♃.	——— 2. t. 70.
6 austríaca. DC.	(*ye.*) Austrian.	Austria.	1795.	6. 7.	H. ☉.	Jacq. aust. 2. t. 111.
NE'SLIA. DC.	NE'SLIA.	Tetradynamia Siliculosa.				
paniculàta. DC.	(*ye.*) panicled.	Europe.	1683.	6. 8.	H. ☉.	Flor. dan. t. 204.
Rapístrum paniculàtum. Gært.	*Myàgrum paniculàtum.* L.					

Tribus IX. *LEPIDINEÆ* seu Notorhizeæ Angustiseptæ. DC.

SENEBIE'RA. DC.	SENEBIE'RA.	Tetradynamia Siliculosa. L.				
1 pinnatífida. DC.	(*wk.*) pinnatifid.	England.	....	7. 8.	H. ☉.	Eng. bot. 248.
Corónopus dídyma. E.B.	*Lepídium dídymum.* L.					
β incísa. W.en.	(*wk.*) *cut-leaved.*	America.	1817.	——	H. ☉.	
2 Corónopus. DC.	(*wk.*) common.	Britain.	....	6. 10.	H. ☉.	Eng. bot. 1660.
Corónopus Ruéllii. E.B.	*Cochleària Corónopus.* L.					
LEPI'DIUM. DC.	PEPPERWORT.	Tetradynamia Siliculosa. L.				
1 Drába DC.	(*wk.*) Whitlow-grass.	Europe.	1596.	5. 6.	H. ♃.	Jacq. fl. aust. 4. t. 315.
Cochleària Drába. Jacq.						
2 chalepénse. DC.	(*wk.*) Aleppo.	Aleppo.	1798.	5. 7.	H. ☉.	Moris. ox. 2. s. 3. t. 25.
3 coronopifólium. DC.	(*w.*) Buckshorn-le.	Volga.	1823.	——	H. ♃.	
4 satívum. DC.	(*wk.*) common Cress.	Persia.	1548.	5. 10.	H. ☉.	Fl. græc. t. 616.
β crispum. DC.	(*wk.*) *curled Cress.*	———	....	——	H. ☉.	Chabr. sci. 289. f. 2.
γ latifólium. DC.	(*wk.*) *broad-leaved.*	———	....	——	H. ☉.	Moris.ox.2.s.3. t.19.f.2.
5 campéstre. DC.	(*wk.*) hoary field.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 1385.
Thláspi campéstre. E.B.						
6 hírtum. DC.	(*wk.*) hairy.	———	....	——	H. ♂.	——— 1803.
Thláspi hírtum. E.B.						
7 spinósum. DC.	(*wk.*) prickly.	Levant.	1787.	4. 9.	H. ☉.	Ard. spec. 2. t. 16.
8 virgínicum. DC.	(*wk.*) Virginian.	America.	1713.	6. 7.	H. ☉.	Schkuhr. hand. 2. t. 180.
9 subulàtum. DC.	(*wk.*) awl-leaved.	Spain.	1739.	7. 8.	F. ♄.	Asso syn. arr. t. 6. f. 3.
10 ruderàle. DC.	(*wk.*) narrow-leaved.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 1595.
11 incísum. DC.	(*wk.*) cut-leaved.	Tauria.	1824.	5. 6.	H. ☉.	
12 vesicárium. DC.	(*wk.*) bladdered.	Iberia.	1821.	4. 8.	H. ☉.	Hil.veg.syst.11.t.41.f.3.
13 angulósum. DC.	(*wk.*) angular-stalk'd.	Hungary.	1825.	——	H. ☉.	
14 perfoliàtum. DC.	(*wk.*) various-leaved.	Austria.	1640.	4. 6.	H. ☉.	Jacq. aust. 4. t. 346.
15 Cardámines. DC.	(*wk.*) Spanish Cress.	Spain.	1789.	6. 7.	F. ♂.	Ard. spec. 1. t. 19.
16 divaricàtum. DC.	(*wk.*) close-spiked.	C. B. S.	1774.	5. 8.	G. ♄.	
17 bonariénse. DC.	(*wk.*) Buenos Ayres.	S. America.	1732.	5. 6.	H. ☉.	Dill. elt. t. 286. f. 370.
18 pubéscens. DC.	(*wk.*) pubescent.	Para.	1820.	5. 8.	H. ☉.	
19 cuneifólium. DC.	(*wk.*) wedge-leaved.	N. S. W.	1820.	6. 8.	H. ☉.	

20 piscídium. DC.	(*wh.*)	South Sea.	Society Isles.	1779.	9.	H. ☉.	Mont. n. a. n. c. 6. t. 5. a.
21 desertòrum. Led.	(*wh.*)	desert.	Siberia.	1827.	——	H. ☉.	
22 decúmbens. DC.	(*wh.*)	decumbent.	.....	1820.	5. 8.	H. ☉.	
23 oleràceum. DC.	(*wh.*)	eatable.	NewZealand.	....	——	H. ☉.	
24 lyràtum. DC.	(*wh.*)	lyre-leaved.	Levant.	1759.	6. 7.	H. ☉	Tourn. it. 2. t. 389.
25 latifòlium. DC.	(*wh.*)	broad-leaved.	Britain.	....	——	H. ♃.	Eng. bot. 182.
26 affine. DC.	(*wh.*)	saw-leaved.	Siberia.	1823.	7. 8.	H. ♃.	
27 crassifòlium. DC.	(*wh.*)	thick-leaved.	Hungary.	——	5. 6.	H. ♃.	W. et Kit. hung. 1. t. 4.
28 suffruticòsum. DC. *graminifòlium.* Cav.	(*w.*)	shrubby.	Spain.	1790.	7. 8.	F. ♄.	Cav. ic. 2. t. 161. f. 2.
29 lineàre. DC.	(*wh.*)	linear-leaved.	Spain.	....	——	F. ♄.	
30 Ibèris. DC. *graminifòlia.* H.K.	(*wh.*)	grass-leaved.	S. Europe.	1683.	6. 9.	H. ♃.	Moris. his. 2. s. 3. t. 21. f. 1.
31 capénse. DC.	(*wh.*)	Cape.	C. B. S.	1818.	6. 7.	G. ♃.	
BIVONÆA. DC.		BIVONÆA.	Tetradynamia Siliculosa. L.				
lùtea. DC. *Thláspi lùteum.* Biv.	(*ye.*)	yellow.	Sicily.	1823.	4. 5.	H. ☉.	Cup. pan. sic. 2. t. 256.
ÆTHIONEMA. DC.		ÆTHIONEMA.	Tetradynamia Siliculosa. L.				
1 saxàtile. DC.	(*w.p.*)	rock.	S. Europe.	1759.	6. 7.	H. ☉.	Jacq. aust 3. t. 236.
2 grácile. DC.	(*wh.*)	slender.	Carniola.	1822.	——	H. ♄.	Boc. mus. p. 79. t. 70.
3 Buxbáumii. DC.	(*pu.*)	Buxbaum's.	Iberia.	1820.	——	H. ☉.	Buxb. cent. 1. t. 5. f. 1.
4 monospérmum DC.	(*p.*)	one-seeded.	Spain.	1778.	7. 8.	H. ♂.	

Tribus X. *ISATIDEÆ* seu Notorhizeæ Nucamentaceæ. DC.

TAUSCHERIA. DC.		TAUSCHERIA.	Tetradynamia Siliculosa. L.				
1 lasiocárpa. DC.	(*wh.*)	villous-podded.	Siberia.	1824.	6. 7.	H. ☉.	
2 gymnocárpa. DC.	(*wh.*)	smooth-podded.	——	——	5. 6.	H. ☉.	
ISATIS. DC.		WOAD.	Tetradynamia Siliculosa. L.				
1 armèna. DC.	(*ye.*)	Armenian.	Armenia.	1824.	6. 7.	H. ☉.	Desv. j. 3. t. 25. f. 6.
2 latisiliqua. DC.	(*ye.*)	broad-podded.	Iberia.	1827.	5. 7.	H. ♂.	
3 lusitánica. DC.	(*ye.*)	Portugal.	Portugal.	1739.	——	H. ☉.	
4 alpìna. DC.	(*ye.*)	Alpine.	Italy.	1800.	——	H. ♃.	All. ped. t. 86. f. 2.
5 præcox. DC.	(*ye.*)	early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.
6 littoràlis. DC.	(*ye.*)	sea-side.	Tauria.	——	6. 7.	H. ☉.	Deles. ic. sel. 2. t. 78.
7 hebecárpa. DC.	(*ye.*)	pubescent-podd.	Tauria.	1827.	——	H. ☉.	—— 2. t. 79.
8 dasycárpa. Led.	(*ye.*)	thick-podded.	Siberia.	——	5. 7.	H. ♂.	
9 tinctòria. DC.	(*ye.*)	common.	England.	....	5. 7.	H. ♂.	Eng. bot. 97.
β *sativa.* DC.	(*ye.*)	*smooth-leaved.*	.....	....	——	H. ♂.	Blackw. herb. t. 246.
γ *hirsùta.* DC.	(*ye.*)	*hairy-leaved.*	.....	....	——	H. ♂.	
δ *microcárpa.* DC.	(*ye.*)	*small-podded.*	.....	....	——	H. ♂.	
10 campéstris. DC.	(*ye.*)	field.	Podolia.	1823.	——	H. ☉.	
11 bannática. DC.	(*ye.*)	Bannatic.	Hungary.	——	——	H. ☉.	
12 táurica. DC.	(*ye.*)	Taurian.	Tauria.	1827.	——	H. ♂.	
13 oblongàta. DC.	(*ye.*)	oblong-podded.	Siberia.	——	——	H. ♂.	
14 orientàlis. DC.	(*ye.*)	oriental.	Levant.	....	——	H. ☉.	
15 canéscens. DC.	(*ye.*)	canescent.	S. Europe.	1825.	——	H. ♂.	Buxb. cent. 1. p. 4. t. 5.
16 aléppica. DC.	(*ye.*)	Aleppo.	Levant.	1739.	6. 7.	H. ☉.	Scop. d. ins. 2. t. 16.
17 variegàta. Led.	(*ye.*)	variegated.	Siberia.	1827.	——	H. ♂.	
MYAGRUM. DC.		MYAGRUM.	Tetradynamia Siliculosa. L.				
perfoliàtum. DC.	(*ye.*)	perfoliate.	Europe.	1648.	6. 7.	H. ☉.	Schkuhr. han. 2. t. 178.
SOBOLEWSKIA. DC.		SOBOLEWSKIA.	Tetradynamia Siliculosa. L.				
lithóphila. DC.	(*wh.*)	large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Deles. ic. sel. 2. t. 80.

Tribus XI. *ANCHONIEÆ* seu Notorhizeæ Lomentaceæ. DC.

GOLDBACHIA. DC.		GOLDBACHIA.	Tetradynamia Siliquosa.				
1 lævigàta. DC.	(*li.*)	smooth.	Astracan.	1823.	5. 6.	H. ☉.	Deles. ic. sel. 2. t. 81.
2 torulòsa. DC.	(*li.*)	twisted-podded.	Levant.	....	——	H. ☉.	
3 tetragòna. Led.	(*li.*)	four-sided.	——	1825.	——	H. ☉.	
STERIGMA. DC.		STERIGMA.	Tetradynamia Siliquosa.				
1 tomentòsum. DC. *Cheiránthus tomentòsus.* W.	(*ye.*)	tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.
2 torulòsum. DC.	(*ye.*)	twisted-podded.	Iberia.	——	——	H. ♂.	Buxb. cent. 5. t. 52. f. 2.

Subordo III. ORTHOPLOCEÆ. *DC. syst.* 2. *p.* 581.

Tribus XII. *BRASSICEÆ* seu Orthoploceæ Siliquosæ. DC.

BRA'SSICA. DC. CABBAGE. Tetradynamia Siliquosa. L.

1	olerácea. DC.	(va.) common.	England.	....	4. 6.	H.	♂.	
	A. SYLVE'STRIS. DC.	(st.) WILD.	———	....	——	H.	♂.	Eng. bot. t. 637.
	B. ACE'PHALA. DC.	(st.) CAVALIER.	.....	....	——	H.	♂.	
	α *ramósa.* DC.	(st.) *thousand-headed*.....		....	——	H.	♂.	
	β *vulgáris.* DC.	(st.) *upright.*		....	——	H.	♂.	Moris. ox. s. 3. t. 1. f. 6.
	* *viridis.* DC.	(st.) *green.*		....	——	H.	♂.	Lob. ic. 243. f. 1.
	** *purpurascens.* DC.	(st.) *purple.*		....	——	H.	♂.	Chabr. sciag. 270. f. 6.
	γ *quercifólia.* DC.	(st.) *oak-leaved.*		....	——	H.	♂.	——— 270. f. 1.
	δ *sabéllica.* DC.	(st.) BORECOLE.		....	——	H.	♂.	——— 271. f. 1.
	* *pinnáta.* DC.	(st.) *winged-leaved.*		....	——	H.	♂.	Lob. ic. 246. f. 2.
	** *purpurascens.* DC.	(st.) *purple.*		....	——	H	♂.	
	*** *versicolor.* DC.	(st.) *variegated.*		....	——	H.	♂.	
	ε *palmifólia.* DC.	(st.) *palm-leaved.*		....	——	H.	♂.	
	ζ *costáta.* DC.	(wh.) *thick-ribbed.*		....	——	H.	♂.	
	* *nepenthiformis.* DC.	(wh.) *tubular-l^d.*		....	——	H.	♂.	Hort. trans. 5. p. 13. t. 1.
	C. BULLA'TA. DC.	(st.) SAVOY.		....	——	H.	♂.	Weinm. phyt. t. 261.
	α *vulgáris.* DC.	(st.) *common.*		....	——	H.	♂.	Lob. ic. t. 244. f. 1.
	* *præcox.* DC.	(st.) *early.*		....	——	H.	♂.	
	** *hámilis.* DC.	(st.) *dwarf.*		....	——	H.	♂.	
	*** *turionénsis.* DC.	(st.) *Tourraine.*		....	——	H.	♂.	
	**** *aurèta.* DC.	(st.) *yellow.*		....	——	H.	♂.	
	β *oblónga.* DC.	(st.) *winter.*		....	——	H.	♂.	Lob. ic. t. 244. f. 2.
	γ *major.* DC.	(st.) *large.*		....	——	H.	♂.	
	δ *gemmífera.* DC.	(st.) *Brussel's-sprouts*.....		....	——	H.	♂.	
	D. CAPIT'ATA. DC.	(st.) HEADED.		....	——	H.	♂.	Lob. ic. 243. f. 2.
	α *deprássa.* DC.	(st.) *drum-head.*		....	——	H.	♂.	
	β *sphæ'rica.* DC.	(st.) *common.*		....	——	H.	♂.	
	* *álba.* DC.	(st.) *white.*		....	——	H.	♂.	
	** *rúbra.* DC.	(st.) *red.*		....	——	H.	♂.	Dod. pempt. 621. f. 2.
	γ *obovàta.* DC.	(st.) *Sugarloaf.*		....	——	H.	♂.	
	δ *elliptica.* DC.	(st.) *early york.*		....	——	H.	♂.	
	ε *subacòta.*	(st.) *Battersea.*		....	——	H.	♂.	
	ζ *cónica.* DC.	(st.) *heart.*		....	——	H.	♂.	
	E. CA'ULO-RAPA. DC.	TURNEP-CABBAGE.		....	——	H.	♂.	Dalech. lugd. 522. f. 3.
	α *communis.* DC.	(st.) *flat-leaved.*		....	4. 6.	H.	♂.	Lob. ic. 246. f. 1.
	* *álba.* DC.	(st.) *white-stemmed.*		....	——	H.	♂.	
	** *purpurascens.* DC.	(st.) *violet-stem^d.*		....	——	H.	♂.	Weinm. phyt. t. 264.
	β? *crispa.* DC.	(st.) *curl-leaved.*		....	——	H.	♂.	
	F. BOTR'YTIS. DC.	(st.) BROCCOLI.		....	——	H.	♂.	Lob. ic. 245. f. 1.
	α *cauliflóra.* DC.	(st.) *Cauliflower.*		....	——	H.	♂.	Weinm. phyt. t. 256.
	β *asparagóides.* DC.	(st.) *Broccoli.*		....	——	H.	♂.	Dalech. lugd. 522. f. 1.
	* *communis.* DC.	(st.) *white.*		....	——	H.	♂.	Chabr. sciagr. 269. f. 3.
	** *violácea.* DC.	(w.s.) *violet.*		....	——	H.	♂.	
	*** *viridis.*	(w.s.) *green.*		....	——	H.	♂.	
	**** *ramósa.*	(w.s.) *branching.*		....	——	H.	♂.	
	***** *autumnális.*	(st.) *Cape.*		....	——	H.	♂.	
2	campéstris. DC.	(ye.) field.	England.	....	6.	H.	♂.	Eng. bot. 2224.
	A. OLEI'FERA. DC.	(ye.) COLE-SEED.	———	....	——	H.	♂.	Dod. pempt. 623. f. 1.
	* *autumnális.* DC.	(ye.) *autumnal.*	———	....	——	H.	♂.	
	** *præcox.* DC.	(ye.) *early.*	———	....	——	H.	♂.	
	B. PA'BULARIA. DC.	(ye.) SHEEP'S.		....	——	H.	♂.	
	C. NAPO-BRA'SSICA.	NAVEW.		....	——	H.	♂.	
	α *communis.* DC.	(ye.) *common.*		....	——	H.	♂.	
	* *álba.* DC.	(ye.) *white-rooted.*		....	——	H.	♂.	
	** *purpurascens.* DC.	(ye.) *purple-rooted*.....		....	——	H.	♂.	
	β *Rutabàga.* DC.	(st.) *Swedish Turnep*		....	——	H.	♂.	
3	Rápa. DC.	(ye.) Turnep.	Britain.	....	4. 6.	H.	♂.	Eng. bot. 2176.
	A. DEPRE'SSA. DC.	FLAT-ROOTED.	———	....	——	H.	♂.	Mart. fl. rust. t. 49. 50.
	* *álba.* DC.	(ye.) *white-round.*	———	....	——	H.	♂.	
	** *flavéscens.* DC.	(ye.) *yellow-round.*	———	....	——	H.	♂.	
	*** *nigricans.* DC.	(ye.) *dark-round.*	———	....	——	H.	♂.	
	**** *punícea.* DC.	(ye.) *red-round.*	———	....	——	H.	♂.	
	***** *viridis.* DC.	(ye.) *green-round.*	———	....	——	H.	♂.	
	****** *præcox.*	(ye.) *early Dutch.*	———	....	——	H.	♂.	

	B. OBLO'NGA. DC.	(*ye.*)	OBLONG-ROOTED.	Britain.	....	4. 6.	H. ♂.	Lob. ic. t. 197. f. 2.
	C. OLEI'FERA. DC.	(*y.*)	OIL-BEARING.	Dauphiny.	....	——	H. ♂.	——— t. 298. f. 1.
4	Nàpus. DC.	(*ye.*)	Rape.	Britain.	....	5.	H. ♂.	Eng. bot. 2146.
	A. OLEI'FERA. DC.	(*ye.*)	wild.	———	....	——	H. ♂.	Lob. ic. t. 200. f. 2.
	B. ESCULE'NTA. DC.	(*ye.*)	esculent.	———	....	——	H. ♂.	——— 200. f. 1.
	α álba. DC.	(*ye.*)	*white-rooted.*	———	....	——	H. ♂.	Blackw. herb. t. 410.
	β flàva. DC.	(*ye.*)	*yellow-rooted.*	———	....	——	H. ♂.	
	γ nígricans. DC.	(*ye.*)	*black-rooted.*	———	....	——	H. ♂.	
5	prˈæcox. DC.	(*st.*)	early.	S. Europe.	....	5. 6.	H. ☉.	
6	chinénsis. DC.	(*ye.*)	Chinese.	China.	1770.	7.	H. ♂.	
7	violàcea. DC.	(*li.*)	violet-flowered.	———	....	——	H. ♂.	
8	incàna. DC.	(*st.*)	hoary.	Naples.	1824.	4. 5.	H. ♄.	Cup. panph. 1. t. 132.
9	baleàrica. DC.	(*st.*)	oak-leaved.	Minorca.	——	5. 7.	H. ♄.	Deles. ic. sel. 2. t. 86.
10	hyˈbrida. T.C.	(*st.*)	hybrid.	Naples.	——	——	H. ♂.	
11	Gravinæ. DC.	(*ye.*)	pubescent.	Aprutia.	——	5. 6.	H. ♃.	Ten. fl. nap. t. 62.
12	pinnatífida. DC.	(*st.*)	pinnatifid.	Spain.	——	9. 10.	H. ♃.	Desf. fl. atl. 2. t. 165.
13	hùmilis. DC.	(*ye.*)	dwarf.	S. France.	——	4. 5.	H. ♃.	
14	repánda. DC.	(*ye.*)	wavy.	S. Europe.	1818.	6. 8.	H. ♃.	Vill. dauph. 3. t. 39.
15	Richérii. DC.	(*ye.*)	alpine.	———	1825.	5. 8.	H. ♃.	——— 3. t. 36.
16	monénsis. DC.	(*st.*)	Isle of Man.	Britain.	....	——	H. ☉.	Eng. bot. 962.
17	Erucástrum. DC.	(*ye.*)	runcinate.	S. Europe.	1790.	——	H ☉.	Bull. herb. t. 331.
18	cheiránthos. DC.	(*ye.*)	Stock-like.	———	....	——	H. ♃.	Vill. dauph. 3. t. 36.
19	cheiranthifòra. DC.	(*y.*)	Wall-flowered.	———	1820	——	H. ☉.	Willd. hort. ber. t. 19.
20	Tournefórtii. DC.	(*st.*)	Tournefort's.	Spain.	——	6. 7.	H. ☉.	Gou. ill. p. 44. t. 20. f. A.
21	lævigàta. DC.	(*wh.*)	smooth.	———	1825.	——	H. ♂.	
22	valentìna. DC.	(*wh.*)	Spanish.	———	——	4. 5.	H. ☉.	Barr. ic. t. 195. f. 1.
23	fruticulòsa. DC.	(*st.*)	frutescent.	S. Europe.	1820.	2. 4	H. ♄.	Cyr. pl. rar. 2. t. 1.
24	elongàta. DC.	(*ye.*)	stalk-leaved.	Hungary.	1801.	5. 10.	H. ♂.	W. et K. hung. 1. t. 28.
25	sabulària. DC.	(*ye.*)	gravel.	Portugal.	1818.	——	H. ☉.	Brot. phyt. p. 97. t. 43.
26	odoràta. Sck.	(*ye.*)	sweet-scented.	.....	1826.	——	H. ☉.	
	SINˈAPIS. DC.		MUSTARD.	Tetradynamia Siliquosa. L.				
1	nìgra. DC.	(*ye.*)	common.	Britain.	....	4. 8.	H. ☉.	Eng. bot. 969.
	β torulòsa. DC.	(*ye.*)	*twisted-podded.*	———	....	——	H. ☉	
	γ túrgida. DC.	(*ye.*)	*turgid-podded.*	———	....	——	H. ☉.	
	δ villòsa. DC.	(*ye.*)	*villous-podded.*	———	....	——	H. ☉.	
2	geniculàta. DC.	(*ye.*)	jointed.	Barbary.	1824.	——	H. ☉.	
3	lævigàta. DC.	(*ye.*)	smooth.	Spain.	1769.	6. 7.	H. ♂.	
4	auriculàta. DC.	(*ye.*)	eared.	.....	....	——	H. ☉.	
5	integrifòlia. DC.	(*ye.*)	entire-leaved.	E. Indies.	1804.	7. 8.	H. ☉.	W. hort. ber. t. 14.
6	júncea. DC.	(*ye.*)	fine-leaved.	China.	1710.	6. 7.	H. ☉.	Jacq. h. vind. t. 171.
7	chinénsis. DC.	(*ye.*)	Chinese.	———	1782.	——	H. ☉.	Ard. spec. 1. t. 10.
8	brassicàta. DC.	(*ye.*)	Cabbage-leav'd.	———	1801.	——	H. ☉.	
9	cérnua. DC.	(*wh.*)	drooping.	China.	1824.	7. 9.	H. ☉.	
10	pubéscens. DC.	(*ye.*)	downy.	Sicily.	1789.	——	H. ♃.	Ard. spec. 1. t. 9.
11	arvénsis. DC.	(*ye.*)	Charlock.	Britain.	....	4. 8.	H. ☉.	Eng. bot. 1748.
	β incìsa.	(*ye.*)	*cut-leaved.*	Europe.	....	——	H. ☉.	Lob. ic. 198. f. 2.
12	orientàlis. DC.	(*ye.*)	oriental.	Levant.	1778.	6. 7.	H. ☉.	Schk. hand. 1. t. 186.
13	táurica. DC.	(*ye.*)	Taurian.	Tauria.	1823.	4. 8.	H. ☉.	
14	subbipinnatífida. DC.	(*ye.*)	subbipinnatifid.	Spain.	——	6. 7.	H. ☉.	
15	Kàber. DC.	(*ye.*)	Persian.	Persia.	——	——	H. ☉.	
16	Allionii. DC.	(*ye.*)	Allioni's.	Egypt.	1789.	——	H. ☉.	Jacq. h. vind. 2. t. 168.
17	túrgida. DC.	(*ye.*)	turgid-podded.	———	....	——	H. ☉.	
18	incàna. DC.	(*ye.*)	hoary-jointed.	S. Europe.	1771.	7.	H. ♂.	Jacq. h. vind. 2. t. 169.
19	heterophyˈlla. DC.	(*ye.*)	various-leaved.	Spain.	1820.	5. 6.	H. ♂.	
20	álba. DC.	(*ye.*)	white-seeded.	Britain.	....	4. 10.	H. ☉.	Eng. bot. 1677.
21	híspida. DC.	(*ye.*)	hispid.	Spain.	1804.	6. 7.	H. ☉.	
22	dissécta. DC.	(*ye.*)	cut-leaved.	———	——	4. 6.	H. ☉.	
23	hastàta. DC.	(*ye.*)	hastate-leaved.	N. Holland.	1824.	7. 9.	H. ☉.	
24	foliòsa. DC.	(*ye.*)	leafy.	Levant.	1804.	5. 6.	H. ☉.	
25	ápula. DC.	(*ye.*)	Apulian.	Italy.	1824.	6. 8.	H. ☉.	
26	ramòsa. H.B.	(*ye.*)	branching.	E. Indies.	1804.	7. 9.	H. ☉.	
27	virgàta. H.	(*ye.*)	twiggy.	.....	1827.	6. 8.	H. ☉.	
28	subulària.	(*ye.*)	awl-shaped.	.....	——	——	H. ☉.	
29	frutéscens. DC.	(*st.*)	frutescent.	Madeira.	1777.	12. 6.	G. ♄.	
	MORICA'NDIA. DC.		MORICA'NDIA.	Tetradynamia Siliquosa. L.				
	arvénsis. DC.	(*pu.*)	field.	S. Europe.	1739.	6.	H. ♃.	Swt. br. fl. gar. 278.
	Brássica arvénsis. L. *Túrritis arvénsis.* H.K.							
	DIPLOTA'XIS. DC.		DIPLOTA'XIS.	Tetradynamia Siliquosa. L.				
1	crassifòlia. DC.	(*ye.*)	thick-leaved.	Sicily.	1824.	5. 8.	H. ♃.	

2 erucóides. DC. *Sinàpis erucóides.* L.	(*ye.*)	dwarf.	S. Europe.	1786.	6. 7.	H. ⊙.	Jacq. vind. 2. t. 170.
3 virgata. DC.	(*ye.*)	slender.	Spain.	1820.	——	H. ⊙.	
4 cathólica. DC. *Sisy'mbrium cathólicum.* L.	(*ye.*)	Spanish.	——	——	4. 5.	H. ⊙.	
5 tenuifólia. DC. *Sisy'mbrium tenuifólium.* E.B. *Sinàpis tenuifólia.* H.K.	(*ye.*)	Wall rocket.	England.	....	7. 10.	H. ⊙.	Eng. bot. 525.
6 muràlis. DC. *Sisy'mbrium muràle.* L. *Sinàpis muràlis.* H.K.	(*ye.*)	sand.	England.	....	7. 9.	H. ⊙.	Eng. bot. 1090.
7 viminea. DC.	(*ye.*)	twiggy.	S. Europe.	....	5. 6.	H. ⊙.	Mor. his. ox. 2. t. 5. f. 8.
8 saxátilis. DC.	(*ye.*)	rock.	——	....	——	H. ♃.	
9 ramosissima. DC.	(*ye.*)	branching.	.....	1822.	——	H. ♃.	
ER'UCA. DC.		ER'UCA.	Tetradynamia Siliquosa. L.				
1 sativa. DC. *Brássica Eràca.* L. *Eruòmum sativum.* L.en.	(*wh.*)	stripe-flowered.	S. Europe.	1573.	7.	H. ⊙.	Fl. græc. t. 646. et 647.
2 híspida. DC.	(*wh.*)	hispid.	Naples.	1824.	——	H. ⊙.	
3 vesicària. DC.	(*wh.*)	bladdered.	Spain.	1820.	——	H. ⊙.	Asso. syn. arrag. 88. t. 4.
β *flaviflòra.* DC.	(*ye.*)	*yellow.*	——	——	——	H. ⊙.	

Tribus XIII. *VELLEÆ* seu Orthoploceæ Latiseptæ. DC.

VE'LLA. DC.		CRESS-ROCKET.	Tetradynamia Siliculosa. L.					
pseudocy'tisus. DC.	(*y.*)	shrubby.	Spain.	1759.	4. 5.	H. ♄.	Bot. reg. 298.
CARRICHT'ERA. DC.		CARRICHT'ERA.	Tetradynamia Siliculosa. L.					
Véllæ. DC. *Véllæ annua.* E.B.	(*st.*)	annual.	England.	....	6. 7.	H. ⊙.	Eng. bot. 1441.
SUCCO'WIA. DC.		SUCCO'WIA.	Tetradynamia Siliculosa. L.					
baleàrica. DC. *Bùnias baleàrica.* L.	(*ye.*)	Minorca.	Minorca.	1781.	6. 7.	H. ⊙.	Jacq. vind. 2. t. 144.

Tribus XIV. *PSYCHINEÆ* seu Orthoploceæ Angustiseptæ. DC.

PSYCH'INE. DC.		PSYCH'INE.	Tetradynamia Siliculosa. L.					
stylòsa. DC.	(*wh.*)	striped-flower'd.	Barbary.	1822.	4. 5.	H. ⊙.	Desf. fl. atl. 2. t. 148.

Tribus XV. *ZILLEÆ* seu Orthoploceæ Nucamentaceæ. DC.

ZI'LLA. DC.		ZI'LLA.	Tetradynamia Siliculosa. L.					
myagroides. DC. *Bùnias spinòsa.* Vent.	(*li.*)	spiny.	Egypt.	....	4. 5.	H. ♄.	Vent. malm. t. 16.
CALEP'INA. DC.		CALEP'INA.	Tetradynamia Siliculosa. L.					
Corvìni. DC. *Bùnias cochleariòides.* W.	(*wh.*)	annual.	S. Europe.	1820.	4. 6.	H. ⊙.	W. et Kit. hung. 2. t. 107.

Tribus XVI. *RAPHANEÆ* seu Orthoploceæ Lomentaceæ. DC.

CRA'MBE. DC.		COLEWORT.	Tetradynamia Siliculosa. L.					
1 marítima. DC.	(*wh.*)	Sea Kale.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 924.
2 pinnatífida. DC.	(*wh.*)	smooth-winged.	Siberia.	1759.	6. 7.	H. ♃.	Jacq. ic. 1. t. 128.
3 orientàlis. DC.	(*wh.*)	oriental.	Levant.	1752.	6. 7.	H. ♃.	
4 tatárica. DC.	(*wh.*)	Tartarian.	Hungary.	1789.	——	H. ♃.	Jacq. ic. 1. t. 129.
5 áspera. DC.	(*wh.*)	rough.	Tauria.	1823.	5. 6.	H. ♃.	Deles. ic. sel. 2. t. 91.
6 júncea. DC.	(*wh.*)	rushy.	Iberia.	1828.	——	H. ♃.	
7 cordifólia. DC.	(*wh.*)	heart-leaved.	Caucasus.	——	6. 7.	H. ♃.	
8 hispánica. DC.	(*wh.*)	Spanish.	Spain.	1683.	——	H. ⊙.	Jacq. obs. 2. t. 41.
9 filifórmis. DC.	(*wh.*)	Patagonian.	Patagonia.	1796.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 504.
10 fruticósa. DC.	(*wh.*)	Madeira.	Madeira.	1777.	5. 11.	G. ♄.	
11 strigósa. DC.	(*wh.*)	strigose shrubb.	Canaries.	1779.	5. 6.	G. ♄.	L'. her. stirp. 1. t. 72.

RAPI'STRUM. DC.		RAPI'STRUM. Tetradynamia Siliculosa. L.						
1 perénne. DC.	(ye.)	perennial.	Europe.	1789.	7.	H. ¼.	Jacq. aust. 5. t. 414.
Myàgrum perénne. L.		*Cakile perénnis.* H.K.						
2 rugòsum. DC.	(ye.)	wrinkled.	———	1739.	6. 7.	H. ⊙.	All. ped. 1. t. 78.
Myàgrum rugòsum. L.		*Cakile rugosa.* H.K.						
3 orientàle. DC.	(ye.)	oriental.	Levant.	1795.	——	H. ⊙.	Flor. græc. t. 612.
ENARTHROCA'RPUS		ENARTHROCA'RPUS. Tetradynamia Siliquosa.						
1 lyrátus. DC.	(ye.)	yellow-strip'd.	Egypt.	1826.	6. 8.	H. ⊙.	Delil.fl.æg.105.t.36.f.1.
2 pterocárpus. DC.	....	wing-podded.	———	1828.	....	H. ⊙.	Deles. ic. sel. 2. t. 93.
RA'PHANUS. DC.		RADISH. Tetradynamia Siliquosa. L.						
1 satìvus. Mil.	(li.)	common.	China.	1548.	5. 6.	H. ⊙.	Fuchs. hist. 659. ic.
α præcox.	(li.)	*early Salmon.*	———	——	——	H. ⊙.	
β macrorhìzus.	(li.)	*long Salmon.*	———	——	——	H. ⊙.	
γ purpùreus.	(li.)	*purple-rooted.*	———	——	——	H. ⊙.	
2 rotùndus. Mil.	(li.)	Turnep-rooted.	———	——	——	H. ⊙.	Lob. ic. t. 201. f. 1.
3 chinénsis. Mil.	(li.)	oil-seeded.	———	——	——	H. ⊙.	
4 nìger. DC.	(li.)	black Spanish.	———	——	——	H. ⊙.	Lob. ic. 202 f. 1.
α vulgàris. DC.	(li.)	*long-rooted.*	———	——	——	H. ⊙.	Wein. phyt. t. 860. f. c.
β rotúndus. DC.	(li.)	*round-rooted.*	———	——	——	H. ⊙.	——— t. 860. f. b.
γ grìseus. DC.	(li.)	*grey.*	———	——	——	H. ⊙.	
5 orbiculàris. Mil.	(li.)	white Spanish.	———	——	——	H. ⊙.	
6 caudàtus. DC.	(pu.)	long-podded.	Java.	1815.	5. 8.	H. ⊙.	Lin. f. dec. 1. t. 10.
7 Raphanístrum. DC.	(va.)	wild.	Britain.	....	4. 8.	H. ⊙.	Eng. bot. 856.
α álbum.	(wh.)	*white-flowered.*	———	....	——	H. ⊙.	Wein. phyt. t. 862. f. a.
β purpuráscens.	(pu.)	*purple-flowered.*	———	....	——	H. ⊙.	——— t. 862. f. b.
ζ flàvum.	(ye.)	*yellow-flowered.*	———	....	——	H. ⊙.	J. Bauh. h. 2. p. 844. ic.
8 Landra. DC.	(ye.)	Italian.	Italy.	1827.	4. 6.	H. ♂.	Deles. ic. sel. 2. t. 94.
9 marítimus. DC.	(ye.)	sea-side.	Britain.	....	5. 7.	H. ♂.	Eng. bot. 1643.

Subordo IV. SPIROLOBEÆ. *DC. syst.* 2. *p.* 670.

Tribus XVII. *BUNIADEÆ* seu Spirolobeæ Nucamentaceæ. DC.

B'UNIAS. DC.		B'UNIAS. Tetradynamia Siliculosa. L.					
1 Erucàgo. DC.	(ye.)	prickly-podded.	S. Europe.	1640.	6. 7.	H. ⊙.	Jacq. aust. 4. t. 340.
2 áspera. DC.	(ye.)	rough.	Portugal.	1823.	6. 7.	H. ⊙.	
3 orientàlis. DC.	(ye.)	oriental.	Levant.	1795.	5. 7.	H. ¼.	Schk. han. 2. t. 189.

Tribus XVIII. *ERUCARIEÆ* seu Spirolobeæ Lomentaceæ. DC.

ERUC'ARIA. DC.		ERUC'ARIA. Tetradynamia Siliquosa. L.					
1 aléppica. DC.	(pu.)	Aleppo.	Levant.	1680.	7. 8.	H. ⊙.	Vent. h. cels. t. 64.
Cordylocárpus lævigàtus. W.							
2 crassifòlia. DC.	(pu.)	thick-leaved.	Egypt.	1828.	7. 9.	H. ⊙.	Delil. pl. bot. t. 34. f. 1.

Subordo V. DIPLECOLOBEÆ. *DC. syst.* 2. *p.* 676.

Tribus XIX. *HELIOPHILEÆ* seu Diplecolobeæ Siliquosæ. L.

HELIO'PHILA. DC.		HELIO'PHILA. Tetradynamia Siliquosa. L.					
1 filifórmis. DC.	(pu.)	awl-podded.	C. B. S.	1786.	7. 9.	H. ⊙.	Lam. ill. t. 563. f. 3. ?.
2 dissécta. DC.	(bl.)	cut-leaved.	———	1822.	6. 8.	H. ⊙.	
3 tenuisíliqua. DC.	(bh.)	slender-podded.	———	——	——	H. ⊙.	Deles. ic. sel. 2. t. 96.
4 amplexicáulis. DC.	(bh.)	stem-clasping.	———	1774.	6. 9.	H. ⊙.	Jacq. frag. t. 64. f. 2.
5 rivàlis. DC.	(wh.)	rivulet.	———	1819.	——	H. ⊙.	
6 péndula. DC.	(wh.)	pendulous	———	1792.	——	H. ⊙.	Lam. ill. t. 562. f. 2.
pinnàta. Vent. malm. t. 113. non. L.							

7 trífida. DC. (*pu.*) trifid-leaved. C. B. S. 1819. 6. 9. H. ⊙.
pinnàta. L. non. Vent.
8 pusílla. DC. (*wh.*) small. ——— 1824. —— H. ⊙.
9 lepidióides. L.en (*wh.*) Cress-like. ——— —— —— H. ⊙. Pluk. mant. t. 432. f. 2.
10 diffùsa. DC. (*wh.*) spreading. ——— 1820. —— H. ⊙.
11 Peltària. DC. (*wh.*) small-white. ——— —— —— H. ⊙.
12 pilòsa. DC. (*bl.*) hairy. ——— 1768. —— H. ⊙.
α *integrifólia.* DC. (*bl.*) *entire-leaved.* ——— —— —— H. ⊙. Jacq. ic. 3. t. 506.
β *incìsa.* DC. (*bl.*) *cut-leaved.* ——— —— —— H. ⊙. Bot. mag. 496.
arabióides. B.M.
13 stricta. B.M. (*bl.*) upright. ——— 1824. —— H. ⊙. Bot. mag. 2526.
14 digitàta. DC. (*bl.*) fingered. ——— 1819. —— H. ⊙. Bot. reg. 838.
15 coronopifólia. DC. (*bl.*) Buck's-horn-l^d. ——— 1778. 6. 7. H. ⊙. Herm. lugd. t. 367.
16 pectinàta. DC. (*wh.*) pectinated. ——— 1819. —— H. ⊙.
17 fœniculàcea. DC. (*pu.*) Fennel-leaved. ——— 1774. 6. 9. H. ⊙.
18 crithmifólia. DC. (*bh.*) Samphire-l^d. ——— 1816. —— H. ⊙. Deles. ic. sel. 2. t. 97.
19 platysíliqua. DC. (*bh.*) flat-podded. ——— 1774. 7. 8. G. ½.
20 linearifólia. DC. (*bl.*) linear-leaved. ——— 1819. —— G. ½.
21 scopària. DC. (*bh.*) Broom-like. ——— 1802. —— G. ½. Deles. ic. sel. 2. t. 98.
22 incàna. DC. (*pu.*) hoary. ——— 1774. 5. 8. G. ½.
23 cleomóides. DC. (*wh.*) Cleome-like. ——— 1802. 1. 12. G. ½. Deles. ic. sel. 2. t. 99.
Cheiránthus strictus. W.

Tribus XX. *SUBULARIEÆ* seu Diplocolobeæ Latiseptæ. DC.

SUBUL'ARIA. DC. AWLWORT. Tetradynamia Siliculosa. L.
aquática. DC. (*wh.*) water. Britain. .... 7. H.*w.*⊙. Eng. bot. 732.

Subordo VI. SCHIZOPETALEÆ.

SCHIZOPE'TALUM. B.M. SCHIZOPE'TALUM. Tetradynamia Siliquosa. L.
Walkèri. B.M. (*wh.*) Walker's. Chili. 1822. 7. 9. H. ⊙. Brown bot. reg. 752.

ORDO XIV.

CAPPARIDEÆ. *DC. prodr.* 1. *p.* 237.

Tribus I. *CLEOMEÆ.* DC.

PERI'TOMA. DC PERI'TOMA. Monadelphia Hexandria.
serrulàtum. DC. (*pu.*) saw-leaved. Missouri. 1823. 6. 8. H. ⊙.
Cleòme serrulàta. Ph.
GYNANDRO'PSIS. DC. GYNANDRO'PSIS. Monadelphia Hexandria.
1 sessilifólia. DC. (*wh.*) sessile-leaved. W. Indies. 1820. 6. 8. H. ⊙.
2 triphy'lla. DC. (*wh.*) three-leaved. ——— —— —— H. ⊙. Herm. lugd. 565. ic
Cleòme triphy'lla. L.?
3 pentaphy'lla. DC. (*wh.*) five-leaved. India. 1640. —— H. ⊙. Jacq. vind. 1. t. 21.
Cleòme pentaphy'lla. B.M. 1681.
4 candelàbrum. (*wh.*) chandelier. W. Indies. 1824. 7. 9. H. ⊙. Bot. mag. 2656.
Cleòme candelàbrum. B.M.
5 maricàta. Scr. (*wh.*) bristly. ..... 1828. —— S. ⊙.
6 heterotricha. DC. (*wh.*) various-haired. C. B. S. 1822. —— H. ⊙.
CLE'OME. DC. CLE'OME. Tetradynamia Siliquosa. L.
1 gigántea. DC. (*gr.*) gigantic. S. America. 1774. 6. 8. S. ½. Jacq. obs. 4. t. 76.
2 heptaphy'lla. DC. (*wh.*) seven-leaved. W. Indies. 1820. —— H. ⊙.
3 spinòsa. DC. (*wh.*) white-flowered. ——— 1731. 5. 10. S. ½. Marc. bras. t. 34.
4 púngens. DC. (*bh.*) pink-flowered. S. America. 1812. 7. 8. S. ⊙. W. hort. ber. 1. t. 18.
spinòsa. B.M. 1640. nec aliorum.
5 pubescens. B.M. (*wh.*) pubescent. ..... 1815. 7. 8. H. ⊙. Bot. mag. 1857.

6	rósea. DC.	(*ro.*)	rose-coloured.	Brazil.	1825.	5. 8.	S. ☉.	Bot. reg. 960.
7	monophy'lla. DC.	(*ye.*)	simple-leaved.	E. Indies.	1759.	——	H. ☉.	Rheed. mal. 9. t. 34.
	β zeylánica. DC.	(*ye.*)	*Ceylon.*	————	——	——	H. ☉.	Burm. zeyl. t. 100. f. 2.
8	procúmbens. DC.	(*wh.*)	procumbent.	W. Indies.	1798.	——	S. ♃.	Jacq. amer. t. 120.
9	violàcea. DC.	(*vi.*)	violet-coloured.	Portugal.	1776.	6. 7.	H. ☉.	Schk. han. 2. t. 189. f. 1.
10	Dillenìana. DC.	(*ye.*)	Dillenius's.	Levant.	1732.	——	H. ☉.	Dill. elt. t. 266. f. 345.
	ornithopodiòides. W.							
11	ibérica. DC.	(*ye.*)	Iberian.	Iberia.	1820.	——	H. ☉.	
12	virgàta. DC.	(*ye.*)	twiggy.	Persia.	....	——	H. ☉.	Buxb. cent. 1. t. 9. f. 2.
13	arábica. DC.	(*ye.*)	Arabian.	Arabia.	1794.	——	H. ☉.	Lin. f. dec. t. 8.
14	flàva. DC.	(*ye.*)	yellow.	N. Holland.	1825.	7. 10.	H. ☉.	
15	polygàma. DC.	(*wh.*)	polygamous.	W. Indies.	1822.	6. 7.	H. ☉.	Slo. jam. t. 124. f. 1.
16	aculeata. DC.	(*wh.*)	prickly.	S. America.	——	——	H. ☉.	
17	Houstòni. DC.	(*fl.*)	Houstoun's.	W. Indies.	1730.	——	S. ☉.	Mart. dec. t. 45.
18	diffùsa. DC.	(*wh.*)	spreading.	Brazil.	1823.	——	H. ☉.	
19	micrántha.	(*wh.*)	small-flowered.	.....	1824.	6. 10.	S. ♄.	

POLANI'SIA. DC. Polani'sia. Dodecandria Monogynia. L.

1	Chelidònii. DC.	(*ro.*)	Celandine-fld.	E. Indies.	1790.	7. 10.	S. ☉.	
	Cleòme Chelidònii. L.							
2	gravèolens. DC.	(*pu.*)	strong-scented.	N. America.	....	——	H. ☉.	Corn. can. 131. ic.
3	viscòsa. DC.	(*ye.*)	viscid.	Ceylon.	1730.	——	S. ☉.	Rheed. mal. 9. t. 23.
4	dodecándra. DC.	(*pu.*)	three-leaved.	————	1795.	——	S. ☉.	Burm. zeyl. t. 100. f. 1.
	Cleòme dodecándra. L.							
5	uniglandulòsa. DC.	(*w.*)	one-glanded.	S. America.	1823.	——	H. ☉.	Cav. ic. 4. t. 306.

Tribus II. *CAPPAREÆ.* DC.

CRAT'ÆVA. DC. Crat'æva. Dodecandria Monogynia. L.

1	gynándra. DC.	(*wh.*)	thin-leaved.	Jamaica.	1789.	....	S. ♄.	Pluk. alm. t. 147. f. 6.
2	Tàpia. DC.	(*wh.*)	Garlick Pear.	S. America.	1752.	....	S. ♄.	Plum. gen. t. 21.
3	Roxbúrghii. B.	(*wh.*)	Roxburgh's.	E. Indies.	1822.	....	S. ♄.	
	Cápparis trifoliàta. H.B.							

RITCHI'EA. B. Ritchi'ea. Dodecandria Monogynia.

	fràgrans.	(*wh.*)	fragrant.	Sierra Leon.	1795.	6. 7.	S. ♄.⌣.	Bot. mag. 596.
	Crat'æva fragans. B.M. *capparoides.* A.R. t. 176.							

NIEB'UHRIA. DC. Nieb'uhria. Polyandria Monogynia. L.

1	cáfra. DC.	(*wh.*)	Caffrarian.	C. B. S.	1820.	....	G. ♄.	
2	madagascariénsis. DC.	(*w.*)	Madagascar.	Madagascar.	1822.	....	S. ♄.	
3	oblongifòlia. DC.	(*wh.*)	oblong-leaved.	E. Indies.	1823.	....	S. ♄.⌣.	
	Cápparis heteroclìta. H.B.							

BO'SCIA. DC. Bo'scia. Dodecandria Monogynia. L.

	senegalénsis. DC.	(*wh.*)	Senegal.	Senegal.	1822.	....	S. ♄.	Lam. ill. t. 395. f. 2.

CA'PPARIS. DC. Caper-tree. Polyandria Monogynia. L.

1	mariàna. DC.	(*wh.*)	heart-leaved.	Timor.	1822.	....	S. ♄.	Jacq. Schœnb. t. 109.
2	rupéstris. DC.	(*wh.*)	rock.	Crete.	....	7. 10.	F. ♄.⌣.	Flor. græc. t. 487.
	spinòsa. B.M. 291. nec aliorum.							
3	spinòsa. DC.	(*wh.*)	common.	S. Europe.	1596.	5. 8.	G. ♄.⌣.	Flor. græc. t. 486.
4	ovàta. W.	(*wh.*)	oval-leaved.	Mauritania.	....	——	G. ♄.⌣.	Boc. sic. t. 42. f. 3.
	Fontanèsii. DC.							
5	herbàcea. DC.	(*wh.*)	herbaceous.	Tauria.	1819.	——	H. ♃.	
6	ægy'ptia. DC.	(*wh.*)	Egyptian.	Egypt.	1822.	....	G. ♄.	Delil. fl. eg. t. 31. f. 3.
7	aphy'lla. DC.	(*wh.*)	leafless.	E. Indies.	——	....	S. ♄.	
8	zeylànica. DC.	(*wh.*)	Ceylon.	Ceylon.	——	....	S. ♄.⌣.	
9	acuminàta. DC.	(*wh.*)	acuminate.	E. Indies.	1821.	....	S. ♄.⌣.	Braam ic. chin. t. 29.?
10	frondòsa. DC.	(*g.p.*)	large-leaved.	Carthagena.	1800.	....	S. ♄.	Jacq. amer. t. 104.
11	triflòra. DC.	(*wh.*)	three-flowered.	S. America.	....	....	S. ♄.	
12	cynophallóphora. DC.	(*wh.*)	Bay-leavd.	W. Indies.	1752.	....	S. ♄.	Jacq. amer. t. 98.
13	eustachiàna. DC.	(*pu.*)	purple-flower'd.	————	1822.	....	S. ♄.	—— ed. pict. t. 146.
14	salígna. DC.	.....	Willow-leaved.	S. Cruz.	1807.	....	S. ♄.	
15	linearis. DC.	(*wh.*)	linear-leaved.	W. Indies.	1793.	....	S. ♄.	Jacq. amer. t. 102.
16	verrucòsa. DC.	(*wh.*)	wart-podded.	Carthagena.	1823.	....	S. ♄.	———— t. 99.
17	pulchérrima. DC.	(*st.*)	handsome.	————	....	....	S. ♄.	Jacq. amer. t. 106.
	arboréscens. Mil.							
18	amygdalìna. DC.	(*wh.*)	Almond-leaved.	S. America.	1819.	....	G. ♄.	Plum. gen. 40. t. 16.

19	odoratíssima. DC.	(*pu.*)	sweet-scented.	Caracas.	1814.	....	S. ♄.	Jacq. schœn. t. 110.
20	tenuisíliqua. DC.	(*wh.*)	slender-podded.	Carthagena.	1822.	....	S. ♄.	Jacq. amer. t. 105.
21	ferruginea. DC.	(*wh.*)	ferruginous.	Jamaica.	....	....	S. ♄.	——— t. 100.
	octándra. Jacq.							
22	Bréynia. DC.	(*wh.*)	Oleaster-leav'd.	W. Indies.	1752.	....	G. ♄.◡.	Jacq. amer. t. 103.?
23	jamaicénsis. DC.	(*wh.*)	Jamaica.	———	1793.	....	S. ♄.◡.	——— t. 101.
24	torulòsa. DC.	(*wh.*)	twisting.	———	1819.	....	S. ♄.◡.	

STEPHANIA. DC. STEPHA'NIA. Hexandria Monogynia.

	cleomóides. DC.	(*o.y.*)	Cleome-like.	Caracas.	1823.	....	S. ♄.	Jacq. schœn. t. 111.
	Cápparis paradóxa. Jacq. *Steriphoma cleomóides.* s.s.							

MORISONIA. DC. MORIS'ONIA. Monadelphia Polyandria. L.

	americàna. DC.	(*wh.*)	American.	Caribees.	1824.	....	S. ♄.	Jacq. amer. t. 97.

ORDO XV.

RESEDACEÆ. *DC. theor. ed.* 1. *p.* 214.

RE'SEDA. W. RE'SEDA. Dodecandria Trigynia. L.

1	Luteòla. W.	(*st.*)	Dyers weed.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 320.
2	crispata. L. en.	(*st.*)	curled-leaved.	S. Europe.	1820.	——	H. ☉.	
3	virescens. s.s.	(*st.*)	greenish.	Spain.	——	——	H. ☉.	
4	canéscens. s.s.	(*wh.*)	hoary.	Egypt.	1597.	5. 7.	H. ♃.	Clus. hist. 1. t. 295.
5	glàuca. s.s.	(*wh.*)	glaucous.	S. Europe.	1700.	——	F. ♃.	Pluk. alm. t. 107. f. 2.
6	scopària. s.s.	(*wh.*)	Broom-like.	Teneriffe.	1815.	8. 9.	G. ♄.	
7	dipétala. s.s.	(*wh.*)	two-petaled.	C. B. S.	1774.	8.	G. ♂.	
8	linifòlia. s.s.	(*wh.*)	flax-leaved.	S. Europe.	1820.	7. 8.	F. ♂.	
9	subulàta. Del.	(*wh.*)	awl-leaved.	Egypt.	1827.	6. 8.	H. ♂.	
10	chinénsis. s.s.	(*wh.*)	Chinese.	China.	1824.	——	H. ♂.	
11	sesamóides. s.s.	(*wh.*)	spear-leaved.	France.	1787.	——	H. ☉.	All. ped. 2. t. 88. f. 3.
12	mediterrànea. s.s.	(*w.*)	Mediterranean.	Palestine.	1791.	6. 9.	H. ☉.	Jacq. ic. 3. t. 475.
13	odoràta. s.s.	(*st.*)	Mignonette.	Egypt.	1752.	6. 10.	H. ☉.	Bot. mag. 29.
	β *frutéscens.* B.R.	(*st.*)	*tree mignonette.*		——	——	G. ♄.	Bot. reg. 227.
14	Phyteùma. s.s.	(*wh.*)	trifid.	S. Europe.	——	6. 9.	H. ☉.	Jacq. aust. 2. t. 132.
15	incisa. T.C.	(*wh.*)	cut-leaved.	Italy.	1825.	——	H. ☉.	
16	ramosíssima. s.s.	(*wh.*)	branching.	Spain.	1816.	——	H. ♃.	
17	saxátilis. s.s.	(*wh.*)	rock.	———	——	——	H. ♃.	
	stricta. P.S.							
18	pruinòsa. s.s.	(*wh.*)	papillose-ld.	Egypt.	1823.	——	H. ♃.	
19	lùtea. s.s.	(*st.*)	Base-rocket.	Britain.	....	7. 8.	H. ♂.	Eng. bot. 321.
20	undàta. s.s.	(*wh.*)	wave-leaved.	Spain.	1739.	6. 8.	H. ♃.	Barrel. rar. t. 587.
21	álba. s.s.	(*wh.*)	upright-white.	S. Europe.	1596.	5. 10.	H. ♂.	Lobel. ic. 222.
22	fruticulòsa. s.s.	(*wh.*)	frutescent.	Spain.	1794.	9.	G. ♄.	Jacq. ic. 3. t. 474.
23	bipinnàta. s.s.	(*wh.*)	bipinnate.	———	1816.	6. 8.	G. ♄.	
24	myriophýlla. T.C.	(*st.*)	numerous-ld.	Italy.	1825.	——	H. ♃.	

ORDO XVI.

DATISCEÆ. *Brown in app. to Denham and Clap. trav. p.* 25.

DATI'SCA. L. DATI'SCA. Diœcia Dodecandria. L.

1	cannabina. L.	(*ye.*)	Hemp-like.	Levant.	1640.	7. 9.	H. ♃.	Schkuhr han. 3. t. 336.
2	hírta. W.	(*ye.*)	hairy.	Pensylvania.	1826.	9. 10.	H. ♃.	

ORDO XVII.

FLACOURTIANEÆ. *DC. prodr.* 1. *p.* 255.

Tribus I. *PATRISIEÆ.* DC.

RYAN'ÆA. DC.		RYAN'ÆA.	Polyandria Monogynia.					
speciòsa. DC.	(*re.*)	beautiful.	Trinidad.	1822.	....	S. ħ.		Vahl. ecl. 1. p. 51. t. 9.
Patrísia pyrífera. P.S.								

Tribus II. *FLACOURTIEÆ.* DC.

FLACOU'RTIA. DC.		FLACOU'RTIA.	Dicœcia Polyandria. L.					
1 Ramóntchi. DC.	(*wh.*)	shining-leaved.	Madagascar.	1775.	6. 7.	S. ħ.		L. Her. strip. 59. t. 30.
2 sápida. DC.	(*wh.*)	esculent.	E. Indies.	1800.	....	S. ħ.		Roxb. cor. 1. t. 69.
3 inérmis. DC.	(*wh.*)	unarmed.	Moluccas.	1814.	10. 2.	S. ħ.		Bot. reg. ined.
4 sepiària. DC.	(*wh.*)	obovate-leaved.	Coromandel.	1820.	....	S. ħ.		Roxb. cor. 1. t. 68.
5 cataphrácta. DC.	(*wh.*)	many-spined.	E. Indies.	1804.	....	S. ħ.		
6 rotundifòlia. H.B.	(*wh.*)	round-leaved.	———	1823.	....	S. ħ.		
7 flavéscens. DC.	(*st.*)	yellow-flower'd.	Guinea.	1780.	....	S. ħ.		
8 rhamnóides. DC.	(*wh.*)	Rhamnus like.	C. B. S.	1819.	....	G. ħ.		

Tribus III. *KIGGELARIEÆ.* DC.

KIGGEL'ARIA. DC.		KIGGEL'ARIA.	Dicœcia Decandria. L.					
1 africàna. DC.	(*wh.*)	African.	C. B. S.	1683.	5. 6.	G. ħ.		Lam. ill. t. 821.
2 integrifòlia. DC.	(*wh.*)	entire-leaved.	———	1819.	——	G. ħ.		Jacq. ic. rar. t. 628.
MELI'CYTUS. DC.		MELI'CYTUS.	Dicœcia Pentandria.					
ramiflòrus. DC.	....	branch-flow'rd.	N. Zealand.	1822.	....	G. ħ.		Lam. ill. t. 812. f. 1.

ORDO XVIII.

BIXINEÆ. *DC. prodr.* 1. *p.* 259.

BI'XA. DC.		ANOTTA.	Polyandria Monogynia. L.					
1 purpùrea.	(*pu.*)	purple.	E. Indies.	1820.	....	S. ħ.		
2 Orellàna. DC.	(*ro.*)	heart-leaved.	S. America.	1690.	5. 8.	S. ħ.		Bot. mag. 1456.
3 Urucuràna. W.	(*ro.*)	white-leaved.	Brazil.	1823.	....	S. ħ.		
LÆTIA. DC.		LÆ'TIA.	Polyandria Monogynia. L.					
Thámnia. DC.	.....	shining-leaved.	Jamaica	....	....	S. ħ.		Browne jam. t. 25. f. 2.
PRO'CKIA. DC.		PRO'CKIA.	Polyandria Monogynia. L.					
1 Crùcis. DC.	(*gr.*)	oval-leaved.	Santa Cruz.	....	....	S. ħ.		Vahl symb. 3. t. 64.
2 serràta. DC.	(*gr.*)	saw-leaved.	Montserrat.	1822.	....	S. ħ.		
3 theæfórmis. DC.	(*gr.*)	Tea-leaved.	Bourbon.	——	....	S. ħ.		Bory voy. 2. t. 24.
Lùdia heterophy'lla. Bory. non. Lam.								
L'UDIA. DC.		L'UDIA.	Polyandria Monogynia. L.					
1 heterophy'lla. DC.	(*gr.*)	various-leaved.	Mauritius.	1822.	....	S. ħ.		Lam. ill. t. 466. f. 1. 2.
2 sessiliflòra. DC.	(*bl.*)	sessile-flower'd.	———	——	....	S. ħ.		Jacq. schœnb. 1. t. 112.
tuberculàta. Jacq.								

ORDO XIX.

CISTINEÆ. *DC. prodr.* 1. *p.* 263.

CI'STUS. DC.		ROCK-ROSE.	Polyandria Monogynia. L.					
1 candidíssimus. DC.	(*ro.*)	Canary Island.	Canaries.	1817.	6. 9.	F ♄.		Swt. Cist. t. 3.
2 vaginàtus. DC.	(*ro.*)	oblong-leaved.	Teneriffe.	1779.	4. 8.	F. ♄.		——— t. 9.

3 álbidus. DC.	(*re.*)	white-leaved.	S. Europe.	1640.	5. 9.	H. ♄.	Swt. cist. t. 31.
4 incànus. DC.	(*li.*)	hoary-leaved.	———	1596.	5. 8.	F. ♄.	——— t. 44.
5 canéscens. s.c.	(*pu.*)	narrow hoary.	———	....	——	F. ♄.	——— t. 45.
6 villòsus. DC.	(*pu.*)	villous.	———	1640.	——	F. ♄.	——— t. 35.
7 rotundifòlius. s.c.	(*pu.*)	round-leaved.	———	....	——	F. ♄.	——— t. 75.
8 undulàtus. DC.	(*pu.*)	wave-leaved.	———	....	——	H. ♄.	——— t. 63.
9 heterophýllus. DC.	(*p.*)	various-leaved.	Algiers.	....	——	F. ♄.	——— t. 6.
10 crìspus. DC.	(*pu.*)	curled-leaved.	S. Europe.	1656.	——	F. ♄.	——— t. 22.
11 crèticus. DC.	(*pu.*)	Cretan.	Levant.	1731.	——	F. ♄.	Flor. græc. t. 495.
12 purpùreus. DC.	(*pu.*)	purple.	———	....	6. 8.	F. ♄.	Swt. cist. t. 17.
13 cymòsus. DC.	(*li.*)	cyme-flowered.	———	....	——	F. ♄.	——— t. 90.
incànus. Flor. græc. t. 494. *nec aliorum.*							
14 parviflòrus. DC.	(*li.*)	small-flowered.	———	1821.	——	F. ♄.	Swt. cist. t. 14.
15 Cupaniànus. s.s.	(*wh.*)	heart-leaved.	Sicily.	....	6.10.	H. ♄.	——— t. 70.
16 asperifòlius. s.c.	(*wh.*)	rough-leaved.	.....	....	——	H. ♄.	——— t. 87.
17 acutifòlius. s.c.	(*wh.*)	acute-leaved.	S. Europe.	....	5. 8.	H. ♄.	——— t. 78.
18 salvifòlius. DC.	(*wh.*)	Sage leaved.	Europe.	1548.	5. 9.	H. ♄.	——— t. 54.
19 obtusifòlius. s.c.	(*wh.*)	blunt-leaved.	Levant.	....	——	F. ♄.	——— t. 42.
20 oblongifòlius. s.c.	(*wh.*)	oblong-leaved.	.....	....	6.10.	H. ♄.	——— t. 67.
21 corbariénsis. DC.	(*wh.*)	mountain.	S. France.	....	5. 6.	H. ♄.	——— t. 8.
22 platysépalus. s.c.	(*wh.*)	broad-sepaled.	Levant.	....	6. 8.	F. ♄.	——— t. 47.
23 florentìnus. DC.	(*wh.*)	Florentine.	Italy.	....	6. 7.	H. ♄.	——— t. 59.
24 monspeliénsis. DC.	(*w.*)	Montpelier.	S. Europe.	1656.	——	F. ♄.	——— t. 27.
25 Lèdon. DC.	(*wh.*)	many-fl^d^. gum.	S. France.	1730.	6. 8.	H. ♄.	Duham. arb. 1. t. 66.
26 hirsùtus. DC.	(*wh.*)	hairy.	Spain.	1656.	——	H. ♄.	Swt. cist. t. 19.
27 pilosépalus. s.c.	(*wh.*)	smooth-calyxed.	.....	....	——	H. ♄.	——— t. 33
28 láxus. DC.	(*wh.*)	waved-leaved.	Spain.	1656.	——	H. ♄.	——— t. 12.
29 populifòlius. s.c.	(*wh.*)	Poplar-leaved.	———	——	5. 6.	H. ♄.	——— t. 23.
30 latifòlius. s.c.	(*wh.*)	broad-leaved.	Barbary.	....	——	F. ♄.	——— t. 15.
31 laurifòlius. DC.	(*wh.*)	Laurel-leaved.	S. Europe.	1731.	6. 8.	H. ♄.	——— t. 52.
32 c'yprius. DC.	(*wh.*)	common-gum.	Cyprus.	....	——	H. ♄.	——— t. 39.
ladanìferus. Bot. mag. 112. *nec. aliorum.* C. *undulatus.* L. en?							
33 ladaníferus. DC.	(*wh.*)	flat-leaved gum.	Spain.	1629.	——	F. ♄.	
α albiflòrus. DC.	(*wh.*)	*white-flowered.*	———	——	——	F. ♄.	Swt. cist. t. 84.
β maculàtus. DC.	(*w.p.*)	*spot-flowered.*	———	——	——	F. ♄.	——— t. 1.
34 Clùsii. DC.	(*wh.*)	Clusius's.	Spain.	....	——	H. ♄.	——— t. 32.

HELIA'NTHEMUM. DC. SUN-ROSE. Polyandria Monogynia. L.

1 Libanòtis. DC.	(*wh.*)	Rosemary-like.	Spain.	1752.	6.	F. ♄.	Barr. ic. 294.
2 umbellàtum. DC.	(*wh.*)	umbel-flowered.	S. Europe.	1731.	6. 8.	F. ♄.	Swt. cist. t. 5.
3 ocymóides. DC.	(*ye.*)	Basil-like.	———	....	——	F. ♄.	——— t. 13.
Cistus sanpuncifòlius. Cav. ic. 1. t. 96.							
4 alysmóides. DC.	(*ye.*)	Alyssum-like.	———	....	——	F. ♄.	Vent. choix. t. 20.
5 rugòsum. DC.	(*ye.*)	rugose.	Portugal.	....	——	F. ♄.	Swt. cist. t. 65.
6 scabròsum. DC.	(*ye.*)	rough.	Italy.	1775.	——	F. ♄.	——— t. 81.
7 algarvénse. DC.	(*ye.*)	Algarvian.	Portugal.	1800.	7. 8.	F. ♄.	——— t. 40.
Cistus algarvénsis. B.M. 627.							
8 formòsum. DC.	(*ye.*)	beautiful.	———	1780.	5. 7.	F. ♄.	Swt. cist. t. 50.
Cistus formòsus. B.M. 264.							
9 atriplicifòlium. DC.	(*y.*)	Orach-leaved.	Spain.	1656.	6. 7.	F. ♄.	Barr. ic. t. 292.
10 microphýllum. s.c.	(*y.*)	small-leaved.	S. Europe.	....	6.10.	F. ♄.	Swt. cist. t. 96.
11 lasiánthum. DC.	(*ye.*)	downy.	Portugal.	1822.	7. 9.	F. ♄.	
12 involucràtum. DC.	(*ye.*)	short-pedicled.	S. Europe.	1826.	6. 8.	F. ♄.	
13 cándidum. s.c.	(*ye.*)	white-leaved.	Spain.	1822.	——	F. ♄.	Swt. cist. t. 25.
14 cheiranthóides. DC.	(*y.*)	Stock-like.	———	1800.	7. 8.	F. ♄.	——— t. 107.
15 halimifòlium. s.c.	(*ye.*)	Sea-Purslane-l^d^	———	1656.	——	F. ♄.	——— t. 4.
16 rosmarinifòlium. DC.	(*y.*)	Rosemary-l^d^.	N. America.	1823.	——	H. ♃.	
17 glomeràtum. DC.	(*ye.*)	cluster-flower'd.	New Spain.	——	6. 9.	F. ♄.	Swt. cist. t.
18 ramuliflòrum. DC.	(*ye.*)	branch-flower'd	Carolina.	1823.	——	H. ♃.	
19 canadénse. DC.	(*ye.*)	Canadian.	Canada.	1799.	——	H. ♃.	Swt. cist. t. 21.
20 caroliniànum. DC.	(*ye.*)	Carolina.	Carolina.	1823.	——	F. ♃.	——— t. 99.
21 brasiliénse. DC.	(*st.*)	Brazilian.	Brazil.	——	6. 8.	F. ♄.	——— t. 43.
22 polygalæfòlium. s.c.	(*ye.*)	Milkwort-leav^d^.	———	——	——	F. ♄.	——— t. 11.
23 lignòsum. s.c.	(*ye.*)	woody-stemm'd.	S. Europe.	1810.	——	F. ♄.	——— t. 46.
24 Tuberària. DC.	(*ye.*)	Plantain-leav'd.	———	1752.	——	F. ♃.	——— t. 18.
25 plantagíneum. DC.	(*ye.*)	Plantain like.	———	1823.	——	H. ☉.	
26 guttàtum. DC.	(*ye.*)	spotted-flower^d^.	England.	....	6. 8.	H. ☉.	Eng. bot. 544.
27 eriocáulon. DC.	(*ye.*)	woolly-stalked.	Spain.	1823.	——	H. ☉.	Swt. cist. t. 30.
28 punctàtum. DC.	(*ye.*)	punctated.	France.	1816.	——	H. ☉.	——— t. 61.
29 lunulàtum. DC.	(*ye.*)	lunulate-mark^d^.	Piedmont.	....	——	H. ♄.	All. auct. p. 30. t. 2. f. 3.

30	villòsum. DC.	(st.)	villous.	Spain.	1823.	——	H. ☉.	
31	nilóticum. DC.	(st.)	Nile.	Egypt.	....	——	H. ☉.	
32	ledifòlium. DC.	(st.)	Ledum-leaved.	England.	....	——	H. ☉.	Swt. cist. t. 41.
33	intermèdium. DC. *salicifòlium.* Cav.	(ye.)	intermediate.	Spain.	1759.	——	H. ☉.	Cav. ic. t. 144.
34	denticulàtum. DC.	(ye.)	tooth-leaved.	S. France.	1828.	——	H. ☉.	
35	salicifòlium. DC.	(ye.)	Willow-leaved.	———	——	——	H. ☉.	Swt. cist. t. 71.
36	sanguíneum. DC. *retrofráctum.* P.S.	(ye.)	bloody-stalked.	———	1823.	——	H. ☉.	
37	ægyptiacum. DC.	(ye.)	Egyptian.	Egypt.	1764.	——	H. ☉.	Jacq. obs. 3. t. 68.
38	Líppii. DC.	(ye.)	small-petaled.	———	1820.	——	F. ♄.	
39	ellípticum. DC.	(st.)	elliptic-leaved.	Levant.	1827.	——	F. ♄.	Swt. cist. t. 106.
40	confértum. DC.	(ye.)	close-flowered.	Teneriffe.	....	6. 7.	F. ♄.	
41	canariénse. DC.	(ye.)	Canary.	Canaries.	1790.	——	F. ♄.	Jacq. ic. 1. t. 97.
42	ericóides. DC.	(ye.)	Heath-leaved.	S. Europe.	....	6. 8.	F. ♄.	Cav. ic. 2. t. 172.
43	Fumàna. DC.	(ye.)	Heath-like.	———	1752.	——	F. ♄.	Swt. cist. t. 16.
44	procúmbens. DC.	(ye.)	procumbent.	———	....	——	F. ♄.	——— t. 68.
45	arábicum. DC.	(ac.)	Arabian.	Levant.	1826.	——	F. ♄.	——— t. 97.
46	læ'vipes. DC.	(ye.)	cluster-leaved.	———	1690.	——	G. ♄.	——— t. 24.
47	víride. DC.	(ye.)	green-leaved.	Sicily.	1828.	——	F. ♄.	
48	juniperìnum. DC.	(ye.)	Juniper-leaved.	———	....	——	G. ♄.	Barr. ic. t. 443.
49	Barreliéri. DC.	(ye.)	Barrelier's.	Italy.	1822.	——	F. ♄.	——— t. 416.
50	thymifòlium. DC.	(ye.)	Thyme-leaved.	Spain.	1658.	——	F. ♄.	Swt. cist. t. 102.
51	glutinòsum. DC.	(ye.)	clammy.	———	1790.	——	F. ♄.	——— t. 83.
52	mólle. DC.	(ye.)	soft.	———	....	——	F. ♄.	Cav. ic. 3. t. 262. f. 2.
53	origanifòlium. DC.	(ye.)	Marjoram-ld.	———	1795.	——	F. ♄.	——— 3. t. 262. f. 1.
54	dichótomum. DC.	(ye.)	forked.	———	....	——	F. ♄.	——— 3. t. 263. f. 1.
55	cœlándicum. DC.	(ye.)	smooth-leaved.	Europe.	1816.	——	H. ♄.	Swt. cist. t. 85.
56	alpéstre. DC.	(ye.)	alpine.	———	——	——	H. ♄.	——— t. 2.
57	penicillàtum. DC.	(ye.)	pencilled.	S. Europe.	....	——	H. ♄.	
58	obovàtum. DC.	(ye.)	obovate-leaved.	Spain.	1826.	——	F. ♄.	
59	itálicum. DC.	(ye.)	Italian.	Italy.	1779.	7. 9.	H. ♄.	Barr. rar. t. 366.
60	vineàle. DC.	(ye.)	slender-trailing.	Europe.	1823.	——	H. ♄.	Swt. cist. t. 77.
61	cànum. DC.	(ye.)	hoary.	———	1772.	6. 7.	F. ♄.	——— t. 56.
62	marifòlium. DC.	(ye.)	Marum-leaved	———	....	——	F. ♄.	Barr. rar. t. 441.
63	pulchéllum. S.C.	(ye.)	neat.	S. Europe.	....	——	H. ♄.	Swt. cist. t. 71.
64	rotundifòlium. DC. *Cístus nummulàrius.* Cav. *non* L.	(ye.)	round-leaved.	Spain.	1826.	——	F. ♄.	Cav. ic. 2. t. 142.
65	crassifòlium. DC.	(ye.)	thick-leaved.	———	——	——	F. ♄.	
66	cinéreum. DC.	(ye.)	gray.	Spain.	....	——	F. ♄.	Cav. ic. 2. t. 141.
67	squammàtum. DC.	(ye.)	scaly.	———	1815.	——	F. ♄.	——— 2. t. 139.
68	lavandulæfòlium. DC.	(ye.)	Lavender-ld.	Levant.	1739.	——	F. ♄.	Barr. ic. t. 288.
	β syríacum. DC.	(ye.)	*Syrian.*	Syria.	——	——	F. ♄.	Jacq. ic. 1. t. 96.
69	stœchadifòlium. DC.	(y.)	woolly-leaved.	Portugal.	1819.	——	F. ♄.	
70	cròceum. DC.	(ye.)	Saffron-coloured.	Spain.	....	——	F. ♄.	Swt. cist. t. 53.
71	nudicáule. DC.	(ye.)	naked-stalked.	———	1826.	——	F. ♄.	
72	gláucum. DC.	(ye.)	glaucous-leaved.	———	1815.	6. 8.	F. ♄.	Cav. ic. 3. t. 261.
73	leptophy'llum. DC.	(ye.)	narrow-leaved.	———	....	7. 8.	F. ♄.	Swt. cist. t. 20.
74	serpyllifòlium. DC.	(ye.)	Serpyllum-ld.	England.	....	5. 9.	H. ♄.	——— t. 60.
75	vulgáre. DC.	(ye.)	common.	Britain.	....	——	H. ♄.	——— t. 34.
	β flóre plèno.	(ye.)	*double-flowered.*	———	....	——	H. ♄.	——— t. 64.
76	surrejànum. DC.	(ye.)	dotted-leaved.	England.	....	7. 10.	H. ♄.	——— t. 28.
	β tomentòsum.	(ye.)	*woolly-leaved.*	———	....	——	H. ♄.	——— t. 34. f. 3.
77	ovàtum. DC.	(ye.)	ovate-leaved.	Geneva.	....	6. 8.	H. ♄.	Viv. frag. 1. t. 8. f. 2.
78	lùcidum. H.	(ye.)	glossy-leaved.	.....	1827.	——	H. ♄.	
79	táuricum. S.C.	(p.y.)	Taurian.	Tauria.	1824.	——	H. ♄.	Swt. cist. t. 105.
80	Andersòni. S.C.	(ye.)	Anderson's.	Hybrid.	1827.	5. 10.	H. ♄.	——— t. 89.
81	grandiflòrum. DC.	(ye.)	large-flowered.	Pyrenees.	1800.	——	H. ♄.	——— t. 69.
82	sampsucifòlium. *Cístus sampsucifólius.*	(p.y.)	rough dwarf. B.M. *non* Cav.	Montpelier.	....	——	H. ♄.	Bot. mag. 1803.
83	nummulàrium. DC.	(ye.)	Money-wort.	———	1752.	——	H. ♄.	Swt. cist. t. 80.
84	angustifòlium. DC.	(ye.)	distinct-petaled.	.....	1800.	——	H. ♄.	Jacq. vind. 3. t. 53.
85	hírtum. DC.	(ye.)	bristly-calyxed.	Spain.	1759.	——	F. ♄.	Swt. cist. t. 109.
86	barbàtum. P.S.	(ye.)	bearded.	S. Europe.	1820.	——	H. ♄.	——— t. 73.
87	eriosépalon. S.C.	(p.y.)	woolly-sepaled.	———	....	——	H. ♄.	——— t. 76.
88	rotàtum.		rotate.	.....	1828.	....	F. ♄.	
89	racemòsum. DC.	(wh.)	long-racemed.	S. Europe.	....	——	F. ♄.	Swt. cist. t. 82.
90	pilòsum. DC.	(wh.)	hairy.	———	1731.	——	F. ♄.	——— t. 49.
91	lineàre. DC.	(wh.)	linear-leaved.	———	1824.	6. 8.	F. ♄.	——— t. 48.

92	virgàtum. DC.	(*p.r.*)	slender.	Barbary.	——	——	F. ♄.	Swt. cist. t. 79.
93	apenninum. DC.	(*wh.*)	Apennine.	Europe.	——	——	H. ♄.	—— t. 62.
94	hispidum. DC.	(*wh.*)	hispid.	S. France.	——	——	H. ♄.	
95	pulveruléntum. DC.	(*w.*)	powdered.	——	....	——	H. ♄.	Swt. cist. t. 29.
96	canéscens. S.C.	(*cr.*)	canescent.	.....	....	——	H. ♄.	—— t. 51.
97	rhodánthum. DC.	(*ro.*)	rose-flowered.	Spain.	....	——	H. ♄.	—— t. 7.
98	diversifòlium. S.C.	(*re.*)	various-leaved.	.....	....	5. 9.	F. ♄.	—— t. 95.
	β multiplex. S.C.	(*re.*)	*full-flowered.*	.....	....	——	F. ♄.	—— t. 98.
99	cùpreum. S.C.	(*co.*)	copper-colour'd.	Hybrid.	....	——	F. ♄.	—— t. 66.
100	versícolor. S.C.	(*p.r.*)	various-colour'd.	——	....	——	H. ♄.	—— t. 26.
101	venústum. S.C.	(*sc.*)	charming.	.....	....	——	H. ♄.	—— t. 10.
	β flòre plèno.	(*sc.*)	*double-flowered.*	.....	....	——	H. ♄.	
102	variegàtum. S.C.	(*r.w.*)	striped-flower'd.	Hybrid.	....	——	F. ♄.	Swt. cist. t. 38.
103	lanceolàtum. S.C.	(*w.*)	spear-leaved.	.....	....	——	H. ♄.	—— t. 100.
104	polifòlium. DC.	(*wh.*)	white-mountain.	England.	....	5. 7.	H. ♄.	—— t. 88.
105	confùsum. S.C.	(*wh.*)	confused.	Europe.	....	——	H. ♄.	—— t. 91.
106	macránthon. S.C.	(*w.*)	great-flowered.	——	....	——	H. ♄.	—— t. 103
	β multiplex. S.C.	(*wh.*)	*full-flowered.*	——	....	——	H. ♄.	—— t. 104.
107	mutábile. DC.	(*p.r.*)	changeable.	Spain.	1795.	6. 7.	H. ♄.	—— t. 106.
108	ròseum. DC.	(*ro.*)	rosy.	S. Europe.	....	——	H ♄.	—— t. 55.
	β multiplex. SC.	(*ro.*)	*double-rose.*	——	....	——	H. ♄.	—— t. 86
109	Milléri. S.C.	(*sa.*)	Miller's.	.....	....	——	H. ♄.	—— t. 101.
110	hyssopifòlium. DC.	(*v.*)	Hyssop-leaved.	Italy.	....	——	F. ♄.	
	α crocèum. S.C.	(*sa.*)	*saffron-colour'd.*	——	....	——	F. ♄.	Swt. cist. t. 92.
	β cùpreum. S.C.	(*co.*)	*copper-coloured.*	——	....	——	F. ♄.	—— t. 58.
	γ multiplex. S.C.	(*co.*)	*full-flowered.*	.....	....	——	F. ♄.	—— t. 72.
111	fœ'tidum. DC.	(*wh.*)	Bryony-scented.	.....	....	——	H. ♄.	Jacq. ic. 1. t. 98.
112	sulphùreum. DC.	(*st.*)	sulphur-color'd.	Spain.	1815.	——	H. ♄.	Swt. cist. t. 37.
113	stramíneum. S.C.	(*st.*)	straw-coloured.	.....	....	——	H. ♄.	—— t. 93.
	β multiplex. S.C.	(*st.*)	*full-flowered.*	.....	....	——	H. ♄.	—— t. 94.
HUDS'ONIA. DC.			HUDS'ONIA.	Dodecandria Monogynia. L.				
1	ericóides. DC.	(*ye.*)	Heath-like.	N. America.	1805.	5. 7.	F. ♄.	Swt. cist. t. 36.
2	tomentòsa. N.	(*ye.*)	tomentose.	——	1826.	6. 8.	F. ♄.	—— t. 57.
LECH'EA. DC.			LECH'EA.	Tri-Dodecandria Trigynia.				
1	villòsa. DC.	(*ye.*)	villous.	Canada.	1780.	7. 8.	H. ♃.	Lam. ill. t. 52. f. 2.
	major. Ph. *non* Lin.		*minor* L. *non* Ph.					
2	minor. DC.	(*ye.*)	lesser.	——	1802.	——	H. ♃.	Lam. ill. t. 52. f. 1.
3	thymifòlia. DC.	(*ye.*)	Thyme-leaved.	N. America.	1823.	——	H. ♃.	

ORDO XX.

VIOLARIEÆ. *DC. prodr.* 1. *p.* 287.

Tribus I. *VIOLEÆ.* DC.

CALY'PTRION. DC.			CALY'PTRION.	Pentandria Monogynia.				
	Aublétii. DC.	(*wh.*)	Aublet's.	S. America.	1820.	....	S. ♄. ⌣.	Aub. gui. 2. t. 319.
	Viola Hybánthus. Aub. *Jonídium Aublétii.* R. S.							
NOISETTIA. DC.			NOISE'TTIA.	Pentandria Monogynia.				
1	longifòlia. DC.	(*wh.*)	long-leaved.	Cayenne.	1822.	....	S. ♄.	Nov. g. am. t. 409. b. f. 2.
	Jonídium longifólium. R. S.							
2	pyrifòlia. Mart.	(*wh.*)	Pear-leaved.	Brazil.	1822.	....	S. ♄. ⌣.	Mart. n. pl. bras. ic.
VIOLA. DC.			VIOLET.	Pentandria Monogynia.				
1	pedàta. DC.	(*bl.*)	cut-leaved.	N. America.	1759.	5. 8.	H. ♃.	Swt. br. fl. gar. t. 69.
2	flabellifòlia. B.C.	(*b.p.*)	fan-leaved.	——	1822.	——	H. ♃.	Lod. bot. cab. 777.
	pedàta β atropurpùrea. DC. *pedàta* var. *bicolor.* Ph.							
3	digitàta. Ph.	(*bl.*)	finger-leaved.	Virginia.	1824.	——	H. ♃.	
4	palmàta. DC.	(*bl.*)	palmated.	——	1752.	5. 6.	H. ♃.	Bot. mag. 535.
5	asarifolia. DC.	(*bl.*)	Asarum-leaved.	——	1823.	——	H. ♃.	
6	papilionàcea. DC.	(*bl.*)	variegated.	——	1800.	——	H. ♃.	
7	obliqua. Ph.	(*bl.*)	oblique-flower'd.	——	1762.	——	H. ♃.	
8	cucullàta. Ph.	(*bl.*)	hollow-leaved.	——	1772.	5. 7.	H. ♃.	Bot. mag. 1795.
9	pinnàta. R.S.	(*pu.*)	winged-leaved.	Europe.	1752.	5. 6.	H. ♃.	All. m. taur. 3. t. 5. f. 2.
10	multífida. R.S.	(*pu.*)	multifid.	Siberia.	——	——	H. ♃.	Gmel. sib. 4. t. 48. f 4.

11	variegàta. DC.	(*pu.*)	variegated-l^{d}.	Dahuria.	1818.	5. 6.	H. ♃.		
12	primulæfòlia. DC.	(*bl.*)	Primrose-l^{d}.	N. America.	1783.	4. 6.	H. ♃.		
13	lanceolàta. DC.	(*wh.*)	spear-leaved.	———	1759.	6. 7.	F. ♃.	Swt. br. fl. gar. 2. t. 174.	
14	Patrínii. DC.	(*bl.*)	Siberian.	Siberia.	....	——	H. ♃.		
15	cæspitòsa. D.P.	(*pu.*)	tufted.	Nepaul.	1825.	5. 8.	F. ♃.		
	Patrínii γ *napaulénsis.* DC. *primulæfolia.* Buch. non L.								
16	palmàris. D.P.	(*ye.*)	long-petioled.	———	——	——	F. ♃.		
17	ovàta. DC.	(*bl.*)	oval-leaved.	N. America.	1822.	——	H. ♃.		
18	sagittàta. DC.	(*b.w.*)	arrow-leaved.	———	1775.	——	H. ♃.		
19	dentàta. Ph.	(*bl.*)	large-toothed.	Pensylvania.	1828.	——	H. ♃.		
20	betonicæfòlia. DC.	(*pu.*)	Betony-leaved.	N. S. W.	1823.	——	F. ♃.		
21	Fischèri.	(*pu.*)	Fischer's.	Siberia.	1823.	5. 7.	H ♃.		
	suávis. F. *non.* M.B.								
22	palústris. DC.	(*pa.*)	marsh.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 444.	
23	blánda. DC.	(*wh.*)	white-flowered.	N. America.	1802.	5. 7.	H. ♃.	W. hort. ber. 1. t. 24.	
24	rotundifòlia. DC.	(*ye.*)	round-leaved.	———	1800.	——	H. ♃.		
25	soròria. W.	(*pu.*)	white-rooted.	———	1802.	4. 6.	H. ♃.	W. hort. ber. 1. t. 72.	
26	áspera. DC.	(*wh.*)	rough.	Nepaul.	1825.	5. 8.	F. ♃.		
27	hírta. E.B.	(*bl.*)	hairy.	England.	....	——	H. ♃.	Eng. bot. 894.	
28	ambígua. R.S.	(*pu.*)	ambiguous.	Danube.	1822.	——	H. ♃.	W. et K. hung. t. 190.	
29	campéstris. M.B.	(*pu.*)	field.	Tauria.	1824.	——	H. ♃.		
30	hirsúta. R.S.	(*bl.*)	hairy-stalked.	Russia.	1824.	1. 12.	H. ♃.		
31	collìna. R.S.	(*li.*)	hill.	Volhynia.	——	5. 8.	H. ♃.		
32	cordàta. S.S.	(*bl.*)	heart-leaved.	N. America.	——	5. 7.	H. ♃.		
33	suávis. M.B.	(*p.b.*)	fragrant.	Siberia.	1823.	3. 5.	H. ♃.		
34	odoràta. DC.	(*vi.*)	sweet-scented.	Britain.	....	3. 10.	H. ♃.	Eng. bot. t. 619.	
	α *violàcea.*	(*vi.*)	*violet-coloured.*	———	....	——	H. ♃.		
	β *rosea.*	(*ro.*)	*rose-coloured.*	———	....	——	H. ♃.		
	γ *alba.*	(*wh.*)	*white-flowered.*	———	....	——	H. ♃.		
	δ *cærùlea.*	(*bl.*)	*blue-flowered.*	———	....	——	H. ♃.		
	ε *purpùreo-plèna.*	(*pu.*)	*double-purple.*	———	....	——	H. ♃.		
	ζ *álbo-plèna.*	(*wh.*)	*double-white.*	———	....	——	H. ♃.		
	η *cærùleo-plèna.*	(*bl.*)	*double-blue.*	———	....	——	H. ♃.		
	θ *pállido-plèna.*	(*p.b.*)	*Neapolitan.*	Naples.	....	——	H. ♃.		
35	uliginòsa. DC	(*pu.*)	fen.	Carniola.	1822.	4. 5.	H. ♃.		
36	mirábilis. DC.	(*w.l.*)	broad-leaved.	Europe.	1732	6. 8.	H. ♃.	Jacq. fl. anst. t. 19.	
37	striàta. DC.	(*st.*)	streaked.	N. America.	1772.	——	H. ♃.		
38	ochroleùca. DC.	(*st.*)	sulphur-color'd.	———	....	——	H. ♃.		
39	canìna. DC.	(*bl.*)	dog's.	Britain.	....	4. 6	H. ♃.	Eng. bot. 620.	
40	sylvéstris. R.S.	(*p.b.*)	wood.	Hungary.	1823.	——	H. ♃.		
41	Riviniàna. S.S.	(*bl.*)	Rivini's.	Europe.	....	4. 6.	H. ♃.		
42	ericetòrum. L.en.	(*bl.*)	heath.	Germany.	1826.	——	H. ♃.		
43	neglécta. R.S.	(*p.b.*)	neglected.	Bohemia.	1824.	——	H. ♃.		
44	débilis. DC.	(*p.b.*)	weak.	N. America.	1820.	——	H. ♃.		
45	arenària. DC.	(*bl.*)	sand.	Europe.	——	——	H. ♃.	Pio viol. p. 20. t. 1. f. 2.	
	Allionii. R.S. *nummulariſolia.* Schl.								
46	gláuca. M.B.	(*pu.*)	glaucous.	Russia.	1820.	——	H. ♃.		
47	pùmila. DC.	(*p.b.*)	small.	Europe.	——	——	H. ♃.	Vill. c. stras. t. 5.	
48	flavicórnis. E.F.	(*bl.*)	yellow-spurred.	Britain.	....	5. 7.	H. ♃.	Raii synops. t. 24. f. 1.	
49	montàna. S.S.	(*bl.*)	mountain.	Europe.	1683.	5. 6.	H. ♃.	Bot. mag. 1595.	
50	stricta. H.	(*p.b.*)	upright.	———	1822.	——	H. ♃.		
	Hornemanniana. R.S.								
51	persicifòlia. S S.	(*bl.*)	Peach-leaved.	S. Europe.	1818.	——	H. ♃.	Schkuhr hand. 3. t. 269.	
52	láctea. R.S.	(*pa.*)	cream-coloured.	England.	....	——	H. ♃.	Eng. bot. 445.	
53	Rúppii. S.S.	(*pa.*)	Piedmont.	Piedmont.	1820.	——	H. ♃.	Lodd. bot. cab. 686.	
54	Broussonetiàna. R.S.		Broussonet's.	Teneriffe.	1825.	——	G. ♄.		
55	arboréscens. DC.	(*pa.*)	shrubby.	S. Europe.	1779.	4. 5.	G. ♄.	Barr. ic. 568.	
56	epípsila. S.S.	(*p.b.*)	creeping.	Siberia.	1821.	4. 6.	H. ♃.		
57	fennìca. F.	(*bl.*)	Siberian.	———	1827.	——	H. ♃.		
58	Selkírkii. DC.	.....	Selkirk's.	Montreal.	1823.	——	H. ♃.		
59	py'gmæa. DC.	(*p.b.*)	pigmy.	Andes.	1822.	7. 11.	H. ♃.		
60	biflòra. DC.	(*ye.*)	two-flowered.	Europe.	1752.	——	H. ♃.	Flor. dan. 46.	
61	Nuttállii. DC.	(*ye.*)	Nuttal's.	N. America.	1812.	5. 6.	H. ♃.		
62	hastàta. DC.	(*ye.*)	hastate.	———	1823.	5. 7.	H. ♃.		
63	albiflòra. L. en.	(*wh.*)	white-flowered.	———	....	——	H. ♃.		
64	canadénsis. DC.	(*w.r.*)	Canadian.	———	1783.	——	H. ♃.		
65	pubéscens. DC.	(*ye.*)	downy.	———	1772.	6. 7.	H. ♃.	Swt. br. fl. gar. 223.	
66	eriocárpa. DC.	(*ye.*)	woolly-capsul'd.	———	1820.	——	H. ♃.	——— 102.	
67	unifiòra. DC.	(*ye.*)	Siberian.	Siberia.	1774.	——	H. ♃.	Gmel. sib. 4. t. 48. f. 5.	

68 chrysántha. Scr.	(*ye.*)	golden-flowered.....		1823.	5. 8.	H. ♃.	
69 nummulariifólia. DC.	(*b.*)	money-wort.	Piedmont.	——	——	H. ♃.	All.ped.n.1640.t.9.f.4.
70 alpina. DC.	(*pu.*)	alpine.	Austria.	1826.	——	H. ♃.	Jacq. obs. 1. t. 11.
71 cornùta. DC.	(*bl.*)	horned.	Pyrenees.	1776.	5. 6.	H. ♃.	Bot. mag. 791.
72 cenísia. DC.	(*bl.*)	Mount-Cenis.	Switzerland.	1759.	6. 7.	H. ♃.	All. ped. 2. t. 22. f. 6.
73 valdéria. R.S.	(*pu.*)	fringed-leaved.	————	1805.	5. 6.	H. ♃.	———— 2. t. 24. f. 3.
74 calcaràta. R.S.	(*bl.*)	spurred.	Europe.	1752.	3. 6.	H. ♃.	
75 Villarsiàna. R.S.	(*bl.*)	Villars's.	S. France.	....	——	H. ♃.	Vill. cat. arg. t. 5.
76 Zóysii. R.S.	(*ye.*)	crenated.	Europe.	....	7. 9.	H. ♃.	Jacq. coll. 4. t. 11. f. 1.
77 atroe'na. DC.	(*pu.*)	purple.	Scotland.	....	5. 8.	H. ♃.	
78 altáica. DC. *grandiflòra.* L. *non* DC.	(*ye.*)	Tartarian.	Altay.	1805.	3. 6.	H. ♃.	Bot. reg. 54.
β purpùrea. DC.	(*pu.*)	*purple-flowered.*	Altay.	....	3. 6.	H. ♃.	Swt. br. fl. gar. ic.
79 prostràta. R.S.	(*st.*)	prostrate.	Teneriffe.	1824.	——	H. ⊙.	
80 sudética. W.en. *grandiflòra.* DC.	(*ye.*)	large-flowered. fl. fr. 5. p. 620.	Europe.	....	5. 8.	H. ♃.	
81 lùtea. E.B.	(*ye.*)	large yellow.	Britain.	....	5. 8.	H. ♃.	Eng. bot. 721.
82 saxátilis. R.S.	(*st.*)	rock.	Bohemia.	1824.	——	H. ♃.	Swt. br. fl. gar. t.
83 rothomagénsis. DC.	(*b.*)	Rouen.	France.	1788.	——	H. ♃.	Bot. mag. 1496.
84 tricolor. R.S.	(*b.y.*)	Heart's-ease.	Britain.	....	4. 11.	H. ♂.	Œd. fl. dan. t. 623.
85 bannática. R.S.	(*st.*)	intermediate.	Hungary.	....	5. 8.	H. ⊙.	
86 arvénsis. R.S.	(*st.*)	corn.	Britain.	....	——	H. ⊙.	
87 declinàta. R.S.	(*bl.*)	declined.	Hungary.	1820.	——	H. ♂.	W. et K. hung. 3. t. 223.
88 Kitaibeliàna. R.S.	(*st.*)	Kitaibel's.	Switzerland.	1824.	4. 6.	H. ⊙.	

ERPE'TION B.F.G. SPURLESS VIOLET. Pentandria Monogynia.

1 hederàceum. *Viola hederàcea.* Lab.	(*b.w.*)	Ivy-leaved.	V. Diem. Isl.	1825.	5. 9.	F. ♃.	Lab. nov. holl. 1. t. 91.
2 reniförme. B.F.G. *Viola reniförmis.* B.	(*b.w.*)	kidney-leaved.	N. S. W.	1823.	——	F. ♃.	Swt. br. fl. gar. 170.

SO'LEA. DC. SO'LEA. Pentandria Monogynia.

cóncolor. DC.	(*gr.*)	green-flowered.	N. America.	1788.	6. 7.	H. ♃.	Linn. trans. 6. t. 28.

POMB'ALIA. DC. POMB'ALIA. Pentandria Monogynia.

Itubu. DC.	(*wh.*)	white Ipecacuanha.	Brazil.	1822.	7. 8.	S. ♃.	H. et B. 5. t. 496. f. 2.
β calceolària. *Jonidium Ipecacuánha.* β. B.M. 2453.	(*wh.*)	*villous-stemmed.*	————	——	——	S. ♃.	Bot. mag. 2453

JONI'DIUM. DC. JONI'DIUM. Pentandria Monogynia.

1 stríctum. DC.	(*wh.*)	upright.	St. Domingo.	1820.	....	S. ♃.		
2 polygalæfólium. DC.	(*st.*)	Milkwort-l^d.	S. America.	1797.	4. 8.	G. ♃.	Vent. malm. 27.
3 verbenàceum. DC.	(*p.b.*)	Vervain-like.	————	1822.	6. 8.	H. ⊙.	H. et B. V. 379. t. 497.

Tribus II. *ALSODINEÆ.* DC.

ALSODE'IA. DC. ALSODE'IA. Pentandria Monogynia.

1 arbórea. DC.	(*wh.*)	tree.	Madagascar.	1823.	....	S. ♄.		
2 latifólia. DC.	(*wh.*)	broad-leaved.	————	——	....	S. ♄.	Pet.Th.veg.af.t.18.f.2.

CERA'NTHERA. DC. CERA'NTHERA. Pentandria Monogynia.

dentàta. DC.	(*wh.*)	toothed.	Sierra Leone.	1822.	....	S. ♄.	Beauv. fl. d'ow. 2. t. 65.	

Tribus III. *SAUVAGEÆ.* DC.

SAUVAG'ESIA. DC. SAUVAG'ESIA. Pentandria Monogynia.

1 erécta. DC.	(*wh.*)	upright.	S. America.	1823.	7. 9.	S. ⊙.	Jacq. am. pict. t. 77.	
2 nùtans. DC.	(*wh.*)	nodding.	Madagascar.	——	——	S. ⊙.		

ORDO XXI.

DROSERACEÆ. *DC. prodr.* 1. *p.* 317.

DR'OSERA. DC. SUNDEW. Pentandria Pentagynia. L.

1 acáulis. DC.	(*wh.*)	stalkless.	C. B. S.	1821.	7. 8.	G.*w.* ♃.		
2 pauciflòra. DC.	(*wh.*)	few-flowered.	————	——	——	G.*w.* ♃.		

3	cuneifòlia. DC.	(*w.r.*)	wedge-leaved.	C. B. S.	1824.	6. 8.	G.*w.* ♃.	
	α alba.	(*wh.*)	*white-flowered.*	———	——	——	G.*w.* ♃.	
	β rubra.	(*re.*)	*red-flowered.*	———	——	——	G.*w.* ♃.	
4	rotundifòlia. DC.	(*wh.*)	round-leaved.	Britain.	....	7. 8.	H.*w.* ♃.	Eng. bot. 867.
5	longifòlia. L.	(*wh.*)	intermediate.	England.	....	——	H.*w.* ♃.	——— 868.
	intermèdia. DC.							
6	americàna. W.en.	(*wh.*)	American.	N. America.	1824.	——	H.*w.* ♃.	
7	ánglica. DC.	(*wh.*)	great.	———	....	——	H.*w.* ♃.	Eng. bot. 869.
	longifòlia. D. et H. 3. t. 75. A.							
8	lineàris. DC.	(*wh.*)	linear-leaved.	N. America.	1822.	5. 6.	H.*w.* ♃.	
9	filifórmis. Ph.	(*pu.*)	thready-leaved.	———	1811.	——	H.*w.* ♃.	
ALDROVA'NDA. DC.			ALDROVA'NDA.	Pentandria Pentagynia. L.				
	vesiculòsa. DC.	(*wh.*)	whorl-leaved.	S. Europe.	1826.	6. 8.	H.*w.* ☉.	Lam. ill. t. 220.
B'YBLIS. DC.			B'YBLIS.	Pentandria Monogynia.				
	liniflòra. DC.	(*bl.*)	blue-flowered.	N. S. W.	1803.	5. 6.	G.*w.* ♃.?	Salisb. par. 95.
DION'ÆA. DC.			DION'ÆA.	Decandria Monogynia. L.				
	Muscípula. DC.	(*wh.*)	Venus Flytrap.	Carolina.	1768.	7. 8.	G. ♃.	Bot. mag. 785.
PARNA'SSIA. DC.			PARNA'SSIA.	Pentandria Tetragynia. L.				
1	palústris. DC.	(*wh.*)	marsh.	Britain.	....	7. 8.	H.*w.* ♃.	Eng. bot. 82.
2	parviflòra. DC.	(*wh.*)	small-flowered.	N. America.	....	5. 6.	H.*w.* ♃.	
3	caroliniàna. DC.	(*wh.*)	Carolina.	Carolina.	1802.	5. 8.	H.*w.* ♃.	Bot. mag. 1459.
4	asarifòlia. DC.	(*wh.*)	Asarum-leaved.	N. America.	1812.	7. 8.	H.*w.* ♃.	Vent. malm. t. 39.

ORDO XXII.

POLYGALEÆ. *DC. prodr.* 1. *p.* 231.

POLY'GALA. DC.			MILKWORT.	Diadelphia Octandria. L.				
1	oppositifòlia. DC.	(*pu.*)	opposite-leav'd.	C. B. S.	1790.	1. 12.	G. ♄.	Bot. reg. 686.
2	cordifòlia. DC.	(*pu.*)	heart-leaved.	———	1791.	——	G. ♄.	
3	tetragòna. DC.	(*pu.*)	square-stalked.	———	1820.	——	G. ♄.	
	attenuàta. Lod. bot. cab. 1000. *oppositifolia β màjor.* B.R. 1146.							
4	nummulària. DC.	(*pu.*)	Moneywort-l^{d}.	C. B. S.	1812.	——	G. ♄.	
5	latifòlia. B.R.	(*pu.*)	broad-leaved.	———	1820.	——	G. ♄.	Bot. reg. 645.
	cordifòlia. B.M. *non* DC.							
6	borboniæfòlia. DC.	(*p.*)	Borbonia-leav'd.	———	1790.	——	G. ♄.	
	oppositifòlia. B.M. *non* DC.							
7	grandiflòra. B.C.	(*pu.*)	large-flowered.	———	1825.	4. 9.	G. ♄.	Lodd. bot. cab. 1227.
8	myrtifòlia. DC.	(*pu.*)	Myrtle-leaved.	———	1707.	5. 8.	G. ♄.	Bot. reg. 669.
9	ligulàris. DC.	(*pu.*)	ligulate-leaved.	———	1820.	——	G. ♄.	——— 637.
10	intermèdia. DC.	(*pu.*)	intermediate.	———	....	5. 10.	G. ♄.	
11	bracteolàta. DC.	(*pu.*)	spear-leaved.	———	1713.	——	G. ♄.	Bot. mag. 345.
12	Linkiàna.	(*pu.*)	slender-leaved.	———	1820.	——	G. ♄.	
	tenuifòlia. L. en. *non* W.							
13	umbellàta.	(*pu.*)	hispid-stalked.	———	——	——	G. ♄.	Burm. afr. t. 73. f. 5.
14	Burmánni. DC.	(*pu.*)	Burman's.	———	....	——	G. ♄.	——— t. 73. f. 4.
15	simplex. DC.	(*pu.*)	simple-stalked.	———	1820.	——	G. ♄.	
16	affinis. DC.	(*pu.*)	blunt-leaved.	———	1825.	6. 9.	G. ♄.	
17	speciòsa. DC.	(*pu.*)	showy.	———	1814.	——	G. ♄.	Bot. reg. 150.
18	teretifòlia. DC.	(*pu.*)	columnar-l^{d}.	———	1791.	5. 8.	G. ♄.	Andr. rep. 370.
19	Garcìni. DC.	(*pu.*)	slender-branch'd	———	....	5. 10.	G. ♄.	Burm. afr. t. 73. f. 3.
20	màjor. DC.	(*pu.*)	large Austrian.	Austria.	1739.	7. 8.	H. ♃.	Jacq. aust. 5. t. 413.
21	vulgàris. DC.	(*va.*)	common.	Britain.	....	5. 7.	H. ♃.	Eng. bot. 76.
	α vèra. DC.	(*r.b.*)	*true.*	———	....	——	H. ♃.	Flor. dan. t. 516.
	β pubéscens. DC.	(*r.b.*)	*pubescent.*	———	....	——	H. ♃.	
	γ elàta. DC.	(*r.b.*)	*tall.*	———	....	——	H. ♃.	Schk. handb. t. 194.
	δ Verviàna. DC.	(*wh.*)	*white-flowered.*	———	....	——	H. ♃.	
	ε acutifòlia. DC.	(*bl.*)	*blue-flowered.*	———	....	——	H. ♃.	
	ζ angustifòlia. DC.	(*ro.*)	*rose-coloured.*	———	....	——	H. ♃.	
	η grandiflòra. DC.	(*re.*)	*red-flowered.*	———	....	——	H. ♃.	
22	amàra. DC.	(*bl.*)	bitter.	Europe.	1775.	——	H. ♃.	Bot. mag. 2437.
23	monspelìaca. DC.	(*fl.*)	Montpelier.	Montpelier.	1823.	6. 9.	H. ☉.	DC. ic. rar. 1. t. 9.
24	incarnàta. DC.	(*fl.*)	flesh-coloured.	N. America.	1812.	6. 7.	H. ☉.	
25	cruciàta. DC.	(*ro.*)	four-leaved.	———	1739.	——	H. ☉.	
26	brevifòlia. DC.	(*re.*)	short-leaved.	———	1824.	——	H. ☉.	
27	fastigiàta. DC.	(*re.*)	close-branched.	———	——	——	H. ☉.	

28 lùtea. DC.	(*ye.*)	golden.	N. America.	1739.	6. 7.	H. ☉.	Pluk. am. t. 438. f. 6.
29 nàna. DC.	(*gr.*)	dwarf.	———	1815.	7. 8.	H. ☉.	
30 purpùrea. DC. *sanguínea.* Mich.	(*ro.*)	purple.	———	1739.	7. 9.	H. ☉.	
31 sanguínea. DC.	(*cr.*)	bloody.	———	——	——	H. ☉.	
32 ambígua. DC.	(*pu.*)	ambiguous.	———	1824.	6. 7.	H. ☉.	
33 verticillàta. DC.	(*w.r.*)	whorl-leaved.	———	1739.	——	H. ☉.	Pluk. am. t. 438. f. 4.
34 paniculàta. DC.	(*pu.*)	panicled.	S. America.	1822.	7. 10.	S. ☉.	Bot. reg. 761.
35 graminifòlia. DC.	(*st.*)	grass-leaved.	N. America	——	6. 7.	F. ♃.	
36 álba. N.	(*wh.*)	white-flowered.	Louisiana.	1827.	6. 7.	H. ♃.	
37 rubélla. DC.	(*re.*)	reddish.	N. America.	1828.	——	H. ♃.	
38 Sénega. DC.	(*bk.*)	Rattlesnake-rt.	———	1739.	——	H. ♃.	Bot. mag. 1051.
39 paucifòlia. DC.	(*pu.*)	naked-stalked.	———	1791.	5. 6.	H. ♃.	——— 2852.
40 commutàta. *purpùrea.* H.K. nec aliorum.	(*pu.*)	frutescent.	———	——	——	H. ♄.	
41 Chamæbúxus. DC.	(*w.*)	Box-leaved.	Europe.	1658.	——	H. ♄.	Bot. mag. 316.
SALOM'ONIA. DC.		SALOM'ONIA.	Monadelphia Tetrandria.				
cantoniénsis. DC.	(*wh.*)	Canton.	China.	1824.	6. 8.	H. ☉.	
COMESPE'RMA. DC.		COMESPE'RMA.	Monadelphia Octandria.				
1 ericìna. DC.	(*pu.*)	Heath-like.	N. S. W.	1822.	5. 8.	G. ♄.	
2 virgàta. DC.	(*pu.*)	twiggy.	———	1826.	——	G. ♄.	Lab. nov. holl. 2. t. 159.
3 coridifòlia. F.T.	(*pu.*)	Coris-leaved.	———	1822.	——	G. ♄.	
MURA'LTIA. DC.		MURA'LTIA.	Diadelphia Octandria. L.				
1 Heistèria. DC. *Poly'gala Heistèria.* B.M.	(*pu.*)	Furze-leaved.	C. B. S.	1787.	1. 12.	G. ♄.	Bot. mag. 340.
2 alopecuróides. DC. *Poly'gala alopecuróides.* B.M.	(*p.*)	Fox-tail.	———	1800.	5. 8.	G. ♄.	Bot. mag. 1006.
3 squarròsa. DC.	(*li.*)	squarrose.	———	1821.	——	G. ♄.	
4 stipulàcea. DC.	(*pu.*)	stipuled.	———	1801.	4. 9.	G. ♄.	Bot. mag. 1715.
5 juniperifòlia. DC.	(*re.*)	Juniper-leaved.	———	....	——	G. ♄.	
6 diffùsa. DC.	(*li.*)	diffuse.	———	1800.	1. 12.	G. ♄.	
7 vírgata. DC.	(*pu.*)	twiggy.	———	——	——	G. ♄.	
8 linophy'lla. DC.	(*pu.*)	Flax leaved.	———	1812.	5. 8.	G. ♄.	
9 macrocèras. DC.	(*pu.*)	long-horned.	———	——	——	G. ♄.	
10 mixta. DC. *Poly'gala mixta.* B.M.	(*li.*)	Heath-leaved.	———	1791.	1. 12.	G. ♄.	Bot. mag. 1714.
α rùbra.	(*li.*)	*pale red.*	———	——	——	G. ♄.	
β álba.	(*wh.*)	*white-flowered.*	———	——	——	G. ♄.	
11 ciliàris. DC.	(*li.*)	ciliated.	———	1822.	5. 7.	G. ♄.	
12 hùmilis. DC. *Poly'gala hùmilis.* B.C.	(*pu.*)	humble.	———	1817.	5. 8.	G. ♄.	Lodd. bot. cab. 420.
13 pubéscens. DC.	(*li.*)	pubescent.	———	1823.	——	G. ♄.	
MU'NDIA. DC.		MU'NDIA.	Diadelphia Octandria. L.				
spinòsa. DC.	(*li.*)	spiny.	C. B. S.	1780.	1. 5.	G. ♄.	
α latifòlia. DC.	(*li.*)	*broad-leaved.*	———	——	——	G. ♄.	
β angustifòlia. DC.	(*li.*)	*narrow-leaved.*	———	——	——	G. ♄.	
SECURID'ACA. DC.		SECURID'ACA.	Diadelphia Octandria. L.				
1 virgàta. DC.	(*v.*)	slender.	Jamaica.	1822.	....	S ♄. ⌣.	Plum. ed. Bur. t. 248. f. 1
2 volubilis. DC	(*re.*)	climbing.	W. Indies.	1739.	....	S. ♄. ⌣.	Jacq. amer. t. 183. f. 38.
3 erécta. DC.	(*pu.*)	upright.	———	1824	....	S. ♄.	——— t. 183. f. 39.
4 paniculàta. DC.	(*st.*)	panicled.	Cayenne.	1820.	....	S. ♄.	Lam. ill. t. 599. f. 2.

ORDO XXIII.

TREMANDREÆ. *DC. prodr.* 1. *p.* 343.

TETRATH'ECA. DC.		TETRATH'ECA.	Octandria Monogynia.					
1 júncea. DC.	(*w.p.*)	rushy.	N. S. W.	1803.	7. 8.	G. ♄.	Sm. nov. hol. 1. t 2.
2 glandulòsa. DC.	(*re.*)	glandular.	V. Diemen.	1822.	——	G. ♄.	Lab. nov. hol. 1. t. 123.
3 pilòsa. DC. *glandulòsa.* Ex. bot. 21.	(*re.*)	hairy.	———	——	——	G. ♄.	——— 1. t. 122.
4 ericifòlia. DC.	(*r.w.*)	Heath-leaved.	N. S. W.	——	——	G. ♄.	Sm. exot. bot. t. 20.
5 rubiæóides. F.T.	(*ro.*)	Rubia-like.	———	1823.	6. 8.	G. ♄.	

ORDO XXIV.

PITTOSPOREÆ. *DC. prodr.* 1. *p.* 345.

BILLARDIE'RA. DC. Apple-Berry. Pentandria Monogynia. L.

1	scándens. DC.	(*st.*)	downy-fruited.	N. S. W.	1790.	6. 8.	G	♄.◡.	Swt. fl. aust. t. 54.
2	mutábilis. DC.	(*p.s.*)	changeable.	———	1795.	5. 9.	G.	♄.◡.	Bot. mag. 1313.
3	longiflòra. DC.	(*st.*)	blue-fruited.	V. Diemen.	1810.	——	G.	♄.◡.	——— 1507.
4	fusiformis. DC.	(*bl.*)	long-fruited.	———	1822.	——	G.	♄.◡.	Lab. nov. holl. t. 90.
5	angustifòlia. DC.	(*st.*)	narrow-leaved.	N. S. W.	——	——	G.	♄.◡.	

PITTO'SPORUM. DC. Pitto'sporum. Pentandria Monogynia. L.

1	coriàceum. DC.	(*wh.*)	thick-leaved.	Madeira.	1787.	5. 6.	G.	♄.	Andr. rep. 151.
2	viridiflòrum. DC.	(*gr.*)	green-flowered.	C. B. S.	1806.	——	G.	♄.	Bot. mag. 1684.
3	Tobìra. DC.	(*wh.*)	glossy-leaved.	China.	1804.	3. 8.	G.	♄.	——— 1396.
4	undulàtum. DC.	(*wh.*)	wave-leaved.	N. S. W.	1789.	2. 6.	G.	♄.	Bot. reg. 16.
5	revolùtum. DC.	(*st.*)	revolute-leaved.	———	1795.	6. 7.	G.	♄.	——— 186.
6	tomentòsum. DC.	(*st.*)	woolly-leaved.	N. Holland.	1825.	6. 7.	G.	♄.	Swt. fl. aust. t. 33.
7	fúlvum. DC.	(*st.*)	tawny.	N. S. W.	1824.	1. 5.	G.	♄.	——— t. 25.
8	tenuifòlium. G.	(*st.*)	Willow-leaved.	———	1818.	——	G.	♄.	Gært. fr. 1. t. 59.
9	ferrugíneum. DC.	(*st.*)	rusty-leaved.	Guinea.	1787.	2. 5.	S.	♄.	Bot. mag. 2075.

BURSA'RIA. DC. Burs'aria. Pentandria Monogynia. L.

	spinòsa. DC.	(*wh.*)	thorny.	N. S. W.	1793.	8. 12.	G.	♄.	Bot.. mag. 1767.
	Itea spinosa. And. rep. t. 314.								

SEN'ACIA. DC. Sen'acia. Pentandria Monogynia. L.

1	undulàta. DC.	(*wh.*)	wave-leaved.	Mauritius.	1785.	....	S.	♄.	
2	nepalénsis. DC.	(*wh.*)	flat-leaved.	Nepaul.	1826.	....	G.	♄.	

ORDO XXV.

FRANKENIACEÆ. *DC. prodr.* 1. *p.* 349.

FRANK'ENIA. DC. Sea Heath. Hexandria Monogynia. L.

1	pulverulénta. DC.	(*re.*)	powdery.	England.	....	7.	H.	↯.	Eng. bot. 2222.
2	nodiflòra. DC.	(*re.*)	knotted-flow'r'd.	C. B. S.	1818.	6. 8.	G.	↯.	Lam. ill. t. 262. f. 4.
3	Nóthria. DC.	(*re.*)	Cape.	———	1816.	——	G.	↯.	Berg. cap. 171. t. 1. f. 2.
	Nóthria répens. Berg.								
4	læ'vis. DC.	(*re.*)	smooth.	England.	....	7. 8.	H.	↯.	Eng. bot. 205.
5	intermèdia. DC.	(*re.*)	sea-side.	S. Europe.	1820.	6. 8.	H.	↯.	Mich. gen. t. 22. f. 2.
	hirsùta. var. *calábrica.* L.								
6	hispida. DC.	(*re.*)	hairy.	Siberia.	1789.	——	H.	↯.	Flor. græc. t. 313.
	hirsùta. var. *crética.* L.								
7	ericifòlia. DC.	(*re.*)	Heath-leaved.	Canaries.	1815.	——	G.	♄.	
8	pauciflòra. DC.	(*ro.*)	few-flowered.	N. Holland.	1825.	8. 10.	G.	♄.	

ORDO XXVI.

CARYOPHYLLEÆ. *DC. prodr.* 1. *p.* 351.

Tribus I. *SILENEÆ.* DC.

GYPSO'PHILA. DC. Gypso'phila. Decandria Digynia. L.

1	Struthium. DC.	(*wh.*)	fleshy-leaved.	Spain.	1729.	7. 8.	H.	↯.	Barr. ic. 64. t. 119.
2	fastigiàta. DC.	(*wh.*)	angular-leaved.	Europe.	1759.	6. 7.	H.	↯.	Gmel. sib. 4. t. 61. f. 1.
3	dichótoma. DC.	(*wh.*)	forked.	Galicia.	1826.	6. 8.	H.	↯.	
4	arenària. DC.	(*wh.*)	sand.	Hungary.	1801.	7. 8.	H.	↯.	W. et. K. hung. t. 41.
5	viscòsa. DC.	(*bh.*)	clammy.	Levant.	1773.	6. 8.	H.	⊙.	Mur. c. got. 1783. t. 3.
6	altíssima. DC.	(*wh.*)	upright.	Siberia.	1759.	7. 8.	H.	↯.	Gmel. sib. 4. t. 60.
7	latifòlia. F.	(*wh.*)	broad-leaved.	———	1824.	6. 9.	H.	↯.	

8 perfoliàta. DC.	(wh.)	perfoliate.	Spain.	1732.	6. 9.	H. ♃.	Dill. elt. t. 276.
β *tomentòsa.* DC.	(wh.)	*woolly.*	Tauria.	——	——	H. ♃.	Barr. ic. t. 1002.
9 scorzonerifòlia. DC.	(w.)	Scorzonera-l^d.	——	1823.	——	H. ♃.	
10 acutifòlia. DC.	(wh.)	sharp-leaved.	Caucasus.	1821.	——	H. ♃.	
11 paniculàta. DC.	(wh.)	panicled.	Siberia.	1759.	6. 7.	H. ♃.	Jacq. aust. 5. t. app. 1
12 adscéndens. DC.	(wh.)	ascending.	Levant.	1819.	——	H. ♃.	Jacq. h. vind. 2. t. 138.
13 élegans. DC.	(bh.)	elegant.	Tauria.	1820.	6. 8.	H. ☉.	Swt. br. fl. gar.
14 Stevèni. DC.	(wh.)	Steven's.	Iberia.	1817.	——	H. ♃.	
15 tenuifòlia. DC.	(ro.)	slender-leaved.	Caucasus.	1824.	——	H. ♃.	
16 répens. DC.	(wh.)	creeping.	Pyrenees.	1774.	7. 9.	H. ♃.	Bot. mag. 1448.
17 dùbia. DC	(wh.)	doubtful.	.....	1815.	5. 9.	H. ♃.	
18 prostràta. DC.	(bh.)	trailing.	Siberia.	1759.	7. 9.	H. ♃.	Bot. mag. 1281.
19 muràlis. DC.	(li.)	wall.	Europe.	1739.	6. 10.	H. ☉.	Flor. græc. t. 381.
20 serotìna. W. en.	(wh.)	late-flowering.	Magdeburg.	1816.	——	H. ☉.	
21 glomeràta. DC.	(wh.)	round-headed.	Tauria.	1804.	6. 7.	H. ♃.	
22 saxífraga. DC.	(bh.)	small.	Germany.	1774.	7. 8.	H. ♃.	Exot. bot. 2. t. 90.
23 rígida. L.	(li.)	rigid.	France.	1760.	6. 8.	H. ♃.	Flor. græc. t. 382.
DIANTHUS. DC.		Pink. Decandria Digynia.		L.			
1 prolífer. DC.	(ro.)	proliferous.	England.	....	7. 8.	H. ☉.	Eng. bot. 956.
2 diminùtus. W.	(ro.)	small-flowered.	S. Europe.	1771.	——	H. ☉.	
3 Armèria. DC.	(re.)	Deptford.	England.	....	7. 9.	H. ☉.	Eng. bot. 317.
4 pseùdo-armèria.	(re.)	canescent.	Tauria.	1820.	——	H. ♃.	Bot. mag. 2288.
5 armerioídes. DC.	(re.)	Thrift-like.	New Jersey.	——	——	H. ☉.	
6 barbàtus. DC.	(va.)	Sweet-William.	Germany.	1573.	6. 7.	H. ♃.	Bot. mag. 207.
β *flòre plèno.*	(va.)	*double.*	——	——	——	H. ♃.	
7 latifòlius. DC.	(cr.)	broad-leaved.	.....	....	5. 11.	H. ♃.	Swt. br. fl. gar. t. 2.
8 aggregàtus. DC.	(re.)	clustered.	.....	1820.	6. 8.	H. ♃.	
9 japònicus. DC.	(re.)	Japanese.	China.	1804.	6. 10.	F. ♃.	Thunb. jap. t. 28.
10 cephalòtes. DC.	(re.)	close-headed.	.....	....	6. 9.	H. ♃.	
11 capitàtus. DC.	(re.)	headed.	Tauria.	1794.	6. 7.	H. ♃.	
12 polymórphus. DC.	(re.)	variable.	——	1820.	6. 8.	H. ♃.	
13 diútinus. L.en.	(re.)	pedicled.	Hungary.	——	——	H. ♃.	Swt. br. fl. gar.
14 Balbísii. DC.	(re.)	Balbis's.	Genoa.	1827.	7. 10.	H. ♃.	Swt. br. fl. gar.
glaucophýllus. H.							
15 gigánteus. DC.	(re.)	gigantic.	Bulgaria.	——	6. 10.	H. ♃.	Swt. br. fl. gar. 288.
16 ferrugíneus. DC.	(st.)	rusty.	Pyrenees.	1756.	7. 9.	H. ♃.	Barr. ic. t. 497.
17 Carthusianòrum. DC.	(re.)	Carthusian.	Europe.	1573.	——	H. ♃.	Flor. græc. t. 392.
18 atrorùbens. All.	(re.)	dark-red.	Ita y.	1802.	——	H. ♃.	Jacq. ic. 3. t. 467.
19 nànus.	(cr.)	dwarf.	Switzerland.	1820.	——	H. ♃.	
Carthusiandrum γ *nanus.* DC.							
20 arbòreus. DC.	(re.)	arborescent.	Crete.	——	——	F. ♄.	Flor. græc. t. 406.
21 juniperìnus. DC.	(re.)	Juniper-leaved.	Greece.	1825.	——	F. ♄.	
22 fruticòsus. DC.	(re.)	frutescent.	Crete.	1815.	6. 9.	F. ♄.	Flor. græc. t. 407.
23 suffruticòsus. DC.	(re.)	shrubby.	.....	1804.	6. 7.	F. ♄.	
24 rupícola. DC.	(ro.)	Sicilian.	Sicily.	1825.	6. 8.	H. ♃.	Ten. fl. napol. t. 89.
Bisignàni. T.							
25 caroliniànus. DC.	(re.)	Carolina.	N. America.	1811.	6. 9.	F. ♃.	
26 caryophylloídes. DC.	(re.)	Clove-like.	.....	1827.	——	H. ♃.	
27 àsper. W. en.	(re.)	rough-stalked.	Switzerland.	1802.	7. 8.	H. ♃.	
28 collìnus. W. en.	(re.)	hill.	Hungary.	1800.	7. 9.	H. ♃.	Parad. lond. 62.
29 umbellàtus. DC.	(re.)	umbelled.	.....	1825.	——	H. ♃.	
30 campéstris. DC.	(re.)	field.	Tauria.	1815.	7. 8.	H. ♃.	Bot. mag. 1876.
31 alpéstris. DC.	(re.)	pasture.	——	1820.	——	H. ♃.	Balb. act. taur. 7. t. 1.
32 nítidus. DC.	(re.)	glossy.	Hungary.	1821.	6. 8.	H. ♃.	W. et K. hung. 2. t. 191.
33 hírtus. DC.	(re.)	hairy.	Dauphiny.	——	——	H. ♃.	Vill. delph. 3. t. 46.
34 guttàtus. DC.	(pu.)	spotted.	Caucasus.	1816.	7. 9.	H. ♃.	
35 versícolor. DC.	(s.r)	various-colour'd	Russia.	1821.	——	H. ♃.	
36 praténsis. DC.	(st.)	meadow.	Tauria.	——	6. 8.	H. ♃.	
ochroleùcus. L.en. *non* P. S. *tataricus.* F.							
37 chinénsis. DC.	(va.)	China.	China.	1713.	7. 9.	H. ♂.	Bot. mag. 28.
β *flòre-plèno.*	(va.)	*double-flowered.*	——	....	——	H. ♂.	
38 montànus. DC.	(pu.)	mountain.	Caucasus.	1803.	6. 9.	H. ♃.	Bot. mag. t. 1162.
discolor. B.M.							
39 ochroleùcus. DC.	(st.)	straw-coloured.	Levant.	1821.	——	H. ♃.	
40 Caryophy'llus. DC.	(va.)	Clove.	England.	....	6. 8.	H. ♃.	Eng. bot. 214.
β *multiplex,*	(cr.)	*double Clove.*	.....	....	——	H. ♃.	
γ *rùbro-cinctus.*	(wh.)	*Hogg's Beauty of Middlesex Picotee.*		——	H. ♃.	Swt. flor. guid. 70.
δ *inimitàbilis.*	(w.c.)	*Hird's Inimitable Picotee.*	....	——	H. ♃.	—— t. 50.
ε *striàtulus.*	(y.r.)	*Rosalie de Rohan Picotee.*	....	——	H. ♃.	—— t. 25.

	ζ *purpùreo-cinctus.*	(*y.p.*)	*Erasmus Picotee.*	....	6. 8.	H. 4.	Swt. flor. guid. 19.
	η *Clintònicæ.*	(*r.w.*)	*Hufton's Dutchess of Newcastle Carnation.*			H. 4.	——— t. 14.
	θ *triúmphans.*	(*p.w.*)	*Pardoe's Ace of Trumps Carnation.*		——	H. 4.	——— t. 36.
	ι *cærùleo-purpùreus.*	(*p.w.*)	*Cordon Bleu Carnation.*	....	——	H. 4.	——— t. 64.
	κ *Franklini.*	(*r.p.w.*)	*Franklin's Queen of Hearts Carnation.*			H. 4.	——— t. 20.
	λ *puéllulus.*	(*c.r.w.*)	*Pucelle de Gand Carnation.*	....	——	H. 4.	——— t. 67.
	μ *Leopoldi.*	(*c.p.w.*)	*Ives's Prince Leopold Carnation.*	..	——	H. 4.	——— t. 31.
	ν *iricolor.*	(*c.p.w.*)	*Cartwright's Rainbow Carnation.*	..	——	H. 4.	——— t. 9.
	ξ *Bacchus.*	(*s.p.w.*)	*Davey's Bacchus Carnation.*	....	——	H. 4.	——— t. 44.
	ο *Tarrara.*	(*s.p.w.*)	*Hall's Tarrara Carnation.*	....	——	H. 4.	——— t. 21.
	π *pulchella.*	(*s.p.w.*)	*Franklin's Tartar Carnation.*	....	——	H. 4.	Bot. mag. 39.
	ρ *fruticòsus.*	(*va.*)	*tree-Carnation.*	.....	....	—— H. ħ.	
	ς *imbricatus.*	(*d.r.*)	*Wheat-ear.*	.....	....	—— H. 4.	Bot. mag. 1622.
41	sylvéstris.	(*re.*)	short-scaled.	Jurassa.	....	6. 7. H. 4.	Jacq. ic. rar. t. 82.
	virgíneus. B.M. 1740. *non* L.						
42	longicáulis. DC.	(*re.*)	long-stalked.	Naples.	1824.	—— H. 4.	
43	monadélphus. DC.	(*wh.*)	procumbent.	Levant.	....	—— H. 4.	Vent. h. cels. t. 39.
	procúmbens. P.S.						
44	suavéolens. DC.	(*sp.*)	sweet-scented.	.....	1823.	—— H. 4.	
45	Poiretiànus. DC.	(*pu.*)	Poiret's.	.....	....	—— H. 4.	
	β *flòre-plèno.*	(*pu.*)	*double-flowering.*	.....	....	—— H. 4.	
46	Liboschitziànus. DC.		Armenian.	Armenia.	1823.	6. 8. H. 4.	
	petræus. M.B. *non* DC.						
47	sylváticus. DC.	(*cr.*)	wood.	Ratisbon.	1815.	—— H. 4.	
48	arbúscula. B.R.	(*re.*)	China tree.	China.	1824.	7. 10. H. ħ.	Bot. reg. 1086.
49	pomeridiànus. DC.	(*st.*)	afternoon.	Palestine.	1804.	—— H. 4.	Parad. lond. 57.
50	leptopétalus. DC.	(*wh.*)	narrow-petalled.	Caucasus.	1814.	—— H. 4.	Bot. mag. 1739.
51	púngens. DC.	(*wh.*)	pungent.	Spain.	1781.	8. 10. H. 4.	
52	bícolor. DC.	(*w.p.*)	two-coloured.	Tauria.	1818.	6. 8. H. 4.	
53	furcàtus. DC.	(*fl.*)	forked.	Piedmont.	1820.	—— H. 4.	Balb. act. taur. 7. f. 2.
54	virgíneus. DC.	(*re.*)	virgin.	Montpelier.	1732.	—— H. 4.	Dill. elt. 401. t. 385?
55	deltóides. DC.	(*re.*)	maiden.	Britain.	....	6. 10. H. 4.	Eng. bot. 61.
56	gláucus. L.	(*wh.*)	glaucous.	———	....	—— H. 4.	
57	crenàtus. B.R.	(*wh.*)	long-cupped.	C. B. S.	1817.	8. G. 4.	Bot. reg. 256.
58	rígidus. DC.	(*pa.*)	rigid.	Tauria.	1802.	6. 10. H. 4.	
59	clavàtus. DC.	(*fl.*)	clubbed.	.....	1824.	6. 8. H. 4.	
60	suávis. DC.	(*fl.*)	sweet.	.....	1820.	6. 7. H. 4.	
61	rèpens. DC.	(*re.*)	creeping.	Siberia.	1825.	—— H. 4.	
62	cæ'sius. DC.	(*fl.*)	tufted.	Britain.	....	—— H. 4.	Eng. bot. 62.
63	alpinus. DC.	(*re.*)	Alpine.	Austria.	1759.	—— H. 4.	Bot. mag. 1205.
64	glaciàlis. DC.	(*re.*)	acute-leaved.	France.	1820.	—— H. 4.	
65	élegans. DC.	(*re.*)	elegant.	Levant.	1825.	—— F. 4.	
66	multipunctàtus. DC.	(*sp.*)	spotted.	———	——	6. 9. F. 4.	
67	Hornemánni. DC.	(*fl.*)	Horneman's.	Italy.	1822.	6. 7. H. 4.	
68	Sternbérgii. DC.	(*re.*)	Sternberg's.	.....	1825.	—— F. 4.	
69	petr'æus. DC.	(*wh.*)	rock.	Hungary.	1804.	7. 8. H. 4.	W. et K. hung. 3. t. 222.
	β *Símsii.*	(*wh.*)	*Sims's.*	———	——	—— H. 4.	Bot. mag. 1204.
70	ibéricus. DC.	(*pu.*)	Iberian.	Iberia.	1820.	6. 8. H. 4.	
	Willdenówii. L. en.						
71	ruthènicus. DC.	(*re.*)	Russian.	Russia.	——	—— H. 4.	
72	dentòsus. F.	(*re.*)	toothed.	Siberia.	1826.	—— H. 4.	
73	Buchtorménsis. F.	(*re.*)	Buchtormian.	Russia.	——	—— H. 4.	
74	gállicus. DC.	(*wh.*)	French.	France.	....	—— H. 4.	DC. ic. gall. rar. t. 41.
75	álbens. DC.	(*wh.*)	white Cape.	C. B. S.	1787.	8. G. 4.	
76	serrulàtus. DC.	(*ro.*)	serrulate.	Tunis.	1826.	—— H. 4.	
77	pulchéllus. P.S.	(*re.*)	pretty.	.....	....	—— H. 4.	
78	dùbius. H.	(*w.p.*)	doubtful.	.....	....	5. 6. H. 4.	
	præcox. W. en.						
79	plumàrius. DC.	(*wh.*)	common.	Europe.	1629.	6. 8. H. 4.	
	β *heròicus.*	(*w.p.*)	*Styles's Hero Pink.*	.....	....	—— H. 4.	Swt. flor. guid. 17.
	γ *Cheeseànus.*	(*w.p.*)	*Cheese's Miss Cheese.*	.....	....	—— H. 4.	——— t. 13.
	δ *Houseànus.*	(*w.p.*)	*House's Woodland Beauty*		....	—— H. 4.	——— t. 47.
	ε *Uxbridgeànus.*	(*w.r.*)	*Dry's Earl of Uxbridge*	..	....	—— H. 4.	——— t. 55.
	ζ *Aclándæ.*	(*w.p.*)	*Knight's Lady Acland.*	....	....	—— H. 4.	——— t. 40.
	η *Inclytus.*	(*w.p.*)	*Smith's Champion*	.....	....	—— H. 4.	——— t. 27.
	θ *Barrátti.*	(*w.p*)	*Barratt's Conqueror.*	.....	....	—— H. 4	——— t. 32.
	ι *regàlis.*	(*w.p.*)	*Davey's Roi de pourpre*	..	....	—— H. 4.	——— t. 38.
80	adulterìnus.	(*f.p.*)	hybrid.	Hybrid.	....	—— H. 4.	
	β *Juliéti.*	(*f.p.*)	*Davey's Juliet.*	.....	....	—— H. 4.	Swt. flor. guid. 8.

81 Pénry'ana.	(*pu.*)	Lady Penryn's.	Hybrid.	....	6. 8.	H. ¾.	
β purpùreus.	(*pu.*)	*Davey's Lady Penryn.*——	....	——	H. ¾.	Swt. flor. guid. 41.
82 hortènsis. W.en.	(*wh.*)	garden.	Europe.	1805.	6. 8.	H. ¾.	
83 cancàsicus. DC.	(*re.*)	Caucasean.	Caucasus.	1808.	6. 9.	H. ¾.	Bot. mag. 795.
84 saxátilis. DC.	(*wh.*)	rock.	France.	....	——	H. ¾.	
85 squarròsus. DC.	(*wh.*)	squarrose.	Tauria.	1823.	6. 8.	H. ¾.	Bieb. cent. 1. t. 33.
86 Mussìni. DC.	(*wh.*)	Mussin's.	Caucasus.	1825.	——	H. ¾.	
87 frágrans. B.M.	(*wh.*)	fragrant.	————	1804.	6. 7.	H. ¾.	Bot. mag. 2067.
88 punctàtus. DC.	(*sp.*)	spot-flowered.	.....	1825.	——	H. ¾.	Lodd. bot. cab. 896.
89 serotìnus. DC.	(*wh.*)	late-flowering.	Hungary.	1804.	7. 8.	H. ¾.	W. et K. hung. 2. t. 172.
90 arenàrius. DC.	(*wh.*)	sand.	N. Europe.	....	8.	H. ¾.	Bot. mag. 2038.
91 prostràtus. DC.	(*re.*)	prostrate.	C. B. S.	....	8. 9.	G. ¾.	Jacq. schœnb. 3. t. 271.
92 fimbriàtus. DC.	(*re.*)	fringed.	Iberia.	1802.	6. 8.	H. ♄.	Bot. mag. 1009.
93 monspessulànus. DC.	(*re.*)	Montpelier.	Pyrenees.	1764.	7. 8.	H. ¾.	
94 erubéscens. Tr.	(*bh.*)	blush-flowered.	.....	1825.	——	H. ¾.	
95 superbus. DC.	(*re.*)	superb.	Europe.	1596.	7. 9.	H. ¾.	Bot. mag. 297.
96 Fischèri. DC.	(*re.*)	Fischer's.	Russia.	1826.	6. 8.	H. ¾.	Swt. br. fl. gar. 245.

VACCA'RIA. Dod. VACCA'RIA. Decandria Digynia.

1 sessilifòlia.	(*re.*)	sessile-leaved.	Europe.	1596.	7. 8.	H. ⊙.	Flor. græc. t. 380.
Saponària Vaccària. B.M. 2290.			*Gypsóphila Vaccària.* F.G.				
2 perfoliàta.	(*re.*)	perfoliate.	E. Indies.	1820.	——	H. ⊙.	
Saponària perfoliàta. DC.							

SAPON'ARIA. DC. SOAPWORT. Decandria Digynia. L.

1 officinàlis. DC.	(*bh.*)	common.	England.	....	7. 10.	H. ¾.	Eng. bot. t. 1000.
β flòre plèno.	(*bh.*)	*double-flowered.*	.....	....	——	H. ¾.	
2 ocymoìdes. DC.	(*ro.*)	Basil-leaved.	Europe.	1768.	5. 7.	H. ¾.	Bot. mag. 154.
3 glutinòsa. DC.	(*re.*)	small-flowered.	Tauria.	1823.	——	H. ♂.	———— 2355.
4 pórrigens. DC.	(*bh.*)	hairy.	Levant.	1680.	7. 8.	H. ⊙.	Jacq. vind. 2. t. 109.
5 orientàlis. DC.	(*re.*)	small annual.	————	1732.	6. 8.	H. ⊙.	Dill. elt. t. 167. f. 204.
6 deprèssa. DC.	(*ro.*)	depressed.	Sicily.	1828.	——	H. ¾.	Biv. Bon. t. 168. f. 1.
7 cæspitòsa. DC.	(*ro.*)	tufted.	Pyrenees.	1827.	——	H. ¾.	
8 Smíthii. DC.	(*re.*)	Smith's.	Levant.	1828.	——	F. ¾.	Flor. græc. t. 389.
cæspitòsa. F.G. non DC.							
9 lùtea. DC.	(*ye.*)	yellow.	Switzerland.	1804.	——	H. ¾.	All. ped. t. 23. f. 1.
10 bellidifòlia. DC.	(*ye.*)	Daisy-leaved.	Italy.	....	——	H. ¾.	Smith spic. t. 5.

CUCU'BALUS. DC. CAMPION. Decandria Trigynia. L.

baccíferus. DC.	(*gr.*)	berry-bearing.	England.	....	6. 7.	H. ¾.	Eng. bot. 1577.

SIL'ENE. DC. CATCHFLY. Decandria Trigynia. L.

1 acáulis. DC.	(*re.*)	stemless.	Britain.	....	6. 8.	H. ¾.	Eng. bot. 1081.
β álba. DC.	(*wh.*)	*white-flowered.*	————	....	——	H. ¾.	
2 pumílio. DC.	(*pu.*)	dense.	Germany.	1823.	——	H. ¾.	Stur. deut. 1. fas. 22. t. 11.
3 fimbriàta. DC.	(*wh.*)	fringe-flower'd.	Crete.	1803.	5. 8.	H. ¾.	Bot. mag. 906.
4 láciera. DC.	(*wh.*)	jagged-flower'd.	Caucasus.	1818.	——	H. ¾.	———— 2255.
5 stellàta. DU.	(*wh.*)	four-leaved.	N. America.	1806.	6. 8.	H. ¾.	———— 1107.
6 inflàta. DC.	(*wh.*)	bladder.	Britain.	....	5. 9.	H. ¾.	Eng. bot. 164.
Cucùbalus Béhen. E.B.							
7 linearis.	(*wh.*)	linear-leaved.	Naples.	1820.	——	H. ¾.	Ten. flor. nap. t. 37.
Cucùbalus angustifòlius. T.N.							
8 Willdenówii.	(*wh.*)	Willdenow's.	S. Europe.	——	——	H. ¾.	
Cucùbalus glàucus. W. en. supp.							
9 marítima. E.B.	(*wh.*)	sea.	Britain.	....	8. 9.	H. ¾.	Eng. bot. 957.
10 fabària. H.K.	(*wh.*)	thick-leaved.	Sicily.	1781.	6. 8.	F. ¾.	Flor. græc. t. 415.
11 Bèhen. DC.	(*bh.*)	Cretan.	Crete	1713.	6. 7.	H. ⊙.	———— t. 416.
12 índica. DC.	(*pu.*)	Indian.	Nepaul.	1824.	——	F. ¾.	
13 viscaginoìdes. DC.	(*re.*)	Viscago-like.	Dahuria.	1826.	——	H. ¾.	
14 procúmbens. DC.	(*wh.*)	procumbent.	Siberia.	1820.	——	H. ¾.	Murr. c. gœt. p. 83. t. 2.
15 rubélla. DC.	(*re.*)	small red.	Portugal.	1732.	5. 6.	H. ⊙.	Flor. græc. t. 426.
16 apètala. DC.	(*gr.*)	petalless.	Spain.	1801.	6. 7.	H. ⊙.	
17 spergulifòlia. DC.	(*wh.*)	Spurry-like.	Armenia.	1824.	——	F. ¾.	Desf. cor. Tourn. t. 55.
18 Gypsóphila. DC.	(*wh.*)	Gypsophila-like.	.....	....	——	H. ¾.	
19 angustifòlia. DC.	(*wh.*)	narrow-leaved.	Caucasus.	1824.	——	H. ¾.	
20 Otites. DC.	(*st.*)	Spanish.	England.	....	7. 8.	H. ¾.	Eng. bot. 85.
Cucùbalus Otites. E.B.							
21 volgénsis. DC.	(*wh.*)	Wolga.	Wolga.	1821.	6. 8.	H. ¾.	
22 parvifòra. DC.	(*st.*)	small-flowered.	Hungary.	1796.	——	H. ¾.	
23 effùsa. DC.	(*st.*)	spreading.	Wolga.	1821.	——	H. ¾.	
24 sibírica. DC.	(*wh.*)	Siberian.	Siberia.	1778.	——	H. ¾.	Hall. g. 1. p. 150. ic.
25 multiflora. DC.	(*wh.*)	many-flowered.	Hungary.	1794.	——	H. ♂.	W. et K. hung. 1. t. 56.
26 ruthénica. DC.	(*wh.*)	Russian.	Russia.	1827.	——	H. ¾.	

27	staticifòlia. DC.	(*wh.*)	Statice-leaved.	Levant.	1828.	6. 8.	H. ♃.	Flor. græc. t. 484.
28	tatarica. DC.	(*wh.*)	Tartarian.	Tartary.	1769.	——	H. ♃.	
29	gigántea. DC.	(*wh.*)	gigantic.	Africa.	1738.	——	G. ♃.	Flor. græc. t. 432.
30	viscòsa. DC.	(*wh.*)	clammy.	Levant.	1739.	7.	H. ♂.	Tourn. it. 2. p. 361. ic.
31	cònica. DC.	(*fl.*)	corn	England.	....	6. 7.	H. ☉.	Eng. bot. 922.
32	conóidea. DC.	(*pu.*)	conoid.	S. Europe.	1683.	——	H. ☉.	Clus. his. 1. p. 288. f. 2.
33	undulàta. DC.	(*re.*)	waye-leaved.	C. B. S.	1775.	8.	G. ♂.	
34	ánglica. DC.	(*wh.*)	English.	England.	....	6. 7.	H. ☉.	Eng. bot. 1178.
35	lusitànica. DC.	(*fl.*)	Portugal.	Portugal.	1732.	——	H. ☉.	Dill. elt. t. 311. f. 401.
36	tridentàta. DC.	(*ro.*)	three-toothed.	Spain.	1824.	——	H. ☉.	
37	gállica. DC.	(*fl.*)	French.	France.	1683.	5. 6.	H. ☉.	Vail. par. t. 16. f. 12.
38	ocymoides. DC.	(*pu.*)	Basil-like.	.....	1819.	6. 7.	H. ☉.	
39	dísticha. DC.	(*ro.*)	two-ranked.	.....	1817.	——	H. ☉.	Schrank. pl. rar. t. 89.
40	cerastoides. DC.	(*re.*)	Cerastium-like.	S. Europe.	1732.	7. 8.	H. ☉.	Flor. græc. t. 412.
41	quinquevúlnera. DC.	(*p.w.*)	variegated.	England.	....	6. 8.	H. ☉.	Eng. bot. 86.
42	noctúrna. DC.	(*w.re.*)	spiked.	S. Europe.	1683.	——	H. ☉.	Flor. græc. t 406.
43	reflèxa. H.K.	(*wh.*)	reflexed.	———	1726.	——	H. ☉.	Magn. h. mons. 171. ic.
44	mutábilis. H.K.	(*bh.*)	changeable.	———	1688.	——	H. ☉.	
45	micropétala. DC.	(*re.*)	small-petaled.	Chili.	1822.	6. 7.	H. ☉.	
46	micrántha. DC.	(*re.*)	small-blossomed.	Portugal.	1825.	——	H. ☉.	
47	hirsùta. Lag.	(*re.*)	hairy.	———	1824.	——	H. ☉.	
	sabuletòrum. Lk.		*hirsutissimum.* DC.					
48	canéscens. DC.	(*re.*)	canescent.	Naples.	1823.	6. 8.	H. ♃.	Ten. fl. nap. 1. t. 89.
49	decúmbens. DC.	(*wh.*)	decumbent.	S. Europe.	1828.	——	H. ☉.	
50	diffùsa. DC.	(*fl.*)	diffuse.	Italy.	1825.	——	H. ♃.	
51	divaricàta. F.G.	(*wh.*)	divaricate.	Levant.	1827.	——	H. ♂.	Flor. græc. t. 414.
	racemòsa. DC.							
52	dichótoma. DC.	(*wh.*)	dichotomous.	Hungary.	1791.	——	H. ☉.	Flor. græc. t. 413.
53	nyctántha. DC.	(*st.*)	various-leaved.	.....	1815.	6. 8.	H. ☉.	
54	trinérvia. DC.	(*re.*)	three-nerved.	Rome.	1821.	——	H. ☉.	
55	bellidifòlia. DC.	(*re.*)	Daisy-leaved.	.....	1794.	——	H. ☉.	Jacq. vind. 3. t. 81.
56	vespertìna. DC.	(*re.*)	evening.	Barbary.	1796.	7. 8.	H. ☉.	Swt. br. fl. gar. 58.
	bipartita. Desf. atl. 1. t. 100.							
57	obtusifòlia. DC.	(*re.*)	blunt-leaved.	———	1823.	6. 8.	H. ☉.	
58	coloràta. DC.	(*fl*)	coloured.	———	1804.	——	H. ☉.	
59	crassifolia. DC.	(*br.*)	thick-leaved.	C. B. S.	1774.	7. 8.	G. ♂.	
60	grácilis. DC.	(*wh.*)	slender.	.....	1823.	6. 8.	H. ☉.	
61	jeniseénsis. DC.	(*st.*)	two-coloured.	Siberia.	1817.	6. 7.	H. ♃.	
62	ciliata. DC.	(*pu.*)	ciliated.	Crete.	1804.	——	H. ☉.	
63	pendula. DC.	(*re.*)	pendulous.	Sicily.	1731.	5. 7.	H. ☉.	Bot. mag. 114.
64	longicáulis. DC.	(*wh.*)	long-stalked.	Spain.	1818.	6. 7.	H. ☉.	
65	secundiflòra. DC.	(*wh.*)	side-flowered.	.....	——	——	H. ☉.	
66	viscosíssima. DC.	(*wh.*)	viscous.	Naples.	1822.	——	H. ☉.	
67	quadridentàta. DC.	(*w.*)	four-toothed.	Italy.	1783.	5. 6.	H. ☉.	Jacq. aust. 2. t. 120.
	Ly'chnis quadridentàta. W.							
68	pusílla. W.en.	(*wh.*)	dwarf.	Hungary.	1804.	6. 7.	H. ♃.	W. et K. hung. 3. t. 212.
69	alpéstris. DC.	(*wh.*)	Austrian.	Austria.	1774.	5. 7.	H. ♃.	Jacq. aust. 1. t. 96.
70	rupéstris. DC.	(*re.*)	rock.	Switzerland.	——	——	H. ♃.	Flor. dan. 4.
71	glaucifòlia. DC.	(*bh.*)	glaucous-leav'd.	Spain.	1823.	——	H. ♃.	
72	inapérta. DC.	(*st.*)	unopen-flow'r'd.	S. Europe.	1732.	6. 7.	H. ♃.	Flor. græc. t. 420.
73	clandéstina. DC.	(*w.p.*)	hidden-flower'd.	C. B. S.	1801.	——	H. ☉.	Jacq. col. sup. t. 3. f. 3.
74	portènsis. W.	(*pu.*)	Oporto.	Portugal.	1759.	7. 8.	H. ☉.	
75	antirrhìna. DC.	(*wh.*)	Snap-dragon.	Virginia.	1732.	6. 7.	H. ☉.	Dill. elt. t. 313. f. 403.
76	geminiflòra. DC.	(*pu.*)	twin-flowered.	.....	1816.	....	H. ☉.	
77	flavéscens. DC.	(*st.*)	yellowish.	Hungary.	1804.	——	H. ♃.	W. et K. hung. 2. t. 175.
78	linoides.	(*st.*)	Flax-like.	.....	1817.	7. 8.	H. ☉.	
	linifòlia. DC. *non* Flor. græc.							
79	linifòlia. F.G.	(*fl.*)	Flax-leaved.	Levant.	1828.	6. 8.	H. ♃.	Flor. græc. t. 433.
80	crética. DC.	(*re.*)	Candian.	Candia.	1732.	5. 8.	H. ☉.	——— t. 422.
81	sedóides. DC.	(*re.*)	Sedum-like.	Crete.	1804.	6. 8.	H. ☉.	——— t. 425.
82	sícula. Cyr.	(*ro.*)	Sicilian.	S. Europe.	1825.	——	H. ☉.	
	divaricàta. DC. *non* Flor. græc.							
83	Saxífraga. DC.	(*w.br.*)	Saxifrage.	S. Europe.	1640.	——	H. ♃.	Lodd. bot. cab. 454.
84	petræa. DC.	(*wh.*)	fine-toothed.	Hungary.	1806.	——	H. ♃.	W. et K. hung. 2. t. 164.
85	campánula. DC.	(*wh.*)	bell-flowered.	Piedmont.	1822.	——	H. ♃.	All. auct. p. 28. t. 1 f. 3.
86	longipétala. DC.	(*g.st.*)	long-petaled.	Aleppo.	——	——	H. ☉.	Flor. græc. t. 419.
87	nùtans. E.B.	(*wh.*)	Nottingham.	England.	....	6. 7.	H. ♃.	Eng. bot. 465.
88	infrácta. W.K.	(*wh.*)	smooth.	Hungary.	1816.	——	H. ♃.	W. et K. hung. 3. t. 218.
89	latifòlia. H.	(*wh.*)	broad-leaved.	Europe.	1825.	——	H. ♃.	

90	saxátilis. B.M.	(st.)	stone.	Siberia.	1800.	6. 7.	H. ¼.	Bot. mag. 699.
91	lívida. W. en.	(w.br.)	livid.	Carniola.	1816.	——	H. ¼.	
92	ténuis. DC.	(st.)	slender.	Siberia.	——	——	H. ¼.	
93	quadrífida. DC.	(wh.)	four-cleft.	Italy.	1820.	——	H. ¼.	
94	viridiflòra. DC.	(gr.)	green-flowered.	Portugal.	1739.	——	H. ♂.	Herm. parad. t. 199.
95	chlorántha. DC.	(st.)	pale-flowered.	Germany.	1732.	6. 8.	H. ¼.	Dill. elt. t. 316. f. 408.
96	psammítis. DC.	(st.)	sulphur-colour'd.	.....	1820.	——	H. ¼.	
97	nicæénsis. DC.	(w.p.)	villous-clammy.	S. Europe.	——	——	H. ⊙.	All. ped. t. 44. f. 2.
98	cathólica. DC.	(wh.)	panicled.	Italy.	1711.	7. 9.	H. ¼.	Jacq. vind. 1. t. 59.
99	Mussìni. H.	(wh.)	Mussin's.	Russia.	1824.	——	H. ¼.	
100	diversifòlia. DC.	(wh.)	various-leaved.	.....	1820.	——	H. ⊙.	
101	rèpens. DC.	(wh.)	creeping.	Siberia.	1806.	7. 8.	H. ¼.	
102	glàuca. DC.	(pu.)	glaucous-leav'd.	.....	1824.	——	H. ⊙.	
103	tennifòlia. DC.	(pu.)	slender-leaved.	Dahuria.	1820.	——	H. ⊙.	
104	virgínica. DC.	(re.)	Virginian.	Virginia.	1783.	5. 8.	H. ¼.	Pluk. alm. t. 203. f. 1.
105	Catesb'æi. DC.	(cr.)	Catesby's.	Carolina.	....	——	H. ¼.	Catesb. car. 54. ic.
106	stricta. DC.	(re.)	upright.	Spain.	1802.	6. 7.	H. ⊙.	
107	Muscípula. DC.	(re.)	Spanish.	——	1596.	7. 8.	H. ⊙.	Clus. hist. 1. p. 289. f. 1.
108	noctiflòra. DC.	(fl.)	night-flowering.	England.	....	7.	H. ⊙.	Eng. bot. 291.
109	ornàta. DC.	(cr.)	dark-coloured.	C. B. S.	1775.	5. 9.	G. ♂.	Bot. mag. 382.
110	córsica. DC.	(st.)	Corsican.	Corsica.	1825.	6. 8.	H. ¼.	Bocc. mus. t. 54.
111	ægyptiaca. DC.	(fl.)	Egyptian.	Egypt.	1800.	7. 8.	G. ♂.	
112	sericea. DC.	(fl.)	silky.	Corsica.	1801.	6. 8.	H. ⊙.	All. ped. t. 79. f. 3.
113	pícta. DC.	(w.p.)	painted.	Mt. Carmel.	1818.	7. 9.	H. ⊙.	Swt. br. fl. gar. 92.
114	bícolor. DC.	(w.p.)	two-coloured.	France.	——	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 42.
115	lævigàta. F.G.	(re.)	smooth.	Greece.	1823.	7. 9.	H ⊙.	Flor. græc. t. 418.
116	reticulàta. DC.	(re.)	netted-flow'r'd.	Barbary.	1804.	7. 8.	H. ⊙.	Desf. atl. 1. t. 99.
117	pensylvànica. DC. *incarnàta.* Bot. cab. 41.	(re.)	Pensylvanian.	N. America.	1806.	6. 9.	H. ¼.	Bot. reg. 247.
118	vallèsia. DC.	(pu.)	hard-rooted.	Switzerland.	1765.	6. 8.	H. ¼.	All. ped. t. 23. f. 2.
119	fruticòsa. DC.	(fl.)	shrubby.	Sicily.	1629.	6. 7.	F. ♄.	Flor. græc. t. 428.
120	cáspica. DC.	(st.)	Caspian.	Caucasus.	1823.	——	H. ♄.	
121	amœna. DC.	(wh.)	Tartarian.	Tartary.	1779.	7.	H. ¼.	
122	supina. DC.	(wh.)	trailing.	Caucasus.	1804.	6. 8.	H. ¼.	Bot. mag. 1997.
123	deprèssa. DC.	(wh.)	depressed.	Iberia.	1823.	——	H. ¼.	
124	paradoxa. DC.	(wh.)	Dover.	England.	....	7.	H. ¼.	Jacq. vind. 3. t. 84.
125	chloræfòlia. DC.	(wh.)	Armenian.	Armenia.	1796.	8. 9.	H. ¼.	Bot. mag. 807.
126	itálica. DC. *Cucùbalus itálicus.* L.	(wh.)	Italian.	Italy.	1759.	5. 6.	H. ♂.	Jacq. obs. 4. t. 79.
127	polyphy'lla. DC.	(w.p.)	many-leaved.	Austria.	....	6. 7.	H. ¼.	Clus. hist. 1. t. 290.
128	nemorális. DC.	(wh.)	wood.	Hungary.	1823.	——	H. ¼.	W. et K. hung. 3. t. 249.
129	longiflòra. DC.	(wh.)	long-flowered.	——	1793.	7. 9.	H. ¼.	—— 1. p. 7. t. 8.
130	bupleuroides. DC.	(fl.)	spear-leaved.	Persia.	1801.	6. 7.	H. ¼.	Tourn. it. t. 154.
131	pilòsa. S.S. *mollissima.* W.K.	(wh.)	pilose.	Hungary.	1825.	6. 9.	H. ¼.	W. et K. hung. 3. t. 248.
132	mollissima. S.S. *Cucùbalus mollissimus.* L.	(wh.)	velvet.	Italy.	1739.	7. 9.	H. ¼.	
133	inclùsa. H.	(wh.)	included.	.....	1828.	6. 9.	H. ⊙.	
134	pínguis. H.	(wh.)	fleshy-leaved.	C. Spartel.	1825.	——	H. ⊙.	
135	táurica. F.	(wh.)	Taurian.	Tauria.	1828.	——	H. ¼.	
136	dahùrica. F.	(wh.)	Dahurian.	Dahuria.	1827.	——	H. ¼.	
137	scàbra. F.	(wh.)	rough.	Siberia.	——	——	H. ¼.	
138	marginàta. Sct.	(wh.)	margined.	.....	1825.	——	H. ¼.	
139	stenopetala. Led.	(re.)	narrow-petaled.	Siberia.	1827.	——	H. ⊙.	
140	saponariæfòlia. Sct.	(re.)	Soapwort-l^d.	.....	1822.	——	H. ⊙.	
141	Persoónii. Sct.	(wh.)	Persoon's.	Europe.	——	——	H. ¼.	
142	vesicària.	(pu.)	bladdered.	Siberia.	1822.	6. 9.	H. ⊙.	
143	règia. DC.	(cr.)	splendid.	N. America.	1811.	5. 8.	G. ♂.	Bot. mag. 1734.
144	Atòcion. DC. *orchídea.* H.K.	(pu.)	Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. ⊙.	Jacq. vind. 3. t. 32. Flor. græc. t. 427.
145	pseùdo-Atòcion.	DC. (pu.)	Atlantic.	Atlantic.	1818.	——	H. ⊙.	
146	Arméria. DC.	(re.)	Lobel's.	England.	....	7. 9.	H. ⊙.	Eng. bot. 1398.
	α rùbra.	(re.)	*red-flowered.*	——	....	——	H. ⊙.	
	β álba.	(wh.)	*white-flowered.*	——	....	——	H. ⊙.	
147	congésta. DC.	(re.)	close-flowered.	Greece.	1816.	——	H. ⊙.	
148	compácta. DC.	(re.)	compact.	Russia.	1816.	——	H. ♂.	
VISCARIA. Rœhl.			VISCARIA.	Decandria Pentagynia. L.				
1	vulgàris. Rœhl. *Lychnis viscària.* L.	(re.)	common.	Britain.	....	5. 7.	H. ¼.	Eng. bot. 788.
	β flòre-plèno.	(re.)	*double-red.*	——	....	——	H. ¼.	

2 albiflòra.	(*wh.*)	white-flowered.	.....	....	5. 7.	H. ♃.	
LY'CHNIS. DC.		LY'CHNIS. Decandria Pentagynia. L.					
1 chalcedònica. DC.	(*sc.*)	scarlet.	Japan.	1596.	6. 7.	H. ♃.	Bot. mag. 357.
β albiflòra.	(*wh.*)	*white-flowered.*	———	....	——	H. ♃.	
γ flòre plèno.	(*sc.*)	*double-flowered.*	———	....	——	H. ♃.	
2 Flós-jòvis. DC.	(*re.*)	umbelled.	Piedmont.	1726.	7.	H. ♃.	Bot. mag. 398.
Agrostémma Flós-jòvis. B.M.							
3 coronàta. W.	(*sc.*)	Chinese.	China.	1774.	6. 9.	H. ♃.	Bot. mag. 223.
grandiflòra. Jacq. ic. rar. t. 84.							
4 fúlgens. DC.	(*sc.*)	brilliant.	Siberia.	1819.	7. 9.	H. ♃.	Bot. mag. 2104.
5 Cœ'li-ròsa. DC.	(*fl.*)	smooth-leaved.	Levant.	1713.	7. 8.	H. ☉.	Bot. mag. 295.
Agrostémma Cœ'li-ròsa. L.							
AGROSTE'MMA.		AGROSTE'MMA. Decandria Pentagynia. L.					
1 apétala. DC.	(*wh.*)	petalless.	Lapland.	1819.	6. 8.	H. ♃.	Lin. fl. lap. t. 12. f. 1.
Ly'chnis apétala. L.							
2 brachypétala. L. en.	(*wh.*)	short-petal'd.	.....	———	——	H. ♃.	
3 sylvéstris. DC.	(*re.*)	red-flowered.	Britain.	....	6. 9.	H. ♃.	Eng. bot. 1579.
Ly'chnis diòica rùbra. E. B.							
β flòre-plèno.		*double-flowered.*	.....	....	——	H. ♃.	
4 diòica. DC.	(*wh.*)	white-flowered.	Britain.	....	——	H. ♃.	Eng. bot. 1580.
Ly'chnis diòica álba. E.B. *vespertina.*			Sibthorp.				
β flòre-plèno.	(*wh.*)	*double-white.*	.....	....	——	H. ♃.	
γ viridiflora.	(*gr.*)	*double-green.*	.....	....	——	H. ♃.	
5 diclìnis. DC.	(*ro.*)	long-pedicled.	Spain.	1824.	——	H. ♃.	
6 l'æta. DC.	(*re.*)	small.	Portugal.	1778.	7.	H. ☉.	
7 córsica. DC.	(*re.*)	Corsican.	Corsica.	1824.	6. 8.	H. ☉.	
8 pyrenàica. DC.	(*re.*)	Pyrenean.	Pyrenees.	1820.	4. 6.	H. ♃.	
9 suècica. L.C.	(*re.*)	Swedish.	Sweden.	....	6. 9.	H. ♃.	Lodd. bot. cab. 881.
10 alpìna. DC.	(*re.*)	Alpine.	Scotland.	....	4. 5.	H. ♃.	Eng. bot. 2254.
Ly'chnis alpìna. E.B.							
11 Flósculi. DC.	(*re.*)	Ragged Robin.	Britain.	....	6. 9.	H. ♃.	Eng. bot. 573.
Ly'chnis Flósculi. L.							
β flòre-plèno.	(*re.*)	*double.*	.....	....	——	H. ♃.	
12 coronària. DC.	(*ro.*)	Rose Campion.	Italy.	1596.	——	H. ♃.	
α rùbra.	(*ro.*)	*red-flowered.*	———	——	——	H. ♃.	Bot. mag. 24.
β álba.	(*wh.*)	*white-flowered.*	.....	——	——	H. ♃.	
γ plèna.	(*ro.*)	*double-flowered.*	.....	....	——	H. ♃.	
GITH'AGO. Desf.		CORN-COCKLE. Decandria Pentagynia. L.					
1 segetum. Desf.	(*re.*)	common.	Britain.	....	6. 8.	H. ☉.	Eng. bot. 741.
Agrostémma Githàgo. L.							
2 nicæénsis.	(*wh.*)	long-calyxed.	Italy.	1794.	——	H. ☉.	
VEL'EZIA. DC.		VEL'EZIA. Pentandria Digynia. L.					
1 rígida. DC.	(*re.*)	rigid.	Spain.	1683.	7.	H. ☉.	Flor. græc. t. 390.
2 quadridentàta. F.G.	(*r.*)	four-toothed.	Levant.	1826.	——	F. ♃.	——— t. 391.
DR'YPIS. DC.		DR'YPIS. Pentandria Trigynia. L.					
spinòsa. DC.	(*bh.*)	prickly.	Italy.	1775.	6. 7.	H. ♄.	Bot. mag. 2216.

Tribus II. *ALSINEÆ.* DC.

ORTEGIA. DC.		ORT'EGIA. Triandria Monogynia. L.					
1 hispánica. DC.	(*gr.*)	Spanish.	Spain.	1768.	6. 7.	H. ♃.	
2 dichótoma. DC.	(*gr.*)	forked.	Italy.	1781.	8. 9.	H. ♃.	All ped. t. 4. f. 1.
hispánica. Cav. ic. 1. t. 47.							
BUFF'ONIA. DC.		BUFF'ONIA. Tetrandria Digynia. L.					
1 ánnua. DC.	(*wh.*)	annual.	England.	....	6.	H. ☉.	Eng. bot. 1313.
tenuifòlia. E.B.							
2 perénnis. DC.	(*wh.*)	perennial.	France.	1820.	6. 7.	H. ♃.	Lam. ill. t. 87. f. 2.
SAG'INA. DC.		PEARL-WORT. Tetrandria Tetragynia. L.					
1 procúmbens. DC.	(*gr.*)	procumbent.	Britain.	....	5. 9.	H. ☉.	Eng. bot. 880.
β multiplex.	(*wh.*)	*double-flowered.*	———	....	——	H. ♃.	
2 cerastoides DC.	(*wh.*)	Cerastium like.	———	....	6. 7.	H. ☉.	Eng. bot. 166.
Cerástium tetràndrum H. K.							
3 filifórmis. DC.	(*wh.*)	filiform.	Pyrenees.	1824.	——	H. ☉.	
4 marítima. E.B.	(*wh.*)	sea-side.	Ireland.	....	5. 8.	H. ☉.	Eng. bot. 2195.
5 stricta. DC.	(*wh.*)	straight.	N. Europe.	1828.	——	H. ☉.	
6 apétala. DC.	(*wh.*)	small-flowered.	Britain.	....	5. 6.	H. ☉.	Eng. bot. 881.

MŒNCHIA. P.S. Mœ'nchia. Tetrandria Tetragynia. L.
glàuca. P.S. (wh.) glaucous. Britain. .... 4. 5. H. ⊙. Eng. bot. 609.
quaternélla. L. en. *Sagìna erécta.* E.B.
MŒHRI'NGIA. DC. Mœhri'ngia. Octandria Digynia. L.
1 muscòsa. DC. (wh.) mossy. S. Europe. 1775. 6. 7. H. ♃. Lam. ill. t. 314.
2 sedifòlia. DC. (wh.) Stonecrop-l^d. ——— 1823. —— H. ♃. W.ber.m.1818.t.3.f.23.
ELATINE. DC. Waterwort. Octandria Tetragynia. L.
1 Hydropiper. DC. (wh.) small. Britain. .... 7. 8. H. ♃. Eng. bot. 955.
2 hexándra. DC. (wh.) hexandrous. France. .... —— H. ♃. DC. ic. rar. 1. t. 43. f. 1.
BERGIA. DC. Be'rgia. Decandria Pentagynia. L.
verticillàta. DC. (wh.) whorl-leaved. E. Indies. 1826. 7. 10. H. ⊙. Delil. fl. æg. t. 26. f. 1.
MOLL'UGO. W. Moll'ugo. Triandria Trigynia. L.
1 verticillàta. DC. (wh.) whorled. Virginia. 1748. 6. 8. H. ⊙. Ehret pict. t. 6.
2 Schránkii. DC. (wh.) Schrank's. Brazil. 1821. 7. 9. H. ⊙. Schrank pl. rar. 64. ic.
dichótoma. Schk.
3 Línkii. DC. (wh.) Link's. ——— —— —— H. ⊙.
triphy'lla. L. en. *non* Lour.
PHARN'ACEUM. W Pharn'aceum. Pentandria Trigynia. L.
1 Mollùgo. R.S. (wh.) Ladies-Bedstraw. E. Indies. 1752. 7. 8. S. ⊙. Burm. ind. t. 5. f. 4.
Mollùgo Spérgula. DC.
2 cordifòlium. R.S. (wh.) heart-leaved. C. B. S. 1820. —— H. ⊙. Jacq. h. schœn. t. 349.
3 dichótomum. R.S. (wh.) forked. ——— 1783. —— H. ⊙.
4 Cervìana. R.S. (wh.) umbelled. Russia. 1771. 6. 7. H. ⊙. Lam. ill. t. 214. f. 1.
5 bellidifòlium. R.S. (w.) Daisy-leaved. W. Indies. 1826. —— H. ⊙. Plum. amer. t. 21. f. 1.
HOLO'STEUM. DC. Holo'steum. Triandria Trigynia. L.
1 umbellàtum. DC. (wh.) umbelled. England. .... 7. 8. H. ⊙. Flor. dan. t. 1204.
β *rùbrum.* (ro.) *rose-coloured.* ——— .... —— H. ⊙. Eng. bot. 27.
2 diándrum. DC. (wh.) diandrous. Jamaica 1822. 6. 8. S. ⊙. Swartz ic. t. 7.
SPERG'ULA. DC. Spurrey. Decandria Pentagynia. L.
1 arvénsis. DC. (wh.) rough-seeded. Britain. .... 7. 8. H. ⊙. Eng. bot. 1535.
2 pentándra. DC. (wh.) smooth-seeded. England. .... 6. 7. H. ⊙. ——— 1536.
3 pállida. DC. (pa.) pale. C. B. S. .... 7. 9. G. ♃.
4 nodòsa. DC. (wh.) knotted. Britain. .... 7. 8. H. ♃. Eng. bot. 694
5 laricìna. DC. (wh.) Larch-leaved. Siberia. 1823. 6. 8. H. ♃. Sm. ic. ined. 1. t. 18.
6 saginoídes. DC. (wh.) Sagina like Scotland. .... —— H. ♃. Eng. bot. 2105.
7 subulàta. DC. (wh.) awl-leaved. Britain. .... 6. 7. H. ♃. ——— 1082.
8 glàbra. DC. (wh.) smooth. Europe. 1824. —— H. ♃. All. ped. t. 64. f. 1.
LARBREA. DC. La'rbrea. Decandria Trigynia. L.
aquática. DC. (wh.) water. Britain. .... 7. 8. H.w.♃. Eng. bot. t. 1074.
Stellària aquática. Poll. pal. n. 422. *uliginòsa.* E.B. *alsine* Hoff. germ. 1. t. 5.
DRYM'ARIA DC. Drym'aria. Pentandria Trigynia. L.
1 cordàta. DC. (wh.) heart-leaved. W. Indies. 1814. 7. 9. H. ⊙. Lam. ill. t. 51. f. 2.
Holósteum cordàtum. L.
2 divaricàta. DC. (wh.) divaricate. Lima. 1823. —— H. ⊙.
STELL'ARIA. DC. Stichwort. Decandria Trigynia. L.
1 némorum. DC. (wh.) wood. Britain. .... 4. 6. H. ♃. Eng. bot. 92.
2 latifòlia. DC. (wh.) broad-leaved. Germany. 1816. 6. 8. H. ⊙.
3 mèdia. DC. (wh.) Chickweed. Britain. .... 1. 12. H. ⊙. Eng. bot. 537.
Alsine mèdia. L.
4 dichótoma. DC. (wh.) forked. Siberia. 1774. 6. 8. H. ♃. Smith ic. ined. 1. t. 14.
5 bulbòsa. DC. (wh.) bulbiferous. Carinthia. 1820. —— H. ♃. Jacq. ic. rar. 3. t. 468.
6 víscida. DC. (wh.) viscous. Tauria. 1804. —— H. ⊙. W. et K. hung. 1. t. 22.
Cerástium anómalum. W.
7 subulòsa. DC. (wh.) gravel. Persia. 1828. —— H. ⊙.
8 Holóstea. DC. (wh.) greater. Britain. .... 4. 6. H. ♃. Eng. bot. 511.
9 Laxmánni. DC. (wh.) Laxmann's. Siberia. 1827. —— H. ♃.
10 velutìna. DC. (wh.) velvetty. Siberia. 1824. 6. 8. H. ♃.
11 gramínea. DC. (wh.) grass-leaved. Britain. .... 5. 8. H. ♃. Eng. bot. 803.
12 glàuca. DC. (wh.) glaucous marsh. ——— .... —— H. ♃. ——— 825.
13 cerastoides. DC. (wh.) Alpine. Scotland. .... —— H. ♃. Eng. bot. 911.
14 multicáulis, W. (wh.) many-stalked. Carinthia. 1815. 6. 8. H. ♃. Jacq. coll. 1. t. 19.
cerastoides. Jacq. coll.
15 arenària. DC. (wh.) sand. Spain. 1799. 6. 8. H. ⊙.
16 scapígera. DC. (wh.) naked-stalked. Scotland. .... 6. 7. H. ♃. Eng. bot. 1269.
17 Fischeriàna. DC. (wh.) Fischer's. Siberia. 1825. —— H. ♃.
18 Edwárdsii. B. (wh.) Edwards's. N. America. 1827. —— H. ♃.
nítida. Hook.
19 humifùsa. DC. (wh.) trailing. N. Europe. 1825. —— H. ⊙. Flor. dan. t. 978.
20 *?ata.* S.S. (wh.) short-petaled. N. America. 1827. —— H. ⊙.

21	grácilis. s.s.	(*wh.*)	slender.	N. America.	1827.	6. 7.	H. ☉.	
22	murâlis. DC.	(*wh.*)	wall.	Crete.	1821.	——	H. ☉.	
23	élegans. DC.	(*wh.*)	elegant.	Siberia.	1823.	——	H. ♃.	
24	lóngipes. DC.	(*wh.*)	long pedicled.	N. America.	1821.	——	H. ♃.	
25	mollugínea.	(*wh.*)	Mollugo-like.	New Spain.	1825.	7. 9.	H. ☉.	
	Alsine mollugínea. Lag. *Arenária? mollugínea.* DC.							
ARENARIA. DC.			SANDWORT.	Decandria Trigynia. L.				
1	segetâlis. DC.	(*wh.*)	hedge.	France.	1805.	6. 10.	H. ☉.	Vail. par. t. 3. f. 3.
	Alsine segetâlis. L.							
2	rùbra. DC.	(*re.*)	purple.	Britain.	....	6. 8.	H. ☉.	Eng. bot. 852.
3	marina. L.	(*re.*)	sea-side.	————	....	——	H. ♃.	
4	salina. DC.	(*re.*)	salt marsh.	Bohemia.	1820.	——	H. ☉.	
5	rubélla. F.L.	(*re.*)	red-flowered.	England.	....	——	H. ☉.	Flor. lond. t.
6	glutinòsa. DC.	(*pu.*)	glutinous.	Astracan.	1828.	——	H. ☉.	
7	mèdia. DC.	(*re.*)	marine.	Britain.	....	——	H. ♃.	Eng. bot. 968.
	marina. E.B. non L.							
8	glandulòsa. Jac.	(*wh.*)	glandular.	Europe.	1820.	6. 7.	H. ☉.	Jacq. Schœnb. 3. t. 355.
9	canadénsis. DC.	(*re.*)	Canadian.	N. America.	1812.	——	H. ☉.	
10	graminifòlia. DC.	(*wh.*)	grass-leaved.	Caucasus.	1815.	——	H. ♃.	Schrad. h. gœtt. t. 5.
	β glabérrima. DC.	(*w.*)	*smooth.*	————	——	——	H. ♃.	
11	longifòlia. DC.	(*wh.*)	long-leaved.	Volga.	1820.	——	H. ♃.	Gmel. sib. 4. t. 63. f. 2.
12	dahùrica. DC.	(*wh.*)	Dahurian.	Dahuria.	1824.	——	H. ♃.	
13	nardifòlia. F.	(*wh.*)	Nardus-leaved.	Siberia.	1827.	——	H. ♃.	
14	otitoídes. DC.	(*wh.*)	dense-flowered.	————	——	——	H. ♃.	
15	rigida. DC.	(*wh.*)	rigid.	————	——	——	H. ♃.	
16	formòsa. DC.	(*wh.*)	handsome.	Dahuria.	——	——	H. ♃.	
17	Gmelini. DC.	(*wh.*)	Gmelin's.	————	1827.	——	H. ♃.	Gmel. sib. 4. t. 61. f. 1.
18	cephalòtes. DC.	(*wh.*)	close-headed.	Tauria.	1820.	——	H. ♃.	
19	imbricàta. DC.	(*wh.*)	imbricate.	Caucasus.	1821.	——	H. ♃.	
20	juniperina. DC.	(*wh.*)	Juniper-leaved.	Armenia.	1800.	——	H. ♃.	Sm. ic. ined. t 35.
21	stricta. DC.	(*wh.*)	upright.	N. America.	1812.	5. 6.	H. ♃.	
22	pròcera. DC.	(*wh.*)	tall.	.....	1827.	——	H. ♃.	
23	laricifòlia. L.	(*wh.*)	Larch-leaved.	Switzerland.	....	8.	H. ♃.	Jacq. aust. 3. t. 272.
24	rostràta. W. en.	(*wh.*)	beaked.	Hungary.	1816.	6. 7.	H. ♃.	
25	striàta. W.	(*wh.*)	striated.	Switzerland.	1683.	——	H. ♃.	Vill. dauph. 4. t. 47. f. 6.
26	árctica. DC.	(*wh.*)	small.	Siberia.	1807.	——	H. ♃.	
27	austrìaca. DC.	(*wh.*)	Austrian.	Austria.	1793.	6. 9.	H. ♃.	Jacq. aust. 3. t. 270.
28	Villársii. P.S.	(*wh.*)	Villars's.	Dauphiny.	1826.	——	H. ♃.	Vill. de ph. 3. t. 47.
29	grandiflòra. DC.	(*wh.*)	great-flowered.	Switzerland.	1783.	——	H. ♃.	All ped.n.1711.t.10.f.1.
30	triflòra. L.	(*wh.*)	three-flowered.	————	1816.	——	H. ♃.	Cav. ic. 3. t. 249. f. 2.
31	Hélmii. DC.	(*wh.*)	long-peduncled.	Siberia.	1824.	——	H. ♃.	
32	macrocárpa. DC.	(*wh.*)	large-capsuled.	N. America.	1828.	——	H. ♃.	
33	hírta. DC.	(*re.*)	hairy.	Greenland.	1827.	——	H. ♃.	Flor. dan. t. 1646.
34	vérna. DC.	(*wh.*)	vernal.	Britain.	....	5 8.	H. ♃.	Eng. bot. 512.
35	cæspitòsa. DC.	(*wh.*)	tufted.	S. Europe.	1824.	——	H. ♃.	
36	ramosíssima. DC.	(*wh.*)	branching.	Hungary.	1820.	——	H. ♃.	
37	saxátilis. DC.	(*wh.*)	rock.	Germany.	1732.	7 8.	H. ♃.	Barr. ic. t. 580.
38	péndula. DC.	(*wh.*)	pendulous.	Hungary.	1816.	6. 7.	H. ♃.	W. et K. hung. 1. t. 87.
39	tenuifòlia. DC.	(*wh.*)	fine-leaved.	England.	....	——	H. ☉.	Eng. bot. 219.
40	villòsa. DC.	(*wh.*)	villous.	Siberia.	1828.	——	H. ♃.	
41	calycina. DC.	(*wh.*)	large-calyxed.	Barbary.	1824.	——	H. ☉.	
42	triándra. DC.	(*wh.*)	triandrous.	.....	——	——	H. ☉.	Schrank. h. mon. t. 30.
43	mediterrànea. DC.	(*w.*)	Mediterranean.	S. Europe.	1821.	——	H. ☉.	
44	recúrva. DC.	(*wh.*)	recurved-leav'd.	————	——	——	H. ♃.	Jacq. coll. 2. t. 16. f. 1.
45	hirsùta. DC.	(*wh.*)	hairy.	Tauria.	1824.	——	H. ♃.	
46	setàcea. DC.	(*wh.*)	bristly.	France.	1820.	——	H. ♃.	
47	fasciculàta. DC.	(*wh.*)	dense-flowered.	S. Europe.	1815.	——	H. ☉.	Flor. græc. t. 442.
48	fastigiàta. E.B.	(*wh.*)	fastigiate.	Scotland.	....	6. 7.	H. ☉.	Eng. bot. 1744.
49	filifòlia. DC.	(*wh.*)	thread-leaved.	Arabia.	....	——	H. ♃.	Vahl. symb. 1. t. 12.
50	mucronàta. DC.	(*wh.*)	mucronate.	————	1777.	——	H. ☉.	
51	uliginòsa. DC.	(*wh.*)	marsh.	Switzerland.	1824.	——	H. ♃.	DC. ic. gall. t. 46.
52	polygonóides. DC.	(*wh.*)	procumbent.	————	——	——	H. ♃.	Jacq. coll. 1. t. 15.
53	marginàta. DC.	(*wh.*)	margined.	Siberia.	1824.	——	H. ♃.	
54	canéscens. DC.	(*wh.*)	canescent.	.....	1828.	——	H. ♃.	
	macrocárpa. H. non Ph.							
55	tetraquètra. DC.	(*wh.*)	square-stalked.	S. France.	1731.	8.	H. ♃.	All. ped. 2 t. 89. f. 1.
56	Gieseckii. DC.	(*wh.*)	Gieseke's.	Greenland.	1827.	——	H. ♃.	Horn. fl. dan t. 1518.
57	lanceolàta. DC.	(*wh.*)	lanceolate.	Piedmont.	1820.	——	H. ♃.	All. fl. ped. t. 26. f. 5.
58	cherlerióides. P.S.	(*wh.*)	cherleria-leav'd.	S. France.	....	7. 8.	H. ♃.	Vill. delph. 4. t. 47. f. 1.

59	montàna. DC.	(wh.)	mountain.	Spain.	1800.	4. 7.	H. ♃.	Bot. mag. 1118.
60	serpyllifòlia. DC.	(wh.)	Thyme-leaved.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 923.
61	ciliàta. DC.	(wh.)	fringed.	Ireland.	....	8. 8.	H. ♃.	——— 1745.
62	multicáulis. W.	(wh.)	many-stalked.	Europe.	1794.	7. 8.	H. ♃.	Jacq. coll. 1. t. 17. f. 1.
63	trinérvia. DC.	(wh.)	three-nerved.	Britain.	....	5. 7.	H. ☉.	Eng. bot. 1483.
64	norvègica. DC.	(wh.)	Norway.	Norway.	1828.	6. 7.	H. ♃.	Flor. dan. t. 1269.
65	balearica. DC.	(wh.)	Majorca.	Majorca.	1787.	8. 8.	H. ♃.	L. Her. stirp. 1. t. 15.
66	biflòra. DC.	(wh.)	two-flowered.	S. Europe.	1823.	——	H. ♃.	All. ped. t. 64. f. 3.
67	procúmbens. DC.	(re.)	procumbent.	Egypt.	1801.	6. 8.	F. ♃.	Vahl. symb. 1. t. 33.
ADENARIUM. DC.			SEA CHICKWEED.	Decandria Tri-Pentagynia.				
	peploides. DC.	(wh.)	common.	Britain.	....	6. 7.	H. ♃.	Eng. bot. 189.
	Arenària peploides. E.B.							
CERASTIUM. DC.			MOUSE-EAR CHICKWEED.	Decandria Pentagynia. L.				
1	nemorale. DC.	(wh.)	wood.	Caucasus.	1823.	5 6.	H. ☉.	
2	perfoliàtum. DC.	(wh.)	perfoliate.	Greece.	1725.	6. 7.	H. ☉.	Dill. elt. t. 217. f. 284.
3	caucásicum. DC.	(wh.)	Caucasean.	Caucasus.	1825.	——	H. ☉.	
4	dahùricum. DC.	(wh.)	glaucous.	Dahuria.	1815.	5. 9.	H. ♃.	Schrank. h. mon. t. 75.
	amplexicáule. B.M. 1789.							
5	máximum. DC.	(wh.)	greatest.	Siberia.	1792.	6. 7.	H. ☉.	Gmel. sib. 4. t. 62. f. 2.
6	dichótomum. DC.	(wh.)	forked.	Spain.	1726.	——	H. ☉.	
7	ruderàle. DC.	(wh.)	pendulous-fruit.	Caucasus.	1824.	——	H. ☉.	
8	tàuricum. DC.	(wh.)	Taurian.	Tauria.	——	——	H. ☉.	
9	vulgàtum. DC.	(wh.)	common.	Britain.	....	4. 6.	H. ☉.	Eng. bot. 789.
10	viscòsum. DC.	(wh.)	clammy.	———	....	4. 9.	H. ♃.	——— 790.
11	barbulàtum. L.en.	(wh.)	bearded.	S. Europe.	1821.	——	H. ☉.	
12	holosteoides. DC.	(wh.)	Holosteum like.	Sweden.	——	——	H. ♃.	
13	pentándrum. DC.	(wh.)	five-stamened.	Spain.	1820.	——	H. ☉.	
14	semidecándrum. DC.	(wh.)	least.	Britain.	....	3. 4.	H. ☉.	Eng. bot. 1630.
15	brachypétalum. DC.	(wh.)	small-flowered.	France.	1816.	4. 5.	H. ♃.	DC. ic. gall. t. 44.
16	diffùsum. DC.	(wh.)	spreading.	.....	....	4. 9.	H. ♃.	
17	serpyllifòlium. W. en.	(wh.)	Thyme-lvd.	S. Europe.	1824.	5. 6.	H. ♃.	
18	mánticum. DC.	(wh.)	long peduncl'd.	Hungary.	1801.	6. 7.	H. ☉.	W. et K. hung. 1. t. 96.
19	campanulàtum. DC.	(wh.)	early-flowd.	Italy.	1826.	4. 6.	H. ☉.	Viv. ann. bot. 1. p. 2. t. 1.
	præcox. T.N.							
20	grandiflòrum. DC.	(wh.)	large-flowered.	———	1820.	6. 7.	H. ♃.	W. et K. hung. 2. t. 168.
21	argénteum. M.B.	(wh.)	silvery-leaved.	Iberia.	1821.	——	H. ♃.	
22	tomentòsum. DC.	(wh.)	white-leaved.	S. Europe.	1648.	——	H. ♃.	Col. phyt. ed. 1744. t. 31.
23	Bieberstéinii. DC.	(wh.)	Bieberstein's.	Tauria.	1820.	——	H. ♃.	DC. pl. rar. gen. t. 11.
24	lanàtum. DC.	(wh.)	woolly.	Pyrenees.	——	——	H. ♃.	
25	alpinum. DC.	(wh.)	Alpine.	Britain.	....	——	H. ♃.	Eng. bot. 472.
26	ovàtum. DC.	(wh.)	oval-leaved.	Carinthia.	1816.	——	H. ♃.	
27	latifòlium. DC.	(wh.)	broad-leaved.	Britain.	....	——	H. ♃.	Eng. bot. 473.
28	aquáticum. E.B.	(wh.)	water.	———	....	——	H. w. ♃.	——— 538.
29	sylváticum. DC.	(wh.)	wood.	Hungary.	1826.	——	H. ♃.	W. et K. hung. 1. t. 97.
30	arvénse. DC.	(wh.)	field.	———	....	5. 8.	H. ♃.	Eng. bot. 93.
31	rèpens. W.	(wh.)	creeping.	S. Europe.	1759.	5. 7.	H. ♃.	Lam. ill. t. 392. f. 2.
32	strictum. W.	(wh.)	upright.	Austria.	1798.	——	H. ♃.	Scop. carn. t. 19. f. 1.
33	suffruticòsum. W.	(wh.)	suffruticose.	S. Europe.	1796.	——	H. ♃.	
34	pensylvànicum. DC.	(wh.)	Pensylvanian.	N. America.	1823.	——	H. ♃.	
35	pubéscens. DC.	(wh.)	pubescent.	———	1822.	——	H. ♃.	
36	matrénse. L. en.	(wh.)	Matram.	Hungary.	1823.	——	H. ♃.	
37	dióicum. H.K.	(wh.)	Spanish.	Spain.	1766.	6. 7.	H. ♃.	
38	pilòsum. L. en.	(wh.)	hairy-leaved.	.....	1823.	——	H. ♃.	
39	Sprengèlii. DC.	(wh.)	Sprengel's.	.....	——	——	H. ♂.	
40	Tenoreànum. DC.	(wh.)	Tenore's.	Italy.	1825.	——	H. ☉.	
41	Samniànum. DC.	(wh.)	Samnian.	———	——	——	H. ♃.	
42	hirsùtum. DC.	(wh.)	hairy.	———	——	——	H. ♃.	
43	glandulòsum. Lk.	(wh.)	glandular.	.....	1827.	——	H. ♃.	
44	inflàtum. Lk.	(wh.)	inflated.	.....	——	——	H. ☉.	
CHERLERIA. DC.			CHERLERIA.	Decandria Trigynia. L.				
	sedoides. DC.	(wh.)	dwarf.	Scotland.	....	7. 8.	H. ♃.	Eng. bot. 1212.

ORDO XXVII.

LINEÆ. *DC. prodr.* 1. *p.* 423.

L'INUM. DC.		FLAX. Pentandria Pentagynia. L.						
1 gállicum. DC.	(*ye.*)	annual yellow.	France.	1777.	7. 8.	H. ☉.	Flor. græc. t. 302.
2 áureum. DC.	(*ye.*)	golden.	Hungary.	1823.	——	H. ☉.	W.et K. hung. 2. t. 177.
3 tènue. DC.	(*ye.*)	slender.	Barbary.	1826.	——	H. ☉.	
4 lutèolum. DC.	(*ye.*)	yellowish.	Tauria.	——	——	H. ☉.	Baxb. cent. 5. t. 50.
5 nodiflòrum. DC.	(*ye.*)	knotted.	Italy.	1759.	——	H. ♃.	Flor. græc. t. 307.
6 strictum. DC.	(*ye.*)	upright.	S. Europe.	——	5. 7.	H. ♂.	——————t. 304.
7 rígidum. DC.	(*st.*)	stiff-leaved.	Missouri.	1807.	7.	H. ☉.	
8 virginiànum. DC.	(*ye.*)	Virginian.	N. America.	——	——	H. ♂.	
9 mexicànum. DC.	(*ye.*)	Mexican.	Mexico.	1827.	8. 11.	F. ♃.	
10 dahùricum. DC.	(*ye.*)	Dahurian.	Daburia.	1822.	6. 8.	H. ♃.	
11 marítimum. DC.	(*ye.*)	sea.	S. Europe.	1596.	7. 8.	H. ♃.	Jacq. vind. 2. t. 154.
12 arbòreum. R.S.	(*ye.*)	shrubby.	Candia.	1788.	5. 8.	G. ♄.	Flor. græc. t. 305.
13 campanulàtum. R.S.	(*y.*)	glaucous-leav'd.	S. Europe.	1795.	——	H. ♄.	Lob. ic. 414.
14 capitàtum. R.S.	(*ye.*)	headed.	Hungary.	1826.	6. 10.	H. ♃.	
15 flàvum. W.	(*ye.*)	yellow.	S. Europe.	1793.	——	H. ♃.	Bot. mag. 312.
16 trig'ynum. DC.	(*ye.*)	three-styled.	E. Indies.	1799.	10. 8.	G. ♄.	———— 1100.
17 africànum. DC.	(*ye.*)	African.	C. B. S.	1771.	6. 7.	G. ♄.	———— 403.
18 quadrifòlium. DC.	(*ye.*)	four-leaved.	————	1787.	6. 8.	G. ♄.	———— 431.
19 viscòsum. DC.	(*pi.*)	viscous.	S. Europe.	1821.	6. 8.	H. ♃.	Scop. carn. n. 383. t. 11.
20 hypericifòlium. P.L. *venústum.* A.R. 477.	(*pi.*)	Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H. ♃.	Bot. mag. 1048.
21 hirsùtum. W.	(*bl.*)	hairy.	Austria.	1759.	7. 8.	H. ♃.	Jacq. aust. 1. t. 31.
22 ascyrifòlium. B.M.	(*w.b.*)	blue and white.	Portugal.	1800.	——	H. ♃.	Bot. mag. 1007.
23 nervòsum. DC.	(*bl.*)	nervose.	Hungary.	1820.	——	H. ♃.	W. et K. hung. 2. t. 105.
24 narbonénse. DC.	(*bl.*)	Narbonne.	S. France.	1759.	5. 7.	F. ♃.	Barr. ic. t. 1007.
25 usitatíssimum. DC.	(*bl.*)	common.	Britain.	....	6. 7.	H. ☉.	Eng. bot. 1357.
26 marginàtum. DC. *angustifòlium.* W. en. *non* E.B.	(*bl.*)	white-margin'd.	.....	1823.	——	H. ♃.	
27 reflèxum. DC.	(*bl.*)	reflexed-leav'd.	S. Europe.	1777.	7.	H. ♃.	
28 squamulòsum. DC.	(*bl.*)	scaly.	Tauria.	1821.	6. 8.	H. ♃.	
29 diffùsum. DC.	(*bl.*)	spreading.	.....	1823.	——	H. ♃.	
30 angustifòlium. DC.	(*bl.*)	narrow-leaved.	England.	....	7.	H. ♃.	Eng. bot. 381.
31 sibíricum. DC. *austríacum.* B.M. 1086.	(*bl.*)	Siberian.	Siberia.	1775.	6. 7.	H. ♃.	Mill. ic. t. 166. f. 2.
32 Lewísii. Pu.	(*bl.*)	Lewis's.	N. America.	1824.	——	H. ♃.	Bot. reg. 1168.
33 ánglicum. DC. *perénne.* E.B.	(*bl.*)	English.	England.	....	6. 8.	H. ♃.	Eng. bot. 40.
β *procúmbens.* DC.	(*bl.*)	*procumbent.*	————	....	——	H. ♃.	
34 austríacum. DC.	(*bl.*)	Austrian.	Austria.	1775.	6. 7.	H. ♃.	Jacq. aust. t. 418.
35 montànum. DC.	(*bl.*)	mountain.	Switzerland.	....	7. 8.	H. ♃.	Scop. carn. ed. 2. t. 11.
36 alpìnum. DC.	(*bl.*)	Alpine.	Austria.	1739.	——	H. ♃.	Swt. br. fl. gar. t. 17.
37 tenuifòlium. DC.	(*li.*)	slender-leaved.	Europe.	1759.	6. 7.	H. ♃.	Jacq. aust. 3. t. 215.
38 salsoloídes. DC.	(*fl.*)	Salt-wort-like.	S. France.	1823.	7. 8.	H. ♄.	
39 suffruticòsum. DC.	(*fl.*)	Spanish.	Spain.	1759.	8.	F. ♄.	Cav. ic. 2. t. 108.
40 cathárticum. DC.	(*wh.*)	purging.	Britain.	....	6. 8.	H. ☉.	Eng. bot. 382.
RAD'IOLA. DC.		RAD'IOLA. Tetrandria Tetragynia.					
linoídes. DC. *millegrána.* E.B.	(*wh.*)	All-seed.	Britain.	....	7. 8.	H. ☉.	Eng. bot. 893.
		Línum Radíola. L.					

ORDO XXVIII.

MALVACEÆ. *DC. prodr.* 1. *p.* 429.

MA'LOPE. DC.		MA'LOPE. Monadelphia Polyandria. L.					
1 malacoídes. DC.	(*pu.*)	Barbary.	Barbary.	1710.	6. 7.	G. ♂.	Cav. diss. 2. t. 37. f. 1.
2 trífida. DC.	(*pu.*)	trifid.	————	1803.	7. 8.	H. ☉.	Swt. br. fl. gar. t. 153.

MALVA. DC.		MALLOW.	Monadelphia Polyandria. L.				
1 tricúspidàta. DC. *coromandelièna.* W. *americàna.* Cav.	(*ge.*)	Jamaica.	W. Indies.	1726.	7. 8.	S. ♃.	Cav. dis. 2. t. 22. f. 2.
2 americàna. DC.	(*ye.*)	American.	———	1756.	6. 7.	H. ☉.	
3 scàbra. DC. *scopària.* Jacq. ic. 139.	(*ye.*)	rough-stemmed.	Peru.	1798.	——	G. ♄.	Cav. dis. 5. t. 138. f. 1.
4 scopària. DC.	(*ye.*)	Birch-leaved.	———	1782.	8. 9.	G. ♄.	L. her. stirp. t. 27.
5 borbònica. DC.	(*ye.*)	Bourbon.	Mauritius.	1816.	7. 8.	S. ♄.	
6 polystàchya. DC.	(*ye.*)	many-spiked.	Peru.	1798.	——	G. ♄.	Cav. dis. 5. t. 138. f. 3.
7 spicàta. DC.	(*ye.*)	simple-spiked.	Jamaica.	1726.	9. 10.	S. ♄.	——— 2. t. 20. f. 4.
8 ovàta. L. en.	(*ye.*)	oval-leaved.	Brazil.	....	——	S. ♄.	——— 2. t. 20. f. 2.
9 subhastàta. DC.	(*ye.*)	subhastate.	S. America.	1821.	7. 10.	S. ♄.	——— 2. t. 21. f. 3.
10 tomentòsa. DC.	(*ge.*)	tomentose.	India.	1820.	——	S. ♄.	Pluk. alm. t. 356. f. 1.?
11 waltherifòlia. DC.	(*ye.*)	Waltheria-ld.	Java.	1824.	....	S. ♃.	
12 trachelifòlia. DC.	(*ye.*)	Trachelium-ld.	.....	——	7. 8.	H. ☉.	
13 gangética. DC.	(*ye.*)	Indian.	E. Indies.	——	——	H. ☉.	Pluk. t. 74. f. 6.
14 leprósa. DC.	(*wh.*)	leprous.	Cuba.	1815.	5. 7.	S. ♃.	
15 Sherardiàna. DC.	(*re.*)	Sherard's.	Bithynia.	....	——	S. ♃.	Cav. dis. 2. t. 26. f. 4.
16 crética. DC.	(*fl.*)	Cretan.	Crete.	1828.	——	H. ☉.	——— 5. t. 138. f. 2.
17 hispánica. DC.	(*ro.*)	Spanish.	Spain.	1710.	7.	H. ☉.	Desf. atl. 2. t. 170.
18 stipulàcea. DC.	(*pu.*)	long-stipuled.	———	1815.	6. 8.	H. ☉.	Cav. dis. 2. t. 15. f. 2.
19 ægyptia. DC.	(*bl.*)	Egyptian.	Egypt.	1739.	6. 7.	H. ☉.	——— 2. t. 17. f. 1.
20 trífida. DC.	(*bl.*)	large-flowered.	Spain.	1815.	——	H. ☉.	——— 5. t. 137. f. 2.
21 Tournefortiàna. DC.	(*r.*)	Tournefort's.	———	1759.	7. 8.	H. ☉.	——— 2. t. 17. f. 3.
22 Alcèa. DC.	(*pi.*)	Vervain.	Europe.	1597.	7. 10.	H. ♃.	Bot. mag. 2297.
23 Morènii. s.s. *alceoides.* Ten. fl. nap. t. 64.	(*pi.*)	Moreni's.	Italy.	1824.	——	H. ♃.	——— 2793.
24 moschàta. DC.	(*pi.*)	musk.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 754.
β *lacinièta.* DC.	(*wh.*)	*white-flowered.*	.....	....	——	H. ♃.	Bot. mag. 2298.
25 hirsùta. T.	(*pi.*)	hairy.	Sicily.	1825.	——	H. ☉.	
26 fastigiàta. DC.	(*re.*)	fastigiate.	Spain.	1828.	6. 8.	H. ♂.	Cav. dis. 2. t. 23. f. 2.
27 mauritiàna. DC.	(*pu.*)	Ivy-leaved.	S. Europe.	1768.	6. 7.	H. ☉.	Swt. br, fl. gar. 61.
28 excélsa. Pr.	(*pu.*)	tall.	Sicily.	1828.	——	H. ♃.	
29 sylvéstris. DC.	(*pu.*)	common.	Britain.	....	5. 10.	H. ♃.	Eng. bot. 671.
30 vulgàris. T.	(*pu.*)	prostrate.	Italy.	1827.	——	H. ♂.	
31 Henningii. DC.	(*pu.*)	Henning's.	Moscow.	1823.	6. 8.	H. ♃.	
32 rotundifòlia. DC. β *pusilla.* E.B.	(*wh.*)	round-leaved.	Britain.	....	6. 9.	H. ☉.	Eng. bot. 1092.
	(*wh.*)	*dwarf.*	———	....	——	H. ☉.	——— 241.
33 brasiliénsis. DC.	....	Brazilian.	Brasil.	1820.	——	S. ♃.	
34 nicæénsis. DC.	(*w.p.*)	Italian.	Italy.	1823.	——	H. ☉.	Cav. dis. 2. t. 25. f. 1.
35 microcárpa. DC.	(*fl.*)	small-fruited.	Egypt.	———	——	H. ♃.	
36 parviflòra. DC.	(*ro.*)	small-flowered.	Barbary.	1779.	6. 7.	H. ♃.	Cav. dis. 2. t. 23. f. 1.
37 verticillàta. DC.	(*w.p.*)	whorl-flowered.	China.	1683.	——	H. ☉.	Jacq. vind. 1. t. 49.
38 mareótica. DC.	(*fl.*)	headed.	Egypt.	1823.	6. 10.	H. ☉.	
39 crispa. DC.	(*bl.*)	curled.	Syria.	1573.	6. 8.	H. ☉.	Cav. dis. 2. t. 23. f. 1.
40 flexuósa. DC.	(*re.*)	flexuose.	.....	1823.	——	H. ☉.	
41 smœ'na. DC. *calycina.* B.R. 297.	(*pi.*)	lobe-leaved.	C. B. S.	1796.	4. 8.	G. ♄.	Bot. mag. 1998.
42 calycina. DC.	(*pi.*)	large-calyxed.	———	1812.	——	G. ♄.	Cav. dis. 2. t. 23. f. 4.
43 virgàta. DC.	(*fl.*)	twiggy.	———	1727.	5. 7.	G. ♄.	——— 2. t. 18. f. 2.
44 capénsis. DC.	(*w.r.*)	Cape.	———	1713.	1. 12.	G. ♄.	Bot. reg. 295.
45 balsámica. DC.	(*re.*)	balsamic.	———	1800.	5. 9.	G. ♄.	Jacq. ic. 1. t. 140.
46 oxyacanthoides. DC.	(*w.r.*)	Hawthorn-ld.	———	1825.	——	G. ♄.	
47 tridactylites. DC. *reflèxa.* A.R. t. 185.	(*wh.*)	reflex-flowered.	———	1791.	6. 8.	G. ♄.	Cav. dis. 2. t. 21. f. 2.
48 divaricàta. DC.	(*wh.*)	straddling.	———	1799.	6. 9.	G. ♄.	And. bot. rep. 182.
49 retùsa. DC.	(*y.bh.*)	blunt-leaved.	———	1803.	3. 5.	G. ♄.	Cav. dis. 2. t. 21. f. 1.
50 frágrans. DC.	(*pu.*)	fragrant.	———	1759.	5. 7.	G. ♄.	Bot. reg. 296.
51 stricta. DC.	(*w.r.*)	upright.	———	1805.	5. 8.	G. ♄.	Jacq. shœnb. 3. t. 294.
52 bryonifòlia. DC.	(*re.*)	Bryony-leaved.	———	1731.	7. 8.	G. ♄.	Wend. h. her. 1. t. 4.
53 grossulariæfòlia. DC.	(*r.*)	Gooseberry-ld.	———	1792.	5. 9.	G. ♄.	Bot. reg. 561.
54 aspérrima. DC.	(*wh.*)	roughest.	———	1796.	——	G. ♄.	Jacq. schœnb. 3. t. 289.
55 láctea. DC. *vitifòlia.* Cav.	(*wh.*)	panicled white.	Mexico.	1789.	1. 2.	G. ♄.	Cav. ic. 1. t. 30.
56 capitàta. DC.	(*pu.*)	various-leaved.	Peru.	1798.	11. 12.	G. ♄.	Cav. dis. 5. t. 137. f. 1.
57 miniàta. DC.	(*re.*)	painted.	S. America.	——	4. 5.	G. ♄.	Cav. ic. 3. t. 278.
58 operculàta. DC.	(*pu.*)	lid capsuled.	Peru.	1795.	7. 8.	G. ♄.	Cav. dis. 2. t. 25. f. 1.
59 peruviàna. DC.	(*pu.*)	Peruvian.	———	1759.	6. 8.	H. ☉.	Jacq. vind. 2. t. 156.
60 limènsis. DC.	(*bl.*)	blue-flowered.	———	1768.	——	H. ☉.	——— 2. t. 140.

61	itálica. DC.	(*re.*)	Italian.	Italy.	1826.	6. 8.	H.	♃.	
62	anómala. L. en.	(*re.*)	anomalous.	C. B. S.	——	——	G.	♃.	Pl. sel. hort. ber. t. 22.
63	umbellàta. DC.	(*cr.*)	umbelled.	S. America.	1814.	1. 3.	G.	♄.	Lod. Bot. cab. 222.
64	ròsea. DC.	(*ro.*)	rose-coloured.	Mexico.	1828.	——	F.	♄.	Flor. mex. ic. ined.
65	abutilóides. DC.	(*pu.*)	Bahama.	Bahama Isl.	1725.	6. 9.	G.	♄.	Jacq. schœnb. 3. t. 298.
66	obtusilòba. B.M.	(*pu.*)	blunt-lobed.	Chili.	1824.	7. 8.	F.	♄.	Bot. mag. 2787.
67	élegans. DC.	(*y.re.*)	elegant.	C. B. S.	1791.	5. 8.	G.	♄.	Cav. dis. 2. t. 16. f. 1.
68	angustifòlia. DC.	(*li.*)	narrow-leaved.	Mexico.	1780.	8.	G.	♄.	Bot. mag. 2839.
69	caroliniàna. DC.	(*re.*)	Carolina.	Carolina.	1723.	6. 7.	H.	☉.	Cav. dis. 2. t. 15. f. 1.
70	prostràta. DC.	(*sc.*)	trailing.	Brazil.	1806.	5. 7.	G.	♃.	Bot. mag. 2515.
71	decúmbens. DC.	(*re.*)	decumbent.	S. America.	1815.	6. 8.	G.	♃.	
KITAIB'ELIA. DC.			KITAIB'ELIA.	Monadelphia Polyandria. L.					
	vitifòlia. DC.	(*wh.*)	Vine-leaved.	Hungary.	1801.	7. 9.	H.	♃.	Bot. mag. 821.
ALTH'ÆA. DC.			ALTH'ÆA.	Monadelphia Polyandria. L.					
1	officinàlis. DC.	(*fl.*)	Marsh-Mallow.	Britain.	....	7. 9.	H.	♃.	Eng. bot. 147.
2	taurinénsis. DC.	(*pu.*)	intermediate.	S. Europe.	1823.	——	H.	♃.	
3	narbonénsis. DC.	(*pu.*)	Narbonne.	——	1780.	8. 9.	H.	♃.	Jacq. ic. 1. t. 138.
4	cannabìna. DC.	(*ro.*)	Hemp-leaved.	——	1597.	6. 7.	H.	♃.	Jacq. aust. 2. t. 101.
5	hirsùta. DC.	(*bh.*)	hairy.	England.	1683.	——	H.	☉.	—— 2. t. 170.
6	Ludwígii. DC.	(*wh.*)	Ludwig's.	Sicily.	1791.	——	H.	☉.	Cav. ic. 5. t. 423.
7	leucántha. DT.	(*wh.*)	white-flowered.	Mt. Sinai.	1826.	6. 8.	H.	♂.	
8	nudiflòra. F.	(*ro.*)	naked-flowered.	Altay.	1824.	6. 10.	H.	♂.	
9	Froloviàna. F.	(*pu.*)	Siberian.	Siberia.	1826.	6. 8.	H.	♂.	
10	glabrifòlia. Led.	(*pu.*)	smooth-leaved.	——	1827.	——	H.	♂.	
11	acáulis. DC.	(*p.ye.*)	stemless.	Aleppo.	1680.	——	H.	☉.	Cav. dis. 2. t. 27. f. 3.
12	carib'æa. DC.	(*ro.*)	West Indian.	W. Indies.	1816.	3. 4.	S.	♂.	Bot. mag. 1916.
13	striàta. DC.	(*li.*)	streaked.	.....	1820.	6. 8.	H.	♂.	
14	pállida. DC.	(*li.*)	pale-flowered.	Hungary.	1805.	——	H.	♂.	
15	ròsea. DC.	(*va.*)	Hollyhock.	China.	1573.	7. 9.	H.	♂.	Cav. dis. 2. t. 28. f. 1.
	β bilòba. DC.	(*va.*)	*two-lobed.*	.....	....	——	H.	♂.	
16	sinénsis. DC.	(*v.*)	China.	——	....	——	H.	☉.	Cav. dis. 2. t. 29. f. 3.
17	flexuósa. DC.	(*pu.*)	flexuose.	E. Indies.	1803.	6. 8.	S.	♃.	Bot. mag. 892.
18	ficifòlia. DC.	(*ye.*)	Fig leaved.	Levant.	1597.	6. 9.	H.	♂.	Cav. dis. 2. t. 28. f. 2.
LAVATERA. DC.			LAVAT'ERA.	Monadelphia Polyandria. L.					
1	triméstris. DC.	(*li.w.*)	common annual.	S. Europe.	1633.	7. 9.	H.	☉.	Bot. mag. 109.
2	phœnícea. DC.	(*cr.*)	scarlet.	Madeira.	1823.	6. 9.	G.	♄.	Vent. malm. t. 120.
3	acerifòlia. DC.	(*li.*)	Map'e-leaved.	Teneriffe.	——	——	G.	♄.	Lois. h. amat. t. 322.
4	híspida. DC.	(*ro.*)	hispid.	Algiers.	1804.	6. 7.	G.	♄.	Desf. atl. 2. t. 171.
5	O'lbia. DC.	(*pu.*)	downy-leaved.	France.	1570.	6. 10.	G.	♄.	Cav. dis. 2. t. 32. f. 2.
6	unguiculàta. DC.	(*pu.*)	clawed.	Greece.	1807.	7. 9.	G.	♄.	
7	micans. DC.	(*pu.*)	glittering.	Spain.	1796.	6. 7.	G.	♄.	Moris. ox. t. 17. f. 9.
8	lusitànica. DC.	(*pu.*)	Portugal.	Portugal.	1731.	8. 9.	G.	♄.	
9	flàva. DC.	(*ye.*)	yellow.	Sicily.	1823.	6. 8.	H.	♃.	Desf. atl. 2. t. 172.
10	plebéia. B.M.	(*li.*)	vulgar.	N. S. W.	1820.	——	G.	♃.	Bot. mag. 2269.
	Weinmanniàna. Bes.								
11	thuringiaca. DC.	(*pu.*)	large-flowered.	Germany.	1731.	7. 9.	H.	♃.	Bot. mag. 517.
12	biénnis. DC.	(*pu.*)	biennial.	Caucasus.	1823.	5. 8.	H.	♂.	
13	punctàta. DC.	(*bh.*)	spotted-stalked.	Italy.	1800.	7. 9.	H.	☉.	
14	marítima. DC.	(*wh.*)	sea side.	S. Europe.	1597.	4. 6.	G.	♄.	Cav. dis 2. t. 32. f. 3.
15	trilòba. DC.	(*li.*)	three lobed.	Spain.	1759.	6. 7.	G.	♄.	Bot. mag. 2226.
16	arbórea. DC.	(*li.*)	Tree Mallow.	Britain.	....	7. 10.	H.	♂.	Eng. bot. 1841.
17	neapolitàna. DC.	(*pu.*)	Neapolitan.	Naples.	1823.	——	H.	♃.	
18	crética. DC.	(*pu.*)	Cretan.	Crete.	1723.	7. 9.	H.	☉.	Cav. dis. 2. t. 32. f. 1.
19	lanceolàta. W.en.	(*pu.*)	spear-leaved.	.....	1823.	——	H.	☉.	
20	sylvéstris. DC.	(*pu.*)	wood.	Portugal.	——	——	H.	☉.	
21	ambígua. DC.	(*pu.*)	ambiguous.	Naples.	1824.	——	H.	☉.	
22	móllis. Ehr.	(*pu.*)	soft.	Egypt.	1825.	7. 10.	H.	☉.	
MALA'CHRA. DC.			MALA'CHRA.	Monadelphia Polyandria. L.					
1	rotundifòlia. DC.	(*ro.*)	round-leaved.	Brazil.	1823.	6. 9.	S.	☉.	Schrank. h. mon. t. 56
2	capitàta. DC.	(*ye.*)	headed.	W. Indies.	1759.	8. 9.	S.	☉.	Cav. dis. 2. t. 33. f. 1. 2.
3	fasciàta. DC.	(*ro.*)	fasciate.	Caracas.	1820.	——	S.	☉.	Jacq. ic. 3. t. 548.
4	trilòba. DC.	(*wh.*)	three-lobed.	.....	——	——	S.	☉.	
5	radiàta. DC.	(*pu.*)	rayed.	St. Domingo.	1794.	7. 9.	S.	♂.	Cav. dis. 2. t. 33. f. 3.
6	alcæsfòlia. DC.	(*ye.*)	Hollyhock-l^d.	Caracas.	1805.	8. 9.	S.	☉.	Jacq. ic. 3. t. 549.
7	heptaphy'lla. DC. *fasciàta.* B. reg. 467.	(*ro.*)	many-flower'd. *non* DC.	Brazil.	1820.	6. 10.	S.	♃.	
8	palmàta. DC.	(*ye.*)	palmate.	.....	1825.	——	S.	☉.	
UR'ENA. DC.			UR'ENA.	Monadelphia Polyandria. L.					
1	lobàta. DC.	(*ro.*)	angular-leav'd.	China.	1731.	6. 7.	S.	♄.	Dill. elt. t. 319. f. 412.

2 scabriúscula. DC.	(ro.)	roughish.	India.	1820.	6. 7.	S. ♄.	Cav. dis. 6. t. 185. f. 1.
3 repánda. DC.	(ro.)	netted-leaved.	———	——	——	S. ♄.	
4 multífida. DC.	(ye.)	multifid.	Mauritius.	1817.	10. 1.	S. ♄.	Cav. dis. 6. t. 184. f. 2.
5 tricúspis. DC.	(ye.)	three-pointed.	———	1820.	6. 9.	S. ♄.	——— 6. t. 183. f. 1.
6 reticulàta. DC. *americàna.* L. *non* Sm.	(ye.)	netted.	St. Domingo.	1816.	——	S. ♄.	——— 6. t. 183. f. 2.
7 subtrilòba. DC.	(re.)	various-leaved.	Brazil.	1823.	——	S. ☉.	Schrank. h. mon. t. 79.
8 Swártzii. DC. *sinuàta.* Sw. *americàna.* Sm.	(re.)	Swartz's.	Surinam.	....	——	S. ♄.	
9 sinuàta. DC.	(re.)	cut-leaved.	E. Indies.	1759.	7. 8.	S. ♄.	Cav. dis. 6. t. 185. f. 2.
10 muricàta. DC.	(re.)	muricate-fruit'd	———	1823.	——	S. ♄.	
PAVO'NIA. DC.		PAV'ONIA. Monadelphia Polyandria. L.					
1 spìnifex. DC.	(ye.)	prickly-seeded.	W. Indies.	1778.	7. 8.	S. ♄.	Bot. reg. 339.
2 Typhàlea. DC.	(wh.)	globular-headed.	———	1823.	——	S. ♄.	Cav. dis. 2. t. 197.
3 úrens. DC.	(ro.)	stinging.	Mauritius.	1801.	——	S. ♄.	Jacq. ic. 3. t. 522.
4 coccínea. DC.	(sc.)	scarlet.	St. Domingo.	1816.	——	S. ♄.	Cav. dis. 3. t. 47. f. 1.
5 Columélla. DC.	(pu.)	angular-leaved.	Bourbon.	1807.	——	S. ♄.	——— 3. t. 48. f. 3.
6 parviflòra. DC.	(st.)	small-flowered.	.....	1820.	——	S. ♄.	
7 racemòsa. DC. *spicàta.* Cav.	(ye.)	naked-racemed.	Jamaica.	——	——	S. ♄.	Cav. dis. 3. t. 46. f. 1.
8 præmórsa. DC.	(ye.)	bitten-leaved.	C. B. S.	1774.	6. 8.	G. ♄.	Bot. mag. 436.
9 paniculàta. DC.	(ye.)	panicled.	Caracas.	1823.	——	S. ♄.	Cav. dis. 3. t. 46. f. 2.
10 odoràta. DC.	(re.)	fragrant.	E. Indies.	1807.	——	S. ♄.	
11 sidoídes. DC.	(re.)	Sida like.	———	1820.	——	S. ♂.	
12 zeylánica. DC.	(bl.)	Ceylon.	———	1790.	7. 9.	S. ☉.	Burm. ind. t. 48. f. 2.
13 cancellàta. DC.	(re.)	arrow-leaved.	Surinam.	1823.	——	S. ☉.	Lin. sup. t. 311.
MALVAVI'SCUS. DC.		ACH'ANIA. Monadelphia Polyandria. L.					
1 arbóreus. DC. *Achània malvaviscus.* W.	(sc.)	smooth-leaved.	Jamaica.	1714.	1. 12.	S. ♄.	Cav. dis. 3. t. 48. f. 1.
2 móllis. DC. *Achània móllis.* B.R.	(sc.)	soft-leaved.	Mexico.	1780.	——	S. ♄.	Bot. reg. 11.
3 pilòsa. DC.	(sc.)	hairy.	Jamaica.	1780.	10. 11.	S. ♄.	Lodd. bot. cab. 829.
LEBRET'ONIA. DC.		LEBRET'ONIA. Monadelphia Polyandria. L.					
coccínea. DC.	(sc.)	scarlet.	Brazil.	1823.	6. 8.	S. ♄.	Schrank. h. mon. t. 90.
HIBI'SCUS. DC.		HIBI'SCUS. Monadelphia Polyandria. L.					
1 liiiflòrus. DC.	(va.)	Lily-flowered.	Bourbon.	1822.	8. 12.	S. ♄.	Cav. dis. 3. t. 57. f. 1.
2 Boryànus. DC.	(wh.)	Bory St. Vincent's.	———	1826.	6. 10.	S. ♄.	
3 pedunculàtus. DC.	(pi.)	long-peduncled.	C. B. S.	1812.	5. 12.	S. ♄.	Bot. reg. 231.
4 Lámpas. DC.	(st.)	three-pointed.	E. Indies.	1806.	10. 2.	S. ♄.	Cav. dis. 3. t. 56. f. 2.
5 membranàceus. DC.	(y.)	leafy-calyxed.	.....	1816.	....	S. ♄.	——— 3. t. 57. f. 2.
6 spiràlis. DC.	(y.fl.)	spiral.	Mexico.	1826.	6. 9.	G. ♄.	Cavan. ic. 2. t. 162.
7 tubulòsus. DC.	(y.p.)	tubular.	E. Indies.	1796.	7. 10.	S. ♂.	Cav. dis. 3. t. 68. f. 2.
8 pentacárpos. DC.	(bl.)	angular-fruited.	Venice.	1752.	——	G. ♃.	Jacq. ic. 1. t. 143.
9 virgínicus. DC.	(ro.)	Virginian.	Virginia.	1798.	——	H. ♃.	——— 1. t. 142.
10 pentaspérmus. DC.	(ye.)	five-seeded.	Jamaica.	1825.	——	S. ♄.	
11 Mánihot. DC.	(y.p.)	palmated.	E. Indies.	1712.	7. 9.	S. ♄.	Bot. mag. 1702.
12 palmàtus. C.	(ye.p.)	palmate-leav'd.	S. America.	....	——	S. ♄.	Cav. dis. 3. t. 68. f. 1.
13 ficúlneus. DC. *sinuàtus.* C.	(wh.)	Fig-leaved.	Ceylon.	1732.	6. 7.	S. ♄.	——— 3. t. 52. f. 2.
14 ficulneoídes. B.R.	(st.)	Fig-like.	S. America.	1824.	6. 8.	S. ♄.	Bot. reg. 938.
15 tetraphy'llus. DC.	(ye.)	four-leaved.	E. Indies.	1807.	7. 10.	S. ☉.	
16 platanifòlius. *acerifòlius.* DC. *non* P.L.	(ye.)	Plane-leaved.	W. Indies.	1820.	——	S. ♄.	Pl. sel. h. ber. t. 1.
Pavònia platanifòlia. L. en.							
17 Rósa-sinénsis. DC.	(sc.)	China Rose.	E. Indies.	1731.	1. 12.	S. ♄.	Bot. mag. 158.
β *rùbro-plènus.*	(sc.)	*double-red.*	———	——	——	S. ♄.	Lod. bot. cab. 996.
γ *cárneo-plènus.*	(sa.)	*double-salmon.*	———	——	——	S. ♄.	
δ *variegàtus.*	(sc.w.)	*double-striped.*	———	——	——	S. ♄.	Lod. bot. cab. 963.
ε *flávo-plènus.*	(co.)	*double-buff.*	———	——	——	S. ♄.	——— 513.
ζ *lúteo-plènus.*	(ye.)	*double-yellow.*	———	1822.	——	S. ♄.	——— 922.
18 acerifòlius. P.L.	(va.)	Maple-leaved.	China.	1798.	3. 6.	G. ♄.	Sal. par. lond. 12.
19 syríacus. DC.	(va.)	Althæa frutex.	Syria.	1596.	8. 9.	H. ♄.	Bot. mag. 83.
α *purpùreus.*	(pu.)	*purple-flowered.*	———	——	——	H. ♄.	
β *rùber.*	(re.)	*red-flowered.*	———	——	——	H. ♄.	
γ *álbus.*	(wh.)	*white-flowered.*	———	——	——	H. ♄.	
δ *variegàtus.*	(w.p.)	*striped-flowered.*	———	——	——	H. ♄.	
ε *marginàtus.*	(pu.)	*variegated.*	———	——	——	H. ♄.	
ζ *álbo-plènus.*	(wh.)	*double-white.*	———	——	——	H. ♄.	
η *purpùreo-plènus.*	(p.)	*double-purple.*	———	——	——	H. ♄.	
20 prúriens. DC.	(y.pu.)	stinging.	E. Indies.	1804.	7. 9.	S. ♂.	Andr. reposit. 498.

21	muraltéensis. DC.	(*y.p.*)	prickly-stalk'd.	E. Indies.	1781.	7. 9.	S. ☉.	Bot. mag. 1286.
22	radiàtus. DC.	(*st.p.*)	rayed.	———	1790.	6. 8.	S. ☉.	——— 1911.
23	furcàtus. DC.	(*ye.p.*)	forked.	———	1816.	7. 9.	S. ☉.	
24	unidéns. B.R.	(*y.p.*)	one-toothed.	Brazil.	1824.	11. 4.	S. ♄.	Bot. reg. 878.
25	scàber. DC.	(*st.*)	scabrous.	Carolina.	1810.	7. 9.	G.w.♃.	
26	strigòsus. B.R.	(*ro.*)	strigose.	S. America.	1822.	1. 12.	S. ♄.	Bot. reg. 860.
27	bifùrcatus. DC.	(*pu.*)	two-forked.	Brazil.	1826.	——	S. ♄.	Cav. dis. 3. t. 51. f. 1.
28	trilòbus. DC.	(*co.*)	three-lobed.	W. Indies.	1824.	——	S. ♄.	——— 3. t. 53. f. 2.
29	diversifòlius. DC.	(*y.p.*)	different-leav'd.	E. Indies.	1798.	6. 7.	S. ♄.	Jacq. ic. 3. t. 551.
30	heterophy'llus. DC.	(*w.p.*)	various-leaved.	N. S. W.	1808.	8. 9.	G. ♄.	Bot. reg. 29.
31	cannabìnus. DC.	(*y.p.*)	Hemp-leaved.	E. Indies.	1759.	6. 7.	S. ♂.	Roxb. cor. 2. t. 190.
32	vitifòlius. DC.	(*y.p.*)	Vine-leaved.	———	1690.	7. 10.	S. ♂.	Rheed. mal. 6. t. 46.
33	obtusifòlius. DC.	(*y.p.*)	blunt-leaved.	———	1820.	——	S. ♂.	
34	Bámmia. L.en.	(*y.p.*)	Egyptian.	Egypt.	....	6. 7.	S. ☉.	Tezz. mus. d. fr. 2. t. 7.
35	esculéntus. L.en.	(*y.p.*)	eatable.	India.	1692.	——	S. ☉.	
36	longifòlius. DC.	(*ye.*)	long-leaved.	E. Indies.	1820.	7. 9.	S. ♂.	
37	moschèutos. DC.	(*w.p.*)	swamp.	N. America.	....	8. 10.	H.w.♃.	Swt. br. fl. gar. 286.
38	palústris. DC.	(*pu.*)	marsh.	———	1759.	7. 9.	H.w.♃.	Cav. dis. 3. t. 65. f. 2.
39	rósens. DC.	(*ro.*)	rose-colour'd.	S. Europe.	1824.	8. 10.	H.w.♃.	Swt. br. fl. gar. 277.
40	aquáticus. DC.	(*wh.*)	water.	Etruria.	1820.	7. 9.	H.w.♃.	
41	incànus. DC.	(*st.*)	hoary.	Carolina.	1806.	9.	G.w.♃.	Wend. h. her. 4. t. 24.
42	mùlitàris. DC.	(*pu.*)	smooth.	Louisiana.	1804.	8. 9.	G.w.♃.	Bot. mag. 2385.
43	speciòsus. DC.	(*cr.*)	superb.	Carolina.	1778.	6. 9.	G.w.♃.	——— 360.
44	grandiflòrus. DC.	(*fl.*)	great-flower'd.	Georgia.	1823.	——	G.w.♃.	
45	ferragíneus. DC.	(*re.*)	rusty	Madagascar.	1820.	——	S. ♄.	Cav. dis. 3. t. 60. f. 1.
46	lunarifòlius. DC.	(*st.p.*)	Lunaria-leav'd.	E. Indies.	....	——	S. ♄.	
47	æthiòpicus. DC.	(*ye.*)	dwf. wedge-l^d.	C. B. S.	1774.	8.	G. ♃.	Cav. dis. 3. t. 61. f. 1.
48	mutàbilis. DC.	(*va.*)	changeable.	E. Indies.	1690.	10. 12.	S. ♄.	Bot. reg. 569.
	β flòre-plèno.	(*va.*)	*double-flowered.*	———	....	——	S. ♄.	
49	clypeàtus. DC.	(*r.y.*)	shield-capsuled.	Jamaica.	1750.	7. 8.	S. ♄.	Cav. dis. 3. t. 58. f. 1.
50	Abelmóschus. DC.	(*ye.*)	Musk Okro.	India.	1640.	7. 9.	S. ♄.	——— 3. t. 62. f. 2.
51	eriscárpus. DC.	(*ge.*)	woolly-capsul'd.	E. Indies.	1820.	——	S. ♄.	
52	phœníceus. B.R.	(*cr.*)	crimson-flow^d.	S. America.	1796.	——	S. ♄.	Bot. reg. 290.
53	hirtus. L.	(*sc.*)	hairy.	E. Indies.	....	2. 10.	S. ♄.	Cav. dis. 3. t. 67. f. 3.
54	Rósa malabárica.	(*sc.*)	Malabar Rose.	———	1818.	8. 10.	S. ♄.	Bot. reg. 237.
55	rhombifòlius. DC.	(*wh.*)	rhomb-leaved.	———	1823.	——	S. ♄.	Cav. dis. 3. t. 69. f. 3.
56	gossypìnus. DC.	(*re.*)	cottony.	C. B. S.	1818.	——	G. ♄.	
57	micránthus. DC.	(*ge.*)	small-flowered.	E. Indies.	1794.	——	S. ♄.	Cav. dis. 3. t. 66. f. 1.
58	Triònum. DC.	(*st.p.*)	BladderKetmia.	Italy.	1596.	8. 9.	H. ☉.	Bot. mag. 209.
59	hispidus. B.R.	(*y.p.*)	hispid.	C. B. S.	....	——	G. ♄.	Bot. reg. 866.
60	africànus. B.R.	(*st.p.*)	African.	Africa.	1826.	6. 10.	H. ☉.	
61	Richardsòni.	(*st.*)	Richardson's.	N. S. W.	1822.	——	G. ♄.	Bot. reg. 875.
62	vesicàrius. DC.	(*st.p.*)	African.	Africa.	1713.	7. 8.	H. ☉.	Cav. dis. 3. t. 62. f. 2.
63	Sabdariffa. DC.	(*y.ro.*)	Indian.	E. Indies.	1596.	6. 9.	S. ♂.	Bonp. nav. t. 29.
64	digitàtus. DC.	(*y.r.*)	fingered.	Brazil.	1818.	——	S. ☉.	Cav. dis. 3. t. 70. f. 2.
	β Kerviànus. DC.	(*w.r.*)	*Ker's.*	Rio Janeiro.	——	——	S. ☉.	Bot. reg. 668.
65	tricúspis. DC.	(*ye.*)	sharp-pointed.	Society Isl.	1820.	——	S. ♄.	Cav. dis. 3. t. 55. f. 2.
66	racemòsus. B.R.	(*y.p.*)	racemed.	Nepaul.	1824.	8. 2.	G. ♄.	Bot. reg. 917.
67	tiliàceus. DC.	(*ye.p.*)	Lime-tree-l^d.	E. Indies.	1739.	7. 8.	S. ♄.	——— 282.
68	elàtus. DC.	(*y.p.*)	tall.	Jamaica.	1790.	——	S. ♄.	
69	abutiloídes. DC.	(*y.p.*)	smooth-leaved.	S. America.	1820.	....	S. ♄.	Sloan. jam. 1. t. 234. f. 4.
70	flavéscens.	(*ye.*)	flavescent.	Brazil.	1822.	6. 9.	S. ♄.	Cav. dis. 3. t. 70. f. 3.
71	borbònicus. DC.	(*ye.*)	Bourbon.	I. Bourbon.	1826.	——	S. ♄.	
72	Macleànus. BP.	(*ye.*)	Macleay's.	W. Indies.	1827.	8. 9.	S. ♄.	
73	macrophy'llus. DC.	(*ge.*)	large-leaved.	E. Indies.	1820.	....	S. ♄.	
74	collìnus. H.B.	(*ye.*)	hill.	———	1822.	....	S. ♄.	
75	cancellàtus. H.B.	(*ge.*)	netted.	Nepaul.	1823.	10. 2.	S. ♂.	
76	truncàtus. H.B.	(*ye.*)	truncate.	E. Indies.	——	8. 10.	S. ☉.	
77	scándens. H.B.	(*ye.*)	climbing.	———	1822.	....	S. ♄.	
78	strictus. H.B.	(*ye.*)	upright.	———	1809.	8. 10.	S. ☉.	
79	gangéticus. L.en.	(*ye.*)	dwarf.	———	1804.	5. 10.	S. ♄.	
80	setòsus. H.B.	(*ye.*)	bristly.	———	1820.	....	S. ♄.	
81	tortuòsus. H.B.	(*ye.*)	twisted.	———	1808.	6. 9.	S. ♄.	
82	pentaphy'llus. H.B.	(*y.*)	five-leaved.	China.	1825.	7. 9.	S. ♂.	
83	púngens. H.B.	(*ye.*)	pungent.	Nepaul.	——	....	G. ♃.	
84	frágrans. H.B.	(*ye.*)	fragrant.	E. Indies.	1826.	....	S. ♄.	
85	Patersònii. DC.	(*fl.*)	Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. ♄.	Andr. rep. 266.

Lagunæa Patersònia. Bot. mag. 769. *squàmea.* Vent. malm. t. 42.

THESPE'SIA. DC. THESPE'SIA. Monadelphia Polyandria. L.
populnea. DC. (y.p.) Poplar-leved. E. Indies. 1770. .... S. ♄. Cav. dis. 3. t. 56. f. 1.
Hibiscus populneus. W.

GOSSY'PIUM. DC. COTTON-TREE. Monadelphia Polyandria. L.
1 herbàceum. DC. (y.p.) common. E. Indies. 1594. 7. S. ♂.
2 indicum. DC. (y.p.) Indian. ——— .... —— S. ♂. Cav. dis. 6. t. 169.
3 arbòreum. DC. (y.p.) tree. ——— 1684. 7. 8. S. ♄. ——— 6. t. 195.
4 vitifòlium. DC. (y.p.) Vine-leaved. ——— 1805. —— S. ♄. ——— 6. t. 166.
5 hirsùtum. DC. (ye.) hairy. S. America. 1731. —— S. ♂. ——— 6. t. 167.
6 eglandulòsum. DC. (ye.) glandless. .... —— S. ♂.
7 religiòsum. DC. (bk.) spotted-bark'd. E. Indies. 1777. —— S. ♄. Cav. dis. 6. t. 164. f. 1.
8 latifòlium. DC. (ye.p.) broad-leaved. .... —— S. ♄. Murr. c. gut. p. 32. t. 1.
9 barbadénse. DC. (y.p.) Barbadoes. Barbadoes. 1759. 8. 10. S. ♂. Bot. reg. 84.
10 obtusifòlium. H.B. (y.p.) blunt-leaved. E. Indies. 1822. 7. 8. S. ♄.

REDO'UTEA. DC. REDO'UTEA. Monadelphia Polyandria. L.
heterophy'lla. DC. (st.p.) various-leaved. St. Thomas. 1824. 7. 9. S. ☉. Vent. cels. t. 11.

LOPI'MIA. DC. LOPI'MIA. Monadelphia Polyandria. L.
malacophy'lla. DC. (sc.) Mallow-leaved. Brazil. 1824. .... S. ♄. Pl. sel. h. ber. t. 30.
Sida malacophy'lla. L. en.

PAL'AVIA. DC. PAL'AVIA. Monadelphia Polyandria. L.
1 malvæfòlia. DC. (pu.) Mallow-leaved. Lima. 1794. 6. 8. H. ☉. Cav. dis. 1. t. 11. f. 4.
2 moschàta. DC. (pu.) musk-scented. ——— 1822. —— H. ☉. ——— 1. t. 11. f. 5.

CRISTARIA. Ph. CRIST'ARIA. Monadelphia Polyandria. L.
? coccínea. Ph. (sc.) scarlet. Missouri. 1811. 7. 9. H. ♃. Bot. mag. 1073.
Málva coccínea. Nut. *Sida? coccínea.* DC.

AN'ODA. DC. AN'ODA. Monadelphia Polyandria. L.
1 hastàta. DC. (bl.wh.) halberd-leav'd. Mexico. 1799. 6. 7. S. ☉. Bot. rep. 588.
2 trilòba. DC. (pu.) three-lobed. ——— 1729. 7. 9. G. ☉. Cav. dis. 1. t. 10. f. 3.
Sida cristàta. W. *non* B.M.
3 Dillenidna. DC. (ro.) Dillenius's. ——— 1725. 6. 11. G. ☉. Cav. dis. 1. t. 11. f. 1.
Sida cristàta. B.M. 330. *non* W.
4 triangulàris. DC. (pu.) triangular-ld. ——— 1824. 7. 9. G. ☉.
5 incarnàta. DC. (fl.) flesh-color'd. ——— 1825. —— G. ♂.
6 acerifòlia. DC. (bl.) Maple-leaved. ——— 1809. 1. 12. S. ♂. Bot. mag. 1541.
Sida hastàta. B.M. *non* W. *centrota.* S.S.
7 parvifòra. DC. (st.) small-flowered. New Spain. 1823. 6. 10. G. ☉. Cav. ic. 5. t. 431.

PERI'PTERA. DC. PERI'PTERA. Monadelphia Polyandria. L.
punícea. DC. (cr.) crimson. New Spain. 1813. 6. 9. S. ♄. Bot. mag. 1644.
Sida períptera. B.M. *Anòda punícea.* Lag.

NUTTA'LLIA. B.A. NUTTA'LLIA. Monadelphia Polyandria.
1 digitàta. B.A. (d.p.) digitate-leaved. N. America. 1824. 7. 10. H. ♃. Swt. br. fl. gar. 129.
2 pedàta. B.A. (d.pu.) pedate-leaved. ——— —— —— H. ♃. Hook. ex. flor. 172.

S'IDA. Kth. S'IDA. Monadelphia Polyandria. L.
1 linifòlia. DC. (wh.) Flax-leaved. S. America. 1822. 6. 9. S. ♄. Cav. dis. 1. t. 2. f. 1.
2 angustifòlia. DC. (ye.) narrow-leaved. Bourbon. 1726. 7. 9. S. ♄. ——— 1. t. 2. f. 2.
3 linearis. DC. (ye.) linear-leaved. New Spain. 1820. 6. 10. G. ♄. Cav. ic. 4. t. 312. f. 1.
4 vimínea. L. en. (ye.) slender. Brazil. 1823. —— S. ♄.
5 spinòsa. DC. (ye.) prickly. E. Indies. 1690. —— S. ♂. Cav. dis. 1. t. 1. f. 9.
6 acùta. DC. (ye.) acute-leaved. ——— 1827. —— S. ♄. ——— 1. t. 2. f. 3.
7 álba. DC. (wh.) white-flowered. ——— 1732. 6. 7. S. ☉. Dill. elt. 2. t. 171. f. 210.
8 stipulàta. DC. (ye.) large-stipuled. Mauritius. 1820. .... S. ♄. Cav. dis. 1. t. 3. f. 10.
9 jamaicénsis. DC. (ye.) Jamaica. Jamaica. 1818. 6. 9. S. ♄. ——— 1. t. 2. f. 5.
10 bracteolàta. DC. (ye.) bracteolate. S. America. —— —— S. ♄.
11 carpinifòlia. DC. (ye.) Hornbeam-ld. Canaries. 1774. 7. 9. G. ♄. Cav. dis. 5. t. 134. f. 1.
12 carpinoídes. DC. (ye.) Hornbeam-like. .... —— S. ♄.
13 semicrenàta. L.en. (y.) semicrenate. Manila. 1826. —— S. ♃.
14 acrántha. L. en. (ye.) close-flower'd. Brazil. —— —— S. ♄.
15 spiraifòlia. L.en. (ye.) Spiræa-leaved. .... —— S. ♄.
16 Schránkii. DC. (ye.) Schrank's. Brazil. 1824. —— S. ♃.
brasília. L. en.
17 betulina. H. (ye.) Birch-leaved. S. America. 1823. —— S. ♄.
18 crìsa. DC. (ye.) jagged. Brazil. —— —— S. ♃.
19 ciliàris. DC. (cr.) ciliated. St. Domingo. 1798. —— S. ♄. Cav. dis. 1. t. 3. f. 9.
20 alnifòlia. DC. (ye.) Alder-leaved. E. Indies. 1732. —— S. ♂. Dill. elt. t. 172. f. 211.
21 sessiliflòra. B.M. (ye.) sessile-flower'd. S. America. 1826. 11. 2. S. ♄. Bot. mag. 2857.
22 frutéscens. DC. (ye.) frutescent. Mauritius. 1824. 6. 9. S. ♄. Cav. dis. 1. t. 10. f. 1.
23 bicolor. DC. (r.y.) two-colour'd. New Spain. 1826. —— S. ♄. Cav. ic. 4. t. 311.
24 canariénsis. DC. (wh.) Canary Tea. Canaries. .... —— S. ♄. Cav. dis. 1. t. 3. f. 8.
álba. Cav. non L.

25	rhombifòlia. DC.	(*ye.*)	rhomboid-l*d*.	Brazil.	1732.	6. 8.	S. ♄.	Cav. dis. 1. t. 3. f. 12.
26	rhombóidea. DC.	(*ye.*)	rhomboid.	E. Indies.	1818.	——	S. ♄.	
27	retùsa. DC.	(*ye.*)	retuse-leaved.	——	——	——	S. ♄.	Cav. dis. 1. t. 3. f. 4.
28	recisa. DC.	(*ye.*)	notched.	Brazil.	1823.	——	S. ♃.	
29	calyxhymènia. DC.	(*st.*)	New Holland.	N. Holland.	1820.	——	G. ♄.	
30	globiflòra. B.M.	(*st.*)	globe-flowered.	Mauritius.	1825.	10. 12.	S. ♄.	Bot. mag. 2821.
31	maculàta. DC.	(*ye.r.*)	corky.	St. Domingo.	1798.	....	S. ♄.	Cav. dis. 1. t. 3. f. 7.
	suberòsa. L. her. stirp. t. 54.							
32	acaminàta. DC.	(*ye.*)	acuminate.	St. Domingo.	1805.	7. 9.	S. ♄.	
33	pilòsa. DC.	(*ye.*)	pilose.	W. Indies.	1793.	——	S. ♂.	Cav. dis. 1. p. 9. t. 8.
34	hùmilis. DC.	(*ye.*)	dwarf.	E. Indies.	1800.	7. 8.	S. ♂.	Cav. dis. 5. t. 134. f. 2.
	unilocularis. L'Herit. stirp. 1. t. 53. bis.							
35	rotundifòlia. DC.	(*pu.*)	round-leaved.	Bourbon.	1826.	——	S. ☉.	Cav. dis. 1. t. 3. f. 6.
36	cordifòlia. DC.	(*ye.*)	heart-leaved.	E. Indies.	1732.	6. 9.	S. ☉.	—— 1. t. 3. f. 2.
37	multiflòra. DC.	(*ye.*)	many-flowered.	Brazil.	1825.	——	S. ♄.	—— 1. t. 3. f. 3.
38	argùta. DC.	(*ye.*)	sharp-leaved.	W. Indies.	1732.	7. 8.	S. ♄.	
39	althæifòlia. DC.	(*co.*)	Althæa-leaved.	——	1818.	——	S. ♄.	Sloan. his. 1. t. 136. f. 2.
40	ùrens. DC.	(*ye.*)	stinging.	——	1781.	——	S. ♄.	Cav. dis. 1. t. 2. f. 7.
41	verticillàta. DC.	(*ye.*)	whorl-flowered.	Brazil.	1823.	——	S. ♄.	—— 1. t. 1. f. 12.
42	paniculàta. DC.	(*d.pu.*)	dark purple.	S. America.	1795.	7. 9.	S. ♄.	—— 1. t. 12. f. 5.
	atrosanguínea. Jacq. ic. 1. t. 136.							
43	fruticòsa. DC.	(*wh.*)	shrubby.	Jamaica.	....	6. 10.	S. ♄.	
44	villòsa. DC.	(*ye.*)	villous.	S. America.	....	——	S. ♄.	
45	verruculàta. DC.	(*ye.*)	wart-stem'd.	Brazil.	1827.	5. 9.	S. ♄.	
	argùta. F. in L. en. *non* Swartz.							
46	gravèolens. DC.	(*ye.*)	strong-scented.	E. Indies.	1820.	6. 9.	S. ♃.	
47	purpuráscens. DC.	(*pu.*)	purplish.	Brazil.	——	7. 9.	S. ♄.	
48	pàtens. DC.	(*pu.*)	spreading.	Abyssinia.	1806.	——	S. ♂.	Andr. rep. 571.
49	confèrta. DC.	(*st.*)	close-flowered.	Brazil.	1826.	——	S. ♄.	
50	hirsùta. DC.	(*wh.*)	hairy.	.....	....	——	S. ♄.	
51	lasiòstega. DC.	(*ye.*)	woolly.	Brazil.	1823.	——	S. ♄.	
52	pentacárpos. DC.	(*ye.*)	five-capsuled.	E. Indies.	1823.	8. 10.	S. ☉.	
53	trilòba. DC.	(*wh.*)	three-lobed.	C. B. S.	1794.	——	G. ♂.	Jacq. schœn. 2. t. 142.
54	ricinoídes. DC.	(*bk.*)	Ricinus-like.	Peru.	1826.	7. 10.	H. ☉.	L'Her. stirp. 1. t. 56.
	palmàta. Cav. dis. 1. t. 3. f. 3.							
55	jatrophoídes. DC.	(*vi.*)	Jatropha-like.	Peru.	1787.	8.	S. ♂.	L. Her. stirp. 1. t. 56.
	palmàta. Jacq. ic. rar. 3. t. 547.							
56	malvæflòra. B.R.	(*bk.*)	Mallow-flow'd.	Columbia.	1826.	9. 11.	H. ♃.	Bot. reg. 1036.
57	Nap'æa. DC.	(*u k.*)	smooth.	Virginia.	1748.	8. 9.	H. ♃.	Bot. mag. 2193.
	Nap'æa læ'vis. L.							
58	dioíca. DC.	(*wh.*)	rough.	Virginia.	1759.	8. 9.	H. ♃.	Cav. dis. 5. t. 132. f. 2.

BASTA'RDIA. Kth. BASTA'RDIA. Monadelphia Polyandria. L.

1	viscòsa. K.S.	(*ye.*)	viscous.	S. America.	1822.	7. 8.	S. ♄.	Sloan. his. 1. t. 130. f. 4.
	Sida viscòsa. DC.							
2	fœ'tida.	(*ye.*)	stinking.	Peru.	1795.	7. 8.	S. ☉.	L. Her. stirp. 1. t. 53.
	Sida fœ'tida. DC. *Sida viscòsa.* L.H.							

GA'YA. Kth. GA'YA. Monadelphia Polyandria. L.

1	occidentàlis. H.S.	(*vi.*)	downy.	America.	1732.	7. 8.	S. ☉.	Cav. dis. 1. t. 4. f. 3.
	Sida occidentàlis. DC.							
2	hermannioídes. K.S.	(*y.*)	Hermannia-like.	Mexico.	1826.	4. 9.	G. ♄.	H. et B. n. gen. 5. t. 475.
3	dísticha.	(*ye.*)	two-ranked.	New Spain.	1820.	6. 9.	G. ♄.	Cav. ic. 5. t. 432.
	Sida dísticha. Cav.							
4	nùtans.	(*ye.*)	nodding.	Peru.	1825.	——	G. ♄.	L. Her. stirp. 1. t. 57.
	Sida nùtans. DC. *calyptràta.* Cav.							

AB'UTILON. Kth. AB'UTILON. Monadelphia Polyandria. L.

1	periplocifòlium.	(*st*)	Periploca-l*d*.	India.	1691.	7. 8.	S	♂.	Cav. dis. 1. t. 5. f. 2.
	Sida periplocifòlia. DC.								
2	ferrugíneum. K.S.	(*ye.*)	ferruginous.	Peru.	1822.	7. 8.	S.	♄.	
3	hernandioídes.	(*ye.*)	Hernandia-l*d*.	Hispaniola.	1798.	....	S.	♄.	L. Her. stirp. 1. t. 58.
4	luciànum.	(*wh.*)	St. Lucian.	St. Lucia.	1822.	....	S.	♄.	
	Sida luciàna. DC.								
5	Lechenaultiànum.	(*ye.*)	Lechenault's.	E. Indies.	1820.	....	S.	♄.	
	Sida Lechenaultiàna. DC.								
6	nudiflòrum.	(*ye.*)	naked-flower'd.	Peru.	1731.	5. 6.	S.	♄.	L. Her. stirp. 1. t. 59.
7	polyánthon.	(*ye.*)	many-flowered.	.....	1822.	——	S.	♄.	
	Sida polyántha. DC.								
8	contráctum.	(*ye.*)	contracted.	Madagascar.	1826.	5. 7.	S.	♄.	
	Sida contrácta. L. en.								
9	áuritum.	(*co.*)	eared-stipuled.	Java.	1820.	12. 3.	S.	♄.	Bot. mag. 2495.
	Sida áurita. B.M.								

10 triquètrum.	(ye.) triangular.	W. Indies.	1775.	7. 8.	S. ♄.	Jacq. vind. 2. t. 118.
11 incànum.	(ye.) hoary.	Sandwich Isl.	1821.	——	S. ♄.	
Sida incàna. L. en.						
12 pulchéllum.	(wh.) neat.	N. Holland.	——	——	S. ♄.	Bonpl. nav. t. 2.
13 umbellàtum.	(ye.) umbelled.	Jamaica.	1788.	7. 9.	S. ♂.	Jacq. vind. t. 56.
14 gigánteum.	(ye.) gigantic.	Caracas.	1823.	....	S. ♄.	Jacq. schœnb. 2. t. 141.
15 reflèxum.	(re.) reflex-flowered.	Peru.	1799.	7. 8.	S. ♄.	Cav. dis. 1. t. 7.
16 crispum.	(wh.) curled.	America.	1726.	——	H. ⊙.	——— 1. t. 7. f. 1.
17 virgàtum.	(ye.) twiggy.	Peru.	1820.	——	S. ♄.	Cav. ic. 1. t. 73.
18 arbòreum.	(pu.) great-flowered.	———	1772.	——	S. ♄.	L. her. stirp. 1. t. 68.
19 Mauritiànum.	(ye.) hairy-capsuled.	Mauritius.	1789.	7. 9.	S. ♄.	Jacq. ic. 1. t. 137.
Sida planifòra. Cav. dis. 1. t. 7. f. 4.						
20 tiliæfòlium.	(ye.) Lime-tree-l^d.	China.	1820.	——	S. ⊙.	Jacq. f. ecl. 1. t. 35.
21 mùticum.	awnless.	Egypt.	1825.	8. 10.	H. ⊙.	
Sida màtica. DC.						
22 Avicénnæ. G.	(ye.) broad-leaved.	S. France.	1596.	6. 8.	H. ⊙.	Houtt. syst. 8. t. 61.
Sida Abùtilon. DC.						
23 americànum.	(ye.) American.	Jamaica.	1730.	6. 8.	S. ⊙.	
Sida americàna. DC.						
24 asiàticum.	(ye.) small-flowered.	E. Indies.	1768.	7. 8.	S. ⊙.	Cav. dis. 1. t. 7. f. 2.
25 populifòlium.	(ye.) Poplar-leaved.	———	1796.	——	S. ⊙.	——— 1. t. 7. f. 9.
26 hírtum.	(ye.) hairy.	———	1820.	——	S. ⊙.	Rumph. amb. 4. t. 10?
Sida hírta. DC.						
27 mólle.	(ye.) large-leaved.	Peru.	1817.	10. 12.	S. ♄.	Bot. mag. 2759.
Sida móllis. DC. *grandifòlia.* Bot. reg. 360.						
28 mollíssimum.	(st.) soft-leaved.	Peru.	1789.	6. 7.	S. ♂.	Cav. dis. 2. t. 14. f. 1.
29 permólle.	(ye.) woolly-leaved.	———	1818.	——	S. ♄.	
Sida permóllis. DC.						
30 cornùtum.	(ye.) horned.	S. America.	1827.	——	S. ♄.	
Sida cornùta. W. enum.						
31 índicum.	(ye.) Indian.	E. Indies.	1781.	7. 8.	S. ⊙.	Cav. dis. 1. t. 7. f. 10.
32 vesicàrium.	(st.) bladdered.	Mexico.	1796.	——	S. ♄.	——— 2. t. 14. f. 3.
33 glàucum.	(ye.) glaucous.	Senegal.	1822.	——	S. ♄.	Cav. ic. 1. t. 11.
34 álbidum.	(ye.) white-leaved.	Canaries.	——	——	G. ♄.	
Sida álbida. DC.						
35 mollicòmum.	(ye.) soft.	.....	1804.	7. 9.	S. ♄.	
Sida sericea. Cav? *Sida mollicòma.* DC.						
36 Sonneratiànum.	(ye.) Sonnerat's.	C. B. S.	1806.	6. 7.	G. ♂.	Cav. dis. 1. t. 6. f. 4.
LAGUN'EA. DC.	LAGUN'EA. Monadelphia Polyandria. L.					
1 lobàta. DC.	(wh.) Maple-leaved.	Bourbon.	1787.	7. 8.	S. ⊙.	Cav. dis. 5. t. 136. f. 1.
2 sinuàta. DC.	(wh.) sinuate.	.....	....	——	S. ⊙.	

ORDO XXIX.

BOMBACEÆ. *DC. prodr.* 1. *p.* 475.

HELI'CTERES. DC.	SCREW-TREE. Monadelphia Dodecandria. L.					
1 Isòra. DC.	(re.) great-fruited.	E. Indies.	1733.	6. 7.	S. ♄.	Bot. mag. 2061.
2 baruénsis. DC.	(wh.) small-fruited.	W. Indies.	1739.	9. 10.	S. ♄.	Jacq. amer. t. 149.
3 jamaicénsis. DC.	(wh.) broad-leaved.	———	——	6. 7.	S. ♄.	Jacq. vind. 2. t. 143.
4 guazumæfòlia. DC.	(pu.) Guazuma-l^d.	S. America.	1820.	6. 8.	S. ♄.	
5 verbascifòlia. DC.	(re.) Verbascum-l^d.	Brazil.	——	——	S. ♄.	Lodd. bot. cab. 504.
6 ferruginàta. DC.	(ye.) yellow-flow'r'd.	———	——	——	S. ♄.	
7 lanceolàta. DC.	(pu.) spear-leaved.	E. Indies.	1823.	....	S. ♄.	
8 spicàta. H.B.	(pu.) spike-flowered.	———	——	....	S. ♄.	
MYR'ODIA. DC.	MYR'ODIA. Monadelphia Dodecandria. L.					
turbinàta. DC.	(wh.) short-flowered.	W. Indies.	1793.	....	S. ♄.	Fl. mex. ic. ined.
PLAGIA'NTHUS. DC.	PLAGIA'NTHUS. Monadelphia Dodecandria.					
divaricàtus. DC.	.... small-leaved.	NewZealand.	1821.	....	G. ♄.	Forst. gen. t. 43.
ADANSO'NIA. DC.	SOUR-GOURD. Monadelphia Polyandria. L.					
digitàta. DC.	(wh.) palmate.	Senegal.	1724.	....	S. 5.	Bot. mag. 2791-2792.

CAROLI'NEA. DC.		CAROLI'NEA.	Monadelphia Polyandria. L.					
1 princéps. DC.	(*re.*)	digitated.	W Indies.	1767.	....	S. ♄.		Aub. gui. 2. t. 291-2.
Páchira aquática. A.								
2 insígnis. DC.	(*sc.*)	great-flowered.	———	1796.	....	S. ♄.		Lodd. bot. cab. 1004.
3 robústa. L.C.	(*re.*)	robust.	S. America.	1825.	....	S. ♄.		
4 fastuòsa. DC.	(*cr.*)	crimson.	New Spain.	——	....	S. ♄.		Hern. mex. 68. ic.
5 mìnor. DC.	(*re.*)	lesser.	Guiana.	1798.	7. 8.	S. ♄.		Bot. mag. 1412.
6 álba. B.C.	(*wh.*)	white-flowered.	Brazil.	....	——	S. ♄.		Lod. bot. cab. 732.
BO'MBAX. DC.		SILK-COTTON-TREE.	Monadelphia Polyandria.					
1 Céiba. DC.	(*ro.*)	five-leaved.	S. America.	1692.	....	S. ♄.		Jacq. am. t. 176. f. 1.
quinàtum. Jacq.								
2 septenàtum. DC.	....	seven-leaved.	———	1699.	....	S. ♄.		
heptaphy'llum. L. *non* Cav.								
3 malabáricum. DC.	(*sc.*)	Malabar.	E. Indies.	....	....	S. ♄.		Roxb. cor. 3. t. 247.
heptaphy'llum. Roxb. *non* L.								
4 globòsum. DC.	(*pa.*)	globe-fruited.	Guiana.	1824.	....	S. ♄.		Aubl. guian. 2. t. 281.
5 buonopozénse. DC.	(*cr.*)	African.	Africa.	1822.	....	S. ♄.		Beauv. fl. ow. 2. t. 83.
ERIODE'NDRON. DC.		ERIODE'NDRON.	Monadelphia Dodecandria.					
1 leianthèrum. DC.	(*wh.*)	Brazilian.	Brazil.	1822.	....	S. ♄.		Cav. dis. 5. t. 152. f. 1.
Bómbax eriánthos. Cav.								
2 anfractuòsum. DC.	(*st.*)	twisted-anther'd	.....	1739.	....	S. ♄.		Cav. dis. 5. t. 151.
Bómbax pentándrum. L.								
α indicum. DC.	(*ye.*)	*East Indian.*	E. Indies.	——	....	S. ♄.		Rheed. mal. 3. t. 49. 51.
β caribæum. DC.	(*ro.*)	*West Indian.*	W. Indies.	——	....	S. ♄.		Jacq. am. t. 176. f. 70.
γ africànum. DC.	(*cr.*)	*African.*	Africa.	1823.	....	S. ♄.		
OCHR'OMA. DC.		OCHR'OMA.	Monadelphia Pentandria. L.					
1 Lagòpus. DC.	(*wh.*)	downy-leaved.	Jamaica.	1802.	....	S. ♄.		Sw. fl. 2 t. 23.
2 tomentòsa. DC.	(*wh.*)	woolly-leaved.	S. America.	1816.	....	S. ♄.		
CHEIROST'EMON. DC.		CHEIROST'EMON.	Monadelphia Decandria.					
platanoides. DC.	(*wh.*)	plane-leaved.	New Spain.	1820.	11. 1.	S. ♄.		H. et B. pl. æq. 1. t. 24.
Chiranthodéndron. Larr. dis. ic.								

ORDO XXX.

BUTTNERIACEÆ. *Kunth Synops.* 3. *p.* 266.

Tribus I. *STERCULIEÆ.* DC. *prodr.* 1. *p.* 481.

STERC'ULIA. DC.		STERC'ULIA.	Moncœcia Monadelphia. L.					
1 Balánghas. DC.	(*st.*)	many-seeded.	E. Indies.	1787.	6. 9.	S. ♄.		Rheed. mal. 1. t. 49.
2 nòbilis. DC.	(*st.*)	few-seeded.	China.	——	——	S. ♄.		Bot. reg. 185.
Balánghas. B.R. *Southwéllia nòbilis.* Par. Lond. 69.								
3 acuminàta. DC.	(*ye.*)	taper-pointed.	Africa.	1822.	....	S. ♄.		Beau. fl. ow. 1. t. 24.
4 grandifiòra. DC.	(*ye.*)	large-flowered.	E. Indies.	1820.	....	S. ♄.		
5 coccínea. DC.	(*re.*)	scarlet-fruited.	———	——	——	S. ♄.		
6 angustifòlia. DC.	(*ye.*)	narrow-leaved.	Nepaul.	1823.	....	S. ♄.		
7 guttàta. DC.	(*fl.*)	spotted.	E. Indies.	1819.	....	S. ♄.		Rheed. mal. 4. t. 61.
8 heterophy'lla. DC.	(*ye.*)	various-leaved.	Africa.	1824.	....	S. ♄.		Beauv. fl. ow. 1. t. 40.
9 Ivìra. DC.	(*fl.*)	hairy capsuled.	W. Indies.	1723.	....	S. ♄.		Aub. gui. 2. t. 279.
crinìta. Cav. dis. 5. t. 162.								
10 macrophy'lla. DC.	(*ye.*)	large-leaved.	E. Indies.	1822.	....	S. ♄.		
11 platanifòlia. DC.	(*gr.*)	Plane-leaved.	China.	1757.	7.	G. ♄.		Cav. dis. 5. t. 145.
12 coloràta. DC.	(*re.*)	scarlet.	E. Indies.	1818.	....	S. ♄.		Roxb. cor. 1. t. 25.
13 ùrens. DC.	(*gr.*)	stinging.	———	1793.	6. 9.	S. ♄.		——— 1. t. 24.
14 villòsa. DC.	.....	villous-leaved.	———	1818.	....	S. ♄.		
15 fœ'tida. DC.	(*fl.*)	fetid.	———	1690.	....	S. ♄.		Cav. dis. 5. t. 146.
HERITIE'RA. DC.		LOOKING-GLASS PLANT.	Dicœcia Monadelphia.					
1 littoràlis. DC.	(*re.*)	large-leaved.	E. Indies.	1780.	....	S. ♄.		Rheed. mal. 6. t. 21.
2 mìnor. DC.	.....	small-leaved.	———	1816.	....	S. ♄.		Gært. fr. 2. t. 98. f. 2.

Tribus II. *BUTTNERIEÆ.*

THEOBR'OMA. DC. CHOCOLATE-NUT. Polyadelphia Decandria. L.

1 Cacào. DC.	(*ye.*)	smooth-leaved.	S. America.	1739.	6. 9.	S.	♄.	Lodd. bot. cab. 545.
2 guianénsis. DC.	(*ye.*)	woolly-leaved.	Guiana.	1803.	....	S.	♄.	Aub. gui. 2. t. 275.
3 carib'æa.	(*ye.*)	Caribean.	W. Indies.	1821.	....	S.	♄.	
4 bícolor. DC.	(*re.*)	two-coloured.	S. America.	1820.	....	S.	♄.	H. et B. pl. eq. 1. t. 30.

ABR'OMA. DC. ABR'OMA. Polyadelphia Dodecandria. L.

1 angústa. DC.	(*d.pu.*)	smooth-stalked.	E. Indies.	1770.	6. 9.	S.	♄.	Bot. reg. 518.
2 fastuòsa. DC.	(*d.pu.*)	rough-stalked.	N. Holland.	1800.	——	S.	♄.	Sal. par. lond. 102.
3 móllis. DC.	(*d.pu.*)	soft.	Moluccas.	....	——	S.	♄.	

GUAZ'UMA. DC. BASTARD CEDAR. Polyadelphia Dodecandria. L.

1 ulmifòlia. DC.	(*ye.*)	Elm-leaved.	W. Indies.	1739.	8. 9.	S.	♄.	Trew ehret. t. 76.
Bubròma Guazùma. W.								
2 tomentòsa. DC.	(*ye.*)	tomentose.	S. America.	....	——	S.	♄.	
3 polybótrya. DC.	(*ye.*)	velvetty.	W. Indies.	....	——	S.	♄.	Cav. ic. 3. t. 299.

COMMERS'ONIA. DC. COMMERS'ONIA. Pentandria Pentagynia. L.

1 echinàta. DC.	(*wh.*)	oval-leaved.	Moluccas.	1806.	6. 7.	S.	♄.	Rumph. amb. 3. t. 119.
2 platyph'ylla. DC.	(*wh.*)	broad-leaved.	————	——	——	S.	♄.	And. bot. rep. 519.

RULI'NGIA. Br. RULI'NGIA. Pentandria Pentagynia. L.

1 dasyphy'lla.	(*wh.*)	hairy-leaved.	N. Holland.	1808.	4. 7.	G.	♄.	Bot. rep. 603.
Commersònia dasyphy'lla. A.R. *Byttnèria dasyphy'lla.* DC.								
2 pannòsa. B.M.	(*wh.*)	cloth-leaved.	N. Holland.	1819.	4. 7.	G.	♄.	Bot. mag. 2191.
3 hermanniæfòlia. DC.	(*w.*)	Hermannia-lf.	————	——	——	G.	♄.	

BUTTN'ERIA. L. BUTTN'ERIA. Pentandria Monogynia. L.

1 herbàcea. DC.	(*wh.*)	herbaceous.	E. Indies.	1820.	4. 7.	S.	♃.	Roxb. cor. 1. t. 29.
2 grandifòlia. DC.	(*wh.*)	large-leaved.	————	——	——	S.	♄.	
3 catalpæfòlia. DC.	(*wh.*)	Catalpa-leav'd.	Caracas.	1823.	....	S.	♄.	Jacq. schœnb. 1. t. 46.
4 cordata. DC.	(*wh.*)	heart-leaved.	Peru.	——	....	S.	♄.	Cav. dis. 5. t. 150.
5 microphylla. DC.	(*wh.*)	small-leaved.	S. America.	1816.	....	S.	♄.	———— 5. t. 148. f. 2.
6 scàbra. DC.	(*wh.*)	rough.	————	1793.	7. 8.	S.	♄.	———— 5. t. 148. f. 1.

AYE'NIA. DC. AY'ENIA. Pentandria Monogynia.

1 pusílla. DC.	(*pu.*)	small.	Jamaica.	1756.	7. 9.	S.	♂.	Mill. ic. t. 118.
2 lævigàta. DC.	(*cr.*)	smooth.	————	....	——	S.	♄.	

KLEINH'OVIA. DC. KLEINH'OVIA. Monadelphia Dodecandria.

Hóspita. DC.	(*pu.*)	purple-flower'd.	Moluccas.	1800.	7. 9.	S.	♄.	Cav. dis. 5. t. 146.

Tribus III. *LASIOPETALEÆ.* DC.

SERI'NGIA. DC. SERI'NGIA. Pentandria Monogynia.

platyphy'lla. DC.	(*wh.*)	broad-leaved.	N. Holland.	1802.	4. 7.	G.	♄.	Gay dis. p. 13. t. 1. 2.
Lasiopétalum arboréscens. H.K.								

LASIOPE'TALUM. DC. LASIOPE'TALUM. Pentandria Monogynia.

1 ferrugíneum. DC.	(*wh.*)	rusty.	N. Holland.	1791.	4. 7.	G.	♄.	Bot. mag. 1766.
2 parviflòrum. DC.	(*wh.*)	small-flowered.	————	1810.	——	G.	♄.	Linn. trans. 10. t. 19. f. 2.

THOM'ASIA. DC. THOM'ASIA. Pentandria Monogynia.

1 purpùrea. DC.	(*pu.*)	purple.	N. Holland.	1803.	4. 7.	G.	♄.	Bot. mag. 1755.
Lasiopétalum purpùreum. H.K. *coccíneum.* Donn. cant.								
2 foliòsa. DC.	(*wh.*)	leafy.	N. Holland.	1822.	——	G.	♄.	Gay dis. p. 24. t. 7.
3 solanàcea. DC.	(*wh.*)	Solanum-like.	————	1803.	——	G.	♄.	———— p. 26. t. 6.
Lasiopétalum solanàceum. B.M. 1486.								
4 quercifòlia. DC.	(*pu.*)	Oak-leaved.	————	——	——	G.	♄.	Bot. mag. 1485.

Tribus IV. *HERMANNIEÆ.* DC.

MEL'OCHIA. DC. MEL'OCHIA. Monadelphia Pentandria. DC.

1 pyramidàta. DC.	(*vi.*)	pyramidal.	Brazil.	1768.	7. 8.	S.	♄.	Jacq. vind. 1. t. 80.
2 tomentòsa. DC.	(*vi.*)	downy.	W. Indies.	——	5. 6.	S.	♄.	Cav. dis. 6. t. 172. f. 2
3 parvifòlia. DC.	(*wh.*)	small-leaved.	Caracas.	1823.	....	S.	♄.	

RIEDLE'IA. DC.		**Riedle'ia.**	**Monadelphia Pentandria. L.**						
1	velutìna. DC.	.....	soft-leaved.	E. Indies.	1820.	6. 8.	S.	♄.	
2	deprèssa. DC.	(*st.*)	depressed.	Havannah.	——	——	S.	♄.	
3	supìna. DC.	.....	procumbent.	E. Indies.	1823.	——	S.	♂.	Plnk. alm. t. 232. f. 4.
4	corchorifòlia. DC.	(*bh.*)	Corchorus-ld.	——	1732.	7. 8.	S.	☉.	Dill. elt. t. 176. f. 217
	Melòchia corchorifòlia. L.								
5	nodiflòra. DC.	(*wh.*)	knot flowered.	S. America.	1823.	——	S.	♄.	Sloan. his. t. 135. f. 2.
	Mougeòtia nodiflòra. Kth. *Melochia nodiflora.* Sw.								
6	caracasàna. DC.	(*wh.*)	Caracas.	Caracas.	1823.	——	S	♄.	Jacq. ic. 3. t. 507.
	Mougeòtia caracasàna. Kth. *Melòchia caracasàna.* Jacq.								
7	serràta. DC.	(*pu.*)	saw-leaved.	St. Domingo.	1827.	6. 8.	S.	♃.	Vent. choix. t. 37.
WALTH'ERIA. DC.		**Walth'eria.**	**Monadelphia Pentandria. L.**						
1	americàna. DC.	(*ye.*)	American.	S. America.	1691.	5. 10.	S.	♄.	Jacq. ic. 1. t. 130.
2	glàbra. DC.	(*ye.*)	smooth.	W. Indies.	1823.	——	S.	♃.	Schrank. h. mon. t. 55.
	lævis. L. en.								
3	índica. DC.	(*ye.*)	Indian.	E. Indies.	1759.	6. 8.	S.	♄.	Burm. zeyl. t. 68.
4	ellíptica. DC.	(*ye.*)	woolly-leaved.	——	1812.	——	S.	♄.	Cav. dis. 6. t. 171. f. 2.
5	microphyl'la. DC.	(*ye.*)	small-leaved.	——	1823.	——	S.	♄.	—— 6. t. 170. f. 2.
HERMA'NNIA. DC.		**Herma'nnia.**	**Monadelphia Pentandria. L.**						
1	multífida. DC.	(*ye.*)	multifid-leaved.	C. B. S.	1825.	5. 8.	G.	♄.	
2	halicácaba. DC.	(*ye.*)	bladder-calyx'd.	——	1820.	——	G.	♄.	
3	comosa. DC.	(*ye.*)	tufted.	——	——	1. 12.	G.	♄.	
4	althæifòlia. DC.	(*ye.*)	Althæa-leaved.	——	1728.	3. 7.	G.	♄.	Bot. mag. 307.
5	althæoídes. L. en.	(*ye.*)	Althæa-like	——	....	——	G.	♄.	
6	plicàta. DC.	(*ye.*)	plaited-leaved.	——	1774.	11. 12.	G.	♄.	Jacq. schœnb. 2. t. 213.
7	cándicans. DC.	(*ye.*)	white-leaved.	——	——	4. 6.	G.	♄.	—— 1. t. 117.
8	móllis. DC.	(*ye.*)	soft-leaved.	——	1818.	——	G.	♄.	
9	decúmbens. DC.	(*ye.*)	decumbent.	——	——	——	G.	♄.	
10	hyssopifòlia. DC.	(*ye.*)	Hyssop-leaved.	——	1725.	——	G.	♄.	Cav. dis. 6. t. 181. f. 3.
11	trifoliàta. DC.	(*ye.*)	three-leaved.	——	1752.	5. 8.	G.	♄.	—— 6. t. 182. f. 2.
12	triphy'lla. DC.	(*st.*)	three-parted.	——	1820.	——	G.	♄.	—— 6. t. 178. f. 3.
13	glandulòsa. DC.	(*ye.*)	glandular.	——	——	——	G.	♄.	
14	frágrans. DC.	(*ye.*)	fragrant.	——	——	——	G.	♄.	
15	disermæfòlia. DC.	(*ye.*)	simple-flow'r'd.	——	1795.	3. 4.	G.	♄.	Jacq. schœnb. 1. t. 121
16	dísticha. DC.	(*ye.*)	round-leaved.	——	1789.	5. 8.	G.	♄.	S.etWend. sert.h.t.10..
	rotundifòlia. Jacq. schœn 3. t. 121.								
17	melochioídes. DC.	(*ye.*)	Melochia-like.	——	1818.	——	G.	♄.	
18	bryonifòlia. DC.	(*ye.*)	Bryony-leaved.	——	——	——	G.	♄.	
19	salvifòlia. DC.	(*ye.*)	Sage-leaved.	——	1795.	4. 6.	G.	♄.	Cav. dis. 6. t. 180. f. 2.
20	mìcans. DC.	(*y.or.*)	glittering.	——	1790.	5. 8.	G.	♄.	S. et Wend. s. han. t. 5.
	latifòlia. Jacq. schœn. 3. t. 119.								
21	involucràta. DC.	(*st.*)	involucred.	——	1794.	5. 6.	G.	♄.	Cav. dis. 6. t. 177. f. 1.
22	scordifòlia. DC.	(*or.y.*)	Germander-ld.	——	——	4. 11.	G.	♄.	Jacq. schœn. 1. t. 120.
23	denudàta. DC.	(*ye.*)	smooth.	——	1774.	5. 7.	G.	♄.	—— 1. t. 122.
24	alnifòlia. DC.	(*ye.*)	Alder-leaved.	——	1728.	2. 5.	G.	♄.	Bot. mag. 299.
25	cuneifòlia. DC.	(*ye.*)	wedge-leaved.	——	1791.	8. 9.	G.	♄.	Jacq. schœn. 1. t. 124.
26	holoserícea. DC.	(*ye.*)	velvet-leaved.	——	1792.	5. 6.	G.	♄.	—— 3. t. 292.
27	hirsùta. DC.	(*ye.*)	hairy-branch'd.	——	1790.	——	G.	♄.	S. et Wend. s. h. 1. t. 4.
28	scàbra. DC.	(*ye.*)	rough-leaved.	——	1789.	3. 4.	G.	♄.	Jacq. schœn. 1. t. 127.
29	multiflòra. DC.	(*ye.*)	many-flowered.	——	1791.	3. 5.	G.	♄.	—— 1. t. 128.
30	flámmea. DC.	(*re.*)	flame-flowered.	——	1794.	1. 12.	G.	♄.	Bot. mag. 1349.
31	angulàris. DC.	(*or.*)	angular-calyx'd.	——	1791.	4. 5.	G.	♄.	Jacq. schœn. 1. t. 126.
32	trifurcàta. DC.	(*re.*)	three-forked.	——	1789.	4. 7.	G.	♄.	—— 1. t. 125.
33	odoràta. DC.	(*re.*)	sweet-scented.	——	1780.	2. 10.	G.	♄.	
34	lavandulæfòlia. DC.	(*y.*)	Lavender-ld.	——	1732.	5. 9.	G.	♄.	Bot. mag. 304.
35	velutìna. DC.	(*ye.*)	mucronate.	——	1818.	——	G.	♄.	
36	filifòlia. DC.	(*or.*)	thread-leaved.	——	1816.	5. 8.	G.	♄.	Jacq. schœn. 1. t. 123
37	procúmbens. DC.	(*st.*)	procumbent.	——	1792.	5. 6.	G.	♄.	Cav. dis. 6. t. 177. f. 2.
38	tenuifòlia. DC.	(*ye.*)	slender-leaved.	——	....	6. 7.	G.	♄.	Bot. mag. 1348.
39	incísa. DC.	(*ye.*)	cut-leaved.	——	1806.	——	G.	♄.	
40	pulveràta. DC.	(*or.*)	powdered.	——	1800.	5. 8.	G.	♄.	And. bot. rep. 164.
41	argéntea. DC.	(*or.*)	silvery-leaved.	——	1818.	——	G.	♄.	
42	coronopifòlia. DC.	(*ye.*)	Buckshorn-ld.	——	——	6. 8.	G.	♄.	
43	hispidula. s.s.	(*ye.*)	bristly.	——	1823.	3. 8.	G.	♄.	
MAHE'RNIA. DC.		**Mahe'rnia.**	**Monadelphia Pentandria.**						
1	verticillàta. DC.	(*ye.*)	whorl-leaved.	C. B. S.	1820.	6. 8.	G.	♄.	Cav. dis. 6. t. 176. f. 1.
2	resedæfòlia. DC.	(*re.*)	Reseda-leaved.	——	1818.	——	G.	♄.	
3	bipinnàta. DC.	(*re.*)	winged-leaved.	——	1752.	——	G.	♄.	Bot. mag. 277.
	pinnàta. B.M.								

4 incìsa. DC.	(*st.*)	cut-leaved.	C. B. S.	1792.	7. 9.	G.	♄.	Bot. mag. 353.
5 diffùsa. DC.	(*ye.*)	diffuse.	———	1774.	6. 8.	G.	♄.	Lodd. bot. cab. 187.
6 heterophy'lla. DC.	(*ye.*)	various-leaved.	———	1731.	4. 5.	G.	♄.	Cav. dis. 6. t. 178. f. 1.
Hermánnia grossulariæfòlia. L.								
7 sesilifòlia. DC.	(*ye.*)	Seseli-leaved.	———	1818.	6. 8.	G.	♄.	
8 pulchélla. DC.	(*re.*)	neat.	———	1792.	7. 9.	G.	♄.	Cav. dis. 6. t. 177. f. 3.
9 glabràta. DC.	(*ye.*)	sweet-scented.	———	1789.	4. 5.	G.	♄.	Jacq. schœnb. 1. t. 53.
odoràta. A.R. 85.								
10 vesicària. DC.	(*ye.*)	inflated.	———	1818.	——	G.	♄.	Cav. dis. 6. t. 181. f. 2.
11 grandiflòra.	(*sc.*)	great-flowered.	———	1791.	5. 8.	G.	♄.	
Hermánnia grandiflòra. H.K.								
12 Burchéllii.	(*sc.*)	Burchell's.	———	1818.	——	G.	♄.	Bot. reg. 224.
grandiflòra. B.R. *non* H.K.								
13 biserràta. DC.	(*ye.*)	double-tooth'd.	———	1825.	——	G.	♄.	Cav. dis. 6. t 200. f. 2.

Tribus V. *DOMBEYACEÆ.* DC.

RUI'ZIA. DC.		Rui'zia. Monadelphia Polyandria. L.						
1 lobàta. DC.	(*ye.*)	lobed-leaved.	Bourbon.	1820.	....	S.	♄.	Cav. dis. 3. t. 36. f. 1.
2 variábilis. DC.	(*bl.*)	various-leaved.	———	1792.	5.	S.	♄.	Jacq. schœn. 3. t. 295.
PENTAP'ETES. DC.		Pentap'etes. Monadelphia Dodecandria. L.						
1 phœnícea. DC.	(*cr.*)	scarlet-flower'd.	India.	1690.	7. 8.	S.	♂.	Bot. reg. 575.
2 ovàta. DC.	(*sn.*)	oval-leaved.	New Spain.	1805.	6. 9.	S.	♂.	Cav. ic. 5. t. 433.
Brotèra ovàta. Cav.								
ASS'ONIA. DC.		Ass'onia. Monadelphia Dodecandria.						
1 populnea. DC.	(*wh.*)	Poplar-leaved.	Bourbon.	1822.	....	S.	♄.	Cav. dis. 3. t. 42. f. 3.
2 viburnoídes. DC.	(*wh.*)	Viburnum-l^d.	———	——	....	S.	♄.	
DOMB'EYA. DC.		Domb'eya. Monadelphia Dodecandria.						
1 cordifòlia. DC.	(*wh.*)	heart-leaved.	E. Indies.	1820.	....	S.	♄.	
2 ferrugínea. DC.	(*wh.*)	rusty.	Mauritius.	1815.	....	S.	♄.	Cav. dis. 3. t. 42. f. 2.
3 ovàta. DC.	(*wh.*)	oval-leaved.	Bourbon.	1822.	....	S.	♄.	——— 3. t. 41. f. 2.
MELH'ANIA. DC.		Melh'ania. Monadelphia Pentandria.						
1 Erythróxylon. DC.	(*wh.*)	red-wood.	St. Helena.	1722.	5. 8.	S.	♄.	Bot. mag. 1000.
2 Melanóxylon. DC.	(*wh.*)	black-wood.	———	1800.	7. 8	S.	♄.	Pluk. mant. 6. t. 333. f. 5.
3 Burchéllii. DC.	(*wh.*)	Burchell's.	C. B. S.	1818.	——	S.	♄.	
PTEROSPE'RMUM. DC.		Pterospe'rmum. Monadelphia Dodecandria.						
1 acerifòlium. DC.	(*wh.*)	Maple-leaved.	E. Indies.	1790.	7. 9.	S.	♄.	Bot. mag. 620.
2 suberifòlium. DC.	(*wh.*)	various-leaved.	———	1783.	9. 10.	S.	♄.	——— 1526.
3 lanceæfòlium. DC.	(*w.*)	lance-leaved.	———	1818.	——	S.	♄.	
4 canéscens. H.B.	(*wh.*)	canescent.	Ceylon.	——	——	S.	♄.	
5 semisagittàtum. DC.	(*w.*)	fringe-bracted.	E. Indies.	——	——	S.	♄.	
ASTRAP'ÆA. DC.		Astrap'æa. Monadelphia Dodecandria.						
1 Wallichii. DC.	(*sc.*)	Wallich's.	Mauritius.	1820.	12. 1.	S.	♄.	Bot. reg. 691.
2 viscòsa.		viscous.	Madagascar.	1823.	....	S.	♄.	
3 tiliæfòlia.	(*wh.*)	Lime-leaved.	Bourbon.	1824.	....	S.	♄.	
KY'DIA. DC.		Ky'dia. Monadelphia Dodecandria.						
1 calycina. DC.	(*wh.*)	calycine.	E. Indies.	1818.	....	S.	♄.	Roxb. cor. 3. t. 215.
2 fratérna. DC.	(*wh.*)	long-stamen'd.	———	1823.	....	S.	♄.	——— 3. t. 216.

Tribus VI. *WALLICHIEÆ.* DC.

ERIOL'ÆNA. DC.		Eriol'æna. Monadelphia Polyandria.						
Wallichii. DC.		Wallich's.	E. Indies.	1823.	....	S.	♄.	DC. m. mus. 10. p. 102. ic.

ORDO XXXI.

TILIACEÆ. *DC. prodr.* 1. *p.* 503.

ENTELEA. B.M.		Cork-tree.	Polyandria Monogynia.						
arboréscens. B.M.	(*wh.*)	New Zealand.	N. Zealand.	1821.	5. 6.	G.	♄.	Bot. mag. 2480.
SPARRMA'NNIA. DC.		Sparrma'nnia.	Polyandria Monogynia. L.					
1 africàna. DC.	(*wh.*)	African.	C. B. S.	1790.	3. 7.	G.	♄.	Bot. mag. 516.
2 rugòsa. Bhi.	(*wh.*)	rugged-leaved.	———	1825.	3. 6.	G.	♄.	
HELIOCA'RPUS. DC.		Helioca'rpus.	Dodecandria Monogynia.					
americàna. DC.	(*wh.*)	American.	Vera Cruz.	1733.	....	S.	♄.	Trew ehret. t. 45.
CO'RCHORUS. DC.		Co'rchorus.	Polyandria Monogynia. L.					
1 siliquòsus. DC.	(*ye.*)	Germander-ld.	S. America.	1732.	6. 8.	S.	♃.	Jacq. vind. 3. t. 59.
2 foliòsus. s.s.	(*ye.*)	leafy.	Cuba.	1827.	——	S.	♃.	
3 hírtus. DC.	(*ye.*)	hairy.	S. America.	1820.	——	S.	♃.	Plum. ed. B. t. 103. f. 2.
4 pilolòbus. DC.	(*ye.*)	hairy-podded.	———	——	——	S.	♃.	
5 americànus. Sck.	(*ye.*)	American.	S. America.	1825.	——	S.	♄.	
6 triloculàris. DC.	(*ye.*)	three-celled.	Arabia.	1790.	7 8.	S.	☉.	Jacq. vind. 2. t. 178.
7 olitòrius. DC.	(*ye.*)	bristly-leaved.	India.	1640.	6. 8.	S.	☉.	Bot. mag. 2810.
8 æ'stuans. DC.	(*ye.*)	Hornbeam-ld.	S. America.	1731.	6. 7.	S.	☉.	Jacq. vind. 1. t. 85.
9 acutángulus. DC.	(*ye.*)	acute-angled.	India.	1816.	——	S.	♄.	Pluk. phyt. t. 44. f. 1.
10 capsulàris. DC.	(*ye.*)	heart-leaved.	E. Indies.	1725.	——	S.	☉.	Jacq. f. eclog. 2. t. 120.
11 hirsùtus. DC	(*ye.*)	woolly-capsul'd.	S. America.	1752.	——	S.	♄.	Jacq. vind. 3. t. 59.
TRIUMFE'TTA. DC.		Triumfe'tta.	Dodecandria Monogynia. L.					
1 Lappula. DC.	(*ye.*)	prickly-seeded.	W. Indies.	1739.	7. 8.	S.	♄.	Plum. ic. t. 255.
2 heterophy'lla. DC.	(*ye.*)	various-leaved.	———	1823.	——	S.	♄.	Pluk. t. 425. f. 3.
3 rubricaulis. DC.	(*ye.*)	red-stem'd.	Caracas.	1826.	——	S.	♄.	
4 suborbiculàta. DC.	(*ye.*)	subrotund.	E. Indies.	....	——	S.	♄.	
5 glandulòsa. DC.	(*ye.*)	gland-toothed.	Mauritius.	....	——	S.	♄.	Lam. ill. t. 400. f. 1.
6 trichoclàda. DC.	(*ye.*)	oval-leaved.	Nepaul.	1823.	——	S.	♂.	
7 oblongàta. DC.	(*ye.*)	oblong-leaved.	———	——	——	S.	♂.	
8 ánnua. DC.	(*ye.*)	annual.	Java.	1760.	8. 9.	S.	☉.	Bot. mag. 2296.
9 angulàta. DC.	(*ye.*)	angular-leaved.	E. Indies.	1739.	6. 7.	S.	♄.	Lam. ill. t. 400. f. 2.
10 semitrilòba. DC.	(*ye.*)	Mallow-leaved.	W. Indies.	1773.	——	S.	♄.	Jacq. vind. 3. t. 76.
11 havanénsis. DC.	(*ye.*)	Havannah.	Cuba.	1825.	——	S.	♄.	
12 micropétala. B.R.	(*ye.*)	small-petal'd.	E. Indies.	——	4. 8.	S.	♄.	Bot. reg. 1058.
13 petiolàris. B.R.	(*ye.*)	petiolate.	Peru.	1819.	5. 6.	S.	♄.	Lindl. collect. t. 20.
rhomboídea. L. col. *non* Jacq.								
14 rhomboídea. DC.	(*ye.*)	rhomboid.	S. America.	1819.	5. 6.	S.	♄.	Jacq. amer. t. 90.
15 althæoídes. DC.	(*ye.*)	Althæa-leaved.	Cayenne.	——	——	S.	♄.	
macrophy'lla. Vahl. ecl. 2. p. 34.								
16 grandiflòra. DC.	(*ye.*)	large-flowered.	W. Indies.	1810.	——	S.	♄.	
17 triloculàris. DC.	(*ye.*)	three-celled.	E. Indies.	1817.	10. 4.	S.	♄.	
GRE'WIA. DC.		Gre'wia.	Polyandria Monogynia. L.					
1 tomentòsa. DC.		tomentose.	Java.	1818.	....	S.	♄.	Juss. an. 2. t. 19. f. 1.
2 hirsùta. DC.		hairy.	———	1816.	7. 9.	S.	♄.	
3 bracteàta. DC.	(*gr.*)	bracted.	E. Indies.	1818.	——	S.	♄.	
4 Mallocócca. DC.		rough-fruited.	Tongatabu.	1792.	8. 9.	S.	♄.	Forst. gen. t. 39.
Mallocócca crenàta. Forst.								
5 oppositifòlia. DC.		sharp-leaved.	Nepaul.	1818.	....	S.	♄.	
6 umbellàta. DC.		umbel-flowered.	E. Indies.	——	....	S.	♄.	
7 bícolor. DC.		two-coloured.	Senegal.	1822.	....	S.	♄.	Juss. ann. t. 50. f. 2.
8 Róthii. DC.		Roth's.	E. Indies.	1819.	....	S.	♄.	
9 salvifòlia. DC.	(*ye.*)	Sage-leaved.	———	——	....	S.	♄.	
10 flàva. DC.	(*ye.*)	yellow.	C. B. S.	1818.	——	G.	♄.	
11 ovalifòlia. DC.		oval-leaved.	E. Indies.	——	....	S.	♄.	
12 Micròcos. DC.	(*st.*)	panicled.	———	1779.	——	S.	♄.	Rheed. mal. 1. t. 56.
Micròcos paniculàta. L.								
13 paniculàta. DC.		villous-leaved.	———	1820.	....	S.	♄.	
14 orientàlis. DC.	(*wh.*)	oriental.	———	1767.	7. 8.	S.	♄.	Rheed. mal. 5. t. 46.
15 pilòsa. DC.	(*wh.*)	pilose.	———	1804.	——	S.	♄.	
16 glandulòsa. DC.		glandular.	Mauritius.	1827.	....	S.	♄.	Juss. an. 2. t. 48. f. 1.
17 serrulàta. DC.		serrulate.	E. Indies.	1818.	....	S.	♄.	
18 occidentàlis. DC.	(*pu.*)	Elm-leaved.	C. B. S.	1690.	7. 9.	G.	♄.	Bot. mag. 422.
19 asiàtica.	(*li.*)	Asiatic.	E. Indies.	1792.	7. 8.	S.	♄.	Sonn. voy. 2. t. 138.

20 subin'æqualis. DC.....	oblique-leaved.	E. Indies.	1816.	....	S. ♄.		
21 villífera. ..... *villòsa.* Roth. *nec aliorum.*	wool-bearing.	———	1826.	....	S. ♄.		
22 áspera. DC.	rough-leaved.	———	1818.	....	S. ♄.		
23 tiliæfòlia. DC.	Lime-leaved.	———	1812.	....	S. ♄.		
24 villòsa. DC.	villous.	———	1816.	....	S. ♄.		
25 therebinthinàcea. DC.	strong-scented.	.....	——	....	S. ♄.		
26 obtusifòlia. DC.....	blunt-leaved.	C. B. S.	1818.	....	G. ♄.		
27 ulmifòlia. H.B.	Chinese.	China.	——	....	G. ♄.		
28 carpinifòlia. DC. (*pu.*)	Hornbeam-l^d.	Africa.	1822.	....	S. ♄.	Beauv. fl. ow. 2. t.	
29 megalocárpa. B.O.(*re*)	black-fruited.	———	——	....	S. ♄.	——— 2. t. 102.	
BROWNLO'WIA. R.	Brownlo'wia. Polyandria Monogynia.						
elàta. R. (*ye.*)	tall.	E. Indies.	1812.	....	S. ♄.	Roxb. cor. 3. t. 265.	
TILIA. DC.	Lime-tree. Polyandria Monogynia. L.						
1 microphy'lla. DC.(*wh.*) *parvifòlia.* E.B.	small-leaved.	Britain.	....	8. 9.	H. 5.	Eng. bot. 1705.	
2 intermèdia. DC. (*wh.*) *europ'æa.* Eng. bot. 610.	intermediate.	———	....	——	H. 5.	Hayn. et Sv. bot. t. 40.	
β *laciniàta.* (*wh.*)	jagged-leaved.	———	....	6. 8.	H. 5.		
3 corallina. E.F. (*wh.*)	coral-twigg'd.	Britain.	....	7.	H. 5.		
4 rùbra. DC. (*wh.*)	red-twigged.	Europe.	....	6. 8.	H. 5.		
5 platyphy'lla. DC. (*wh.*) *grandifòlia.* E.F.	broad-leav'd.	Britain.	....	——	H. 5.	Vent. dis. p. 6. t. 1. f. 2.	
6 glábra. DC. (*wh.*) *americàna.* L.	broad-leaved.	N. America.	1752.	6. 7.	H. 5.	Vent. dis. p. 9. t. 2.	
7 laxiflòra. DC. (*wh.*)	loose-flowered.	———	1820.	——	H. 5.		
8 pubéscens. DC. (*wh.*)	pubescent.	———	1726.	7. 8.	H. 5.	Vent. dis. p. 10. t. 3.	
β *leptophy'lla.* DC.(*w.*)	*narrow-leaved.*	———	——	——	H. 5.		
9 heterophy'lla. DC.(*wh.*) *álba.* Mich. arb. 3. t. 2.	white-leaved.	———	....	6. 8.	H. 5.	Vent. dis. p. 16. t. 5.	
10 argéntea. DC. (*wh.*) *álba.* W. et K. hung. 1. t. 3. *rotundifòlia.* Vent.	silver-leaved.	Hungary.	1767.	——	H. 5.	Vent. dis. p. 13. t. 4.	
11 petiolàris. DC. (*wh.*)	long-petioled.	.....	1824.	....	H. 5.		
MUNTI'NGIA. DC.	Munti'ngia. Polyandria Monogynia. L.						
Calabùra. DC. (*wh.*)	Jamaica.	Jamaica.	1690.	6. 7.	S. ♄.	Jacq. amer. t. 107.	
APE'IBA. DC.	Ape'iba. Polyandria Monogynia. L.						
1 Tibóurbou. DC. (*ye.*) *Aublètia Tibóurbou.* W.	hairy.	S. America.	1756.	....	S. ♄.	Aub. gui. 1. t. 213.	
2 Petóumo. DC. (*ye.*)	hoary.	———	1817.	....	S. ♄.	Aub. gui. 1. t. 215.	
3 áspera. DC. (*ye.*) *Aublètia áspera.* W.	prickly-capsul'd.	Cayenne.	1792.	....	S. ♄.	——— 1. t. 216.	
4 glábra. DC. (*gr.*) *Aublètia l'ævis.* W.	smooth.	———	1817.	....	S. ♄.	Aub. gui. 1. t. 214.	
SL'OANEA. DC.	Sl'oanea. Polyandria Monogynia. L.						
1 dentàta. DC. (*ye.*)	Chestnut-leav'd.	S. America.	1752.	....	S. ♄.	Plum. ic. 244.	
2 sinemariénsis. DC.(*ye.*)	round-leaved.	W. Indies.	1820.	....	S. ♄.	Aub. gui. 1. t. 212.	
GYROSTEMON. DC.	Gyrost'emon. Dioecia Polyandria.						
ramulòsum. DC.	branching.	N. Holland.	1820.	....	G. ♄.	Desf. m. mus. 6. t. 6.	
BE'RRYA. R.C.	Be'rrya. Polyandria Monogynia.						
ammonílla. R.C. (*st.*)	Ceylon.	Ceylon.	1818.	....	S. ♄.	Roxb. corom. 3. t. 264.	

ORDO XXXII.

ELÆOCARPEÆ. *DC. prodr.* 1. *p.* 519.

ELÆOCA'RPUS. DC.	Elæoca'rpus. Dodecandria Monogynia.					
1 serràtus. DC. (*pu.*)	saw-leaved.	E. Indies.	1774.	....	S. ♄.	Burm. zeyl. t. 40.
2 cyáneus. DC. (*wh.*) *reticulàtus.* B.R. 657.	blue-fruited.	N. Holland.	1803.	6. 8.	G. ♄.	Bot. mag. 1737.
ACER'ATIUM. DC.	Acer'atium. Dodecandria Monogynia.					
oppositifòlium. DC.	opposite-leaved.	Amboyna.	1818.	....	S. ♄.	

DIC'ERA. DC.		DIC'ERA. Dodecandria Monogynia.						
dentàta. DC.	(*wk.*)	tooth-leaved.	N. Zealand.	1820.	6. 8.	G. ħ.		Forst. gen. t. 40.
FRIE'SIA. DC.		FRIE'SIA. Dodecandria Monogynia.						
pedunculàris. DC.	(*wk.*)	peduncled.	Van Diem.	1818.	....	G. ħ.		Lab. n. holl. 2. t. 155.
Elæocárpus pedunculàris. Lab.								

ORDO XXXIII.

CHLENACEÆ. *DC. prodr.* 1. *p.* 521.

† *Genus Chlenaceis affine.*

HUG'ONIA. DC.		HUG'ONIA. Monadelphia Decandria.						
1 My'stax. DC.	(*ye.*)	entire-leaved.	E. Indies.	1818.	6. 9.	S. ħ.		Rheed. mal. 2. t. 29.
2 serràta. DC.	(*ye.*)	saw-leaved.	Mauritius.	1820.	——	S. ħ.		Cav. dis. 3. t. 73. f. 1.

ORDO XXXIV.

TERNSTRŒMIACEÆ. *DC. prodr.* 1. *p.* 523.

Tribus I. *TERNSTRŒMIEÆ.* DC.

TERNSTR'ŒMIA. DC.		TERNSTR'ŒMIA. Polyandria Monogynia.						
1 pedunculàris. DC.	(*w.*)	long-peduncled.	W. Indies.	1818.	6. 8.	S. ħ.		
2 punctàta. DC.	(*wk.*)	spotted-leaved.	Guiana.	1824.	....	S. ħ.		Aubl. gui. 1. t. 228.
3 dentàta. DC.	(*ye.*)	toothed.	———	1826.	....	S. ħ.		——— 1. t. 227.
4 venòsa. DC.	(*wk.*)	veined-leaved.	Brazil.	1820.	6. 8.	S. ħ.		
5 serràta. H. B.	(*wk.*)	saw-leaved.	Silhet.	——	....	S. ħ.		

Tribus II. *FREZIEREÆ.* DC.

CL'EYERA. DC.		CL'EYERA. Polyandria Monogynia.						
japónica. DC.	(*wk.*)	Japan.	Japan.	1822.	....	S. ħ.		Kæmp. am. 5. p. 774. ic.
FREZIE'RA. DC.		FREZIE'RA. Polyandria Monogynia.						
thæoídes. DC.	(*wk.*)	Tea-like.	Jamaica.	1818.	....	S. ħ.		
E'URYA. DC.		E'URYA. Polygamia Monœcia.						
1 chinénsis. DC.	(*wk.*)	China.	China.	1818.	1. 8.	G. ħ.		Lodd. bot. cab. 1213.
2 multiflòra. DC.	(*wk.*)	many-flowered.	Nepaul.	1823.	....	S. ħ.		
LETTS'OMIA. DC.		LETTS'OMIA. Polyandria Monogynia.						
tomentòsa. DC.	....	tomentose.	Peru.	1823.	....	S. ħ.		Ruiz et P. prod. t. 14.

Tribus III. *SAURAUJEÆ* DC.

SAURA'UJA. DC.		SAURA'UJA. Polyandria Pentagynia.						
1 excélsa. DC.	(*wk.*)	tall.	Caracas.	1824.	....	S. ħ.		Willd. n. act. ber. 3. t. 4.
2 napaulénsis. DC.	(*wk.*)	Nepaul.	Nepaul.	——	....	S. ħ.		

Tribus IV. *LAPLACEÆ.* DC.

WITTELSBA'CHIA. M.N. WITTELSBA'CHIA. Polyandria Monogynia.
1 Gossy'pium. M.N. (*ye.*) large-flowered. E. Indies. 1822. .... S. ½. Sonn. voy. 2. t. 138.
Cochlospérmum Gossy'pium. DC. *Bombax Gossy'pium.* Cav. dis. 5. t. 157.
2 vitifòlia. M.N. (*ye.*) Vine-leaved S. America. 1820. .... S. ½. Fl. mex. ic. ined.
Cochlospérmum serratifòlium. DC. *hibiscoides.* K.S. *Bombax vitifòlium.* W.en.
3 insígnis. M.N. (*ye.*) spot-flowered. Brazil. 1821. .... S. ½. Mart. nov. gen. 1. t. 55.

Tribus V? *GORDONIEÆ.* DC.

MALACHODE'NDRON. DC. MALACHODE'NDRON. Monadelphia Polyandria. L.
ovàtum. DC. (*wh.*) oval-leaved. N. America. 1785. 8. 9. H. ½. Bot. reg. 1104.
Stuártia pentagy'nia. Ex. bot. t. 101.
STUA'RTIA. W. STUA'RTIA. Monadelphia Polyandria. L.
virgínica. DC. (*wh.*) Virginian. N. America. 1742. 5. 8. H. ½. Cav. dis. 5. t. 159. f. 2.
Malachodéndron. L. *maryländica.* A.R. t. 73.
GORD'ONIA. DC. GORD'ONIA. Monadelphia Polyandria. L.
1 Lasiánthus. DC. (*wh.*) smooth. N. America. 1739. 8. 11. F. ½. Bot. mag. 668.
2 hæmatóxylon. DC. (*w.*) red-wooded. Jamaica. 1820. .... S. ½.
3 pubéscens. DC. (*wh.*) pubescent. N. America. 1774. 8. 11. F. ½. Vent. malm. t. 1.
4 Franklìni. L'Her. (*w.*) Franklin's. ——— —— —— F. ½.
POLYSP'ORA. N.L.F. POLYSP'ORA. Monadelphia Polyandria.
axillàris. N.L.F. (*wh.*) axillary-flow'r'd E. Indies. 1816. 11. 8. S. ½. Bot. reg. 349.
Camèllia axillàris. B.R. *et* B.M. 2047.

ORDO XXXV.

CAMELLIEÆ. *DC. prodr.* 1. *p.* 529.

CAME'LLIA. Ker. CAME'LLIA. Monadelphia Polyandria. L.
1 Thèa. L. en. (*wh.*) Bohea Tea. China. 1768. 11. 2. G. ½. Lob. bot. cab. 226.
2 víridis. L. en. (*wh.*) green Tea. ——— —— 10. 12. G. ½. ——— 227.
Thèa chinénsis. B.M. 998.
3 euryoides. B.R. (*wh.*) small-flower'd. ——— 1824. 1. 5. G. ½. Bot. reg. 983.
4 oleífera. B.R. (*wh.*) oleiferous. ——— 1819. 1. 8. G. ½. ——— 942.
5 Sesánqua. DC. (*wh.*) Lady Banks's. ——— 1811. 11. 1. G. ½. Thunb. fl. jap. t. 30.
β semiduplex. (*wh.*) *semidouble.* ——— —— —— G. ½. Bot. reg. 12.
γ flòre-plèno. (*wh.*) *double-flowered.* ——— 1823. —— G. ½. ——— 1091.
6 maliflòra. B.R. (*ro.*) pink-flowered. ——— 1819. 1. 4. G. ½. ——— 547.
Sesanqua β rosea. Bot. reg. 547.
7 Kissi. DC. (*wh.*) Nepaul. Nepaul. 1823. .... G. ½.
8 reticulàta. B.R. (*sc.*) Captain Rawes'. China. 1822. 2. 4. G. ½. Bot. reg. 1078.
9 japónica. DC. (*va.*) common. ——— 1739. 12. 5. G. ½. Cav. dis. 6. t. 160.
1 *rùbra.* (*sc.*) *single-red.* ——— —— —— G. ½. Bot. mag. 42.
2 *álba.* (*wh.*) *single-white.* ——— .... —— G. ½. Bot. reg. 353.
3 *semidùplex.* (*re.*) *semidouble red.* ——— .... —— G. ½. Andr. rep. 559.
4 *rùbre-plèna.* (*re.*) *double red.* ——— .... —— G. ½. ——— 199.
5 *cárnea.* (*pi.*) *Middlemist's.* ——— .... —— G. ½. Lod. bot. cab. 455.
6 *myrtifòlia.* (*pi.*) *Myrtle-leaved.* ——— .... —— G. ½. Bot. mag. 1670.
involuta. *Bot. reg.* 633.
7 *hexangulàris.* (*re.*) *six sided.* ——— .... —— G. ½.
8 *atrorùbens.* (*sc.*) *Loddiges' red.* ——— .... —— G. ½. Lod. bot. cab. 170.
9 *eximoniflòra.* (*cr.*) *red Waratah.* ——— .... —— G. ½. Bot. mag. 1654.
10 *dianthiflòra.* (*v.*) *Carnation War.* Knights. .... —— G. ½. ——— 2577.
11 *blánda.* (*bl.*) *blush Waratah.* China. .... —— G. ½.
12 *pompònia.* (*bl.*) *Kew-blush.* ——— .... —— G. ½. Bot. reg. 22.

13	*pæoniflòra.*	(*pi.*)	*Pæony-flowered.*	China.	....	12. 5.	G.	½.	Lod. bot. cab. 238.
14	*Welbánkii.*	(*wh.*)	*Welbank's.*	———	....	——	G.	½.	——— 1198.
15	*lùteo-álba.*	(*st.*)	*pale yellow.*	———	....	——	G.	½.	Bot. reg. 708.
16	*flavéscens.*	(*st.*)	*buff.*	———	....	——	G.	½.	——— 112.
17	*álbo-plèna.*	(*wh.*)	*double white.*	———	....	——	G.	½.	Andr. rep. 25.
18	*fimbriàta.*	(*wh.*)	*fringed white.*	———	....	1. 4.	G.	½.	
19	*imbricàta.*	(*re.*)	*imbricate-petal'd.*	———	....	——	G.	½.	
20	*variegàta.*	(*v.*)	*double striped.*	———	....	——	G.	½.	Andr. rep. 91.
21	*crassinérvis.*	(*re.*)	*thick nerved.*	———	....	——	G.	½.	
22	*expánsa.*	(*re.*)	*expanded.*	———	....	——	G.	½.	
23	*conchiflòra.*	(*re.*)	*shell-flowered.*	———	....	——	G.	½.	
24	*rubriculàris.*	(*sc.*)	*Lady Ad'l. Campbell's*	——	....	——	G.	½.	
25	*longifòlia.*	(*re.*)	*long-leaved.*	Malcolm's.	....	——	G.	½.	
26	*Chandlèri.* versicolor. *Bot. reg.* 887.	(*v.*)	*striped Waratah.*	Chandler's.	1823.	12. 5.	G.	½.	Chandl. camel. t. 1. 2.
27	*Aitòni.*	(*sc.*)	*large single-red.*	———	——	——	G.	½.	Chandl. camel. t. 3.
28	*althæiflora.*	(*re.*)	*Hollyhock-fld.*	———	——	——	G.	½.	——— t. 4.
29	*corallìna.*	(*re.*)	*coral-flowered.*	———	——	——	G.	½.	——— t. 5.
30	*insignis.*	(*re.*)	*splendid.*	———	——	——	G.	½.	——— t. 6.
31	*flòrida.*	(*re.*)	*cluster-flowered.*	———	——	——	G.	½.	——— t. 7.
32	*anemonæflòra. alba.*	(*w.*)	*white Anemone-fld.*	———	——	——	G.	½.	——— t. 8.
33	*Rósii.*	(*re.*)	*Ross's.*	Ross's.	——	——	G.	½.	
34	*Wiltòniæ.*	(*va.*)	*Mrs. Wilton's.*	Knight's.	——	——	G	½.	
35	*Elphinstoniàna.*	(*re.*)	*Miss Elphinstone's.*	———	——	——	G.	½.	
36	*rosæflòra.*	(*re.*)	*Rose-flowered.*	———	——	——	G.	½.	
37	*Cliveàna.*	(*re.*)	*Lady H. Clive's.*	———	——	——	G.	½.	
38	*heterophy'lla.*	(*re.*)	*various-leaved.*	———	——	——	G.	½.	
39	*Egertòniæ.*	(*re.*)	*Mrs. Egerton's.*	———	——	——	G.	½.	
40	*Goussòniæ.*	(*ro.*)	*Mrs. Goussone's.*	———	——	——	G.	½.	
41	*Barnabiæ.*	(*pi.*)	*Mrs. Barnaby's.*	———	——	——	G.	½.	
42	*radiàta.*	(*re.*)	*rayed single.*	———	——	——	G.	½.	
43	*supina.*	(*re.*)	*supine.*	———	——	——	G.	½.	
44	*Hibbértii.*	(*re.*)	*Mr. Hibbert's.*	———	——	——	G.	½.	
45	*Percỳæ.*	(*re.*)	*D's. of Northumberland's*	——	——	——	G.	½.	
46	*Wobdsii.*	(*ro.*)	*Mr. Woods's.*	Chandler's.	——	——	G.	½.	
47	*argéntea.*	(*re.w.*)	*silvery-cup'd.*	———	——	——	G.	½.	
48	*basílica.*	(*re.*)	*princely.*	———	——	——	G.	½.	
49	*princéps.*	(*sc.*)	*double-carmine.*	———	——	——	G.	½.	
50	*sanguínea.*	(*cr.*)	*single-crimson.*	———	——	——	G.	½.	
51	*sericea.*	(*ro.*)	*double-silky.*	———	——	——	G.	½.	
52	*Byrónii.*	(*ro.*)	*Lord Byron's.*	———	——	——	G.	½.	
53	*carnéscens.*	(*fl.*)	*single pale-red.*	———	——	——	G.	½.	
54	*eximia.*	(*re.*)	*fine double-red.*	———	——	——	G.	½.	
55	*bicolor.*	(*re.w.*)	*single rosy & white.*	———	——	——	G.	½.	
56	*purpuráscens.*	(*re.*)	*single dark-red.*	———	——	——	G.	½.	
57	*gigántea.*	(*ro.*)	*large double.*	———	——	——	G.	½.	
58	*lùcida.*	(*re.*)	*double bright-red.*	———	——	——	G.	½.	
59	*ornàta.*	(*pi.*)	*pink Waratah.*	———	——	——	G.	½.	
60	*papaverácea.*	(*re.*)	*Poppy-flower'd.*	Loddiges.	——	——	G.	½.	
61	*rotundifòlia.*	(*re.*)	*round-leaved.*	———	——	——	G.	½.	
62	*Spofforthiàna.*	(*wh.*)	*red-lined white.*	Spofforth.	——	——	G.	½.	
63	*Herbérti.* Spofforthiàna. rosea. *Herbert Mss.*	(*ro.*)	*Mr. Herbert's.*	———	——	——	G.	½.	
64	*Haylóckii.*	(*wh.*)	*Haylock's.*	———	——	——	G.	½.	
65	*reflexa.*	(*cr.*)	*single reflex-petaled.*	——	——	——	G.	½.	

ORDO XXXVI.

OLACINEÆ. *DC. prodr.* 1. *p.* 531.

OLA'X. DC.			Ola'x. Triandria Monogynia. L.						
1	scándens. DC.	(*wh.*)	climbing.	E. Indies.	1820.	1. 12.	S.	½. ⌣.	Roxb. cor. 2. t. 102.
2	imbricàta. DC.	(*wh.*)	imbricate.	———	——	....	S.	½. ⌣.	

SPERMA'XYRUM. DC. SPERMA'XYRUM. Triandria Monogynia.
strictum. DC. (*wk.*) upright. N. S. W. 1820. .... G. ♄.
XIM'ENIA. DC. XIM'ENIA. Octandria Monogynia. L.
1 *americàna.* DC. (*wk.*) spring. W. Indies. 1759. 6. 9. S. ♄. Jacq. am. pict. t. 107.
2 *inérmis.* DC. (*wk.*) unarmed. ——— 1820. .... S. ♄.

ORDO XXXVII.

AURANTIACEÆ. *DC. prodr.* 1. *p.* 535.

ATALA'NTIA. DC. ATALA'NTIA. Monadelphia Octandria.
monophy'lla. DC. (*wk.*) simple-leaved. E. Indies. 1777. 6. 8. S. ♄. Roxb. cor. 2. t. 83.
Limònia monophy'lla. R.
TRIPH'ASIA. DC. TRIPH'ASIA. Hexandria Monogynia.
trifoliàta. DC. (*wk.*) three-leaved. China. 1787. 7. 8. S. ♄. Jacq. ic. rar. t. 463.
Limònia trifoliàta. And. rep. 143.
LIM'ONIA. DC. LIM'ONIA. Decandria Monogynia. L.
1 *acidíssima.* DC. (*wk.*) sour-fruited. E. Indies. 1824. 4. 8. S. ♄. Rumph. amb. 2. t. 43.
2 *crenulàta.* DC. (*wk.*) crenulate. ——— 1808. 5. 7. S. ♄. Roxb. cor. 1. t. 86.
3 *ambígua.* DC. (*wk.*) ambiguous. .... —— S. ♄.
4 *scándens.* H.B. (*wk.*) climbing. E. Indies. 1820. .... S. ♄.
CO'OKIA. DC. CO'OKIA. Decandria Monogynia. L.
punctàta. DC. (*wk.*) Wampee tree. China. 1796. 5. 7. S. ♄. Jacq. schœnb. 1. t. 101.
MURRA'YA. DC. MURRA'YA. Decandria Monogynia. L.
1 *exótica.* DC. (*wk.*) Ash-leaved. E. Indies. 1771. 8 9. S. ♄. Bot. reg. 434.
2 *paniculàta.* DC. (*wk.*) panicled. ——— 1821. 4. 5. S. ♄. Hook. ex. flor. 134.
AGLA'IA. DC. AGLA'IA. Pentandria Monogynia.
oderàta. DC. (*st.*) sweet-scented. China. 1810. 2. 5. S. ♄. Rumph. amb. 5. t. 18.
BE'RGERA. DC. BE'RGERA. Decandria Monogynia. L.
1 *Kœnigii.* DC. (*gr.*) Kœnig's. E. Indies. 1818. 3. 6. S. ♄. Lodd. bot. cab. 1019.
2 *integérrima.* DC. (*gr.*) entire-leaved. ——— 1820. .... S. ♄.
CLAUSE'NIA. DC. CLAUSE'NIA. Octandria Monogynia.
pentaphy'lla. DC. (*wk.*) five-leaved. E. Indies. 1823. .... S. ♄.
GLYCO'SMIS. DC. GLYCO'SMIS. Decandria Monogynia.
1 *arbòrea.* DC. (*wk.*) tree. E. Indies. 1796. 5. 8. S. ♄. Roxb. cor. 1. t. 85.
Limònia arbòrea. R.C.
2 *citrifòlia.* H.T. (*wk.*) Citron-leaved. China. 1820. 2. 6. G. ♄. Bot. mag. 2416.
Limònia citrifòlia. DC. *parviflora.* B.M.
3 *pentaphy'lla.* DC. (*wk.*) five-leaved. E. Indies. 1799. 6. 7. S. ♄. Roxb. cor. 1. t. 84.
Limònia pentaphy'lla. R.C.
FER'ONIA. DC. ELEPHANT APPLE. Decandria Monogynia.
elephántum. DC. (*bk.*) Indian. E. Indies. 1804. .... S. ♄. Roxb. cor. 2. t. 141.
ÆGLE. DC. BENGAL QUINCE. Polyandria Monogynia.
1 *Marmélos.* DC. (*wk.*) thorny. E. Indies. 1759. .... S. ♄. Roxb. cor. 2. t. 143.
CITRUS. DC. ORANGE-TREE. Polyadelphia Polyandria. L.
1 *Médica.* DC. (*wk.*) Lemon-tree. Asia. 1648. 5. 7. G. ♄. Ris. an. mus. 20. t. 2. f. 2.
2 *Limétta.* DC. (*wk.*) Bergamotte. ——— .... —— G. ♄. ——— 20. t. 2. f. 1.
3 *Limònum.* DC. (*wk.*) Citron. ——— .... —— G. ♄. Ferr. hesp. t. 247. &c.
4 *ácida.* H.B. (*wk.*) Lime. ——— .... —— G. ♄.
5 *Auràntium.* DC. (*wk.*) common. ——— 1595. —— G. ♄. Ris. an. mus. 20. t. 1. f. 1. 2.
6 *vulgàris.* DC. (*wk.*) Myrtle-leaved. ——— .... —— G. ♄. Bot. reg. t. 346.
7 *decumàna.* DC. (*wk.*) Shaddock. India. 1724. —— G. ♄. Rumph. am. 2. t. 24. f. 2.
8 *hystrix.* DC. (*wk.*) very spiny. ——— .... —— G. ♄. ——— 2. t. 28?
9 *japónica.* DC. (*wk.*) small-fruited. Japan. 1815. —— G. ♄. Th. ic. jap. t. 15.
10 *nóbilis.* DC. (*wk.*) Mandarin. China. 1805. —— G. ♄. Andr. rep. 608.
β *minor.* (*wk.*) Tangerine. ——— —— —— G. ♄. Bot. reg. 211.
11 *Margarita.* DC. (*wk.*) sweet Lemon. ——— 1820. —— G. ♄.
12 *madurénsis.* DC. (*wk.*) spineless. China. 1816. —— G. ♄. Rumph. amb. 2. t. 31.
13 *angulàta.* DC. (*wk.*) angular-fruited. E. Indies. .... —— G. ♄. ——— 2. t. 32.
14 *buxifòlia.* DC. (*wk.*) retuse-leaved. China. .... —— G. ♄.

ORDO XXXVIII.

HYPERICINEÆ. *DC. prodr.* 1. *p.* 541.

Subordo I. HYPERICINEÆ VERÆ. DC.

Tribus I. *VISMIEÆ.* DC.

HARO'NGA. DC. HARO'NGA. Polyadelphia Dodecandria.

1	madagascariénsis. DC.	(y.)	Madagascar.	Madagascar.	1824.	....	S. ♄.	Lam. ill. t. 645.
	Arungàna paniculàta. P.S.							

VI'SMIA. DC. VI'SMIA. Polyadelphia Polyandria.

1	sessilifòlia. DC.	(ye.)	sessile-leaved.	Guiana.	1826.	....	S. ♄.	Aubl. guian. 2. t. 312. f. 2.
2	guianénsis. DC.	(ye.)	Guiana.	———	1828.	....	S. ♄.	——— 2. t. 311.
3	brasiliénsis. DC.	(ye.)	Brasilian.	Brazil.	1822.	5. 6.	S. ♄.	Chois. p. hyp. 35. t. 2.
4	guineénsis. DC.	(ye.)	African.	Sierra Leon.	1823.	——	S. ♄.	Lin. amœn. 8. t. 8. f. 1.

Tribus II. *HYPERICEÆ.* DC.

ANDROS'ÆMUM. DC. TUTSAN. Monadelphia Polyandria.

	officinale. DC.	(ye.)	common.	Britain.	....	7. 9.	H. ♄.	Eng. bot. 1225.

HYPE'RICUM. DC. ST. JOHN'S WORT. Polyadelphia Polyandria. L.

1	elàtum. DC.	(ye.)	tall.	N. America.	1762.	7. 8.	H. ♄.	Wats. dend. brit. t. 85.
2	frondòsum. DC.	(ye.)	green.	———	1806.	——	H. ♄.	
3	amœ'num. DC.	(ye.)	pretty.	Carolina.	1812.	——	H. ♄.	
4	grandifòlium. DC.	(ye.)	great-leaved.	Teneriffe.	1818.	——	G. ♄.	Chois. pr. hyp. t. 3.
5	hircìnum. DC.	(ye.)	stinking.	S. Europe.	1640.	7. 9.	H. ♄.	Wats. dend. brit. t. 86.
	β minus. W.D.	(ye.)	*smaller.*	———	——	——	H. ♄.	——— t. 87.
6	foliòsum. DC.	(ye.)	shining.	Azores.	1778.	8.	G. ♄.	
7	floribúndum. DC.	(ye.)	many-flowered.	Madeira.	1779.	——	G. ♄.	Com. hort. 2. t. 68.
8	oly'mpicum. DC.	(ye.)	Olympic.	Levant.	1706.	7. 9.	H. ♄.	Exot. bot. 2. t. 96.
9	canariénse. DC.	(ye.)	Canary.	Canaries.	1699.	——	G. ♄.	
10	chinénse. DC.	(ye.)	Chinese.	China.	1753.	8. 9.	G. ♄.	Bot. mag. 334.
	monógynum. B.M.							
11	cordifòlium. DC.	(ye.)	heart-leaved.	Nepaul.	1822.	6. 9.	G. ♄.	
12	pyramidàtum. DC.	(ye)	pyramidal.	Canada.	1759.	7. 8.	H. ♃.	Vent. malm. t. 118.
13	A'scyron. DC.	(ye.)	Siberian.	Siberia.	1774.	6. 9.	H. ♃.	Gmel. sib. 4. t. 69.
14	ascyroídes. DC.	(ye.)	large-capsuled.	N. America.	1812.	6. 7.	H. ♃.	
15	pátulum. DC.	(ye.)	spreading.	Japan.	1820.	7. 9.	G. ♄.	Thunb. jap. ic. 17.
16	Uràlum. D.P.	(ye.)	Nepaul.	Nepaul.	——	——	F. ♄.	Bot. mag. 2375.
17	Kalmiànum. DC.	(ye.)	Kalmia-leaved.	Virginia.	1759.	6. 7.	H. ♄.	
18	calycìnum. DC.	(ye.)	large-flowered.	Ireland.	....	6. 9.	H. ♄.	Eng. bot. 2017.
19	balearicum. DC.	(ye.)	warted.	Majorca.	1714.	8. 9.	G. ♄.	Bot. mag. 137.
20	virgínicum. DC.	(re.)	Virginian.	N. America.	1800.	7. 9.	H. ♃.	Andr. rep. 552.
	Elòdea campanulàta. Ph.							
21	angulòsum. DC.	(ye.)	tooth'd-flow'r'd.	N. America.	1812.	6. 7.	H. ♃.	
22	punctàtum. DC.	(ye.)	spotted.	———	1789.	7. 9.	F. ♃.	
	corymbòsum. W. *maculàtum.* Walt.							
23	dolabriförme. DC.	(ye.)	hatchet-like.	———	1818.	——	H. ♃.	
24	densiflòrum. DC.	(ye.)	dense-flowered.	Virginia.	1812.	6. 8.	F. ♄.	
25	rosmarinifòlium. DC.	(y.)	Rosemary-l'd.	Carolina.	——	——	F. ♄.	
26	virgàtum. DC.	(ye.)	twiggy.	N. America.	1823.	6. 8.	H. ♃.	
27	prolificum. DC.	(ye.)	prolific.	———	1758.	——	H. ♄.	Wats. dend. brit. t. 88.
	Kalmiànum. Maund. bot. gard. 194. t. 49. *nec aliorum. foliosum.* Jacq. schœnb. 3. t. 299. *non* Ait.							
28	glàucum. DC.	(ye.)	glaucous.	N. America.	1812.	7. 8.	H. ♃.	
29	lævigàtum. H.K.	(ye.)	smooth.	———	1772.	——	H. ♃.	
30	nudiflòrum. DC.	(ye.)	naked-panicled.	———	1811.	8. 10.	H. ♄.	
31	sphærocárpon. DC.	(y.)	round-capsuled.	———	1827.	6. 8.	H. ♃.	

32	quadrángulum. W.	(ye.)	square-stalked.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 370.
33	dùbium. E.B.	(ye.)	imperforate.	———	....	——	H. ♃.	——— 296.
34	maculàtum. All.	(ye.)	spot-flowered.	Europe.	....	——	H. ♃.	All. ped. t. 83. f. 1.
35	undulàtum. W.en.	(y.)	wave-leaved.	Barbary.	1802.	——	F. ♃.	
36	attenuàtum. DC.	(ye.)	attenuated.	Dahuria.	1828.	——	H. ♃.	Chois. pr. hyp. p. 47. t. 6.
37	rèpens. DC.	(ye.)	creeping.	S. Europe.	1827.	——	H. ♃.	
38	japónicum. DC.	(ye.)	Japan.	Japan.	1820.	——	G. ♃.	Thunb. jap. t. 31.
39	crispum. DC.	(ye.)	curl-leaved.	Greece.	1688.	——	F. ♃.	Bocc. mus. 2. t. 12.
40	pilòsum. DC.	(ye.)	pilose.	N. America.	1818.	——	H. ♄.	Pluk. alm. t. 245. f. 6.
	setòsum. H.K.							
41	símplex. DC.	(ye.)	simple-stalked.	———	——	——	H. ☉.	Pluk. alm. t. 421. f. 3.
42	heterophýllum. DC.	(y.)	various-leaved.	Persia.	1812.	——	G. ♄.	Vent. cels. t. 68.
43	ægyptiacum. DC.	(ye.)	Egyptian.	Egypt.	1787.	6. 7.	G. ♄.	Bot. reg. 196.
44	humifùsum. DC.	(ye.)	trailing.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 1226.
45	pusillum. DC.	(ye.)	small.	N. S. W.	1818.	——	G. ♃.	Lab. nov. holl. 2. t. 175.
46	involutum. DC.	(ye.)	involute-fld.	———	1822.	——	G. ♃.	——— 2. t. 174.
47	perforàtum. DC.	(ye.)	perforate.	Britain.	....	——	H. ♃.	Eng. bot. 295.
48	veronénse. Sck.	(ye.)	Verona.	Italy.	1820.	——	H. ♃.	
49	quinquenérvium. DC.	(ye.)	small-fld.	N. America.	1759.	6. 9.	F. ♃.	
	màtilum. W.							
50	canadénse. DC.	(wh.)	Canadian.	Canada.	1770.	7. 9.	H. ♃.	
51	perfoliàtum. W.	(wh.)	perfoliate.	Italy.	1785.	5. 6.	F. ♃.	
52	axillàre. DC.	(ye.)	clustered.	N. America.	1806.	7.	F. ♄.	
	fasciculàtum. W.							
53	Elòdes. DC.	(ye.)	marsh.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 109.
54	tomentòsum. DC.	(ye.)	woolly.	S. Europe.	1648.	7. 9.	F. ♃.	Moris. his. 2. s. 5. t. 6. n. 5.
55	lanuginòsum. DC.	(ye.)	downy.	Levant.	1822.	——	F. ♃.	
56	hirsùtum. DC.	(ye.)	hairy.	Britain.	....	6. 7.	H. ♃.	Eng. bot. 1156.
57	nummulàrium. DC.	(ye.)	Money-wort.	S. Europe.	1818.	——	H. ♃.	Lam. ill. t. 643.
58	élegans. DC.	(ye.)	elegant.	Siberia.	——	7. 9.	H. ♃.	Spr. fl. hal. n. 864. t. 9.
	Kohlianum. Spr.							
59	glandulòsum. DC.	(ye.)	glandular.	Madeira.	1777.	5. 8.	G. ♄.	
60	reflexum. DC.	(ye.)	reflex-leaved.	Teneriffe.	1778.	6. 9.	G. ♄.	
61	púlchrum. DC.	(ye.)	small upright.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 1227.
62	elodeoides. DC.	(ye.)	close panicled.	Nepaul.	1823.	....	G. ♃.	
	nervòsum. D.P.							
63	barbàtum. DC.	(ye.)	bearded.	Scotland.	....	6. 10.	H. ♃.	Eng. bot. 1965.
64	montànum. DC.	(ye.)	mountain.	Britain.	....	7. 8.	H. ♃.	——— 371.
65	fimbriàtum. DC.	(ye.)	fimbriate.	Pyrenees.	1818.	——	H. ♃.	Vill. delph. 3. t. 44.
	Richèri. Vill.							
66	æthiópicum. DC.	(ye.)	Ethiopian.	C. B. S.	1817.	——	G. ♄.	
67	ciliàtum. DC.	(ye.)	fringed.	S. Europe.	1739.	7.	F. ♃.	Boc. mus. 2. t. 127.
68	serpyllifòlium. DC.	(ye.)	Thyme-leaved.	Levant.	1688.	7. 8.	F. ♄.	Mor. his. 2. s. 5. t. 6. f. 2.
69	triplinérve. DC.	(ye.)	triply-nerved.	N. America.	1823.	7. 9.	H. ♃.	Vent. cels. t. 58.
70	empetrifòlium. DC.	(y.)	Crowberry-lf.	S. Europe.	....	6. 8.	H. ♄.	Wats. dend. brit. 141.
71	Còris. DC.	(ye.)	Coris-leaved.	Levant.	1640.	5. 9.	G. ♄.	Bot. mag. 178.
72	ericoides. DC.	(ye.)	Heath-leaved.	S. Europe.	1818.	——	G. ♄.	Cav. ic. 2. t. 122.
73	mexicànum. DC.	(ye.)	Mexican.	Mexico.	1826.	....	G. ♄.	Linn. amœn. 8. t. 8. f. 2.
74	fasciculàtum. DC.	(ye.)	Aspalathus-like.	N. America.	1811.	6. 8.	F. ♄.	
	aspalathoides. W.							
75	verticillàtum. DC.	(ye.)	whorl-leaved.	C. B. S.	1784.	——	G. ♃.	
76	cochinchinénse. DC.	(sc.)	Cochinchina.	Cochinchina.	1822.	6. 8.	G. ♄.	

A'SCYRUM. DC. A'scyrum. Monadelphia Polyandria.

1	pùmilum. DC.	(ye.)	dwarf.	Georgia.	1806.	6. 8.	G. ♃.	
2	Crúx A'ndreæ. DC.	(y.)	St. Andrew's-cr.	N. America.	1759.	7.	G. ♄.	Burm. am. 146. t. 152.
3	hypericoides. DC.	(ye.)	Hypericum-like.	———	——	7. 9.	G. ♄.	——— t. 152. f. 1.
4	stáns. DC.	(ye.)	large-flowered.	———	1806.	——	G. ♄.	
5	amplexicaúle. DC.	(ye.)	stem-clasping.	———	——	——	G. ♄.	

SAR'OTHRA. W. Sar'othra. Pentandria Trigynia.

	gentianoides. W.	(ye.)	Gentian-like.	N. America.	1768.	6. 10.	H. ☉.	Pluk. mant. t. 342. f. 2.
	hypericoides. N.		*Hypericum Sarothra.* M.					

Subordo II. *HYPERICINEÆ ANOMALÆ.* DC.

CARPODO'NTOS. DC. Carpodo'ntos. Polyandria Pentagynia.

	lùcida. DC.	(wh.)	shining.	V. Diem. Is.	1820.	....	G. ♄.	Lab. voy. 2. t. 18.

ORDO XXXIX.

GUTTIFERÆ. *DC. prodr.* 1. *p.* 557.

Tribus I. *CLUSIEÆ.* DC.

MAH'UREA. DC.		MAH'UREA. Polyandria Monogynia.						
palústris. DC.	(*pu.*)	marsh.	Trinidad.	1820.	....	S.	♄.	Aubl. guian. 1. t. 222.
M'ARILA. DC.		M'ARILA. Monadelphia Polyandria.						
racemòsa. DC.	.....	clustered.	W. Indies.	1827.	....	S.	♄.	
GODO'YA. DC.		GODO'YA. Polyandria Monogynia.						
gemmiflòra. M.N.	(*ye.*)	gem-flowered.	Brazil.	1824.	....	S.	♄.	Mart. nov. gen. 3. t. 74.
CL'USIA. DC.		BALSAM-TREE. Polygamia Monœcia. L.						
1 ròsea. DC.	(*ro.*)	Rose-coloured.	America.	1692.	7. 8.	S.	♄.	Cates. car. 2. t. 99.
2 álba. DC.	(*wh.*)	white-flowered.	S. America.	1752.	——	S.	♄.	Jacq. amer. t. 166.
3 flàva.	(*ye.*)	yellow-flowered.	Jamaica.	1759.	9.	S.	♄.	Bot. rep. 223.
4 venòsa. DC.	(*wh.*)	veiny-leaved.	S. America.	1733.	....	S.	♄.	Plum. ic. 87. f. 2.
5 nemoròsa. DC.	(*w.pu.*)	wood.	W. Indies.	1826.	....	S.	♄.	
HAV'ETIA. Kth.		HAV'ETIA. Dicœcia Tetrandria.						
laurifòlia. Kth.	(*wh.*)	Laurel-leaved.	S. America.	1820.	....	S.	♄.	H. et B. n. g. am. 5. t. 462.
Clùsia tetrándra. W.								

Tribus II. *GARCINIEÆ.* DC.

MARIA'LVA. DC.		MARIA'LVA. Monadelphia Polyandria.						
guianénsis. DC.	(*gr.*)	Guiana.	Guiana.	1827.	....	S.	♄.	Aubl. guian. 2. t. 364.
MICRA'NTHERA. DC.		MICRA'NTHERA. Dicœcia Polyandria.						
clusiæfòlia. DC.	....	Clusia-leaved.	Cayenne.	1823.	....	S.	♄.	Chois. m. h. P. 1. t. 11. 12.
GARCI'NIA. DC.		GARCI'NIA. Polyandria Monogynia.						
1 Mangostana. DC.	(*ro.*)	Mangosteen.	Java.	1789.	....	S.	♄.	Lod. bot. cab. 845.
2 cornea. DC.	(*ye.*)	nodding-flow'd.	E. Indies.	1817.	....	S.	♄.	Rumph. amb. 3. t. 30.
3 Cambogia. DC.	(*ye.*)	yellow-flower'd.	————	1822.	....	S.	♄.	Rheed. mal. 1. t. 24.
4 Cowa. DC.	(*ye.*)	polygamous.	————	——	....	S.	♄.	

Tribus III. *CALOPHYLLEÆ.* DC.

MAMM'EA. DC.		MAMMEE-TREE. Polyandria Monogynia. L.						
1 americàna. DC.	(*wh.*)	America.	S. America.	1737.	....	S.	♄.	Jacq. amer. t. 182. f. 32.
2 africàna. G.D.	(*wh.*)	African.	Sierra Leon.	1820.	....	S.	♄.	
XANTHOCH'YMUS. DC.		XANTHOCH'YMUS. Polyadelphia Polyandria.						
1 pictòrius. H.B.	(*wh.*)	painters.	E. Indies.	1796.	....	S.	♄.	Roxb. cor. 2. t. 196.
2 dúlcis. H.B.	(*st.*)	sweet.	————	1820.	....	S.	♄.	———— 3. t. 270.
3 ovalifòlius. H.B.	....	oval-leaved.	————	——	....	S.	♄.	
4 lùteus. L.C.	(*ye.*)	yellow.	E. Indies.	1823.	....	S.	♄.	
5 macrophy'llus. L.C.	..	large leaved.	————	——	....	S.	♄.	
6 purpùreus. L.C.	(*pu.*)	purple.	————	——	....	S.	♄.	
CALOPHY'LLUM. DC.		CALOPHY'LLUM. Polyandria Monogynia. L.						
1 Inophy'llum. DC.	(*wh.*)	sweet-scented.	E. Indies.	1793.	....	S.	♄.	Rheed. mal. 4. t. 38.
2 Tacamahàca. DC.	(*wh.*)	acute-leaved.	Bourbon.	1822.	....	S.	♄.	Pluk. alm. t. 147. f. 3.
3 Cálaba. DC.	(*wh.*)	Calaba-tree.	W. Indies.	1780.	....	S.	♄.	Jacq. amer. t. 165.
4 spùrium. DC.	(*wh.*)	spurious.	E. Indies.	——	....	S.	♄.	Rheed. mal. 4. t. 39.
Cálaba. L.								
PENTADE'SMA. H.T.		BUTTER-TREE. Polyandria Monogynia.						
butyràcea. H.T.	(*ye.*)	African.	Sierra Leon.	1821.	....	S.	♄.	

Tribus IV. *SYMPHONIEÆ.* DC.

CANE'LLA. DC. CANELLA. Dodecandria Monogynia.
1 álba. DC. (*pu.*) broad-leaved. W. Indies. 1795. .... S. ♄. Linn. trans. 1. t. 8.
2 laurifólia. L.C. (*pu.*) narrow-leaved. ——— .... S. ♄.
MORONOBE'EA. DC. MORONOBE'EA. Monadelphia Pentandria.
coccínea. DC. (*sc.*) scarlet. Guiana. 1825. .... S. ♄. Aubl. guian. 2. t. 313.
Symphónia globulífera. L.
SING'ANA. DC. SING'ANA. Polyandria Monogynia.
guianénsis. DC. (*wh.*) Guiana. Guiana. 1827. .... S. ♄.⌣. Aubl.guian.sup.2.t.230.
Sternbéckia lateriflóra. W.

ORDO XL.

MARCGRAVIACEÆ. *DC. prodr.* 1. *p.* 565.

Subordo I. *MARCGRAVIEÆ.* DC.

ANTHOL'OMA. DC. ANTHOL'OMA. Polyandria Monogynia.
montàna. DC. (*ye.*) mountain. N.Caledonia. 1820. .... S. ♄. Labill. voy. t. 41.
MARCGR'AVIA. DC. MARCGR'AVIA. Polyandria Monogynia. L.
1 umbellàta. DC. (*gr.*) umbelled. W. Indies. 1792. 6. 8. S. ♄. Hook. exot. flor. 160.
2 coriàcea. DC. (*gr.*) leathery-leav'd. Guiana. 1820. —— S. ♄.
3 pícta. DC. (*gr.*) painted-leav'd. ..... 1827. .... S. ♄.

Subordo II. *NORANTEÆ.* DC.

NORA'NTEA. DC. NORA'NTEA. Polyandria Monogynia. L.
1 guianénsis. DC. (*pu.*) Guiana. Guiana. 1827. .... S. ♄. Aubl. guian. 1. t. 220.
2 brasiliénsis. DC. .... Brasilian. Brazil. 1820. .... S. ♄.
3 índica. ..... Indian. Mauritius. 1822. .... S. ♄.
RUY'SCHIA. DC. RUY'SCHIA. Pentandria Monogynia.
1 Souroubèa. DC. (*st.*) Guiana. Guiana. 1826. .... S. ♄. Aubl. guian. 1. t. 97.
2 clusiæfó'lia. DC. (*pu.*) Clusia-leaved. W. Indies. 1823. .... S. ♄. Jacq. amer. t. 51. f. 2.

ORDO XLI.

HIPPOCRATEACEÆ. *DC. prodr.* 1. *p.* 567.

HIPPOCR'ATEA. DC. HIPPOCR'ATEA. Triandria Monogynia. L.
1 obcordàta. DC. (*st.*) obcordate. W. Indies. 1819. .... S. ♄.⌣. Lam. ill. 1. t. 28. f. 1.
scándens. Jacq. amer. t. 9.
2 ovàta. DC. (*ye.*) oval-leaved. S. America. 1789. .... S. ♄.⌣. Lam. ill. 1. t. 28. f. 2.
colàbilis. L.
3 índica. DC. (*ye.*) Indian. E. Indies. 1818. .... S. ♄.⌣. Roxb. cor. 2. t. 130.
4 obtusifólia. DC. (*st.*) blunt-leaved. ——— 1820. .... S. ♄.⌣.
5 arbórea. DC. (*st.*) tree. ——— 1822. .... S. ♄.⌣. Roxb. cor. 3. t. 205.
ANTHODON. DC. A'NTHODON. Triandria Monogynia.
1 paniculàtum. DC. .... panicled. Rio Janeiro. 1818. .... S. ♄.⌣.
2 ellipticum. DC. ..... elliptic-leaved. ——— —— .... S. ♄.⌣.
TONSE'LLA. DC. TONSE'LLA. Triandria Monogynia.
1 pyrifórmis. H.T. (*gr.*) pear-fruited. Sierra Leon. 1822. .... S. ♄.
2 scábra. R.S. (*gr.*) rough. Trinidad. 1824 .... S. ♄.⌣. Aubl. guian. 1. t. 10.
Tontèlea scándens. Aub.

JO'HNIA. F.I. Jo'hnia. Triandria Monogynia. F. I.
1 salaciofdes. F.I. (*or.*) entire-leaved. E. Indies. 1822. .... S. ♄.
2 coromandeliàna. F.I. saw-leved. ——— —— .... S. ♄.
TRIG'ONIA. DC. Trig'onia. Monadelphia Pent-Decandria.
1 villòsa. DC. (*y.re.*) villous. Cayenne. 1820. .... S. ♄.
2 móllis. DC. ..... soft-leaved. Brazil. 1823. .... S. ♄.
3 lævis. DC. (*wh.*) smooth. Guiana. 1826. .... S. ♄. Aub. gui. 1. t. 150.

ORDO XLII.

ERYTHROXYLEÆ. *DC. prodr.* 1. *p.* 573.

ERYTHRO'XYLUM. DC. Erythro'xylum. Decandria Trigynia. L.
1 hypericifôlium. DC. (*w.*) Hypericum-ld. Mauritius. 1818. .... S. ♄. Cav. dis. 8. t. 230.
2 havanense. DC. (*wh.*) Havannah. W. Indies. 1822. .... S. ♄. Jacq. amer. t. 87. f. 2.
3 laurifolium. DC. (*wh.*) Laurel-leaved. Mauritius. —— .... S. ♄. Cav. dis. 8. t. 226.
4 areolàtum. DC. (*wh.*) Carthagena. Carthagena. 1826. .... S. ♄. Jacq. amer. t. 187. f. 1.
carthagenénse. Jacq.
S'ETHIA. Kth. S'ethia. Decandria Monogynia.
índica. DC. (*ye.*) Indian. E. Indies. 1823. .... S. ♄. Roxb. cor. 1. t. 88.
Erythróxylon monog'ynum. R.C.

ORDO XLIII.

MALPIGHIACEÆ. *DC. prodr.* 1. *p.* 577.

Tribus I. *MALPIGHIEÆ.* DC.

MALPI'GHIA. DC. Malpi'ghia. Decandria Trigynia. L.
1 fucàta. DC. (*li.*) painted. W. Indies. 1814. 1. 12. S. ♄. Bot. reg. 189.
macroph'ylla. Colla hort. ripul. t. 11. *non* Juss.
2 ùrens. DC. (*li.*) stinging. S. America. 1737. 7. 10. S. ♄. Bot. reg. 96.
3 angustifôlia. DC. (*li.*) narrow-leaved. W. Indies. —— 7. 8. S. ♄. Lod. bot. cab. 321.
4 aquifôlia. DC. (*li.*) Holly-leaved. S. America. 1759. 8. 9. S. ♄. ——— 1079.
5 coccífera. DC. (*li.*) kermes-oak-ld. ——— 1733. —— S. ♄. Bot. reg. 568.
6 glábra. DC. (*pu.*) smooth-leaved. ——— 1757. 8. 7. S. ♄. Bot. mag. 813.
7 biflòra. DC. (*ye.*) two-flowered. ——— .... —— S. ♄. Cav. dis. 8. t. 234. f. 2.
punicifólia. Cav.
8 punicifôlia. DC. (*pu.*) Punica-leaved. ——— 1690. —— S. ♄. Plum. ic. t. 166. f. 2.
9 nitida. DC. (*pu.*) glossy-leaved. S. America. 1733. 3. 8. S. ♄.
10 incàna. DC. (*ro.*) hoary. Campeachy. —— —— S. ♄.
11 ? faginea. DC. (*ye.*) Beech-leaved. S. America. 1822. .... S. ♄.
12 ? dùbia. DC. (*ye.*) doubtful. W. Indies. 1824. .... S. ♄. Cav. dis. 8. t. 242.
BYRSON'IMA. DC. Byrson'ima. Decandria Trigynia. L.
1 verbascifôlia. DC. (*ye.*) Mullein-leaved. Guiana. 1818. 3. 8. S. ♄. Aub. gui. 1. t. 184.
2 nervòsa. DC. (*ye.*) prominent-nd. Brazil. —— —— S. ♄.
3 altíssima. DC. (*wh.*) tall. Guiana. 1820. .... S. ♄. Aub. gui. 1. t. 181.
4 crassifôlia. DC. (*ye.*) thick-leaved. ——— 1793. 8. S. ♄. ——— 1. t. 182.
Malpíghia crassifólia. W.
5 chrysophy'lla. DC. (*ye.*) golden-leaved. S. America. 1822. .... S. ♄.
6 spicàta. DC. (*ye.*) spiked. Brazil. 1818. 5. 8. S. ♄. Cav. dis. 8. t. 237.
7 lùcida. DC. (*re.*) wedge-leaved. W. Indies. 1759. —— S. ♄. Bot. mag. 2462.
Malpíghia lùcida. W.
8 lævigàta. DC. (*st.*) smooth. Cayenne. 1826. .... S. ♄.
9 élegans. DC. (*li.*) elegant. Guiana. 1827. .... S. ♄.
10 dénsa. DC. (*re.*) dense-flower'd. ——— 1825. .... S. ♄.
11 coriàcea. DC. (*wh.*) leathery-leaved. Jamaica. 1814. —— S. ♄. Sloan. his. 2. t. 163. f. 1.

12 pállida. DC.	(ye.)	pale-leaved.	W. Indies.	1820.	5. 8.	S. ħ.	
13† volùbilis. DC.	(ye.)	twining.	———	1793.	8. 9.	S. ħ.⌣.	Bot. mag. 809.
Malpighia volùbilis. B.M.							
BUNCH'OSIA. DC.		Bunch'osia.	Decandria Monogynia.				
1 glandulòsa. DC.	(ye.)	2-glanded.	Antilles.	1804.	3. 5.	S. ħ.	Cav. dis. 8. t. 239. f. 2.
Malpighia glandulòsa. Cav.							
2 glandulífera. DC.	(ye.)	4-glanded.	Caracas.	1806.	——	S. ħ.	Jacq. coll. 5. f. 3.
Malpighia glandulòsa. Jacq. ic. 3. t. 469.							
3 cornifólia. DC.	(wh.)	Cornus-leaved.	S. America.	1824.	....	S. ħ.	
4 polystàchya. DC.	(ye.)	many-spiked.	W. Indies.	1806.	3. 5.	S. ħ.	And. bot. rep. 604.
5 mèdia. DC.	(ye.)	intermediate.	———	1790.	——	S. ħ.	
Malpighia mèdia. H.K.							
6 tuberculàta. DC.	(ye.)	tuberculate.	Caracas.	1823.	....	S. ħ.	Jacq. schœn. 1. t. 104.
7 argéntea. DC.	(ye.)	silvery.	———	1820.	....	S. ħ.	Jacq. frag. t. 83.
8 nítida. DC.	(ye.)	glossy-leaved.	W. Indies.	1733.	3. 8.	S. ħ.	Cav. dis. 8. t. 239. f. 1.
9 canéscens. DC.		downy-leaved.	———	1742.	....	S. ħ.	
10? paniculàta. DC.	(pu.)	panicled.	———	1733.	....	S. ħ.	
GALPH'IMIA. DC.		Galph'imia.	Decandria Trigynia.				
1 hirsùta. DC.	(ye.)	hairy.	Mexico.	1824.	3. 6.	S. ħ.	
2 glánca. DC.	(ye.)	glaucous-leav'd.	———	1826.	....	S. ħ.	Cav. ic. 5. t. 489.
3 glandulòsa. DC.	(ye.)	glandular.	———	1824.	4. 6.	S. ħ.	——— 6. t. 563.
THRYA'LLIS. L.		Thrya'llis.	Decandria Trigynia.				
? brachystachys. B.R.	(y.)	short-spiked.	Brazil.	1823.	9. 11.	S. ħ.⌣.	Bot. reg. 1162.

Tribus II. *HYPTAGEÆ.* DC.

HIPT'AGE. DC.		Hipt'age.	Decandria Monogynia.				
1 Madablòta. DC.	(wh.)	clustered.	E. Indies.	1796.	3. 4.	S. ħ.⌣.	Roxb. cor. 1. t. 18.
Gærtnèra racemòsa. A.R. 600.							
2 obtusifólia. DC.	(wh.)	blunt-leaved.	China.	1822.	....	S. ħ.⌣.	
Gærtnèra obtusifólia. H.B.							
GAUDICHA'UDIA. DC.		Gaudicha'udia.	Pentandria Monogynia.				
cynanchoídes. DC.	(ye.)	Cynanchum-like.	Mexico.	1824.	....	S. ħ.⌣.	H.etB.n.g.am.5.t.445.

Tribus III. *BANISTERIEÆ.* DC.

HIR'ÆA. DC.		Hir'æa.	Decandria Trigynia. L.				
1 odoràta. DC.		sweet-scented.	Guinea.	1822.	....	S. ħ.⌣.	
2 glaucéscens. L.C.		glaucescent.	.....	....	....	S. ħ.⌣.	
3 nùtans. DC.		nodding.	E. Indies.	1818.	5. 8.	S. ħ.⌣.	
4 índica. DC.	(wh.)	Indian.	———	——	——	S. ħ.⌣.	Roxb. cor. 2. t. 160.
TRIO'PTERIS. DC.		Trio'pteris.	Decandria Trigynia. L.				
1 sericea. L.C.		silky.	S. America.	1820.	....	S. ħ.⌣.	
2 jamaicénsis. DC.	(ye.)	Jamaica.	Jamaica.	1818.	5. 9.	S. ħ.⌣.	
3 lùcida. K.S.	(pi.)	glossy.	Cuba.	1822.	....	S. ħ.⌣.	H.et.B.n.g.am.5.t.451.
TETRA'PTERIS. DC.		Tetra'pteris.	Decandria Trigynia. L.				
1 buxifólia. DC.	(ye.)	Box-leaved.	St. Domingo.		5. 8.	S. ħ.⌣.	Cav. dis. 9. t. 262. f. 1.
2 acapulcénsis. K.S.	(ye.)	Acapulco.	Mexico.	1824.	....	S. ħ.⌣.	
3 acutifólia. DC.	(ye.)	acute-leaved.	Cayenne.	1826.	....	S. ħ.⌣.	Cav. dis. 9. t. 261.
4 citrifolia. DC.	(ye.)	Citron-leaved.	Jamaica.	1819.	——	S. ħ.	——— 9. t. 260.
5 discolor. DC.	(ye.)	two-coloured.	Guiana.	1827.	....	S. ħ.⌣.	
BANIST'ERIA. DC.		Banist'eria.	Decandria Trigynia. L.				
1 auriculàta. DC.	(ye.)	eared.	Brasil.	1818.	....	S. ħ.⌣.	Cav. dis. 9. t. 255.
2 ciliàta. DC.	(or.)	ciliated.	———	1796.	....	S. ħ.⌣.	——— 9. t. 254.
3 splèndens. DC.	(ye.)	shining.	S. America.	1812.	....	S. ħ.⌣.	——— 9. t. 253.
heterophýlla. W. *fúlgens.* Cav.							
4 dichótoma. DC.	(ye.)	forked.	S. America.	....	....	S. ħ.⌣.	Cav. dis. 9. t. 256.
5 emarginàta. DC.	(ye.)	emarginate.	W. Indies.	1826.	....	S. ħ.⌣.	——— 9. t. 249.
6 sericea. DC.	(ye.)	silky.	Brazil.	1810.	....	S. ħ.⌣.	——— 9. t. 258.
7 tomentòsa. DC.	(ye.)	woolly-leaved.	Antilles.	1818.	5. 8.	S. ħ.⌣.	
8 tiliæfólia. DC.	(pu.)	Lime-leaved.	Java.	1820.	....	S. ħ.⌣.	Vent. choix. t. 50.

9 sinemariénsis. DC.	(*ye.*)	prickly-leaved.	Guiana.	1824.	....	S. ♄.⌣.	Aubl. guian. 1. t. 185.
10 ferruginea. DC.	(*bh.*)	ferruginous.	Brazil.	1818.	....	S. ♄.⌣.	Cav. dis. 9. t. 248.
11 periplocæfòlia. DC.	(*ye.*)	Periploca-l^d.	Porto Rico.	——	....	S. ♄.⌣.	
12 laurifòlia. DC.	(*ye.*)	Laurel-leaved.	Jamaica.	1733.	7. 8.	S. ♄.⌣.	Bot. reg. 987.
13 fúlgens. DC.	(*ye.*)	fulgent.	W. Indies.	1759.	....	S. ♄.⌣.	
14 ovàta. DC.	(*bh.*)	oval-leaved.	St. Domingo.	1819.	7. 8.	S. ♄.⌣.	Vent. choix. t. 51. A.

HETERO'PTERIS. DC. HETERO'PTERIS. Decandria Trigynia. L.

1 purpùrea. DC.	(*pu.*)	purple.	W. Indies.	1759.	....	S. ♄.⌣.	Cav. dis. 9. t. 246. f. 1.
2 parvifòlia. DC.	(*ye.*)	small-leaved.	St. Thomas.	1822.	....	S. ♄.⌣.	Vent. choix. t. 51.
3 brachiàta. DC.	....	cross-branched.	S. America.	1759.	....	S. ♄.⌣.	
4 chrysophy'lla. DC.	(*or.*)	Star-apple-l^d.	Brazil.	1793.	....	S. ♄.⌣.	Jacq. schœn. 1. t. 105.
5 cœrùlea. DC.	(*bl.*)	blue-flowered.	W. Indies.	1822.	....	S. ♄.⌣.	Cav. dis. 9. t. 243.
6 floribúnda. DC.	(*bl.*)	many-flowered.	Mexico.	1826.	....	S. ♄.⌣.	
7 nítida. DC.	....	glossy.	Brazil.	1809.	....	S. ♄.⌣.	Cav. dis. 9. t. 244.
8 appendiculàta. DC.	..	long-pointed.	W. Indies.	1823.	....	S. ♄.	

ORDO XLIV.

ACERINEÆ. *DC. prodr.* 1. *p.* 593.

ACER. DC. MAPLE. Polygamia Monœcia. L.

1 oblóngum.	(*gr.*)	oblong-leaved.	Nepaul.	1820.	....	H. 5.	
2 tatáricum. DC.	(*gr.*)	Tartarian.	Tartary.	1759.	5. 6.	H. 5.	Pall. fl. ros. t. 3.
3 striàtum. DC.	(*st.*)	striped-barked.	N. America.	1755.	——	H. 5.	Mich. f. arb. 2. t. 17.
pensylvánicum. L.							
4 Pseudo-Plátanus.	(*st.*)	Sycamore.	Britain.	....	4. 5.	H. 5.	Eng. bot. 302.
β *variegàtum.*	(*st.*)	*variegated.*	————	....	——	H. 5.	Duham. arb. 1. t. 26.
γ *subobtùsum.* DC.	(*st.*)	*blunt-leaved.*	————	....	——	H. 5.	
5 spicàtum. DC.	(*st.*)	mountain.	N. America.	1750.	——	H. 5.	Schm. arb. 1. t. 11.
montànum. H.K.							
6 hy'bridum. DC.	(*gr.*)	hybrid.	Hybrid.	....	——	H. 5.	Lodd. bot. cab. 1231.
7 macrophy'llum. DC.	(*st.*)	large-leaved.	Columbia.	1827.	....	H. 5.	
8 campéstre. DC.	(*gr.*)	common.	Britain.	....	5. 6.	H. 5.	Eng. bot. 304.
9 austriacum. L.en.	(*gr.*)	Austrian.	Austria.	....	——	H. 5.	Tratt. arch. 1. n. 6. ic.
10 Opàlus. W.	(*st.*)	Italian.	Italy.	1752.	——	H. 5.	
11 opalifòlium. L. en.	(*st.*)	Opalus-leaved.	S. Europe.	....	——	H. 5.	Tratt. arch. 1. n. 13. ic.
12 obtusàtum. DC.	(*st.*)	Hungarian.	Hungary.	1818.	——	H. 5.	———— 1. n. 14. ic.
13 neapolitànum. T.s.	(*st.*)	Neapolitan.	Naples.	1820.	5. 6.	H. 5.	Ten. at. ac. neap. 1819. ic.
14 créticum. DC.	(*gr.*)	Cretan.	Levant.	1752.	——	H. 5.	Tratt. arch. 1. n. 19. ic.
15 monspessulànum. DC.	(*gr.*)	Montpelier.	France.	1739.	5.	H. 5.	———— 1. n. 20. ic.
16 ibéricum. DC.	(*gr.*)	Iberian.	Iberia.	1826.	....	H. 5.	
17 heterophy'llum. DC.	(*gr.*)	evergreen.	Levant.	1759.	5. 6.	H. 5.	Willd. arb. 10. t. 1. f 1.
sempervírens. L.							
18 barbàtum. DC.	(*gr.*)	bearded.	N. America.	1812.	4. 5.	H. 5.	
19 Lobèlii. T.s.	(*st.*)	Lobel's.	Italy.	1826.	....	H. 5.	
20 platanoídes. DC.	(*st.*)	Norway.	Europe.	1683.	5. 7.	H. 5.	Schm. arb. 1. t. 3. 4.
β *laciniàtum.*	(*st.*)	*cut-leaved.*	————	——	——	H. 5.	———— 1. t. 5.
21 saccharìnum. DC.	(*st.*)	Sugar.	N. America.	1735.	4. 5.	H. 5.	Mich. f. arb. 2. t. 15.
22 nìgrum. DC.	(*st.*)	black-sugar.	————	1812.	——	H. 5.	———— 2. t. 16.
23 circinnàtum. DC.	....	round-leaved.	Columbia.	1827.	....	H. 5.	
24 eriocárpum. DC.	(*st.*)	Sir C. Wager's.	N. America.	1725.	——	H. 5.	Mich. f. arb. 2. t. 13.
dasycárpum. W.							
25 rùbrum. DC.	(*re.*)	red-flowered.	————	1656.	——	H. ♄.	Mich. f. arb. 2. t. 14.
26 palmàtum. DC.	(*st.*)	palmate.	China.	1820.	....	H. ♄.	Tratt. arch. 1. n. 17. ic.

NEGU'NDO. DC. NEGU'NDO. Diœcia Pentandria.

fraxinifòlium. DC.	(*st.*)	Ash-leaved.	N. America.	1688.	4.	H. 5.	Mich. f. arb. 2. t. 16.
Acer Negúndo. L.							

ORDO XLV.

HIPPOCASTANEÆ. *DC. prodr.* 1. *p.* 597.

ÆSCULUS. DC.		HORSE-CHESTNUT. Heptandria Monogynia. L.						
1 Hippocástanum.	DC.	(*wh.*) common.	Asia.	1629.	4. 5.	H. 5.		Schm. arb. 1. t. 38.
β variegàta.	(*wh.*)	*striped-leaved.*	———	....	——	H. 5.		
γ flòre plèno.	(*wh.*)	double-flowered.	.....	....	——	H. 5.		
2 rubicúnda.	DC.	(*re.*) red-flowered.	.....	....	5. 6.	H. 5.		Lod. bot. cab. 1242.
cárnea.	W.D.	*non* B. reg.						
3 cárnea.	B.R.	(*fl.*) flesh-coloured.	.....	....	5. 6.	H. 5.		Bot. reg. 993.
4 glábra.	DC.	(*st.*) smooth-leaved.	N. America.	1812.	——	H. 5.		
5 ohioénsis.	DC.	(*wh.*) Ohio.	———	1818.	——	H. 5.		
6 pállida.	DC.	(*st.*) pale-flowered.	———	1812.	6.	H. 5.		
PAVIA.		BUCK'S-EYE-TREE. Heptandria Monogynia.						
1 macrostàchya.	DC.	(*w.*) long-spiked.	N. America.	1786.	7. 8.	H. ½.		Jacq. ecl. 1. t. 9.
Æsculus parviflòra.	H.K.							
2 rùbra.	DC.	(*re.*) red-flowered.	N. America.	1711.	5. 6.	H. 5.		Duham. arb. 2. t. 19.
Æsculus Pàvia.	Lod. bot. cab. 1257.							
β argùta.	B.R.	(*fl.*) *sharp-toothed.*	———	....	——	H. 5.		Bot. reg. 993.
γ sublaciniata.	W.D.	(*re.*) *deep-toothed.*	———	....	——	H. 5.		Wats. dend. brit. 120.
3 hy'brida.	DC.	(*fl.*) variegated-fld.	———	1812.	——	H. 5.		
4 discolor.		(*fl.*) dwarf.	———	——	——	H. ½.		Bot. reg. 810.
Æsculus discolor.	Ph.	*non hy'brida.* DC.						
5 humilis.	B.R.	(*re.*) dwarf.	———	....	——	H. ½.		Bot. reg. 1018.
6 neglécta.	B.R.	(*st.*) neglected.	———	....	——	H. 5.	———	1009.
7 flàva.	DC.	(*st.*) yellow-flowered.	———	1764.	——	H. 5.		Lod. bot. cab. 1280.

ORDO XLVI.

RHIZOBOLEÆ. *DC. prodr.* 1. *p.* 599.

CARYOCAR. DC.		BUTTER-NUT. Polyandria Tetragynia.						
1 nuciferum.	DC.	(*re.*) nut-bearing.	S. America.	1826.	....	S. ½.		Bot. mag. 2728.
2 glábrum.	DC.	..... smooth-leaved.	Guiana.	1820.	....	S. ½.		Aub. gui. 2. t. 240.
3 tomentòsum.	DC.	(*wh.*) woolly-leaved.	———	——	....	S. ½.	———	1. t. 239.

ORDO XLVII.

SAPINDACEÆ. *DC. prodr.* 1. *p.* 601.

Tribus I. *PAULLINIEÆ.* DC.

CARDIOSPE'RMUM.		L. HEART-SEED. Octandria Trigynia. L.						
1 Halicácabum.	DC.	(*w.*) smooth-leaved.	India.	1594.	6. 8.	S. ⊙.⌣.		Bot. mag. 1049.
2 grandiflòrum.	DC.	(*wh.*) large-flowered.	Jamaica.	1823.	....	S. ½.⌣.		
3 coluteoides.	DC.	(*wh.*) Colutea-like.	Caracas.	——	....	S. ♃.⌣.		
4 Corindum.	L.	(*wh.*) Parsley-leaved.	Brazil.	1750.	7. 8.	S. ⊙.⌣.		
5 pubéscens.	DC.	(*wh.*) pubescent.	N. Spain.	1820.	——	S. ½.⌣.		
URVILLÆA. Kth.		URVILL'ÆA. Octandria Monogynia.						
ulmácea. Kth.		(*wh.*) Elm-leaved.	Caracas.	1823.	....	S. ½.⌣.		H. et B. n. gen. 5. t. 440.
SERJANA. Kth.		SERJ'ANA. Octandria Trigynia. L.						
1 sinuàta.	DC.	(*wh.*) sinuate-leaved.	S. America.	....	7. 9.	S. ½.⌣.		Sch. ac. hafn. 3. t. 12. f. 1.

2 divaricàta. DC. (*wh.*) divaricate. W. Indies. 1823. .... S. ♄. ⌣ Sch. ac. hafn. 3. t. 12. f. 2.
3 caracasàna. DC. (*wh.*) tooth-leaved. Caracas. 1816. 7. 9. S. ♄. ⌣ Jacq. schœn. 1. t. 99.
4 mexicàna. DC. (*wh.*) Mexican. Mexico. 1825. .... S. ♄. ⌣. Sch. ac. hafn. 3. t. 11. f. 3.
5 triternàta. DC. (*wh.*) Supple-Jack. W. Indies. 1739. .... S. ♄. ⌣. Plum. ed. Burm. t. 113.
Paullínia polyphy'lla. L.

PAULLI'NIA. DC. PAULLI'NIA. Octandria Trigynia. L.
1 pinnàta. DC. (*wh.*) winged-leaved. S. America. 1752. 7. 9. S. ♄. ⌣. Jacq. obs. 3. t. 62. f. 12.
2 Vespertílio. DC. (*wh.*) Bat-winged. W. Indies. 1823. —— S. ♄. ⌣. Sch. act. hafn. 3. t. 11. f. 1.
3 meliæfòlia. DC. (*wh.*) Melia-leaved. Brazil. 1818. —— S. ♄. ⌣. Hook. ex. flor. 110.
4 curassávica. DC. (*wh.*) shining-leaved. S. America. 1739. 6. 8. S. ♄. ⌣. Jacq. obs. 3. t. 61. f. 1.
5 barbadénsis. DC. (*wh.*) Barbadoes. W. Indies. 1786. .... S. ♄. ⌣. ———— 3. t. 61. f. 9.
6 polyphy'lla. DC. (*wh.*) many-leaved. S. America. 1739. 6. 8. S. ♄. ⌣. Pluk. alm. t. 168. f. 5?
7 carthagenénsis. DC. (*wh.*) biternate. Trinidad. 1821. —— S. ♄. ⌣. Jacq. obs. 3. t. 61. f. 6.
8 carib'æa. DC. (*wh.*) Caribean. Caribees. .... S. ♄. ⌣. Jacq. obs. 3. t. 62. f. 7.
9 híspida. DC. (*wh.*) hispid. Caracas. 1823. .... S. ♄. ⌣. Jacq. schœn. 3. t. 268.
10 cauliflòra. DC. (*wh.*) stem-flowering. ———— 1821. 6. 8. S. ♄. ⌣. Jacq. ic. rar. 3. t. 450.

Tribus II. *SAPINDEÆ.* DC.

SAPI'NDUS. DC. SOAP BERRY. Octandria Trigynia. L.
1 Saponària. DC. (*wh.*) common W. Indies. 1697. 7. 9. S. ♄. Comm. hort. 1. t. 94.
2 marginàtus. DC. (*wh.*) margined. Carolina. .... —— G. ♄.
3 rígidus. DC. (*wh.*) Ash-leaved. S. America. 1759. —— S. ♄. Pluk. alm. t. 217. f. 7.
4 senegalénsis. DC. (*wh.*) Senegal. Senegal. 1823. .... S. ♄.
5 laurifòlius. DC. (*wh.*) Laurel-leaved. E. Indies. 1818. .... S. ♄. Rheed. mal. 4. t. 19.
6 longifòlius. DC. (*wh.*) long-leaved. ———— —— .... S. ♄.
7 emarginàtus. DC. (*wh.*) emarginate. ———— 1820. .... S. ♄.
8 rubiginòsus. DC. (*wh.*) rusty-leaved. ———— —— .... S. ♄. Roxb. cor. 1. t. 62.
9? índicus. DC. (*wh.*) various-leaved. ———— —— .... S. ♄.

BL'IGHIA. DC. AKEE-TREE. Octandria Monogynia.
sápida. DC. (*wh.*) Ash-leaved. Africa. 1723. .... S. ♄. Kon. an. bot. 2. t. 16. 17.

MATA'YBA. DC. MATA'YBA. Octandria Monogynia.
guianénsis. DC. (*wh.*) Ash-leaved. Guiana. 1803. 7. 9. S. ♄. Aub. gui. 1. t. 128.
Ephèlis fraxínea. W.

SCHMI'DELIA. DC. SCHMI'DELIA. Octandria Monogynia. L.
1 serràta. DC. (*wh.*) saw-leaved. E. Indies. 1804. 6. 8. S. ♄. Roxb. cor. 1. t. 61.
Ornítrophe serràta. W. ————
2 racemòsa. DC. (*wh.*) clustered. ———— 1818. .... S. ♄. Burm. ind. t. 32. f. 1.
3 Comínia. DC. (*wh.*) yellow-berried. Jamaica. 1759. 6. 9. S. ♄. Sloan. h. 2. t. 208 f. 1.
Ornítrophe Comínia. W. *Rhús Comínia.* L.

EUPH'ORIA. DC. EUPH'ORIA. Octandria Monogynia. L.
1 Lítchi. DC. (*wh.*) Lee-Chee. China. 1786. 5. 6. S. ♄. Lam. ill. t. 306.
Dimocárpus Lítchi. W. *Scytàlia chinénsis.* G. fr. t. 42. f. 3.
2 Longàna. DC. (*wh.*) loose-panicled. China. —— —— S. ♄. Buchoz. ic. col. t. 99.
3 verticillàta. B.R. (*bh.*) whorl-flowered. Moluccas. 1822. 2. 3. S. ♄. Bot. reg. 1059.
4 Nephèlium. DC. (*wh.*) Rambootan. E. Indies. 1809. .... S. ♄. Lam. ill. t. 764.
Nephèlium lappàceum. W. *Scytàlia Rambootán.* H.B.

CUP'ANIA. DC. CUP'ANIA. Octandria Monogynia.
1 tomentòsa. DC. (*wh.*) woolly-leaved. W. Indies. 1818. 5. 7. S. ♄.
Trigònis tomentòsa. Jacq. am. 102.
2 glábra. DC. (*wh.*) smooth-leaved. ———— —— —— S. ♄.
3 Saponària. DC. (*wh.*) Soap-wort-l. ———— 1820. .... S. ♄.

MOLIN'ÆA. J. MOLIN'ÆA. Octandria Monogynia.
canéscens. H.B. (*wh.*) canescent. E. Indies. 1817. 5. 6. S. ♄.

COSSI'GNIA. DC. COSSI'GNIA. Hexandria Monogynia.
borbònica. DC. (*wh.*) golden-leaved. Bourbon. 1811. .... S. ♄. Lam. ill. t. 256.
pinnàta. Lam. *Ruízia aúrea.* Hort.

MELIC'OCCA. DC. HONEY-BERRY.. Octandria Monogynia. L.
1 bijuga. DC. (*wh.*) winged-leaved. Jamaica. 1778. .... S. ♄. Jacq. amer. 103. t. 72.
2 olivæfórmis. DC. (*wh.*) large-leaved. S. America. 1818. .... S. ♄.

Tribus III. *DODONÆACEÆ.* DC.

KOELREUT'ERIA. DC.		Koelreut'eria.	Octandria Monogynia. L.					
paniculàta. DC.	(*ye.*)	panicled.	China.	1763.	7. 8.	H. ♄.	Bot. reg. 320.
DODON'ÆA. DC.		Dodon'æa.	Octandria Monogynia. L.				
1 viscòsa. DC.	(*gr.*)	clammy.	S. America.	1690.	6. 7.	S. ♄.	Plum. ic. t. 247. f. 2.
2 jamaicénsis. DC.	(*gr.*)	Jamaica.	Jamaica.	——	——	S. ♄.	Cav. ic. t. 327.
viscòsa. Cav. *angustifòlia.* Sw.							
3 Burmanniàna. DC.	(*gr.*)	Burman's.	E. Indies.	1758.	5. 8.	S. ♄.	Burm. zeyl. t. 23.
angustifòlia. H.B.							
4 microcárpa. DC.	(*gr.*)	small-fruited.	Bourbon.	1818.	——	S. ♄.	Lam. ill. t. 304. f. 2.
5 attenuàta. F.T.	(*gr.*)	attenuated.	N. S. W.	1824.	2. 6.	G. ♄.	Bot. mag. 2860.
6 salicifòlia. DC.	(*gr.*)	Willow-leaved.	C. B. S.	1758.	——	G. ♄.	
angustifòlia. Lam.							
7 dioica. DC.	(*gr.*)	dioecious.	E. Indies.	....	——	S. ♄.	
8 triquetra. DC.	(*gr.*)	three-sided.	N. S. W.	1790.	6. 8.	G. ♄.	Andr. rep. 230.
9 oblongifòlia. L.en.	(*gr.*)	oblong-leaved.	————	1816.	——	G. ♄.	Bot. reg. 1051.
10 cuneàta. DC.	(*gr.*)	wedge-leaved.	————	——	——	G. ♄.	Linn. trans. 11. t. 19.
11 asplenifòlia. DC.	(*gr.*)	Asplenium-l^d.	————	——	——	G. ♄.	———— 11. t. 20.
12 filifórmis. DC.	(*gr.*)	slender-leaved.	————	1820.	——	G. ♄.	
13 angustíssima. DC.	(*gr.*)	narrow-leaved.	————	——	——	G. ♄.	
14 elæagnoídes. DC.	(*gr.*)	scaly leaved.	W. Indies.	1819.	....	S. ♄.	
15? pinnàta. DC.	(*gr.*)	winged-leaved.	N. S. W.	1810.	....	G. ♄.	

ORDO XLVIII.

MELIACEÆ. *DC. prodr.* 1. *p.* 619.

Tribus I. *MELIEÆ.* DC.

AITONIA. W.		Ait'onia.	Monadelphia Octandria.					
capénsis. W.	(*pi.*)	Cape.	C. B. S.	1774.	5. 9.	G. ♄.	Bot. mag. 178.
TURR'ÆA. DC.		Turr'æa.	Decandria Monogynia. L.					
1 vìrens. DC.	(*ye.*)	green.	E. Indies.	1822.	....	S. ♄.	Sm. ic. ined. 1. t. 10.
2 rígida. DC.	(*li.*)	rigid.	Mauritius.	1820.	....	S. ♄.	Vent. choix. t. 48.
QUIVI'SIA. DC.		Quivi'sia.	Octandria Monogynia.					
heterophy'lla. DC.	(*bl.*)	various-leaved.	Mauritius.	1821.	....	S. ♄.	Cav. dis. 7. t. 213.
SAND'ORICUM. DC.		Sand'oricum.	Decandria Monogynia.					
índicum. DC.	(*st.*)	Indian.	E. Indies.	1818.	....	S. ♄.	Roxb. corom. 3. t. 261.
M'ELIA. DC.		Bead-tree.	Decandria Monogynia. L.					
1 Azedarách. DC.	(*li.*)	common.	Syria.	1656.	6. 8.	G. ♄.	Bot. mag. 1066.
2 supérba. H.B.	(*li.*)	superb.	E. Indies.	1821.	1. 2.	S. ♄.	
3 robústa. H.B.	(*li.*)	robust.	————	——	....	S. ♄.	
4 sempervìrens. DC.	(*li.*)	evergreen.	Jamaica.	1656.	6. 9.	S. ♄.	Bot. reg. 643.
5 compòsita. DC.	(*li.*)	compound-l^d.	E. Indies.	1818.	1. 3.	S. ♄.	
6 Azadirách ta. DC.	(*li.*)	Ash-leaved.	————	1759.	6. 8.	S. ♄.	Cav. dis. 7. t. 208.
7 australis.	(*li.*)	New Holland.	N. S. W.	1824.	....	G. ♄.	

Tribus II. *TRICHILIEÆ.* DC.

TRICHI'LIA. DC.		Trichi'lia.	Decandria Monogynia. L.					
1 hírta. DC.	(*wh.*)	hairy.	Jamaica.	1820.	6. 7.	S. ♄.	Sloan. h. 2. t. 220. f. 1.
2 spondioídes. DC.	(*st.*)	Spondias-like.	————	——	——	S. ♄.	Jacq. schœn. 1. t. 102.
3 havanénsis. DC.	(*st.*)	smooth.	W. Indies.	1794.	——	S. ♄.	Jacq. amer. t. 175. f. 38.
glábra. L.							
4 odoràta. A.R.	(*gr.*)	sweet-scented.	————	1801.	——	S. ♄.	Andr. rep. 637.
5 terminàlis. DC.	(*wh.*)	terminal.	Jamaica.	1825.	....	S. ♄.	
6 glandulòsa. DC.	(*gr.*)	glandular.	N. S. W.	1821.	....	G. ♄.	
7 trifoliàta. DC.	(*wh.*)	three-leaved.	S. America.	1628.	....	S. ♄.	Jacq. amer. 129. t. 82.

EKEBE'RGIA. DC.		EKEBE'RGIA.	Decandria Monogynia.					
1 capénsis. DC.	(*wh.*)	Cape.	C. B. S.	1789.	7. 8.	G. ½.		Lam. ill. t. 368.
2 índica. H.B.	(*wh.*)	Indian.	E. Indies.	1826.	....	S. ½.		
GUA'REA. DC.		GUA'REA.	Octandria Monogynia. L.					
1 trichilioídes. L.	(*wh.*)	Ash-leaved.	S. America.	1752.	5. 6.	S. ½.		Jacq. am. t. 176. f. 87.
grandifólia. DC.	*Mélia Guára.* Jacq.							
2 Swártzii.	(*wh.*)	Swartz's.	W. Indies.	1822.	....	S. ½.		Sloan. h. 2. t. 170. f. 1.
trichilioides. Sw.								
3 ramiflóra. DC.	(*li.*)	branch-flow'r'd.	Porto Rico.	——	....	S. ½.		Vent. choix. t. 41.
HE'YNEA. DC.		HE'YNEA.	Decandria Monogynia.					
1 trijuga. DC.	(*wh.*)	Walnut-like.	Nepaul.	1812.	9. 10.	S. ½.		Bot. mag. 1736.
2 quinquejuga. H.B.	(*w.*)	five-paired.	Moluccas.	1821.	....	S. ½.		
AMOO'RA. R.C.		AMOO'RA.	Hexandria Monogynia.					
cucullàta. R.C.	(*ye.*)	hooded.	E. Indies.	1824.	....	S. ½.		Roxb. corom. 3. t. 238.

ORDO XLIX.

CEDRELEÆ. *Brown gen. rem.* 64.

CEDR'ELA. DC.		BASTARD CEDAR.	Pentandria Monogynia. L.					
1 odoràta. DC.	(*st.*)	fragrant.	W. Indies.	1739.	7. 9.	S. ½.		Lam. ill. t. 137.
2 Toóna. DC.	(*st.*)	Nepaul.	Nepaul.	1821.	....	S. ½.		Roxb. cor. 3. t. 238.
3 velutìna. DC.	.....	velvetty.	.....	....	....	S. ½.		
SWIETE'NIA. DC.		MAHOGANY-TREE.	Decandria Monogynia. L.					
1 Mahógoni. DC.	(*wh.*)	common.	W. Indies.	1734.	....	S. ½.		Cav. dis. 7. t. 209.
2 febrifúga. DC.	(*wh.*)	Febrifuge.	E. Indies.	1796.	....	S. ½.		Roxb. cor. 1. t. 17.
CHLORO'XYLON. DC.		CHLORO'XYLON.	Decandria Monogynia.					
Swietènia. DC.	(*ye.*)	Satin-wood.	E. Indies.	1822.	....	S. ½.		Roxb. cor. 1. t. 64.
Swietènia chlorόxylon. R.C.								
FLINDE'RSIA. DC.		FLINDE'RSIA.	Decandria Monogynia.					
australìs. DC.	(*wh.*)	New Holland.	N. Holland.	1821.	....	G. ½.		Brown gen. rem. t. 1.
CARA'PA. DC.		CARA'PA.	Decandria Monogynia.					
1 prócera. DC.	(*st.*)	tall.	W. Indies.	....	....	S. ½.		
2 guineénsis.	(*st.*)	glossy-leaved.	Sierra Leon.	1793.	....	S. ½.		
Áfzèlia splendens. Hort.								
3 guianénsis. DC.	(*st.*)	Guiana.	Guiana.	1820.	....	S. ½.		Aubl. guian. 2. a. t. 367.

ORDO L.

AMPELIDEÆ. *DC. prodr.* 1. *p.* 627.

Tribus I. *VINIFERÆ* seu *SARMENTACEÆ.* DC.

CI'SSUS. DC.		CI'SSUS.	Tetrandria Monogynia. L.					
1 vitigínea. DC.	(*re.*)	vine-leaved.	India.	1772.	7. 8.	S. ½.⌣.		Pluk. mant. t. 337. f. 4.
2 adnàta. DC.	(*gr.*)	pointed-leaved.	E. Indies.	1818.	——	S. ½.⌣.		
3 gláuca. DC.	(*gr.*)	glaucous.	————	——	——	S. ½.⌣.		
4 c'æsia. DC.	(*gr.*)	grey.	Guinea.	1822.	5. 6.	S. ½.⌣.		
5 rèpens. DC.	(*pu.*)	creeping.	E. Indies.	1821.	——	S. ½.⌣.		Rheed. mal. 7. t. 48.
6 puncticulósa. DC.	(*gr.*)	strumous.	Cayenne.	1818.	....	S. ½.⌣.		
7 uvífera. DC.	(*gr.*)	berry-bearing.	Guinea.	1822.	5. 6.	S. ½.⌣.		
8 tiliácea. DC.	(*gr.*)	Lime-leaved.	Mexico.	1825.	....	G. ½.⌣.		
9 quadrangulàris. DC.	(*w.*)	square-stalked.	E. Indies.	1790.	....	S. ½.⌣.		Rumph. amb. 5. t. 44. f. 2.
10 sicyoídes. DC.	(*gr.*)	naked-leaved.	Jamaica.	1768.	7. 8.	S. ½.⌣.		Jacq. amer. 22. t. 15.
11 smilacìna. DC.	(*gr.*)	Smilax-like.	S. America.	1826.	....	S. ½.⌣.		
12 ovàta. DC.	(*gr.*)	oval-leaved.	————	1822.	....	S. ½.⌣.		Brown. jam. t. 4. f. 1. 2.
13 antárctica. DC.	(*gr.*)	Kanguru-Vine.	N. S. W.	1790.	6. 8.	G. ½.⌣.		Bot. mag. 2496.

14 glandulòsa. DC.	(gr.)	glandular.	Arabia.	1824.	6. 7.	G. ♃. ◡.		
15 capénsis. DC.	(gr.)	Cape.	C. B. S.	1792.	——	G. ♄. ◡.		
16 ácida. DC.	(gr.)	acid.	Jamaica.	1692.	——	S. ♄. ◡.	Jacq. schœn. 1. t. 33.	
17 carnòsa. DC.	(wh.)	flat-stemmed.	E. Indies.	1818.	....	S. ♄. ◡.	Rheed. mal. 7. t. 9.	
18 trifoliàta. DC.	(re.)	three-leaved.	Jamaica.	1739.	6. 8.	S. ♄. ◡.	Sloan.jam.t.142.f.5.6.?	
19 pauciflòra. DC.	(gr.)	few-flowered.	C. B. S.	1818.	5. 6.	G. ♄. ◡.		
20 alàta. DC.	(re.)	winged-stalked.	Jamaica.	——	——	S. ♄. ◡.	Sloan. jam. 1. t. 144.	
21 angustifòlia. DC.	(st.)	narrow-leaved.	E. Indies.	1818.	....	S. ♄. ◡.		
22 cirrhòsa. DC.	(gr.)	tendrilled.	C. B. S.	1822.	5. 6.	G. ♄. ◡.		
23 quinàta. DC.	(gr.)	wedge-leaved.	———	1790.	7.	G. ♄. ◡.		
24 pentaphy'lla. DC.	(gr.)	Japan.	Japan.	——	4. 9.	G. ♄. ◡.		
25 quinquefòlia. B.M.	(gr.)	five-leaved.	Brazil.	——	8. 9.	S. ♄. ◡.	Bot. mag. 2443.	
26 diversifòlia. DC. *heterophy'lla.* L.en. *non* DC.	(gr.)	various-leaved.	.....	——	....	S. ♄. ◡.		
27 elongàta. DC.	(gr.)	long-branched.	E. Indies.	1818.	....	S. ♄. ◡.		
28 auriculàta. DC.	(gr.)	ear-stipuled.	———	——	....	S. ♄. ◡.		
29 orientàlis. DC.	(gr.)	oriental.	Levant.	——	6. 8.	G. ♄. ◡.	Lam. ill. t. 84. f. 2.	

AMPELO'PSIS. DC. AMPELO'PSIS. Pentandria Monogynia. L.

1 cordàta. DC. *Cissus Ampelópsis.* P.S.	(gr.)	heart-leaved.	N. America.	1803.	6. 8.	H. ♄. ◡.		
2 hederàcea. DC. *Hèdera quinquefòlia.* L. *Cissus hederàcea.* P.S.	(gr.)	Virginian creeper.	———	1629.	——	H. ♄. ◡.	Corn. canad. t. 100.	
3 hirsùta. DC.	(gr.)	hairy.	———	1806.	——	H. ♄. ◡.		
4 bipinnàta. DC. *Vitis arbòrea.* W. *Cissus stáns.* P.S.	(gr.)	Pepper Vine.	———	1700.	7. 9.	H. ♄. ◡.	Pluk. mant. t. 412. f. 2.	

VITIS. DC. VINE. Pentandria Monogynia. L.

1 vinifera. DC.	(gr.)	common Grape.	Asia.	....	6. 7.	H. ♄. ◡.	Jacq. ic. 1. t. 50.	
2 laciniòsa. DC.	(gr.)	Parsley-leaved.	.....	1648.	——	H. ♄. ◡.	Schm. ic. 34. t. 8.	
3 dentàta. DC.	(gr.)	toothed.	.....	1818.	....	H. ♄. ◡.		
4 Wallichii. DC.	(gr.)	Wallich's.	Nepaul.	——	....	H. ♄. ◡.		
5 indica. DC.	(g.pu.)	Indian.	E. Indies.	1692.	....	S. ♄. ◡.	Rheed. mal. 7. t. 6.	
6 lanàta. F.I.	(gr.)	woolly.	———	1824.	....	S. ♄. ◡.		
7 latifòlia. F.I.	(br.)	broad-leaved.	———	——	....	S. ♄. ◡.	Rheed. mal. 7. t. 7.	
8 carib'æa. DC.	(st.)	West Indian.	W. Indies.	....	....	S. ♄. ◡.	Sloan. his. 2. t. 210. f. 4.	
9 Labrùsca. DC.	(gr.)	downy-leaved.	N. America.	1656.	5. 6.	H ♄. ◡.	Jacq. schœn. t. 426.	
10 blánda.	(gr.)	white-berried.	———	——	——	H. ♄. ◡.		
11 æstivalis. DC. *vulpina.* W.	(gr.)	Fox Grape.	———	——	——	H. ♄. ◡.	Jacq. schœn. t. 425.	
12 cordifòlia. DC.	(gr.)	Winter Grape.	———	1806.	....	H. ♄ ◡.		
13 ripària. DC.	(gr.)	sweet-scented.	———	——	5. 6.	H. ♄. ◡.	Bot. mag. 2429.	
14 rotundifòlia. DC.	(gr.)	Bullet Grape.	———	——	——	H. ♄. ◡.		
15 palmàta. DC.	(gr.)	palmate-leaved.	———	1820.	——	H. ♄. ◡.		

Tribus II. *LEEACEÆ.* DC.

LEEA. DC. LE'EA. Pentandria Monogynia. ♄.

1 sambucina. DC.	(st.)	Elder-leaved.	E. Indies.	1790.	....	S. ♄.	Cav. dis. 7. t. 218.	
2 crispa. DC. *pinnàta.* A.R.	(wh.)	fringe-stalked.	C. B. S.	1676.	8. 10.	S. ♃.	Bot. rep. t. 356.	
3 æquita. DC.	(gr.)	round-stalked.	E. Indies.	1777.	....	S. ♄.		
4 hirta. DC.	(gr.)	hairy.	———	1816.	....	S. ♄.		
5 robusta. F.I.	(gr.)	robust.	———	1820.	....	S. ♄.		
6 macrophy'lla. DC.	(wh.)	large-leaved.	———	1806.	....	S. ♃.		

ORDO LI.

GERANIACEÆ. *DC. prodr.* 1. *p.* 637.

Tribus I. *GERANIEÆ.* S.G. 1. p. VII.

SARCOCA'ULON. DC. SARCOCA'ULON. Monadelphia Dodecandria.

1	L'Heritièri.	(*ye.*)	L. Heritier's.	C. B. S.	1790.	5. 6.	G. ♄.	L. Herit. ger. t. 42.
	Monsònia L'Heritièri. DC. *Monsonia spinosa.* L. Her.							
2	Burmánni. DC.	(*ye.*)	Burman's.	C. B. S.	1790.	7.	G. ♄.	Burm. afr. t. 31.
	Gerànium spinòsum. Cav. dis. 4. t. 75. f. 2.							

MONS'ONIA. S.G. MONS'ONIA. Monadelphia Dodecandria.

1	ovàta. DC.	(*st.*)	oval-leaved.	C. B. S.	1774.	8.	G. ♂.	Cav. dis. 4. t. 113. f. 1.
2	lobàta. DC.	(*st. bh.*)	broad-leaved.	———	——	4. 5.	G. ♃.	Sweet ger. 3. t. 273.
3	pilòsa. W. en.	(*bh.*)	hairy.	———	1778.	7. 8.	G. ♃.	——— 2. t. 199.
	filia. A.R. 276. *nec aliorum.*							
4	speciòsa. L.	(*va.*)	large-flowered.	———	1774.	4. 5.	G. ♃.	
	α ràbra.	(*ro.*)	*red-flowered.*	———	——	12. 2.	G. ♃.	Bot. mag. 73.
	β pállida.	(*st.*)	*pale-flowered.*	———	——	4. 5.	G. ♃.	Sweet ger. 1. t. 77.

GERA'NIUM. DC. CRANES-BILL. Monadelphia Decandria.

1	sibíricum. DC.	(*wh.*)	Siberian.	Siberia.	1758.	6. 7.	H. ♃.	Jacq. vind. 1. t. 19.
2	sanguíneum. DC.	(*cr.*)	bloody.	Britain.	....	6. 9.	H. ♃.	Eng. bot. 272.
3	prostràtum. L. en	(*std.*)	Lancashire.	———	....	——	H. ♃.	Cav. dis. 4. t. 76. f. 3.
4	multífidum. S.G.	(*li.*)	multifid.	C. B. S.	1817.	——	G. ♃.	Sweet ger. 3. t. 245.
5	incànum. DC.	(*li.*)	hoary.	———	1701.	5. 7.	G. ♃.	Cav. dis. 4. t. 82. f. 2.
6	canéscens. DC.	(*li.*)	silky-leaved.	———	1787.	——	G. ♃.	L. Herit. ger. t. 38.
7	argénteum. DC.	(*bh.*)	silvery-leaved.	S. Europe.	1699.	6. 7.	H. ♃.	Sweet ger. 1. t. 59.
8	cinéreum. DC.	(*vi.*)	grey.	Pyrenees.	....	6. 8.	H. ♃.	Cav. dis. 4. t. 89. f. 1.
	vàrium. L'Her. ger. t. 37.							
9	anemonefòlium. DC.	(*p.*)	Anemone-ld.	Canaries.	1778.	5. 8.	G. ♄.	Sweet ger. 3. t. 244.
10	macrorhìzon. DC.	(*re.*)	long-rooted.	Italy.	1576.	5. 6.	H. ♃.	——— 3. t. 271.
11	tuberòsum. DC.	(*re.*)	tuberous-rooted.	———	1596.	5. 8.	H. ♃.	——— 2. t. 155.
12	ibéricum. DC.	(*bl.*)	Iberian.	Iberia.	1802.	6. 9.	H. ♃	——— 1. t. 84.
13	nodòsum. DC.	(*std.*)	knotted.	England.	....	5. 10.	H. ♃.	Eng. bot. 1091.
14	angulàtum. DC.	(*std.*)	angular-stalk'd.	.....	1789.	5. 6.	H. ♃.	Bot. mag. 203.
15	Lambérti. S.G.	(*li.*)	Mr. Lambert's.	Nepaul.	1825.	8. 10.	H. ♃.	Sweet ger. 4. t. 338.
16	Wallichiànum. S.G.	(*p.*)	Wallich's.	———	1820.	6. 10.	H. ♃.	——— 1. t. 90.
17	Vlassoviànum. DC.	(*st.*)	Vlassof's.	Siberia.	——	5. 8.	H. ♃.	——— 3. t. 228.
18	striàtum. DC.	(*std.*)	streaked.	Italy.	1629.	5. 10.	H. ♃.	Bot. mag. 55.
19	reflexum. DC.	(*re.*)	reflex-flowered.	———	1758.	5. 6.	H. ♃.	Cav. dis. 4. t. 81. f. 1.
20	ph'æum. DC.	(*br.*)	dusky.	England.	....	4. 6.	H. ♃.	Eng. bot. 322.
21	fúscum. W.	(*da.*)	brown.	S. Europe.	1759.	7.	H. ♃.	
22	lívidum. W.	(*li.*)	wrinkle-leaved.	Switzerland.	1775.	6. 7.	H. ♃.	Sweet ger. 3. t. 268.
23	erióstemon. DC.	(*bl.*)	woolly-stamen'd	Dahuria.	1822.	7. 9.	H. ♃.	——— 2. t. 197.
	α cærùleum. S.G.	(*bl.*)	*bright blue.*	———	——	——	H. ♃.	——— 2. t. 197. f. a.
	β pállidum. S.G.	(*pa.*)	*pale blue.*	Nepaul.	——	——	H. ♃.	——— 2. t. 197. f. b.
24	sylváticum. DC.	(*pu.*)	wood.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 121.
25	batrachioídes. L en.	(*b.*)	hairy.	Europe.	....	——	H. ♃.	Cav. dis. 4. t. 85. f. 1.
26	praténse. DC.	(*bl.*)	Crowfoot-leav'd	Britain.	....	5. 7.	H. ♃.	Eng. bot. 404.
	α cærùleum.	(*bl.*)	*blue-flowered.*	———	....	——	H. ♃.	
	β variegàtum.	(*v.*)	*variegated.*	———	....	——	H. ♃.	
	γ álbum.	(*wh.*)	*white-flowered.*	———	....	——	H. ♃.	
	δ flòre plèno.	(*bl.*)	*double-blue.*	———	....	——	H. ♃.	
27	lóngipes. DC.	(*li.*)	long-peduncled.	.....	1824.	——	H. ♃.	
	Londèsii. L. en.							
28	maculàtum. DC.	(*bh.*)	spotted.	N. America.	1732.	5. 8.	H. ♃.	Sweet ger. 4. t. 332.
29	collìnum. DC.	(*re.*)	hill.	Tauria.	1815.	——	H. ♃.	
30	palústre. DC.	(*re.*)	marsh.	Europe.	1732.	——	H. ♃.	Sweet ger. 1. t. 3.
31	aconitifòlium. DC.	(*wh.*)	Aconite-leaved.	Switzerland.	1775.	5. 6.	H. ♃.	L. Herit. ger. t. 40.
32	pilòsum. DC.	(*li.*)	pointed anth'r'd	N. Zealand.	1821.	5. 8.	F. ♃.	Sweet ger. 2. t. 119.
33	parvifiòrum. DC.	(*li.*)	small-flowered.	Van Diem.	1816.	——	G. ♃.	
34	nepalénse. S.G.	(*li.*)	Nepaul.	Nepaul.	1819.	——	H. ♃.	Sweet ger. 1. t. 12.
35	cristàtum. DC.	(*li.*)	crested.	Iberia.	1823.	——	H. ♃.	Stev. m. mosc. 4. t. 5.
	albànum. M.B.							

36	pyrenàicum. DC.	(li.)	mountain.	Britain.	....	5. 8.	H. ¾.	Eng. bot. 405.
37	umbròsum. P.S.	(li.)	naked-stalked.	Hungary.	1804.	6. 9.	H. ¾.	W. et Kit. hung. 2. t. 124.
38	mòlle. DC.	(li.)	Dove's-foot.	Britain.	....	4. 8.	H. ☉.	Eng. bot. 778.
39	pusillum. DC.	(li.)	small-flowered.	England.	....	6. 9.	H. ☉.	——— 385.
40	rotundifòlium. DC.	(li.)	round-leaved.	———	....	6. 7.	H. ☉.	——— 157.
41	columbìnum. DC.	(li.)	long-stalked.	Britain.	....	——	H. ☉.	——— 259.
42	dissèctum. DC.	(li.)	jagged-leaved.	———	....	5. 7.	H. ☉.	——— 753.
43	carolinianum. DC.	(st.)	veined petaled.	N. America.	1725.	7. 8.	H. ☉.	Cav. dis. 4. t. 84. f. 1.
44	lanuginòsum. W. en.	(p.)	woolly.	———	....	——	H. ☉.	Jacq. schœn. 2. t. 140.
45	villòsum. DC.	(li.)	villous.	Naples.	1824.	——	H. ☉.	
46	bohèmicum. DC.	(bl.)	Bohemian.	Bohemia.	1683.	6. 8.	H. ☉.	Sweet ger. ser. 2. t.
47	divaricàtum. DC.	(li.)	straddling.	Hungary.	1799.	7. 8.	H. ☉.	W. et Kit. hung. 2. t. 123.
48	lùcidum. DC.	(li.)	shining.	Britain.	....	5. 8.	H. ☉.	Eng. bot. 75.
49	Briceànum.	(wh.)	Miss Brice's.	Bristol.	....	4. 10.	H. ☉.	
50	Robertiànum. DC.	(pu.)	Herb-Robert.	Britain.	....	——	H. ☉.	Eng. bot. 1486.
51	purpùreum. W.	(pu.)	purple.	———	....	——	H. ☉.	Vill. dauph. 3. t. 40.

ERODIUM. DC. Heron's-bill. Monadelphia Pentandria.

1	petræum. DC.	(pu.)	rock.	S. Europe.	1640.	6. 7.	H. ¾.	Gouan. ill. t. 21. f. 1.
2	glandulòsum. DC.	(pu.)	glandulous.	Spain.	1798.	——	H. ¾.	Cav. dis. 5. t. 125. f. 2.
3	Stephanianum. D.C.	(bl.)	multifid.	Daburia.	1820.	——	H. ¾.	
4	alpinum. DC.	(bl.)	Alpine.	Italy.	1614.	5. 8.	H. ¾.	L'Herit. ger. t. 3.
5	crassifòlium. DC.	(li.)	thick-leaved.	Cyprus.	1788.	3. 8.	G. ½.	Sweet ger. 2. t. 111.
6	laciniàtum. DC.	(li.)	laciniated.	Crete.	1794.	5. 8.	G. ¾.	Cav. dis. 4. t. 113. f. 3.
7	hìrtum. DC.	(li.)	hairy.	Egypt.	1823.	——	G. ¾.	Jacq. f. ecl. 1. t. 58.
8	Cicònium. DC.	(li.)	long-beaked.	S. Europe.	1711.	6. 7.	H. ☉.	Jacq. vind. 1. t. 18.
9	cicutàrium. E.B.	(pi.)	Hemlock-leav'd	Britain.	....	4. 9.	H. ☉.	Eng. bot. 1768.
10	pimpinellæfòlium.	(pi.)	Pimpinella-l^d.	Europe.	1823.	——	H. ☉.	Cav. dis. 4. t. 95. f. 2.
11	bipinnàtum. W.	(pi.)	Numidian.	Numidia.	1803.	5. 6.	H. ♂.	——— 5. t. 126. f. 3.
12	romànum. W.	(pi.)	Roman.	Rome.	1724.	——	H. ¾.	Bot. mag. 377.
13	cancalifòlium. S.G.	(pi.)	Caucalis-leaved.	S. Europe.	1816.	6. 8.	H. ¾.	Sweet ger. t. 6.
14	moschàtum. DC.	(li.)	musky.	England.	....	5. 7.	H. ☉.	Eng. bot. 902.
15	bòtrys. DC.	(bl.)	large-blue.	Italy.	1819.	——	H. ☉.	Cav. dis. 4. t. 90. f. 2.
16	mùrcicum. DC.	(bl.)	small-blue.	Murcia.	——	——	H. ☉.	——— 5. t. 126. f. 1.
17	gruinum. DC.	(bl.)	broad-leaved.	Crete.	1596.	6. 7.	H. ☉.	——— 4. t. 88. f. 2.
18	serotinum. DC.	(bl.)	late-flowering.	Tyre.	1816.	6. 9.	H. ¾.	Stev. m. ac. P. 3. t. 15. f. 2.
	multicàule. S.G. t. 137.							
19	chium. DC.	(bl.)	Levant.	Levant	1724.	6. 7.	H. ☉.	Cav. dis. 4. t. 92. f. 1.
20	hymenòdes. DC.	(li.)	three-leaved.	Barbary.	1789.	1. 12.	H. ¾.	Sweet ger. 1. t. 23.
21	Gussònii. S.G.	(li.)	Gussone's.	Naples.	1822.	5. 8.	H. ¾.	——— 2. t. 200.
22	malachoides. DC.	(pu.)	Mallow-leaved.	S. Europe.	1596.	5. 7.	H. ☉.	Cav. dis. 4. t. 91. f. 1.
23	ribifòlium. W.	(pu.)	Currant-leaved.	C. B. S.	....	6. 8.	H. ☉.	Jacq. ic. rar. 3. t. 509.
24	incarnàtum. DC.	(fl.)	flesh-coloured.	———	1787.	5. 7.	G. ½.	Sweet ger. 1. t. 94.
25	glaucophyllum. DC.	(li.)	glaucous-leav'd.	Egypt.	1732.	7. 8.	H. ¾.	——— 3. t. 283.
26	malopoides. DC.	(li.)	velvetty-leaved.	Sicily.	1818.	5. 8.	H. ¾.	Cav. dis. 4. t. 90. f. 1.
27	littòreum. DC.	(li.)	smooth.	Narbonne.	——	——	H. ¾.	
28	marìtimum. DC.	(li.)	sea-side.	England.	....	5. 9.	H. ¾.	Eng. bot. 646.
29	Reichàrdi. DC.	(wh.)	dwarf.	Minorca.	1788.	4. 9.	H. ¾.	Bot. mag. 18.
	chamædryoides. W. *Gerànium Reichàrdi.* B.M.							

Tribus II. *GRIELEÆ.* S.G. p. VII.

GRI'ELUM. W. Gri'elum. Decandria Pentagynia.

1	tenuifòlium. W.	(ye.)	large-flowered.	C. B. S.	1790.	4. 6.	G. ½.	Sweet ger. 2. t. 171.
2	laciniàtum. G.	(ye.)	jagged-leaved.	———	1825.	——	G. ½.	——— 4. t. 306.

Tribus III. *PELARGONIEÆ.* S.G. p. VIII.

PHYMATA'NTHUS. S.G. Wart-flower. Monadelphia Pentandria.

1	tricolor. S.G.	(w.pu.)	three-coloured.	C. B. S.	1791.	6. 10.	G. ½.	Sweet ger. 1. t. 43.
	Pelargònium tricolor. B.M. 240.							
2	elàtus. S.G.	(w.pu.)	tall.	———	1795.	——	G. ½.	Sweet ger. 1. t. 96.

3 villòsus.	(*w.pu.*)	villous.	Hybrid.	1828.	6. 10.	G. ♄.		
4 grandiflòrus.	(*w.pu.*)	large-flowered.	———	——	——	G. ♄.		
5 latifòlius. c.c.	(*w.pu.*)	broad-leaved.	———	——	——	G. ♄.		
CAMP'YLIA. S.G.		CAMP'YLIA. Monadelphia Pentandria.						
1 carinàta. s.g.	(*w.pu.*)	keeled-stipuled.	C. B. S.	1810.	4. 9.	G. ♄.	Sweet ger. 1. t. 21.	
2 variegàta. s.g.	(*v.*)	variegated-fl'd.	Hybrid.	1823.	——	G. ♄.	——— 3. t. 266.	
3 holoserícea. s.g.	(*da.*)	silky-leaved.	———	1820.	——	G. ♄.	——— 1. t. 75.	
4 blattària. s.g.	(*li.*)	downy-leaved.	C. B. S.	1790.	6. 9.	G. ♄.	——— 1. t. 88.	
5 élegans. s.g.	(*bl.*)	elegant.	Hybrid.	1822.	——	G. ♄.	——— 3. t. 222.	
6 verbascifòlra. s.g.	(*li.*)	Mullein-fl'd.	C. B. S.	1811.	——	G. ♄.	——— 2. t. 157.	
7 càna. s.g.	(*li.*)	hoary-leaved.	———	1794.	7. 12.	G. ♄.	——— 2. t. 114.	
8 eriòstemon. s.g.	(*wh.*)	velvet-leaved.	———	——	3. 6.	G. ♄.	Jacq. schœn. 2. t. 132.	
Pelargònium eriòstemon. Jacq.								
9 laciniàta. s.g.	(*d.rc.*)	jagged-leaved.	Hybrid.	1827.	4. 10.	G. ♄.	Swt. ger. ser. 2. t. 1.	
10 coronopifòlia.	(*li.*)	Buck's-horn-l'd.	C. B. S.	1791.	6. 10.	G. ♄.	Jacq. ic. rar. 3. t. 526.	
11 ? œnothèræ.	(*li.*)	œnothera-like.	———	1812.	4. 8.	G. ♃.	——— 3. t. 525.	
Pelargònium œnothèræ. Jacq.								
OTI'DIA. S.G.		OTI'DIA. Monadelphia Pentandria.						
1 carnòsa. s.g.	(*wh.*)	fleshy-stalked.	C. B. S.	1724.	6. 8.	G. ♄.	Swt. ger. 1. t. 98.	
2 ceratophy'lla. s.g.	(*wh.*)	horn-leaved.	Africa.	1786.	5. 7.	G. ♄.	Bot. mag. 315.	
Pelargònium ceratophy'llum. B.M.								
3 dasycáulon. s.g.	(*wh.*)	thick-stemmed.	Africa.	1795.	7. 12.	G. ♄.	Bot. mag. 2029.	
4 láxa. s.g.	(*wh.*)	loose-panicled.	C. B. S.	1821.	6. 9.	G. ♄.	Sweet ger. 2. t. 196.	
5 crithmifòlia. s.g.	(*wh.*)	Samphire-l'd.	———	1790.	4. 9.	G. ♄.	——— 4. t. 354.	
6 altérnans. s.g.	(*wh.*)	Parsley-leaved.	———	1791.	5. 8.	G. ♄.	——— 3. t. 286.	
GRENVI'LLEA. S.G.		GRENVI'LLEA. Monadelphia Tetrandria.						
conspícua. s.g.		conspicuous.	Africa.	1810.	7. 11.	G. ♃.	Sweet ger. 3. t. 262. f. 2.	
Gerànium Grenvilliæ. A.G. c. ic.								
H'OAREA. S.G.		H'OAREA. Monadelphia Pentandria.						
1 violæflòra. s.g.	(*wh.*)	white violet-fl'd.	C. B. S.	1821.	5. 8.	G. ♃.	Sweet ger 2. t. 128.	
2 nívea. s.g.	(*wh.*)	snowy white.	———	——	——	G. ♃.	——— 2. t. 182.	
3 bubonifòlia.†	(*wh.*)	Bubon-leaved.	———	1800.	3. 7.	G. ♃.	And. bot. rep. 328.	
4 Leeàna. s.g.	(*wh.*)	Mr. Lee's.	———	1823.	6. 8.	G. ♃.	Sweet ger. 3. t. 223.	
5 laciniàta.†	(*v.*)	jag-leaved.	———	1800.	5. 6.	G. ♃.	And bot. rep. 131.	
6 pennifórmis.†	(*ye.*)	winged.	———	——	——	G. ♃.	——— 269.	
7 purpuráscens †	(*pu.*)	purplish.	———	——	——	G. ♃.	——— 204.	
8 incrassàta.†	(*std.*)	fleshy-leaved.	———	1801.	6. 7.	G. ♃.	Bot. mag. 761.	
9 carinàta. s.g.	(*ye.*)	boat-flowered.	———	1812.	5. 8.	G. ♃.	Sweet ger. 2. t. 135.	
10 corydalifòlra. s.g.	(*ye.*)	Fumitory-fl'd.	———	——	——	G. ♃.	——— 1. t. 18.	
11 rapàcea.	(*pi.*)	Turnep-rooted.	———	1786.	4. 6.	G. ♃.	And. rep. 239.	
Gerànium Selinum. A.R.								
12 setòsa. s.g.	(*bl.*)	bristle-pointed.	———	1818.	4. 8.	G. ♃.	Sweet ger. 1. t. 38.	
13 pilòsa.	(*pu.*)	hairy.	———	1801.	5. 7.	G. ♃.	And. bot. rep. 259.	
Gerànium pilòsum. var. 1. A.G. ic.								
14 bícolor.		two-coloured.	———	——	3. 8.	G. ♃.	Andr. geran. c. ic.	
Gerànium pilòsum. var. 2. A.G. ic.								
15 blánda.	(*bl.*)	blush-flowered.	———	——	——	G. ♃.	Andr. geran. c. ic.	
Gerànium pilòsum. var. 3. A.G. ic.								
16 congésta. s.g.	(*sp.*)	crowded-fl'd.	———	1820.	5. 10.	G. ♃.	Sweet ger. 3. t. 202.	
17 retùsa. s.g.	(*da.*)	notched-petal'd.	Hybrid.	1824.	——	G. ♃.	——— 4. t. 307.	
18 selinifòlia. s.g.	(*d.pu.*)	Milk-parsley-l'd.	———	1821.	3. 8.	G. ♃.	——— 2. t. 159.	
19 radicàta. s.g.	(*ye.*)	fleshy-fringed-l'd.	C. B. S.	1802.	5. 8.	G. ♃.	——— 1. t. 174.	
20 ciliàta.	(*wh.*)	ciliated.	———	1795.	4. 6.	G. ♃.	L'Herit. ger. t. 7.	
21 ovalifòlia. s.g.	(*wh.*)	oval-leaved.	———	1820.	4. 8.	G. ♃.	Sweet ger. 2. t. 106.	
22 reticulàta. s.g.	(*std.*)	netted-petaled.	———	——	——	G. ♃.	——— 1. t. 91.	
23 nervifòlia.	(*wh.*)	nerved-leaved.	———	——	5. 8.	G. ♃.	Jacq. ic. rar. 3. t. 517.	
24 triphy'lla.	(*fl.cr.*)	three-leaved.	———	——	——	G. ♃.	——— 3. t. 515.	
25 lùtea.†	(*ye.*)	small-yellow.	———	1800.	——	G. ♃.	And. bot. rep. t. 123.	
26 nummularifòlia.	(*ye.*)	money-wort-l'd.	———	1801.	——	G. ♃.	Sal. par. lond. t. 23.	
27 integrifòlia. c.c.	(*w.r.*)	entire-leaved.	Hybrid.	1821.	4. 8.	G. ♃.		
28 fuscàta. c.c.	(*br.*)	brown-flowered.	———	——	——	G. ♃.		
29 nígricans. c.c.	(*bl.*)	blackish.	———	1822.	——	G. ♃.		
30 mágica. c.c.	(*bl.*)	dark-flowered.	———	——	——	G. ♃.		
31 àtra. s.g.	(*da.*)	dark brown.	C. B. S.	1798.	——	G. ♃.	Sweet ger. 1. t. 72.	
32 dioíca. c.c.	(*bl.*)	diœcious.	———	1795.	6. 8.	G. ♃.	And. bot. rep. 209.	
Gerànium melanánthum. A.R.								

Those marked thus (†) are only known to us by Andrews's Figures.

33	undulatifòlia. s.G.	(da.)	waved-petaled.	C. B. S.	1821.	4. 8.	G. ¾.	Sweet ger. 3. t. 288.
34	melanántha. s.G.	(bl.)	black-flowered.	———	1790.	——	G. ¾.	——— 1. t. 73.
35	vària. s.G.	(da.)	various-leaved.	Hybrid.	1821.	——	G. ¾.	——— 2. t. 166.
36	Colvillii. s.G.	(cr.)	Colvill's.	———	1823.	——	G. ¾.	——— 3. t. 260.
37	Jenkinsòni. C.C.	(sc.)	Jenkinson's.	———	——	——	G. ¾.	
38	dilùta	(bl.)	diluted.	———	1821.	——	G. ¾.	
39	replicàta.	(re.)	replicate.	———	——	——	G. ¾.	
40	rubéscens.	(re.)	reddish.	———	——	——	G. ¾.	
41	intermixta.	(re.)	intermixed.	———	1822.	——	G. ¾.	
42	capitàta.	(bl.)	headed.	———	——	——	G. ¾.	
43	superba.	(sc.)	superb.	———	——	——	G. ¾.	
44	villòsa.	(sc.)	villous.	———	1821.	——	G. ¾.	
45	unguiculàta.	(re.)	clawed.	———	——	5. 8.	G. ¾.	
46	tenuifòlia.	(bl.)	slender-leaved.	———	——	——	G. ¾.	
47	marginàta.	(bl.)	margined.	———	1823.	——	G. ¾.	
48	atrosanguínea.s.G.	(cr.)	dark-crimson.	———	1823.	4. 8.	G. ¾.	Sweet ger. 3. t. 151.
49	élegans. s.G.	(cr.)	elegant.	———	——	——	G. ¾.	——— 2. t. 132.
	Pelargònium Sweetiànum. DC.							
50	coluteæfòlia. s.G.	(cr.)	Bladder Senna-ld.	———	1823.	——	G. ¾.	Sweet ger. 4. t. 311.
51	orobifòlia. s.G.	(st.pu.)	Orobus-leav'd.	———	——	——	G. ¾.	——— 4. t. 304.
52	coccínea. s.G.	(sc.)	scarlet.	———	——	——	G. ¾.	——— 4. t. 308.
53	recurvifòlia.	(sc.)	recurv'd-petal'd.	———	1821.	——	G. ¾.	
54	sanguinolénta.	(cr.)	bloody-flower'd.	———	1823.	——	G. ¾.	
55	pulchélla.	(re.)	neat.	———	——	——	G. ¾.	
56	amœna.	(re.)	delightful.	———	——	——	G. ¾.	
57	pátens.	(re.)	spreading.	———	1822.	——	G. ¾.	
58	lilacina.	(li.)	Lilac-coloured.	———	——	——	G. ¾.	
59	venòsa. s.G.	(std.)	veined-petaled.	———	1823.	——	G. ¾.	Sweet ger. 3. t. 209.
60	literàta.	(std.)	lettered.	———	——	——	G. ¾.	
61	labyrinthica.s.G.	(std.)	labyrinth-fld.	———	——	——	G. ¾.	Sweet ger. 3. t. 276.
62	ròsea. s.G.	(re.)	rose-coloured.	C. B. S.	1792.	——	G. ¾.	——— 3. t. 262. f. 1.
	Gerànium rósceum. A.R. 173. *Pelargònium condensàtum.* P.S.							
63	hedysarifòlia. s.G.	(cr.)	Hedysarum-ld.	Hybrid.	1823.	——	G. ¾.	Sweet ger. 4. t. 355.
64	galegifòlia.	(cr.)	Galega-leaved.	———	——	——	G. ¾.	
65	sisymbriifòlia.s.G.	(cr.)	Water-rocket-ld.	———	——	——	G. ¾.	Sweet ger. 3. t. 202.
66	hirsùta.	(bl.)	various-ld. hairy.	C. B. S.	1788.	3. 5.	G. ¾.	Cav. dis. 4. t. 101. f. 2.
DIMA'RIA. S.G.			DIMA'RIA. Monadelphia Pentandria.					
1	pinnàta. s.G.	(bl.)	wing-leaved.	C. B. S.	1779.	4. 6.	G. ¾.	Sweet ger. 1. t. 46.
	Pelargònium viciæfòlium. DC.							
2	bipartita. s.G.	(st.)	forked-leaved.	Hybrid.	1821.	4. 8.	G. ¾.	Sweet ger. 3. t. 142.
3	foliolòsa. s.G.	(st.)	leafy.	C. B. S.	1800.	——	G. ¾.	And. bot. rep. 311.
	Gerànium pinnàtum. A.R.							
4	astragalifòlia. s.G.	(st.)	Astragalus-ld.	———	1788.	4. 8.	G. ¾.	Sweet ger. 2. t. 108.
5	Smithiàna.s.G.	(re.)	Mr. E. D. Smith's.	Hybrid.	1823.	4. 8.	G. ¾.	——— 4. t. 358.
6	tenélla.†	(bl.)	tender.	———	1802.	——	G. ¾.	Andr. geran. c. ic.
	Gerànium tenéllum. A.G.							
7	imbùta.	(bl.)	stained-petaled.	Hybrid.	1822.	4. 8.	G. ¾.	
8	fúlgens. C.C.	(cr.)	shining-scarlet.	———	1821.	——	G. ¾.	
9	Andrèwsii.†	(bl.p.)	Andrews's.	C. B. S.	1802.	——	G. ¾.	Andr. geran. c. ic.
	Gerànium heterophyllum. A.G. *non* Jacq.							
10	élegans. s.G.	(sc.)	elegant.	Hybrid.	1822.	——	G. ¾.	Sweet ger. 3. t. 202.
11	coronillæfòlia.†	(ca.)	Coronilla-leav'd.	C. B. S.	1795.	6. 7.	G. ¾.	And. bot. rep. 305.
12	apiifòlia.†	(bl.)	Parsley-leaved.	———	1802.	4. 8.	G. ¾.	Andr. geran. c. ic.
	Gerànium apiifòlium. A.G. *non.* Jacq.							
13	auriculàta. s.G.	(w.pu.)	eared-leaved.	C. B. S.	....	3. 8.	G. ¾.	Sweet ger. 4. t. 326.
	Pelargònium ciliàtum. Jacq. ic. 3. t. 519.							
14	sulphùrea. s.G.	(st.)	sulphur-color'd.	Hybrid.	1821.	——	G. ¾.	Sweet ger. 2. t. 169.
15	cárnea.	(fl.)	flesh-coloured.	C. B. S.	1812.	4. 6.	G. ¾.	Jacq. ic. rar. 3. t. 512.
16	floribúnda.†	(v.)	many-flowered.	———	1795.	3. 5.	G. ¾.	And. bot. rep. 220.
17	fissifòlia.†	(bl.)	cloven-leaved.	———	——	4. 8.	G. ¾.	——— 378.
18	barbàta. s.G.	(fl.)	bearded.	———	1790.	5. 8.	G. ¾.	Sweet ger. 4. t. 321.
19	recurvàta. s.G.	(wh.)	recurved.	———	——	——	G. ¾.	And. rep. 328.
	Gerànium barbàtum, v. minor. A.R.							
20	aristàta. s.G.	(wh.)	awned.	———	——	——	G. ¾.	Andr. rep. 366.
	Gerànium barbàtum, v. undulàtum. A.R.							
21	setígera. s.G.	(wh.)	bristle-bearing.	———	——	——	G. ¾.	Andr. bot. rep. 368.
	Gerànium barbàtum. A.R. *nec aliorum.*							
22	revolùta.†	(pu.)	revolute.	———	1800.	7. 8.	G. ¾.	Andr. rep. 354.
23	oxalidifòlia.†	(st.)	Oxalis-leaved.	———	1691.	5. 8.	G. ¾.	——— 360.

24	reflèxa.†	(*wh.*)	reflex-leaved.	C. B. S.	1800.	6. 7.	G. ♃.	Andr. rep. 224.
25	rumicifòlia. s.G.	(*ye.*)	Dock-leaved.	———	1825.	5. 8.	G. ♃.	Sweet ger. 4. t. 318.
26	deprèssa. s.G.	(*st.*)	depressed.	———	1812.	——	G. ♃.	——— 3. t. 290.
27	longiflòra. s.G.	(*st.*)	long-flowered.	———	——	——	G. ♃.	Jacq. ic. rar. 3. t 521.
28	longifòlia. s.G.	(*ro.*)	long-leaved.	———	——	——	G. ♃.	——— 3. t. 518.
29	lanceolàta. s.G.	(*bh.*)	spear-leaved.	———	1826.	——	G. ♃.	Sweet ger. 4. t. 387.
30	undulàta.†	(*wh.*)	wave-flowered.	———	1795.	5. 7.	G. ♃.	Andr. rep. 292.
31	spathulàta.†	(*wh.*)	spatula-leaved.	———	——	4. 6.	G. ♃.	——— 152.
32	affìnis.†	(*wh.*)	fring'd-spat.-ld.	———	——	——	G. ♃.	——— 282.
33	virgínea.†	(*wh.*)	virgin.	———	——	5. 7.	G. ♃.	——— 317.
34	radiàta.†	(*ye.*)	ray-leaved.	———	1801.	6. 8.	G. ♃.	——— 222.
35	linearis.†	(*st.*)	linear-petaled.	———	1800.	——	G. ♃.	——— 193.
36	punctàta.†	(*st.*)	dotted-flowered.	———	1794.	4. 6.	G. ♃.	——— 60.

SEYMO'URIA. S.G. SEYMO'URIA. Monadelphia Pentandria.

1	asarifòlia. s.G.	(*da.*)	Asarum-leaved.	C. B. S.	1821.	11. 2.	G. ♃.	Sweet ger. 3. t. 296.
2	L'Heritièri. s.G.	(*pu.*)	L'Heritier's.	———	1795.	4. 5.	G. ♃.	L'Herit. ger. t. 43.

Pelargònium dipétalum. L'Her.

PELARG'ONIUM. S.G. STORK'S-BILL. Monadelphia Heptandria.

1	amœ'num. s.G.	(*sa.*)	delightful.	Hybrid.	1821.	4. 8.	G. ♃.	Sweet ger. 2. t. 121
2	dimacriæflòrum. s.G.	(*sc.*)	Dimacria-fld.	———	1822.	——	G. ♃.	——— 3. t. 220.
3	múndulum. s.G.	(*sc.*)	spruce.	———	1823.	3. 10.	G. ♃.	——— 3. t. 288.
4	ríngens. s.G.	(*sc.*)	ringent-flow'rd.	———	——	——	G. ♃.	——— 3. t. 256.
5	concàvum. s.G.	(*re.*)	concave-petaled.	———	——	——	G. ♃.	——— 3. t. 237.
6	concláusum. s.G	(*d.re.*)	shut-petaled.	———	——	4. 10.	G. ♄.	——— 4. t. 305.
7	hoareæflòrum s.G.	(*sa.*)	Hoarea-flow'r'd.	———	1821.	——	G. ♃.	——— 2. t. 133.
8	cláusum. c.c.	(*re.*)	closed petaled.	———	1822.	——	G. ♃.	
9	pàtens. s.G.	(*sc.*)	spreading-fld.	———	1820.	——	G. ♄.	Sweet ger. 2. t. 125.
10	cruéntum. s.G.	(*cr.*)	blood-red.	———	1822.	——	G. ♃.	——— 2. t. 170.
11	áulicum.	(*cr.*)	courtly.	———	1823.	5. 10.	G. ♃.	
12	Avroniànum. s.G.	(*sc.*)	Avron's.	———	——	——	G. ♃.	Sweet ger. 3. t. 294.
13	ligulàtum. s.G.	(*sc.*)	ligulate-petaled.	———	1823.	4. 9.	G. ♄.	——— 4. t. 301.
14	puniceum. c.c.	(*cr.*)	puniceous.	———	——	——	G. ♃.	
15	pusíllum. c.c.	(*sc.*)	dwarf.	———	——	——	G. ♃.	
16	pygmæum. c.c.	(*sc.*)	small.	———	——	5. 8.	G. ♃.	
17	venulòsum.	(*sc.*)	veined-petaled.	———	1821.	——	G. ♃.	
18	intertéxtum. s.G.	(*sc.*)	interwoven.	———	1822.	4. 8.	G. ♃.	Sweet ger. 2. t. 185.
19	ácidum. s.G.	(*cr.*)	sour-leaved.	———	1823.	5. 9.	G. ♃.	——— 3. t. 261.
20	pállens. s.G.	(*st.*)	cream coloured.	C. B. S.	1800.	——	G. ♄.	——— 2. t. 148.
21	caryophyllàceum.	(*bh.*)	Clove-scented.	Hybrid.	1822.	——	G. ♄.	——— 4. t. 347.
22	paradòxum.	(*wh.*)	paradoxical.	———	——	——	G. ♄.	
23	multiradiàtum. s.G.	(*da.*)	many-rayed.	C. B. S.	1818.	6. 10.	G. ♄.	Sweet ger. 2. t. 145.
24	rutàceum. s.G.	(*da.*)	Rue-like.	Hybrid.	1823.	5. 10.	G. ♄.	——— 3. t. 279.
25	pedunculatùm. s.G.	(*da.*)	long-peduncled.	———	——	——	G. ♄.	——— 4. t. 346.
26	œnanthifòlium. s.G.	(*d.cr.*)	Dropwort-ld.	———	——	6. 10.	G. ♄.	——— ser. 2. t. 18.
27	sphondyliifòlium.	(*d.cr.*)	Sphondylium-ld	Hybrid.	1822.	4. 8.	G. ♃.	——— 3. t. 246.
28	chærophyllum. s.G.	(*cr.*)	Cow-Parsley-ld	———	——	——	G. ♄.	——— 3. t. 257.
29	nítidum. s.G.	(*sc.*)	glossy.	———	——	——	G. ♄.	——— 3. t. 296.
30	sanguíneum. s.G.	(*cr.*)	crimson.	C. B. S?	1819.	——	G. ♄.	——— 1. t. 76.
31	árdens. s.G.	(*sc.*)	glowing.	Hybrid.	1810.	3. 8.	G. ♄.	——— 1. t. 45.
32	confertifòlium.	(*sc.*)	close-leaved.	———	——	——	G. ♄.	——— 3. t. 297.

Gerànium árdens minor. A.G.

33	pulchéllum. B.M.	(*v.*)	nonesuch.	C. B. S.	1795.	3. 5.	G. ♄.	Sweet ger. 1. t. 31.
34	jonquillinum. s.G.	(*pi.*)	Jonquil-scent'd.	Hybrid.	1822.	5. 10.	G. ♄.	——— 3. t. 241.
35	seléctum. s.G.	(*d.pu.*)	select.	———	——	——	G. ♃.	——— 2. t. 190.
36	imbricàtum. s.G.	(*v.*)	imbricate-pet'd.	C. B. S?	1800.	5. 8.	G. ♄.	——— 1. t. 65.
37	bícolor. s.G.	(*da.*)	two-coloured.	.....	1778.	7. 8.	G. ♄.	Bot. mag. 201.
	α átrum. s.G.	(*da.*)	*dark-edged.*	.....	——	——	G. ♄.	Sweet ger. 1. t. 97. f. 1.
	β pállidum. s.G.	(*pu.*)	*pale-edged.*	.....	——	——	G. ♄.	——— 1. t. 97. f. 2.
38	quinquevúlnerum.	(*da.*)	dark-flower'd.	Hybrid.	1796.	5. 10.	G. ♄.	——— 2. t. 161.
39	Blandfordiànum.	(*bh.*)	hoary-leaved.	———	1812.	1. 12	G. ♄.	——— 2. t. 101.
40	millefoliàtum. s.G.	(*v.*)	Milfoil-leaved.	C. B. S.	1819.	6. 10.	G. ♃.	——— 3. t. 230.
41	flàvum. DC.	(*st.*)	pale yellow.	———	1724.	7. 9.	G. ♃.	——— 3. t. 254.
42	scábridum. c.c.	(*br.*)	rough-edged.	———	1822	——	G. ♃.	
43	tríste. DC.	(*da.*)	night-smelling.	———	1632.	5t 10.	G. ♃.	Delaun. h. am. t. 27.
44	filipendulifòlium.	(*br.*)	Dropwort-ld.	———	1812.	——	G. ♃.	Sweet ger. 1. t. 85.
45	pentastíctum.	(*bh.*)	five-marked.	Hybrid.	1824.	——	G. ♃.	——— ser. 2. t. 25.
46	heracleifòlium. s.G.	(*br.*)	Heracleum-ld.	C. B. S.	1820.	——	G. ♃.	——— 3. t. 211.
47	lobàtum. DC.	(*da.*)	Cow-parsnep-ld.	———	1710.	——	G. ♃.	——— 1. t. 51.
48	salebròsum. s.G.	(*d.pu.*)	rugged-leaved.	Hybrid.	1824.	——	G. ♃.	——— 4. t. 309.

49	Lawranceànum.s.G.(*d.pu.*) Mrs. Kearse's.	——	1824.	5. 10.	G.	¼.	Swt. ger. ser. 2. t. 23.
50	orbiculàtum. (*da.*) orbicular-ld.	Hybrid	1823.	——	G.	¼.	
51	pulveruléntum. s.G.(*sp.*) powdered-ld	C. B. S.	1822.	——	G.	¼.	Sweet ger. 3. t. 218.
52	pedicellàtum.s.G.(*v.*) long-pedicled.	——	——	——	G.	¼.	—— 3. t. 250.
53	lúridum. s.G. (*co.*) lurid.	——	1811.	7. 12.	G.	¼.	—— 3. t. 281.
	Geránium lùridum. A.G. ic.						
54	rapæfòlium. (*da.*) Turnep-leaved.	Hybrid.	1821.	5. 10.	G.	¼.	
55	glaucifòlium.s.G.(*da.*) Glaucium-ld.	——	——	——	G.	½.	Sweet ger. 2. t. 179.
56	gibbòsum. DC. (*st.*) knotted-stalk'd	C. B. S.	1712.	——	G.	½.	—— 1. t. 61.
57	mutábile. s.G. (*bh.*) changeable-cold	Hybrid.	1822.	7. 10.	G.	½.	—— 3. t. 213.
58	vespertìnum. s.G.(*pu.*) evening-scent'd	——	——	8. 12.	G.	½.	—— 3. t. 239.
59	sinapifòlium. (*pi.*) Mustard-leav'd.	Hybrid.	——	6. 10.	G.	½.	
60	brassicàtum. (*st.*) Cabbage-leav'd.	——	——	——	G.	½.	
61	adscéndens. (*pu.*) ascending.	——	——	——	G.	½.	
62	circumfléxum. (*pu.*) bending.	——	——	——	G.	½.	
63	campyliæfiòrum. s.G.(*li.*) Campylia-fld	——	1823.	——	G.	½.	Sweet ger. 3. t. 251.
64	reniförme. DC. (*pu.*) kidney-leaved.	C. B. S.	1791.	1. 12.	G.	½.	—— 1. t. 48.
65	flexuòsum. s.G. (*sc.*) bent-stalked.	Hybrid.	1821.	3. 10.	G.	½.	—— 2. t. 180.
66	sæpeflòrens.s.G.(*pi.*) frequent-flow'rg	——	1801.	——	G.	½.	—— 1. t. 58.
67	cómptum. s.G. (*pi.*) decked.	——	1821.	——	G.	½.	—— 3. t. 255.
68	echinàtum. DC. (*wh.*) prickly-stalked.	C. B. S.	1789.	6. 10.	G.	½.	—— 1. t. 54.
69	armàtum. s.G.(*d.pu.*) long-spined.	——	——	3. 6.	G.	½.	—— 3. t. 214.
70	intermèdium.c.c.(*li.*) intermediate.	Hybrid.	1821.	6. 10.	G.	½.	
71	particéps. s.G. (*li.*) participant.	——	1806.	5. 10.	G.	½.	Sweet ger. 1. t. 49.
72	cortussæfòlium. DC.(*wh.*) Cortusa-leavd	Africa.	1786.	6. 10.	G.	½.	—— 1. t. 14.
73	erèctum. s.G. (*pu.*) upright.	Hybrid.	1822.	——	G.	½.	—— 2. t. 187.
74	Stapletòni. s.G. (*pu.*) Miss Stapleton's.	——	——	——	G.	½.	—— 2. t. 212.
75	crassicáule. s.G.(*wh.*) Cowslip-scent'd.	Africa.	1786.	——	G.	½.	L'Herit. ger. t. 26.
	α álbum. s.G. (*wh.*) *white-flowered.*	——	——	——	G.	½.	Sweet ger.2.t.192.f.a.
	*β maculàtum.*s.G.(*sp.*) *spotted-flowered*	——	——	——	G.	½.	—— 2.t.192.f.b.
76	Victoriàna. s.G. (*sc.*) Princess Victoria's.	Hybrid.	1826.	——	G.	½.	—— ser. 2. t. 7.
77	anómalum. s.G. (*pi.*) anomalous.	——	1822.	4. 8.	G.	½.	—— 4. t. 315.
78	tenuifòlium. DC. (*pi.*) slender-leaved.	C. B. S.	1768.	5. 7.	G.	½.	L'Herit. ger. t. 12.
79	hírtum. DC. (*pi.*) hairy.	——	——	3. 9.	G.	½.	Sweet ger. 2. t. 113.
80	anthriscifòlium.s.G.(*sc.*) Anthriscus-ld.	Hybrid.	1823.	7. 9.	G.	½.	—— 3. t. 238.
81	magnistipulàtum.(*sc.*) large-stipuled.	——	1825.	5. 10.	G.	½.	—— 4. t. 313.
82	fúlgidum. DC. (*sc.*) Celandine-ld.	C. B. S.	1723.	3. 10.	G.	½.	—— 1. t. 69.
83	aurantíacum.s.G.(*or.*) orange-colour'd.	Hybrid.	1821.	4. 8.	G.	½.	—— 2. t. 196.
	*a undulàtum.*s.G.(*or.*) *wave-leaved.*	——	——	——	G.	½.	—— 2.t.196.f.a.
	*β planifòlium.*s.G.(*or.*) *flat-leaved.*	——	——	——	G.	½.	—— 2.t.196.f.b.
84	ardéscens. s.G. (*cr.*) burnished.	——	1822.	——	G.	½.	—— 3. t. 231.
85	torrefáctum.s.G.(*da.*) burnt-petaled.	——	——	——	G.	½.	—— 3. t. 243.
86	Pottèri. s.G. (*st.*) Potter's.	——	——	6. 9.	G.	½.	—— 2. t. 147.
87	luculéntum. (*sc.*) bright-flowered.	——	——	——	G.	½.	
88	dilèctum. (*sc.da.*) chosen.	——	——	4. 9.	G.	½.	
89	Loudoniànum.s.G.(*d.sc.*) Mr. Loudon's.	——	1827.	5. 9.	G.	½.	Sweet ger. ser. 2. t. 17.
90	eratìnum. s G. (*sc.*) lovely.	——	——	——	G.	½.	—— ser. 2. t. 30.
91	nànum. s.G. (*sc.*) pigmy.	——	1820.	——	G.	½.	—— 2. t. 102.
92	incúrvum. s.G. (*sc.*) incurved-petal'd	——	1821.	——	G.	½.	—— 3. t 249.
93	ignéscens. s.G. (*sc.*) fiery-flowered.	——	1812.	——	G.	½.	—— 1. t. 2. & 55.
	α májor. (*sc.*) *large-flowered.*	——	1818.	——	G.	½.	—— 1. t. 2.
	β coccíneum. (*sc.*) *scarlet-flowered.*	——	1822.	——	G.	½.	
	γ splèndens. (*sc.*) *splendid.*	——	——	——	G.	½.	
	δ supérbum. (*sc.*) *superb.*	——	——	——	G.	½.	
	ε stérile. s.G. (*sc.*) *barren-anthered.*	——	1812.	——	G.	½.	Sweet ger. 1. t. 55.
94	laxiflòrum. s.G. (*sc.*) spreading-umbd.	——	1822.	——	G.	½.	—— 3. t. 216.
95	concrètum. s.G. (*sc.*) compounded.	——	1827.	4. 9.	G.	½.	—— ser. 2. t. 24.
96	Leghkeckæ. s.G. (*sc.*) Mrs. Legh Keck's	——	1826.	——	G.	½.	—— 4. t. 377.
97	Charlwoòdii.s.G.(*d.sc.*) Charlwood's.	——	——	——	G.	½.	—— 4. t. 380.
98	incomparabile. (*d.sc.*) incomparable.	——	1822.	——	G.	½.	
99	eriocáulon. s.G. (*sc.*) woolly-stalked.	——	1824.	——	G.	½.	Sweet ger. 4. t. 357.
100	quadriflòrum.s.G.(*or.*) four-flowered.	——	——	——	G.	½.	—— 4. t. 321.
101	chelidoniifòlium.s.G.(*or.*) Chelidonium-ld	——	1825.	——	G.	½.	—— 4. t. 341.
102	chenopodiifòlium.s.G.(*sc.*) Goosefoot-ld	——	——	——	G.	½.	—— 4. t. 328.
103	latidentàtum.s.G.(*sc.*) broad-toothed.	——	1827.	——	G.	½.	—— ser. 2. t. 28.
104	variifòlium. s.G. (*sc.*) various-leaved.	——	1823.	——	G.	½.	—— 3. t. 260.
105	diversilòbum.s.G.(*re.*) various-lobed.	——	1825.	——	G.	½.	—— 4. t. 361.
106	Southcoteànum.s.G.(*sc.*) Miss Southcote's	——	1826.	——	G.	½.	—— 4. t. 348.
107	insignitum.s.G.(*d.sc.*) marked-flower'd.	——	1823.	——	G.	½.	—— 3. t. 300.

108	plectophyllum.s.G.	(*d.ac.*)	plaited-leaved.	Hybrid.	1826.	4. 9.	G. h.	Sweet ger. ser. 2. t. 411.
109	floccósum. s.G.	(*cr.*)	nappy.	———	1821.	——	G. h.	——— 2. t. 120.
110	rubicúndum.	(*ve.*)	rubicund.	———	1823.	——	G. h.	
111	hæmánthon.	(*cr.*)	blood-coloured.	———	1823.	——	G. h.	
112	multiflòrum.	(*ac.*)	many-flowered.	———	——	——	G. h.	Sweet ger. 4. t. 306.
113	exile.	(*ac.*)	thin-branched.	———	1822.	——	G. h.	
114	graciléscens.	(*ac.*)	slender-stalked.	———	——	——	G. h.	
115	splèndidum.	(*cr.*)	splendid.	———	——	——	G. h.	
116	consímile.	(*ac.*)	likened.	———	1822.	——	G. h.	
117	Broughtòniæ.s.G.	(*ac.*)	Lady Broughton's	———	——	——	G. h.	Sweet ger. 2. t. 131.
118	Bakerianum.s.G.	(*ac.*)	Mrs. Jenkinson's	———	——	——	G. h.	——— 3. t. 240.
119	áltum. s.G.	(*re.*)	tall upright.	———	1827.	——	G. h.	——— ser. 2. t. 26.
120	Debúrghæ. s.G.	(*ac*)	Mrs. De Burgh's	———	——	——	G. h.	——— ser. 2. t. 21.
121	Cummingiæ.s.G.	(*re.*)	Ly. Gordon Cumming's	———	——	——	G. h.	——— ser. 2. t. 35.
122	rubéscens. s.G.	(*re.*)	Lady Liverpool's	———	1819.	——	G. h.	——— 1. t. 30.
123	Boscawènia.e.c.	(*re.*)	Mrs. Boscawen's.	———	——	——	G. h.	
124	pavonìnum. s.G.	(*re.*)	peacock-spott'd	———	——	——	G. h.	Sweet ger. 1. t. 40.
125	carnéscens. s.G.	(*sa.*)	pale red.	———	1823.	——	G. h.	——— 4. t. 368.
126	ramígerum. s.G.	(*ac.*)	branching-veined	———	1826.	1. 12.	G. h.	——— 4. t. 352.
127	fláccidum. s.G.	(*d.re.*)	flaccid-petal'd.	———	——	4. 9.	G. h.	——— 4. t. 337.
128	Smíthii. s.G.	(*re.*)	Smith's.	———	1819.	——	G. h.	——— 2. t. 110.
129	spectábile. s.G.	(*ac.*)	showy.	———	1821.	——	G. h.	——— 2. t. 136.
	α maculàtum. s.G.	(*ac.*)	*spot-flowered.*	———	——	——	G. h.	——— 2. t. 136. f. 1.
	β atrorùbens. s.G.	(*d.re.*)	*dark-red.*	———	——	——	G. h.	
	γ striàtum. s.G.	(*ac.*)	*streak-flowered.*	———	——	——	G. h.	Sweet ger. 2. t. 136. f. 2.
	δ recúrvum. s.G.	(*ac.*)	*recurved-petaled.*	———	——	——	G. h.	——— 2. t. 136. f. 3.
	ε purpuráscens.	(*pu.*)	*purplish.*	———	——	——	G. h.	
130	Tibbitsiànum.s.G.	(*ac.*)	Mr. Tibbits'.	———	——	——	G. h.	Sweet ger. 2. t. 156.
131	flágrans. s.G.	(*sa.*)	burning.	———	1827.	——	G. h.	——— ser. 2. t. 16.
132	malachræfòlium. s.G.	(*re.*)	Malachra-ld.	———	——	——	G. h.	——— ser. 2. t. 2.
133	magnifòlium. s.G.	(*re.*)	very large-ld.	———	——	——	G. h.	——— ser. 2. t. 10.
134	Lacòniæ. s.G.	(*d.ac.*)	Lady Lacon's.	———	1826.	——	G. h.	——— 4. t. 374.
135	Francísii. s.G.	(*re.*)	Mr. Francis's.	———	1824.	5. 10.	G. h.	——— 4. t. 349.
136	cartilagíneum.s.G.	(*re.*)	horny-toothed.	———	1824.	——	G. h.	——— 4. t. 352.
137	dilàtum. s.G.	(*re.*)	stained-petal'd.	———	1823.	3. 9.	G. h.	——— 3. t. 293.
138	basílicum. s.G.	(*ac.*)	princely.	———	1824.	——	G. h.	——— 4. t. 360.
139	Hàmei.	(*d.re.*)	Sir A. Hume's.	———	——	4. 10.	G. h.	——— 4. t. 324.
140	erióphorum.	(*ac.*)	wool-bearing.	———	1823.	——	G. h.	
141	irregulàre.	(*ac.*)	irregular-ld.	———	——	——	G. h.	
142	flámmeum. c.c.	(*ac.*)	flame-coloured.	———	1822.	——	G. h.	
143	affine. s.G.	(*ac.*)	related.	———	——	——	G. h.	Sweet ger. 3. t. 277.
144	Colvíllii. s.G.	(*ac.*)	Colvill's.	———	1820.	——	G. h.	——— 1. t. 86.
145	Vallèti. c.c.	(*ac.*)	Vallet's.	———	1822.	——	G. h.	
146	heteromállum.s.G.	(*re.*)	soft-leaved.	———	1823.	——	G. h.	Sweet ger. ser. 2. t. 82.
147	hibiscifòlium.	(*re.*)	Hibiscus-ld.	———	——	——	G. h.	
148	atrorùbens. c.c.	(*re.*)	dark-red.	———	1822.	——	G. h.	
149	Allènii. s.G.	(*d.re.*)	Allen's.	———	1823.	——	G. h.	Sweet ger. 3. t. 220.
150	melanchòlicum.	(*d.re.*)	melancholy.	———	1827.	——	G. h.	
151	Daveyànum.s.G.	(*d.re.*)	Davey's.	———	1819.	——	G. h.	Sweet ger. 1. t. 32.
152	phœnícéum.s.G.	(*d.re.*)	reddish-purple.	———	1824.	4. 12.	G. h.	——— 3. t. 207.
153	heterotrìchum.s.G.	(*d.re.*)	various-haired.	———	1823.	4. 10	G. h.	——— 4. t. 303.
154	Burnettiànum.s.G.	(*d.re.*)	Miss Burnett's.	———	1826.	——	G. h.	——— 4. t. 309.
155	imperiàle. s.G.	(*d.re.*)	imperial.	———	——	——	G. h.	——— 4. t. 365.
156	saturàtum.s.G.	(*d.re.*)	saturated.	———	1827.	——	G. h.	——— ser. 2. t. 37.
157	règium. s.G.	(*sa.*)	kingly.	———	1826.	——	G. h.	——— 4. t. 368.
158	Hesilrígeæ. s.G.	(*pu.*)	Lady Hesilrige's.	———	1824.	——	G. h.	——— 4. t. 319.
159	acetabulòsum.s.G.	(*sa.*)	saucer-leaved.	———	1827.	——	G. h.	——— ser. 2. t. 44.
160	Knipeæ. s.G.	(*li.*)	Mrs. Knipe's	———	1826.	——	G. h.	——— 4. t. 372.
161	calycìnum. s.G.	(*li.*)	large-calyxed.	———	1815.	——	G. h.	——— 1. t. 81.
	α vérum. s.G.	(*li.*)	*true.*	———	——	——	G. h.	——— 1. t. 81. f. a.
	β maculàtum. s.G.	(*li.*)	*large-spotted.*	———	1820.	——	G. h.	——— 1. t. 81. f. b.
	γ angulàtum. s.G.	(*li.*)	*angular-leaved.*	———	——	——	G. h.	——— 1. t. 81. f. c.
162	planiflòrum. c.c.	(*li.*)	flat-flowered.	———	——	——	G. h.	
163	Dennisiànum.s.G.	(*pu.*)	Dennis's.	———	1819.	——	G. h.	Sweet ger. 1. t. 20.
164	Barringtònii. dc.	(*pu.*)	Barrington's	C. B. S.	....	——	G. h.	
165	elàtum. c.c.	(*pu.*)	tall purple.	Hybrid.	1812.	——	G. h.	
166	Tormánni.L.en.	(*pu.*)	Torman's.	———	1821.	——	G. h.	
167	Chandlèri. c.c.	(*pu.*)	Chandler's.	———	1814.	——	G. h.	
168	crenulàtum.s.G.	(*pu.*)	crenulate-leav'd.	———	1821.	——	G. h.	Sweet ger. 2. t. 102.

169	megalostíctum. s.G. (*d.pu.*) large-marked.	Hybrid.	1824.	4. 10.	G.	h.	Sweet ger. ser. 2. t. 8.
170	poculifólium. s.G. (*pu.*) cup-leaved.	———	1826.	——	G.	h.	——— ser. 2. t. 31.
171	Foljàmbeæ. s.G. (*r.pu.*) Mrs. Foljambe's	———	1825.	——	G.	h.	——— 4. t. 312.
172	Robinsòni. s.G. (*bk.*) Robinson's.	———	1822.	——	G.	h.	——— 2. t. 150.
173	Most'ynæ. s.G. (*pu.*) Mrs. Mostyn's.	———	1816.	——	G.	h.	——— 1. t. 10.
174	cucullàtum. DC. (*pu.*) hooded-leaved.	C. B. S.	1690.	——	G.	h.	Cav. dis. 4. t. 106. f. 1.
	β *striatifldrum.* (*pu.*) *Prince Regent.*	———	1810.	——	G.	h.	
	γ *major.* c.c. (*pu.*) *Royal George.*	———	1812.	——	G.	h.	
	δ *grandifldrum.* c.c. (*pu.*) *great-flowered.*	———	1818.	——	G.	h.	
	ε *parvifólium.* c.c. (*pu.*) *smaller-leaved.*	———	———	——	G.	h.	
175	cochleàtum. W. en. (*wh.*) concave-l^d.	———	....	——	G.	h.	Wendl. col. 2. t. 64.
	concavifólium. Wendl.						
176	ràbens. W. en. (*re.*) red-flowered.	———	....	——	G.	h.	Wendl. col. 2. t. 54.
177	robústum. c.c. (*pu.*) robust.	Hybrid.	1821.	——	G.	h.	
178	incarnàtum. s.G. (*fl.*) pale flesh-col^d.	———	———	——	G.	h.	Sweet ger. 4. t. 306.
179	lasiocáulon. s.G. (*bk.*) villous-stalked.	———	1826.	——	G.	h.	——— 4. t. 364.
180	veníferum. s.G. (*std.*) veined-petal'd.	———	1825.	——	G.	h.	——— 4. t. 322.
181	foliòsum. s.G. (*r.pu.*) leafy.	———	1826.	——	G.	h.	——— 4. t. 340.
182	anisodónton. s.G. (*pu.*) unequal-toothed.	———	1825.	——	G.	h.	——— 4. t. 309.
183	malacophy'llum. s.G. (*pu.*) soft-leaved.	———	———	——	G.	h.	——— 4. t. 307.
184	angulòsum. DC. (*pu.*) Marshmallow-l.	C. B. S.	1724.	7. 9.	G.	h.	Cav. dis. 4. t. 112. f. 2.
185	cardiifólium. s.G. (*pu.*) Cockle-shell-l^d.	———	1816.	4. 9.	G.	h.	Sweet ger. 1. t. 15.
186	fasciculàtum. c.c. (*pu.*) Banbury.	Hybrid.	1803.	5. 10.	G.	h.	Andr. geran. c. ic.
	Gerànium speciòsum var. flore purpureo. A.G.						
187	rugòsum. c.c. (*fl.*) wrinkled-leav'd.	C. B. S.	....	——	G.	h.	Andr. geran. c. ic.
188	speciòsum. DC. (*wh.*) specious.	———	1794.	——	G.	h.	
189	formòsum. s.G. (*li.*) variegated-fl^d.	Hybrid.	....	——	G.	h.	Sweet ger. 2. t. 120.
190	solùbile. s.G. (*pu.*) dissolvible-col'd.	———	1818.	——	G.	h.	——— 1. t. 24.
191	multinérve. s.G. (*pu.*) many-nerved.	———	———	——	G.	h.	——— 1. t. 17.
192	tyrianthìnum. s.G. (*pu.*) royal purple.	———	1820.	——	G.	h.	——— 2. t. 182.
193	albinotàtum. s.G. (*pu.*) white-marked.	———	1824.	——	G.	h.	——— 4. t. 359.
194	æmulum. s.G. (*pu.*) rival.	———	———	——	G.	h.	——— 2. t. 160.
195	accèdens. c.c. (*pu.*) approached.	———	———	——	G.	h.	
196	villòsum. s.G. (*pu.*) villous.	———	———	——	G.	h.	Sweet ger. 1. t. 160.
197	flóridum. s.G. (*li.*) abundant-fl^d.	———	1816.	6. 10.	G.	h.	——— 1. t. 42.
198	púlchrum. s.G. (*pu.*) gay.	———	1820.	5. 10.	G.	h.	——— 2. t. 107.
199	Watsòni. s.G. (*pu.*) Watson's.	———	1812.	7. 11.	G.	h.	——— 2. t. 130.
200	fusciflòrum. s.G. (*pu.*) brown-marked.	———	1822.	4. 10.	G.	h.	——— 3. t. 210.
	fuscàtum. s.G. *errata.*						
201	coarctàtum. s.G. (*pu.*) close-leaved.	———	1814.	6. 10.	G.	h.	——— 1. t. 70.
202	paucidentàtum. s.G. (*pu.*) distant-tooth'd.	———	1821.	5. 10.	G.	h.	——— 2. t. 186.
203	nervòsum. s.G. (*pu.*) prominent-nerv'd.	———	1818.	——	G.	h.	——— 1. t. 47.
204	exornàtum. (*pu.*) adorned.	———	1822.	——	G.	h.	——— 4. t. 331.
205	Youngii. s.G. (*wh.*) Young's.	———	1820.	——	G.	h.	——— 2. t. 131.
206	Jenkinsòni. s.G. (*d.bk.*) Mr. Jenkinson's.	———	———	——	G.	h.	——— 2. t. 154.
207	nùbilum. s.G. (*d.bk.*) clouded.	———	1827.	——	G.	h.	——— ser. 2. t. 20.
208	Brównii. s.G. (*d.bk.*) Brown's.	———	———	——	G.	h.	——— 2. t. 146.
209	diffórme. s.G. (*bk.*) various-leaved.	———	———	——	G.	h.	——— 2. t. 105.
210	Obrieniànum. s.G. (*bk.*) Miss O'Brien's.	———	———	——	G.	h.	——— ser. 2. t. 11.
211	melanostíctum. s.G. (*li.*) dark-spotted.	———	———	——	G.	h.	——— ser. 2. t. 6.
212	vestifldum. s.G. (*wh.*) clothed.	———	———	——	G.	h.	——— ser. 2. t. 27.
213	pùrum. s.G. (*wh.*) pure white.	———	1824.	——	G.	h.	——— 4. t. 334.
214	scitulum. s.G. (*wh.*) neat white.	———	1826.	——	G.	h.	——— 4. t. 390.
215	involucràtum. s.G. (*va.*) large-bracted.	———	....	——	G.	h.	
	α *máximum.* s.G. (*w.*) *largest-flowered.*	———	1818.	——	G.	h.	Sweet ger. 1. t. 33.
	β *álbidum.* s.G. (*wh.*) *white-flowered.*	———	1817.	——	G.	h.	
	γ *incarnàtum.* s.G. (*fl.*) *commander in chief.*	———	1815.	——	G.	h.	
	δ *intermèdium.* s.G. (*bk.*) *high-admiral.*	———	1817.	——	G.	h.	
	ε *lilacínum.* s G. (*li.*) *Lilac-coloured.*	———	———	——	G.	h.	
	ζ *ròseum.* s.G. (*ro.*) *rosy-coloured.*	———	———	——	G.	h.	
	η *coriàceum.* c.c. (*w.*) *leathery.*	———	1820.	——	G.	h.	
	θ *maculàtum.* c.c. (*wh.*) *coronation.*	———	———	——	G.	h.	
216	polytrichum. s.G. (*w.*) many-haired.	———	1822.	——	G.	h.	Sweet ger. 3. t. 274.
217	Baileyànum. s.G. (*w.*) Bailey's.	———	1819.	——	G.	h.	——— 1. t. 87.
218	Josephínæ. Lee. (*wh.*) Josephine's.	———	1822.	——	G.	h.	
219	formosíssimum. s.G. (*w.*) superb-white.	C. B. S.	1794.	——	G.	h.	Sweet ger. 3. t. 215.
	α *álbum.* s.G. (*wh.*) *white-flowered.*	———	———	——	G.	h.	——— 3. t. 215. f. a.
	β *lineàtum.* s.G. (*wh.*) *lined-flowered.*	———	———	——	G.	h.	——— 3. t. 215. f. b.
220	Bóyleæ. s.G. (*wh.*) Countess of Cork's.	Hybrid.	1818.	——	G.	h.	——— 1. t. 50.

221	pannifòlium. s.g. (*w.*)	cloth-leaved.	Hybrid.	1818.	5. 10.	G.	h.	Sweet ger. 1. t. 9.
222	biflòrum. s.g. (*wh.*)	two-flowered.	———	1822.	——	G.	h.	——— 3. t. 287.
223	cándidum. s.g. (*wh.*)	fair-flowered.	———	1818.	4. 9.	G.	h.	——— 2. t. 128.
224	blándum. s.g. (*bh.*)	blush-flowered.	———	1816.	——	G.	h.	——— 1. t. 4.
225	aceroídes. s.g. (*fl.*)	Acer-leaved.	———	1822.	——	G.	h.	——— 3. t. 242.
226	Gardnèriæ. c.c. (*wh.*)	Lady Gardner's.	———	1817.	——	G.	h.	
227	ramulòsum. s.g. (*d.w.*)	small-branch'd.	———	1820.	——	G.	h.	Sweet ger. 2. t. 177.
228	maculàtum. (*d.bh.*)	spot-flowered.	C. B. S.	1805.	——	G.	h.	Andr. ger. c. ic.
229	Hammersleìæ. s.g. (*b.*)	Mrs. Hammersley's.	Hybrid.	1822.	——	G.	h.	Sweet ger. 3. t. 225.
230	pulchérrimum. s.g. (*pu.*)	beautiful.	———	1819.	5. 10.	G.	h.	——— 2. t. 134.
231	Rollisòni. s.g. (*d.ro.*)	Rollison's.	———	1826.	——	G.	h.	——— 4. t. 371.
232	erioscpalon. s.g. (*bh.*)	woolly-calyxed.	———	——	——	G.	h.	——— 4. t. 375.
233	venifòrum. s.g. (*std.*)	veined-flowered.	———	1822.	——	G.	h.	——— 3. t 258.
234	sidæfòlium. W.en. (*li.*)	Sida-leaved.	———	....	4. 8.	G.	h.	
235	acerifòlium. dc. (*li.*)	Maple-leaved.	C. B. S.	1784.	4. 6.	G.	h.	L'Herit. ger. t. 21.
236	cuneàtum. dc. (*pu.*)	wedge-leaved.	Hybrid.	....	5. 8.	G.	h.	
237	Balbisiànum. dc. (*pu.*)	Balbis's.	———	....	——	G.	h.	
238	gloriòsum. L.en. (*pu.*)	renowned.	———	....	——	G.	h.	
239	Beaufortiànum. s.g. (*li.*)	Beaufort's.	C. B. S.?	....	——	G.	h.	Sweet ger. 2. t. 138.
240	principíssæ. s.g. (*pu.*)	P's. Charlotte's.	———	1810.	5. 10.	G.	h.	——— 2. t. 139.
241	purpùreum. (*pu.*)	purple-flowered.	———	1800.	——	G.	h.	Andr. geran. c. ic.
242	versícolor. s.g. (*pu.*)	various-colour'd	Hybrid.	1819.	——	G.	h.	Sweet ger. 1. t. 78.
243	pectinifòlium. s.g. (*li.*)	Scallop-shell-l^d.	———	1820.	——	G.	h.	——— 1. t. 66.
244	Thynnèæ. s.g. (*pu.*)	Lady Bath's.	———	1815.	——	G.	h.	——— 1. t. 74.
245	obtusifòlium. s.g. (*li.*)	blunt-leaved.	———	——	——	G.	h.	——— 1. t. 25.
246	Beadòniæ. s.g. (*pu.*)	Mrs. Beadon's.	———	——	——	G.	h.	——— 2. t. 191.
247	adulterìnum. dc. (*pu.*)	hoary-trifid-l^d.	———	1785.	4. 6.	G.	h.	——— 1. t. 22.
248	dilatilòbum. s.g. (*bh.*)	dilated-lobed.	———	1826.	——	G.	h.	——— 4. t. 378.
249	gráphicum. s.g. (*pu.*)	written-petal'd.	———	——	——	G.	h.	——— ser. 2. t. 12.
250	obtusilòbum. s.g. (*pu.*)	blunt-lobed.	———	1806.	5. 10.	G.	h.	——— 1. t. 8.
251	Comptòniæ. s.g. (*li.*)	L^d. Northampton's	———	1818.	——	G.	h.	——— 2. t. 122.
252	affiùens. s.g. (*li.*)	numerous-fl^d.	———	1821.	——	G.	h.	——— 2. t. 194.
253	Saundérsii. s.g. (*pu.*)	Saunders's.	———	——	——	G.	h.	——— 3. t. 205.
254	atropurpùreum. s.g. (*pu.*)	dark purple.	———	1822.	——	G.	h.	——— 2. t. 152.
255	corúscans. s.g. (*d.re.*)	glittering.	———	1821.	——	G.	h.	——— 2. t. 173.
256	concínnum. s.g. (*re.*)	comely.	———	1819.	——	G.	h.	——— 2. t. 106.
257	Seymóuriæ. s.g. (*pu.*)	Mrs. Seymour's.	———	——	——	G.	h.	——— 1. t. 37.
258	Lousadiànum. s.g. (*bh.*)	Miss Lousada's.	———	——	——	G.	h.	——— 1. t. 44.
259	lépidum. s.g. (*li.*)	pretty.	———	1822.	——	G.	h.	——— 2. t. 156.
260	inscríptum. s.g. (*std.*)	scribbled.	———	——	——	G.	h.	——— 2. t. 193.
261	labyrínthicum. (*std.*)	labyrinth-mark'd.	———	——	——	G.	h.	
262	planifòlium. s.g. (*li.d.*)	flat-leaved.	———	1823.	——	G.	h.	Sweet ger. 3. t. 219.
263	incanéscens. s.g. (*pu.*)	whitish-leaved.	———	——	6. 12.	G.	h.	——— 3. t. 203.
264	notàtum. s.g. (*pu.*)	marked-petal'd.	———	1821.	5. 10.	G.	h.	——— 3. t. 206.
265	undulæfòlium. s.g. (*bh.*)	waved-flower'd	———	1824.	——	G.	h.	——— 4. t. 329.
266	lineàtum. s.g. (*st.d.*)	striped-flower'd.	———	1810.	——	G.	h.	——— 1. t. 16.
267	dumòsum. s.g. (*pu.*)	bushy.	———	1816.	——	G.	h.	——— 1. t. 19.
268	Scarboròviæ. s.g. (*d.li.*)	L. Scarborough's	———	1817.	——	G.	h.	——— 2. t. 117.
269	pustulòsum. s.g. (*bh.*)	blistered-leav'd.	———	1816.	5. 10.	G.	h.	——— 1. t. 11.
270	bellùlum. s.g. (*pu.*)	neat.	———	——	——	G.	h.	——— 1. t. 60.
	moschàtum. a.g.c. ic.							
271	Fairlièæ. s.g. (*ro.*)	Mrs. Fairlie's.	———	1821.	——	G.	h.	Sweet ger. 2. t. 178.
272	scintillans. s.g. (*sa.*)	sparkling.	———	1812.	——	G.	h.	——— ——— 1. t. 28.
273	platypètalon. s.g. (*w.*)	broad-petaled.	———	——	——	G.	h.	——— ——— 2. t. 116.
	α rigidum. s.g. (*wh.*)	*rigid.*	———	——	——	G.	h.	——— ——— 2. t. 116. f. a.
	β hirsùtum. s.g. (*w.*)	*hairy.*	———	——	——	G.	h.	——— ——— 2. t. 116. f. b.
274	optábile. s.g. (*wh.*)	desirable.	———	——	——	G.	h.	——— ——— 1. t. 62.
275	ornàtum. s.g. (*wh.*)	ornate.	———	1817.	——	G.	h.	——— ——— 1. t. 39.
276	modéstum. s.g. (*bh.*)	modest.	———	1822.	——	G.	h.	——— ——— 3. t. 204.
277	rhodoléntum. s.g. (*bh.*)	rose-smelling.	———	1824.	——	G.	h.	——— ——— 3. t. 291.
278	picturàtum. s.g. (*d.bh.*)	pictured.	———	1827.	——	G.	h.	——— ——— ser. 2. t. 34.
279	papyràceum. s.g. (*w.*)	paper-white.	———	——	——	G.	h.	——— ——— ser. 2. t. 22.
280	Newshamiànum. s.g. (*bh.*)	Miss Newsham's.	———	1821.	——	G.	h.	——— ——— 2. t. 144.
281	Cosmiànum. s.g. (*w.*)	perfumed.	———	——	——	G.	h.	——— ——— 2. t. 189.
282	Brightiànum. s.g. (*w.*)	Miss Bright's.	———	1823.	——	G.	h.	——— ——— 3. t. 227.
283	depéndens. s.g. (*wh.*)	pendent-petal'd.	———	——	——	G.	h.	——— ——— 2. t. 195.
284	Mattocksiànum. s.g. (*wh.*)	Mrs. Sweet's.	———	——	——	G.	h.	——— ——— 3. t. 234.
285	venústum. s.g. (*bh.*)	comely-flower'd.	———	1822.	——	G.	h.	——— ——— 2. t. 167.
286	tínctum. s.g. (*w.pu.*)	stained	———	1826.	——	G.	h.	——— ——— ser. 2. t. 29.

287	obscàrum. s.G. (*wh.d.*) darkened-pet'd.	———	1818.	——	G.	h.	Sweet ger. 1. t. 89.
288	strofiscum. s.G. (*d.pu.*) dark-brown.	———	——	——	G.	h.	——— 1. t. 82.
289	acutilòbum. s.G. (*wh.*) acute-lobed.	———	1822.	——	G.	h.	——— 2. t. 184.
290	compár. C.C. (*wh.p.*) partner.	———	1818.	——	G.	h.	
291	Hoareànum. s.G. (*bh.p.*) fair Rosamond.	———	——	——	G.	h.	Sweet ger. 1. t. 80.
292	Lambérti. s.G. (*pu.*)) Lambert's.	———	——	——	G.	h.	——— 2. t. 104.
293	recurvàtum. s.G. (*li.*) recurved-pet'd.	———	——	——	G.	h.	——— 3. t. 223.
294	divérgens. s.G. (*li.*) spreading-petal'd	———	1826.	——	G.	h.	——— ser. 2. t. 39.
295	penicillàtum. W.en. (*wh.*) pencilled.	———	1794.	——	G.	h.	Willd. h. ber. 1. t. 37.
296	dentàtum. A.G. (*re.*) toothed.	———	....	——	G.	h.	Andr. geran. c. ic.
297	florèscens. H.G. (*wh.*) triangular-l^{d}.	———	1818.	——	G.	h.	
298	Sabìni. H.s. (*pu.*) Sabine's.	———	1821.	——	G.	h.	
299	betulìnum. DC. (*pu.*) Birch-leaved.	C. B. S.	1759.	——	G.	h.	Bot. mag. 148.
300	alnifòlium. W.en. (*fl.*) Alder-leaved.	Hybrid.	....	——	G.	h.	
301	betulæfòlium. Sch. (*bh.*) Birch-like.	———	....	——	G.	h.	
302	Willdenówii. s. (*bh.*) Willdenow's.	———	....	——	G.	h.	
303	hermannifòlium. DC. (*bh.*) Hermannia-l^{d}.	C. B. S.	....	4. 6.	G.	h.	Jacq. ic. rar. 3. t. 545.
304	rígidum. DC. (*wh.*) rigid.	———	1790.	5. 8.	G.	h.	
305	ribifòlium. DC. (*wh.*) Currant-leaved	———	1798.	——	G.	h.	Jacq. ic. rar. 3. t. 538.
306	odoríferum. (*wh.*) odoriferous.	———	....	——	G.	h.	Andr. geran. c. ic.
	Gerànium scábrum. A.G. *nec aliorum.*						
307	jocándum. H.G. (*li.*) pleasant.	Hybrid.	1818.	——	G.	h.	
308	Broadlèiæ. C.C. (*pu.*) Mrs. Broadley's.	———	——	——	G.	h.	Andr. geran. c. ic.
309	propínquum. C.C. (*li.*) neighbouring.	———	1818.	——	G.	h.	
310	decòrum. s.G. (*li.*) neat-flowered.	———	——	——	G.	h.	Sweet ger. ser. 2. t. 15.
311	delicàtum. H.G. (*li.*) delicate.	———	——	——	G.	h.	——— 3. t. 267.
312	semitrilòbum. DC. (*fl.*) three-lobed.	C. B. S.	1800.	4. 7.	G.	h.	Jacq. schœn. 2. t. 139.
313	Irbyànum. C.C. (*re.*) Irby's.	Hybrid.	....	——	G.	h.	Andr. geran. c. ic.
314	zingiberìnum. s.G. (*bh.*) Ginger-scented.	———	1826.	——	G.	h.	Sweet ger. ser. 2. t. 42.
315	mixtum. s.G. (*bh.*) mixed.	———	1819.	5. 8.	G.	h.	——— 1. t. 71.
316	myrtìllum. H.s. (*pu.*) Myrtle-scented.	———	1820.	——	G.	h.	
317	rùbidum. (*pu.*) red-purple.	C. B. S.	1805.	——	G.	h.	Andr. geran. c. ic.
	Gerànium rùbens. A. G. *non* Wendl.						
318	spùrium. W.en. (*pu.*) spurious.	Hybrid.	....	——	G.	h.	
319	nóthum. W.en. (*pu.*) mungrel.	———	....	——	G.	h.	
320	crispum. DC. (*li.*) curl-leaved.	C. B. S.	1774.	6. 11.	G.	h.	Sweet ger. 4. t. 383.
321	grátum. W. en. (*bh.*) grateful-scent'd.	Hybrid.	....	4. 8.	G.	h.	
322	consanguíneum. W. en. (*pu.*) kindred.	———	....	——	G.	h.	
323	pállidum. W.en. (*pu.*) pale-flowered.	———	....	——	G.	h.	
324	citriodòrum. (*wh.*) Citron-scented.	C. B. S.	....	——	G.	h.	Andr. geran. c. ic.
325	uniflòrum. DC. (*fl.*) one-flowered.	———	....	——	G.	h.	
326	limònium. s.G. (*pu.*) Lemon-scented.	Hybrid.	1823.	——	G.	h.	Sweet ger. 3. t. 278.
327	notábile. H.G. (*li.*) Hoare's Harlequin.	———	1822.	——	G.	h.	
328	scábrum. DC. (*li.*) rough wedge-l^{d}.	C. B. S.	1775.	——	G.	h.	L'Herit. ger. t. 31.
329	tricuspidàtum. DC. (*wh.*) three-point'd.	———	1780.	——	G.	h.	——— t. 30.
330	Perryànum. C.C. (*wh.*) Perry's.	Hybrid.	1816.	——	G.	h.	
331	glaucoides. W.C. (*wh.*) glaucum-like.	———	——	——	G.	h.	Wendl. coll. ic.
332	glàucum. DC. (*wh.*) glaucous-leaved.	C. B. S.	1775.	6. 8.	G.	h.	Sweet ger. 1. t. 57.
333	lanceolàtum. (*wh.*) lance-leaved.	———	——	——	G.	h.	Andr. geran. c. ic.
334	diversifòlium. W.C. (*wh.*) different-l^{d}.	———	1794.	——	G.	h.	Wendl. coll. ic.
335	cuspidàtum. DC. (*wh.*) sharp-pointed.	———	....	——	G.	h.	
336	sorórium. DC. (*wh.*) sister.	Hybrid.	....	——	G.	h.	
337	Tankervilliæ. H.G. (*wh.*) Lady Tankerville's	———	....	——	G.	h.	
338	acutifòlium. (*wh.*) acute-leaved.	———	1821.	——	G.	h.	
339	trifurcàtum. C.C. (*wh.*) three-forked.	———	....	——	G.	h.	
340	lævigàtum. DC. (*wh.*) glaucous trifid-l.	C. B. S.	....	——	G.	h.	Cav. dis. 4. t. 121. f. 1.
341	trifoliatum. s.G. (*wh.*) trifoliate-leaved.	———	1799.	——	G.	h.	Sweet ger. 3. t. 294.
	oxyphy'llum. DC. *Gerànium trifoliàtum.* A.G. ic.						
342	pátulum. DC. (*re.*) spreading.	———	1812.	4. 7.	G.	h.	Jacq. ic. rar. 3. t. 541.
343	hepaticifòlium. DC. (*li.*) Hepatica-l^{d}.	———	1791.	5. 8.	G.	h.	
344	mitellæfòlium. (*wh.*) Mitella-leaved.	———	1791.	5. 10.	G.	h.	Andr. geran. c. ic.
	Gerànium hepaticifolium. A.G. *nec aliorum.*						
345	fuscàtum. DC. (*re.*) dark-marked.	———	1812.	——	G.	h.	Jacq. ic. rar. 3. t. 540.
346	sanicuiæfòlium. DC. (*pu.*) Sanicle-leav'd	———	1806.	6. 9.	G.	h.	——— 3. t. 539.
	cortusæfòlium. Jacq. *non* L. Her.						
347	crenæflòrum C.C. (*w.*) notch'd-petaled.	Hybrid.	1817.	——	G.	h.	
348	sceleràtum. C.C. (*wh.*) Celery-leaved.	———	1819.	——	G.	h.	
349	viridifòlium. s.G. (*ss.*) bright-green-l^{d}.	———	1825.	5. 9.	G.	h.	Sweet ger. 4. t. 331.
350	expánsum. (*re.*) expanded.	———	1823.	5. 10.	G.	h.	

351	multidentàtum. (*re.*) many-toothed.	Hybrid.	1823.	5. 10.	G.	h.		
352	grandidentàtum. s.G. large-toothed.	———	——	——	G.	h.	Sweet ger. 3. t. 217.	
353	Belladónna. s.G.(*bh.*) painted-lady.	———	——	——	G.	h.	——— 3. t. 270.	
354	triúmphans. c.c. (*bh.*) triumphant.	———	1818.	——	G.	h.		
355	serratifòlium. s.G.(*bh.*) saw-leaved.	———	1822.	——	G.	h.	Sweet ger. 3. t. 221.	
356	variegàtum. DC.(*wh.*) variegated-fl^d.	C. B. S.	1812.	——	G.	h.	Cav. dis. 4. t. 118. f. 3.	
357	amplíssimum. W.C.(*wh.*) stately.	Hybrid.	1796.	——	G.	h.	Wendl. coll. ic.	
	*Geràn*i*um grandiflòrum.* var. A.G. c. ic. *Formanni.* Hort.							
358	grandiflòrum. DC.(*wh.*) great-flower'd.	C. B. S.	1794.	——	G.	h.	Sweet ger. 1. t. 29.	
359	Parmentiéri. c.c.(*wh.*) Parmentier's.	Hybrid.	1822.	——	G.	h.		
360	delphinifòlium. DC.(*vi.*) Larkspur-l^d.	———	....	——	G.	h.		
361	gossypiifòlium. (*li.*) Cotton-tree-l^d.	———	1805.	5. 10.	G.	h.	Andr. ger. c. ic.	
	*Geràn*i*um grandiflòrum.* var. *carnea.* A.G.							
362	eléctum. s.G. (*wh.*) elect.	Hybrid.	1804.	——	G.	h.	Sweet ger. 3. t. 238.	
363	asperifòlium. s.G.(*re.*) rough-leaved.	———	1807.	——	G.	h.	——— 2. t. 109.	
364	Curtisiànum. DC.(*wh.*) Curtis's.	———	....	——	G.	h.		
365	nòbile. DC. (*li.*) noble.	———	1822.	——	G.	h.		
366	opulifòlium. s.G. (*sa.*) Guelder-Rose-l^d.	———	1819.	——	G.	h.	Sweet ger. 1. t. 53.	
367	malvàceum. (*bh.*) Mallow-like.	———	....	——	G.	h.		
368	hæmastictum. s.G.(*bh.*) blood-spotted.	———	1827.	——	G.	h.	Sweet ger. ser. 2. t. 18.	
369	psilophy'llum. s.G.(*re.*) smooth-leaved.	———	1825.	——	G.	h.	——— 4. t. 356.	
370	lùcidum. s.G. (*bh.*) glossy-leaved.	———	1826.	——	G.	h.	——— 4. t. 373.	
371	Princeànum. s.G.(*wh.*) Prince's.	———	1827.	——	G.	h.	——— 4. t. 386.	
372	clàrum. s.G. (*wh.*) clear white.	———	1826.	——	G.	h.	——— 4. t. 366.	
373	recurvifòlium. s.G.(*wh.*) recurve-leav'd.	———	1825.	——	G.	h.	——— 4. t. 343.	
374	bryoniæfòlium. s.G.(*bh.*) Bryony-leav'd.	———	1824.	——	G.	h.	——— 4. t. 320.	
375	Richiànum. s.G.(*bh.*) Miss Rich's.	———	1826.	——	G.	h.	——— 4. t. 370.	
376	platanifòlium. s.G.(*li.*) Plane-leaved.	———	1824.	——	G.	h.	——— 4. t. 326.	
377	verecúndum. s.G.(*pi.*) blushing.	———	——	——	G.	h.	——— 4. t. 316.	
378	macránthon. s.G.(*wh.*) large-flowered.	———	1821.	——	G.	h.	Sweet ger. 1. t. 83.	
379	Coúttsiæ. s.G. (*sa.*) Mrs. Coutts's.	———	1822.	——	G.	h.	——— 3. t. 269.	
380	rùtilum. c.c. (*sa.*) light red.	———	1821.	——	G.	h.		
381	schizophy'llum. s.G.(*sa.*) jagged.	———	1822.	——	G.	h.	Sweet ger. 3. t. 289.	
382	Barnardiànum. s.G.(*sa.*) Mr. Barnard's.	———	1820.	——	G.	h.	——— 2. t. 127.	
383	mucronàtum. s.G.(*d.re.*) mucronate.	———	1823.	——	G.	h.	——— 3. t. 275.	
384	Gurneyànum. s.G.(*d.re.*) Mr. Gurney's.	———	1826.	——	G.	h.	——— 4. t. 398.	
385	argùtum. s.G. (*sc.*) sharp-toothed.	———	1824.	——	G.	h.	——— 4. t. 344.	
386	latifòlium. s.G. (*re.*) broad-leaved.	———	——	——	G.	h.	——— 4. t. 335.	
387	megalánthum. s.G.(*re.*) grand-flowered.	———	1826.	——	G.	h.	——— ser. 2. t. 4.	
388	megàleion. s.G. (*sc.*) magnificent.	———	——	——	G.	h.	——— ser. 2. t. 5.	
389	cratægifòlium. s.G.(*re.*) Hawthorn-l^d.	———	1824.	——	G.	h.	——— ser. 2. t. 19.	
390	coilophy'llum. (*re.*) hollow-leaved.	———	1827.	——	G.	h.	——— ser. 2. t. 33.	
391	Clintòniæ. s.G. (*re.*) Ds. of Newcastle's.	———	——	——	G.	h.	——— 4. t. 392.	
392	campylosépalon. s.G.(*pu.*) reflex-calyxed.	———	1826.	——	G.	h.	——— 4. t. 379.	
393	Nàirnii. s.G. (*d.re.*) Nairn's.	———	1825.	——	G.	h.	——— 4. t. 376.	
394	rhodánthum. s.G.(*ro.*) rose-colour'd.	———	1824.	——	G.	h.	——— 3. t. 282.	
395	rhodopétalon. s.G.(*ro.*) rosy-petal'd.	———	1826.	——	G.	h.	——— ser. 2. t. 14.	
396	acutidentàtum. s.G.(*sa.*) acute-toothed.	———	1827.	——	G.	h.	——— ser. 2. t. 40.	
397	Milleri. (*re.*) Mr. Miller's.	———	1824.	——	G.	h.		
398	conchiifòlium. (*li.*) shell-leaved.	———	1820.	——	G.	h.		
399	striàtum. s.G. (*bh.*) streak-flowered.	———	1818.	3. 8.	G.	h.	Sweet ger. 1. t. 1.	
400	rigéscens. s.G. (*li.*) stiff-leaved.	———	——	4. 9.	G.	h.	——— 2. t. 112.	
401	eriophy'llum. s.G.(*pu.*) woolly round-l^d.	———	——	5. 10.	G.	h.	——— 2. t. 141.	
402	intermíxtum. (*li.*) intermixed.	———	——	4. 8.	G.	h.		
403	abutiloides. s.G.(*pu.*) Abutilon-like.	———	1820.	4. 9.	G.	h.	Sweet ger. ser. 2. t. 3.	
404	cordàtum. DC. (*pu.*) heart-leaved.	C. B. S.	1774.	3. 8.	G.	h.	——— 1. t. 67.	
405	conduplicàtum. DC.(*pu.*) curl'd-heart-l^d.	Hybrid.	....	——	G.	h.		
406	rubro-cínctum. DC.(*pu.*) red-edged.	———	....	——	G.	h.		
407	Góweri. s.G. (*pi.*) Mr. Levison Gower's.	———	1825.	5. 8.	G.	h.	Sweet ger. 4. t. 333.	
408	papilionàceum. DC.(*pu.*) Butterfly.	C. B. S.	1724.	4. 7.	G.	h.	——— 1. t. 27.	
409	tomentòsum. DC.(*wh.*) Pennyroyal.	———	1790.	——	G.	h.	——— 2. t. 168.	
410	vitifòlium. DC. (*li.*) Vine-leaved.	———	1724.	4. 8.	G.	h.	Cav. dis. 4. t. 111. f. 2.	
411	capitàtum. DC. (*li*) Rose-scented.	———	1690.	——	G.	h.	——— 4. t. 105. f. 1.	
412	cóncolor. s.G. (*re.*) self-coloured.	Hybrid.	1820.	——	G.	h.	Sweet ger. 2. t. 140.	
	β májor. s.G. (*cr.*) *larger.*	———	——	——	G.	h.	——— 2. t. 140. f. b.	
413	congéstum. s.G. (*pu.*) close-headed.	———	1825.	——	G.	h.	——— 4. t. 325.	
414	calamistràtum. s.G.(*pu.*) curled-lobed.	———	1828.	——	G.	h.	——— ser. 2. t. 36.	
415	gravèolens. DC. (*li.*) Odour of Rose.	C. B. S.	1774.	3. 7.	G.	h.	L'Herit. ger. t. 17.	
	β variegàtum. (*li.*) *striped-leaved.*	———	....	——	G.	h.	Andr. geran. c. ic.	
	*Geràn*i*um capitàtum.* var. A.G.							

416	**áspe**rum. DC.	(*fl.*) rough multifid.	C. B. S.	1795.	5. 9.	G.	ħ.	Roth. abh. p. 51. t. 10.
417	**Rádula.** DC.	(*li.*) rasp-leaved.	———	1774.	3. 7.	G.	ħ.	L'Herit. ger. t. 16.
418	**balsámeum.** DC.	(*fl.*) balsamic.	———	1790.	5. 9.	G.	ħ.	Jacq. ic. rar. 3. t. 53.
419	**Vandèsiæ.** S.G.	(*bh.*) Comtesse de Vandes'.	Hybrid.	1818.	——	G.	ħ.	Sweet ger. 1. t. 7.
420	**hispidum.** DC.	(*wh.*) hispid.	C. B. S.	1790.	——	G.	ħ.	Cav. dis. 4. t. 110. f. 1.
421	**callistom.** S.G.	(*su.*) graceful.	———	1827.	——	G.	ħ.	Sweet ger. ser. 2. t. 9.
422	**anthemifólium.**	(*re.*) Anthemis-l^{d}.	Hybrid.	1822.	——	G.	ħ.	
423	**pyrethriifólium.** S.G.	(*sc.*) Feverfew-l^{d}.	———	1821.	——	G.	ħ.	Sweet ger. 2. t. 153.
424	**tanacetifólium.** S.G.	(*re.*) Tansy-leaved.	———	1824.	——	G.	ħ.	——— 4. t. 336.
425	**sphærocéphalon.** S.G.	(*sc.*) round-headed.	———	——	——	G.	ħ.	——— 4. t. 317.
426	**Moreànum.** S.G.	(*sc.*) More's victory.	———	1823.	——	G.	ħ.	——— 3. t. 285.
427	**obcordàtum.** S.G.	(*sc.*) obcordate-petal'd.	———	——	——	G.	ħ.	——— 4. t. 310.
428	**cuneifòrum.** S.G.	(*sc.*) wedge-petal'd.	———	1825.	——	G.	ħ.	——— 4. t. 330.
429	**chrysanthemifólium.**	(*sc.*) Chrysanthm.-l^{d}.	———	1821.	4. 10.	G.	ħ.	——— 2. t. 124.
430	**Dobreeànum.** S.G.	(*sc.*) Mrs. Dobree's.	———	1818.	——	G.	ħ.	——— 3. t. 253.
431	**Bisshóppæ.** S.G.	(*sc.*) Mrs. Bisshopp's.	———	1822.	——	G.	ħ.	——— 3. t. 272.
432	**signàtum.** S.G.	(*re.*) marked-leaved.	———	——	——	G.	ħ.	——— 3. t. 265.
433	**Spìnii.** C.R.	(*bh.d.*) Spin's.	———	....	——	G.	ħ.	——— 4. t. 362.
434	**quercifólium.** DC.	(*bh.*) Oak-leaved.	C. B. S.	1774.	3. 8.	G.	ħ.	L'Herit. ger. t. 14.
	bipinnatifidum.	(*bh.*) *bipinnatifid.*	———	——	——	G.	ħ.	——— t. 15.
435	**tortuòsum.** S.G.	(*li.*) twisted-petal'd.	———	1826.	——	G.	ħ.	Sweet ger. ser. 2. t. 43.
436	**exímium.** S.G.	(*pi.*) select.	Hybrid.	1818.	4. 8.	G.	ħ.	——— 1. t. 26.
437	**Esséxiæ.** C.C.	(*pi.*) Lady Essex's.	———	——	——	G.	ħ.	
438	**oblàtum.** S.G.	(*pi.*) oblate-leaved.	———	——	——	G.	ħ.	Sweet ger. 1. t. 35.
439	**Murryànum.** S.G.	(*bh.*) Ld. Jas. Murray's.	———	——	——	G.	ħ.	——— 2. t. 164.
440	**calocéphalon.** S.G.	(*bh.*) pretty-headed.	———	1820.	——	G.	ħ.	——— 3. t. 201.
441	**obovàtum.** S.G.	(*li.*) obovate-petal'd.	———	1825.	——	G.	ħ.	——— 4. t. 367.
442	**dilatàtum.** S.G.	(*li.*) dilated-leav'd.	———	1824.	——	G.	ħ.	——— 4. t. 314.
443	**angústum.** DC.	(*bh.*) angust.	———	1809.	——	G.	ħ.	Andr. geran. c. ic.
	β Brùcii. C.C.	(*bh.*) *Bruce's.*	———	....	——	G.	ħ.	
444	**Breesiànum.** S.G.	(*pi.*) Breese's.	———	1818.	——	G.	ħ.	Sweet ger. 1. t. 64.
445	**Husseyànum.** S.G.	(*pu.*) Lady Hussey's.	———	——	——	G.	ħ.	——— 1. t. 92.
446	**Wellsiànum.** S.G.	(*sc.*) Mr. Wells's.	———	1822.	3. 8.	G.	ħ.	——— 1. t. 175.
447	**Kíngii.** S.G.	(*sc.*) Mr. King's.	———	——	3. 12.	G.	ħ.	——— 3. t. 248.
448	**Scóttii.** S.G.	(*sc.*) Sir. C. Scott's.	———	——	3. 9.	G.	ħ.	——— 3. t. 264.
449	**Pálkii.** S.G.	(*cr.*) Mr. Palk's.	———	——	1. 12.	G.	ħ.	——— 3. t. 224.
450	**rotundilòbum.** S.G.	(*sc.*) round-lobed.	———	1823.	3. 9.	G.	ħ.	——— 3. t. 252.
451	**latilòbum.** S.G.	(*sc.*) broad-lobed.	———	——	——	G.	ħ.	——— 3. t. 236.
452	**Russellìànum.** S.G.	(*sc.*) Russell's.	———	1826.	4. 9.	G.	ħ.	——— 4. t. 385.
453	**translùcens.** S.G.	(*sc.*) transparent.	———	1824.	——	G.	ħ.	——— 4. t. 400.
454	**Barclayànum.** S.G.	(*sc.*) Mr. Barclay's.	———	——	——	G.	ħ.	——— 4. t. 384.
455	**Harewoòdiæ.** S.G.	(*d.re.*) Lady Harewood's.	———	1826.	——	G.	ħ.	——— 4. t. 389.
456	**Stewártii.** S.G.	(*da.sc.*) Mr. Stewart's.	———	1825.	——	G.	ħ.	——— 4. t. 353.
457	**lasiophy'llum.** S.G.	(*sa.*) woolly-divided-l^{d}.	———	——	——	G.	ħ.	——— 3. t. 296.
458	**Lechiànum.** DC.	(*bh.*) acute-notched.	———	1820.	——	G.	ħ.	
459	**jatrophæfólium.** DC.	(*fl.*) Jatropha-l^{d}.	———	——	——	G.	ħ.	
460	**denticulàtum.** DC.	(*li.*) tooth-leaved.	C. B. S.	1789.	5. 8.	G.	ħ.	Sweet ger. 2. t. 109.
461	**viscosíssimum.** S.G.	(*bh.*) viscous.	———	1820.	3. 8.	G.	ħ.	——— 2. t. 118.
	α álbum.	(*wh.*) *white-flowered.*	———	——	——	G.	ħ.	
	β cárneum.	(*fl.*) *flesh-coloured.*	———	——	——	G.	ħ.	
462	**carbasìnum.** S.G.	(*su.*) linen-flower'd.	Hybrid.	1827.	——	G.	ħ.	Sweet ger. ser. 2. t. 38.
463	**glutinòsum.** DC.	(*fl.*) clammy.	C. B. S.	1777.	5. 6.	G.	ħ.	L'Herit. ger. t. 20.
	β nigréscens.	(*fl.*) *black-marked.*	———	——	——	G.	ħ.	Bot. mag. 143.
464	**cynosbatifólium.** DC.	(*li.*) Cynosbati-l^{d}.	Hybrid.	....	4. 8.	G.	ħ.	Sweet ger. 3. t. 259.
	Gerànium oxoniénse. A.G. ic.							
465	**verbenæfólium.** S.G.	(*li.*) Vervain-l^{d}.	Hybrid.	1818.	——	G.	ħ.	Sweet ger. 2. t. 149.
	piperàtum. DC ?							
466	**melissinum.** S.G.	(*da.*) Balm-scented.	Hybrid.	——	——	G.	ħ.	Sweet ger. 1. t. 5.
467	**volatilòrum.** S.G.	(*sc.*) flying-flower'd.	———	1823.	——	G.	ħ.	——— 3. t. 284.
468	**brèvipes.**	(*sc.*) short-peduncled.	———	1824.	——	G.	ħ.	
469	**ternàtum.** DC.	(*li.*) ternate-leaved.	C. B. S.	1789.	5. 8.	G.	ħ.	Sweet ger. 2. t. 165.
470	**patentíssimum.** W.C.	(*li.*) most-spreading.	———	1822.	——	G.	ħ.	Wendl. coll. ic.
471	**spinòsum.** DC.	(*st.*) thorny.	———	1795.	5. 6.	G.	ħ.	Paters. it. t. ad. p. 67.
472	**tripartìtum.** S.G.	(*st.*) brittle-stalked.	———	1789.	5. 8.	G.	ħ.	Sweet ger. 2. t. 115.
	Gerànium frágile. A.R. 37.							
473	**incìsum.** DC.	(*st.*) cut-leaved.	———	1791.	——	G.	ħ.	Sweet ger. 1. t. 93.
474	**canéscens.** S.G.	(*bh.*) canescent.	———	....	——	G.	ħ.	
475	**abrotanifólium.** DC.	(*bh.*) Southernwood-l^{d}.	———	1791.	——	G.	ħ.	Jacq. schœn. 2. t. 136.
476	**artemisiæfólium.** DC.	Wormwood-l^{d}.	———	1817.	——	G.	ħ.	

477	fràgrans. DC.	(*wh.*) Nutmeg-scent'd.	Hybrid.	....	5. 10.	G. ♄.	Sweet ger. 2. t. 172.
478	odoratìssimum. DC.	(*wh.*) sweet-scent'd.	C. B. S.	1724.	——	G. ♄.	——— 3. t. 299.
479	exstipulàtum. DC.	(*bh.*) soft trifid-ld.	———	1779.	——	G. ♄.	L'Herit. ger. t. 35.
	Gerànium suavèolens. A.G. ic.						
480	disséctum. S.G.	(*wh.*) dissected-ld.	Hybrid.	1822.	5. 11.	G. ♄.	Sweet ger. 3. t. 247.
481	glomeràtum. DC.	(*w.*) close-headed.	N. S. W.	1792.	5. 8.	G. ♄.	Jacq. fl. ecl. 1. t. 98.
	austràle. S.G. 68. *non* DC.						
482	austràle. DC.	(*wh.*) New Holland.	———	——	——	G. ♃.	Jacq. fl. ecl. 1. t. 100.
483	inodòrum. DC.	(*w.pu.*) scentless.	———	1796.	3. 8.	G. ♃.	Sweet ger. 1. t. 56.
484	columbìnum. DC.	(*pu.*) Doves-foot.	C. B. S.	1795.	6. 10.	G. ♃.	Jacq. schœn. 2. t. 138.
485	procúmbens. DC.	(*bh.*) procumbent.	———	1801.	4. 5.	G. ♃.	Andr. bot. rep. 234.
486	humifùsum. DC.	(*bh.*) trailing.	Canaries.	——	4. 10.	H. ☉.	Sweet ger. 1. t. 42.
487	chamædryfòlium. DC.	(*wh.*) Chamædrys-ld.	C. B. S.	1812.	5. 6.	G. ♃.	Jacq. ic. rar. 3. t. 523.
488	althæoìdes. DC.	(*wh.*) Althæa-leaved.	———	1724.	4. 6.	G. ♂.	L'Herit. ger. t. 10.
489	grossularioìdes. DC.	(*fl.*) Gooseberry-ld.	———	1731.	4. 8.	G. ♃.	Cav. dis. 4. t. 119. f. 2.
490	ancéps. DC.	(*pu.*) flat-stalked.	———	1788.	5. 7.	G. ♃.	Jacq. col. 4. t. 22. f. 3.
491	parviflòrum. A.G.	(*pu.*) small-flowered.	———	1800.	——	G. ♃.	Andr. geran. c. ic.
492	acugnàticum. L.T.	(*re.*) Tristan d'Acuna.	T.d'Acunna.	1818.	——	G. ♃.	
493	senecioìdes. DC.	(*wh.*) Groundsel-ld.	C. B. S.	1775.	6. 7.	G. ☉.	Sweet ger. 4. t. 327.
494	alchimilloìdes. DC.	(*wh.*) mantle-leaved.	———	1693.	5. 10.	G. ♃.	Cav. dis. 4. t. 98. f. 1.
495	Heritièri. Jacq.	(*wh.*) L'Heritier's.	———	1820.	——	G. ♃.	
496	tabulàre. DC.	(*wh.*) rough-stalked.	———	1775.	5. 8.	G. ♄.	L'Herit. ger. t. 9.
497	ovàle. DC.	(*ro.*) oval-leaved.	———	1774.	——	G. ♄.	Sweet ger. 3. t. 235.
498	élegans. DC.	(*wh.pu.*) elegant.	———	1795.	——	G. ♄.	And. repos. 96.
	α major. S.G.	(*wh.*) *smaller-flowered.*	———	——	——	G. ♄.	Sweet ger. 1. t. 36. f. a.
	β minor. S.G.	(*v.*) *larger-flowered.*	———	——	——	G. ♄.	——— 1. t. 36. f. b.
499	schizopétalum. S.G.	(*y.br.*) divided-petal'd.	———	1821.	6. 10.	G. ♄.	——— 3. t. 232.
500	pinguifòlium. S.G.	(*bh.*) greasy leaved.	Hybrid?	....	5. 10.	G. ♄.	——— 1. t. 52.
501	latéripes. DC.	(*va.*) Ivy-leaved.	C. B. S.	1787.	——	G. ♄. ⌣	L'Herit. ger. t. 24.
	α viridifòlium.	(*li.*) *green-leaved.*	———	——	——	G. ♄. ⌣	Andr. geran. c. ic.
	β zonàtum.	(*li.*) *Horseshoe-mark'd.*	———	——	——	G. ♄. ⌣	
	γ ròseum.	(*ro.*) *rose-coloured.*	———	——	——	G. ♄. ⌣	
	δ albomarginàtum. DC.	*white-margined.*	———	——	——	G. ♄. ⌣	Andr. geran. c. ic.
502	peltàtum. DC.	(*li.*) peltate-leaved.	———	1701.	——	G. ♄. ⌣	Bot. mag. 20.
	β variegàtum. A.G.	(*li.*) *variegated-ld.*	———	——	——	G. ♄. ⌣	Andr. geran. c. ic.
503	scutàtum. S.G.	(*wh.*) shield-leaved.	———	1819.	——	G. ♄. ⌣	Sweet ger. 1. t. 95.
JENKINS'ONIA. S.G.	JENKINS'ONIA.	Monadelphia Heptandria.					
1	tetragòna. S.G.	(*li.*) square-stalked.	C. B. S.	1774.	5. 8.	G. ♄. ⌣	Sweet ger. 1. t. 99.
	β variegàta.	(*li.*) *variegated.*	———	——	——	G. ♄. ⌣	——— — 1. t. 99.
2	quinàta. S.G.	(*st.*) quinate-leaved.	———	1793.	——	G. ♄.	——— 1. t. 79.
	Pelargònium quinàtum. B.M. 547. *Gerànium præmórsum.* A.R. 150.						
3	péndula. S.G.	(*pu.*) pendulous-branch'd.	———	....	5. 8.	G. ♄. ⌣	Sweet ger. 2. t. 188.
4	longicáulis. S.G.	(*bh.*) long-stalked.	———	....	——	G. ♄. ⌣	Jacq. ic. rar. 3. t. 533.
	Pelargònium longicáule. Jacq.						
5	anemonefòlia. S.G.	(*re.*) Anemone-ld.	———	....	——	G. ♄. ⌣	Jacq. ic. rar. 3. t. 535.
6	caucalifòlia. S.G.	(*bh.*) Caucalus-leav'd.	———	1812.	3. 9.	G. ♃.	——— 3. t. 529.
7	multicáulis. S.G.	(*wi.*) many-stalked.	———	1802.	6. 8.	G. ♃.	——— 3. t. 534.
8	lácera. S.G.	(*bh.*) torn-leaved.	———	1731.	——	G. ♃.	——— 3. t. 532.
9	Synnòti. S.G.	(*pu.*) Synnot's.	———	1825.	——	G. ♃.	Sweet ger. 4. t. 342.
10	coriandrifòlia. S.G.	(*bh.*) Coriander-l.	———	1724.	3. 9.	G. ♃.	——— 1. t. 34.
	Pelargònium coriandrifòlium. S.G.						
11	myrrhifòlia. S.G.	(*li.*) Myrrh-leaved.	———	1696.	5. 8.	G. ♄.	Jacq. ic. rar. 3. t. 531.
	Pelargonium betònicum. Jacq.						
12	bullàta. S.G.	(*wh.*) blistered.	———	....	——	G. ♄.	Jacq. ic. rar. 3. t. 530.
13	canariénsis.	(*wh.*) Canary.	Canaries.	1802.	5. 9.	G. ♂.	Willd. hort. ber. t. 17.
	Pelargònium canariénse. W.						
CIC'ONIUM. S.G.	CIC'ONIUM.	Monadelphia Heptandria.					
1	acetòsum. S.G.	(*sa.*) Sorrel-leaved.	C. B. S.	1710.	5. 9.	G. ♄.	Andr. geran. c. ic.
2	scándens. S.G.	(*ro.*) climbing.	———	1800.	——	G. ♄.	
3	stenopétalum. S.G.	(*sc.*) narrow-petal'd.	———	——	——	G. ♄.	
4	leptopétalum.	(*sc.*) slender-petal'd.	———	——	——	G. ♄. ⌣	Andr. geran. c. ic.
	Gerànium stenopétalum. A.G. *nec aliorum.*						
5	pùmilum. S.G.	(*sc.*) dwarf.	C. B. S.	——	——	G. ♄.	Andr. geran. c. ic.
	Gerànium zonàle minimum. A.G.						
6	laterítium. S.G.	(*sc.*) brick-coloured.	———	——	——	G. ♄.	Jacq. ecl. 1. t. 97. f. ult.
7	malvæfòlium.	(*li.*) Mallow-leaved.	———	1812.	——	G. ♄.	——— 1. t. 97.
	Pelargònium malvæfòlium. Jacq.						
8	heterogàmum. S,G.	(*li.*) six-stamened.	Hybrid.	1786.	——	G. ♄.	L'Herit. geran. t. 18.
9	álbidum. C.C.	(*wh.*) white-flowered.	C. B. S.	....	——	G. ♄.	

10 zonàle. s.G.	(va.)	horse-shoe.	C. B. S.	1710.	4. 12.	G. ♄.	Cav. dis. 4. t. 98. f. 2.
α lilacìnum.	(li.)	*lilac-coloured.*	———	——	——	G. ♄.	
β coccìneum.	(sc.)	*scarlet.*	———	——	——	G. ♄.	
γ crystallìnum.	(sc.)	*coral-stalked.*	———	——	——	G. ♄.	
δ marginàtum.	(sc.)	*white-edged.*	———	——	——	G. ♄.	
11 reticulàtum. s.G.	(sc.)	netted-veined.	Hybrid.	1810.	5. 10.	G. ♄.	Sweet ger. 2. t. 143.
12 Fothergìllii. s.G.	(sc.)	Fothergill's.	C. B. S.	....	——	G. ♄.	——— 3. t. 226.
α coccìneum.	(sc.)	*scarlet.*	———	——	——	G. ♄.	——— 3. t. 226. a.
β purpùreum.	(pu.)	*purple.*	———	——	——	G. ♄.	——— 3. t. 226. b.
13 mònstrum. s.G.	(pu.)	cluster-leaved.	Hybrid.	1784.	7. 8.	G. ♄.	——— 1. t. 13.
14 æqualiflòrum. c.c.	(sc.)	victory.	———	1819.	5. 10.	G. ♄.	
15 hybridum. s.G.	(sc.)	hybrid.	C. B. S.	1732.	——	G. ♄.	Sweet ger. 1. t. 63.
16 oxyphyllum. c.c.	(wh.)	sour-leaved.	Hybrid.	....	——	G. ♄.	Andr. geran. c. ic.
Gerànium miniàtum. v. album. A.G.							
17 hùmile.	(sc.)	low-spreading.	C. B. S.	....	——	G. ♄.	
18 crenàtum. s.G.	(sc.)	scolloped-l^d.	———	....	——	G. ♄.	Sweet ger. 4. t. 345.
19 bracteòsum.	(sc.)	large-bracted.	Hybrid.	....	——	G. ♄.	
Pelargònium bracteòsum. DC.							
20 Bentinckiànum.	(sc.)	Bentinck's.	C. B. S.	....	——	G. ♄.	Sweet ger. 4. t. 350.
Pelargònium Bentinckiànum. DC. *Gerànium crenatum ; var. mollifoliata.* A.G. c. ic.							
21 fùlgens. s.G.	(sc.)	Basilisk.	Hybrid.	1823.	——	G. ♄.	Sweet ger. 4. t. 339.
22 glabrifòlium. s.G.	(sc.)	smooth-leaved.	———	1825.	——	G. ♄.	——— 4. t. 363.
23 cerìnum. s.G.	(pi.)	wax-flowered.	Hybrid ?	....	——	G. ♄.	——— 2. t. 176.
24 inquinans. s.G.	(sc.)	staining-gland'd.	C. B. S.	1714.	5. 9.	G. ♄.	Andr. Geran. c. ic.
25 micránthum. s.G.	(sc.)	small-flowered.	———	....	——	G. ♄.	Sweet ger. 3. t. 295.

ISOPETALUM. S.G. ISOPE'TALUM. Monadelphia Pentandria.

1 Cotyledònis. s.G.	(wh.)	Hollyhock-l^d.	St. Helena.	1765.	5. 8.	G. ♄.	Sweet ger. 2. t. 126.
Pelargònium Cotyledònis. W.							
2? discipes. c.c.		central-stalked.	———	1808.	....	G. ♄.	

ORDO LII.

TROPÆOLEÆ. *DC. prodr.* 1. *p.* 683.

TROP'ÆOLUM. DC. INDIAN-CRESS. Octandria Monogynia. L.

1 minus. DC.	(ye.)	small.	Peru.	1596.	6. 10.	H. ☉.	Bot. mag. 98.
β flòre plèno.	(ye.)	*double-flowered.*	———	——	——	G. ♃.	
2 majus. DC.	(ye.)	great.	———	1686.	——	H. ☉.	Bot. mag. 23.
β flòre plèno.	(ye.)	*double-flowered.*	———	——	——	G. ♃.	
3 hybridum. DC.	(ye.)	hybrid.	Hybrid.	....	——	G. ♃.	Berg. act. holm. 32. t. 1.
4 adúncum. DC.	(ye.)	fringe-flower'd.	Peru.	1775.	——	G. ☉.	Bot. reg. t. 718.
peregrìnum. B.R. *non* L.							
5 pinnatum. DC.	(ye.)	pinnate-flower'd.	———	....	——	G. ♃.	Andr. reposit. t. 535.
6 tricolòrum. B.F.G.	(or.)	three-coloured.	Chile.	1828.	——	H. ♃.	Sweet br. fl. gar. 3. t. 270.

ORDO LIII.

BALSAMINEÆ. *DC. prodr.* 1. *p.* 685.

BALSAM'INA. DC. BALSAM. Pentandria Pentagynia.

1 horténsis. DC.	(v.)	garden.	E. Indies.	1596.	7. 10.	S. ☉.	Blackw. t. 589.
Impàtiens Balsamìna. L.							
2 coccínea. DC.	(sc.)	glandular-l^d.	———	1808.	6. 9.	S. ☉.	Bot. mag. 1256.
3 mysorénsis. DC.	(re.)	Mysore.	———	1828.	——	S. ☉.	
4 bífida. DC.	(re.)	bifid-spurred.	C. B. S.	1818.	7. 10.	H. ☉.	
5 capénsis. DC.	(re.)	Cape.	———	——	——	H. ☉.	

6 cochleàta. DC.	(*sc.*)	shell-spurred.	China.	1826.	——	H. ⊙.		
7 chinénsis. DC.	(*pu.*)	Chinese.	China.	1823.	——	H. ⊙.		
IMP'ATIENS. DC.		Touch me not.	Pentandria Monogynia. L.					
1 nàtans. DC.	(*ye.*)	floating.	E. Indies.	1823.	6. 10.	S. *w.* ⊙.		
2 biflòra. W. *fúlva.* DC.	(*or.*)	two-flowered.	N. America.	....	——	H. ⊙.	Sweet br. fl. gar. t. 43.	
3 pállida. DC.	(*ye.*)	pale-flowered.	——	1812.	——	H. ⊙.		
4 Nòli-tángere. DC.	(*ye.*)	common.	England.	.....	——	H. ⊙.	Eng. bot. 937.	
5 parviflòra. DC.	(*ye.*)	small-flowered.	Russia.	1828.	——	H. ⊙.		
6 tripétala. DC.	(*ye.*)	three-petaled.	E. Indies.	1822.	——	S. ⊙.		

ORDO LIV.

OXALIDEÆ. *DC. prodr.* 1. *p.* 689.

AVERRH'OA. DC.		Averrh'oa.	Pent-Decandria Pentagynia. L.					
1 Carambòla. DC.	(*st.*)	Carambola-tree.	E. Indies.	1793.	....	S. ♄.	Rumph. amb. 1. t. 35.	
2 Bilímbi. DC.	(*st.*)	Bilimbi-tree.	——	1791.	5. 7.	S. ♄.	—— 1. t. 36.	
BIO'PHYTUM. DC.		Bio'phytum.	Decandria Pentagynia.					
sensitìvum. DC. *Oxalis sensitiva.* L.	(*ye.*)	sensitive.	E. Indies.	1824.	5. 7.	S. ♃.	Jacq. ox. n. 21. t. 78. f. 4.	
O'XALIS. DC.		Wood-sorrel.	Decandria Pentagynia. L.					
1 Plumiéri. DC.	(*ye.*)	Plumier's.	S. America.	1822.	4. 6.	S. ♄.	Bot. reg. 810.	
2 Barreliéri. DC.	(*bk.*)	Barrelier's.	——	——	——	S. ♄.	Jacq. ox. n. 4. t. 8.	
3 fruticòsa. DC.	(*ye.*)	frutescent.	Rio Janeiro.	——	——	S. ♄.		
4 perénnans. DC.	(*br. y.*)	perennial.	N. S. W.	....	5. 9.	G. ♃.		
5 Dillènii. DC.	(*ye.*)	Dillenius's.	America.	1798.	——	H. ⊙.	Dill. elth. 2. t. 221.	
6 flòrida. S.P.	(*ye.*)	prostrate.	——	....	——	H. ⊙.		
7 stricta. DC.	(*ye.*)	upright.	N. America.	1658.	6. 10.	H. ♃.	Jacq. ox. n. 9. t. 4.	
8 corniculàta. DC.	(*ye.*)	procumbent.	Britain.	....	5. 10.	H. ♃.	Eng. bot. 1726.	
9 Lyòni. DC.	(*ye.*)	Lyons'.	N. America.	1812.	——	H. ♃.		
10 microphy'lla. DC. *rùbens.* H.M.	(*ye.*)	small-leaved.	N. Holland.	....	——	H. ⊙.		
11 rèpens. DC.	(*ye.*)	creeping-stalk'd.	C. B. S.	1793.	3. 4.	G. ♃.	Jacq. ox. n. 11. t. 78. f. 1.	
12 ròsea. DC. *floribunda.* B.R. 1123.	(*ro.*)	rose-coloured.	Chile.	1826.	3. 6.	G. ♃.	Bot. mag. 2830.	
13 Símsii. *ròsea.* Sims Bot. mag.	(*cr.*)	Sims's.	——	1822.	4. 6.	G. ♃.	Bot. mag. 2415.	*nec aliorum.*
14 lateriflòra. DC.	(*pu.*)	side-flowering.	C. B. S.	1826.	3. 6.	G. ♃.	Jacq. Schœnb. 2. t. 204.	
15 macróstylis. DC.	(*pu.*)	long-styled.	——	1793.	10. 11.	G. b.	Jacq. ox. n. 22. t. 9.	
16 tubiflòra. DC.	(*vi.*)	tube-flowered.	——	1790.	——	G. b.	—— n. 23. t. 10.	
17 canéscens. DC.	(*li.*)	canescent.	——	1822.	——	G. b.	—— n. 24. t. 11.	
18 secùnda. DC.	(*li.*)	secund.	——	1790.	——	G. b.	—— n. 68. t. 12.	
19 hírta. DC.	(*vi.*)	hairy-stalked.	——	1787.	1. 3.	G. b.	—— n. 26. t. 13	
20 hirtélla. DC.	(*li.*)	tooth-stamen'd.	——	1820.	——	G. b.	—— n. 27. t. 14.	
21 multiflòra. DC.	(*vi.*)	many-flowered.	——	1789.	2. 3.	G. b.	—— n. 28. t. 15.	
22 fúlgida. B.R.	(*cr.*)	crimson.	——	....	——	G. b.	Bot. reg. 1073.	
23 rubélla. DC.	(*vi.*)	branching red.	——	1791.	9. 11.	G. b.	Bot. mag. 1031.	
24 rosàcea. DC.	(*vi.*)	rose-coloured.	——	1793.	10. 2.	G. b.	—— 1698.	
25 virgínea. DC.	(*wh.*)	virgin.	——	1822.	11. 12.	G. b.	Jacq. schœnb. 3. t. 275.	
26 reptátrix. DC.	(*li.*)	creeping-rooted.	——	1795.	——	G. ♃.	Jacq. ox. n. 33. t. 20.	
27 incarnàta. DC.	(*bk.*)	flesh-coloured.	——	1789.	4. 6.	G. b.	Jacq. vind. t. 71.	
28 dísticha. DC.	(*ye.*)	distichous.	——	1822.	——	G. b.	Jacq. ox. n. 31. t. 18.	
29 venòsa. DC.	(*vi.*)	veined-flower'd.	——	1821.	——	G. b.		
30 cùprea. B.C.	(*co.*)	copper-colour'd.	——	1822.	——	G. b.	Lodd. bot. cab. 824.	
31 tetraphy'lla. DC.	(*pu.*)	four-leaved.	Mexico.	——	——	H. b.	—— t. 790.	
32 sericea. DC.	(*ye.*)	silky-leaved.	C. B. S.	1794.	——	G. b.	Jacq. ox. n. 13. t. 77. f. 1.	
33 carnòsa. B.R.	(*ye.*)	fleshy.	Chile.	1825.	4. 9.	H. ♃.	Bot. reg. 1069.	
34 bipunctàta. Gr.	(*li.*)	two-spotted.	Brazil.	——	4. 6.	G. ♃.	Bot. mag. 2781.	
35 violacea. DC.	(*vi.*)	violet-coloured.	N. America.	1772.	5. 6.	H. b.	Jacq. vind. t. 180.	
36 Déppii.	(*li.*)	Depp's.	Mexico.	1827.	6. 8.	G. b.		
37 Martiàna. Zuc.	(*li.*)	Martius's.	Brazil.	1828.	5. 9.	S. ♃.		
38 palústris. S.S. *papilionacea.* Zuc.	(*li.*)	marsh.	——	——	5. 12.	S. ♃.		

39	caprìna DC.	(vi.)	goats-foot.	C. B. S.	1757.	3. 6.	G. b.	Jacq. ox. t. 76. f. 1.
40	cérnua. DC.	(ye.)	drooping-yellow.	———	——	2. 5.	G. b.	——— n. 16. t. 6.
	caprina. B.M. 237. *nec aliorum.*							
	β flòre plèno.	(ye.)	*double-flowered.*	———	——	——	G. b.	
41	compréssa. DC.	(ye.)	compressed.	———	1794.	12. 1.	G. b.	Jacq. ox. n. 19. t. 78. f. 3.
42	dentàta. DC.	(li.)	toothed.	———	1793.	11. 12.	G. b.	——— n. 17. t. 7.
43	lívida. DC.	(fl.)	livid.	———	——	10. 11.	G. b.	——— n. 18. t. 8.
44	purpuràta. DC.	(bk.)	purplish-leav'd.	———	1820.	——	G. b.	Jacq. schœnb. t. 356.
45	macrophy'lla. DC.	(vi.)	large-leaved.	———	——	——	G. b.	
46	lobàta. DC.	(ye.)	lobed.	Chile.	1821.	4. 6.	H. b.	Bot. mag. 2386.
47	ténera. B.R.	(li.)	tender.	Brazil.	1826.	5. 6.	S. ¼.	Bot. reg. 1046.
48	monophylla. DC.	(bk.)	simple-leaved.	C. B. S.	1774.	10. 11.	G. b.	Jacq ox. n. 35. t. 79. f. 3.
49	lépida. DC.	(wh.)	pretty.	———	1822.	10. 2.	G. b.	——— n. 34. t. 21.
50	rostràta. DC.	(bk.)	beaked.	———	1795.	——	G. b.	——— n. 36. t. 22.
51	crìspa. DC.	(wh.)	curled.	———	1793.	——	G. b.	——— n. 37. t. 23.
52	leporìna. DC.	(std.)	Hare's-eared.	———	1795.	10. 11.	G. b.	——— n. 30. t. 25.
53	asinìna. DC.	(ye.)	asses-eared.	———	1792.	11. 12.	G. b.	——— n. 38. t. 24.
54	lanceæfòlia. DC.	(ye.)	spear-leaved.	———	1795.	10. 11.	G. b.	——— n. 40. t. 26.
55	fabæfòlia. DC.	(ye.)	Bean-leaved.	———	1794.	——	G. b.	——— n. 41. t. 27.
56	laburnifòlia. DC.	(ye.)	Laburnum.l^{d}.	———	1793.	9. 10.	G. b.	——— n. 42. t. 28.
57	sanguínea. DC.	(ye.)	bloody-leaved.	———	1795.	10. 12.	G. b.	——— n. 43. t. 29.
58	tricolor. DC.	(std.)	three-coloured.	———	1794.	——	G. b.	——— n. 63. t. 47.
59	ciliàris. DC.	(pu.)	ciliated.	———	1793.	——	G. b.	——— n. 45. t. 30.
60	arcuàta. DC.	(vi.)	gland-covered.	———	1795.	——	G. b.	——— n. 46. t. 31.
61	flàccida. DC.	(re.wh.)	flaccid.	———	1812.	——	G. b.	——— n. 66. t. 51.
62	ferruginàta. DC.	(wh.)	rust-spotted.	———	1822.	——	G. b.	Jacq. schœnb. 3. t. 274.
63	ambígua. DC.	(v.)	ambiguous.	———	1790.	9. 12.	G. b.	Jacq. ox. n. 59. t. 43.
64	undulàta. DC.	(wh.)	wave-leaved.	———	1795.	10. 11.	G. b.	——— n. 60. t. 44.
65	glandulòsa. DC.	(wh.)	glandulous.	———	1822.	——	G. b.	——— n. 62. t. 46.
66	fuscàta. DC.	(wh.)	brown-spotted.	———	1795.	5. 6.	G. b.	——— n. 61. t. 45.
67	sulphùrea. DC.	(st.)	sulphur-colour'd.	———	——	10. 11.	G. b.	——— n. 77. t. 68.
68	breviscàpa. DC.	(wh.)	short-stalked.	———	1823.	9. 2.	G. b.	——— n. 72. t. 58.
69	speciòsa. DC.	(pu.)	specious.	———	1690.	9. 11.	G. b.	——— n. 74. t. 60.
70	rigídula. Jac.	(wh.)	rigid.	———	1822.	——	G. b.	——— n. 73. t. 59.
71	variábilis. DC.	(v)	variable.	———	1795.	10. 12.	G. b.	——— n. 67.
	α longiscàpa. DC.	(wh.)	*white-flowered.*	———	——	——	G. b.	——— t. 52.
	β rùbra. DC.	(re.)	*red-flowered.*	———	——	——	G. b.	——— t. 53.
72	grandiflòra. W.	(wh.)	great-flowered.	———	1810.	——	G. b.	——— n. 68. t. 54.
	β Simsii. DC.	(wh.)	*Sims's.*	———	——	——	G. b.	Bot. mag. 1683.
73	láxula. Jac.	(wh.)	loose.	———	1820.	——	G. b.	Jacq. ox. n. 71. t. 57.
74	purpùrea. DC.	(pu.)	purple.	———	1812.	——	G. b.	——— n. 70. t. 56.
75	convéxula. DC.	(or.)	convex-leaved.	———	1789.	11. 1.	G. b.	——— n. 69. t. 55.
76	lævigàta. DC.	(pu.)	smooth.	.....	1818.	6. 8.	H. ⊙.	
77	punctàta. DC.	(bk.)	spot-leaved.	C. B. S.	1823.	10. 2.	G. b.	Jacq. ox. n. 82. t. 66.
78	strumòsa. DC.	(wh.)	swollen-styled.	———	1821.	——	G. b.	——— n. 79. t. 64.
79	marginàta. DC.	(wh.)	green-margin'd.	———	1812.	9. 12.	G. b.	——— n. 85. t. 68.
80	pulchélla. DC.	(bk.)	beautiful.	———	1795.	10. 11.	G. b.	——— n. 86. t. 69.
81	obtùsa. DC.	(re.)	blunt-leaved.	———	1812.	——	G. b.	——— n. 88. t. 79. f. 1.
82	lanàta. DC.	(wh.)	woolly-leaved.	———	1791.	——	G. b.	——— n. 81. t. 77. f. 2.
83	lutèola. DC.	(ye.)	yellowish.	———	1822.	——	G. b.	——— n. 80. t. 65.
84	fíllax. DC.	(ye.)	related.	———	1825.	——	G. b.	——— n. 84. t. 67.
85	Acetosélla. DC.	(wh.)	common.	Britain.	....	4. 6.	H. ¼.	Eng. bot. 762.
86	americàna. DC.	(wh.)	American.	N. America.	....	——	H. ¼.	
87	tenélla. DC.	(vi.)	slender.	C. B. S.	1793.	——	G. b.	Jacq. ox. n. 32. t. 19.
88	nàtans. DC.	(wh.)	floating.	———	1795.	9. 12.	G. w. b.	——— n. 78. t. 79. f. 2.
89	cruentàta. DC.	(pu.)	bloody.	———	1826.	——	G. b.	Jacq. f. ecl. 1. t. 45.
90	filiculàlis. DC.	(vi.)	bilobed-leaved.	———	1815.	9. 10.	G. b.	Jacq. schœnb. 2. t. 205.
91	bífida. DC.	(vi.)	cloven-leaved.	———	1791.	——	G. b.	Jacq. ox. n. 89. t. 79. f. 4.
92	bifúrca. B.C.	(re.)	forked-leaved.	———	1825.	6. 9.	G. b.	Lodd. bot. cab. 1056.
93	cuneàta. DC.	(wh.)	wedge-leaved.	———	1818.	——	G. b.	Jacq. ox. n. 55. t. 40.
94	cuneifòlia. DC.	(wh.)	wedge-shaped.	———	1793.	4. 5.	G. b.	——— n. 56. t. 41.
95	pusílla. DC.	(bk.)	small.	———	1826.	——	G. b.	——— n. 57. t. 42.
96	lineàris. DC.	(vi.)	linear-leaved.	———	1795.	9. 11.	G. b.	——— n. 47. t. 32.
97	reclinàta. DC.	(sc.)	reclining.	———	——	——	G. b.	——— n. 49. t. 34.
98	grácilis. DC.	(re.)	slender-stalked.	———	....	——	G. b.	——— n. 48. t. 33.
99	miniàta. DC.	(re.)	miniated.	———	1818.	——	G. b.	——— n. 50. t. 35.
100	glábra. DC.	(pu.)	smooth.	———	1795.	5. 6.	G. b.	——— n. 58. t. 76. f. 3.
101	versícolor. DC.	(std.)	striped-flower'd.	———	1774.	1. 8.	G. b.	Bot. mag. 155.
102	elongàta. DC.	(std.)	elongated.	———	1791.	9. 10.	G. b.	Jacq. ox. n. 52. t. 37.

103 am'œna. L.en.	(*ro.*)	handsome.	C. B. S.	1791.	9. 10.	G. b.	Jacq. schœnb. t. 206.
104 tenuifòlia. DC.	(*std.*)	fine-leaved.	———	1790.	10. 11.	G. b.	Lodd. bot. cab. t. 712.
105 polyphy'lla. DC.	(*ro.*)	many-leaved.	———	1791.	9. 1.	G. b.	Jacq. ox. n. 59. t. 39.
106 filifòlia. DC.	(*ro.*)	slender-leaved.	———	1818.	——	G. b.	Jacq. schœn. 3. t. 273.
107 pentaphy'lla. DC.	(*li.*)	five-leved.	———	1800.	11. 2.	G. b.	Bot. mag. 1549.
108 lupinifòlia. DC.	(*ye.*)	Lupine-leaved.	———	1791.	10. 11.	G. b.	Jacq. ox. n. 92. t. 72.
109 flàva. DC.	(*ye.*)	narrow-leaved.	———	1775.	3. 4.	G. b.	Bot. reg. 117.
110 pectinàta. DC.	(*ye.*)	pectinated.	———	1790.	9. 11.	G. b.	Jacq. ox. n. 95. t. 75.
111 flabellifolia. DC.	(*ye.*)	fan-leaved.	———	1789.	——	G. b.	——— n. 94. t. 74.
112 tomentòsa. DC.	(*wh.*)	downy-leaved.	———	1791.	4. 5.	G. b.	——— n. 96. t. 81.

ORDO LV.

ZYGOPHYLLEÆ. *DC. prodr.* 1. *p.* 703.

TR'IBULUS. DC. CALTROPS. Decandria Monogynia. L.

1 cistoídes. DC.	(*ye.*)	Cistus-like.	S. America.	1752.	7.	S. ♃.	Bot. reg. 791.
2 terréstris. DC.	(*ye.*)	small.	S. Europe.	1596.	6. 7.	H. ☉.	Lam. ill. t. 346. f. 1.
3 subinérmis. F.	(*ye.*)	hairy.	Thibet.	1824.	6. 9.	H. ☉.	
4 maximus. DC.	(*st.*)	great.	Jamaica.	1728.	6. 7.	S. ☉.	Jacq. ic. rar. t. 402.
5 trijugàtus. DC.	(*ye.*)	Nuttall's.	America.	1823.	——	H. ☉.	

FAG'ONIA. DC. FAG'ONIA. Decandria Monogynia. L.

1 crética. DC.	(*pu.*)	Cretan.	Candia.	1739.	6. 8.	H. ☉.	Bot. mag. 241.
2 arábica. DC.	(*pu.*)	Arabian.	Arabia.	1759.	——	G. ♄.	

LA'RREA. DC. LA'RREA. Decandria Monogynia.

nítida. DC.	(*ye.*)	glossy-leaved.	BuenosAyres.	1823.	6. 8.	G. ♄.	Cav. ic. 6. t. 559.

ROEP'ERIA. J.R. ROEP'ERIA. Decandria Monogynia.

fabagifòlia. J.R.	(*yé.*)	Fabago-leaved.	N. Holland.	1822.	6. 8.	G. ♄.	Juss. Rut. t. 2. f. 3.

ZYGOPHY'LLUM. DC. BEAN-CAPER. Decandria Monogynia. L.

1 cordifòlium. DC.	(*ye.*)	heart-leaved.	C. B. S.	1774.	10.	G. ♄.	
2 macrópterum. Led.	(*ye.*)	large-winged.	Siberia.	1827.	7. 9.	H. ♃.	
3 Fabàgo. DC.	(*st.*)	common.	Syria.	1596.	——	H. ♃.	Lam. ill. t. 345. f. 1.
4 fœ'tidum. DC.	(*ye.*)	fœtid.	C. B. S.	1790.	6. 8.	G. ♄.	Schr. s. han. p. 17. t. 9.
β insuáve. B.M.	(*ye.*)	*unpleasant.*	———	——	——	G. ♄.	Bot. mag. 372.
5 maculàtum. DC.	(*ye.*)	spotted.	C. B. S.	1782.	10. 11.	G. ♄.	
6 microphy'llum. DC.	(*ye.*)	small-leaved.	———	1820.	——	G. ♄.	
7 Morgsàna. DC.	(*ye.*)	four-leaved.	———	1732.	5. 9.	G. ♄.	Dill. elth. t. 116. f. 141.
8 sessilifòlium. DC.	(*ye.*)	sessile-leaved.	———	1713.	7. 8.	G. ♄.	——— t. 116. f. 142.
9 spinòsum. DC.	(*ye.*)	spiny.	———	1818.	——	G. ♄.	
10 coccíneum. DC.	(*sc.*)	scarlet.	Egypt.	——	——	G. ♄.	Forsk. des. 87. ic. t. 11.
11 álbum. DC.	(*wh.*)	white.	———	1770.	10. 11.	G. ♄.	DC. pl. gras. t. 154.
12 prostràtum. DC.	(*ye.*)	hairy-jointed.	C. B. S.	1818.	——	G. ♃.	
13 tridentàtum. DC.	(*ye.*)	three-toothed.	Mexico.	1827.	9. 11.	G. ♄.	Flor. mex. ic. ined.

GUA'IACUM. DC. LIGNUM VITÆ. Decandria Monogynia. L.

1 officinàle. DC.	(*bl.*)	common.	W. Indies.	1694.	7. 9.	S. ♄.	Lam. ill. t. 342.
2 verticàle. DC.	(*bl.*)	vertical-petal'd.	New Spain.	1823.	....	S. ♄.	
3 arbòreum. DC.	(*ye.*)	tree.	S. America.	——	....	S. ♄.	Jacq. amer. 130. t. 83.
Zygophy'llum arbòreum. Jac.							

PORLIE'RA. DC. PORLIE'RA. Octandria Monogynia.

hygrométrica. DC.	(*st.*)	pinnate-leaved.	Peru.	1820.	....	S. ♄.	Fl. per. v. 4. ined. t. 343.

§ 2. *ZYGOPHYLLEÆ SPURIÆ ALTERNIFOLIÆ.* DC.

MELIAN'THUS. DC. HONEY-FLOWER. Didynamia Angiospermia. L.

1 màjor. DC.	(*br.*)	great.	C. B. S.	1688.	5. 7.	G. ♄.	Bot. reg. 45.
2 minor. DC.	(*br.*)	small.	———	1696.	8.	G. ♄.	Bot. mag. 301.
3 comòsus. DC.	(*br.*)	tufted.	———	1818.	——	G. ♄.	Comm. rar. t. 4.

BALAN'ITES. DC. BALAN'ITES. Decandria Monogynia.

ægyptíaca. DC.	(*wh.*)	Egyptian.	Africa.	1822.	....	S. ♄.	Del. fl. eg. t. 28. f. 1.
Ximènia ægyptíaca. L.							

ORDO LVI.

RUTACEÆ. *DC. prodr.* 1. *p.* 709.

Tribus I. *DIOSMEÆ.* DC.

RU'TA. DC. RUE. Decandria Monogynia. L.

1 pinnàta. DC.	(*ye.*)	winged-leaved.	Canaries.	1780.	8. 8.	G. ♄.		Bot. reg. 307.
2 montàna. DC.	(*ye.*)	mountain.	S. Europe.	1596.	8. 9.	H. ♃.		Jacq. ic. rar. 1. t. 76.
3 gravèolens. DC.	(*ye.*)	common.	———	1562.	6. 9.	H. ♄.		Duham. arb. 2. t. 61.
4 bracteòsa. DC.	(*ye.*)	large-bracted.	Sicily.	1823.	——	H. ♄.		
5 divaricàta. DC.	(*ye.*)	spreading.	Italy.	——	——	H. ♄.		Ten. fl. nap. 1. t. 36.
6 angustifòlia. DC.	(*ye.*)	narrow-leaved.	S. France.	1722.	——	G. ♄.		Bot. mag. 2311.
7 macrophy'lla. DC.	(*ye.*)	long-leaved.	Africa.	——	——	G. ♄.		——— 2018.
8 albiflòra. D.P.	(*wh.*)	white-flowered.	Nepaul.	1820.	9. 10.	G. ♄.		Hook. ex. fl. t. 79.

APLOPHY'LLUM. J.R. APLOPHY'LLUM. Decandria Monogynia.

1 patavìna. J.R.	(*ye.*)	Italian.	Italy.	1820.	6. 9.	H. ♃.		Mich. gen. t. 19.
2 pubéscens. J.R.	(*ye.*)	pubescent.	Spain.	1816.	5. 8.	H. ♃.		
3 tuberculàta. J.R.	(*ye.*)	tubercled.	Egypt.	1824.	6. 8.	H. ♃.		
4 villòsa. J.R.	(*ye.*)	villous.	Caucasus.	1828.	....	H. ♃.		Buxb. cent. 2. t. 28. f. 2.
5 linifòlia. J.R.	(*ye.*)	Flax leaved.	Spain.	1752.	6. 9.	H. ♄.		Andr. rep. 565.
6 suavèolens. J.R.	(*ye.*)	Primrose-scented.	Tauria.	....	——	H. ♄.		Bot. mag. 2254.
7 thesioídes. F.	(*ye.*)	Thesium-like.	Caspia.	1828.	....	H. ♃.		
8 dahùrica. J.R.	(*st.*)	Milk-wort-l^d.	Dahuria.	1816.	7. 8.	H. ♃.		Gmel. sib. 4. t. 66. f. 2.

Péganum dahùricum. β. L. *Ruta dahùrica.* DC.

PE'GANUM. DC. SYRIAN-RUE. Dodecandria Monogynia. L.

Hármala. DC.	(*wh.*)	common.	Levant.	1570.	7. 8.	H. ♃.		Lam. ill. t. 401.

DICTA'MNUS. DC. FRAXINE'LLA. Decandria Monogynia. L.

1 Fraxinélla. L.en.	(*re.*)	red-flowered.	S Europe.	1596.	5. 7.	H. ♃.		
2 álbus. L.en.	(*wh.*)	white-flowered.	———	——	——	H. ♃.		Jacq. amst. 5. t. 428.

CALODE'NDRON. DC. CALODE'NDRON. Pentandria Monogynia.

capénse. DC.	(*bk.*)	Cape.	C. B. S.	1789.	....	G. ♄.		Lam. j. h. nat. 56. t. 3.

ADENA'NDRA. W.en. ADENA'NDRA. Pentandria Monogynia. L.

1 unifòra. W.en.	(*wh.*)	one-flowered.	C. B. S.	1775.	4. 7.	G. ♆.		Bot. mag. 273.
2 acuminàta.	(*wh.*)	acute-leaved.	———	1812.	——	G. ♆.		Lodd. bot. cab. 493.

Diósma acuminàta. B.C. *non* DC.

3 am'œna.	(*bk.*)	charming.	———	1798.	——	G. ♆.		Bot. reg. 553.

Diósma am'œna. B.C. 161.

4 speciòsa.	(*wh.*)	umbel-flower'd.	———	1790.	——	G. ♄.		Bot. mag. 1271.

umbellàta. W.en. *Diosma speciosa.* B.M.

5 frágrans. R.S.	(*re.*)	red-flowered.	———	1812.	5. 7.	G. ♄.		Bot. mag. 1519.
6 villòsa. R.S.	(*bk.*)	villous.	———	——	——	G. ♄.		

Diósma villòsa. DC. *non* Hort. *tomentòsa.* Hort.

7 marginàta. R.S.	(*bk.*)	marginate.	———	1806.	4. 6.	G. ♄.		
8 linearis. B.D.	(*wh.*)	linear-leaved.	———	1800.	8. 7.	G. ♄.		

BARO'SMA. W.en. BARO'SMA. Pentandria Monogynia. L.

1 serratifòlia. W.en.	(*wh.*	saw-leaved.	C. B. S.	1789.	3. 6.	G. ♄.		Bot. mag. 456.
2 odoràta. R.S.	(*wh.*)	odoriferous.	———	1790.	3. 5.	G. ♄.		Wend. coll. 1. t. 15.

Diósma latifòlia. B.C. 290.

3 latifòlia. R.S.	(*wh.*)	broad-leaved.	———	——	——	G. ♄.		Andr. rep. t. 33?
4 crenàta. B.D.	(*wh.*)	crenated.	———	1774.	1. 5.	G. ♄.		Lodd. bot. cab. t. 404.
5 betulìna. B.D.	(*wh.*)	wedge-leaved.	———	1790.	5. 7.	G. ♆.		

orbiculàris. Hort. *Diósma betulìna.* DC.

6 ovàta. B.D.	(*wh.*)	oval-leaved.	———	——	2. 9.	G. ♆.		Bot. mag. 1616.

Diósma ovàta. B.M.

7 pulchélla. B.D.	(*pu.*)	blunt-leaved.	———	1787.	2. 9.	G. ♆.		Bot. mag. 1357.

Diósma pulchélla. B.M. *Bácco pulchélla.* R.S.

8 oblónga. B.D.	(*wh.*)	oblong-leaved.	———	1821.	4. 8.	G. ♆.		
9 dioíca. B.D.	(*pi.*)	dioecious.	———	1816.	——	G. ♄.		Bot. reg. 502.

Diósma dioíca. B.R. *linifolia.* B.C. 400.

10 angustifolia. B.D.	(*bk.*)	narrow-leaved.	———	1820.	——	G. ♄.		
11 fœtidíssima. B.D.	(*bk.*)	strong-scented.	———	1818.	——	G. ♄.		

MACRO'STYLIS. B.D. Macro'stylis. Pentandria Monogynia.
1 lanceolàta. B.D. (li.) spear-leaved. C. B. S. 1824. 4. 6. G. ħ.
Diósma barbàta. S.S.
2 barbígera. B.D. (li.) beard-bearing. ——— 1826. —— G. ħ.
3 obtùsa. B.D. (li.) blunt-leaved. ——— 1824. —— G. ħ.
4 squarrosa. B.D. (li.) squarrose. ——— 1821. —— G. ħ.

EUCH'ÆTIS. B.D. Euch'ætis. Pentandria Monogynia.
glomeràta. B.D. (wh.) close-flowered. C. B. S. 1821. 4. 6. G. h. B. et Wend. dios. t. A. f. 1.

ACMAD'ENIA. B.D. Acmad'enia. Pentandria Monogynia.
1 juniperìna. B.D. (wh.) Juniper-leaved. C. B. S. 1818. 4. 6. G. h.
2 obtusàta. B.D. (re.) blunt-leaved. ——— —— —— G. ħ.
Diósma obtusàta. R.S.
3 lævigàta. B.D. (wh.) smooth. ——— .... —— G. ħ. Thunb. voy. 4. t. 5.
Diósma tetragona. Th. non L.
4 púngens. B.D. (wh.) pungent. ——— 1823. —— G. h.
5 tetragòna. B.D. (bh.) four-sided. ——— 1720. 6. 8. G. ħ.

COLEON'EMA. B.D. Coleon'ema. Pentandria Monogynia.
álba. B.D. (wh.) white-flowered. C. B. S. 1800. 3. 6. G. ħ.
Diósma álba. DC. *Adenándra álba.* R.S.

DIO'SMA. W. en. Dio'sma. Pentandria Monogynia. L.
1 oppositifólia. DC. (wh.) opposite-leav'd. C. B. S. 1752. 3. 7. G. ħ.
2 succulénta. DC. (wh.) succulent-l'd. ——— .... 4. 6. G. ħ. Wendl. coll. 1. t. 1.
3 cupressina. DC. (wh.) Cypress-like. ——— 1790. 6. 7. G. ħ. Lodd. bot. cab. t. 303.
4 ramosissima. B.D. (wh.) branching. ——— .... 4. 8. G. h.
cupressina. Lam.
5 Meyeriàna. S.S. (wh.) Meyer's. ——— 1826. —— G. ħ.
6 teretifólia. L.en. (wh.) round-leaved. ——— 1818. —— G. ħ.
7 pectinàta. DC. (wh.) pectinated. ——— 1812. 4. 6. G. h.
8 subulàta. DC. (wh.) awl-leaved. ——— —— 3. 6. G. h. Wendl. coll. 1. t. 8.
9 rùbra. DC. (bh.) Heath-leaved. ——— 1752. 2. 5. G. ħ. Bot. reg. 563.
ericifólia. Andr. rep. t. 451.
10 hirsùta. DC. (wh.) hairy-leaved. ——— 1731. —— G. h. Wendl. coll. 1. t. 27.
11 ambígua. B.D. (wh.) ambiguous. ——— 1824. —— G. h.
12 ericoides. DC. (wh.) Heath-like. ——— 1756. 3. 7. G. ħ. Mill. ic. t. 124. f. 2.
13 longifólia. DC. (wh.) long-leaved. ——— .... —— G. ħ. Wendl. coll. 1. t. 19.

AGATHO'SMA. W. en. Agatho'sma. Pentandria Monogynia.
1 hispida. S.S. (wh.) rough-leaved. C. B. S. 1786. 6. 8. G. ħ.
2 pátula. S.S. (li.) spreading. ——— 1821. —— G. ħ.
3 brevifólia. S.S. (li.) short-leaved. ——— 1816. —— G. ħ.
4 tenuíssima. S.S. (li.) slender-leaved. ——— .... 2. 5. G. ħ.
5 virgata. S.S. (wh.) twiggy. ——— 1816. 4. 6. G. ħ.
6 erécta. B.M. (wh.) upright. ——— —— —— G. ħ. Wendl. coll. p. 17. t. 13.
7 bruniàdes. S.S. (li.) Brunia-like. ——— —— 6. 8. G. ħ.
8 Thunbergiàna. S.S. (li.) Thunberg's. ——— .... 4. 6. G. ħ.
Diósma ciliàta. Th. non L.
9 linifólia. S.S. (li.) Flax-leaved. ——— 1821. —— G. ħ.
10 prolífera. S.S. (wh.) proliferous. ——— .... 4. 8. G. ħ. Wendl. coll. 3. t. 77.
11 ciliàta. S.S. (bh.) ciliated. ——— 1774. —— G. ħ. Bot. reg. 366.
12 Cerefólium. S.S. (wh.) Chervil-scented. ——— 1790. —— G. ħ. Vent. malm. t. 98.
13 reflèxa. L.en. (li.) reflexed. ——— 1816. 6. 8. G. ħ.
14 hírta. B.R. (pu.) hairy. ——— 1794. 5. 7. G. ħ. Bot. reg. 369.
Diósma Ventenatiàna. S.S. *Búcco Ventenatiàna.* R.S.
15 láxa. S.S. (li.) loose-branched. ——— 1816. —— G. ħ.
16 villòsa. W. en. (li.) villous. ——— 1786. 6. 8. G. ħ. Wendl. coll. 1. t. 2.
Búcco villòsa. R.S. *Diósma Wendlandiàna.* DC.
17 glábrata. B.D. (li.) smooth. ——— 1821. —— G. ħ.
18 hy'brida. S.S. (li.) hybrid. ——— —— —— G. ħ.
19 rugòsa. L. en. (wh.) rugged-leaved. ——— 1790. 4. 8. G. ħ.
20 móllis. B.D. (wh.) soft. ——— 1824. —— G. ħ.
21 obtùsa. DC. (li.) blunt-leaved. ——— 1774. —— G. ħ. Lodd. bot. cab. 210.
Diósma ciliata. B.C. non L.
α ovàta. (li.) *oval-leaved.* ——— —— —— G. ħ. Wendl. coll. 1. t. 13.
β oblónga. (li.) *oblong-leaved.* ——— —— —— G. ħ. ——— 1. t. 14.
22 lanceolàta. (li.) lance-leaved. ——— —— —— G. ħ. Bot. reg. 366.
23 orbiculàris. S.S. (wh.) round-leaved. ——— 1790. —— G. ħ.
24 ambígua. DC. (wh.) doubtful. ——— .... —— G. ħ. Lodd. bot. cab. 461.
25 imbricàta. W. en. (li.) imbricated. ——— 1774. —— G. ħ. Wendl. coll. 1. t. 9.
26 acuminàta. W. en. (pa.) taper-pointed. ——— 1812. —— G. ħ. ——— 1. t. 28.
Diósma cordàta. Hort.
27 obtusàta. (li.) obtuse-leaved. ——— 1816. —— G. h. Wendl. coll. 3. p. 7. t. 76.

EMPLE'URUM. DC. EMPLE'URUM. Monœcia Tetrandria.
serrulàtum. DC. (st.) saw-leaved. C. B. S. 1774. 6. 7. G. ♄. Sm. exot. bot. 2. t. 63.
CORR'EA. DC. CORR'EA. Octandria Monogynia.
1 álba. DC. (wk.) white. N. S. W. 1793. 4. 7. G. ♄. Andr. bot. rep. 18.
2 rifa. DC. (wk.) rusty-leaved. ——— 1819. —— G. ♄. Labill. voy. 2. t. 17.
3 pulchélla. S.P.A. (pi.) pretty. N. Holland. 1824. 11. 5. G. ♄. Sweet fl. aust. t. 1.
4 speciósa. DC. (re.) red-flowered. N. S. W. 1806. —— G. ♄. Bot. reg. 26.
5 virens. DC. (gr.) green-flowered. ——— 1800. —— G. ♄. Sm. exot. bot. 2. t. 72.
PHEB'ALIUM. DC. PHEB'ALIUM. Decandria Monogynia.
1 squammulósum. DC. (wk.) scaly. N. S. W. 1820. 4. 6. G. ♄. Vent. malm. t. 102.
2 elátum. F.T. (wh.) tall. ——— 1822. 4. 8. G. ♄.
3 áureum. F.T. (ye.) golden. ——— —— —— G. ♄.
4 lachnoídes. F.T. (wh.) Lachnæa-like. ——— —— —— G. ♄.
5 linearе. ψ. (wh.) linear-leaved. N. Holland. 1825. .... G. ♄.
6 salicifólium. ψ. (wh.) Willow-leaved. ——— —— .... G. ♄.
CR'OWEA. DC. CR'OWEA. Decandria Monogynia.
saligna. DC. (pi.) Willow-leaved. N. S. W. 1790. 7. 12. G. ♄. Bot. mag. 969.
ERIOSTEMON. DC. ERIO'STEMON. Decandria Monogynia.
1 buxifólium. DC. (li.) Box-leaved. N. S. W. 1822. 4. 6. G. ♄.
2 salicifólium. DC. (re.) Willow-leaved. ——— —— —— G. ♄. Bot. mag. 2854.
3 cuspidátum. F.T. (wh.) sharp-pointed. ——— 1823. 4. 8. G. ♄. Lodd. bot. cab. 1247.
4 obovále. F.T. (li.) oboval-leaved. ——— —— —— G. ♄.
5 lanceolátum. DC. (li.) spear-leaved. ——— —— —— G. ♄.
6 linearifólium. DC. (wh.) linear-leaved. ——— —— —— G. ♄.
7 squámmeum. DC. (wh.) scaly. N. Holland. 1822. —— G. ♄. Lab. nov. hol. 1. t. 141.
8 ericæfólium. M.C. (li.) Heath-leaved. ——— 1825. —— G. ♄.
PHILOTH'ECA. L.T. PHILOTH'ECA. Monadelphia Decandria.
australis. L.T. (bh.) Salsola-leaved. N. S. W. 1822. —— G. ♄. Linn. trans. 11. t. 21.
BOR'ONIA. DC. BOR'ONIA. Octandria Monogynia.
1 pinnáta. DC. (re.) Hawthorn-scent'd. N. S. W 1794. 2. 5. G. ♄. Bot. mag. 1768.
2 tetrándra. DC. (re.) tetrandrous. N. Holland. 1824. .... G. ♄. Lab. nov. hol. 1. t. 125.
3 anemonæfólia. F.T. (re. Anemone-leav'd. N. S. W. —— 5. 8. G. ♄.
4 alàta. DC. (re.) winged-leaved. N. Holland. —— 4 8. G. ♄. Sweet fl. aust. t. 48.
5 serrulàta. DC. (ro.) Rose-scented. N. S. W. 1816. 2. 5. G. ♄. Bot. reg. 842.
6 denticulàta. DC. (re.) tooth-leaved. N. Holland. 1823. 4. 8. G. ♄. ——— 1000.
7 parviflóra. DC. (re.) small-flowered. N. S. W. 1826. —— G. ♄. Smith's tracts. t. 6.
8 polygalæfólia. DC. (re.) Polygala-l^d. ——— 1824. .... G. ♄. ——— t. 7.
9 ledifólia. DC. (re.) Ledum-leaved. ——— —— .... G. ♄.
CYMINO'SMA. DC. CYMINO'SMA. Octandria Monogynia.
1 pedunculàta. DC. (wh.) peduncled. E. Indies. 1800. .... G. ♄. Vahl. symb. 3. t. 61.
Jambolífera pedunculàta. W.
2 odoràta. DC. (wh.) sweet-scented. China. 1818. .... G. ♄.
ZIE'RIA. DC. ZIE'RIA. Tetrandria Monogynia.
1 lanceolàta. DC. (wh.) spear-leaved. N. S. W. 1808. 4. 7. G. ♄. Bot. mag. 1395.
Smíthii. Bot. rep. 606.
2 macrophy'lla. DC. (wh.) large-leaved. ——— 1820. —— G. ♄.
3 lævigàta. DC. (wh.) smooth-leaved. ——— 1822. —— G. ♄.
4 octándra. (gr.) octandrous. ——— 1825. 4. 6. G. ♄.
5 obcordàta. F.T. (wh.) obcordate. ——— 1824. —— G. ♄.
6 revolùta. F.T. (wh.) revolute. ——— —— 3. 5. G. ♄.
7 microphy'lla. DC. (wh.) small-leaved. ——— —— —— G. ♄.
8 pilósa. DC. (wh.) hairy. ——— —— —— G. ♄. Linn. trans. 10. t. 17. f. 2.
9 hirsùta. DC. (wh.) hirsute. ——— —— —— G. ♄.
MELICOPE. DC. MELIC'OPE. Octandria Monogynia.
ternàta. DC. ..... ternate-leaved. N. Zealand. 1822. .... G. ♄. Lam. ill. t. 294.
EV'ODIA. DC. EV'ODIA. Tetrandria Monogynia.
triphy'lla. DC. (wh.) three-leaved. Pulo Penang. 1820. .... S. ♄. Rumph. amb. 2. t. 62.
Fagàra triphy'lla. F.I.
ZANTHOXYLUM. DC. ZANTHO'XYLUM. Tetrandria Monogynia et Dioecia Pentandria.
1 tragódes. DC. (wh.) prickly-leaved. St. Domingo. 1759. 8. 9. S. ♄. Jacq. amer. 21. t. 14.
Fagàra tragódes. W.
2 affine. R.S. (wh.) related. Mexico. 1826. .... G. ♄.
3 Ptelòta. DC. (wh.) Lentiscus-l^d. W. Indies. 1768. —— S. ♄. Br. jam. 146. t. 5. f. 1.
Fagàra lentiscifólia. W. en.
4 piperítum. DC. (wh.) Ash-leaved. Japan. 1773. 9. G. ♄. Kæmpf. am. t. 898.
5 Aviénnæ. DC. (wh.) short-panicled. China. 1823. .... G. ♄. Lob. ic. 2. t. 133. f. 2.
6 heterophy'llum. DC. (wh.) various-leav'd. Bourbon. —— .... S. ♄.
7 emarginàtum. DC. (wh.) notch-leaved. Jamaica. 1739. .... S. ♄. Sloan. j. 2. t. 166. f. 4.
8 acuminàtum. DC. (wh.) taper-pointed. ——— 1818. .... S. ♄.

9 spinòsum. DC.	(*wh.*)	spiny.	Jamaica.	1824.	....	S. ♄.	
10 tricárpum. DC.	(*gr.*)	Ash-leaved.	N. America.	1806.	....	H. ♄.	Cat. car. 1. t. 26.
11 fraxíneum. DC.	(*gr.*)	common.	———	1759.	3. 4.	H. ♄.	Duham. arb. 1. t. 97.
12 mìte. DC.	(*gr.*)	soft-leaved.	———	1812.	——	H. ♄.	
13 hermaphrodìtum. DC.	(*wh.*)	hermaphrodite.	Guiana.	1823.	....	S. ♄.	Aubl. gui. 1. t. 30.
14 juglandifòlium. DC.	(*wh.*)	Walnut-leaved.	W. Indies.	1822.	....	S. ♄.	Pluk. t. 239. f. 6.
15 Clàva Hérculis. L.	(*wh.*)	clubbed.	———	1739.	4. 5.	S. ♄.	—— t. 239. f. 4.
16 aromáticum. DC.	(*wh.*)	aromatic.	St. Domingo.	1828.	....	S. ♄.	Jacq. f. ecl. 1. t. 70.
17 armàtum. DC.	(*wh.*)	armed.	E. Indies.	1816.	....	S. ♄.	
18 nìtidum. DC.	(*wh.*)	shining-leaved.	China.	1822.	2. 3.	G. ♄.	Bot. mag. 2558.
19 sapindoídes. DC.	(*wh.*)	Licca-tree.	Jamaica.	....	....	G. ♄.	Br. jam. 207. t. 20. f. 2.
Sapìndus spinòsus. L.							
SPIRANTH'ERA. DC.		SPIRANTH'ERA.	Pentandria Monogynia.				
odoratìssima. DC.	(*bh.*)	Jasmine-scent'd.	Brazil.	1823.	....	S. ♄.	N. et Mart. ac. b. xi. t. 31.
Terpnánthus jasminiodòrus. Nees.							

Tribus II. *CUSPARIEÆ.* DC.

MONNIE'RA. DC.		MONNIE'RA.	Monadelphia Diandria.				
trifòlia. DC.	(*wh.*)	three-leaved.	Guiana.	1792.	7. 8.	S. ⊙.	Aub. gui. 2. t. 293.
TICO'REA. DC.		TICO'REA.	Pentandria Monogynia.				
1 fœ'tida. DC.	(*wh.*)	strong-scented.	Guiana.	1825.	....	S. ♄.	Aubl. gui. 2. t. 277.
2 jasminiflòra. DC.	(*wh.*)	Jasmine-fl'd.	Brazil.	1827.	....	S. ♄.	N. et Ma. n. ac. b. 11. t. 18.
GALIP'EA. DC.		GALIP'EA.	Diandria Monogynia.				
trifoliàta. DC.	(*gr.*)	three-leaved.	Guiana.	1803.	....	S. ♄.	Aub. gui. 2. t. 269.

ORDO LVII.

SIMARUBEÆ. *DC. prodr.* 1. *p.* 733.

QUA'SSIA. DC.		QUA'SSIA.	Decandria Monogynia.	L.			
amára. DC.	(*re.*)	bitter.	Guiana.	1790.	6. 7.	S. ♄.	Bot. mag. 497.
SIMAR'UBA. DC.		SIMAR'UBA.	Monœcia Decandria.				
1 officinàlis. DC.	(*wh.*)	officinal.	Guiana.	1787.	....	S. ♄.	Aub. gui. 2. t. 331-2.
Quássia Simarùba. L.		*Simarùba amára.* Aub.					
2 glàuca. DC.	(*wh.*)	glaucous-leav'd.	Cuba.	1824.	....	S. ♄.	
3 excélsa. DC.	(*wh.*)	tall.	Jamaica.	1822.	....	S. ♄.	Sw. act. holm. 1788. t. 8.
Quássia excélsa. Sw.							
SIM'ABA. DC.		SIM'ABA.	Decandria Monogynia.				
guianénsis. DC.	(*wh.*)	Guiana.	Guiana.	1822.	....	S. ♄.	Aub. gui. 1. t. 158.
Zwingera amára. W.							

ORDO LVIII.

OCHNACEÆ. *DC. prodr.* 1. *p.* 735.

O'CHNA. DC.		O'CHNA.	Polyandria Monogynia.	L.			
1 squarròsa. B.C.	(*ye.*)	blunt-leaved.	E. Indies.	1790.	7. 8.	S. ♄.	Roxb. cor. 1. t. 89.
2 lùcida. DC.	(*pu.*)	acute-leaved.	———	1818.	——	S. ♄.	Lam. ill. t. 472. f. 1.
3 nítida. DC.	(*wh.*)	shining.	C. B. S.	1810.	....	S. ♄.	DC. ann. m. 17. n. 3. t. 2.
4 multiflòra. DC.	(*ye.*)	many-flowered.	Sierra Leon.	1822.	....	S. ♄.	——— n. 4. t. 3.
5 mauritiàna. DC.	(*ye.*)	Mauritius.	Mauritius.	——	....	S. ♄.	——— n. 8. t. 5.
6 atropurpùrea. DC.	(*ye.*)	purple-calyxed.	C. B. S.	1816.	....	S. ♄.	Pluk. alm. t. 263. f. 1. 2.

GOMPHIA. DC. Go'mphia. Decandria Monogynia. W.
1 obtusifòlia. DC. (*ye.*) blunt-leaved. Madagascar. 1809. .... S. ½. DC. ann. mus. n. 4. t. 8.
Ochna lævigàta. Vahl.
2 guianénsis. DC. (*ye.*) Guiana. Guiana. 1825. .... S. ½. DC. ann. mus. n. 7. t. 9.
3 Jabotápita. DC. (*ye.*) spear-leaved. W. Indies. 1816. .... S. ½. Lam. ill. 472. f. 2.
4 nítida. DC. (*ye.*) glossy-leaved. ——— 1803. .... S. ½. DC. an. mus. n. 13. t. 13.
5 laurifòlia. DC. (*ye.*) laurel-leaved. ——— 1822. .... S. ½. ——— n. 15. t. 15.
6 mexicàna. DC. (*ye.*) Mexican. Mexico. 1825. .... G. ½. H. et B. pl. æq. 2. t. 74.
WALK'ERA. DC. Walk'era. Pentandria Monogynia.
serràta. DC. (*ye.*) saw-leaved. E. Indies. 1824. .... S. ½. Rheed. mal. 5. t. 48.

ORDO LIX.

CORIARIEÆ. *DC. prodr.* 1. *p.* 739.

CORI'ARIA. DC. Cori'aria. Mono-Dicœcia Decandria.
1 myrtifòlia. DC. (*gr.*) Myrtle-leaved. S. Europe. 1629. 5. 8. H. ½. Duham. arb. 1. t. 73.
2 sarmentòsa. DC. (*gr.*) sarmentose. N. Zealand. 1820. 7. 9. G. ½. Bot. mag. 2479.

** *Subclassis* II. *CALYCIFLORÆ.*

ORDO LX.

CELASTRINEÆ. *Brown gen. rem. p.* 22.

Tribus I. *STAPHYLEACEÆ.* DC. *prodr.* 2. *p.* 2.

STAPHYL'EA. DC. Bladder-nut. Pentandria Trigynia. L.
1 trifòlia. DC. (*wh.*) three-leaved. N. America. 1640. 5. 6. H. ½. Schmidt. arb. t. 80.
2 Bumálda. DC. (*wh.*) Japan. Japan. 1804. 6. 9. G. ½.
Bumálda trifòlia. Th.
3 pinnata. DC. (*wh.*) five-leaved. England. .... 4. 6. H. ½. Eng. bot. 1560.
TURPI'NIA. DC. Turpi'nia. Polygamia Dicœcia. DC.
paniculàta. DC. (*wh.*) panicled. W. Indies. 1826. .... S. ½. Vent. choix. t. 31.
Dalry'mplea domingénsis. s.s.
DALRY'MPLEA. R.C. Dalry'mplea. Pentandria Monogynia. F.I.
pomífera. R.C. (*wh.*) Apple-bearing. E. Indies. 1823. .... S. ½. Roxb. corom. 3. t. 279.
Turpínia pomífera. DC.

Tribus II. *EUONYMEÆ.* DC.

EUO'NYMUS. DC. Spindle-tree. Pentandria Monogynia. L.
1 japónicus. DC. (*wh.*) Japan. Japan. 1804. 6. 8. G. ½. Kæmpf. ic. t. 8.
2 europ'æus. DC. (*wh.*) common. Britain. .... 5. 7. H. ½. Eng. bot. 362.
3 verrucòsus. DC. (*pu.*) warted. Austria. 1763. 5. 6. H. ½. Schmidt arb. t. 72.
4 latifòlius. DC. (*gr.*) broad-leaved. S. Europe. 1730. 5. 7. H. ½. ——— t. 74.
5 atropurpùreus. DC. (*d.pu.*) dark-purple. N. America. 1756. —— H. ½. Jacq. vind. 2. t. 120.
6 americànus. DC. (*st.*) evergreen. ——— 1683. 6. 7. H. ½. Schmidt arb. t. 75.
7 sarmentòsus. N. (*st.*) sarmentose. ——— 1823. —— H. ½.
8 obovàtus. N. (*gr.*) obovate-leaved. ——— —— —— H. ½.

9	angustifòlius. DC.	(*st.*)	narrow-leaved.	Georgia.	1806.	——	H.	ħ.	
10	lùcidus. D.P.	(*wh.*)	shining-leaved.	Nepaul.	1820.	6. 7.	H.	ħ.	
11	micránthus. D.P.	(*wh.*)	small-flowered.	————	——	....	H.	ħ.	
12	chinénsis. DC.	(*wh.*)	Chinese.	China.	1822.	5. 6.	H.	ħ.⌣.	
13	lácerus. D.P.	(*wh.*)	torn.	Nepaul.	1820.	6. 7.	H.	ħ.	
14	grandiflòrus. F.I.	(*wh.*)	large-flowered.	————	1823.	——	H.	ħ.	
15	echinàtus. F.I.	(*st.*)	spinous-fruited.	————	——	4. 5.	H.	ħ.⌣.	Bot. mag. 2767.
CELA'STRUS. DC.			Staff-tree.	Pentandria Monogynia. L.					
1	oleoídes. DC.	(*wh.*)	Olive-leaved.	C. B. S.	1823.	5. 6.	G.	½.	
2	pterocárpus. DC.	(*wh.*)	wing-capsuled.	————	1816.	5. 8.	G.	½.	Burm. afr. t. 97. f. 1.
3	rostràtus. DC.	(*wh.*)	beaked.	————	1821.	——	G.	½.	
4	tricuspidàtus. DC.	(*wh.*)	three-pointed.	————	1816.	5. 6.	G.	½.	Buchoz. dec. 6. t. 3.
	Cassine lævigàta. Lam. *'Olea capénsis.* Buchoz.								
5	lùcidus. DC.	(*wh.*)	shining.	C. B. S.	1722.	4. 9.	G.	½.	L'Her. stirp. 1. t. 25.
6	macrocárpus. DC.	(*wh.*)	large-capsuled.	Peru.	1826.	....	G.	½.	Flor. per. 3. t. 230. f. 16.
7	bullàtus. DC.	(*wh.*)	scarlet-fruited.	Virginia.	1759.	7.	H.	½.⌣.	Pluk. alm. t. 38. f. 5.
8	scándens. DC.	(*wh.*)	climbing.	N. America.	1786.	5. 6.	H.	½.⌣.	Duham. arb. 1. t. 95.
9	punctàtus. DC.	(*wh.*)	spotted-stalked.	Japan.	1816.	....	G.	½.⌣.	
10	nùtans. F.I.	(*wh.*)	drooping-fld.	E. Indies.	1824.	....	S.	½.⌣.	
11	cassinoídes. DC.	(*wh.*)	crenated.	Canaries.	1779.	8. 9.	G.	½.	L'Her. sert. ang. t. 10.
12	lycioídes. DC.	(*wh.*)	Box-thorn-like.	————	1821.	——	G.	½.	
13	cérnuus. DC.	(*wh.*)	drooping.	C. B. S.	1815.	5. 6.	G.	½.	
14	myrtifòlius. DC.	(*wh.*)	Myrtle-leaved.	Jamaica.	....	6. 8.	S.	½.	Sloan. jam. 2. t. 193. f. 1.
15	tetragònus. DC.	(*wh.*)	four-sided.	C. B. S.	1816.	——	G.	½.	
16	ilicifòlius. DC.	(*wh.*)	Holly-leaved.	Brazil.	1824.	....	S.	½.	
17	ilicìnus. DC.	(*wh.*)	Ilex-like.	C. B. S.	1816.	5. 8.	G.	½.	
18	retùsus. DC.	(*wh.*)	notched.	Peru.	1823.	——	G.	½.	Flor. per. 3. t. 229. f. a.
	emarginàtus. F.P. *non* W.								
19	lineàris. DC.	(*wh.*)	linear-leaved.	C. B. S.	1823.	5. 8.	G.	½.	
20	emarginàtus. DC.	(*st.*)	emarginate.	E. Indies.	1820.	....	S.	½.	
21	buxifòlius. DC.	(*wh.*)	Box-leaved.	C. B. S.	1752.	5. 8.	G.	½.	Bot. mag. 2114.
22	cymòsus. B.M.	(*wh.*)	cyme-flowered.	————	1815.	6. 8.	G.	½.	———— t. 2070.
23	multiflòrus. DC.	(*wh.*)	many-flowered.	————	1816.	5. 8.	G.	½.	
24	pyracánthus. DC.	(*wh.*)	red-fruited.	————	1752.	——	G.	½.	Bot. mag. 1167.
25	flexuòsus. DC.	(*wh.*)	flexuose.	————	1816.	——	G.	½.	
26	montànus. DC.	(*wh.*)	mountain.	E. Indies.	1824.	....	S.	½.	
PLECTR'ONIA. W.			Plectr'onia.	Pentandria Monogynia.					
	ventòsa. W.	(*wh.*)	corymbed.	C. B. S.	1816.	....	G.	½.	Burm. afr. t. 94 ?
	corymbòsa. P.S. *Celástrus? Plectrònia.* DC.								
MA'YTENUS. DC.			Maytenus.	Pentandria Monogynia.					
1	octogònus. DC.	(*gr.*)	angular-leaved.	Peru.	1786.	10. 11.	G.	½.	
	Celástrus octogònus. W. *Senácia octogòna.* Lam.								
2	chilénsis. DC.	(*re.*)	Chile.	Chile.	1824.	....	G.	½.	Feuill. obs. 3. t. 27.
3	verticillàtus. DC.	(*gr.*)	whorled.	Peru.	1823.	9. 11.	G.	½.	Flor. per. 3. t. 229. B.
ELÆODE'NDRON. DC.			Olive-wood.	Pentandria Monogynia.					
1	orientàle. DC.	(*wh.*)	taper-leaved.	Madagascar.	1771.	....	S.	½.	Jacq. ic. 1. t. 48.
	indicum. Gært. fruct. 1. t. 57. *Rubéntia olivina.* J.								
2	gláucum. DC.	(*st.*)	glaucous.	Ceylon.	1823.	....	S.	½.	Rottb. n. a. hav. 2. t. 4. f. 1.
3	xylocárpum. DC.	(*wh.*)	leathery-leaved.	Antilles.	1816.	7. 8.	S.	½.	Vent. choix. t. 23.
	Cassine xylocárpa. Vent.								
4	austràle. DC.	(*wh.*)	thick-leaved.	N. S. W.	1796.	6. 8.	G.	½.	Vent. malm. t. 117.
	Portenschlágia austràlis. Tratt. arch. t. 250. *Lamárckia dentàta.* Hort.								
5	integrifolium.	(*wh.*)	entire-leaved.	N. S. W.	——	——	G.	½.	Tratt. arch. t. 284.
	Portenschlágia integrifolia. Tratt.								
6	? cròceum. DC.	(*wh.*)	Cape Holly.	C. B. S.	1794.	5. 6.	G.	½.	
	'Ilex cròcea. W.								
PTELI'DIUM. DC.			Pteli'dium.	Tetrandria Monogynia.					
	ovàtum. DC.	(*gr.*)	oval-leaved.	Madagascar.	1825.	....	S.	½.	Pet. Th. veg. afr. 1. t. 2.

Tribus III. *AQUIFOLIACEÆ.* DC. *prod.* 2. *p.* 11.

CASSINE. DC.			Cassine.	Pentandria Trigynia. L.					
1	Maurocènia. DC.	(*wh.*)	Hottentot-cherry.	C. B. S.	1690.	7. 8.	G.	½.	Dill. elt. t. 121. f. 147.
2	capénsis. DC.	(*wh.*)	Cape Phillyrea.	————	1629.	——	G.	½.	———— t. 236. f. 305.
3	Colpoón. W.	(*wh.*)	Colpoon-tree.	————	1791.	——	G.	½.	Burm. afr. t. 86.

4 bárbara. R.S.	(wh.)	quadrangular.	C. B. S.	1816.	——	G. ħ.	
5 æthiópica. R.S.	(wh.)	Ethiopian.	——	....	——	G. ħ.	
6 oppositifólia. DC.	(wh.)	opposite-leaved.	.....	....	....	S. ħ.	
7 excélsa. F.I.	(wh.)	tall.	Nepaul.	1823.	....	G. ħ.	
HARTOGIA. DC.		HARTOGIA. Tetrandria Monogynia.					
capénsis. DC.	(wh.)	Cape.	C. B. S.	1816.	....	G. ħ.	Thunb. n. gen. 5. p. 55. ic.
Schrèbera schinoides. Th. prodr. t. 2. *Elæodéndron schinoides.* R.S.							
CURTI'SIA. DC.		CURTI'SIA. Tetrandria Monogynia.					
fagínea. DC.	(wh.)	Hassagay-tree.	C. B. S.	1775.	....	G. ♄.	Burm. afr. 235. t. 82.
MYGI'NDA. DC.		MYGINDA. Tetrandria Tetragynia.					
1 Uragòga. DC.	(pu.)	saw-leaved.	S. America.	1790.	8. 9.	S. ♄.	Jacq. amer. 24. t. 16.
2 myrtifólia. DC.	(wh.)	Myrtle-leaved.	N. America.	1818.	5. 8.	H. ♄.	
Ilex myrsinites. Ph.							
3 Rhácoma. DC.	(re.)	blunt-leaved.	Jamaica.	1798.	....	S. ħ.	Jacq. ic. 2. t. 311.
4 latifólia. DC.	(wh.)	broad-leaved.	W. Indies.	1795.	4. 5.	S. ♄.	
ILEX. DC.		HOLLY. Tetrandria Tetragynia. L.					
1 Aquifólium. DC.	(wh.)	common.	Britain.	....	4. 6.	H. ♄.	Eng. bot. 496.
β *heterophýlla.*	(wh.)	*various-leaved.*	——	....	——	H. ♄.	
γ *crassifólia.*	(wh.)	*thick-leaved.*	——	....	——	H. ♄.	
δ *férox.*	(wh.)	*hedgehog.*	——	....	——	H. ♄.	
ε *echinàta.*	(wh.)	*striped hedgehog.*	——	....	——	H. ♄.	
ζ *flàva.*	(wh.)	*yellow-berried.*	——	....	——	H. ♄.	
η *sendcens.*	(wh.)	*spineless.*	——	....	——	H. ♄.	
θ *álbo-marginàta.*	(w.)	*white-edged.*	——	....	——	H. ♄.	
ι *áureo-marginàta.*	(w.)	*gold-edged.*	——	....	——	H. ♄.	
κ *pícta.*	(wh.)	*painted.*	——	....	——	H. ♄.	
2 recúrva. L.en.	(wh.)	recurved-spined.	.....	....	——	H. ♄.	
3 balearica. DC.	(wh.)	Minorca.	Minorca.	1815.	5. 6.	H. ♄.	
4 Perádo. DC.	(bh.)	thick-leaved.	Madeira.	1760.	4. 5.	F. ♄.	Lodd. bot. cab. 549.
β *obtùsa.* DC.	(bh.)	*blunt-leaved.*	——	....	——	F. ♄.	Duham. ed. nov. 1. t. 2.
5 canariénsis. DC.	(wh.)	Canary.	Canaries.	1818.	5. 6.	F. ♄.	
6 opàca. DC.	(wh.)	Carolina.	Carolina.	1744.	——	F. ♄.	Wats. dend. brit. t. 3.
7 laxiflóra. DC.	(wh.)	loose-flowered.	——	1811.	——	F ♄.	
8 chinénsis. DC.	(wh.)	Chinese.	China.	1810.	4. 5.	F. ♄.	Bot. mag. 2043.
9 Dahoòn. DC.	(wh.)	Dahoon.	Carolina.	1726.	5. 6.	F. ♄.	Willd. hort. ber. 1. t. 31.
β *latifólia.* DC.	(wh.)	*large-leaved.*	——	....	——	F. ♄.	Wats. dend. brit. t. 114.
10 Cassine. DC.	(wh.)	Cassine-like.	——	1726.	8.	F. ♄.	Catesb. car. 1. t. 31.
11 angustifólia. DC.	(wh.)	narrow-leaved.	N. America.	1806.	5. 6.	F. ♄.	Wats. dend. brit. t. 4.
12 vomitória. DC.	(wh.)	South-sea Tea.	Florida.	1700.	6. 7.	F. ♄.	Jacq. ic. 2. t. 310.
13 latifólia. DC.	(wh.)	broad-leaved.	Japan.	1824.	....	F. ♄.	
14 serràta. DC.	(wh.)	saw-leaved.	——	——	....	F. ♄.	
15 myrtifólia. DC.	(wh.)	Myrtle-leaved.	W. Indies.	1806.	7. 8.	S. ♄.	
16 salicifólia. DC.	(wh.)	Willow-leaved.	Mauritius.	1818.	4. 5.	S. ♄.	Jacq. col. 5. t. 2. f. 2.
Burgèria lùcida. Wendl.							
17 Macoucóua. DC.	(wh.)	acuminate.	Trinidad.	1826.	....	S. ♄.	Aubl. gui. 1. t. 34.
18 paraguariénsis. DC.	(w.)	Paraguay Tea.	Brazil.	1823.	....	S. ♄.	Lamb. pin. ic.
PRINOS. DC.		WINTER BERRY. Hexandria Monogynia. L.					
1 decíduus. DC.	(wh.)	deciduous.	N. America.	1760.	6. 7.	H. ♄.	Wats. dend. brit. 115.
Ilex prinoides. R.S.							
2 ambíguus. DC.	(wh.)	Carolina.	——	1812.	7. 8.	H. ♄.	Wats. dend. t. 29.
3 verticillàtus. DC.	(wh.)	whorled.	——	1736.	——	H. ♄.	—— t. 30.
padifólius. W. en.							
4 lævigàtus. DC.	(wh.)	smooth.	——	1812.	——	H. ♄.	Wats. dend. t. 28.
5 lanceolàtus. DC.	(wh.)	scarlet berried.	——	1811.	6. 7.	H. ♄.	
6 prunifólius. DF.	(wh.)	Plum-leaved.	——	1820.	——	H. ♄.	
7 glàber. DC.	(wh.)	ever-green.	——	1759.	7. 8.	H. ♄.	Wats. dend. brit. t. 27.
8 atomàrius. DC.	(wh.)	atomiferous.	Georgia.	1820.	6. 7.	H. ♄.	
9 coriàceus. DC.	(wh.)	leathery-leaved.	——	——	——	H. ♄.	
10 lùcidus. DC.	(wh.)	shining-leaved.	.....	1778.	——	F. ♄.	
NEMOPA'NTHES. DC.		NEMOPA'NTHES. Polygamia Diœcia.					
canadénsis. DC.	(wh.)	Canadian.	N. America.	1812.	6. 7.	H. ♄.	DC. pl. rar. gen. t. 3.
Ilex canadensis. Mich. fl. amer. 2. t. 49.							

ORDO LXI.

RHAMNEÆ. *DC. prodr.* 2. *p.* 19.

ZI'ZYPHUS. R.S.		ZI'ZYPHUS.	Pentandria Monogynia. R.S.							
1	Lòtus. R.S.	(*st.*)	Barbary.	Africa.	1731.	....	G.	½.		Desf. act. ac. 1788. t. 21.
2	mucronàta. W.en. *bubaltna.* R.S.	(*st.*)	mucronate.	C. B. S.	1820.	....	G.	½.		
3	sinénsis. R.S.	(*wh.*)	Chinese.	China.	1818.	5. 6.	H.	½.		
4	Oenóplia. R.S.	(*st.*)	oblique-leaved.	Ceylon.	....	....	S.	½.		Burm. zeyl. 131. t. 61.
5	Jujùba. R.S.	(*st.*)	blunt-leaved.	E. Indies.	1759.	4. 5.	S.	½.		Rheed. mal. 4. t. 41.
6	soròria. R.S.	(*ye.*)	sister.	—— —	1823.	....	S.	½.		
7	álbens. F.I.	(*wh.*)	white-fruited.	China.	1822.	....	G.	½.		
8	Spìna Christi. R.S.	(*st.*)	Christ's-thorn.	Egypt.	....	4. 5.	G.	½.		Pluk. alm. t. 197. f. 3.
9	Napèca. R.S.	(*wh.*)	spotted-fruited.	Ceylon.	1816.	....	S.	½.		———— t. 216. f. 6.
10	vulgàris. R.S.	(*ye.*)	common.	S. Europe.	1640.	8. 9.	H.	½.		Pall. ross. 2. t. 59.
11	nitida. F.I.	(*ye.*)	shining.	China.	1822.	....	G.	½.		
12	Xylop'yrus. R.S.	(*ye.*)	cork-barked.	E. Indies.	——	....	S.	½.		
13	Caracútta. F.I.	(*ye.*)	villous-branch'd.	————	1820.	....	S.	½.		
14	microphy'lla. F.I.	(*ye.*)	small-leaved.	————	1824.	....	S.	½.		Pluk. alm. t. 197. f. 2.
15	incúrva. F.I.	(*gr.*)	incurved.	Nepaul.	1820.	5. 6.	F.	½.		
16	flexuòsa. F.I.	(*ye.*)	flexuose.	————	——	....	F.	½.		
PALI'URUS. DC.		CHRIST'S-THORN.	Pentandria Trigynia.							
1	aculeàtus. DC. *australis.* R.S.	(*ye.*)	common.	S. Europe.	1596.	6. 7.	H.	½.		Bot. mag. 1893.
	vulgàris. D.P. *Zizyphus Paliùrus.* B.M.									
2	virgàtus. DC.	(*ye.*)	twiggy.	Nepaul.	1819.	8. 9.	H.	½.		Bot. mag. t. 2535.
COND'ALIA.		COND'ALIA.	Pentandria Monogynia.							
	microphy'lla. DC.	(*gr.*)	small-leaved.	Chili.	1824.	....	G.	½.		Cav. ic. 6. t. 525.
BERCH'EMIA. DC.		BERCH'EMIA.	Pentandria Monogynia.							
1	volùbilis. DC. *Rhámnus volùbilis.* L.	(*gr.*)	climbing.	Carolina.	1714.	6. 7.	H.	½.⌣.		Jacq. ic. 2. t. 336.
										Zizyphus volùbilis. W. *Oenoplia volubilis.* R.S.
2	lineàta. DC.	(*wh.*)	lined.	China.	1804.	....	G.	½.		Osb. it. 219. t. 7.
3	floribúnda. Bro.	(*wh.*)	many-flowered.	Nepaul.	1827.	....	G.	½.⌣.		Brong. m. ram. pl. 2. f. 1.
SAGER'ETIA. Bro.		SAGER'ETIA.	Pentandria Monogynia.							
1	theèzans. Bro. *Rhámnus theèzans.* L.	(*gr.*)	Tea-like.	China.	....	9. 12.	G.	½.		
2	hamòsa. Bro. *Zizyphus hamósa.* F.I.	(*gr.*)	hook-thorned.	Nepaul.	1826.	....	G.	½.⌣.		
RHA'MNUS. DC.		BUCKTHORN.	Pentàndria Monogynia. L.							
1	Alatérnus. DC.	(*ye.*)	Alaternus.	S. Europe.	1629.	4. 6.	H.	♄.		Duham. ed. nov. 3. t. 14.
	α latifòlius.	(*ye.*)	*broad-leaved.*	————	....	——	H.	♄.		
	β balearicus. DC.	(*ye.*)	*round-leaved.*	————	....	——	H.	♄.		
	γ hispánicus. DC.	(*ye.*)	*Spanish.*	————	....	——	H.	♄.		
	δ vulgàris. DC.	(*ye.*)	*oval saw-leaved.*	————	....	——	H.	♄.		
	ε gláber.	(*ye.*)	*smooth-leaved.*	————	....	——	H.	♄.		
	ζ integrifòlius.	(*ye.*)	*entire-leaved.*	————	....	——	H.	♄.		
	η maculàtus.	(*ye.*)	*spot-leaved.*	————	....	——	H.	♄.		
	ϑ áureus.	(*ye.*)	*gold-striped.*	————	....	——	H.	♄.		
	ι argénteus.	(*ye.*)	*silver-striped.*	————	....	——	H.	♄.		
2	Clùsii. W.en.	(*gr.*)	narrow-leaved.	————	1629.	——	H.	♄.		Clus. hist. 1. p. 50.
3	hy'bridus. DC.	(*gr.*)	hybrid.	Hybrid.	....	5. 6.	H.	♄.		L'Her. sert. t. 5.
4	glandulòsa. DC.	(*gr.*)	Madeira.	Canaries.	1785.	6. 7.	G.	♄.		Vent. malm. t. 34.
5	integrifòlius. DC. *coriàceus.* Nees.	(*gr.*)	Teneriffe.	————	1820.	——	G.	♄.		Nees hor. phys. t. 22.
6	longifòlius. DC.	(*gr.*)	long-leaved.	N. America?	1822.	5. 6.	H.	♄.		
7	prinoídes. DC.	(*gr.*)	Prinos-leaved.	C. B. S.	1778.	8. 9.	G.	♄.		L'Her. sert. ang. t. 9.
8	celtifòlius. DC.	(*gr.*)	Celtis-leaved.	————	....	——	G.	♄.		Burm. afr. 242. t. 88.
9	cathárticus. DC.	(*gr.*)	purging.	England.	....	5. 6.	H.	♄.		Eng. bot. 1629.
10	virgàtus. DC.	(*ye.*)	slender.	Nepaul.	1819.	4. 5.	H.	½.		
11	tinctòrius. DC.	(*st.*)	dying.	Hungary.	1823.	5. 6.	H.	½.		Pl. rar. hung. 3. t. 255.
12	infectòrius. DC.	(*ye.*)	yellow-berried.	S. Europe.	1683.	6. 7.	H.	½.		Clus. hist. 1. p. 111. ic.
13	saxátilis. DC.	(*gr.*)	rock.	————	1752.	5. 6.	H.	♄.		Jacq. aust. 1. t. 53.
14	oleoídes. DC.	(*gr.*)	Olive-leaved.	Spain.	——	6. 7.	H.	♄.		
15	buxifòlius. DC.	(*gr.*)	Box-leaved.	S. Europe.	1820.	——	H.	½.		
16	pubéscens. DC.	(*gr.*)	pubescent.	S. France.	1820.	6. 7.	H.	½.		
17	crenulàtus. DC.	(*gr.*)	crenulate.	Teneriffe.	1778.	3. 4.	G.	½.		

18 lycioídes. DC.	(*gr.*)	Box-thorn-like.	Spain.	1752.	9. 12.	H. ♄.	Cavan. ic. 2. t. 182.
β latifólius.	(*gr.*)	*broader-leaved.*	———	——	——	H. ♄.	
19 erythróxylon. DC.	(*ye.*)	red-wooded.	Siberia.	1822.	4. 5.	H. ♄.	Pall. ross. 2. t. 62.
20 microphýllus. DC.	(*ye.*)	small-leaved.	Mexico.	——	——	G. ♄.	H.etB.n.gen.a.7.t.616.
21 pùmilus. L.	(*bk.*)	dwarf.	Europe.	1752.	7.	H. ♄.	Scop. carn. ed. 2. t. 5.
β rupéstris. Vill.	(*bk.*)	*small.*	Dauphiny.	——	——	H. ♄.	
22 pusíllus. T.P.	(*gr.*)	little.	Naples.	1825.	——	H. ♄.	
23 valentìnus. W.	(*ye.*)	Spanish.	Spain.	——	6. 7.	H. ♄.	Cavan. ic. 2. t. 181.
pùmilus. C. *non* W.							
24 Wulfènii. S.S.	(*ye.*)	Wulfen's.	Tergestum.	——	——	H. ♄.	Jacq. coll. 2. t. 11.
pùmilus. Wulf. *non* L.							
25 dahùricus. DC.	(*gr.*)	Dahurian.	Dahuria.	1826.	....	H. ♄.	Pall. ross. 2. t. 61.
26 alnifólius. DC.	(*gr.*)	Alder-leaved.	N. America.	1778.	5. 6.	H. ♄.	
27 frangulóides. R.S.	(*gr.*)	Frangula-like.	———	——	——	H. ♄.	
28 Purshiànus. DC.	(*gr.*)	Pursh's.	———	1826.	——	H. ♄.	
alnifólius. Ph. *nec aliorum.*							
29 alpìnus. DC.	(*ye.pu.*)	Alpine.	Switzerland.	1752.	——	H. ♄.	Lodd. bot. cab. 1077.
30 caroliniànus. DC.	(*gr.*)	Carolina.	N. America.	1824.	5. 7.	H. ♄.	
31 Frángula. DC.	(*gr.*)	berry-bearing Alder.	Britain.	....	4. 5.	H. ♄.	Eng. bot. 250.
32 latifólius. DC.	(*ye.*)	broad-leaved.	Azores.	1778.	6. 7.	H. ♄.	Wats. dend. brit. t. 11.
33 lanceolàtus. Ph.	(*gr.*)	spear-leaved.	N. America.	1812.	4. 5.	H. ♄.	
34? mystacinus. R.S.	(*gr.*)	wiry.	Abyssinia.	1775.	11.	S. ♄.	
35? tetragonus. DC.	(*gr.*)	square-branch'd.	C. B. S.	1816.	6. 8.	G. ♄.	Th. act. gor. 1812. c. ic.
SC'UTIA. Bro.		Sc'UTIA. Pentandria Monogynia.					
1 índica. Bro.	(*wh.*)	Indian.	E. Indies.	1824.	....	S. ♄.	Gært. fruct. 2. t. 106.
Rhámnus circumscíssus. L. *Ceanòthus circumscíssus.* DC.							
RETANI'LLA. Bro.		RETANI'LLA. Pentandria Monogynia.					
obcordàta. Bro.	(*ye.*)	obcordate-ld.	Peru.	1822.	5. 7.	G. ♄.	Vent. hort. cels. t. 92.
Collétia obcordàta. V.							
COLLE'TIA. Bro.		COLLE'TIA. Pentandria Monogynia.					
1 spinòsa. DC.	(*ye.*)	spiny.	Peru.	1823.	....	G. ♄.	Lam. ill. 2. t. 129.
2 serratifólia. DC.	(*ye.*)	saw-leaved.	———	——	5. 8.	G. ♄.	Vent. choix. t. 15.
3 pubéscens. Bro.	(*ye.*)	pubescent.	N. Holland.	1824.	....	G. ♄.	
HOV'ENIA. DC.		HOV'ENIA. Pentandria Monogynia.					
1 dúlcis. DC.	(*gr.*)	smooth-leaved.	China.	1812.	4. 6.	G. ♄.	Lam. ill. t. 131.
acérba. Bot. reg. 501.							
2 inæquàlis. DC.	(*gr.*)	pubescent-ld.	Nepaul.	1823.	....	G. ♄.	
dulcis. D.P. *et* F.I. *nec aliórum.*							
COLUBR'INA. Bro.		COLUBR'INA. Pentandria Monogynia.					
1 ferruginòsa. Bro.	(*st.*)	Bahama red-wood.	Bahama.	1726.	6.	S. ♄.	Jacq. vind. 3. t. 50.
Rhámnus colubrìnus. L. *Ceanòthus colubrìnus.* DC.							
2 reclinàta. Bro.	(*wh.*)	oval-leaved.	Jamaica.	1758.	8.	S. ♄.	Brown jam. t. 20. f. 2.
Ceanòthus reclinàtus. DC. *Rhámnus ellípticus.* H.K.							
3 triflòra. Bro.	(*st.*)	three-flowered.	Mexico.	1826.	....	G. ♄.	
4 cubénsis. Bro.	(*st.*)	Cuba.	Cuba.	1824.	....	S. ♄.	Jacq. vind. 3. t. 49.
5 asiática. Bro.	(*st.*)	Asiatic.	Asia.	1691.	7. 8.	S. ♄.	Cavan. ic. 5. t. 440. f. 1.
Ceanòthus asiáticus. DC.							
CEAN'OTHUS. Bro.		CEAN'OTHUS. Pentandria Monogynia. L.					
1 azùreus. DC.	(*bl.*)	blue.	New Spain.	1818.	4. 5.	G. ♄.	Bot. reg. 291.
cærùleus. Lod. bot. cab. 110. *bicolor.* R.S.							
2 tardiflòrus. DC.	(*wh.*)	late-flowering.	N. America.	1812.	9. 10.	H. ♄.	
3 americànus. DC.	(*wh.*)	New Jersey Tea.	———	1713.	7. 8.	H. ♄.	Bot. mag. 1479.
4 ovàtus. DC.	(*wh.*)	smooth-leaved.	———	....	——	H. ♄.	
5 perénnis. DC.	(*wh.*)	perennial.	———	1822.	6. 7.	H. ♃.	
6 intermèdius. DC.	(*wh.*)	intermediate.	———	1812.	——	H. ♄.	
7 collínus. D.	(*wh.*)	hill.	———	1827.	——	H. ♄.	
8 sanguíneus. DC.	(*wh.*)	bloody twigged.	———	1812.	5. 7.	H. ♄.	
9 microphýllus. DC.	(*wh.*)	small-leaved.	———	1806.	6. 7.	H. ♄.	
10 buxifólius. DC.	(*wh.*)	Box-leaved.	Mexico.	1824.	4. 6.	G. ♄.	H.etB.n.gen.a.7.t.615.
11 macrocárpus. DC.	(*st.*)	large-fruited.	New Spain.	1823.	6. 7.	G. ♄.	Cavan. ic. 3. t. 276.
12 nepalénsis. F.I.	(*st.*)	Nepaul.	Nepaul.	——	——	H. ♄.	
WILLEM'ETIA. Bro.		WILLEM'ETIA. Pentandria Monogynia.					
africàna. Bro.	(*st.*)	African.	C. B. S.	1712.	3. 4.	G. ♄.	Pluk. phyt. 126. f. 1.
Ceanòthus africànus. DC.							
POMADE'RRIS. DC.		POMADE'RRIS. Pentandria Monogynia.					
1 globulòsa. Bro.	(*st.*)	round-headed.	N. Holland.	1803.	4. 5.	G. ♄.	Lab. nov. hol. 1. t. 85.
Ceanòthus globulòsus. Lab.							
2 spathulàta. Bro.	(*st.*)	spathulate-leav'd.	———	1824.	——	G. ♄.	Lab. nov. 1. t. 84.
3 discolor. DC.	(*ye.*)	two-coloured.	———	1803.	——	G. ♄.	Swt. fl. aust. t. 41.
Ceanòthus discolor. Vent. malm. t. 58.							

4	intermèdia. DC.	(*st.*)	intermediate.	N. S. W.	1818.	4. 6.	G.	ħ.	
5	acuminàta. L.en.	(*wh.*)	loose-flowered.	N. Holland.	1816.	4. 7.	G.	ħ.	
6	ellíptica. DC.	(*ye.*)	elliptic-leaved.	———	1805.	——	G.	ħ.	Lab. nov. holl. 1. t. 86.
7	lanígera. *Ceanóthus laníger.* A.R.	(*ye.*)	ferruginous.	———	1806.	——	G.	ħ.	Andr. rep. 569.
8	Símsii. *lanígera.* Sims bot. mag. *non* Andr.	(*st.*)	Sims's.	N. S. W.	1821.	——	G.	ħ.	Bot. mag. 1823.
9	viridirùfa. Sieb.	(*st.*)	brown green.	N. S. W.	——	——	G.	ħ.	
10	ledifòlia. F.T.	(*ye.*)	Ledum-leaved.	———	1824.	——	G.	ħ.	
11	andromedæfòlia. F.T.	(*ye.*)	Andromeda-ld	———	——	——	G.	ħ.	
12	phylliræoídes. DC.	(*ye.*)	Phillyrea-leaved.	———	1803.	——	G.	ħ.	
13	apétala. DC.	(*br.*)	petalless.	N. Holland.	——	5. 6.	G.	ħ.	Lab. nov. holl. 1. t. 87.
14	áspera. DC.	(*br.*)	rough.	N. S. W.	1818.	6. 7.	G.	ħ.	
15	ligustrìna. DC.	(*wh.*)	Privet-like.	———	1826.	——	G.	ħ.	
16	phylicifòlia. DC.	(*wh.*)	Phylica-leaved.	N. Holland.	1810.	3. 5.	G.	ħ.	Lodd. bot. cab. 120.
CRYPTA'NDRA. DC.			CRYPTA'NDRA.	Pentandria Monogynia. R.S.					
1	ericifòlia. DC.	(*pa.*)	Heath-leaved.	N. S. W.	1823.	5. 7.	G.	ħ.	Linn. trans. 10 t. 18. f. 1.
2	amàra. DC.	(*pa.*)	bitter.	———	——	4. 6.	G.	ħ.	———— 10. t. 18. f. 2.
3	spinéscens. DC.	(*pa.*)	spiny.	———	1824.	——	G.	ħ.	
VENTIL'AGO. DC.			VENTIL'AGO.	Pentandria Monogynia. R.S.					
	maderaspatàna. DC.	(*gr.*)	Madras.	E. Indies.	1822.	....	S.	ħ. ⌣.	Roxb. corom. 1. t. 76.
GOUA'NIA. DC.			GOUA'NIA.	Polygamia Monœcia. L.					
1	integrifòlia. DC.	....	entire-leaved.	S. America?	1824.	....	S.	ħ. ⌣.	
2	domingénsis. DC.	(*gr.*)	Chaw-stick.	W. Indies.	1739.	....	S.	ħ. ⌣.	Jacq. amer. t. 179. f. 49.
3	cordifòlia. DC.	(*ye.*)	heart-leaved.	Brazil.	1822.	....	S.	ħ. ⌣.	
4	tomentòsa. DC.	(*ye.*)	woolly-leaved.	W. Indies.	1823.	....	S.	ħ. ⌣.	Gært. f. carp. 3. t. 188. f. 1
5	mauritiàna. DC.	(*br.*)	rusty.	Mauritius.	——	....	S.	ħ. ⌣.	
6	tiliæfòlia. DC.	(*gr.*)	Lime-leaved.	Bourbon.	1810.	4. 6.	S.	ħ. ⌣.	
7	leptostàchya. DC. *tiliæfòlia.* R.C. *non* Lam.	(*gr.*)	slender-spiked.	E. Indies.	——	——	S.	ħ. ⌣.	Roxb. corom. 1. t. 96.
8	Retinària. DC.	(*gr.*)	oval-leaved.	Mauritius.	1824.	....	S.	ħ. ⌣.	Gært. fruct. 2. t. 120. f. 4.
TRICHOCE'PHALUS. Bro.			TRICHOCE'PHALUS.	Pentandria Monogynia.					
1	stipulàris. Bro. *Phy'lica stipulàris.* DC.	(*wh.*)	stipuled.	C. B. S.	1786.	5. 9.	G.	ħ.	Wendl. coll. t. 32.
2	spicàta. Bro. *Phy'lica spicàta.* L. *non* B.M.	(*wh.*)	spiked.	———	1774.	11. 12.	G.	ħ.	Lam. ill. t. 127. f. 3.
PHY'LICA. Bro.			PHY'LICA.	Pentandria Monogynia. L.					
1	parviflòra. R.S.	(*wh.*)	small-flower'd.	C. B. S.	1790.	4. 7.	G.	ħ.	
2	ericoídes. R.S.	(*wh.*)	Heath-leaved.	———	——	9. 4.	G.	ħ.	Bot. mag. 224.
3	glábrata. R.S.	(*wh.*)	smooth-leaved.	———	1820.	3. 5.	G.	ħ.	
4	acerósa. R.S.	(*wh.*)	needle-leaved.	———	1819.	4. 7.	G.	ħ.	Spr. ber. mag. 8. t. 8 f. 2.
5	lanceolàta. R.S.	(*wh.*)	spear-leaved.	———	1790.	4. 5.	G.	ħ.	
6	erióphora. R.S.	(*wh.*)	pale-flowered.	———	1774.	11. 3.	G.	ħ.	
7	callósa. R.S.	(*wh.*)	callous-leaved.	———	——	3. 4.	G.	ħ.	
8	imbérbis. R.S.	(*wh.*)	beardless.	———	1823.	5. 9.	G.	ħ.	Breyn. cent. 18. t. 7.
9	secúnda. R.S.	(*wh.*)	secund.	———	1812.	——	G.	ħ.	
10	? austràlis. L.en.	(*wh.*)	southern.	———	——	3. 5.	G.	ħ.	
11	pùmila. DC.	(*wh.*)	dwarf.	———	1820.	4. 6.	G.	ħ.	
12	bícolor. R.S.	(*wh.*)	two-coloured.	———	1823.	4. 5.	G.	ħ.	
13	spicàta. B.M.	(*wh.*)	close-spiked.	———	——	8. 12.	G.	ħ.	Bot. mag. 2704.
14	hirsùta. R.S.	(*wh.*)	hairy.	———	1820.	5. 9.	G.	ħ.	
15	pìnea. R.S.	(*wh.*)	Pine-like.	———	1824.	——	G.	ħ.	
16	villósa. R.S.	(*wh.*)	villous.	———	1790.	——	G.	ħ.	
17	papillósa. R.S.	(*wh.*)	papillose.	———	1820.	3. 5.	G.	ħ.	
18	rosmarinifòlia. R.S.	(*w.*)	Rosemary-ld.	———	1815.	5. 8.	G.	ħ.	Lodd. bot. cab 849.
19	cylíndrica. R.S.	(*wh.*)	cylindrical.	———	....	4. 8.	G.	ħ.	Wendl. coll. 1. t. 7.
20	excélsa. R.S.	(*wh.*)	tall.	———	1820.	3. 5.	G.	ħ.	———— 3. t. 4.
21	horizontàlis. DC. *plumósa.* Spr. *non* L.	(*wh.*)	spreading.	———	1800.	6. 8.	G.	ħ.	Spr. ber. mag. 8. f. 7.
22	squarrósa. DC.	(*wh.*)	squarrose.	———	1820.	3. 5.	G.	ħ.	Lodd. bot. cab. 36.
23	Commelìni. R.S.	(*wh.*)	Commelin's.	———	1800.	5. 8.	G.	ħ.	Comm. præl. 63. t. 13.
24	plumósa. R.S.	(*wh.*)	feathered.	———	1752.	3. 5.	G.	ħ.	Lam. ill. t. 127. f. 4.
25	capitàta. R.S.	(*wh.*)	headed.	———	1774.	——	G.	ħ.	Bot. reg. 711.
26	reclinàta. R.S.	(*wh.*)	reclined.	———	1820.	——	G.	ħ.	Wendl. coll. 2. t. 56.
27	pedicellàta. DC.	(*wh.*)	pedicled.	———	——	——	G.	ħ.	
28	atráta. R.S.	(*wh.*)	dark-haired.	———	——	3. 5.	G.	ħ.	
SOULA'NGIA. Bro.			SOULA'NGIA.	Pentandria Monogynia.					
1	axillàris. Bro.	(*wh.*)	axillary-flower'd.	C. B. S.	1812.	5. 6.	G.	ħ.	Spr. ber. mag. 8. t. 8. f. 4.
2	thymifòlia. Bro.	(*wh.*)	Thyme-leaved.	Antarctic.	1824.	——	S.	ħ.	Vent. malm. t. 57.

3 oleæfòlia. Bro. (*wh.*) Olive-leaved. C. B. S. .... 1. 4. G. ħ. Lodd. bot. cab. t. 823.
Phy'lica spicàta. Lod. bot. cab. *nec aliorum.*
4 paniculàta. Bro. (*wh.*) panicled. ——— 1812. 4. 6. G. ħ.
Phy'lica paniculàta. DC. *myrtifòlia.* Poir.
5 buxifòlia. Bro. (*wh.*) Box-leaved. ——— 1759. 5. 9. G. ħ. Lodd. bot. cab. 848.
Phy'lica buxifòlia. Wend. coll. 1. t. 26.
6 cordàta. Bro. (*wh.*) heart-leaved. ——— 1789. 5. 6. G. ħ. Comm. præl. 62. t. 12.
7 orientàlis. (*wh.*) oriental. ——— 1820. —— G. ħ. Herb. amat. t. 283.
Phylica orientàlis. Herb. amat. t. 283.

---

† *Genera ad Rhamneas accedentia.*

SCHÆFF'ERIA. DC. SCHÆFF'ERIA. Dicœcia Tetrandria.
frutéscens. DC. (*wh.*) white-flowered. W. Indies. 1793. .... S. ħ. Swartz.fl.ind.1.t.7.f.A.
β *buxifòlia.* DC. (*wh.*) *Box-leaved.* ——— —— .... S. ħ. Sloan.hist.2.t.209.f.1.
OLI'NIA. DC. OLI'NIA. Pentandria Monogynia.
cymòsa. DC. (*wh.*) sweet-scented. C. B. S. 1812. 4. 6. G. ħ.
Sideróxylum cymòsum. L.

ORDO LXII.

BRUNIACEÆ. *DC. prodr.* 2. *p.* 43.

BERZ'ELIA. Bro. BERZ'ELIA. Pentandria Monogynia.
1 abrotanoides. Bro. (*w.*) Southernwood-like. C. B. S. 1787. 5. 7. G. ħ. Wendl. coll. t. 45.
Brùnia abrotanoides. Lodd. bot. cab. 355.
2 lanuginòsa. Bro. (*wh.*) woolly. ——— 1774. 6. 8. G. ħ. Wendl. coll. 1. t. 11.
Brùnia lanuginòsa. DC.
BR'UNIA. R.S. BR'UNIA. Pentandria Monogynia. L.
1 l'æva. R.S. (*wh.*) smooth. C. B. S. 1823. 5. 7. G. ħ.
2 nodiflòra. R.S. (*wh.*) imbricated. ——— 1786. 7. 8. G. ħ. Breyn. cent. 22. t. 10.
3 deùsta. R.S. (*wh.*) black-tipped. ——— 1804. 6. 8. G. ħ.
4 comòsa. R.S. (*wh.*) tufted. ——— 1823. —— G. ħ.
5 verticillata. R.S. (*wh.*) whorled. ——— 1794. —— G. ħ.
6 virgàta. Bro. (*wh.*) twiggy. ——— .... —— G. ħ.
7 squarròsa. R.S. (*wh.*) squarrose. ——— 1818. —— G. ħ.
8 alopecuroides. R.S. (*w.*) Fox-tail. ——— 1816. 5. 7. G. ħ.
9 làxa. R.S. (*wh.*) loose-branched. ——— —— —— G. ħ.
10 plumòsa. R.S. (*wh.*) feathered. ——— 1822. —— G. ħ.
11 superba. R.S. (*wh.*) superb. ——— 1791. —— G. ħ.
12 fragarioides. R.S. (*wh.*) Strawberry-like. ——— 1794. 5. 7. G. ħ.
13 ciliàta. R.S. (*wh.*) fringed. ——— 1812. —— G. ħ.
14 ericoides. R.S. (*wh.*) Heath-leaved. ——— —— —— G. ħ. Wendl. coll. II. t. 57.
15 arachnoidea. R.S. (*wh.*) cobweb. ——— 1810. —— G. ħ. ——— t. 62.
16 formòsa. R.S. (*wh.*) handsome. ——— 1812. —— G. ħ.
17 macrocéphala. R.S. (*w.*) large-headed. ——— —— —— G. ħ.
18 racemòsa. Bro. (*wh.*) clustered. ——— 1790. 5. 9. G. ħ.
Phy'lica racemòsa. L.
19 pinifòlia. Bro. (*wh.*) Pine-leaved. ——— 1789. 5. 6. G. ħ. Brong. brun. t. 1. f. 2.
Phy'lica pinifòlia. L.
20 imbricàta. (*wh.*) imbricated. ——— 1801. 8. 11. G. ħ.
Phy'lica imbricàta. Th.
RASP'ALIA. Bro. RASP'ALIA. Pentandria Digynia.
microphy'lla. Bro. (*w.*) small-leaved. C. B. S. 1804. 6. 8. G. ħ. Brong. brun. t. 3. f. 1.
Brùnia microphy'lla. Th.
STA'AVIA. DC. STA'AVIA. Pentandria Monogynia.
1 radiàta. DC. (*wh.*) rayed. C. B. S. 1787. 5. 6. G. ħ. Brong. brun. t. 2. f. 2.
2 glutinòsa. DC. (*wh.*) clammy. ——— 1793. 4. 5. G. ħ. Lodd. bot. cab. 852.

3 nùda. Bro.	(*wh.*)	naked.	C. B. S.	1821.	4. 5.	G. ♄.		
4 ciliàta. Bro.	(*wh.*)	fringed.	———	1812.	5. 7.	G. ♄.		
NEB'ELIA. Neck.		NEB'ELIA. Pentandria Digynia.						
1 paleàcea.	(*wh.*)	chaffy.	C. B. S.	1791.	6. 8.	G. ♄.	Wendl. coll. t. 21.	
Berárdia. Bro. *non* P.S. *Brùnia paleàcea.* R.S.								
2 affínis.	(*wh.*)	related.	C. B. S.	1816.	——	G. ♄.		
Berárdia affínis. Bro.								
3 phylicoides.	(*wh.*)	Phylica-leaved.	———	1822.	——	G. ♄.		
Berárdia phylicoides. Bro. *Brùnia phylicoides.* Th.								
LINC'ONIA. L.		LINC'ONIA. Pentandria Digynia.						
1 alopecuroídea. L.	(*wh.*)	Fox-tail.	C. B. S.	1824.	6. 8.	G. ♄.	Swa. in. ber. m. 1810. t. 4.	
2 thymifòlia. DC.	(*wh.*)	Thyme-leaved.	———	1825.	——	G. ♄.	——— p. 86. t. 4.	
3 cuspidàta. DC.	(*wh.*)	cuspidate.	———	——	——	G. ♄.	—— 1811. p. 284. t. 7. f 1.	
AUDOUI'NIA. Bro.		AUDOUI'NIA. Pentandria Monogynia.						
capitàta. Bro.	(*wh.*)	headed.	C. B. S.	1790.	4. 6.	G. ♄.		
Diósma capitàta. DC.								
TITTMA'NNIA. Bro.		TITTMA'NNIA. Pentandria Monogynia.						
lateriflòra. Bro.	(*wh.*)	side-flowering.	C. B. S.	1812.	4. 6.	G. ♄.	Brong. brun. t. 4. f. 2.	
THA'MNEA. Bro.		THA'MNEA. Pentandria Monogynia.						
uniflòra. Bro.	(*wh.*)	one-flowered.	C. B. S.	1810.	4. 6.	G. ♄.	Brong. brun. t. 4. f. 3.	

ORDO LXIII.

SAMYDEÆ. *DC. prodr.* 2. *p.* 47.

SAM'YDA. DC.		SAM'YDA. Decandria Monogynia. S.S.						
1 glábrata. DC.	(*wh.*)	smooth.	Jamaica.	1818.	5. 8.	S. ♄.		
2 villòsa. DC.	(*wh.*)	villous.	———	——	——	S. ♄.		
3 decúrrens. S.S.	(*wh.*)	decurrent.	Brazil.	1822.	——	S. ♄.		
4 pubéscens. S.S.	(*wh.*)	pubscent.	W. Indies.	1793.	——	S. ♄.		
5 serrulàta. DC.	(*wh.*)	saw-leaved.	———	1723.	7. 8.	S. ♄.	Jacq. col. 2. t. 17. f. 1.	
6 spinulòsa. DC.	(*wh.*)	spiny.	St. Thomas.	1826.	....	S. ♄.	Vent. choix. t. 43.	
7 macrocárpa. DC.	(*wh.*)	large-fruited.	Mexico.	——	....	S. ♄.		
8 ròsea. B M.	(*ro.*)	rose-coloured.	W. Indies.	1793.	6. 7.	S. ♄.	Bot. mag. 550.	
serrulàta. A.R. 202. *nec aliorum.*								
9 nítida. DC.	(*wh.*)	glossy-leaved.	Jamaica.	——	——	S. ♄.	Br. jam. 217. t. 23. f. 2.	
10 macrophy'lla. DC.	(*gr.*)	large-leaved.	E. Indies.	1823.	....	S. ♄.		
CASE'ARIA. DC.		CASE'ARIA. Decandria Monogynia. S.S.						
1 glomeràta. DC.	(*wh.*)	cluster-flower'd.	E. Indies.	1824.	5. 7.	S. ♄.		
2 ovàta. DC.	(*gr.*)	oval-leaved.	———	——	——	S. ♄.	Rheed. mal. 4. t. 49.	
3 ramiflòra. DC.	(*wh.*)	branch-flower'd.	Guiana.	——	——	S. ♄.	Aubl. guian. 1. t. 127.	
4 nítida. DC.	(*wh.*)	shining.	Carthagena.	——	——	S. ♄.	Act. helv. 8. p. 58. ic.	
5 sylvéstris. DC.	(*wh.*)	wood.	Jamaica.	1823.	....	S. ♄.		
6 parviflòra. DC.	(*wh.*)	small-flowered	W. Indies.	1818.	5. 7.	S. ♄.	Sloan. hist. 2. t. 211. f. 2.	
7 serrulàta. DC.	(*wh.*)	serrrulate.	———	——	——	S. ♄.		
8 glábra. H.B.	(*wh.*)	smooth.	E. Indies.	1820.	——	S. ♄.		
9 hirsùta. DC.	(*wh.*)	hairy.	W. Indies.	——	....	S. ♄.		
10 zizyphoídes. K.S.	(*wh.*)	Zizyphus-like.	Caracas.	1824.	....	S. ♄.		
11 argùta. K.S.		sharp-toothed.	Mexico.	——	....	S. ♄.		

ORDO LXIV.

HOMALINEÆ. *DC. prodr.* 2. *p.* 53.

HOM'ALIUM. DC.		HOM'ALIUM. Polyadelphia Polyandria.						
racemòsum. DC.	(*wh.*)	racemed.	W. Indies.	1818.	5. 7.	S. ♄.	Bot. reg. 519.	
BLACKWE'LLIA. DC.		BLACKWE'LLIA. Dodecandria Pentagynia.						
1 paniculàta. DC.	(*wh.*)	panicled.	Bourbon.	1818.	5. 7.	S. ♄.		

2 glàuca. DC.	(*wh.*)	glaucous.	Mauritius.	1823.	....	S. ♄.	Vent. choix. t. 55.
3 nepalensis. DC.	(*wh.*)	Nepaul.	Nepaul.	1824.	....	S. ♄.	
4 axillàris. DC.	(*wh.*)	axillary-flower'd.	Madagascar.	1823.	....	S. ♄.	Lam. ill. t. 412. f. 1.
5 spiràlis. DC.	(*wh.*)	spiral.	Pegu.	1820.	....	S. ♄.	
6 fagifolia.	(*wh.*)	Beech-leaved.	China.	1824.	5.	G. ♄.	

ASTRA'NTHUS. DC. STAR-FLOWER. Heptandria Tetragynia.

cochinchinénsis.	(*wh.*)	Chinese.	China.	1821.	6. 7.	S. ♄.	Bot. mag. 2659.

ARISTOTE'LIA. DC. ARISTOTE'LIA. Dodecandria Monogynia. L.

Máqui. DC.	(*wh.*)	shining-leaved.	Chile.	1773.	4. 5.	H. ♄.	Wats. dend. brit. t. 44.

ORDO LXV.

CHAILLETIACEÆ. *DC. prodr.* 2. *p.* 57.

CHAILL'ETIA. DC. CHAILL'ETIA. Pentandria Di-Trigynia.

1 toxicària. D.D.	(*wh.*)	poisonous.	Sierra Leone.	1822.	....	S. ♄.	
2 erécta. D.D.	(*wh.*)	upright.	———	——	....	S. ♄.	

ORDO LXVI.

AQUILARINEÆ. *DC. prodr.* 2. *p.* 59.

AQUIL'ARIA. DC. AQUIL'ARIA. Decandria Monogynia.

Agallòcha. H.B.	....	Aloe-wood.	E. Indies.	1824.	....	S. ♄.	

ORDO LXVII.

CASSUVIEÆ. *R. Brown cong. p.* 12.

ANACA'RDIUM. DC. CASHEW-NUT. Enneandria Monogynia. L.

1 occidentàle. DC.	(*y.gr.*)	common.	India.	1599.	....	S. ♄.	Catesb. car. 3. t. 9.
Cassùvium pomíferum. Lam. ill. 3. t. 322.							
2 dùbium. H.B.	(*gr.*)	doubtful.	E. Indies.	1824.	....	S. ♄.	

SEMECA'RPUS. DC. SEMECA'RPUS. Pentandria Trigynia. L.

Anacárdium. DC.	(*y.gr.*)	common.	E. Indies.	1820.	....	S. ♄.	
α angustifólium. DC.	(*y.gr.*)	*long-leaved.*	———	——	....	S. ♄.	Rumph. amb. 1. t. 70.
β cuneifólium. DC.	(*y.gr.*)	*wedge-leaved.*	———	——	....	S. ♄.	
γ obtusifóculum. DC.	(*y.gr.*)	*broad-leaved.*	———	——	....	S. ♄.	Roxb. corom. 1. t. 12.

MANGI'FERA. DC. MANGO-TREE. Pentandria Monogynia.

1 índica. DC.	(*ye.*)	common.	E. Indies.	1690.	6. 9.	S. ♄.	Andr. rep. 425.
2 oppositifólia. F.I.	(*ye.*)	opposite-leaved.	———	1823.	....	S. ♄.	

BUCHANA'NIA. R.C. BUCHANA'NIA. Decandria Monogynia.

1 latifólia. DC.	(*wh.*)	broad-leaved.	E. Indies.	1820.	....	S. ♄.	
2 angustifólia. DC.	(*wh.*)	narrow-leaved.	———	——	....	S. ♄.	Roxb. corom. 3. t. 262.
Mangífera axillàris. Lam. *Cambessèdea.* K.S.							

RHU'S. R.S. SUMA'CH. Pentandria Trigynia. L.

1 Coriària. R.S.	(*gr.*)	Elm-leaved.	S. Europe.	1596.	7.	H. ♄.	Flor. græc. t. 290.
2 typhina. R.S.	(*pu.*)	Virginian.	N. America.	1629.	7. 8.	H. ♄.	Wats. dend. t. 17. mas.
α arborescens. R.S.	(*pu.*)	*arborescent.*	———	——	——	H. ♄.	———— t. 18. fem.
β frutescens. R.S.	(*pu.*)	*frutescent.*	———	——	——	H. ♄.	

3	javánica. R.S.	(*wh.*)	Java.	Java.	1799.	7. 9.	S. ♄.	
4	semialàta. R.S.	(*wh.*)	Service-leaved.	Macao.	1780.	——	G. ♄.	Murr. comm. got. VI. t. 3.
5	viridiflòra. R.S.	(*gr.*)	green-flowered.	N. America.	....	7.	H. ♄.	
6	glàbra. R.S.	(*gr.*)	smooth.	——	1726.	7. 9.	H. ♄.	Wats. dend. t. 15.
	α hermaphrodita. DC.	(*gr.*)	*hermaphrodite.*	——	——	——	H. ♄.	Dill. elt. t. 248.
	β dioíca. DC.	(*gr.*)	*dioecious.*	——	——	——	H. ♄.	Lam. Ill. t. 207. f. 1.
7	élegans. R.S.	(*sc.*)	scarlet-flowered.	——	——	——	H. ♄.	Wats. dend. t. 16.
8	Vérnix. R.S.	(*gr.*)	varnish.	——	1713.	——	H. ♄.	—— t. 19.
9	vernicífera. DC.	(*gr.*)	Chinese varnish.	China.	....	——	G. ♄.	Kæmp. amœn. t. 792.
	Rhus Vernix. Th. *non* Ph.							
10	A'mela. D.P.	(*gr.*)	large-leaved.	Nepaul.	1823.	....	G. ♄.	
11	Wallíchii.	(*gr.*)	Wallich's.	——	——	....	G. ♄.	
	juglandifòlia. D.P. *non* Kth.							
12	fraxinifòlia. D.P.	(*gr.*)	Ash-leaved.	——	——	——	G. ♄.	
13	acuminàta. DC.	(*gr.*)	pointed-leaved.	——	——	....	G. ♄.	
14	succedànea. R.S.	(*gr.*)	red Lac.	China.	1768.	6.	G. ♄.	Kæmp. amœn. t. 795.
15	juglandifòlia. K.S.	(*gr.*)	Walnut-leaved.	S. America.	1826.	....	G. ♄.	H.et B.n.ge.a.7.t.603-4.
16	copallìna. R.S.	(*gr.*)	Lentiscus-lea'd.	N. America.	1688.	8. 9.	H. ♄.	Jacq. schœn. 3. t. 341.
17	alàta. R.S.	(*gr.*)	winged-leaved.	C. B. S.	1818.	....	G. ♄.	
18	pauciflòra. R.S.	(*gr.*)	few-flowered.	——	——	....	G. ♄.	
19	pùmila. R.S.	(*gr.*)	dwarf poisonous.	N. America.	1806.	7.	H. ♄.	
20	digitàta. R.S.	(*gr.*)	fingered.	C. B. S.	1818.	....	G. ♄. ◡.	
21	oblíqua. R.S.	(*gr.*)	oblique-leaved.	——	——	....	G. ♄.	
22	schinoídes. R.S.	(*gr.*)	Schinus-like.	Brazil.	1825.	....	S. ♄.	
23	pentaphy'lla. R.S.	(*ye.*)	various-leaved.	Barbary.	1816.	....	G. ♄.	Desf. atl. 1. t. 77.
24	chinénsis. Mill.	(*gr.*)	Chinese.	China.	1740.	....	G. ♄.	
25	rádicans. DC.	(*wh.*)	rooting poison-oak.	N. America.	1724.	6. 7.	H. ♄. ◡.	Bot. mag. 1806.
26	Toxicodéndron. DC.	(*w.*)	poison-oak.	——	1640.	——	H. ♄. ◡.	Schkuhr. hand. 1. t. 82.
27	cirrhiflòra. R.S.	(*gr.*)	tendril-flower'd.	C. B. S.	1825.	....	G. ♄. ◡.	
28	Thunbergiàna. R.S.	(*gr.*)	Thunberg's.	——	1697.	7. 8.	G. ♄.	
29	gláuca. R.S.	(*gr.*)	glaucous.	——	1818.	——	G. ♄.	
30	tridentàta. R.S.	(*gr.*)	three-toothed.	——	——	....	G. ♄. ◡.	
31	crenàta. R.S.	(*gr.*)	crenated.	——	....	6. 7.	G. ♄.	
32	dentàta. R.S.	(*gr.*)	rough-stalked.	——	1798.	——	G. ♄.	
33	sinuàta. R.S.	(*gr.*)	sinuated.	——	1818.	——	G. ♄.	
34	cuneifòlia. R.S.	(*gr.*)	wedge-leaved.	——	1816.	——	G. ♄.	
35	dimidiàta. R.S.	(*gr.*)	variable-leaved.	——	——	——	G. ♄.	
36	dissécta. R.S.	(*gr*)	dissected-leaved.	——	——	——	G. ♄.	
37	incísa. R.S.	(*gr.*)	cut-leaved.	——	1789.	——	G. ♄.	
38	tomentòsa. R.S.	(*gr.*)	woolly-leaved.	——	1691.	——	G. ♄.	Comm. hort. ams. 1. t. 92.
39	álbida. R.S.	(*gr.*)	white-barked.	Barbary.	1824.	....	F. ♄.	
40	villòsa. R.S.	(*gr.*)	villous-leaved.	C. B. S.	1714.	7.	G. ♄.	Pluk. alm. t. 219. f. 8.
41	spicàta. R.S.	(*gr.*)	spiked.	——	1816.	——	G. ♄.	
42	pubéscens. R.S.	(*gr.*)	pubescent.	——	——	——	G. ♄.	
43	atomària. DC.	(*gr.*)	velvetty.	——	1820.	6. 8.	G. ♄.	Jacq. schœnb. 3. t. 343.
44	parviflòra. DC.	(*gr.*)	small-flowered.	Nepaul.	1824.	....	G. ♄.	
45	mucronàta. R.S.	(*gr.*)	mucronate.	C. B. S.	1825.	....	G. ♄.	
46	viminàlis. R.S.	(*gr.*)	Willow-leaved.	——	1774.	6. 7.	G. ♄.	Jacq. schœn. 3. t. 344.
47	eròsa. R.S.	(*gr.*)	erose-leaved.	——	1816.	——	G. ♄.	
48	láncea. R.S.	(*gr.*)	lance-leaved.	——	——	——	G. ♄.	
49	angustifòlia. R.S.	(*wh.*)	narrow-leaved.	——	1714.	——	G. ♄.	Pluk. alm. t. 219. f. 6.
50	rosmarinifòlia. R.S.	(*gr.*)	Rosemary-leaved.	——	1800.	——	G. ♄.	Burm. afr. t. 91. f. 1.
51	undulàta. R.S.	(*gr.*)	wave-leaved.	——	1818.	——	G. ♄.	Jacq. schœn. 3. t. 346.
52	lævigàta. R.S.	(*gr.*)	polished-leaved.	——	1758.	——	G. ♄.	—— 3. t. 345.
	elongàta. Jacq.							
53	ellíptica. R.S.	(*gr.*)	elliptic-leaved.	——	1816.	——	G. ♄.	
54	pendulìna. R.S.	(*gr.*)	pendulous.	——	——	——	G. ♄.	
55	lùcida. DC.	(*gr.*)	shining-leaved.	——	1697.	7. 8.	G. ♄.	Comm. hort. 1. t. 98.
56	Cavanillèsii. DC.	(*wh.*)	Cavanilles'.	Mexico.	....	——	G. ♄.	Cavan. ic. 2. t. 183.
	lùcidum. C.I. *non* DC.							
57	Burmánni. DC.	(*gr.*)	Burman's.	C. B. S.	1697.	7. 8.	G. ♄.	Burm. afr. t. 91. f. 2.
	lùcidum. α. H.K.							
58	concínna. B.T.	(*gr.*)	pretty.	——	1816.	——	G. ♄.	
59	nervòsa. R.S.	(*gr.*)	nerved-leaved.	——	....	——	G. ♄.	
60	pyroídes. B.T.	(*gr.*)	Pyrus-like.	——	1816.	——	G. ♄.	
61	rígida. DC.	(*gr.*)	rigid.	——	....	——	G. ♄.	
62	tridáctylis. B.T.	(*gr.*)	three-fingered.	——	1816.	....	G. ♄.	
63	serræfòlia. B.T.	(*gr.*)	saw-leaved	——	——	——	G. ♄.	
64	dioíca. DC.	(*ye.*)	dioecious.	Mogador	1823.	——	F. ♄.	
	oxyacanthoides. P.S.							

65 oxyacántha. DC.	(ye.)	Hawthorn-like.	Magador.	1823.	....	F. ♄.		
66 lobàta. DC.	(gr.)	lobed-leaved.	Teneriffe.	1824.	....	F. ♄.		
67 heterophy'lla. DC.	(gr.)	various-leaved.	.....	1815.	6. 8.	F. ♄.		
68 zizyphina. R.S.	(gr.)	Zizyphus-like.	Sicily.	——	....	G. ♄.		
69 Cotinus. R.S.	(gr.)	Venice.	S. Europe.	1656.	6. 7.	H. ♄.	Jacq. aust. 3. t. 210.	
LOB'ADIUM. Raf.		Lob'adium.	Pentandria Trigynia.					
1 aromáticum.	(gr.)	aromatic.	N. America.	1772.	5.	H. ♄.	Turp. ann. mus. 5. t. 30.	
Rhús aromática. R.S. *Schmáltzia aromática.* Desv.								
2 suavèolens.	(gr.)	sweet.	N. America.	1759.	——	H. ♄.		
Schmáltzia suavèolens. Desv. *Rhús suavèolens.* R.S.								

ORDO LXVIII.

TEREBINTHACEÆ. *Brown.*

PISTACIA. DC.		Pist'achia-tree.	Dicœcia Pentandria. L.					
1 vèra. DC.	(st.)	true.	Levant.	1570.	4. 5	H. ♄.	Duham. ed. nov. 4. t. 17.	
Mas. P. *trifolia.* W.	(st.)	*male-flowered.*	———	——	——	H. ♄.	Bocc. mus. t. 93.	
Fem. P. *vera.* W.	(gr.)	*female.*	———	——	——	H. ♄.	Rauw. it. 72. t. 9.	
2 reticulàta. W.	(st.)	netted-leaved.	———	1752.	——	H. ♄.		
3 Terebínthus. DC.	(st.)	turpentine-tree.	S. Europe.	1656.	6. 7.	H. ♄.	Duham. arb. v. 2. t. 87.	
β *sphærocárpa.* DC.	(st.)	*round-fruited.*	Levant.	——	——	H. ♄.	J. Bauh. hist. 1. p. 278. ic.	
4 atlántica. DC.	(st.)	Atlantic.	Barbary.	1790.	....	G. ♄.		
5 mexicàna. DC.	(st.)	Mexican.	Mexico.	1825.	....	G. ♄.	H. et B. n. ge. am. 7. t. 608.	
6 fagaroídes. DC.	(st.)	Fagara-like.	.....	——	....	G. ♄.		
7 Lentíscus. DC.	(st.)	Mastick-tree.	S. Europe.	1664.	5. 6.	H. ♄.	Bot. mag. 1967.	
β *massiliénsis.* Mill.	(st.)	*narrow-leaved.*	———	——	——	H. ♄.		
ASTR'ONIUM. DC.		Astr'onium.	Dicœcia Pentandria.					
gravèolens. DC.	(re.)	strong-scented.	S. America.	1826.	....	S. ♄.	Jacq. amer. t. 181. f. 90.	
COMOCLA'DIA. DC.		Maiden-plum.	Triandria Monogynia. L.					
1 ilicifòlia. DC.	(pu.)	Holly-leaved.	Caribees.	1789.	7. 9.	S. ♄.	Lam. ill. t. 27. f. 2.	
2 dentàta. DC.	(pu.)	tooth-leaved.	W. Indies.	1790.	——	S. ♄.	Jacq. amer. t. 173. f. 4.	
3 propínqua. DC.	(pu.)	related.	Cuba.	1826.	——	S. ♄.		
4 integrifòlia. DC.	(pu.)	entire-leaved.	Jamaica.	1778.	——	S. ♄.	Sloan. his. 2. t. 222. f. 1.	
PICRA'MNIA. DC.		Picra'mnia.	Dicœcia Pentandria. L.					
1 Antidésma. DC.	(st.)	Ash-leaved.	Jamaica.	1793.	6. 8.	S. ♄.	Sloan. his. 2. t. 208. f. 2.	
2 pentándra. DC.	(st.)	pentandrous.	W. Indies.	1822.	——	S. ♄.		
SCHINUS. DC.		Sch'inus.	Dicœcia Decandria. L.					
1 Mólle. DC.	(wh.)	Mastick-tree.	Peru.	1597.	7. 8.	G. ♄.	Mill. ic. 2. t. 246.	
2 terebinthifòlius. DC.	(w.)	Terebinthus-l^d.	Brazil.	1822.	....	S. ♄.		
DUVA'UA. DC.		Duva'ua.	Monœcia Octandria.					
1 depéndens. DC.	(wh.)	simple-leaved.	Chile.	1790.	6. 7.	H. ♄.	Cavan. ic. 3. t. 289.	
Am'yris polygàma. S.S.		*Schinus dependens.* H.K.						
2? dentàta. DC.	(wh.)	tooth-leaved.	Owhyhee.	1795.	5. 7.	G. ♄.	Andr. rep. 620.	
Schinus dentàta. A.R.								
MA'URIA. K.S.		Ma'uria.	Octo-Decandria Monogynia.					
1 simplicifolia. K.S.	(bk.)	simple-leaved.	Peru.	1822.	....	G. ♄.	H. et B. n. gen. a. 7. t. 605.	
2 heterophy'lla. K.S.	(bk.)	various-leaved.	———	——	....	G. ♄.	——— 7. t. 606.	

ORDO LXIX.

AMYRIDEÆ. *Kth. gen. tereb. p.* 21.

A'MYRIS. W.		A'myris.	Octandria Monogynia. L.				
1 maritima. DC.	(wh.)	sea-side.	Jamaica.	1824.	6. 7.	S. ♄.	
2 floridàna. DC.	(wh.)	Florida.	Florida.	1826.	——	G. ♄.	
3 brasiliénsis. S.S.	(wh.)	Brazilian.	Brazil.	1822.	——	S. ♄.	

4	sylvática. DC.	(*wh.*)	wood.	Carthagena.	1793.	6. 7.	S. ½.	Jacq. amer. pict. t. 186.
5	Plumiéri. DC.	(*wh.*)	Plumier's.	Antilles.	....	——	S. ½.	Plum. ed. Burm. t. 100.
6	toxífera. DC. *balsamífera.* L.	(*wh.*)	poisonous.	W. Indies.	1800.	——	S. ½.	Catesb. car. 1. t. 40.
7	pinnàta. DC.	(*wh.*)	pinnate.	S. America.	1824.	——	S. ½.	H. et B. n.gen. 7.t.610.
8	Agallòcha. H B.	(*wh.*)	hill.	E. Indies.	1820.	....	S. ½.	
9	acuminàta. H.B.	(*wh.*)	acuminate.	———	1822.	....	S. ½.	
10	heptaphy'lla. H.B.	(*wh.*)	seven-leaved.	———	——	....	S. ½.	
11	nàna. H.B.	(*wh.*)	dwarf.	———	1824.	....	S. ½.	
12	punctàta. H.B.	(*wh.*)	dotted.	———	1818.	....	S. ½.	

ORDO LXX.

SPONDIACEÆ. *Kth. gen. tereb. p.* 30.

SPO'NDIAS. DC. HOG-PLUM. Decandria Pentagynia. L.

1	Mómbin. L. *purpùrea.* DC. *Myrobálanus.* Jacq. *non* L.	(*re.*)	purple-fruited.	W. Indies.	1817.	6. 8.	S. ½.	Jacq. amer. t. 88.
2	Myrobálanus. L. *lùtea.* DC. *Mómbin.* Jacq. *non* L.	(*wh.*)	yellow-fruited.	W. Indies.	1739.	——	S. ½.	Sloan. hist. t. 219. f. 1. 2.
3	mangífera. DC. ..... *Mangífera pinnàta.* L.		Mango-bearing.	E. Indies.	1818.	....	S. ½.	
4	dúlcis. DC.		Otaheite-apple.	Society Isles.	1793.	6. 8.	S. ½.	Sonn. it. 2. t. 123.
5	axillàris. H.B.		axillary.	Nepaul.	1824.	....	S. ½.	
6	acuminàta. H.B.		taper-pointed.	Malabar.	——	....	S. ½.	

POUPA'RTIA. DC. POUPA'RTIA. Decandria Pentagynia.

	borbònica. DC.	(*pu.*)	Bourbon.	Bourbon.	1824.	....	S. ½.	

ORDO LXXI.

BURSERACEÆ. *Kth. gen. tereb. p.* 14.

BOSWE'LLIA. DC. BOSWE'LLIA. Decandria Monogynia.

1	glábra. DC.	(*wh.*)	smooth.	Coromandel.	1824.	....	S. ½.	Roxb. corom. 3. t. 207.
2	hirsùta. DC.	(*wh.*)	hairy.	Amboyna.	——	....	S. ½.	Rumph. amb. 2. t. 51.
3	serràta. DC.	(*wh.*)	Olibanum-tree.	E. Indies.	1816.	....	S. ½.	Asiat. res. 9. p 377. ic.

ELA'PHRIUM. K.S. ELA'PHRIUM. Octandria Monogynia.

1	glábrum. *Fagàra Eláphrium.* W.	(*st.*)	smooth.	Carthagena.	1818.	....	S. ½.	Jacq. amer. t. 71. f. 4.
2	copalliferum. DC.	(*st.*)	pubescent.	Mexico.	1824.	....	S. ½.	Hern. mex. 45. f. 1.

BALSAMODE'NDRON. DC. BALSAM-TREE. Octandria Monogynia.

	gileadénse. DC.	(*gr.*)	blunt-leaved.	Arabia.	1827.	....	S. ½.	Vahl. symb. 1. t. 11.

BURS'ERA. DC. BURS'ERA. Polygamia Dicœcia. L.

1	gummífera. DC.	(*wh.*)	Jamaica Birch.	W. Indies.	1690.	....	S. ½.	Jacq. amer. t. 65.
2	serràta. Rox.	(*wh.*)	saw-leaved.	E. Indies.	1818.	....	S. ½.	
3	simplicifólia. DC.	(*wh.*)	simple-leaved.	Jamaica.	1824.	....	S. ½.	

COLOPH'ONIA. DC. COLOPH'ONIA. Hexandria Monogynia.

	mauritiàna. DC	(*pu.*)	panicled.	Mauritius.	1826.	....	S. ½.	

CAN'ARIUM. DC. CAN'ARIUM. Dicœcia Hexandria.

1	commùne. DC.	(*wh.*)	common.	Moluccas.	1821.	....	S. ½.	Rumph. amb. 2. t. 47.
2	microcárpum. DC.	(*w.*)	small-fruited.	———	1826.	....	S. ½.	——— 2. t. 54.
3	Pimèla. DC	(*wh.*)	Chinese.	China.	1823.	....	S. ½.	Ann. bot. 1. t. 7. f. 2.

GAR'UGA. DC. GAR'UGA. Decandria Monogynia.

1	pinnàta. DC.	(*ye.*)	winged-leaved.	E. Indies.	1808.	....	S. ½.	Roxb. cor. 3. t. 266.
2	madagascariénsis. DC.	(*ye.*)	Madagascar.	Madagascar.	1824.	....	S. ½.	

ORDO LXXII.

PTELEACEÆ. *Kth. gen. tereb. p.* 22.

PTELEA. DC.		SHRUBBY TREFOIL. Tetrandria Monogynia. L.						
trifoliàta. DC.	(*wh.*)	three-leaved.	N. America.	1704.	6. 7.	H. ½.		Schmidt arb. 2. t. 76.
TODD'ALIA. DC.		TODD'ALIA. Pentandria Monogynia. L.						
1 aculeàta. DC.	(*wh.*)	prickly.	E. Indies.	1790.	6. 8.	S. ½.		Rheed. mal. 5. t. 41.
asiática. R.S. *Scopòlia aculeàta.* W.								
2 paniculàta. DC.	(*wh.*)	panicled.	Mauritius.	1824.	....	S. ½.		Lam. ill. t. 139. f. 2.
inérmis. P.S. *Scopòlia paniculàta.* S.S.								
CNE'ORUM. DC.		WIDOW-WAIL. Triandria Monogynia. L.						
1 tricóccum. DC.	(*ye.*)	smooth.	S. Europe.	1793.	4. 9.	F. ½.		Lam. ill. t. 27.
2 pulveruléntum. DC.	(*y.*)	powdered.	Teneriffe.	1820.	——	F. ½.		Vent. cels. t. 77.
SPATH'ELIA. DC.		SPATH'ELIA. Pentandria Trigynia. L.						
simplex. DC.	(*re.*)	Sumach-leaved.	Jamaica.	1778.	4. 6.	S. ½.		Bot. reg. 670.

ORDO LXXIII.

CONNARACEÆ. *R. Brown cong. p.* 12.

CO'NNARUS. L.		CO'NNARUS. Monadelphia Decandria.						
1 paniculàtus. H.B.	(*wh.*)	panicled.	Chittagong.	1824.	....	S. ½.		
2 nítidus. H.B.	(*wh.*)	glossy.	Silhet.	——	....	S. ½.		
ROU'REA. Aub.		ROU'REA. Monadelphia Decandria.						
frutéscens. Aub.	(*wh.*)	pubescent.	Guiana.	1820.	....	S. ½.		Aub. gui. 1. t. 187.
OMPHAL'OBIUM. DC.		OMPHAL'OBIUM. Monadelphia Decandria.						
1 índicum. DC.	(*wh.*)	Indian.	E. Indies.	....	....	S. ½.		Gært. fruct. 1. t. 46.
2 africànum. DC.	(*wh.*)	African.	Sierra Leon.	1822.	....	S. ½.		Cav. dis. 7. t. 221.
EURYC'OMA. DC.		EURYC'OMA. Pentandria Monogynia.						
longifólia. DC.	(*pu.*)	long-leaved.	E. Indies.	1826.	....	S. ½.		
CNE'STIS. DC.		CNE'STIS. Decandria Monogynia.						
1 glábra. DC.	(*pu.*)	smooth.	Mauritius.	1824.	....	S. ½.		Lam. ill. t. 387. f. 1.
2 polyphýlla. DC.	(*pu.*)	many-leaved.	Madagascar.	——	....	S. ½.		—— t. 387. f. 2.
3 monadélpha. DC.		monadelphous.	E. Indies.	1826.	....	S. ½.		
BRUNE'LLIA. DC.		BRUNE'LLIA. Dodecandria Monogynia.						
inérmis. DC.		various-leaved.	Peru.	1823.	....	S. ½.		
BR'UCEA. DC.		BR'UCEA. Dicecia Tetrandria.						
1 ferruginea. W.	(*st.*)	ferruginous.	Abyssinia.	1775.	4. 5.	S. ½.		Bruce's tr. 5. p. 69. ic.
antidysentérica. DC.								
2 grácilis. DC.	(*st.*)	slender.	E. Indies.	....	....	S. ½.		
3 sumatràna. DC.	(*pu.*)	Sumatra.	Sumatra.	1822.	4. 6.	S. ½.		
TETRA'DIUM. DC.		TETRA'DIUM. Tetrandria Monogynia.						
trichótomum. DC.		trichotomous.	China.	1822.	....	S. ½.		
Brùcea trichótoma. S.S.								
AILA'NTHUS. DC.		AILA'NTHUS. Polygamia Monœcia.						
1 glandulòsa. DC.	(*st.*)	Chinese.	China.	1751.	8.	H. 5.		Wats. dend. brit. t. 104.
2 excélsa. DC.	(*st.*)	Indian.	E. Indies.	1800.	....	S. 5.		Roxb. corom. 1. t. 23.

ORDO LXXIV.

LEGUMINOSÆ. *DC. prodr.* 2. *p.* 93.

Subordo I. *PAPILIONACEÆ.* DC. l. c. p. 94.

Tribus I. SOPHOREÆ. DC. l. c. p. 94.

MYROSPE'RMUM. K.S.		Balsam-seed.	Decandria Monogynia.					
frutéscens. K.s.	(*bk.*)	shrubby.	Caracas.	1824.	....	S.	½.	H.et B.n.g.6.t.570-71.
MYROXYLUM. K.S.		Balsam-wood.	Decandria Monogynia.					
1 pubéscens. K.s.	(*wk.*)	pubescent.	Carthagena.	1820.	....	S.	½.	Lamb. cinch. 92. t. 1.
2 peruíferum. K.s.	(*wk.*)	Balsam of Peru.	Peru.	1824.	....	S.	½.	Lam. ill. t. 341. f. 1.
3 toluíferum. K.s.	(*wk.*)	Balsam of Tolu.	S. America.	....	....	S.	½.	Woodv. m. bot. 3. t. 193.
S'OPHORA. DC.		S'ophora.	Decandria Monogynia. L.					
1 japónica. DC.	(*wk.*)	Japanese.	Japan.	1753.	8. 9.	H.	5.	Andr. reposit. 585.
β pendula. L.C.	(*wk.*)	*pendulous.*	———	....	——	H.	5.	
γ variegàta. L.C.	(*wk.*)	*striped-leaved.*	———	....	——	H.	5.	
2 chinénsis. L.C.	(*wk.*)	Chinese.	China.	....	——	H.	5.	
3 glàuca. DC.	(*pu.*)	glaucous.	E. Indies.	1818.	....	S.	½.	
4 tomentòsa. DC.	(*ye.*)	downy.	———	1690.	....	S.	½.	Lam. ill. t. 325. f. 2.
5 occidentàlis. W.	(*ye.*)	West Indian.	W. Indies.	....	....	S.	½.	Trew. ehr. t. 59.
6 crassifòlia. DC.	(*ye.*)	thick-leaved.	Senegal.	1824.	....	S.	½.	
7 secundiflòra. DC.	(*bl.*)	side-flowering.	New Spain.	1818.	....	G.	½.	Cavan. ic. 5. t. 401.
Virgília secundiflòra. C.I. *Broussonètia secundiflòra.* Ort. dec. 5. t. 7.								
8 macrocárpa. DC.	(*ye.*)	large-podded.	Chile.	1822.	4. 5.	F.	½.	Lodd. bot. cab. 1125.
9 littoràlis. DC.	(*ye.*)	sea-side.	Brasil.	1824.	....	S.	½.	Pluk. alm. t. 104. f. 3.
10 robústa. H.B.		robust.	Silhet.	1820.	....	S.	½.	
11 velutìna. B.R.		velvetty.	Nepaul.	1824.	6. 7.	G.	½.	Bot. reg. 1188.
12 flavéscens. DC.	(*ye.*)	pale-yellow.	Siberia.	1785.	5. 7.	H.	¼.	
PSEUDOS'OPHORA.		Pseudos'ophora.	Diadelphia Decandria.					
1 alopecuroídes. DC.	(*wk.*)	Fox-tail.	Levant.	1731.	7. 8.	H.	¼.	Dill. elth. f. 136.
2 sericea. N.	(*wk.*)	silky.	Missouri.	1811.	6. 7.	H.	¼.	
Astrágalus carnòsus. Ph.								
EDWA'RDSIA. DC.		Edwa'rdsia.	Decandria Monogynia.					
1 grandiflòra. DC.	(*ye.*)	large-flowered.	N. Zealand.	1772.	3. 8.	F.	½.	Bot. mag. 167.
Sòphora tetráptera. B.M.								
2 chrysophy'lla. DC.	(*ye.*)	golden-leaved.	———	....	——	F.	½.	Bot. reg. 736.
3 microphy'lla. DC.	(*ye.*)	small-leaved.	———	1772.	——	F.	½.	Bot. mag. 1442.
4 mínima. L.C.	(*ye.*)	smallest.	———	1816.	——	F.	½.	
ORM'OSIA. DC.		Orm'osia.	Decandria Monogynia.					
1 dasycárpa. DC.	(*pu.*)	smooth-leaved.	W. Indies.	1793.	6. 7.	S.	½.	Linn. trans. 10. t. 26.
Sòphora monospérma. Swartz.								
2 coccínea. DC.	(*pu.*)	scarlet-seeded.	Guiana.	1826.	....	S.	½.	Linn. trans. 10. t. 25.
VIRGI'LIA. DC.		Virgi'lia.	Decandria Monogynia.					
1 capénsis. DC.	(*bk.*)	Cape.	C. B. S.	1787.	7. 8.	G.	½.	Bot. mag. 1590.
2 intrùsa. H.K.	(*ye.*)	small-flowered.	———	1790.	5. 8.	G.	½.	——— t. 2617.
Sòphora sylvática. Burchell.								
3 áurea. DC.	(*ye.*)	golden.	Abyssinia.	1777.	7.	G.	½.	L'Herit. st. nov. 1. t. 75.
4 lùtea. DC.	(*ye.*)	American.	N. America.	1812.	6. 7.	G.	½.	Mich. fil. arb. 3. t. 3.
MACROTR'OPIS. DC.		Macrotr'opis.	Decandria Monogynia.					
1 f'œtida. DC.	(*wk.*)	strong-scented.	China.	1822.	4. 5.	F.	½.	
2 inodòra. DC.	(*wk.*)	scentless.	———	1824.	——	F.	½.	
ANAG'YRIS. DC.		Bean Trefoil.	Decandria Monogynia. L.					
1 f'œtida. DC.	(*ye.*)	strong-scented.	Spain.	1570.	4. 5.	F.	½.	Lodd. bot. cab. t. 740.
β glàuca. DC.	(*ye.*)	*glaucous-leaved.*	S. Europe.	1824.	——	F.	½.	
2 latifòlia. DC.	(*ye.*)	broad-leaved.	Teneriffe.	1815.	——	F.	½.	
PIPTA'NTHUS. B.F.G.		Pipta'nthus.	Decandria Monogynia.					
nepalénsis. B.F.G.	(*ye.*)	Laburnum ld.	Nepaul.	1819.	5. 6.	H.	½.	Swt. br. fl. gar. 264.
Thermópsis napaulénsis. DC. *laburnifòlia.* D.P. *Baptísia nepalénsis.* Hook. ex. flor. 131.								

THERMO'PSIS. DC. THERMO'PSIS. Decandria Monogynia.
1 rhombifòlia. DC. (ye.) rhomb-leaved. Louisiana. 1811. 6. 7. H. ¼.
Cytisus rhombifolius. Ph.
2 fabàcea. DC. (ye.) Bean-leaved. Kamtschatka. 1824. —— H. ¼. Pall. astr. t. 90. f. 2.
3 lanceolàta. DC. (ye.) spear-leaved. Siberia. 1776. —— H. ¼. Bot. mag. 1380.
Sóphora lupinoides. Pall. astr. t. 89. *Podaly'ria lupinoides.* B.M.
4 corgonénsis. DC. (ye.) alpine. Altay. 1824. —— H. ¼. Pall. astr. t. 90. f. 1.
Sóphora alpina. Pall. *Podaly'ria alpina.* W. enum.
BAPTI'SIA. DC. BAPTI'SIA. Decandria Monogynia.
1 perfoliàta. DC. (ye.) perfoliate. Carolina. 1732. 8. F. ¼. Lodd. bot. cab. 1104.
Crotalària perfoliàta. L. *Rafnia perfoliàta.* W.
2 exaltàta. B.F.G. (bl.) tall upright. N. America. 1812. 6. 7. H. ¼. Swt. br. fl. gar. 97.
3 auriculàta. (bl.) eared. —— —— —— H. ¼.
4 australis. DC. (bl.) common. —— 1758. —— H. ¼. Bot. mag. 509.
Sóphora australis. B.M. *Podaly'ria australis.* Vent. cels. t. 56.
5 confùsa. (bl.) persistent-bract'd. N. America. 1812. —— H. ¼.
6 villòsa. DC. (st.) villous. —— 1811. —— H. ¼.
7 versicolor. B.C. (va.) various-colour'd. —— 1824. 6. 8. H. ¼. Lodd. bot. cab. 1144.
8 álba. DC. (wh.) white-flowered. —— 1724. 6. 7. H. ¼. Bot. mag. 1177.
9 tinctòria. DC. (ye.) dyer's. —— 1759. 7. 8. H. ¼. —— t. 1099.
Sóphora tinctòria. L. *Podaly'ria tinctòria.* B.M.
CYCL'OPIA. DC. CYCL'OPIA. Decandria Monogynia.
1 genistoides. DC. (ye.) Genista like. C. B. S. 1787. 7. 8. G. ½. Bot. mag. 1259.
Ibbetsònia genistoides. B.M. *Gompholòbium maculàtum.* A.R. 427.
2 galioides DC. (ye.) Gallum-like. C. B. S. 1818. 7. 8. G. ½. Pluk. alm. t. 413. f. 4.
3 latifòlia. DC. (ye.) broad-leaved. —— —— —— G. ½.
PODALY'RIA. DC. PODALY'RIA. Decandria Monogynia.
1 Burchéllii. DC. (pu.) Burchell's. C. B. S. 1818. 5. 7. G. ½.
2 hirsùta. DC. (pu.) hairy. —— 1774. 7. 8. G. ½.
3 cuneifòlia. DC. (wh.) wedge-leaved. —— 1804. 5. 8. G. ½. Vent. cels. t. 99.
4 oleæfòlia. P.L. (pu.) Olive-leaved. —— —— —— G. ½. Sal. par. lond. 114.
5 sericea. DC. (pu.) silky. —— 1778. 10. 1. G. ½. Bot. mag. 1923.
6 myrtillifòlia. DC. (pu.) Myrtle-leaved. —— 1795. 4. 7. G. ½.
7 buxifòlia. DC. (pu.) Box-leaved. —— 1790. 5. 10. G. ½. Bot. reg. 869.
8 styracifòlia. DC. (pu.) Storax-leaved. —— 1792. 5. 7. G. ½. Bot. mag. 1580.
9 calyptràta. W. (pu.) one-flowered. —— —— 4. 5. G. ½.
10 coruscans. Rch. (pu.) glittering. —— 1822. —— G. ½.
11 glàuca. DC. (pu.) glaucous-leaved. —— —— —— G. ½. Lam. ill. t. 397. f. 4.
12 argéntea. DC. (li.) silvery-leaved. —— 1780. 2. 6. G. ½. Sal. par. lond. t. 7.
bifòra. Bot. mag. t. 753.
13 liparioides. DC. (li.) Liparis-like. —— 1824. 4. 6. G. ½.
14 subbiflòra. DC. (pu.) netted-leaved. —— —— —— G. ½.
15 cordàta. DC. (pu.) heart-leaved. —— 1794. 5. 7. G. ½.
CHORIZ'EMA. DC. CHORIZ'EMA. Decandria Monogynia.
1 ilicifòlia. DC. (sc.) Holly-leaved. N. Holland. 1803. 3. 10. G. ½. Labill. voy. 1. t. 21.
2 nàna. DC. (sc.) dwarf prickly. —— —— —— G. ½. Bot. mag. 1033.
3 rhómbea. DC. (sc.) various-leaved. —— —— 4. 6. G. ½. Swt. flor. aust. t. 40.
4 Henchmánni. B.R. (sc.) Henchmann's. —— 1825. 5. 9. G. ½. Bot. reg. 966.
5 platylobioides. DC. (ye.) Platylòbium-like. —— —— —— G. ½.
PODOL'OBIUM. DC. PODOL'OBIUM. Decandria Monogynia.
1 trilobàtum. DC. (ye.) three-lobed. N. S. W. 1791. 4. 7. G. ½. Bot. mag. 1477.
Chorozèma trilobàtum. L.T. *Pultenæa ilicifolia* A.R. 320.
2 staurophyllum. DC. (y.) spiny-leaved. N. S. W. 1821. 3. 5. G. ½. Bot. reg. 959.
3 scándens. DC. (ye.) climbing. —— 1825. 4. 6. G. ½.
Chorozèma scándens. L.T.
OXYL'OBIUM. DC. OXYL'OBIUM. Decandria Monogynia.
1 obtusifòlium. B.F.A. (sc.) blunt-leaved. N. Holland. 1825. 4. 6. G. ½. Swt. flor. aust. t. 5.
2 arborescens. DC. (ye.) arborescent. V. Diem. Isl. 1805. 5. 9. G. ½. Bot. reg. 392.
3 retùsum. B.R. (or.) retuse-leaved. N. Holland. 1823. 4. 6. G. ½. —— t. 913.
4 ellípticum. DC. (ye.) elliptic-leaved. V. Diem. Isl. 1805. 5. 9. G. ½. Lab. nov. hol. 1. t. 135.
5 cordifòlium. DC. (sc.) heart-leaved. N. S. W. 1807. 4. 9. G. ½. Andr. rep. 493.
6 spinòsum. DC. (ye.) spiny. N. Holland. 1825. 5. 8. G. ½.
7 Pultenæ'æ. DC. (ye.) wood. N. S. W. —— 4. 6. G. ½.
CALLIST'ACHYS. DC. CALLIST'ACHYS. Decandria Monogynia.
1 lanceolàta. DC. (ye.) spear-leaved. N. Holland. 1815. 5. 8. G. ½. Bot. reg. 216.
2 ovàta. DC. (ye.) oval-leaved. —— —— —— G. ½. Bot. mag. 1925.
BRACHYS'EMA. DC. BRACHYS'EMA. Decandria Monogynia.
1 latifòlium. DC. (sc.) broad-leaved. N. Holland. 1803. 4. 7. G. ½. Bot. reg. 118.
2 undulàtum. DC. (ye.) wave-leaved. —— 1820. 2. 7. G. ½. —— t. 642.

GOMPHOL'OBIUM. DC. GOMPHOL'OBIUM. Decandria Monogynia.

1 barbígerum. DC.	(*ye.*)	bearded-flow'd.	N. S. W.	1824.	5. 8.	G.	♄.	
2 grandiflòrum. DC.	(*ye.*)	large-flowered.	———	1803.	3. 9.	G.	♄.	Bot. reg. 484.
3 virgàtum. DC.	(*ye.*)	twiggy.	———	1824.	5. 8.	G.	♄.	
4 latifòlium. DC.	(*ye.*)	broad-leaved.	———	1803.	3. 9.	G.	♄.	Labill. nov. hol. t. 133.
fimbriàtum. Sm. ex. bot. t. 58. *psoraleæfòlium.* Sal. par. lond. t. 6.								
5 glaucéscens. F.T.	(*ye.*)	glaucescent.	N. S. W.	1821.	4. 6.	G.	♄.	
6 marginàtum. DC.	(*ye.*)	small-flower'd.	N. Holland.	1803.	3. 9.	G.	♄.	
7 pedunculàre. DC.	(*ye.*)	long-stalk'd.	N. S. W.	1825.	4. 7.	G.	♄.	
8 tetrathecoídes. DC.	(*ye.*)	Tetratheca-like.	———	——	——	G.	♄.	
9 polymórphum. DC.	(*sc.*)	variable.	N. Holland.	1803.	3. 8.	G.	♄.	Bot. mag. 1533.
10 tomentòsum. DC.	(*ye.*)	tomentose.	———	——	4. 7.	G.	♄.	Labill. nov. hol. 1.t.134.
11 glábratum. DC.	(*ye.*)	smooth.	———	1824.	——	G.	♄.	
12 venústum. DC.	(*pu.*)	purple-flowered.	———	1803.	——	G.	♄.	
13 pinnàtum. DC.	(*ye.*)	wing-leaved.	N. S. W.	1822.	5. 6.	G.	♂.	

BURTONIA. DC. BURTONIA. Decandria Monogynia.

1 scábra. DC.	(*pu.*)	rough-leaved.	N. Holland.	1803.	5. 7.	G.	♄.	
2 mìnor. DC.	(*ye.*)	hairy-stalked.	N. S. W.	1812.	3. 8.	G.	♄.	
3 sessilifòlia. DC.	(*ye.*)	sessile-leaved.	———	1825.	——	G.	♄.	

JACKSONIA. DC. JACKSONIA. Decandria Monogynia.

1 scopària. DC.	(*ye.*)	Broom-like.	N. S. W.	1803.	6. 8.	G.	♄.	Lodd. bot. cab. 427.
2 spinòsa. DC.	(*ye.*)	spiny.	N. Holland.	——	4. 9.	G.	♄.	Labill. nov. hol. 1. t. 136.
3 hórrida. DC.	(*ye.*)	horrid.	———	1825.	——	G.	♄.	
4 furcellàta. DC.	(*ye.*)	forked.	N. S. W.	1822.	4. 6.	G.	♄.	Bonpl. nav. t. 11.
5 reticulata. DC.	(*ye.*)	netted.	———	——	——	G.	♄.	
Davièsia reticulàta. L.T.								

VIMINARIA. DC. VIMINARIA. Decandria Monogynia.

denudàta. DC.	(*ye.*)	half-naked.	N. S. W.	1789.	6. 9.	G.	♄.	Bot. mag. 1190.

SPHÆROL'OBIUM. DC. SPHÆROL'OBIUM. Decandria Monogynia.

1 vimíneum. DC.	(*ye.*)	yellow-flower'd.	N. S. W.	1802.	5. 8.	G.	♄.	Bot. mag. 969.
2 mèdium. DC.	(*re.*)	red-flowered.	N. Holland.	1803.	6. 8.	G.	♄.	

A'OTUS. DC. A'OTUS. Decandria Monogynia.

1 villòsa. DC.	(*ye.*)	villous.	V. Diem. Isl.	1790.	4. 6.	G.	♄.	Bot. mag. 949.
2 virgàta. DC.	(*ye.*)	slender.	N. Holland.	1820.	4. 8.	G.	♄.	

DILLWYNIA. DC. DILLWYNIA. Decandria Monogynia.

1 floribúnda. DC.	(*ye.*)	close-flowered.	N. S. W.	1794.	4. 7.	G.	♄.	Sm. exot. bot. t. 26.
ericifòlia. Bot. mag. 1545. *nec aliorum.*								
2 ericifòlia. DC.	(*ye.*)	Heath-leaved.	———	——	3. 7.	G.	♄.	——— t. 25.
3 juniperìna. B.C.	(*ye.*)	Juniper-leaved.	———	1818.	6. 7.	G.	♄.	Lodd. bot. cab. 401.
4 glabérrima. DC.	(*ye.*)	smooth.	———	1800.	3. 7.	G.	♄.	Bot. mag. 944.
5 parvifòlia. DC.	(*ye.*)	small-leaved.	———	——	——	G.	♄.	——— t. 1527.
6 aciculàris. DC.	(*ye.*)	needle-leaved.	———	1822.	5. 7.	G.	♄.	
7 rùdis. DC.	(*ye.*)	villous-branched.	———	1812.	——	G.	♄.	
8 teretifòlia. Sie.	(*ye.*)	round-leaved.	———	1825.	——	G.	♄.	
9 hispídula. Sie.	(*ye.*)	hispid.	———	——	——	G.	♄.	
10 tenuifòlia. DC.	(*ye.*)	slender-leaved.	———	1820.	——	G.	♄.	
11 phylicoídes. F.T.	(*ye.*)	Phylica-leaved.	———	1824.	5. 8.	G.	♄.	
12 serícea. F.T.	(*ye.*)	silky.	———	——	——	G.	♄.	
13 cinerascens. DC.	(*ye.*)	ash-coloured.	V. Diem. Isl.	1818.	6. 7.	G.	♄.	Bot. mag. 2247.

EUTAXIA. DC. EUTAXIA. Decandria Monogynia.

1 myrtifòlia. DC.	(*ye.*)	Myrtle-leaved.	N. Holland.	1803.	3. 6.	G.	♄.	Bot. mag. 1274.
Dillwynia obovàta. B.M.								
2 púngens. S.F.A.	(*ye.*)	pungent-leaved.	———	1825.	6. 8.	G.	♄.	Swt. flor. aust. t. 28.

SCLEROTHAMNUS. DC. SCLEROTHAMNUS. Decandria Monogynia.

microphy'llus. DC.	(*ye.*)	small-leaved.	N. Holland.	1803.	5. 6.	G.	♄.	

GASTROLOBIUM. DC. GASTROLOBIUM. Decandria Monogynia.

bilòbum. DC.	(*ye.*)	two-lobed.	N. Holland.	1803.	3. 5.	G.	♄.	Bot. reg. 411.

EUCHILUS. DC. EUCHILUS. Decandria Monogynia.

obcordàtus. DC.	(*ye.*)	heart-leaved.	N. Holland.	1803.	3. 6.	G.	♄.	Bot. reg. 403.

PULTENÆA. DC. PULTENÆA. Decandria Monogynia.

1 daphnoídes. DC.	(*ye.*)	Daphne-leaved.	N. S. W.	1792.	6. 7.	G.	♄.	Bot. mag. 1894.
2 obcordàta. DC.	(*ye.*)	heart-leaved.	V. Diem. Isl.	1808.	5. 7.	G.	♄.	Andr. rep. t. 574.
3 bilòba. DC.	(*ye.*)	two-lobed.	N. Holland.	1818.	——	G.	♄.	Bot. mag. t. 2091.
4 scábra. H.K.	(*y.pu.*)	rough-leaved.	N. S. W.	1803.	——	G.	♄.	
5 incurvàta. F.T.	(*ye.*)	incurved-le.	———	1825.	——	G.	♄.	
6 canéscens. F.T.	(*ye.*)	canescent	———	1824.	4. 7.	G.	♄.	
7 polifòlia. F.T.	(*ye.*)	Poley-leaved.	———	——	——	G.	♄.	
8 argéntea. F.T.	(*ye.*)	silvery.	———	1826.	——	G.	♄.	
9 ferruginea. DC.	(*ye.*)	ferruginous.	———	1818.	——	G.	♄.	Linn. trans. 11. t. 23.

10 racemulòsa. DC.	(*ye.*) racemed.	N. S. W.	1821.	4. 7.	G.	ħ.	
11 parvifiòra. DC.	(*ye.*) small-flowered.	—— ——	1824.	5. 7.	G.	ħ.	
12 procúmbens. F.T.	(*ye.*) procumbent.	————	——	——	G.	ħ.	
13 stricta. DC.	(*ye.*) upright.	————	1803.	4. 6.	G.	ħ.	Bot. mag. 1588.
14 ellíptica. DC.	(*ye.*) elliptic-leaved.	————	1818.	4. 7.	G.	ħ.	Linn. trans. 11. t. 24.
15 plumòsa. DC.	(*ye.*) feathered.	————	1822.	5. 7.	G.	ħ.	
16 thymifòlia. DC.	(*ye.*) Thyme-leaved.	—— ——	——	——	G.	ħ.	
17 hypolámpra. DC.	(*ye.*) whorl-branched.	————	——	——	G.	ħ.	
18 villífera. DC.	(*ye.*) wool-bearing.	————	1824.	——	G.	ħ.	
19 polygalifòlia. DC.	(*ye.*) Milkwort-l^d.	————	1818.	4. 7.	G.	ħ.	Swt. flor. aust. t. 37.
20 flexilis. DC.	(*ye.*) fragrant.	————	1801.	4. 6.	G.	ħ.	———— t. 35.
21 cuchìla. DC.	(*ye.*) wedge-leaved.	————	1824.	5. 7.	G.	ħ.	
22 retùsa. DC.	(*ye.*) blunt	————	1789.	4. 5.	G.	ħ.	Bot. reg. 378.
23 capitellàta. DC.	(*ye.*) small-headed.	————	1825.	——	G.	ħ.	
24 linophy'lla. DC.	(*ye.*) Flax-leaved.	————	1789.	5. 7.	G.	ħ.	Schrad. s. han. 3. t. 18.
25 microphy'lla. DC.	(*ye.*) small-leaved.	————	1823.	——	G.	ħ.	
26 stipulàris. DC.	(*ye.*) scaly.	————	1792.	4. 6.	G.	ħ.	Bot. mag. 475.
27 paleàcea. DC.	(*ye.*) chaffy.	————	1789.	5. 7.	G.	ħ.	Lodd. bot. cab. t. 291.
28 aristàta. DC.	(*ye.*) awned-calyxed.	————	1823.	——	G.	ħ.	
29 echinùla. DC.	(*ye.*) harsh-leaved.	————	——	——	G.	ħ.	
30 vestita. DC.	(*ye.*) awned.	N. Holland.	1803.	4. 7.	G.	ħ.	
31 cándida. B.C.	(*ye.*) white-leaved.	————	1824.	——	G.	ħ.	Lod. bot. cab. 1236.
32 tenuifòlia. DC.	(*ye.*) slender-leaved.	————	1818.	——	G.	ħ.	Bot. mag. 2086.
33 villòsa. DC.	(*ye.*) villous.	N. S. W.	1790.	4. 5.	G.	ħ.	———— t. 967.
34 pedunculàta. B.M.	(*ye.*) pedunculated.	————	1824.	5. 6.	G.	ħ.	Bot. mag. 2859.
35 erióphora. L.C.	(*ye.*) wool-bearing.	————	1794.	4. 7.	G.	ħ.	
36 incarnàta. M.C.	(*fl.*) flesh-coloured.	N. Holland.	1824.	——	G.	ħ.	
37 rosmarinifòlia. ψ.	(*ye.*) Rosemary-leav'd.	————	——	——	G.	ħ.	
38 áspera. DC.	(*ye.*) rough.	N. S. W.	——	5. 8.	G.	ħ.	
39 comòsa. DC.	(*ye.*) tufted.	————	——	——	G.	ħ.	
40 squarròsa. DC.	(*ye.*) squarrose.	————	——	——	G.	ħ.	
41 phylicoídes. DC.	(*ye.*) Phylica-like.	————	——	——	G.	ħ.	

DAVI'ESIA. DC. DAVI'ESIA. Decandria Monogynia.

1 latifòlia. DC.	(*ye.*) broad-leaved.	N. S. W.	1803.	5. 8.	G.	ħ.	Bot. mag. 1757.
2 corymbòsa. DC.	(*ye.*) corymb-flower'd.	————	1804.	——	G.	ħ.	
3 mimosoídes. H.K.	(*ye.*) green-leaved.	————	1800.	——	G.	ħ.	Andr. reposit. 526.
corymbòsa. A.R. *non* Smith.							
4 glàuca. B.C.	(*ye.*) glaucous-leaved.	————	1812.	——	G.	ħ.	Lodd bot. cab. 43.
mimosoídes. Bot. mag. 1957. *non* H.K.							
5 umbellulàta. DC.	(*ye.*) small-umbelled.	————	1822.	4. 8.	G.	ħ.	
6 incrassàta. DC.	(*ye.*) thick-leaved.	————	1820.	5. 8.	G.	ħ.	
7 aciculàris. DC.	(*ye.*) needle-leaved.	————	1804.	6. 7.	G.	ħ.	
8 ulicìna. DC.	(*ye.*) Furze-like.	N. S. W.	1792.	4. 8.	G.	ħ.	Andr. reposit. 304.
9 púngens. M.C.	(*ye.*) pungent.	N. Holland.	1825.	——	G.	ħ.	
10 squarròsa. DC.	(*ye.*) squarrose.	N. S. W.	1822.	5. 7.	G.	ħ.	
11 cordàta. DC.	(*ye.*) heart-leaved.	N. Holland.	1824.	——	G.	ħ.	Bot. reg. 1005.
12 alàta. DC.	(*ye.*) winged.	————	1820.	4. 6.	G.	ħ.	———— t. 728.

MIRB'ELIA. DC. MIRB'ELIA. Decandria Monogynia.

1 reticulàta. DC.	(*pu.*) netted-leaved.	N. S. W.	1792.	5. 8.	G.	ħ.	Bot. mag. 1211.
2 púngens. M.C.	(*pu.*) pungent-leav'd.	N. Holland.	1824.	——	G.	ħ.	
3 speciòsa. DC.	(*pu.*) beautiful.	N. S. W.	——	——	G.	ħ.	Swt. flor. aust. t. 34.
4 grandifiòra. B.M.	(*y.re.*) large-flowered.	————	1823.	——	G.	ħ.	Bot. mag. 2771.
5 Baxtèri. M.C.	.... Baxter's.	N. Holland.	1824.	....	G.	ħ.	
6 dilatàta. DC.	(*pu.*) lobed-leaved.	————	1803.	5. 8.	G.	ħ.	Bot. reg. 1041.

Tribus II. *LOTEÆ.* DC. prodr. 2. p. 115.

Subtribus I. GENISTEÆ. *DC.* l. *c.* 115.

HOVEA. DC. HOVEA. Monadelphia Decandria.

1 rosmarinifòlia. F.T.	(*bl.*) Rosemary-l^d.	N. S. W.	1824.	3. 6.	G.	ħ.	
2 longifòlia. DC.	(*bl.*) long-leaved.	————	1805.	3. 7.	G.	ħ.	Bot. reg. 614.
3 linearis. DC.	(*bl.*) linear-leaved.	————	1796.	——	G.	ħ.	———— t. 468.
4 lanceolàta. DC.	(*bl.*) spear-leaved.	————	1805.	——	G.	ħ.	Bot. mag. 1624.

5 ellíptica. DC. (*bl.*) elliptic-leaved. N. S. W. 1817. 3. 7. G. ½.
Poirétia elliptica. L.T.
6 purpùrea. S.F.A. (*pu.*) purple-flowered. ——— 1824. 2. 5. G. ½. Swt. flor. anst. t. 18.
7 latifòlia. DC. (*bl.*) broad-leaved. ——— 1817. 3. 6. G. ½. Lodd. bot. cab. 20.
8 Celsi. DC. (*bl.*) Cels's. N. Holland. 1818. 3. 7. G. ½. Bot. reg. 280.

PLAGIOL'OBIUM. S.F.A. PLAGIOL'OBIUM. Diadelphia Decandria.
1 chorizemæfòlium. S.F.A. (*bl.*) Chorizema-ld. N. Holland. 1824. 2. 5. G. ½. Swt. flor. anst. t. 2.
2 ilicifòlium. S.F.A. (*bl.*) Holly-leaved. ——— 1827. —— G. ½. ——— t. 2. f. 10-11.

PLATYL'OBIUM. DC. FLAT-PEA. Monadelphia Decandria.
1 formòsum. DC. (*ye.*) large-flowered. N. S. W. 1790. 6. 8. G. ½. Bot. mag. 469.
2 parviflòrum. DC. (*ye.*) smaller-flower'd. ——— 1792. 5. 9. G. ½. ——— t. 1589.
3 ovàtum. DC. (*ye.*) oval-leaved. ——— 1820. 5. 7. G. ½.
4 triangulàre. DC. (*ye.*) triangular-ld. V. Diem. Isl. 1805. 5. 9. G. ½. Bot. mag. 1506.

BOSSI'ÆA. DC. BOSSI'ÆA. Monadelphia Decandria.
1 scolopéndria. DC. (*ye.*) Plank-plant. N. S. W. 1792. 5. 7. G. ½. Vent. malm. 55.
Platylòbium Scolopéndrium. Andr. rep. 191.
2 ensàta. DC. (*ye.*) sword-stemmed. N. S. W. 1822. —— G. ½. Swt. flor. anst. t. 51.
rùfa. Lod. bot. cab. 1119. *non* DC.
3 rùfa. DC. (*re.*) red-flowered. N. Holland. 1803. 6. 9. G. ½.
4 linophy'lla. DC. (*ye.*) narrow-leaved. ——— —— 7. 9. G. ½. Bot. mag. 2491.
5 heterophy'lla. DC. (*ye.*) various-leaved. N. S. W. 1792. 4. 12. G. ½. Vent. cels. t. 7.
lanceolàta. B.M. 1144. *Platylòbium lanceolàtum et ovàtum.* A.R. 205 et 276.
6 rotundifòlia. DC. (*ye.*) round-leaved. N. S. W. 1822. 5. 7. G. ½.
7 rhombifòlia. DC. (*ye.*) rhomb-leaved. ——— —— 4. 6. G. ½. Swt. flor. anst. t. 9.
lenticulàris. Lod. bot. cab. 1238. *non* DC.
8 microphy'lla. DC. (*ye.*) small-leaved. ——— 1803. 5. 7. G. ½. Lodd. bot. cab. t. 656.
9 lenticulàris. DC. (*ye.*) orbicular-leaved. ——— 1822. —— G. ½.
10 foliòsa. F.T. (*ye.*) leafy. ——— 1823. 4. 7. G. ½.
11 buxifòlia. F.T. (*ye.*) Box-leaved. ——— —— —— G. ½.
12 prostràta. DC. (*ye.*) prostrate. ——— 1803. —— G. ½. Bot. mag. 1493.
13 cordifòlia. S.F.A. (*y.pu.*) heart-leaved. N. Holland. 1824. —— G. ½. Swt. flor. anst. t. 20.
14 cinèrea. DC. (*y.pu.*) sharp-leaved. V. Diem. Isl. 1803. 5. 7. G. ½. Bot. reg. 306.

GO'ODIA. DC. GO'ODIA. Monadelphia Decandria.
1 lotifòlia. DC. (*ye.*) Lotus-leaved. V. Diem. Isl. 1793. 4. 7. G. ½. Sal. par. lond. 41.
2 subpubéscens. (*ye.*) hairy-leaved. ——— 1812. —— G. ½.
3 pubéscens. DC. (*y.pu.*) downy. ——— 1805. —— G. ½. Bot. mag. 1310.
4 retùsa. M.C. (*ye.*) retuse-leaved. N. Holland. 1824. —— G. ½.

TEPHROTHA'MNUS. TEPHROTHA'MNUS. Monadelphia Decandria.
tomentòsus. (*ye.*) woolly. C. B. S. 1798. 7. 8. G. ½. And. rep. 237.
Cy'tisus tomentòsus. A.R. *Goòdia? polyspérma.* DC.

SCO'TTIA. H.K. SCO'TTIA. Monadelphia Decandria.
1 dentàta. DC. (*sc.*) broad-leaved. N. Holland. 1803. 1. 6. G. ½.
2 trapezifórmis. M.C. .. trapeziform. ——— 1825. .... G. ½.
3 angustifòlia. M.C. (*br.*) narrow-leaved. ——— —— 1. 6. G. ½.

TEMPLET'ONIA. DC. TEMPLET'ONIA. Monadelphia Decandria.
1 retùsa. DC. (*sc.*) green-leaved. N. Holland. 1803. 3. 7. G. ½. Bot. reg. 383.
2 glàuca. DC. (*sc.*) glaucous-leaved. ——— —— —— G. ½. Bot. mag. 2068.

RA'FNIA. DC. RA'FNIA. Monadelphia Decandria.
1 cordàta. DC. (*ye.*) heart-leaved. C. B. S. 1821. 5. 7. G. ½.
2 ellíptica. DC. (*ye.*) elliptic-leaved. ——— 1816. —— G. ½.
3 cuneifòlia. DC. (*y.pu.*) wedge-leaved. ——— 1820. —— G. ♂.
4 triflóra. DC. (*ye.*) three-flowered. ——— 1786. —— G. ♂. Bot. mag. 482.
Crotalària triflòra. L. *Borbònia cordàta.* And. rep. t. 31. *nec aliorum.*
5 láncea. DC. (*ye.*) lance-leaved. C. B. S. 1816. 5. 7. G. ♂. Th. ac. holm. 1800. t. 4.
Œdmánnia láncea. Th.
6 opposita. DC. (*ye.*) opposite-leaved. ——— 1825. —— G. ½.
7 angulàta. DC. (*ye.*) angular-stalked. ——— 1816. —— G. ½.
8 filifòlia. DC. (*ye.*) narrow-leaved. ——— —— —— G. ½.

VASC'OA. DC. VASC'OA. Monadelphia Decandria.
1 amplexicáulis. DC. (*ye.*) stem-clasping. C. B. S. 1812. 6. 7. G. ½.
Crotalària amplexicáulis. L. *Ráfnia amplexicáulis.* Th.
2 perfoliàta. DC. (*ye.*) perfoliate. C. B. S. 1812. 7. 8. G. ½. Seba. thes. 1. t. 24. f. 5.
Borbònia perfoliàta. Th. *Crotalária amplexicáulis.* Lam.

BORB'ONIA. DC. BORB'ONIA. Monadelphia Decandria.
1 barbàta. DC. (*ye.*) bearded. C. B. S. 1816. 6. 8. G. ½. Lam. ill. t. 610. f. 2.
2 trinérvia. DC. (*ye.*) three-nerved. ——— 1759. —— G. ½. Pluk. alm. t. 207. f. 4.
3 lanceolàta. DC. (*ye.*) many-nerved. ——— 1752. —— G. ½. Jacq. schœnb. 2. t. 217.
4 cordàta. DC. (*ye.*) heart-leaved. ——— 1759. —— G. ½. ——— 2. t. 228.
5 ruscifòlia. DC. (*ye.*) Ruscus-leaved. ——— 1816. —— G. ½. Bot. mag. 2128.

6 parviflòra. DC.	(ye.)	small-flowered.	C. B. S.	1821.	6. 8.	G. ♄.		
7 crenàta. DC.	(ye.)	notch-leaved.	———	1774.	——	G. ♄.		Bot. mag. 274.
8 ciliàta. DC.	(ye.)	fringed.	———	1816.	——	G. ♄.		Houtt. syst. 8. t. 62 f. 2.
ACHYR'ONIA. DC.		ACHYR'ONIA.	Diadelphia Decandria.					
villòsa. DC.	(ye.)	villous.	N. Holland.	1810.	5. 8.	G. ♄.		Wendl. hort. her. 1. t. 12.
LIP'ARIA. DC.		LIP'ARIA.	Diadelphia Decandria.					
sphærica. DC.	(ye.)	globe-headed.	C. B. S.	1794.	7. 8.	G. ♄.		Bot. mag. 1241.
PRIESTLE'YA. DC.		PRIESTLE'YA.	Diadelphia Decandria.					
1 myrtifolia. DC.	(ye.)	Myrtle-leaved.	C. B. S.	1825.	4. 7.	G. ♄.		DC. Leg. mem. t. 29.
2 hirsùta. DC.	(ye.)	shaggy-stemmed.	———	1792.	12. 4.	G. ♄.		Bot. reg. 8.
Lipària hirsùta. B.R.								
3 lævigàta. DC.	(ye.)	polished.	———	1799.	7. 8.	G. ♄.		DC. Leg. mem. t. 30.
Borbònia lævigàta. Lod. bot. cab. 247.								
4 capitàta. DC.	(ye.)	headed.	———	1812.	8. 6.	G. ♄.		
5 graminifòlia. DC.	(ye.)	narrow-leaved.	———	1800.	4. 7.	G. ♄.		
6 téres. DC.	(ye.)	smooth-stalked.	———	1816.	——	G. ♄.		
7 ericæfòlia. DC.	(w.pu.)	Heath-leaved.	———	1812.	4. 8.	G. ♄.		DC. Leg. mem. t. 31.
8 sericea. DC.	(ye.)	silky-leaved.	———	1794.	——	G. ♄.		Pluk. t. 388. f. 3.
9 axillàris. DC.	(ye.)	axillary-flower'd.	———	1824.	——	G. ♄.		DC. Leg. mem. t. 32.
10 elliptica. DC.	(ye.)	elliptic-leaved.	———	1816.	——	G. ♄.		——— t. 33.
11 villòsa. DC.	(ye.)	villous-leaved.	———	1774.	——	G. ♄.		Seb. thes. 1. t. 24. f. 2.
12 vestita. DC.	(ye.)	concave-leaved.	———	1800.	5. 6.	G. ♄.		Bot. mag. 2223.
Lipària vestita. B.M. *Lipària villòsa.* A.R. 382. *nec aliorum.*								
13 tomentòsa. DC.	(ye.)	downy.	C. B. S.	1812.	5. 8.	G. ♄.		
14 umbellifera. DC.	(ye.)	umbel-flowered.	———	1825.	6. 7.	G. ♄.		
HA'LLIA. DC.		HA'LLIA.	Monadelphia Decandria.					
1 alàta. DC.	(pu.)	wing-stalked.	C. B. S.	1818.	6. 8.	G. ♄.		
2 flaccida. DC.	(pu.)	long-leaved	———	1789.	6. 9.	G. ♂.		
3 angustifòlia. DC.	(pu.)	narrow-leaved.	———	1816.	——	G. ♂.		
4 cordàta. DC.	(pu.)	heart-leaved.	———	1787.	——	G. ♄.		Jacq. schœnb. 3. t. 296.
Glycine monophy'lla. Jacq. *Hedy'sarum cordàtum.* Th. n. ac. ups. 6. t. 1.								
5 Asarina. DC.	(pu.)	Asarum-like.	C. B. S.	1816.	6. 9.	G. ♄.		
6 imbricàta. DC.	(pu.)	imbricated.	———	1812.	——	G. ♄.		Bot. mag. 1850. et 2596.
HEYLA'NDIA. DC.		HEYLA'NDIA.	Monadelphia Decandria.					
hebecárpa. DC.	(ye.)	hairy-podded.	Ceylon.	1820.	6. 8.	S. ♄.		DC. Leg. mem. t. 34.
CROTAL'ARIA. DC.		CROTAL'ARIA.	Monadelphia Decandria.					
1 alàta. DC.	(st.)	winged-stalked.	Nepaul.	1818.	4. 8.	S. ♄.		
2 platycárpa. DC.	(ye.)	flat-podded.	N. America.	1824.	7. 9.	H. ☉.		
3 Púrshii. DC.	(ye.)	Pursh's.	———	1827.	——	H. ☉.		Pluk. alm. t. 277. f. 2.
lævigàta. Ph. *non* Lam.								
4 parviflòra. DC.	(ye.)	small-flowered.	———	1823.	6. 9.	H. ☉.		Pluk. alm. t. 169. f. 6?
5 sagittàlis. DC.	(ye.)	Virginian.	———	1731.	——	H. ☉.		Herm. lugd. p. 203. ic.
6 ovàlis. DC.	(ye.)	oval-leaved.	———	1827.	——	H. ☉.		
7 rubiginòsa. DC.	(ye.)	rusty.	E. Indies.	1807.	——	S. ☉.		
8 verrucòsa. DC.	(bl.)	blue-flowered.	———	1731.	——	S. ☉.		Andr. reposit. 308.
cærùlea. Jacq. ic. t. 144. *angulòsa.* Cav. ic. 4. t. 321.								
9 semperflòrens. DC.	(ye.)	ever-blowing.	E. Indies.	1816.	8. 9.	S. ♄.		Vent. hort. cels. t. 17.
10 retùsa. DC.	(ye.)	wedge-leaved.	———	1731.	5. 9.	S. ☉.		Bot. reg. 253.
11 Lechenáultii. DC.	(ye.)	Lechenault's.	———	1826.	——	S. ☉.		
12 spectábilis. DC.	(pu.)	showy.	———	1824.	——	S. ☉.		
13 pulchérrima. DC.	(ye.)	Mysore.	———	1814.	——	S. ♃.		Bot. mag. 2027.
14 bengalénsis. DC.	(ye.)	Bengal.	———	1806.	——	S. ☉.		Pluk. alm. t. 169. f. 5.
15 júncea. DC.	(ye.)	rush-stalked.	———	1700.	6. 9.	S. ☉.		Bot. mag. 490.
16 tenuifòlia. DC.	(ye.)	slender-leaved.	———	1818.	——	S. ☉.		
17 fenestràta. DC.	(ye.)	window-calyxed.	———	1816.	——	S. ☉.		Bot. mag. 1933.
18 sericea. DC.	(ye.)	silky.	———	1807.	——	S. ☉.		
19 técta. DC.	(ye.)	striped-flower'd.	———	1824.	6. 10.	S. ☉.		
20 Burmánni. DC.	(ye.)	Burmann's.	———	———	——	S. ☉.		Burm. ind. t. 48. f. 1.
21 hirsùta. DC.	(ye.)	hairy-podded.	———	1823.	——	S. ☉.		
22 mysorénsis. DC.	(ye.)	Mysore.	———	1826.	——	S. ☉.		
23 montàna. DC.	(ye.)	mountain.	———	1816.	——	S. ♃.		
24 álbida. DC.	(wh.)	white-flowered.	———	1824.	——	S. ☉.		
25 paniculàta. DC.	(ye.)	panicled.	———	1807.	6. 8.	S. ♄.		
26 púlchra. DC.	(ye.)	short-podded.	———	1800.	3. 5.	S. ♄.		Andr. reposit. t. 601.
27 Novæ-Hollándiæ. DC.	(pu.)	New Holland.	N. Holland.	1820.	6. 8.	S. ♄.		
28 paulina. DC.	(ye.)	St. Paul.	Brazil.	———	7. 9.	S. ♄.		Schr. pl. rar. h. mon. t. 88.
29 breviflòra. DC.	(ye.)	short-flowered.	———	1824.	——	S. ♄.		
30 bifária. DC.	(ye.)	two-ranked.	E. Indies.	———	———	S. ♄.		
31 dichótoma. DC.	(ye.)	forked.	———	———	———	S. ♄.		

32 diffùsa. DC.	(ye.)	diffuse.	.....	1818.	6. 8.	S. ♃.	
33 biflòra. DC.	(ye.)	two-flowered.	E. Indies.	1790.	——	S. ☉.	Petiv. gaz. t. 30. f. 10.
34 nàna. DC.	(ye.)	dwarf.	———	——	——	S. ☉.	Burm. Ind. t. 48. f. 2.
35 bialàta. DC.	(ye.)	two-winged.	———	1818.	——	S. ☉.	
36 tetragòna. DC.	(ye.)	square-stalked.	Nepaul.	1806.	8. 9.	S. ♂.	Andr. rep. t. 593.
37 linifòlia. DC.	(ye.)	Flax-leaved.	E. Indies.	1823.	6. 7.	S. ☉.	
38 pellìta. DC.	(ye.)	villous-podded.	Jamaica.	1822.	7. 9.	S. ♄.	
39 virgúltalis.	(ye.)	twiggy.	C. B. S.	1816.	——	G. ♄.	
40 acuminàta. DC.	(ye.)	taper-pointed.	———	——	——	G. ♄.	
41 spartioìdes. DC.	(ye.)	Broom-like.	———	——	——	G. ♄.	
42 thebaìca. DC.	(ye.)	stripe-flowered.	Egypt.	1828.	7. 8.	G. ♄.	Delil. fl. eg. t. 37. f. 1.
43 nummulària. DC.	(ye.)	money-wort-l^d.	E. Indies.	——	——	S. ♃.	
44 tuberòsa. DC.	(pu.)	tuberous-rooted.	Nepaul.	1816.	6. 7.	S. ♃.	
45 anthylloìdes. DC.	(ye.)	large-calyxed.	Java.	1789.	8. 9.	S. ♄.	
46 calycìna. DC.	(st.)	hispid-calyxed.	E. Indies.	1818.	7. 9.	S. ♃.	Schr. pl. rar. mon. t. 12.
47 nepalénsis. L.en.	(bl.)	Nepaul.	Nepaul.	1821.	6. 8.	S. ☉.	
48 Roxburghiàna. DC.	(ye.)	Roxburgh's.	E. Indies.	1823.	7. 9.	S. ♃.	
49 chinénsis. DC.	(ye.)	Chinese.	China.	1820.	6. 7.	S. ♄.	
50 hírta. DC.	(ye.)	hairy.	E. Indies.	1816.	6. 8.	S. ☉.	Mart. acad. mun. 6. t. F.
51 prostràta. DC.	(wh.)	prostrate.	———	1804.	——	S. ♃.	——— t. E.
52 stipulàcea. H.B.	(ye.)	large-stipuled.	———	1823.	——	S. ♃.	
53 arboréscens. DC.	(ye.)	spreading.	C. B. S.	1774.	6. 10.	G. ♄.	Jacq. vind. 3. t. 64.
incanéscens. W. *capensis.* Th.							
54 túrgida. DC.	(ye.)	turgid-podded.	.....	1820.	——	G. ♄.	Herb. amat. t. 238.
55 laburnifòlia. DC.	(ye.)	Laburnum-l^d.	E. Indies.	1739.	7. 9.	S. ♂.	Rheed. mal. 9. t. 27.
56 péndula. DC.	(ye.)	pendulous-pod'd.	W. Indies.	1820.	——	S. ♄.	
57 Brównei. DC.	(ye.)	Browne's.	Jamaica.	——	——	S. ♄.	
58 bracteàta. DC.	(ye.)	large-bracted.	E. Indies.	1818.	5. 9.	S. ♄.	
59 cytisoìdes. DC.	(ye.)	Cytisus-like.	Nepaul.	1823.	6. 8.	S. ♄.	
60 foliòsa. DC.	(ye.)	leafy.	E. Indies.	1826.	——	S. ♄.	
61 orixénsis. DC.	(ye.)	minute-flower'd.	———	1816.	7. 8.	S. ☉.	Mart. acad. mun. 6. t. H.
62 virgàta. DC.	(ye.)	slender.	———	1824.	——	S. ☉.	——— 6. t. G.
63 purpuráscens. DC.	(pu.)	purplish.	Mauritius.	1823.	8.-10.	S. ☉.	
64 incàna. DC.	(ye.)	hoary.	W. Indies.	1714.	6. 7.	S. ☉.	Bot. reg. 377.
65 micans. DC.	(ye.)	glittering.	E. Indies.	1823.	——	S. ♃.	
66 curtàta. DC.	(ye.)	short-keeled.	.....	1820.	——	S. ☉.	
67 vitellìna. DC.	(ye.)	yellow-twigged.	Brazil.	1819.	5. 7.	S. ♄.	Bot. reg. 447.
68 medicagínea. DC.	(ye.)	Trefoil-leaved.	E. Indies.	1818.	6. 7.	S. ♄.	Rott. n. act. nat. c. 4. t. 5.
69 Grahámi.	(ye.)	Graham's.	Mexico.	1824.	9. 12.	S. ♄.	Bot. mag. 2714.
dichótoma B.M. *non* DC							
70 Bojèri.	(ye.)	Bojer's.	Madagascar.	1828.	....	S. ♄.	
dichótoma. Bojer. *nec aliorum.*							
71 trichótoma. Boj.	(ye.)	three-forked	———	——	....	S. ♄.	
72 stricta. DC.	(ye.)	upright.	E. Indies.	1826.	8. 10.	S. ☉.	
73 purpùrea. DC.	(pu.)	purple-flowered.	C. B. S.	1790.	3. 5.	G. ♄.	Bot. reg. 128.
74 microphy'lla. DC.	(ye.)	small-leaved.	Arabia.	1823.	8. 10.	H. ☉.	
75 micrántha. DC.	(ye.)	small-blossom'd.	Ceylon.	1820.	6. 7.	S. ☉.	
76 pállida. DC.	(st.)	pale-flowered.	Africa.	1775.	——	S. ☉.	
77 argéntea. DC.	(ye.)	silvery-leaved.	C. B. S.	1823.	——	G. ♄.	Jacq. schœnb. 2. t. 220.
78 pulchélla. DC.	(ye.)	large-flowered.	———	1800.	——	G. ♄.	Bot. mag. 1699.
79 Saltiàna. A.R.	(ye.)	Salt's.	Abyssinia.	1810.	6. 7.	S. ♄.	Andr. reposit. 648.
80 angustifòlia. DC.	(st.)	narrow-leaved.	C. B. S.	1815.	5. 9.	G. ♄.	Jacq. schœnb. 2. t. 219.
81 villòsa. DC.	(ye.)	villous.	———	1823.	——	G. ♃.	
82 latifòlia.	(ye.)	broad-leaved.	E. Indies.	1825.	——	S. ♄.	
83 elliptica. H.B.	(ye.)	elliptic-leaved.	China.	1823.	7. 9.	G. ♄.	
84 lanceolàta. H.B.	(ye.)	spear-leaved.	W. Indies.	1806.	——	S. ♄.	
85 lotifòlia. DC.	(ye.)	Lotus-leaved.	———	1732.	6. 7.	S. ♄.	Dill. elth. t. 102. f. 131.
86 axillàris. DC.	(ye.)	axillary-fld.	Guinea.	1781.	7. 8.	S. ☉.	
87 quinquefòlia. DC.	(ye.)	five-leaved.	E. Indies.	1792.	6. 7.	S. ☉.	Rheed. mal. 9. t. 28.
HYPOCALY'PTUS. DC. Hypocaly'ptus. Monadelphia Decandria.							
obcordàtus. DC.	(pu.)	obcordate-leav'd.	C. B. S.	1790.	4. 6.	G. ♄.	Lodd. bot. cab. 1158.
Crotalària cordifòlia. B.C.							
VIBO'RGIA. DC. Vibo'rgia. Monadelphia Decandria.							
1 obcordàta. DC.	(ye.)	many-flower'd.	C. B. S.	1812.	7. 9.	G. ♄.	Lodd. bot. cab. 509.
Crotalària floribúnda. B.C. *Anthy'llis cuneàta.* Hort.							
2 serícea. DC.	(ye.)	silky.	C. B. S.	1780.	——	G. ♄.	
LODDIG'ESIA. DC. Loddig'esia. Monadelphia Decandria.							
oxalidifòlia. DC.	(ro.)	Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. ♄.	Bot. mag. 965.
DICH'ILUS. DC. Dich'ilus. Monadelphia Decandria.							
lebeckoìdes. DC.	(st.)	Lebeckia-like.	C. B. S.	1816.	6. 8.	G. ♄.	DC. leg. mem. 6. t. 35.

LEBE'CKIA. DC.		**Lebe'ckia.**	**Monadelphia Decandria.**					
1 subnùda. DC.	(*ye.*)	few-leaved.	C. B. S.	1823.	4. 6.	G.	ħ.	
2 contaminàta. DC.	(*ye.*)	narrow-leaved.	———	1787.	——	G.	ħ.	
3 sepiària. DC.	(*ye.*)	filiform-leaved.	———	1816.	——	G.	ħ.	Pluk. alm. t. 424. f. 1.
4 subternàta. DC.	(*ye.*)	various-leaved.	———	———	——	G.	ħ.	
5 serícea. DC.	(*ye.*)	silky-leaved.	———	1774.	——	G.	ħ.	
6 cytisoides. DC.	(*ye.*)	Cytisus-like.	———	———	——	G.	ħ.	Com.hort.amst.2.t.107.
SARCOPHY'LLUM. DC.		**Sarcophy'llum.**	**Monadelphia Decandria.**					
carnósum. DC.	(*ye.*)	fleshy-leaved.	C. B. S.	1812.	5. 8.	G.	ħ.	Bot. mag. 2502.
ASPA'LATHUS. DC.		**Aspa'lathus.**	**Monadelphia Decandria.**					
1 spinòsa. DC.	(*ye.*)	spiny.	C. B. S.	1823.	5. 8.	G.	ħ.	Breyn. cent. t. 26.
2 aculeàta. DC.	(*ye.*)	yellow-spined.	———	———	——	G.	ħ.	
3 acuminàta. DC.	(*ye.*)	taper-pointed.	———	1816.	——	G.	ħ.	Lam. ill. t. 620. f. 4.
4 laricifòlia. DC.	(*ye.*)	Larch-leaved.	———	1825.	——	G.	ħ.	
5 capitàta. DC.	(*ye.*)	headed.	———	1823.	6. 7.	G.	ħ.	Lam. ill. t. 620. f. 2.
6 astrotes. DC.	(*ye.*)	spiny-bracted.	———	1825.	5. 8.	G.	ħ.	Seba. thes. t. 24. f. 6.
7 chenopòda. DC.	(*or.*)	cluster-leaved.	———	1759.	7. 8.	G.	ħ.	Bot. mag. 2225.
8 álbens. DC.	(*wh.*)	white-leaved.	———	1774.	——	G.	ħ.	
9 argyræa. DC.	(*wh.*)	silvery.	———	1818.	——	G.	ħ.	
10 hystrix. DC.	(*wh.*)	silky-spined.	———	1824.	——	G.	ħ.	Lam. ill. t. 620. f. 1.
11 thymifòlia. DC.	(*ye.*)	Thyme-leaved.	———	1825.	5. 8.	G.	ħ.	Pluk. alm. t. 413. f. 1.
12 ericifòlia. DC.	(*ye.*)	Heath-leaved.	———	1780.	7. 8.	G.	ħ.	——— t. 413. f. 6.
13 hispida. DC.	(*ye.*)	hispid.	———	1823.	——	G.	ħ.	
14 asparagoides. DC.	(*ye.*)	Asparagus-like.	———	1812.	——	G.	ħ.	
15 multiflòra. DC.	(*ye.*)	many-flowered.	———	1818.	——	G.	ħ.	
16 uniflora. DC.	(*ye.*)	one-flowered.	———	1812.	——	G.	ħ.	Pluk. mant. t. 414. f. 7.
17 carnòsa. DC.	(*ye.*)	fleshy-leaved.	———	1795.	5. 8.	G.	ħ.	Bot. mag. 1289.
18 pinguis. DC.	(*ye.*)	succulent-leaved.	———	1818.	7. 8.	G.	ħ.	
19 crassifòlia. DC.	(*ye.*)	thick-leaved.	———	1800.	——	G.	ħ.	Andr. reposit. t. 351.
20 affínis. DC.	(*ye.*)	likened.	———	1816.	——	G.	ħ.	
21 genistoides. DC.	(*ye.*)	Genista-like.	———	1825.	6. 8.	G.	ħ.	
22 squarròsa. DC.	(*ye.*)	squarrose.	———	———	——	G.	ħ.	
23 galioides. DC.	(*ye.*)	Galium-like.	———	1816.	7. 8.	G.	ħ.	
24 pìnea. DC.	(*ye.*)	Pine-leaved.	———	———	——	G.	ħ.	
25 abietìna. DC.	(*ye.*)	Fir-leaved.	———	1826.	——	G.	ħ.	
26 araneòsa. DC.	(*pa.*)	cobweb.	———	1795.	6. 7.	G.	ħ.	Bot. mag. 829.
27 globòsa. A.R.	(*ye.*)	globe-headed.	———	1802.	——	G.	ħ.	Andr. reposit. 302.
28 ciliaris. DC.	(*ye.*)	ciliated.	———	1790.	7. 8.	G.	ħ.	Bot. mag. 2233.
29 quinquefòlia. DC.	(*br.*)	five-leaved.	———	1816.	——	G.	ħ.	
30 cándicans. DC.	(*ye.*)	white.	———	1774.	——	G.	ħ.	
31 heterophy'lla. DC.	(*ye.*)	various-leaved.	———	1828.	——	G.	ħ.	
32 argéntea. DC.	(*ye.*)	silvery-leaved.	———	1759.	——	G.	ħ.	
33 subulàta. DC.	(*ye.*)	awl-leaved	———	1789.	——	G.	ħ.	
34 serícea. DC.	(*ye.*)	silky.	———	1816.	——	G.	ħ.	
35 calliòsa. DC.	(*ye.*)	oval-spiked.	———	1812.	——	G.	ħ.	Bot. mag. 2329.
36 fusca. DC.	(*ye.*)	brown.	———	1816.	——	G.	ħ.	
37 mucronàta. DC.	(*ye.*)	thorny-branch'd.	———	1796.	6. 7.	G.	ħ.	
38 pedunculàta. DC.	(*ye.*)	small-leaved.	———	1775.	7. 8.	G.	ħ.	Bot. mag. 344.
39 bracteata. DC.	(*ye.*)	bracteate.	———	1816.	——	G.	ħ.	
'ULEX. DC.		**Furze.**	**Monadelphia Decandria.**					
1 europ'æus. DC.	(*ye*)	common.	Britain.	....	3. 7.	H.	ħ.	Eng. bot. 742.
2 nànus. DC.	(*ye.*)	dwarf.	———	....	1. 12.	H.	ħ.	——— t. 743.
3 provinciàlis. DC.	(*ye.*)	Provence.	S. Europe.	1815.	6. 8.	H.	ħ.	Loisel. not. 105. t. 6. f. 2.
STAURACA'NTHUS. DC.		**Stauraca'nthus.**	**Monadelphia Decandria.**					
aphy'llus. DC.	(*ye.*)	leafless.	Portugal.	1815.	6. 8.	H.	ħ.	
SPA'RTIUM. DC.		**Spanish Broom.**	**Monadelphia Decandria.**					
júnceum. DC.	(*ye.*)	common.	S. Europe.	1548.	7. 9.	H.	ħ.	Bot. mag. 85.
Spartiánthus júnceus. L. en.								
β flòre plèno.	(*ye.*)	*double-flowered.*	———	....	——	H.	ħ.	
GENI'STA. DC.		**Geni'sta.**	**Monadelphia Decandria.**					
1 parviflòra. DC.	(*ye.*)	small-flowered.	Levant.	1739.	5. 7.	H.	ħ.	Venten. cels. t. 87.
Spártium parviflòrum. Vent.								
2 clavàta. DC.	(*ye.*)	clavate.	Barbary.	1812.	5. 8.	F.	♄.	Venten. hort. cels. t. 17.
Spártium sericeum. Vent. *non* Ait.								
3 canariénsis. DC.	(*ye.*)	Canary.	Canaries.	1656.	5. 9.	F.	♄.	Bot. reg. t. 217.
4 cándicans. DC.	(*ye.*)	hoary.	Spain.	1735.	4. 7.	H.	♄.	Wats. dend. brit. t. 80.
5 pátens. DC.	(*ye.*)	spreading.	———	1825.	5. 7.	H.	ħ.	Cavan. ic. 2. t. 176.
6 linifòlia. DC.	(*ye.*)	Flax-leaved.	———	1739.	1. 6.	F.	♄.	Bot. mag. 442.
Spártium linifòlium. Desf. atl. 2. t. 181.								

7	triquètra. DC.	(ye.)	triangular.	Corsica.	1770.	5. 6.	H. ½.	Wats. dend. brit. t. 79
8	bracteolàta. DC.	(ye.)	bracteolate.	.....	1826.	——	H. ½.	
9	microphy'lla. DC.	(ye.)	small-leaved.	Canaries.	1824.	——	F. ½.	
10	umbellàta. DC.	(ye.)	umbelled.	Barbary.	1799.	4. 6.	F. ½.	Desf. atl. 2. t. 180.
	Spártium umbellàtum. Desf.							
11	radiàta. DC.	(ye.)	rayed.	Italy.	1758.	5. 7.	H. ½.	Bot. mag. 2280.
	Spártium radiàtum. B.M. Mill. ic. t. 249. f. 1.							
12	hórrida. DC.	(ye.)	large-spined.	Pyrenees.	1826.	5. 7.	H. ½.	Gilib. b. prat. 2. p. 220. ic.
13	lusitànica. DC.	(ye.)	Portugal.	Portugal.	1771.	3. 5.	H. ½.	Andr. reposit. t. 419.
14	Lobèlii. DC.	(ye.)	Lobel's.	S. Europe.	1826.	4. 6.	H. ½.	Lob. adv. p. 409. icon.
15	fèrox. DC.	(ye.)	sharp-spined.	Barbary.	1800.	6. 7.	F. ½.	Desf. atl. 2. t. 182.
16	Cupàni. DC.	(ye.)	Cupani's.	Naples.	1826.	——	H. ½.	Cup pan. ed. 1. v. 2. t. 238.
17	triacánthos. DC.	(ye.)	three-spined.	Portugal.	1821.	5. 6.	H. ½.	Brot. phyt 130. t. 54.
18	cuspidòsa. DC.	(ye.)	sharp-pointed.	C. B. S.	1816.	——	G. ½.	
19	tricuspidàta. DC.	(ye.)	three-pointed.	Algiers.	1826.	——	F. ½.	Desf. alt. 2. t. 183.
20	gibraltárica. DC.	(ye.)	Gibraltar.	Gibraltar.	——	——	F. ½.	
21	sylvéstris. DC.	(ye.)	wood.	Hungary.	1824.	6. 8.	H. ½.	Jacq. ic. rar. t. 557.
	hispánica. Jacq. *non* L.							
22	ægyptìaca. DC.	(ye.)	Egyptian.	Egypt.	1828.	——	H. ½.	
23	falcàta. DC.	(ye.)	falcate-podded.	Portugal.	1821.	5. 7.	H. ½.	Brot. phyt. 133. t. 55.
24	córsica. DC.	(ye.)	Corsican.	Corsica.	1826.	——	H. ½.	
25	Scórpius. DC.	(ye.)	Scorpion.	S. Europe.	1570.	3. 4.	H. ½.	Wats. dend. brit. t. 78.
26	hispánica. DC.	(ye.)	dwarf prickly.	Spain.	1759.	6. 8.	H. ½.	Cavan. ic. 3. t. 211.
27	ánglica. DC.	(ye.)	petty whin.	Britain.	....	5. 8.	H. ½.	Eng. bot. 132.
28	germánica. DC.	(ye.)	German.	Germany.	1773.	6. 8.	H. ½.	Fuchs. hist. 220. ic.
29	púrgans. DC.	(ye.)	purging.	S. France.	1768.	6. 7.	H. ½.	Bull. herb. t. 115.
30	cinèrea. DC.	(ye.)	ash-coloured.	————	1818.	5. 7.	H. ½.	Wats. dend. brit. t. 76.
31	virgàta. DC.	(ye.)	long-twigged.	Madeira.	1777.	3. 6.	F. ½.	Bot. mag. 2265.
32	congésta. DC.	(ye.)	close-branched.	Teneriffe.	....	4. 7.	F. ½.	
33	sericea. DC.	(ye.)	silky-leaved.	Austria.	1812.	5. 6.	H. ½.	Jacq. ic. rar. 3. t. 556.
34	aphy'lla. DC.	(vi.)	violet-coloured.	Volga.	1818.	6. 7.	H. ½.	Pall. it. 3. app. t. 5. f. 2.
	Spártium aphy'llum. L. en.							
35	monosperma. DC.	(wh.)	single-seeded.	S. Europe.	1690.	——	F. ½.	Bot. mag. 683.
	Spártium monospérmum. B.M.							
36	sphærocárpa. DC.	(ye.)	round-podded.	————	1731.	——	F. ½.	Renealm. spec. t. 33.
37	æthnénsis. DC.	(ye.)	three-seeded.	Mt. Ætna.	1822.	6. 8.	F. ½.	Bot. mag. 2674.
	Spartium ætnense. B.M.							
38	tetragòna. DC.	(ye.)	four-sided.	Poland.	1826.	——	H. ½.	
39	deprèssa. DC.	(ye.)	depressed.	Tauria.	1828.	....	H. ½.	
40	scariòsa. DC.	(ye.)	scariose.	Italy.	1820.	6. 8.	H. ½.	Viv. frag. ital. 1. t. 8.
41	anxántica. DC.	(ye.)	smooth.	————	——	——	H. ½.	
42	tinctòria. DC.	(ye.)	Dyer's green-weed.	Britain.	....	——	H. ½.	Eng. bot. 44.
	β latifòlia. DC.	(ye.)	*broad-leaved.*	Switzerland.	1824.	——	H. ½.	
	γ hirsùta. DC.	(ye.)	*villous.*	————	....	——	H. ½.	
	δ praténsis. DC.	(ye.)	*meadow.*	Italy.	....	——	H. ½.	
43	sibírica. DC.	(ye.)	Siberian.	Siberia.	1785.	6. 8.	H. ½.	Jacq. vind. 2. t. 190.
44	polygalæfòlia. DC.	(ye.)	Milkwort-leav'd.	Portugal.	1826.	——	H. ½.	
45	flòrida. DC.	(ye.)	Spanish.	Spain.	1752.	——	H. ½.	
46	mántica. DC.	(ye.)	prostrate.	Italy.	1824.	——	H. ½.	Poll. fl. veron. 2. t. 4. f. 7.
47	ovàta. DC.	(ye.)	oval-leaved.	Hungary.	1816.	——	H. ½.	Wats. dend. brit. t. 77.
48	pátula. DC.	(ye.)	spreading.	Siberia.	1828.	....	H. ½.	
49	triangulàris. DC.	(ye.)	three-sided.	Hungary.	1815.	5. 6.	H. ½.	W. et K. hung. 2. t. 153.
50	sagittàlis. DC.	(ye.)	jointed.	Germany.	1570.	——	H. ½.	Jacq. aust. 3. t. 209.
51	diffùsa. DC.	(ye.)	diffuse.	Italy.	1816.	——	H. ½.	Jacq. ic. rar. 3. t. 555.
	Spàrtium decúmbens. Jacq. *non* Ait.							
52	prostràta. DC.	(ye.)	trailing.	Italy.	1826.	——	H. ½.	Reyn. mem. 1. p. 211. ic.
53	procúmbens. DC.	(ye.)	procumbent.	Hungary.	1816.	6. 8.	H. ½.	Bot. reg. 1150.
54	pilòsa. DC.	(ye.)	hairy green-weed.	England.	....	5. 6.	H. ½.	Eng. bot. 44.
55	micrántha. DC.	(ye.)	small-blossom'd.	Spain.	1824.	——	H. ½.	Orteg. dec. 6. t. 10. f. 1.
56	pilocárpa. DC.	(ye.)	hairy-podded.	.....	1820.	5. 7.	H. ½.	

CY'TISUS. DC. Cy'tisus. Monadelphia Decandria.

1	nubigènus. DC.	(wh.)	cluster-flower'd.	Teneriffe.	1779.	5. 8.	H. ½.	
2	álbus DC.	(wh.)	white-flowered.	Portugal.	1752.	6. 7.	H. ½.	Duham. arb. t. 23.
	Spártium multiflòrum. W.							
	β incarnàtus B.C.		*flesh-coloured.*	————	1823.	——	H. ½.	Lodd. bot. cab. 1052.
3	Labúrnum. DC.	(ye.)	Laburnum.	Europe.	1596.	5. 6.	H. ½.	Bot. mag. 176.
4	alpinus. DC.	(ye.)	Scotch Laburnum.	Hungary.	....	6. 7.	H. ½.	W. et K. hung. 3. t. 260.
5	nígricans. DC.	(ye.)	black-rooted.	Austria.	1730.	——	H. ½.	Bot. reg. 802.
6	scssilifòlius. DC.	(ye.)	common.	Italy.	1029.	5. 6.	H. ½.	Bot. mag. 255.

7 triflòrus. DC.	(ye.)	three-flowered.	Spain.	1640.	6. 7.	H. ♄.	Clus. hist. 1. p. 94. f. 3.
8 móllis. DC.	(ye.)	soft-leaved.	.....	1820.	——	H. ♄.	
9 pátens. DC.	(ye.)	woolly-podded.	Portugal.	1752.	——	H. ♄.	
10 grandiflòrus. DC.	(ye.)	great-flowered.	———	1816.	——	H. ♄.	
11 scopàrius. DC.	(ye.)	commonBroom.	Britain.	....	4. 6.	H. ♄.	Eng. bot. 1330.
Spártium scopárium. E.B.							
12 spinòsus. DC.	(ye.)	prickly.	S. Europe.	1596.	6. 7.	F. ♄.	Lobel. ic. 2. t. 95.
13 lanìgerus. DC.	(ye.)	villous.	———	1822.	——	F. ♄.	
Spártium lanígerum. Df. *Calycótome villòsa.* L.en.							
14 proliferus. DC.	(wh.)	silky.	Canaries.	1779.	4. 5.	G. ♄.	Bot. reg. 121.
15 leucánthus. DC.	(wh.)	cream-colour'd.	Hungary.	1806.	6. 7.	H. ♄.	Bot. mag. 1438.
16 álbidus. DC.	(wh.)	whitish.	S. Europe.	1824.	——	F. ♄.	
17 purpùreus. DC.	(pu.)	purple-flower'd.	Austria.	1792.	5. 8.	H. ♄.	Bot. mag. 1176.
β álbus. DC.	(wh.)	*white-flowered.*	———	——	——	H. ♄.	
18 biflòrus. DC.	(ye.)	two-flowered.	Hungary.	1760.	5. 7.	H. ♄.	Bot. reg. 308.
19 elongàtus. DC.	(ye.)	long-branched.	———	1804.	——	H. ♄.	Wats. dend. brit. 82.
20 multiflòrus. B.R.	(ye.)	many-flowered.	———	1824.	——	H. ♄.	Bot. reg. 1191.
21 falcàtus. DC.	(ye.)	sickle-shaped.	———	1816.	6. 8.	H. ♄.	W. et K. hung. 3. t. 238.
22 austriacus. DC.	(ye.)	Austrian.	Austria.	1741.	6. 9.	H. ♄.	Jacq. aust. 1. t. 21.
23 supìnus. DC.	(ye.)	trailing.	S. Europe.	1755.	5. 8.	H. ♄.	——— 1. t. 20.
24 hirsùtus. DC.	(ye.)	hairy.	———	1739.	6. 8.	H. ♄.	Jacq obs. 4. t. 96.
25 serotìnus. DC.	(ye.)	late-flowering.	Hungary.	1826.	——	H. ♄.	
26 capitàtus. DC.	(ye.)	cluster-flower'd.	Austria.	1774.	6. 7.	H. ♄.	Jacq. aust. t. 33.
27 ciliàtus. DC.	(ye.)	fringed.	Mt.Carpathian.	1824.	——	H. ♄.	
28 polytrìchus. DC.	(ye.)	many-haired.	Tauria.	1822.	——	H. ♄.	
29 argénteus. DC.	(ye.)	silver-leaved.	France.	1739.	7. 9.	H. ♄.	Lobel. ic. 2. p. 41. f. 2.
30 calycìnus. DC.	(ye.)	dwarf.	Levant.	1816.	6. 8.	H. ♄.	Lodd. bot. cab. t. 673.
nànus. Wats. dend. brit. t. 81.							
31 orientàlis. DC.	(ye.)	oriental.	———	....	5. 7.	G. ♄.	
32 canéscens. DC.	(ye.)	hoary.	.....	1826.	——	H. ♄.	
33 pròcerus. DC.	(ye.)	tall.	Portugal.	1816.	6. 7.	H. ♄.	
ADENOCA'RPUS. DC. ADENOCA'RPUS. Monadelphia Decandria.							
1 hispánicus. DC.	(ye.)	Spanish.	Spain.	1824.	5. 7.	F. ♄.	
2 intermèdius. DC.	(ye.)	intermediate.	S. Europe.	....	7. 8.	H. ♄.	Clus. hist. 1. p. 94. f. 1.
3 parvifòlius. DC.	(ye.)	small-leaved.	France.	....	4. 7.	H. ♄.	
4 telonénsis. DC.	(ye.)	loose-flowered.	S. Europe.	1824.	5. 7.	H. ♄.	Du.arb.ed.n.5.t.47. f.2.
Cytísus divaricàtus. β. Bot. mag. 1387 ?							
5 frankenioídes. DC.	(ye.)	Frankenia-like.	Teneriffe.	1815.	——	G. ♄.	
Genísta viscòsa. W. *Adenocárpus anagyrus.* S.S.							
6 foliolòsus. DC.	(ye.)	leafy.	Canaries.	1770.	7. 8.	F. ♄.	Bot. mag. 426.
ON'ONIS. DC.		REST-HARROW.	Monadelphia Decandria.				
1 crispa. DC.	(ye.)	curl-leaved.	Spain.	1739.	6. 8.	F. ♄.	Rœm. arch. 1. p. 3. t. 1.
2 hispánica. DC.	(ye.)	Spanish.	———	1799.	5. 9.	F. ♄.	Bot. mag. 2450.
3 vaginàlis. DC.	(ye.)	sheathed.	Egypt.	1815.	6. 8.	F. ♄.	Vent. cels. t. 32.
4 Nátrix. DC.	(ye.)	yellow-shrubby.	S. Europe.	1683.	5. 9.	F. ♄.	Bot. mag. 329.
5 pícta. DC.	(std.)	painted-flower'd.	Barbary.	1825.	6. 8.	H. ♃.	Desf. atl. 2. t. 137.
6 pínguis. W.	(ye.)	greasy.	———	1739.	7. 8.	F. ♄.	
7 longifòlia. DC.	(ye.)	long-leaved.	Canaries.	1816.	5. 6.	F. ♄.	
8 ramosíssima. DC.	(ye.)	branching.	Barbary.	1825.	7. 8.	H. ♄.	Desf. atl. 2. t. 186.
9 arenària. DC.	(ye.)	sand.	S. France.	——	——	H. ♄.	
10 biflòra. DC.	(ye.)	two-flowered.	Barbary.	1824.	——	H. ⊙.	
11 viscòsa. DC.	(ye.)	clammy.	S. France.	1750.	——	H. ⊙.	Barrel. ic. t. 1239.
12 brachycárpa. DC.	(ye.)	short-podded.	Spain.	1824.	——	H. ⊙.	
13 brevifòlia. DC.	(ye.)	short-leaved.	S. Europe.	....	——	H. ⊙.	
14 sícula. DC.	(ye.)	Sicilian.	Sicily.	1822.	6. 8.	H. ⊙.	
15 pubéscens. DC.	(ye.)	downy.	S. Europe.	1680.	——	H. ⊙.	Brot. phyt. 140. t. 58.
erithropèdia. Brot.							
16 ornithopodioídes. DC.	(ye.)	Bird's-foot.	Sicily.	1713.	——	H. ⊙.	Cavan. ic. 2. t. 192.
17 rotundifòlia. DC.	(re.)	round-leaved.	Switzerland.	1570.	5. 7.	H. ♄.	Bot. mag. 335.
18 fruticòsa. DC.	(re.)	shrubby.	S. Europe.	1680.	5. 7.	H. ♄.	——— t. 317.
19 tridentàta. DC.	(re.)	three-toothed.	Spain.	1752.	6. 8.	F. ♄.	Cavan. ic. 2. t. 152.
20 angustíssima. DC.	(re.)	narrow-leaved.	———	1826.	——	F. ♄.	
21 cenísia. DC.	(re.)	crested.	Italy.	1759.	——	H. ♃.	Barrel. ic. t. 1104.
22 fœtida. DC.	(re.)	strong-scented.	Barbary.	1804.	7. 10.	H. ⊙.	
23 geminiflòra. DC.	(re.)	twin-flowered.	Spain.	1825.	8. 10.	H. ⊙.	
24 Schówii. DC.	(re.)	Schouw's.	Italy.	1828.	7. 10.	H. ⊙.	
25 reclinàta. DC.	(re.)	reclined.	S. Europe.	1800.	6. 8.	H. ⊙.	Barrel. ic. t 701.
26 móllis. DC.	(re.)	soft.	Spain.	1824.	——	H. ⊙.	
27 Cherlèri. DC.	(re.)	dwarf.	S. Europe.	1771.	6. 7.	H. ⊙.	Bauh. hist. 2. p. 394. f. 2

28	péndula. DC.	(*re.*)	pendulous.	Barbary.	1826.	7. 9.	H. ⊙.	Desf. atl. 2. t. 191.
29	Siebèri. DC.	(*re.*)	Sieber's.	Crete.	——	——	H. ⊙.	
30	arboréscens. DC.	(*re.*)	tree.	Barbary.	1825.	6. 8.	F. ♄.	Desf. atl. 2. t. 193.
31	altíssima. DC.	(*re.*)	stinking.	Italy.	1596.	5. 8.	H. ♃.	All. ped. t. 41. f. 1.
	hircìna. Jacq. vind. t. 93.							
32	procúrrens. DC.	(*re.*)	rooting-branch'd.	Europe.	....	6. 8.	H. ♄.	Fuchs. hist. 60. ic.
33	répens. W.	(*re.*)	creeping.	Britain.	....	——	H. ♃.	Dill. elth. t. 25. f. 28.
34	spinòsa. DC.	(*re.*)	Cammock.	————	....	——	H. ♄.	Eng. bot. 682.
	arvénsis. E.B.							
35	antiquorum. W.	(*re.*)	tall.	S. Europe.	1790.	——	H. ♃.	
36	mitíssima. DC.	(*re.*)	cluster-flower'd.	Portugal.	1732.	6. 7.	H. ⊙.	Dill. elth. t. 24. f. 27.
37	diffùsa. DC.	(*re.*)	diffuse.	Italy.	1824.	7. 8.	H. ⊙.	
38	serràta. DC.	(*pu.wh.*)	serrate.	Egypt.	1828.	6. 10.	H. ⊙.	
39	hírta. DC.	(*bl.*)	hairy.	Levant.	——	——	H. ♃.	
40	alopecuroídes. DC.	(*re.*)	Fox-tail.	Portugal.	1696.	7. 8.	H. ⊙.	Schkuhr. handb. t. 194.
41	álba. DC.	(*wh.*)	white-flowered.	Naples.	1826.	——	H. ⊙.	
42	oligophy'lla. DC.	(*re.w.*)	few-leaved.	————	1824.	——	H. ⊙.	Ten. fl. nap. 2. t. 67.
43	capitàta. DC.	(*ye.*)	capitate.	Spain.	1818.	6. 7.	H. ♃.	Cavan. ic. 2. t. 159. f. 2.
44	striàta. DC.	(*ye.*)	striated.	S. France.	1814.	——	H. ♃.	
45	Colúmnæ. DC.	(*ye.*)	small-flowered.	Europe.	1732.	——	H. ♃.	All. p. 1. n. 1166. t. 20. f. 3.
	minutíssima. Jacq. aust. t. 240. *parvíflora.* P.S.							
46	minutíssima. DC.	(*ye.*)	pointed-calyx'd.	S. Europe.	1818.	6. 8.	H. ⊙.	Cavan. ic. 2. t. 153.
	barbàta. Cav. *saxátilis.* Lam.							
47	variegàta. DC.	(*ye.*)	variegated.	————	1784.	7. 8.	H. ⊙.	Desf. atl. 2. t. 185.
48	pállida. DC.	(*pa.*)	pale.	.....	1824.	——	H. ⊙.	
49	emarginàta. Boj.	....	emarginate.	Mauritius.	——	....	S. ♄.	
50	villòsa. DC.	(*ye.*)	villous.	C. B. S.	1825.	7. 9.	G. ♄.	
51	decúmbens. DC.	(*ye.*)	decumbent.	————	1822.	——	G. ♃.	
52	geminàta. DC.	(*ye.*)	twin-podded.	————	1787.	——	G. ♃.	
53	umbellàta. DC.	(*ye.*)	umbel-flowered.	————	1818.	——	G. ♃.	
54	glábra. DC.	(*ye.*)	smooth-leaved.	————	1816.	——	G. ♄.	
55	capénsis. DC.	(*pu.*)	Cape annual.	—— ——	1823.	——	H. ⊙.	
56	cérnua. DC.	(*ye.*)	hanging-podded.	————	1774.	——	G. ♄.	

REQUIE'NIA. DC. Requie'nia. Monadelphia Decandria.

1	obcordàta. DC.	(*ye.*)	obcordate.	Senegal.	1824.	6. 8.	S. ♄.	DC. leg. mem. t. 37.
2	sphærospérma. DC.	(*ye.*)	round-seeded.	C. B. S.	1816.	4. 7.	G. ♄.	———— t. 38.

ANTHY'LLIS. DC. Kidney Vetch. Monadelphia Decandria.

1	Gerárdi. DC.	(*ro.*)	Gerard's.	S. Europe.	1806.	6. 8.	H. ♃.	Ger. gallopr. t. 18.
2	onobrychioídes. DC.	(*y.*)	Saintfoin-like.	Spain.	1818.	——	H. ♃.	Cavan. ic. 2. t. 150.
3	cytisoídes. DC.	(*ye.*)	downy-leaved.	————	1731.	4. 6.	F. ♄.	Barrel. ic. 1182.
4	genístæ. DC.	(*ye.*)	Genista-like.	————	1824.	——	F. ♄.	
5	Hermánniæ. DC.	(*ye.*)	Lavender-ld.	Levant.	1739.	4. 7.	F. ♄.	Bot. mag. 2576.
6	aspálathi. DC.	(*ye.*)	spiny.	————	——	——	F. ♄.	
7	erinàcea. DC.	(*bl.*)	prickly.	Spain.	1759.	4. 6.	H. ♄.	Bot. mag. 676.
8	hy'strix.	(*wh.*)	porcupine.	S. Europe.	....	——	H. ♄.	
9	Bárba-Jòvis.	(*st.*)	Jupiter's-beard.	————	1640.	3. 5.	G. ♄.	Bot. mag. 1927.
10	heterophy'lla. DC.	(*v.*)	various-leaved.	————	1768.	6. 7.	G. ♄.	
11	sericea. DC.	(*ye.*)	silky.	Spain.	1786.	——	F. ♄.	
12	montàna. DC.	(*ro.*)	mountain.	Europe.	1759.	——	H. ♃.	Swt. br. fl. gar. 1. t. 79.
13	Vulnerària. DC.	(*ye.*)	common.	Britain.	....	5. 8.	H. ♃.	Eng. bot. 104.
14	rústica. Mil.	(*wh.*)	white-flower'd.	.....	....	——	H. ♃.	
15	Dillénii. Sct.	(*sc.*)	red-flowered.	S. Europe.	....	——	H. ♃.	Dill. elth. t. 320. f. 413.
16	polyphy'lla. Kit.	(*ye.*)	many-leaved.	Hungary.	1827.	——	H. ♃.	
17	tetraphy'lla. DC.	(*st.*)	four-leaved.	S. Europe.	1640.	7. 8.	H. ⊙.	Bot. mag. 108.
18	cornícina. DC.	(*st.*)	horned.	Spain.	1759.	——	H. ⊙.	Cavan. ic. 1. t. 39. f. 2.
19	hamòsa. DC.	(*st.*)	hooked.	Barbary.	1820.	——	H. ⊙.	
20	lotoídes. DC.	(*st.*)	Lotus-like.	Spain.	1739.	6. 7.	H. ⊙.	Cavan. ic. 1. t. 40.
21	chilénsis. DC.	(*st.*)	Chile.	Chile.	1824.	——	G. ♃.	
	Lòtus subpinnàtus. Lag.							

Subtribus II. *TRIFOLIEÆ.* DC. prodr. 2. p. 171.

MEDICA'GO. DC. Medick. Diadelphia Decandria.

1	circinnàta DC.	(*ye*)	kidney-podded.	Italy.	1640.	7. 8.	H. ⊙.	
	Hymenocárpos circinnàtus. L. en.							

2	nummulària. DC.	(ye.)	money-wort.	S. Europe.	....	——	H. ☉.	Gært. sem. 2. t.155.f.7.
	circinnàta. G. *Hymenocárpos nummulárius.* L. en.							
3	radiàta. DC.	(ye.)	ray-podded.	Italy.	1629.	6. 7.	H ☉.	Moris. his. s.2. t.15. f. 3.
4	rupéstris. DC.	(ye.)	rock.	Tauria.	1827.	6. 8.	H. ♃.	
5	brachycárpa. DC.	(ye.)	short-podded.	Tiflin.	1818.	7. 8.	H. ☉.	
6	lupulina. DC.	(ye.)	nonesuch.	Britain.	....	5. 8.	H. ♂.	Eng. bot. 971.
7	cretàcea. DC.	(ye.)	suffrutescent.	Tauria.	1805.	7. 8.	H. ♄.	
8	falcàta. DC.	(ye.)	sickle-podded.	Britain.	....	——	H. ♃.	Eng. bot. 1016.
9	procúmbens. DC.	(ye.)	procumbent.	Poland.	1827.	——	H. ♃.	
10	cancellàta. DC.	(ye.)	netted-podded.	Caucasus.	1828.	——	H. ♃.	
11	suffruticòsa. DC.	(vi.ye.)	frutescent.	Pyrenees.	1818.	6. 8.	H. ♄.	
12	arbòrea. DC.	(ye.)	moon trefoil.	Italy.	1596.	5. 11.	H. ♄.	Flor græc. 767.
13	sibírica. DC.	(ye.)	Siberian.	Siberia.	1824.	6. 9.	H. ☉.	
14	mèdia. DC.	(bl.ye.)	pale-flowered.	Europe.	....	6. 7.	H. ♃.	
15	sativa. DC.	(bl.)	Lucerne.	Britain.	....	——	H. ♃.	Eng. bot. 1749.
	β *versicolor.* DC.	(bl.y.)	*various-colour'd.*	————	....	——	H. ♃.	
16	mexicàna.	(bl.)	Mexican.	Mexico.	1824.	5. 8.	F. ♄.	
17	prostràta. DC.	(ye.)	prostrate.	Hungary.	1793.	7. 8.	H. ♃.	Jacq. vind. 1. t. 89.
18	glomeràta. DC.	(ye.)	clustered.	Italy.	1818.	——	H. ♃.	
19	glutinòsa. DC.	(vi.)	glutinous.	Caucasus.	——	——	H. ♃.	
20	obscùra. DC.	(ye.)	doubtful.	S. France.	1734.	——	H. ☉.	Retz. obs. fasc. 1. t. 1.
21	lævis. DC.	(ye.)	smooth.	Tunis.	1816.	6. 8.	H. ☉.	
	Hèlix. W.							
22	orbiculàris. DC.	(ye.)	flat-podded.	S. Europe.	1688.	7. 8.	H. ☉.	Gært. sem. 2. t. 155.
23	marginàta. DC.	(ye.)	margined.	————	1816.	——	H. ☉.	Moris. his. s. 2. t. 15. f. 2.
24	applanàta. DC.	(ye.)	obovate-leaved.	.....	1824.	7. 9.	H. ☉.	
25	scutellàta. DC.	(ye.)	snail-podded.	S. Europe.	1562.	6. 8.	H. ☉.	Gært. sem. 2. t. 155. f. 7.
26	rugòsa. DC.	(ye.)	elegant.	————	1680.	7. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 4.
	élegans. W.							
27	saxátilis. DC.	(ye.)	stone.	Tauria.	1828.	6. 8.	H. ♃.	
28	tornàta. DC.	(ye.)	smooth-podded.	S. Europe.	1658.	——	H. ☉.	
29	turbinàta. DC.	(ye.)	Turban.	————	1680.	——	H. ☉.	Moris. his. s. 2. t. 15. f. 5.
30	tuberculàta. DC.	(ye.)	wart-podded.	————	1658	——	H. ☉.	Bauh. hist. 2. f. 1.
31	striàta. DC.	(std.)	stripe-podded.	————	1828.	——	H. ☉.	
32	apiculàta. DC.	(ye.)	tufted.	Italy.	1800.	——	H. ☉.	
33	coronàta. DC.	(ye.)	crowned.	S. Europe.	1660.	——	H. ☉.	Moris. his. s. 2. t. 15. f. 16.
34	catalònica. DC.	(ye.)	Catalonian.	Catalonia.	1816.	——	H. ☉.	Schrank. h. mon. t. 28.
35	denticulàta. DC.	(ye.)	toothed.	S. France.	1800.	——	H. ☉.	
36	flexuòsa. DC.	(ye.)	flexuose.	Naples.	1824.	——	H. ☉.	
37	spinulòsa. DC.	(ye.)	prickly-podded.	S. Europe.	1820.	——	H. ☉.	
38	pubéscens. DC.	(ye.)	pubescent.	Montpelier.	1823.	——	H. ☉.	
39	terebéllum. DC.	(ye.)	short-spined.	S. Europe.	1798.	——	H. ☉.	
40	marina. DC.	(ye.)	sea-side.	————	1596.	——	H. ☉.	Cavan. ic. 2. t. 130.
41	tentaculàta. DC.	(ye.)	distichous-spin'd.	————	1824.	——	H. ☉.	Gært. sem. 2. t. 155. f. 7?
42	Hornemanniàna. DC.	(ye.)	Hornemann's.	Morocco.	1823.	——	H. ☉.	
43	littoràlis. DC.	(ye.)	shore.	S. Europe.	1827.	——	H. ♃.	J. Bauh. his. 2. p. 385. ic.
44	lappàcea. DC.	(ye.)	bur-podded.	————	——	——	H. ☉.	
45	pentac'ycla. DC.	(ye.)	five-whorled.	————	....	——	H. ☉.	
46	hístrix. DC.	(ye.)	porcupine.	Naples.	1824.	——	H. ☉.	
47	discifórmis. DC.	(ye.)	hook-spined.	Montpelier.	1826.	——	H. ☉.	
48	carstiénsis. DC.	(ye.)	creeping-rooted.	Carinthia.	1789.	6. 9.	H. ♃.	Bot. mag. 909.
49	nigra. DC.	(ye.)	black.	France.	——	6. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 19.
50	tribuloídes. DC.	(ye.)	Caltrops-like.	S. Europe.	1739.	——	H. ☉.	
51	cylindràcea. DC.	(ye.)	cylinder-podded.	.....	1824.	——	H. ☉.	
52	græca. DC.	(ye.)	Grecian.	Greece.	1804.	——	H. ☉.	
53	minima. DC.	(ye.)	least.	England.	....	——	H. ☉.	Flor. dan. t. 211.
54	arenària. DC.	(ye.)	sand.	Italy.	1824.	——	H. ☉.	
55	muricoléptis. DC.	(ye.)	arch-spined.	Sicily.	——	——	H. ☉.	
56	uncinàta. DC.	(ye.)	hooked.	S. Europe.	1820.	——	H. ☉.	
57	distans. DC.	(ye.)	distant.	————	——	——	H. ☉.	Moris. his. s. 2. t. 15. f. 21.
58	aculeàta. DC.	(ye.)	prickly.	.....	1802.	——	H. ☉.	
59	maculàta. DC.	(ye.)	heart.	England.	....	5. 6.	H. ☉.	Eng. bot. 1616.
	polymórpha. E.B.							
60	Gerárdi. DC.	(ye.)	Gerard's.	Hungary.	1816.	6. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 18.
	villòsa. DC. fl. fr. 4. p. 545.							
61	agréstis. DC.	(ye.)	field.	Italy.	1824.	——	H. ☉.	
62	rigídula. DC.	(ye.)	thorny-podded.	S. Europe.	1730.	——	H. ☉.	
63	muricàta. DC.	(ye.)	prickly.	England.	....	5. 8.	H. ☉.	Vaill. par. t. 33. f. 7.
64	sphærecárpos. DC.	(ye.)	round-podded.	Italy.	1826.	6. 8.	H. ☉.	Sebast. pl. rom. p. 15 t. 8.

65	mùrex. DC.	(*ye.*)	Burdock-podded.	.....	1802.	6. 8.	H. ☉.	
66	laciniàta. DC.	(*ye.*)	cut-leaved.	S. Europe.	1683.	——	H. ☉.	Breyn. cent. 81. t. 34.
67	Tenoreàna. DC.	(*ye.*)	Tenore's.	Naples.	1827.	——	H. ☉.	
68	granatènsis. DC.	(*ye.*)	Spanish.	Spain.	1816.	——	H. ☉.	Jacq. coll.sup.t.15. f. 2.
69	intertèxta. DC.	(*ye.*)	hedgehog.	S. Europe.	1629.	——	H. ☉.	Moris. his. s. 2.t.15. f. 8.
70	ciliàris. DC.	(*ye.*)	fringed.	France.	1686.	7. 8.	H. ☉.	——— s. 2. t. 15. f. 7.
71	èchinus. DC.	(*ye.*)	Sea-egg.	S. Europe.	1820.	6. 8.	H. ☉.	——— s. 2. t. 15. f. 9.
72	ægagróphila. DC.	(*ye.*)	goats.	.....	1824.	7. 9.	H. ☉.	
73	cáspica. L.en.	(*ye.*)	Caspian.	Caucasus.	1820.	6. 8.	H. ☉.	
74	ovàta. H.E.	(*ye.*)	oval-leaved.	S. Europe.	1818.	——	H. ☉.	
75	strumària. H.E.	(*ye.*)	strumous.	———	——	——	H. ☉.	
76	microdon. E.	(*ye.*)	small-toothed.	Egypt.	1826.	——	H. ☉.	
77	pedunculàta. E.	(*ye.*)	peduncled.	———	——	——	H. ☉.	

TRIGONE'LLA. DC. FENUGREEK. Diadelphia Decandria.

1	cœrùlea. DC.	(*bl.*)	blue.	Switzerland.	1562.	7. 9.	H. ☉.	Bot. mag. 2283.
	Trifolium cœrùleum. B.M. *Melilòtus cœrùlea.* Lam.							
2	Besseriàna. DC.	(*bl.*)	Besser's.	Poland.	....	——	H. ☉.	
3	marítima. DC.	(*ye.*)	sea-side.	Egypt.	1827.	——	H. ☉.	
4	uncinàta. DC.	(*st.*)	hooked.	Iberia.	1823.	6. 9.	H. ☉.	
	Melilòtus hamòsum. M.B. *uncinàta.* Bess.							
5	littoràlis. DC.	(*ye.*)	shore.	Sicily.	1826.	——	H. ☉.	
6	callicèras. DC.	(*ye.*)	rostrate.	Iberia.	1821.	——	H. ☉.	DC. hort. gen. 2. ic.
	oxyrhy'nchus. F.							
7	prostràta. DC.	(*ye.*)	prostrate.	S. France.	....	——	H. ☉.	J.Bauh.his.2.p.365.f.2.
8	gladiàta. DC.	(*wh.*)	sword-podded.	Tauria.	1829.	——	H. ☉.	
9	Fœnum-gr'æcum. DC.	(*st.*)	common.	S. France.	1597.	——	H. ☉.	Schk. s. han. 2. t. 211.
10	spinòsa. DC.	(*ye.*)	thorny.	Candia.	1710.	7. 9.	H. ☉.	Breyn.cent.79.t.38.f.1.
11	striàta. DC.	(*ye.*)	streaked.	Abyssinia?	1824.	6. 9.	H. ☉.	
12	hamòsa. DC.	(*ye.*)	hook-podded.	Egypt.	1640.	7. 8.	H. ☉.	Alp. ægypt. t. 134.
13	flexuòsa. DC.	(*st.*)	flexuose.	———	1818.	6. 8.	H. ☉.	
14	Fischeriàna. DC.	(*ye.*)	Fischer's.	Tiflin.	——	——	H. ☉.	
	flexuòsa. M.B. *non Delil.*							
15	anguìna. DC.	(*ye.*)	snake-podded.	Egypt.	1828.	——	H. ☉.	Delil. fl.egypt.t.110.f.2.
16	ténuis. DC.	(*ye.*)	slender.	Tiflin.	1818.	——	H. ☉.	
17	elongàta. W. en.	(*ye.*)	elongated.	.....	1823.	——	H. ☉.	
18	cancellàta. DC.	(*ye.*)	netted-podded.	.....	1818.	——	H. ☉.	
19	monspelìaca. DC.	(*ye.*)	Montpelier.	Montpelier.	1710.	——	H. ☉.	W. et K. hung. 2. t. 142.
20	parviflòra. DC.	(*ye.*)	small-flowered.	Switzerland.	1824.	——	H. ☉.	
21	pinnatífida. DC.	(*ye.*)	pinnatifid.	Spain.	1801.	——	H. ☉.	Cavan. ic. 1. t. 38.
	mèdia. Delil.							
22	polycèrata. DC.	(*ye.*)	broad-leaved.	S. Europe.	1640.	7. 9.	H. ☉.	
23	ægyptìaca. DC.	(*ye.*)	Egyptian.	Egypt.	1823.	6. 8.	H. ☉.	
24	ornithory'nchos. DC.	(*ye.*)	beak-podded.	Russia.	1825.	6. 9.	H. ☉.	
25	crassifòlia. DC.	(*ye.*)	thick-leaved.	Egypt.	1828.	6. 8.	H. ☉.	
26	ruthènica. DC.	(*ye.*)	small.	Siberia.	1741.	5. 7.	H. ♃.	Ledd. bot. cab. 1391.
27	laciniàta. DC.	(*ye.*)	laciniate.	Egypt.	1823.	7. 9.	H. ☉.	
28	platycárpos. DC.	(*ye.*)	round-leaved.	Siberia.	1741.	6. 9.	H. ♂.	Gmel. sib. 4. t. 9.
29	hy'brida. DC.	(*ye.*)	hybrid.	France.	1806.	——	H. ♃.	DC. ic. rar. 1. t. 29.
30	ornithopodioides. DC.	(*re.*)	Bird's-foot.	Britain.	....	——	H. ☉.	Eng. bot. t. 1047.
	Trifolium ornithopodioides. E.B. *Melilòtus ornithopodioìdes.* P.S.							
31	corniculàta. DC.	(*ye.*)	horse-shoe.	S. Europe.	1597.	6. 7.	H. ☉.	Moris. his. s. 2. t. 26. f. 11.
32	esculénta. DC.	(*ye.*)	esculent.	E. Indies.	1815.	6. 9.	S. ☉.	

POCO'CKIA. DC. POCO'CKIA. Diadelphia Decandria.

	crética. DC.	(*ye.*)	Cretan.	Candia.	1713.	6. 9.	H. ☉.	Moris. his. s. 2. t. 14. f. 3.
	Trifolium créticum. L. *Melilòtus crética.* P.S.							

MELIL'OTUS. DC. MELILOT. Diadelphia Decandria.

1	Kochiàna. DC.	(*ye.*)	Koch's.	Germany.	1816.	6. 9.	H. ♂.	
2	dentàta. DC.	(*ye.*)	toothed.	Hungary.	1802.	6. 8.	H. ♃.	W. et K. hung. 1. t. 42.
3	lineàris. DC.	(*ye.*)	linear-leaved.	Spain.	1816.	——	H. ☉.	
4	ruthènica. DC.	(*wh.*)	Russian.	Sarepta.	1828.	——	H. ☉.	
5	melanospérma. DC.	(*ye.*)	black-seeded.	Tauria.	1825.	——	H. ♂.	
6	officinàlis. DC.	(*ye.*)	common.	Britain.	....	6. 9.	H. ☉.	Eng. bot. 1340.
7	palústris. DC.	(*ye.*)	marsh.	Hungary.	1824.	——	H. ♂.	W. et K. hung. 3. t. 266.
8	altíssima. DC.	(*wh.*)	tallest.	S. Europe.	1818.	——	H. ☉.	
9	leucántha. DC.	(*wh.*)	white-flowered.	Europe.	....	——	H. ♂.	Sturm. deuts. 1. f. K.
	vulgàris. W. en.							
10	macrorhìza. DC.	(*ye.*)	long-rooted.	Hungary.	1801.	7. 9.	H. ♃.	W. et K. hung. 1. t. 26.
11	parviflòra. DC.	(*ye.*)	small-flowered.	S. Europe.	1810.	6. 8.	H. ☉.	
12	rugulòsa. W. en.	(*wh.*)	rugged-podded.	E. Indies.	——	——	H. ☉.	

13	índica. W. en.	(*ye.*)	Indian.	E. Indies.	1680.	6. 8.	H. ☉.	Pluk. alm. t. 45. f. 4.
14	Báuméti. H.	(*ye.*)	one-seeded.	.....	1818.	——	H. ☉.	
15	**minima.** DC.	(*wh.*)	small-flowered.	E. Indies.	1810.	8. 10.	H. ☉.	
16	segetàlis. DC.	(*ye.*)	hedge.	Spain.	1824.	6. 8.	H. ☉.	
17	polónica. DC.	(*ye.*)	Polish.	Poland.	1778.	——	H. ☉.	
18	táurica. DC.	(*wh.*)	Taurian.	Tauria.	1823.	6. 9.	H. ☉.	
19	itálica. DC.	(*ye.*)	Italian.	Italy.	1596.	——	H. ☉.	Camer. hort. t. 29.
20	rotundifòlia. T.N.	(*ye.*)	round-leaved.	———	1824.	——	H. ☉.	
21	grácilis. DC.	(*ye.*)	slender.	France.	——	6. 8.	H. ☉.	
22	neapolitàna. T.P.	(*ye.*)	Neapolitan.	Naples.	1827.	——	H. ☉.	
23	pállida. DC.	(*ye.*)	pale-podded.	Poland.	1828.	——	H. ♂.	
24	suavèolens. DC.	(*ye.*)	sweet-scented.	Dahuria.	1826.	——	H. ♃.	
25	hirsùta. Bal.	(*ye.*)	hairy.	.....	——	——	H. ☉.	
26	procúmbens. H. Pr.	(*y.*)	procumbent.	.....	1829.	——	H. ☉.	
27	arvénsis. DC.	(*ye.*)	corn-field.	Germany.	1822.	6. 9.	H. ☉.	
28	petitpierriàna. W.	(*wh.*)	rough-podded.	———	1816.	——	H. ♂.	
29	Besseriàna. DC. *imbricàta.* Bes.	(*ye.*)	Besser's.	Tauria.	1826.	6. 8.	H. ♂.	
30	plicàta. F.	(*ye.*)	plaited.	———	1823.	——	H. ☉.	
31	messanénsis. DC.	(*ye.*)	Sicilian.	Sicily.	1680.	——	H. ☉.	
32	sulcàta. DC. *mauritánica.* W.enum.	(*ye.*)	furrowed.	Barbary.	1798.	——	H. ☉.	

TRIFOLIUM. DC. TREFOIL. Diadelphia Decandria. L.

1	angustifòlium. DC.	(*ro.*)	narrow-leaved.	S. Europe.	1640.	6. 8.	H. ☉.	Barrel. ic. t. 698.
2	intermèdium. DC.	(*wh.*)	intermediate.	Italy.	1829.	——	H. ☉.	
3	purpùreum. DC.	(*pu.*)	purple.	Montpelier.	1826.	——	H. ☉.	Loisel. fl gall. t. 14.
4	rùbens. DC.	(*re.*)	long-spiked.	S. Europe.	1633.	6. 9.	H. ♃.	Jacq. aust. 4. t. 385.
5	cæruléscens. DC.	(*pu.*)	bluish.	Tauria.	1827.	——	H. ☉.	
6	incarnàtum. DC.	(*sc.*)	scarlet.	Italy.	1596.	7. 9.	H. ☉.	Bot. mag. 328.
7	Molineri. W.	(*bh.*)	blush-flowered.	———	1823.	——	H. ☉.	
8	arvénse. DC.	(*wh.*)	Hare's-foot.	Britain.	....	7. 8.	H. ☉.	Engl. bot. v. 14. t. 944.
9	grácile. P.S.	(*re.*)	slender.	France.	1818.	——	H. ☉.	Barrel. ic. 901.
10	ligústicum. DC. *erectiæ̀tum.* Brot. phyt. t. 63. f. 1.	(*re.*)	awned.	Portugal.	1820.	6. 8.	H. ☉.	Balb. act. ac. it. 1. f. 2.
				aristàtum. H.	1827.	——	H. ☉.	
11	divaricàtum. DC.	(*wh.*)	spreading.	.....	1825.	——	H. ☉.	
12	gemélium. DC.	(*wh.*)	double-headed.	Spain.	——	——	H. ☉.	
13	phleoídes. DC.	(*re.*)	Phleum-spiked.	———	——	——	H. ☉.	
14	lappàceum. DC.	(*st.*)	burr-spiked.	S. Europe.	1787.	——	H. ☉.	Barrel. ic. 871.
15	echinàtum. DC.	(*wh.*)	bristly.	Caucasus.	1823.	——	H. ☉.	
16	erinàceum. DC.	(*wh.*)	villous-leaved.	Iberia.	1827.	——	H. ☉.	
17	malacánthum. DC.	(*wh.*)	soft-headed.	.....	1824.	——	H. ☉.	
18	sylváticum. DC.	(*pu.*)	wood.	S. France.	1826.	——	H. ♃.	
19	Boccòni. DC. *scniglábrum.* Brot.	(*re.*)	Boccone's.	S. Europe.	1825.	7. 8.	H. ☉.	Brot. phyt. t. 63. f. 2.
				collìnum. Poir.				
20	striàtum. DC.	(*pu.*)	soft-knotted.	Britain.	....	6. 7.	H. ☉.	Eng. bot. v. 26. t. 1843.
21	tenuiflòrum. DC.	(*pu.*)	slender-flower'd.	Naples.	1824.	6. 8.	H. ☉.	
22	scábrum. DC.	(*wh.*)	rough.	Britain.	....	5. 7.	H. ☉.	Eng. bot. v. 13. t. 903.
23	marítimum. DC. *rigidum.* Savi. fl. pis. 2. p. 159. t. 1. f. 1.	(*li.*)	sea-shore.	———	....	6. 8.	H. ☉.	——— v. 4. t. 220.
24	supìnum. DC.	(*bh.*)	spreading-branch'd.	S. Europe.	1827.	——	H. ☉.	Savi. obs. trif. p. 46. f. 2.
25	constantinopolitànum. DC.	(*ye.*)	Turkish.	Constantinople.	——	——	H. ☉.	
26	cinctum. DC.	(*st.*)	girded.	Montpelier.	1820.	——	H. ☉.	
27	alexandrìnum. DC.	(*st.*)	Egyptian.	Egypt.	1798.	——	H. ☉.	
28	ochroleùcum. DC.	(*st.*)	sulphur-color'd.	Britain.	....	——	H. ♃.	Eng. bot. v. 17. t. 1224.
29	tricocéphalum. DC.	(*st.*)	hairy-headed.	Caucasus.	1829.	——	H. ♃.	
30	canéscens. DC.	(*wh.*)	gray.	———	1803.	5. 7.	H. ♃.	Bot. mag. 1168.
31	pannònicum. DC.	(*wh.*)	Hungarian.	Hungary.	1752.	6. 8.	H. ♃.	Jacq. obs. 2. t. 42.
32	barbàtum. DC.	(*ye.*)	bearded.	Montpelier.	1827.	——	H. ♃.	
33	olympicum. B.M.	(*st.*)	long-flowered.	Levant.	1810.	——	H. ♃.	Bot. mag. 2790.
34	armènium. DC.	(*st.*)	Armenian.	Armenia.	1816.	5. 7.	H. ♃.	
35	squarròsum. DC.	(*wh.*)	various-leaved.	Spain.	1640.	7. 8.	H. ☉.	Moris. his. s. 2. t. 13. f. 1.
	β *flavicans.* DC.	(*st.*)	*yellowish.*	———	....	——	H. ☉.	Savi. obs. tri. p. 65. t. 3.
36	álbidum. DC.	(*st.*)	whitish.	.....	1796.	——	H. ☉.	
37	cònicum. DC.	(*st.*)	conical.	.....	1823.	6. 8.	H. ☉.	
38	Kitaibeliànum. DC.	(*st.*)	Kitaibel's.	Hungary.	1823.	——	H. ☉.	
39	elongàtum. DC.	(*re.*)	long-flowered.	Galatia.	1810.	——	H. ♃.	
40	alpéstre. DC.	(*pu.*)	oval-spiked.	Europe.	1789.	——	H. ♃.	Bot. mag. 2779.
41	médium. DC.	(*pu.*)	Cow-grass.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 3. t. 190.
42	bracteàtum. DC.	(*pu.*)	large-bracted.	Morocco.	1804.	6. 8.	H. ♂.	

43	expánsum. DC.	(*pu.*)	expanded.	.....	1804.	6. 7.	H. ♃.	
44	praténse. DC.	(*pu.*)	common clover.	Britain.	....	5. 9.	H. ♃.	Eng. bot. v. 25. t. 1770.
	α perénne.	(*pu.*)	*perennial.*	———	....	——	H. ♃.	Sincl. gr. wob. 221.
	β sativum.	(*pu.*)	*cultivated.*	———	....	——	H. ♂.	
45	vaginàtum. Schl.	(*ye.*)	sheathed.	Switzerland.	1824.	——	H. ♃.	
	praténse β flávicans. Ser. in DC. prodr. 2. p. 195. *ochroleùcum.* γ. DC.							
46	microphy'llum. DC.	(*p.*)	small-leaved.	France.	1824.	5. 9.	H. ♃.	
47	nòricum. DC.	(*st.*)	shaggy.	Carinthia.	1823.	6. 7.	H. ♃.	Sturm deuts. 1. fas. 16.
48	pensylvànicum. DC.	(*p.*)	Buffalo-clover.	N. America.	1811.	6. 9.	H. ♃.	
49	pállidum. DC.	(*wh.*)	pale.	Hungary.	1803.	6. 8.	H. ☉.	W. et K. hung. 1. t. 36.
50	diffùsum. DC.	(*pu.*)	diffuse.	———	1801.	——	H. ☉.	——— 1. t. 50.
51	hírtum. DC.	(*pu.*)	hairy.	S. Europe.	1806.	——	H. ☉.	Desf. atl. 2. t. 200. f. 1.
	hispidum. Desf.							
52	pictum. W.	(*pu.*)	painted-leaved.	———	——	——	H. ☉.	
53	pauciflòrum. DC.	(*pu.*)	few-flowered.	Archipelago.	1828.	——	H. ♂.	
54	Cherlèri. DC.	(*st.*)	hispid-headed.	S. Europe.	1750.	5. 7.	H. ☉.	Barrel. ic. 859.
55	globòsum. DC.	(*wh.*)	globular-headed.	Levant.	1713.	6. 8.	H. ☉.	
56	clypeàtum. DC.	(*wh.*)	oriental.	———	1711.	——	H. ☉.	Alpin. exot. t. 306.
57	stellàtum. DC.	(*ro.*)	star-headed.	England.	....	7. 8.	H. ☉.	Eng. bot. v. 22. t. 1545.
58	leucánthum. DC.	(*wh.*)	white-flowered.	Tauria.	1823.	6. 8.	H. ☉.	
59	Waldsteinìànum.	(*pu.*)	Waldstein's.	Hungary.	1826.	——	H. ☉.	W. et K. hung. 3. t. 269.
	reflèxum. W. K. *non* L.							
60	saxátile. DC.	(*wh.*)	rock.	Switzerland.	1816.	6. 8.	H. ♂.	All ped. t. 59. f. 3.
61	suffocàtum. DC.	(*wh.*)	suffocated.	England.	....	——	H. ☉.	Eng. bot. v. 15. t. 1049.
62	glomeràtum. DC.	(*ro.*)	round-headed.	———	....	6. 7.	H. ☉.	——— v. 15. t. 1063.
63	parviflòrum. DC.	(*li.*)	small-flowered.	Hungary.	1805.	7. 8.	H. ☉.	Sturm deuts. 1. fasc. 15.
	strictum. Sturm.							
64	stríctum. DC.	(*bh.*)	upright.	S. Europe.	——	——	H. ☉.	W. et K. hung. 1. t. 37.
65	rèpens. DC.	(*wh.*)	white clover.	Britain.	....	5. 9.	H. ♃.	Eng. bot v. 25. t. 1769.
	β pentaphyllum. P. S.	(*w.*)	*purple 5-leaved.*	———	....	——	H. ♃.	
66	anómalum. DC.	(*wh.*)	anomalous.	.....	1827.	——	H. ♃.	Schrank pl. rar. t. 47.
67	palléscens. DC.	(*st.*)	pale.	Hungary.	1804.	6. 8.	H. ♃.	Sturm. deuts. fl. 1. fas. 15.
68	cæspitòsum. DC.	(*wh.*)	turfy.	Switzerland.	1815.	——	H. ♃.	Vill. delph. 3. t. 41.
69	angulàtum. DC.	(*bh.*)	angular.	Hungary.	1803.	——	H. ☉.	W. et K. hung. 1. t. 27.
70	suavèolens. DC.	(*pu.*)	sweet-scented.	S. Europe.	1818.	——	H. ☉.	W. hort. berol. t. 108.
71	hy'bridum. DC.	(*wh.*)	hybrid.	———	1805.	——	H. ☉.	Sturm deuts. fl. 1. fas. 15.
72	Michelìànum. DC.	(*st.*)	Michel's.	Italy.	1815.	——	H. ☉.	Mich. n. gen. t. 25. f. 25.
73	élegans. DC.	(*li.*)	elegant.	S. Europe.	1818.	——	H. ♃.	Savi. fl. pi. 2. t. 1. f. 2.
	formòsum. Savi.				Vail. par. t. 22. f. 1.			
74	reflèxum. DC.	(*pu.*)	reflexed.	Virginia.	1794.	——	H. ♃.	
75	montànum. DC.	(*wh.*)	mountain.	Europe.	1786.	7. 8.	H. ♃.	Flor. dan. t. 1172.
76	rupéstre. DC.	(*wh.*)	flat-headed.	Italy.	1824.	——	H. ♃.	
77	Prutetiànum. DC.	(*re.*)	soft hairy.	———	1828.	——	H. ♃.	
78	subterrànеum. DC.	(*w.*)	subterraneous.	England.	....	5. 6.	H. ☉.	Eng. bot. v. 15. t. 1048.
79	vesiculòsum. DC.	(*re.*)	recurved.	Hungary.	1805.	6. 8.	H. ☉.	W. et K. hung. 2. t. 165.
	recúrvum. W. K.							
80	spumòsum. DC.	(*pu.*)	bladdered.	France.	1771.	——	H. ☉.	Cupan. panp. t. 69. f. 1.
81	resupinàtum. DC.	(*pu.*)	resupinate.	Germany.	1713.	——	H. ☉.	Sturm deuts. fl. 1. fas. 16.
82	fragíferum. DC.	(*li.*)	Strawberry.	England.	....	7. 8.	H. ♃.	Eng. bot. v. 15. t. 1050.
83	tomentòsum. DC.	(*ye.*)	woolly.	S. Europe.	1640.	6. 8.	H. ☉.	Barrel. ic. 864.
84	physòdes. DC.	(*li.*)	swollen-calyx'd.	Iberia.	1829.	——	H. ♃.	
85	alàtum. DC.	(*li.*)	netted-calyx'd.	Sicily.	1820.	7. 8.	H. ☉.	Cupan. panp. t. 97. f. 1 ?
	Cupàni. Tineo.							
86	unifiòrum. DC.	(*re.*)	one-flowered.	S. Europe.	1822.	6. 8.	H. ♃.	Buxb. cent. 3. t. 31. f. 1.
	β Sternbergiànum. DC.	(*wh.*)	*Sternberg's.*	———	——	——	H. ♃.	——— 3. p. 18. t. 31. f. 2.
87	exímium. DC.	(*pu.*)	choice.	Dahuria.	1828.	——	H. ♃.	
	β albiflòrum. DC.	(*wh.*)	*white-flowered.*	Altay.	——	——	H. ♃.	
88	alpìnum. DC.	(*re. wh.*)	alpine.	Italy.	1775.	——	H. ♃.	Sturm deut. fl. 1. fasc. 15.
89	involucràtum. DC.	(*re.*)	involucred.	Mexico.	1825.	——	H. ☉.	Kth. pl. legum. t. 53.
90	Gussòni. DC.	(*pu.*)	Gussone's.	Sicily.	1822.	——	H. ♃.	Bonan. sic. t. 245.
91	fimbriàtum. B. R.	(*re.*)	fringed.	N. America.	1826.	9. 10.	H. ♃.	Bot. reg. 1070.
92	tridentàtum. B. R.	(*re.*)	three-toothed.	———	——	8. 10.	H. ♃.	
93	cyathíferum. B. R.	(*re.*)	cup-like.	———	——	——	H. ♃.	
94	bádium. DC.	(*br.*)	villous-stalked.	Pyrenees.	....	6. 8.	H. ♃.	Sturm deuts. fl. 1. fas. 16.
95	agràrium. DC.	(*ye.*)	golden.	Europe.	1815.	——	H. ☉.	——— fl. 1. fasc. 16.
96	spadíceum. DC.	(*ye.*)	bay-coloured.	———	1778.	——	H. ♃.	Bot. mag. 557.
97	decípiens. DC.	(*ye.*)	decipient.	.....	1827.	6. 8.	H. ☉.	
98	speciòsum. DC.	(*br.*)	large-flowered.	Candia.	1752.	——	H. ☉.	Labill. dec. 5. t. 10.
	comòsum. Labil.							

99 procúmbens. DC.	(*st.*)	Hop.	Britain.	....	6. 7.	H. ☉.	Eng. bot. v. 14. t. 945.
100 parisiénse. DC. *pátens.* Sturm.		Paris.	France.	....	——	H. ☉.	Sturm deuts. 1. fas. 16.
101 Sebastiàni. DC.	(*ye.*)	Sebastian's.	Italy.	1823.	——	H. ☉.	Sebas. pl. rom. fas. 2. t. 4.
102 flavéscens. DC.	(*ye.*)	yellowish.	Sicily.	1826.	6. 8.	H. ☉.	
103 minus. E.B.	(*ye.*)	lesser yellow.	Britain.	....	——	H. ☉.	Eng. bot. v. 18. t. 1256.
104 filiformne. E.B.	(*ye.*)	slender yellow.	———	....	——	H. ☉.	——— v. 18. t. 1257.
105 comòsum. W.	(*wh.*)	tufted.	N. America.	1796.	——	H. ♃.	
106 tenuifòlium. DC.	(*wh.*)	slender-leaved.	Naples.	1824.	——	H. ☉.	
107 capénse. DC.	(*st.*)	Cape.	C. B. S.	1825.	——	G. ♃.	
108 congéstum. DC.	(*wh.*)	close-headed.	Sicily.	1829.	——	H. ☉.	
109 formòsum. DC.	(*pi.*)	handsome.	Isl. Melo.	1828.	——	H. ♂.	
110 lasiocéphalum. DC.	(*w.*)	woolly-headed.	C. B. S.	1825.	——	H. ☉.	
111 villòsum. Pr.	(*wh.*)	villous.	Sicily.	1818.	5. 7.	H. ☉.	
112 plicàtum. Pr.	(*br.*)	plaited.	———	1824.	6. 8.	H. ☉.	
113 Ehrenbérgii. H	ber. (*w.*)	Ehrenberg's.	Egypt.	1826.	——	H. ☉.	
114 libanáticum. E.	(*wh.*)	Lebanon.	Mt. Lebanon.	1827.	——	H. ☉.	
115 albicéps. E.	(*wh.*)	white-headed.	Egypt.	1829.	——	H. ☉.	
LUPINA'STER. Mh.		**Lupina'ster.**	**Diadelphia Decandria.**				
1 pentaphy'llus. Mh. *Trifólium Lupináster.* B.M.	(*re.*)	five-leaved.	Siberia.	1741.	7. 8.	H. ♃.	Bot. mag. 879.
Péntaphy'llon Lupináster. P.S.							
2 álbens. F.	(*wh.*)	white-flowered.	Volga.	1827.	——	H. ♃.	
3 purpuráscens. F.	(*pu.*)	purple.	———	1821.	6. 8.	H. ♃.	
4 cœruléscens. F.	(*pu.*)	blue purple.	———	1826.	——	H. ♃.	
DORY'CNIUM. DC.		**Dory'cnium.**	**Diadelphia Decandria.**				
1 réctum. DC. *Lòtus réctus.* W.	(*ro.*)	upright.	S. Europe.	1640.	6. 8.	H. ♄.	Barrel. ic. t. 544.
2 latifòlium. DC.	(*wh.*)	broad-leaved.	Iberia.	1818.	6. 9.	H. ♄.	
3 hirsùtum. DC. *Lòtus hirsùtus.* B.M.	(*ro.*)	hairy.	S. Europe.	1683.	——	H. ♄.	Bot. mag. 336.
4 sericeum. *Lòtus sericeus.* DC. cat. h. monsp. p. 122.	(*bl.*)	silky.	———	1820.	——	H. ♄.	
5 argénteum. DC.	(*ye.*)	silvery.	Egypt.	1825.	——	H. ♄.	Delil. fl. æg. 113. t. 40.
6 parvifòrum. DC.	(*ye.*)	small-flowered.	S. Europe.	1824.	7. 8.	H. ☉.	Deaf. atl. 2. t. 211.
7 subbiflòrum. DC.	(*ye.*)	two-flowered.	Spain.	1820.	6. 8.	H. ☉.	
8 herbàceum. DC.	(*wh.*)	herbaceous.	S. Europe.	1802.	6. 9.	H. ♃.	Vill. dauph. 3. t. 41.
9 suffruticòsum. DC.	(*wh.*)	suffrutescent.	———	1640.	7. 9.	F. ♄.	Lobel. ic. 2. p. 51. f. 1. 2.
10 microphy'llum. *Lòtus microphy'llus.* B.M. 2808.	(*ro.*)	small-leaved.	C. B. S.	1826.	——	G. ♄.	Bot. mag. 2808.
L'OTUS. DC.		**Bird's-foot Trefoil.**	**Diadelphia Decandria.**				
1 èdulis. DC.	(*ye.*)	esculent.	S. Europe.	1710.	7. 8.	H. ☉.	Cavan. ic. 2. t. 157.
2 ornithopodioides.	(*ye.*)	claw-podded.	———	1683.	6. 8.	H. ☉.	——— 2. t. 163.
3 peregrìnus. DC.	(*ye*)	flat-podded.	———	1713.	7. 8.	H. ☉.	
4 índicus. DC.	(*ye.*)	Indian.	E. Indies.	....	——	H. ☉.	Pluk. phyt. t. 200. f. 7.
5 tetraphy'llus. DC.	(*ye.*)	four-leaved.	Archipelago.	1828.	——	H. ☉.	Viv. fl. lib. t. 17. f. 18.
6 flexuòsus. DC.	(*ye.*)	flexuose.	.....	1820.	6. 8.	H. ☉.	
7 glàucus. DC.	(*ye*)	glaucous.	Madeira.	1777.	——	G. ♂.	
8 sessilifòlius. DC.	(*ye.*)	sessile leaved.	Canaries.	1816.	6. 9.	G. ♃.	
9 anthylloides. DC.	(*ye.*)	Anthyllis-like.	C. B. S.	1812.	——	G. ♄.	Venten. malm. t. 92.
10 atropurpùreus. DC.	(*da.*)	dark-purple.	Cap. Verd Isl.	1823.	3. 9.	G. ♄.	
11 jacobæus. DC.	(*da.*)	dark-flowered.	———	1714.	1. 12.	G. ♄.	Bot. mag. 79.
12 arenàrius. DC.	(*ye.*)	sand.	Portugal.	1824.	6. 8.	H. ☉.	
13 créticus. DC.	(*ye.*)	silver-leaved.	Levant.	1680.	6. 9.	G. ♄.	Cavan. ic. 2. t. 156.
β *vèrsus.* DC.	(*ye.*)	*variable.*	———	1829.	——	G. ♄.	
14 cytisoides. DC.	(*ye.*)	downy.	S. Europe.	1752.	7. 8.	H. ♃.	Barrel. ic. t. 1031.
15 Dioscóridis. DC.	(*ye.*)	Dioscorides's.	Crete.	1658.	6. 8.	H. ☉.	All. ped. 1. t. 59. f. 1.
16 Gebélia. DC.	(*ro.*)	Aleppo.	Aleppo.	1823.	5. 9.	F. ♃.	Vent. h. cels. t. 57.
17 arábicus. DC.	(*re.*)	red-flowered.	Arabia.	1773.	7. 9.	F. ♃.	Jacq. vind. t. 155.
18 austràlis. DC.	(*re.*)	New Holland.	N. S. W.	1803.	5. 9.	G. ♄.	Bot. mag. 1365.
19 Candolleànus. ed. 1. *austràlis* β *angustifoliola.* DC.	(*re.*)	De Candolle's.	———	1812.	6. 9.	G. ♄.	
20 álbidus. B.C.	(*wh.*)	white-flowered.	———	1823.	——	G. ♄.	Lodd. bot. cab. 1063
21 obovàtus. ed. 1.	(*ye.*)	glaucous obovate.	———	1803.	4. 9.	G. ♃.	
22 decúmbens. DC.	(*ye.*)	decumbent.	France.	1820.	5. 7.	H. ♃.	
23 Forstèri. *decúmbens.* E.F. *non* DC.	(*ye.*)	Forster's.	Britain.	....	——	H. ♃.	
24 pilosissimus. DC.	(*ye.*)	hairy.	S. France.	1826.	6. 8.	H. ☉.	
25 hispidus. DC.	(*ye.*)	hispid.	S. Europe.	1820.	——	H. ☉.	Loisel. fl. gal. t. 16.
26 suavèolens. DC.	(*ye.*)	fragrant.	———	1804.	——	H. ♃.	

27	angustissimus. DC.	(ye.)	narrow-podded.	S. Europe.	...	5. 7.	H. ♃.	Bauh. hist. 2. p. 356 f. 2.
28	diffùsus. DC.	(ye.)	slender-podded.	England.	....	——	H. ☉.	Eng. bot. v. 13. t. 925.
29	ciliàtus. DC.	(ye.)	ciliated.	Italy.	1820.	6. 8.	H. ☉.	
30	grácilis. DC.	(ye.)	slender.	Hungary.	1818.	5. 7.	H. ☉.	W. et K. hung. 3. t. 229.
31	lanuginòsus. DC.	(ro.)	drooping-fl^{d}.	Levant.	1818.	7. 8.	G. ♄.	
32	conimbricénsis. DC.	(bh.)	Portuguese.	Portugal.	1800.	6. 8.	H. ☉.	Brot. phyt. t. 53.
33	glaberrimus. DC.	(bh.)	smooth.	.....	1820.	——	H. ☉.	
34	odoràtus. DC.	(ye.)	sweet-scented.	Barbary.	1804.	——	H. ♃.	Bot. mag. 1213.
35	corniculàtus. E.B.	(ye.)	common.	Britain.	....	——	H. ♃.	Eng. bot. v. 30. t. 2090.
36	màjor. E.B.	(ye.)	large hairy.	——	....	——	H. ♃.	—— v. 30. t. 2091.
37	tenùis. W.K.	(ye.)	slender.	Hungary.	1816.	——	H. ♃.	
	deprèssus. W. enum. *humifùsus.* W. en. *ex.* Link enum.							
38	pedunculàtus. DC.	(ye.)	long-peduncled.	Spain.	1814.	——	H. ♃.	Cavan. ic. 2. t. 164.
39	palústris. DC.	(ye.)	marsh.	Levant.	1824.	——	H. ♃.	

TETRAGONO'LOBUS. DC. WINGED PEA. Diadelphia Decandria.

1	purpùreus. DC.	(pu.)	purple-flower'd.	S. Europe.	1596.	6. 8.	H. ☉.	Bot. mag. 151.
	Lòtus tetragonòlobus. B.M.							
2	biflòrus. DC.	(ye.)	two-flowered.	Sicily.	1754.	——	H. ☉.	Desf. atl. t. 210.
3	conjugàtus. DC.	(pu.)	twin-podded.	Montpellier.	1759.	——	H. ☉.	
4	siliquòsus. L.en.	(ye.)	square-podded.	S. Europe.	1683.	7. 8.	H. ♃.	Jacq. aust. 4. t. 361.
5	marítimus. L. en.	(ye.)	sea-side.	——	——	——	H. ♃.	Flor. dan. 800.

Subtribus III. *CLITORIÆ.* DC. prodr. p. 216.

PSOR'ALEA. DC. PSOR'ALEA. Diadelphia Decandria. L.

1	odoratíssima. DC.	(bl.)	sweet-scented.	C. B. S.	1795.	5. 10.	G. ♄.	Jacq. schœnb. 2. t. 229.
	pinnata. Andr. rep. 474. *nec aliorum.*							
2	arbòrea. B.M.	(bl.)	tree.	——	1814.	——	G. ♄.	Bot. mag. 2090.
3	pinnàta. DC.	(bl.)	winged-leaved.	——	1690.	5. 7.	G. ♄.	Herm. lugd. 273. ic.
4	lævigàta. DC.	(pu.)	smooth.	——	1824.	——	G. ♄.	
5	verrucòsa. DC.	(bl.)	warted.	——	1774.	5. 8.	G. ♄.	Jacq. schœnb. 2. t. 226.
	angustifòlia. Jacq.							
6	filifórmis. DC.	(bl.)	slender.	——	1821.	——	G. ♄.	
7	axillàris. DC.	(bl.)	axillary-flower'd.	——	1816.	6. 7.	G. ♄.	
8	tenuifòlia. DC.	(bl.)	slender-leaved.	——	1798.	——	G. ♄.	Jacq. schœnb. 2. t. 225.
9	fasciculàris. DC.	(bl.)	fascicle-flowered.	——	1816.	——	G. ♄.	
10	multicáulis. DC.	(v.)	many-stalked.	——	1793.	8. 10.	G. ♄.	Jacq. schœnb. 2. t. 230.
11	aphy'lla. DC.	(bl.)	leafless.	——	1790.	6. 8.	G. ♄.	Bot. mag. 1727.
12	lathyrifòlia. DC.	(bl.)	Lathyrus-leaved.	——	1823.	——	G. ♄.	Balb. h. taur. p. 25. ic.
13	decúmbens. DC.	(bl.)	decumbent.	——	1774.	4. 6.	G. ♄.	Lodd. bot. cab. 3. t. 262.
14	répens. DC.	(bl.)	creeping	——	——	7. 8.	G. ♄.	
15	hírta. DC.	(bl.)	hairy.	——	1713.	5. 9.	G. ♄.	
16	Jacquiniàna.	(bl.)	Jacquin's.	——	——	——	G. ♄.	Jacq. schœnb. 2. t. 226.
	hírta. Jacq. *nec aliorum.*							
17	aculeàta. DC.	(bl.)	prickle-leaved.	——	1774.	——	G. ♄.	Andr. reposit. 146.
18	bracteata. DC.	(bl.)	oval-spiked.	——	1781.	6. 8.	G. ♄.	Bot. mag. 446.
19	involucràta. DC.	(bl.)	large-bracted.	——	1824.	7. 8.	G. ♄.	
20	spicàta. DC.	(bl.wh.)	long-spiked.	——	1774.	——	G. ♄.	Andr. reposit. 111.
21	Stáchydis. DC.	(bl.)	Stachy's-like.	——	1793.	4. 6.	G. ♄.	
22	striàta. DC.	(bl.)	streaked.	——	1816.	6. 8.	G. ♄.	
23	argéntea. DC.	(bl.)	silvery.	——	——	——	G. ♄.	
24	tomentòsa. DC.	(bl.)	woolly.	——	1825.	——	G. ♄.	
25	capitàta. DC.	(bl.)	headed.	——	1793.	——	G. ♄.	
26	corylifòlia. DC.	(vi.)	Hazel-leaved.	Arabia.	1739.	6. 7.	S. ♂.	Bot. mag. 665.
27	virgàta. DC.	(bl.)	twiggy.	Florida.	1826.	6. 8.	H. ♃.	
28	arenària. DC.	(bl.)	sand.	Missouri.	1823.	——	H. ♃.	
	lanceolàta et elliptica. Ph. *ex* Nutt.							
29	palæstina. DC.	(bl.)	Palestine.	Levant.	1771.	4. 9.	F. ♃.	Jacq. vind. 2. t. 184.
30	bituminòsa. DC.	(pu.)	bituminous.	Italy.	1570.	——	F. ♄.	Schkuhr hand. 2. t. 210.
31	sericea. DC.	(pu.)	long-peduncled.	C. B. S.	1815.	1. 12.	G. ♄.	Bot. reg. 223.
	pedunculàta. B.R.							
32	Mutísii. DC.	(pu)	Mutis's.	Mexico.	1828.	6. 8.	G. ♄.	Kth. pl. legum. t. 54.
33	esculénta. DC.	(bl.)	Bread-root.	Missouri.	1811.	——	H. ♃.	Pursh. amer. 2. t. 22.

34 cuspidàta. DC.	(*bl.*) large-rooted.	Louisiana.	1811.	6. 8.	H. ♃.	
macrorhìza. Fraser.						
35 incàna. DC.	(*bl.*) silky.	Missouri.	1813.	——	H. ♃.	
argophy'lla. Ph.						
36 lupinélla. DC.	(*pu.*) narrow-leaved.	Carolina.	1812.	——	H. ♃.	
37 tenuiflòra. DC.	(*pu.*) slender-flower'd.	Missouri.	1826.	——	H. ♃.	
38 longifòlia. DC.	(*wh.*) long-leaved.	Louisiana.	1811.	——	H. ♃.	
39 melilotoìdes. DC.	(*bl.*) Melilot-like.	Carolina.	1814.	——	F. ♃.	Bot. reg. 454.
40 Onobr'ychis. DC.	(*pu.*) rough-podded.	Louisiana.	1812.	——	H. ♃.	——— t. 458.
41 glandulòsa. DC.	(*v.*) glandular.	Peru.	1770.	5. 9.	H. ♄.	Swt. br. fl. gar. 3. t. 296.
42 pubéscens. DC.	(*bl.*) pubescent.	Lima.	1823.	——	G. ♂.	Bot. reg. 988.
43 canéscens. DC.	(*bl.*) canescent.	Carolina.	——	6. 8.	F. ♃.	
44 divaricàta. DC.	(*bl.*) divaricate.	Peru.	1820.	5. 9.	G. ♄.	
45 dentàta. DC.	(*wh.pu.*) tooth-leaved.	Madeira.	1816.	——	F. ♄.	Lobel. ic. 2. t. 31. f. 1.
americàna. Jacq. schœnb. t. 227.						

CARMICH'ÆLIA. B.R. CARMICH'ÆLIA. Diadelphia Decandria.

australis. B.R.	(*li.*) New Zealand.	New Zealand.	1822.	3. 5.	G. ♄.	Bot. reg. 912.
Lòtus arbòreus. Forster.						

INDIGOFERA. DC. INDIGO. Diadelphia Decandria. L.

1 linifòlia. DC.	(*wh.*) Flax-leaved.	E. Indies.	1792.	7. 8.	S. ☉.	Roxb. cor. 2. t. 194.
2 paniculàta. DC.	(*re.*) panicled.	Sierra Leon.	1824.	——	S. ♄.	
3 filifòlia. DC.	(*re.*) filiform-leaved.	C. B. S.	1812.	7. 10.	G. ♄.	
4 echinàta. DC.	(*re.*) prickly-podded.	E. Indies.	1824.	6. 9.	S. ♃.	
5 cordifòlia. DC.	(*pu.*) heart-leaved.	———	1826.	——	S. ♄.	
6 monophy'lla. DC.	(*pu.*) simple-leaved.	N. S. W.	——	——	G. ♄.	
7 diphy'lla. DC.	(*ro.*) two-leaved.	Africa.	1824.	7. 10.	S. ☉.	
8 subulàta. DC.	(*li.*) awl-stipuled.	W. Indies.	——	——	S. ☉.	
9 Lechenáultii. DC.	(*pu.*) Lechenault's.	Bengal.	1826.	7. 10.	S. ☉.	
10 trifoliàta. DC.	(*re.*) trifoliate.	E. Indies.	1818.	7. 8.	S. ♃.	
11 multicáulis. DC.	(*re.*) many-stalked.	Nepaul.	1824.	7. 10.	S. ☉.	
12 glandulòsa. DC.	(*re.*) glandular.	E. Indies.	1818.	5. 7.	S. ♃.	
13 biflòra. DC	(*pu.*) two-flowered.	———	1826.	——	S. ♄.	
14 denudàta. DC.	(*pu.*) smooth-leaved.	C. B. S.	1790.	——	G. ♄.	Jacq. schœnb. 2. t. 238.
15 amœna. DC.	(*sc.*) scarlet-flowered.	———	1774.	3. 5.	G. ♄.	Bot. reg. 999.
16 rígida. DC.	(*re.*) rigid.	E. Indies.	1820.	5. 8.	S. ♄.	
17 virgàta. DC.	(*re.*) twiggy.	Nepaul.	1823.	7. 8.	S. ♄.	
18 argéntea. DC.	(*re.*) silvery.	Egypt.	1776.	——	S. ♄.	L'Herit. strip. t. 79.
19 tinctòria. DC.	(*re.*) East Indian.	E. Indies.	1731.	——	S. ♄.	Rheed. mal. 1. t. 54.
20 brachycárpa. DC.	(*re.*) short-podded.	W. Indies.	....	——	S. ♄.	
21 A'nil. DC.	(*re.*) West Indian.	———	1731.	——	S. ♄.	Lam. ill. t. 626. f. 2.
22 cœrùlea. H.B.	(*pu.*) blue-flowered.	E. Indies.	1820.	6. 7.	S. ♄.	
23 leptostàchya. DC.	(*pu.*) slender-spiked.	———	1827.	6. 8.	S. ♄.	
24 atropurpùrea. DC.	(*pu.*) dark-purple.	Nepaul.	1820.	7. 8.	S. ♄.	
25 cylíndrica. DC.	(*ro.*) cylindric-podd'd.	C. B. S.	1822.	6. 8.	G. ♄.	
26 júncea. DC.	(*ro.*) rushy.	———	....	7. 10.	G. ♄.	Herb. amat. t. 227.
ephylla. L. enum. *Lebéckia contaminàta.* B.R. 104. *nùda.* B.M. 2214.						
27 australis. DC.	(*li.*) round-stemm'd.	N. S. W.	1790.	3. 6.	G. ♄.	Bot. reg. 986.
28 angulàta. B.R.	(*li.*) angular-stalked.	———	1824.	——	G. ♄.	——— t. 991.
29 macrostàchya. DC.	(*ro.*) long-spiked.	China.	1822.	4. 6.	G. ♄.	Vent. malm. t. 44.
30 frutéscens. DC.	(*ro.*) frutescent.	C. B. S.	1823.	7. 9.	G. ♄.	
31 divaricàta. DC.	(*ru.*) spreading.	.....	1824.	——	G. ♄.	Jacq. schœnb. t. 365.
32 mucronàta. DC.	(*re.*) mucronate.	Jamaica.	——	——	S. ♄.	
33 ellíptica. H.B.	(*re*) elliptic-leaved.	Bengal.	1820.	7. 8.	S. ♄.	
34 pulchélla. H.B.	(*re.*) pretty.	E. Indies.	1823.	——	S. ♄.	
35 arbòrea. H.B.	(*re.*) tree.	———	——	....	S. ♄.	
36 purpuráscens. H.B.	(*p.*) purplish.	———	1827.	7. 8.	S. ♄.	
37 violácea. H.B.	(*vi.*) violet-coloured.	———	1825.	——	S. ♄.	
38 uncinàta. H.B.	(*re.*) hooked.	———	——	——	S. ♄.	
39 circinnàta. Rox.	(*re.*) rounded.	———	1822.	——	S. ♄.	
40 lateritia. DC.	(*re.*) brick-coloured.	Guinea.	——	——	S. ☉.	Jacq. ic. t. 359.
hirsùta. Jacq. *non* Linn.						
41 viscòsa. DC.	(*re.*) clammy.	E. Indies.	1806.	6. 8.	S. ☉.	Wend. sert. han. 2. t. 12.
42 dendroìdes. DC.	(*ro.*) tree-like.	Guinea.	1822.	——	S. ☉.	Jacq. ic. 3. t. 571.
43 polyphy'lla. DC.	(*re.*) many-flowered.	Nepaul.	1825.	4. 8.	G. ♃.	
44 heterotricha. DC.	(*ro.*) various-haired.	C B. S.	1816.	——	G. ♄.	
45 hirsùta. DC.	(*pu.*) hairy-leaved.	E. Indies.	1739.	7. 9.	S. ♄.	Burm. zeyl. 37. t. 14.
46 endecaphy'lla. DC.	(*re.*) eleven-leaved.	Guinea.	1822.	——	S. ☉.	Bot. reg. 789.
47 altérnans. DC.	(*re.*) alternate-leav'd.	C. B. S.	1816.	——	G. ♄.	
48 frágrans. DC.	(*re.*) fragrant.	E. Indies.	1822.	——	S. ♃.	

49 pusílla. DC.	(*re.*)	small.	Madagascar.	1822.	7. 9.	S. ♄.		
50 glábra. DC.	(*re.*)	smooth.	E. Indies.	1824.	——	S. ☉.		Pluk. alm. t. 166. *f.* 1.
51 enneaphy'lla. DC.	(*pu.*)	trailing.	————	1776.	——	S. ☉.		——— t. 166. *f.* 2.
52 cytisoídes. DC.	(*ro.*)	angular-stem'd.	C. B. S.	1774.	——	G. ♄.		Bot. mag. 742.
53 lotoídes. DC.	(*ro.*)	Lotus-like.	————	1816.	——	G. ♄.		Comm. hort. 2. t. 84 ?
54 angustifòlia. DC.	(*pu.*)	narrow-leaved.	————	1774.	6. 10.	G. ♄.		Bot. mag. 465.
55 aspalathoídes. DC.	(*re.*)	Aspalathus-like.	Ceylon.	1823.	4. 6.	S. ♄.		
56 filifórmis. DC.	(*ro.*)	filiform.	C. B. S.	1816.	——	G. ♄.		
57 alopecuroídes. DC.	(*ro.*)	Fox-tail.	————	1825.	——	G. ♄.		
58 coriàcea. DC.	(*ro.*)	leathery-leaved.	————	1774.	7. 8.	G. ♄.		
59 sarmentòsa. DC.	(*ro.*)	dwarf.	————	1786.	6. 8.	G. ♄.		
60 microphy'lla. P.S.	(*ro.*)	small-leaved.	————	1812.	1. 12.	G. ♄.		
61 digitàta. DC.	(*ro.*)	finger-leaved.	————	1820.	4. 8.	G. ♄.		
62 sessilifòlia. DC.	(*ro.*)	sessile-leaved.	————	1816.	——	G. ♄.		
63 spinòsa. DC.	(*re.*)	spiny.	Arabia.	1822.	——	S. ♄.		
64 cándicans. DC.	(*ro.*)	white-leaved.	C. B. S.	1774.	5. 9.	G. ♄.		Bot. mag. 198.
65 psoraloídes. DC.	(*ro.*)	Psoralea-like.	————	1758.	7. 8.	G. ♄.		———— t. 476.
66 stipulàris. DC.	(*ro.*)	stipuled.	————	1816.	6. 7.	G. ♄.		
67 incàna. DC.	(*ro.*)	hoary.	————	1812.	5. 7.	G. ♄.		Bot. reg. 957.
68 tríta. DC.	(*re.*)	oval-leaved.	E. Indies.	1802.	6. 8.	S. ♂.		
69 procúmbens. DC.	(*re.*)	procumbent.	C. B. S.	1816.	5. 7.	G. ♄.		
70 prostràta. DC.	(*re.*)	prostrate.	E. Indies.	1828.	8. 10.	S. ☉.		
CLI'TORIA. DC.		CLI'TORIA.	Diadelphia Decandria. L.					
1 lascívia. Boj.	....		Madagascar.	Madagascar.	1826.	....	S. ♄.◡.	
2 heterophy'lla. DC.	(*bl.*)	various-leaved.	E. Indies.	1812.	7. 8.	S. ☉.◡.		Bot. mag. 2111.
3 Ternàtea. DC.	(*bl.wh.*)	wing-leaved.	————	1739.	5. 9.	S. ♄.◡.		Rheed. mal. 8. t. 38.
α cærùlea.	(*bl.*)	*blue-flowered.*	————	——	——	S. ♄.◡.		Bot. mag. 1542.
β álba.	(*wh.*)	*white-flowered.*	————	....	——	S. ♄.◡.		
4 mariàna. DC.	(*bl.*)	Maryland.	N. America.	1759.	8. 9.	H. ♃.◡.		
5 mexicàna. DC.	(*pu.*)	Mexican.	Mexico.	1823.	6. 8.	G. ♃.◡.		
6 virginiàna. DC.	(*pu.*)	Virginian.	America.	1732.	7. 8.	G. ♃.◡.		Dill. elt. t. 76.
calcarígera. Sal. par. lond. t. 51.								
7 occidentàlis.	(*pu.*)	West Indian.	Trinidad.	1824.	6. 8.	S. ♄.◡.		Bot. reg. 1047.
virginiàna. B.R. 1047. *non* Linn.								
8 brasiliàna. DC.	(*bl.*)	Brazilian.	Brazil.	1759.	——	S. ♃.◡.		Breyn. cent. t. 32.
9 Plumiéri. DC.	(*pu.*)	Plumier's.	W. Indies.	1815.	8. 11.	S. ♄.◡.		Bot. reg. 268.
10 erécta. H.B.	....	erect.	S. America.	1822.	....	S. ♄.		
11 Berteriàna. DC.	(*ye.*)	Bertero's.	St. Domingo.	1824.	6. 8.	S. ♃.◡.		
12 arboréscens. DC.	....	tree.	Trinidad.	1804.	....	S. ♄.		
NEUROCA'RPUM. DC.		NEUROCA'RPUM.	Diadelphia Decandria.					
1 guianénse. DC.	(*pu.*)	Guiana.	Guiana.	1826.	6. 8.	S. ♃.		Aubl. guian. 2. t. 305.
2 falcàtum. DC.	(*pu.*)	sickle-podded.	St. Domingo.	——	——	S. ♄.◡.		Plum. spec. 8. t. 85.
COLOG'ANIA. DC.		COLOG'ANIA.	Diadelphia Decandria.					
1 intermèdia. DC.	(*fl.*)	intermediate.	Mexico.	1824.	6. 8.	G. ♃.◡.		
2 angustifòlia. DC.	(*vi.*)	narrow-leaved.	————	——	——	G. ♃.◡.		Kth. mim. 209. t. 58.
3 Broussonnétii .DC.	(*vi.*)	Broussonnet's.	.....	1820.	——	S. ♃.◡.		
GALA'CTIA. DC.		GALA'CTIA.	Diadelphia Decandria.					
1 péndula. DC.	(*ro.*)	pendulous.	Jamaica.	1794.	7. 8.	S. ♄.◡.		Bot. reg. 269.
2 serícea. DC.	(*pu.*)	silky.	Isl. Bourbon.	1824.	——	S. ♄.◡.		
3 cubénsis. DC.	(*ro.*)	Cuba.	Cuba.	1826.	——	S. ♃.◡.		
4 móllis. DC.	(*pu.*)	soft.	Carolina.	....	——	G. ♃.◡.		Dill. elth. 1. f. 170.
5 glabélla. DC.	(*re.*)	smooth.	————	1826.	6. 8.	G. ♃.◡.		
VILMOR'INIA. DC.		VILMORI'NIA.	Diadelphia Decandria.					
multiflòra. DC.	(*pu.*)	many-flowered.	W. Indies.	1823.	7. 8.	S. ♄.		
Clitòria multiflòra. Swartz.								
COLL'ÆA. DC.		COLL'ÆA.	Monadelphia Pent-Decandria.					
1 speciòsa. DC.	(*pu.*)	pentandrous.	Peru.	1824.	6. 8.	G. ♄.		DC. leg. me. p. 245. t. 40.
2 trinérvia. DC.	(*pu.*)	decandrous.	E. Indies.	1826.	——	S. ♄.		———— p. 247. t. 41.
OTO'PTERA. DC.		OTO'PTERA.	Monadelphia Decandria.					
Burchéllii. DC.	(*pu.*)	Burchell's.	C. B. S.	1816.	5. 7.	G. ♄.◡.		DC. leg. mem. 250. t. 42.
PUER'ARIA. DC.		PUER'ARIA.	Monadelphia Decandria.					
1 tuberòsa. DC.	(*ye.*)	tuberous-root'd.	E. Indies.	1806.	6. 8.	S. ♄.◡.		
Hed'ysarum tuberòsum. W.								
2 Wallíchii. DC.	(*ye.*)	Wallich's.	Nepaul.	1826.	4. 6.	G. ♄.◡.		DC. leg. mem. 254. t. 43.
DUM'ASIA. DC.		DUM'ASIA.	Diadelphia Decandria.					
1 villòsa. DC.	(*ye.*)	villous.	Nepaul.	1824.	8. 12.	G. ♄.◡.		DC. leg. mem. 257. t. 44.
2 pubéscens. DC.	(*ye.*)	pubescent.	————	——	——	G. ♄.◡.		Bot. reg. 962.
GL'YCINE. DC.		GL'YCINE.	Diadelphia Decandria. L.					
1 clandestìna. DC.	(*bl.*)	hidden-flower'd.	N. S. W.	1810.	4. 8.	G. ♄.◡.		

2 débilis. DC.	(*ye.*)	hairy.	E. Indies.	1778.	6. 7.	S.	↓.◡.	
3 minima. DC.	(*bl.*)	small.	N. S. W.	1812.	4. 10.	G.	↓.◡.	
4 striàta. DC.	(*li.*)	streaked.	S. America.	1823.	7. 9.	S.	♄.◡.	Jacq. vind. 1. t. 76.
5 parviflòra. DC.	(*re.*)	small-flowered.	E. Indies.	1812.	7. 8.	S.	♂.◡.	
6 senegalénsis. DC.	(*ye.*)	Senegal.	Senegal.	1823.	——	S.	↓.◡.	
7 heterophy'lla. DC.	(*ye.*)	various-leaved.	C. B. S.	1816.	6. 8.	G.	↓.◡.	
8 argéntea. DC.	(*ye.*)	silvery-leaved.	————	——	——	G.	↓.◡.	
9 secúnda. DC.	(*ye.*)	side-flowering.	————	1825.	6. 9.	G.	↓.◡.	

CHÆTOCALYX. DC. Chætocalyx. Diadelphia Decandria.

vincentìna. DC.	(*ye.*)	St. Vincent.	W. Indies.	1823.	6. 8.	S.	♄.◡.	Bot. reg. 799.

Glycine vincentina. B.R. 799.

Subtribus IV. *GALEGEÆ.* DC. prodr. 2. p. 243.

PETALOST'EMUM. DC. Petalost'emum. Monadelphia Pentandria.

1 cándidum. DC.	(*wh.*)	white.	N. America.	1811.	7. 8.	H.	↓.	Mich. amer. 2. t. 37. f. 1.
2 cárneum. DC.	(*li.*)	flesh-coloured.	Florida.	——	——	H.	↓.	
3 violàceum. DC.	(*pu.*)	purple-flower'd.	Missouri.	——	7. 9.	H.	↓.	Bot. mag. 1707.
4 villòsum. DC.	(*ro.*)	villous.	————	1826.	——	H.	↓.	
5 corymbòsum. DC.	(*wh.*)	corymbose.	Carolina?	1806.	——	H.	↓.	

Dàlea Kuhnistèra. W. *Kuhnistéra carolinénsis.* Lam. *Cylipògon virgàtum.* Rafin.

D'ALEA. DC. D'alea. Monadelphia Decandria.

1 laxiflòra. DC.	(*wh.*)	loose-flowered.	Louisiana.	1811.	7. 8.	H.	↓.	
2 áurea. DC.	(*ye.*)	golden.	————	——	——	H.	↓.	
3 alopecuroídes. DC.	(*w.*)	Fox-tail.	————	1812.	——	H.	⊙.	Mich. amer. 2. t. 38.

Dàlea Linnæi. Mich.

4 Cliffortiàna. W.	(*bl.*)	Vera Cruz.	Vera Cruz.	1737.	7. 8.	H.	⊙.	Linn. h. cliff. t. 22.
5 Lagòpus. DC.	(*vi.*)	downy-spiked.	Mexico.	1780.	10. 11.	G.	⊙.	Cavan. ic. 1. t. 86.
6 sericea. DC.	(*d.vi.*)	silky.	————	1825.	9. 11.	G.	↓.	Kth. mim. 166. t. 48.

grácilis. Kth.

7 tuberculàta. DC.	(*pu.*)	tubercled.	————	——	——	G.	♄.	
8 citriodòra. DC.	(*v.*)	leafy.	New Spain.	1780.	10. 11.	G.	⊙.	Cavan. ic. 3. t. 271.

Psoràlea citriodòra. Cav. *foliolòsa.* H.K.

9 lùtea. DC.	(*ye.*)	yellow.	Mexico.	1823.	7. 9.	G.	↓.	Cavan. ic. 4. t. 325.
10 mutábilis. DC.	(*v.*)	changeable.	————	1821.	9. 10.	G.	♄.	Bot. mag. 2486.

bicolor. Hook. ex. flor. 43.

11 nùtans. DC.	(*vi.*)	nodding.	————	1824.	7. 9.	G.	↓.	Cavan. ic. 3. t. 201.
12 reclinàta. DC.	(*vi.*)	reclining.	————	——	5. 8.	G.	↓.	
13 tomentòsa. DC.	(*vi.*)	woolly.	————	1823.	7. 9.	G.	↓.	Cavan. ic. 3. t. 240.
14 prostràta. DC.	(*ye.*)	prostrate.	————	1826.	——	G.	↓.	
15 mucronàta. DC.	(*wh.*)	mucronate.	————	——	——	G.	↓.	
16 Thouini. DC.	(*vi.*)	Thouin's.	————	1824.	6. 9.	H.	⊙.	Schrank hort. mon. t. 9.
17 phymatòdes. DC.	(*vi.*)	obovate-leaved.	Caracas.	——	7. 9.	G.	♄.	Jacq. ic. 3. t. 563.
18 enneaphy'lla. DC.	(*re.*)	nine-leaved.	W. Indies.	1772.	——	S.	♄.	

GLYCYRRHI'ZA. DC. Liquorice. Diadelphia Decandria. L.

1 glábra. DC.	(*pu.*)	common.	S. Europe.	1562.	7. 9.	H.	↓.	Lam. ill. t. 625. f. 2.
2 glandulifera. DC.	(*pu.*)	glandular.	Hungary.	1805.	6. 8.	H.	↓.	W. et K. hung. 1. t. 21.
3 lepidòta. DC.	(*wh.*)	scaly.	Missouri.	1811.	7. 8.	H.	↓.	Bot. mag. 2150.
4 fœ'tida. DC.	(*ye.*)	strong-scented.	Barbary.	1823.	6. 9.	H.	↓.	Desf. atl. 2. t. 199.
5 echinàta. DC.	(*pu.*)	prickly-headed.	Italy.	1596.	——	H.	↓.	Bot. mag. 2154.
6 aspérrima. DC.	(*li.*)	rough.	Siberia.	1795.	7. 8.	H.	↓.	Pall. it. app. t. M. f. 3.
7 uralénsis. DC.	(*li.*)	Siberian.	————	1826.	——	H.	↓.	
8 hirsùta. DC.	(*li.*)	hairy.	Levant.	1739.	——	H.	↓.	

GAL'EGA. DC. Goat's-Rue. Monadelphia Decandria.

1 officinàlis. DC.	(*pu.*)	officinal.	Spain.	1568.	6. 9.	H.	↓.	Schk. hand. 2. t. 206.
α *purpùrea.*	(*pu.*)	*purple-flowered.*	————	——	——	H.	↓.	
β *álba.*	(*wh.*)	*white-flowered.*	————	——	——	H.	↓.	
2 pérsica. DC.	(*wh.*)	Persian.	Persia.	1816.	——	H.	↓.	Swt. br. fl. gar. 3. t. 244.
3 bilòba. B.F.G.	(*pu.*)	two-lobed.	.....	1823.	——	H.	↓.	———— 2. t. 159.
4 orientàlis. DC.	(*bl.*)	oriental.	Levant.	1801.	——	H.	↓.	Bot. reg. 326.

TEPHR'OSIA. DC. Tephr'osia. Mono-Diadelphia Decandria.

1 suberòsa. DC.	(*ro.*)	cork-barked.	E. Indies.	1818.	5. 8.	S.	♄.	

Robinia suberòsa. H.B

2 fruticòsa. DC.	(*ro.*)	frutescent.	————	1820.	....	S.	♄.◡.	

3	sophoroídes. DC.	(*wh.*)	Sophora-like.	Nepaul.	1826.	....	G. ♄.	
4	brachystàchya. DC.	(*ro.*)	short-spiked.	———	——	....	G. ♄.	
5	cándida. DC.	(*ro.*)	white-leaved.	E. Indies.	1810.	5. 8.	S. ♄.	
	Robínia cándida. H.B.							
6	toxicària. DC.	(*bh.*)	Fish poison.	S. America.	1791.	——	S. ♄.	Plum. ic. t. 135.
7	virginiàna. DC.	(*re.*)	Virginian.	Virginia.	1765.	6. 8.	H. ♃.	Pluk. alm. t. 23. f. 2.
8	hispídula. DC.	(*li.*)	bristle-podded.	———	1826.	——	H. ♃.	
9	ochroleùca. DC.	(*st.*)	straw-colour'd.	W. Indies.	1799.	——	S. ♄.	Jacq. ic. t. 156.
10	carib'æa. DC.	(*re.wh.*)	various-colour'd.	Caribees.	1786.	——	S. ♄.	Jacq. amer. t. 125.
11	grandiflòra. DC.	(*re.*)	large-flowered.	C. B. S.	1774.	6. 9.	I. ♄.	Bot. reg. 709.
	Galèga grandiflòra. B.R. *Galèga rósea.* Lam.							
12	villòsa. DC.	(*pu.*)	villous.	E. Indies.	1779.	6. 8.	S. ♃.	Burm. zeyl. t. 33.
13	purpùrea. DC.	(*pu.*)	purple.	———	1768.	7. 8.	S. ♃.	——— t. 32.
	Galèga purpùrea. L.							
14	lanceæfòlia. DC.	(*st.*)	lance-leaved.	———	1824.	——	S. ♄.	
15	argéntea. DC.	(*pu.*)	silvery.	———	1826.	....	S. ♃.	Pluk. alm. t. 52. f. 1.
16	piscatória. DC.	(*pu.*)	woolly.	———	1778.	6. 8.	S. ♄.	
17	leucántha. DC.	(*wh.*)	white-flowered.	Mexico.	1826.	6. 10.	G. ♄.	H. et B. n. gen. a. 6. t. 577.
18	coronillæfòlia. DC.	(*st.*)	Coronilla-leav'd.	Bourbon.	——	....	S. ♄.	
19	capénsis. DC.	(*re.*)	Cape.	C. B. S.	1823.	5. 9.	G. ♄.	Jacq. ic. t. 574.
20	cinèrea. DC.	(*vi.*)	cinereous.	W. Indies.	1824.	6. 9.	S. ☉.	——— t. 575.
21	hypargy'rea. DC.	(*pu.*)	various-leaved.	E. Indies.	1825.	——	S. ♄.	
	heterophy'lla. F.							
22	stricta. DC.	(*pu.*)	straight-podded.	C. B. S.	1774.	5. 6.	I. ♄.	Jacq. schœnb. t. 286.
23	lineàris. DC.	(*pu.*)	linear-leaved.	Guinea.	1822.	....	S. ♄.	
24	pállens. DC.	(*li.*)	pale-flowered.	C. B. S.	1787.	6. 8.	I. ♄.	
25	apollínea. DC.	(*bl.*)	Egyptian.	Egypt.	1822.	6. 7.	F. ♃.	Delil. fl. eg. t. 53. f. 5.
26	tricolor.	(*bl.*)	three-coloured.	N. Holland.	1824.	7. 9.	G. ♃.	Hook. ex. flor. t. 185.
	Galèga tricolor. H.E.F.							
27	Barclayàna.	(*pu.*)	Mr. Barclay's.	Madagascar.	1823.	5. 10.	S. ♄.⌣.	Hook. ex. flor. t. 188.
	Dalbérgia Barcláyii. H.E.F.							
28	Telfáirii.	(*pu.*)	Mr. Telfair's.	———	——	——	S. ♄.⌣.	
29	Colonília. L.T.	(*pu.*)	Colonil.	E. Indies.	1818.	6. 8.	S. ♄.	
30	racemòsa.	(*pu.*)	racemed.	———	1822.	——	S. ♄.⌣.	
	Robínia racemòsa. H.B.							
31	pentaphy'lla.	(*pu.*)	five-leaved.	———	1824.	——	S. ♄.	
	Galèga pentaphy'lla. H.B.							
32	biflòra. DC.	(*pu.*)	two-flowered.	.....	1826.	6. 9.	G. ♄.	
33	capitulàta. DC.	(*pu.*)	headed.	Owyhee.	——	——	S. ♃.	
34	incàna.	(*pu.*)	hoary.	E. Indies.	1820.	——	S. ♄.	
	Galèga incàna. H.B.							
35	Heyniàna.	(*bl.*)	Heyne's.	———	1807.	7. 9.	S. ♄.	
	Galèga Heyniàna. H.B.							
36	sericea. DC.	(*pu.*)	silky.	C. B. S.	1824.	——	I. ♄.	
37	filifòlia. DC.	(*re.*)	filiform-leaved.	———	——	——	I. ♄.	

AMO'RPHA. DC. BASTARD INDIGO. Monadelphia Decandria.

1	fruticòsa. DC.	(*bl.*)	shrubby.	Carolina.	1724.	6. 8.	H. ♄.	Bot. reg. 427.
2	croceolanàta. W.D.	(*pu.*)	yellow-haired.	———	1812.	——	H. ♄.	Wats. dend. brit. t. 132.
3	frágrans. B.F.G.	(*pu.*)	fragrant.	———	——	——	H. ♄.	Swt. br. fl. gar. t. 241.
	nàna. Bot. mag. t. 2112. *nec aliorum.*							
4	emarginàta. L.C.	(*bl.*)	emarginate.	———	——	——	H. ♄.	
	fruticòsa β emarginàta. Ph.							
5	Lewísii. L.C.	(*bl.*)	Lewis's.	———	——	——	H. ♄.	
	fruticòsa γ angustifòlia. Ph.							
6	glábra. DC.	(*pu.*)	smooth.	———	——	——	H. ♄.	
7	nàna. DC.	(*pu.*)	dwarf.	Missouri.	1811.	7. 8.	H. ♄.	
	microphy'lla. Ph.							
8	herbàcea. DC.	(*pu.*)	pubescent.	Carolina.	1803.	6. 8.	H. ♄.	Lodd. bot. cab. 689
	pubéscens. Ph.							
9	canéscens. DC.	(*bl.*)	canescent.	Missouri.	1812.	7. 8.	H. ♄.	

NISS'OLIA. DC. NISS'OLIA. Mono-Diadelphia Decandria.

1	fruticòsa. DC.	(*st.*)	shrubby.	S. America.	1766.	7. 11.	S. ♄.⌣.	Jacq. vind. t. 167.
2	racemòsa. DC.	(*st.*)	racemed.	W. Indies.	....	6. 8.	S. ♄.⌣.	
3	glábrata. DC.	(*wh.*)	smooth-leaved.	S. America.	1818.	7. 11.	S. ♄.	
4	robiniæfòlia. DC.	....	Robinia-leaved.	St. Vincent.	1824.	....	S. ♄.	
5	micróptera. DC.	(*ye.*)	small-winged.	.....	——	5. 8.	S. ♄.	
6	retùsa. DC.	(*ye.*)	retuse-leaved.	S. America.	1823.	....	S. ♄.⌣.	

MULLERA. DC. MULLERA. Monadelphia Octo-Decandria.

	moniliformis. DC.	....	bracelet.	Guiana.	1792.	....	S. ♄.	Aubl. guian. 4. t. 356.

LONCHOCA'RPUS. DC. Lonchoca'rpus. Mono-Diadelphia Decandria.

1	domingénsis. DC.	(re.)	oval-leaved.	St. Domingo.	1759.	....	S. ♄.	
2	violàceus. DC.	(vi.)	violet.	W. Indies.	——	5. 8.	S. ♄.	Jacq. amer. t. 177. f. 49.
	Robínia violácea. Jacq.							
3	formosiànus. DC.	(vi.)	Formosa.	Africa.	1822.	....	S. ♄.	Beauv. fl. owar. 2. t. 76.
4	seríceus. DC.	(pu.)	silky.	W. Indies.	1823.	....	S. ♄.	
5	pyxidàrius. DC.	(pu.)	Cuba.	Cuba.	1822.	....	S. ♄.	
6	latifòlius. DC.	(pu.)	broad-leaved.	S. America.	1814.	....	S. ♄.	
	Amerímnum latifólium. W.							
7	pubéscens. DC.	(pu.)	pubescent.	Caracas.	1820.	....	S. ♄.	
8	ròseus. DC.	(ro.)	rose-coloured.	S. America.	....	....	S. ♄.	
9	sèpium. DC.	(ro.)	hedge.	W. Indies.	1820.	....	S. ♄.	Jacq. amer. t. 129. f. 101.
10	Swartzii. DC.	(ro.)	Swartz's.	——	——	....	S. ♄.	
	Robínia sèpium. Sw.							
11	Nicóu. DC.	(pu.)	climbing.	Guiana.	1828.	....	S. ♄. ⌣	Aubl. guian. 2. t. 298.
	Robínia Nicóu. Aubl. *scándens.* W.							

ROBI'NIA. DC. Robi'nia. Diadelphia Decandria. L.

1	Pseudacàcia. DC.	(wh.)	com. or Locust Tree.	N. Amer.	1640.	5. 6.	H. 5.	Schmidt arb. 1. t. 32.
2	inérmis. DC.	(wh.)	spineless.	.....	....	——	H. 5.	
	spectábilis. L.C.							
3	macrophy'lla. L.C.	(ro.)	long-leaved.	Siberia.	1797.	6. 7.	H. 5.	
4	sophoræfòlia. L.C.	(wh.)	Sophora-leaved.	Hybrid.	1811.	——	H. 5.	
5	amorphæfòlia. L.en.	(w.)	Amorpha-leav'd.	——	1820.	——	H. 5.	
6	umbraculìfera. DC.	(w.)	Parasol.	——	1811.	....	H. 5.	
	Robínia inérmis. Dum. Cours. *non* DC.							
7	dùbia. DC.	(bh.)	doubtful.	——	——	....	H. 5.	
8	stricta. L.C.	(wh.)	upright.	——	....	....	H. 5.	
9	tortuòsa. DC.	(wh.)	twisting.	——	....	6. 7.	H. 5.	
10	monstròsa. L.C.	(wh.)	monstrous.	——	....	——	H. 5.	
11	péndula. L.en.	(wh.)	pendulous.	——	....	——	H. 5.	
12	viscòsa. DC.	(bh.)	clammy.	N. America.	1797.	6. 8.	H. 5.	Venten. cels. t. 4.
	glutinòsa. Bot. mag. 580.							
13	hìspida. DC.	(ro.)	Rose Acacia.	Carolina.	1743.	5. 9.	H. ♄.	Bot. mag. 311.
14	ròsea. Ell.	(ro.)	smooth-branch'd.	——	1812.	——	H. ♄.	
15 ?	guineénsis. W.en.	(ro.)	Guinea.	Guinea.	1821.	....	S. ♄.	
	Cy'tisus hìspidus. W.							
16 ?	purpùrea. L.en.	(pu.)	purple.	.....	1816.	4. 6.	S. ♄.	

POIT'ÆA. DC. Poit'æa. Diadelphia Decandria.

	galegoídes. DC.	(ro.)	Galega-like.	St. Domingo.	1826.	....	S. ♄.	Venten. choix. t. 36.

COURS'ETIA. DC. Cours'etia. Diadelphia Decandria.

1	tomentòsa. DC.	(ye.)	woolly.	Peru.	1824.	6. 8.	G. ♄.	Cavan. ic. t. 84.
	Láthyrus fruticòsus. Cav. *O'robus tomentòsus.* Df. *Vícia frutiedsa.* W.							
2	virgàta. DC.	(ye.)	slender.	Trinidad.	1820.	——	S. ♄.	Cavan. ic. t. 293.
	Æschynómene virgàta. Cav.							

SESBA'NIA. DC. Sesba'nia. Diadelphia Decandria.

1	ægyptiaca. DC.	(ye.)	Egyptian.	Egypt.	1680.	7. 8.	S. ♂.	Alp. ægypt. 81. t. 82.
2	occidentàlis. DC.	(ye.)	West Indian.	W. Indies.	1823.	6. 8.	S. ♄.	Plum. ed Burm. t. 125. f. 1.
3	aculeàta. DC.	(ye.)	prickly.	E. Indies.	1690.	7. 10.	S. ☉.	Jacq. ic. t. 564.
4	cannabìna. DC.	(ye.)	Hemp-like.	——	1800.	——	S. ☉.	
5	affìnis. DC.	(ye.)	likened.	——	1822.	5. 8.	S. ♂.	
6	pícta. DC.	(std.)	painted.	W. Indies.	——	4. 9.	S. ♄.	Bot. reg. 873.
7	macrocárpa. DC.	(st.)	long-podded.	Louisiana.	——	7. 10.	H. ☉.	Bart. fl. amer. 1. t. 28.
8	paludòsa. DC.	(ye.)	marsh.	E. Indies.	1810.	——	S. ☉.	
9	grácilis. DC.	(ye.)	slender.	.....	1824.	——	S. ☉.	
10	seríicea. DC.	(ye.)	silky.	E. Indies.	1818.	——	S. ☉.	
11	procúmbens. H.B.	(ye.)	procumbent.	——	——	——	S. ☉.	
12	uliginòsa.	(ye.)	swamp.	——	——	——	S. ☉.	
	Æschynómene uliginòsa. H.B.							

AGA'TI. DC. Aga'ti. Diadelphia Decandria.

1	grandiflòra. DC.	(bh.)	great-flowered.	E. Indies.	1768.	7. 8.	S. ♄.	Rheed. mal. 1. t. 51.
	Sesbánia grandiflòra. P.S. *Æschynómene grandiflòra.* L. *Coronílla grandiflòra.* W.							
2	coccínea. DC.	(sc.)	red-flowered.	E. Indies.	1824.	7. 8.	S. ♄.	Rumph. amb. 1. t. 77.

GLOTTI'DIUM. DC. Glotti'dium. Diadelphia Decandria.

	floridànum. DC.	(ye.)	flat-podded.	Florida.	1822.	7. 8.	S. ☉.	Jacq. ic. 1. t. 148.
	Sesbánia platycárpa. P.S. *Robínia vesicària.* Jacq. *Phàca floridàna.* W.							

PISCI'DIA. DC. Jamaica Dogwood. Monadelphia Decandria.

1	Erythrìna. DC.	(v.)	oval-leaved.	W. Indies.	1690.	....	S. ♄.	Sloan. jam. 2. t. 176. f. 4-5.
2	carthagenénsis. DC.	(v.)	obovate-leaved.	——	....	....	S. ♄.	Plum. ed Burm. t. 133. f. 2.

DAUBENTONIA. DC. Daubent'onia. Diadelphia Decandria.

1 punícea. DC.	(*pu.*)	red-flowered.	Mexico.	1824.	....	S. ♄.	Cavan. ic. 4. t. 316.
2 longifòlia. DC.	(*ye.*)	long-leaved.	New Spain.	1828.	....	S. ♄.	——— 4. t. 315.

CORYNE'LLA. DC. Coryne'lla. Diadelphia Decandria.

polyántha. DC.	(*pu.*)	many-flowered.	W. Indies	1824.	....	S. ♄.	
Robínia polyántha. Swartz.								

CARAG'ANA. DC. Carag'ana. Diadelphia Decandria.

1 Altagàna. DC.	(*ye.*)	flat-podded.	Dahuria.	1789.	4. 6.	H. ♄.	L'Herit. stirp. t. 76.
2 microphy'lla. DC.	(*ye.*)	small-leaved.	Siberia.	1816.	——	H. ♄.	Pall. ross. t. 42. f. 1-2.
3 arenària. L.C.	(*ye.*)	sand.	———	1802.	6. 7.	H. ♄.	Bot. mag. 18. 6.
Robínia Caragàna. β. arenària. B.M.								
4 arboréscens. DC.	(*ye.*)	common.	———	1752.	4. 6.	H. ♄.	Schmidt arb. 1. t. 33.
Robínia Caragàna. L.								
5 Chamlàgu. DC.	(*ye.*)	shining.	China.	1773.	5. 6.	H. ♄.	L'Herit. stirp. t. 77.
6 frutéscens. DC.	(*ye.*)	shrubby.	Siberia.	1752.	4. 6.	H. ♄.	Swt. br. fl. gar. 3. t. 227.
7 móllis. M.B.	(*ye.*)	soft-leaved.	Tauria.	1822.	——	H. ♄.	
8 grandiflòra. DC.	(*ye.*)	large-flowered.	Iberia.	——	——	H. ♄.	
9 pygm'æa. DC.	(*ye.*)	pigmy.	Siberia.	1751.	——	H. ♄.	Bot. reg. 1021.
10 mongòlica F.	(*ye.*)	Mongolian.	Tartary.	1826.	——	H. ♄.	
11 Redówskii. F.	(*ye.*)	Redowski's.	Siberia.	1822.	——	H. ♄.	DC. leg. mem. t. 11. f. 45.
12 spinòsa. DC.	(*ye.*)	thorny.	———	1775.	——	H. ♄.	Pall. ross. 1. t. 44.
13 tragacanthoídes. DC.	(*y.*)	Goat's-thorn-like.	———	1816.	——	H. ♄.	Pall. astr. t. 86.
14 jubàta. DC.	(*bk.*)	bearded.	———	1796.	——	H. ♄.	——— p. 113. t. 85.

HALIMODE'NDRON. DC. Salt-tree. Diadelphia Decandria.

1 argénteum. DC.	(*pu.*)	silvery-leaved.	Iberia.	1779.	5. 6.	H. ♄.	Bot. mag. 1016.
2 triflòrum.	(*pu.*)	smooth-leaved.	———	....	——	H. ♄.	L'Herit. stirp. n. 162.
Robínia triflòra. L'Herit.								

CALOPHA'CA. DC. Calopha'ca. Diadelphia Decandria.

wolgàrica. DC.	(*ye.*)	wing-leaved.	Siberia.	1786.	5. 6.	H. ♄.	Wats. dend. brit. 83.
Cytísus wolgàricus. L. *pinnàtus.* Pall. ross. 1. t. 47.								

COLUTEA. DC. Bladder Senna. Diadelphia Decandria.

1 arboréscens. DC.	(*ye.*)	common.	S. Europe.	1568.	6. 8.	H. ♄.	Bot. mag. 81.
2 cruènta. DC.	(*re.*)	red-flowered.	Levant.	1710.	——	H. ♄.	Schmidt arb. t. 119.
3 Haléppica. DC.	(*ye.*)	Pocock's.	———	1752.	5. 10.	H. ♄.	——— t. 120.
Pocóckii. H.K. *Istria.* Mill. ic. t. 100.								
4 mèdia. DC.	(*ye.*)	smaller.	.....	....	6. 8.	H. ♄.	Wats. dend. brit. t. 140.
5 nepalénsis. DC.	(*ye.*)	Nepaul.	Nepaul.	1822.	8. 9.	H. ♄.	Bot. mag. 2622.

SPHÆROPH'YSA. DC. Sphæroph'ysa. Diadelphia Decandria.

1 Salsùla. DC.	(*re.*)	salt-field.	Dahuria.	1829.	....	H. ♄.	Pall. itin. 4. t. 9. f. 1.
2 cáspica. DC.	(*pu.*)	Caspian.	Caucasus.	——	....	H. ♄.	
Colutèa cáspica. M.B. *Phàca Sálsula.* Bieb. casp. 210.								

SWAINS'ONA. DC. Swains'ona. Diadelphia Decandria.

1 galegifòlia. DC.	(*sc.*)	red-flowered.	N. S. W.	1800.	7. 8.	G. ♄.	Bot. mag. 792.
2 coronillæfòlia. DC.	(*pu.*)	purple-flowered.	———	1802.	——	G. ♄.	——— t. 1725.
3 lessertiæfòlia. DC.	(*pu.*)	small-flowered.	N. Holland.	1822.	——	G. ♄.	
4 astragalifòlia. C.C.	(*wh.*)	white-flowered.	N. S. W.	1802.	——	G. ♄.	Bot. reg. 994.
galegifòlia. var. *albiflòra.* B.R.								

LESSE'RTIA. DC. Lesse'rtia. Diadelphia Decandria.

1 ánnua. DC.	(*pu.*)	annual.	C. B. S.	1731.	6. 7.	G. ☉.	Hook. exot. flor. t. 84.
2 diffùsa. DC.	(*pu.*)	procumbent.	———	1792.	7. 8.	G. ☉.	Jacq. ic. 3. t. 576.
Galéga dùbia. Jacq.								
3 fruticòsa. B.R.	(*pu.*)	frutescent.	———	1826.	——	G. ☉.	Bot. reg. 970.
4 perénnans. DC.	(*ro.*)	perennial.	———	1753.	——	G. ♃.	Jacq. vind. 3. t. 3.
Colutèa perénnans. Jacq. *fistulòsa.* Hort.								
5 púlchra. DC.	(*ro.*)	pretty.	———	1817.	5. 8.	G. ☉.	Bot. mag. 2064.
6 falcifórmis. DC.	(*pu.*)	sickle-podded.	———	1825.	——	G. ♂.	DC. leg. mem. t. 46.
7 annulàris. DC.	(*pu.*)	ring-podded.	———	1816.	——	G. ☉.	
8 brachystàchya. DC.	(*pu.*)	short-spiked.	———	——	——	G. ♄.	
9 prostràta. DC.	(*pu.*)	prostrate.	———	1820.	——	G. ☉.	
10 virgàta. L.O.	(*pu.*)	slender.	———	1828.	6. 8.	G. ☉.	
11 vesicària. DC.	(*pu.*)	bladder-podded.	———	1825.	——	G. ♂.	
12 tomentòsa. DC.	(*pu.*)	woolly.	———	1822.	——	G. ♃.	
13 procúmbens. DC.	(*pu.*)	procumbent.	———	....	——	G. ♄.	

SUTHERLA'NDIA. DC. Sutherla'ndia. Diadelphia Decandria.

1 frutéscens. DC.	(*sc.*)	frutescent.	C. B. S.	1683.	6. 9.	F. ♄.	Bot. mag. 181.
Colutèa frutéscens. B.M.								
β canéscens.	(*sc.*)	*hoary-l^d. dwarf.*	———	1816.	——	F. ♄.	
2 microphy'lla. DC.	(*sc.*)	small-leaved.	———	——	——	F. ♄.	

Subtribus V. *ASTRAGALEÆ.* DC. prodr. 2. p. 273.

PHA'CA. DC.		BASTARD VETCH. Diadelphia Decandria.						
1 b'ætica. DC.	(*wh.*)	hairy.	Spain.	1640.	7. 8.	H.	4.	Moris. his. s. 2. t. 8. f. 1.
2 frígida. DC.	(*st.*)	small.	Austria.	1795.	——	H.	4.	Jacq. aust. t. 166.
3 alpìna. DC.	(*st.*)	Alpine.	———	1759.	——	H.	4.	Jacq. ic. 1. t. 151.
4 membranàcea. F.	(*st.*)	membranous.	Dahuria.	1823.	——	H.	4.	
5 làtea. Led.	(*ye.*)	yellow.	Siberia.	1827.	——	H.	4.	
6 cæspitòsa. DC.	(*st.*)	tufted.	Missouri.	1826.	——	H.	4.	
Astrágalus triphyllus. Ph.								
7 densifòlia. DC.	(*re.*)	dense-leaved.	California.	1822.	——	H.	4.	
8 glàbra. DC.	(*v.*)	smooth.	S. Europe.	——	——	H.	4.	
9 austràlis. DC.	(*pu.*)	trailing.	———	1779.	5. 6.	H.	4.	Lodd. bot. cab. 490.
10 astragalìna. DC.	(*v.*)	procumbent.	Europe.	1771.	6. 7.	H.	4.	——— ——— t. 429.
11 lappònica. DC.	(*v.*)	Lapland.	Lapland.	1824.	7. 8.	H.	4.	Flor. dan. t. 51.
12 oroboìdes. DC.	(*bl.*)	Orobus-like.	N. Europe.	1826.	——	H.	4.	——— 8. t. 1396.
13 triangulàris. F.	(*bl.*)	triangular.	Siberia.	1824.	——	H.	4.	
14 exaltàta. F.	....	tall.	Altay.	1828.	....	H.	4.	
15 arenària. DC.	(*pu.*)	sand.	Siberia.	1796.	7. 8.	H.	4.	Pall. it. 4. t. 19. f. 3-4.
OXY'TROPIS. DC.		OXY'TROPIS. Diadelphia Decandria.						
1 montàna. DC.	(*bl.*)	mountain.	Europe.	1531.	7. 8.	H.	4.	Bot. mag. 843.
Astrágalus montànus. B.M.								
2 cyánea. DC.	(*bl.*)	bright blue.	Iberia.	1826.	——	H.	4.	
3 sòrdida. DC.	(*pu.*)	sordid.	N. Europe.	....	5. 8.	H.	4.	Flor. dan. t. 1041.
4 argyr'æa. DC.	(*pu.*)	silvery.	Altay.	1828.	——	H.	4.	
5 uralénsis. DC.	(*pu.*)	villous.	Siberia.	1800.	6. 8.	H.	4.	Pall. ast. t. 42. f. A.
6 sericea. DC.	(*pu.*)	hairy mountain.	Scotland.	....	5. 8.	H.	4.	Eng. bot. t. 466.
7 cærùlea. DC.	(*bl.*)	blue-flowered.	Siberia.	1827.	6. 8.	H.	4.	Pall. ast. t. 52.
8 árctica. DC.	(*pu.*)	northern.	Melvill. Isl.	——	——	H.	4.	
9 argentàta. DC.	(*pu.*)	silver-leaved.	Siberia.	——	——	H.	4.	Pall. ast. t. 48.
10 ambígua. DC.	(*pu.*)	ambiguous.	———	1824.	5. 8.	H.	4.	——— t. 43.
11 setòsa. DC.	(*pu.*)	pointed-calyxed.	———	1828.	6. 8.	H.	4.	——— t. 44.
12 Lambérti. DC.	(*pu.*)	Mr. Lambert's.	Missouri.	1811.	8. 9.	H.	4.	Bot. mag. 2147.
13 grandiflòra. DC.	(*ro.*)	large-flowered.	Siberia.	1824.	5. 8.	H.	4.	Pall. astr. t. 46.
14 cándicans. DC.	(*pu.*)	hoary.	———	1827.	6. 8.	H.	4.	——— t. 49.
15 songàrica. DC.	(*vi.*)	spear-podded.	———	1824.	5. 8.	H.	4.	——— t. 51.
16 sylvática. DC.	(*pu.*)	wood.	———	1820.	——	H.	4.	——— t. 78.
17 longiróstra. DC.	(*pu.*)	long-beaked.	———	1824.	6. 8.	H.	4.	DC. astr. n. 17. t. 5.
Gmelìni. F.								
18 breviróstra. DC.	(*pu.*)	short-beaked.	Altay.	1802.	7. 9.	H.	4.	DC. astr. n. 19. t. 6.
Astrágalus altáicus. Pall. astr. t. 45.								
19 filifórmis. DC.	(*bl.*)	filiform.	Dahuria.	1824.	7. 8.	H.	4.	DC. astr. n. 16. t. 4.
20 nigréscens. DC.	(*bl.*)	black-haired.	Siberia.	1828.	——	H.	4.	Pall. astr. t. 53.
21 campéstris. DC.	(*st.*)	field.	Scotland.	....	——	H.	4.	Eng. bot. v. 36. t. 2522.
Astrágalus campéstris. E.B.								
22 sulphùrea. F.	(*st.*)	sulphur-color'd.	Siberia.	1827.	7. 8.	H.	4.	
23 microphy'lla. DC.	(*pu.*)	small-leaved.	———	1823.	——	H.	4.	Pall. ast. t. 76.
24 pùmila. DC.	(*bl.*)	small.	———	1828.	——	H.	4.	
25 verticillàris. DC.	(*pu.*)	whorl-leaved.	———	1824.	——	H.	4.	Amm. ruth. t. 19. f. 1.
26 myriophy'lla. DC.	(*va.*)	many-leaved.	———	——	——	H.	4.	Pall. astr. t. 71.
27 oxyphy'lla. DC.	(*pu.*)	sharp-leaved.	———	1823.	7. 9.	H.	4.	——— t. 74.
28 prostràta. DC.	(*pu.*)	prostrate.	———	1820.	6. 9.	H.	4.	——— t. 72.
Astrágalus dahùricus. Pall. ast. *Phàca prostràta.* L.								
29 pilòsa. DC.	(*st.*)	hairy.	Siberia.	1732.	6. 8.	H.	4.	Bot. mag. 2483.
30 floribúnda. DC.	(*pu.*)	many-flowered.	———	1827.	5. 8.	H.	♂.	Pall. astr. t. 37.
31 glàbra. DC.	(*vi.*)	smooth.	Dahuria.	——	——	H.	4.	DC. astr. n. 31. t. 8.
32 defléxa. DC.	(*vi.*)	small-flowered.	Siberia.	1800.	6. 8.	H.	4.	L'Herit. stirp. t. 80.
Astrágalus retroflèxus. Pall. astr. t. 27. *hians.* Jacq. ic. t. 252. *parviflòrus.* Lam.								
33 Fischèri. DC.	(*bl.*)	Fischer's.	Siberia.	1828.	——	H.	4.	
34 vaginàta. DC.	(*bl.*)	sheathed.	———	——	——	H.	4.	
35 tenélla. DC.	(*bl.*)	slender.	———	——	——	H.	4.	
36 dichóptera. DC.	(*bl.*)	pubescent.	———	1815.	——	H.	4.	
37 longicúspis. Led.	(*pu.*)	long-pointed.	———	1827.	——	H.	4.	
ASTRA'GALUS. DC.		MILK-VETCH. Diadelphia Decandria. L.						
1 hypoglóttis. DC.	(*pu.*)	purple mountain.	Britain.	....	6. 7.	H.	4.	Eng. bot. v. 4. t. 274.
2 dasyglottis. DC.	(*pu.*)	creeping-root'd.	Siberia.	1828.	——	H.	4.	

3	purpùreus. DC.	(*pu.*)	purple.	S. France.	1824.	6. 7.	H. ♃.	DC. astr. n. 17. t. 12.
4	sínicus. L.	(*ro.*)	Chinese annual.	China.	1763.	7. 9.	H. ☉.	Bot. mag. 1350.
	lotoídes. DC.							
5	onobrychioídes. DC.	(*pu.*)	Saintfoin-like.	Persia.	1823.	——	H. ♄.	DC. astr. n. 39. t. 16.
	canéscens. DC. ast. *cephalòtes.* Pall. astr. t. 24.							
6	leontînus. DC.	(*pu.*)	Lion's-tail.	Austria.	1816.	5. 7.	H. ♃.	Lodd. bot. cab. 432.
7	Donianus. DC.	(*pu.*)	Mr. D. Don's.	Nepaul.	1821.	8. 9.	H. ♃.	
	macrorhìzus. D.P. *non* Cav.							
8	arenàrius. DC.	(*bi.*)	sand.	N. Europe.	1798.	6. 7.	H. ♃.	Retz. obs. 3. t. 3.
9	bayonénsis. DC.	(*pu.*)	woolly-podded.	S. France.	1828.	——	H. ♃.	
10	macrópterus. DC.	(*pu.*)	large-winged.	Siberia.	1827.	——	H. ♃.	
11	taùricus. DC.	(*pu.*)	Taurian.	Tauria.	1824.	7. 8.	H. ♃.	Pall. astr. t. 38.
12	austriàcus. DC.	(*pu.*)	Austrian.	Austria.	1640.	6. 7.	H. ♃.	Jacq. aust. 2. t. 195.
13	olópterus. DC.	(*pa.*)	long-racemed.	Altay.	1827.	——	H. ♃.	
14	melilotoídes. DC.	(*pu.*)	Melilot-like.	Siberia.	1785.	——	H. ♃.	Pall. astr. t. 41.
15	sulcàtus. DC.	(*pu.*)	furrowed.	——	——	7. 8.	H. ♃.	Jacq. vind. 3. t. 40.
16	grácilis. DC.	(*li.*)	slender.	Missouri.	1812.	6. 7.	H. ♃.	
17	subulàtus. DC.	(*pu.*)	awl-podded.	Tauria.	1806.	5. 8.	H. ♃.	Pall. astr. t. 20.
18	ceratoídes. DC.	(*pu.*)	triangular-pod'd.	Altay.	1827.	——	H. ♃.	—— t. 20. A.
19	virgàtus. DC.	(*pu.*)	twiggy.	Siberia.	1806.	——	H. ♄.	—— t. 18.
	vàrius. Gmel. itin. 2. t. 17.							
20	brachylòbus. DC.	(*pu.*)	short-podded.	——	1827.	——	H. ♄.	
21	dahùricus. DC.	(*pu.*)	Dahurian.	Dahuria.	1824.	——	H. ♃.	Pall. it. 3. ap. t. w. f. 1.
22	Stevenianus. DC.	(*pu.*)	Steven's.	Iberia.	1829.	....	H. ♃.	
23	tenuifòlius. W.	(*pu.*)	fine-leaved.	Siberia.	1780.	7. 8.	H. ♃.	Swt. br. fl. gar. t. 73.
	linearifòlius. DC.							
24	Onobrychis. DC.	(*pu.*)	purple-spiked.	Europe.	1640.	6. 8.	H. ♃.	Jacq. aust. 1. t. 38.
25	fláccidus. DC.	(*wh.*)	flaccid.	Iberia	1826.	——	H. ♃.	
26	vimíneus. DC.	(*pu.*)	twiggy.	Siberia.	1824.	7. 8.	H. ♄.	Pall. astr. t. 21.
27	fruticòsus. DC.	(*pu.*)	woody	——	1804.	6. 8.	H. ♄.	—— t. 19.
28	adsúrgens. DC.	(*bl.*)	assurgent.	——	1824.	——	H. ♃.	—— t. 31.
29	Laxmánni. DC.	(*pa.*)	Laxmann's.	——	1804.	——	H. ♃.	Jacq. vind. 3. t. 37.
30	missouriénsis. DC.	(*pu.*)	Missouri.	Missouri.	1826.	6. 8.	H. ♃.	
31	caryocárpus. DC.	(*vi.*)	swelled-podded.	Louisiana.	1811.	——	H. ♃.	Bot. reg. 176.
32	pentagláttis. DC.	(*pu.*)	rough Spanish.	Spain.	1739.	6. 7.	H. ☉.	Cavan. ic. 2. t. 188.
33	Glàux. DC.	(*pu.*)	small Spanish.	——	1596.	——	H. ☉.	Clus. hist. 2. p. 242. ic.
34	oxyglóttis. DC.	(*pu.*)	sharp-podded.	Tauria.	1824.	6. 9.	H. ☉.	
35	psiloglóttis. DC.	(*pu.*)	smooth-podded.	Astracan.	1829.	——	H. ☉.	
36	cruciàtus. DC.	(*pu.*)	oblong-leaved.	Iberia.	1823.	——	H. ☉.	
37	Stélla. DC.	(*pu.*)	star-podded.	S. Europe.	1658.	——	H. ☉.	Lobel. ic. 2. t. 83.
38	tribuloídes. DC.	(*pu.*)	Caltrops-like.	Egypt.	1828.	——	H. ☉.	
39	sesámeus. DC.	(*pu.*)	Sesama.	S. Europe.	1616.	——	H. ☉.	Garid. prov. t. 12.
40	vesicàrius. DC.	(*pa.*)	white Italian.	Europe.	1737.	7. 8.	H. ♃.	Vill. dauph. t. 42. f. 1.
	álbidus. W. et K. hung. 1. t. 40. *dealbàtus.* Pall. astr. t. 23. f. 1.							
41	albicáulis. DC.	(*wh.*)	white-stalked.	Caucasus.	1803.	7. 8.	H. ♃.	DC. astr. n. 59. t. 21.
	dealbàtus Pall. ast. t. 23. f, 2 et 3. *Oxytropis dealbàta.* P.S.							
42	Nuttallianus. DC.	(*bl.*)	Nuttall's.	N. America.	1826.	6. 8.	H. ♃.	
	micránthus. N. *non* Desv.							
43	cymbæcárpos. DC.	(*pa.*)	boat-podded.	Portugal.	1800.	——	H. ☉.	Brot. phyt. t. 59.
44	striátellus. DC.	(*bl.*)	striated.	Tauria.	1829.	——	H. ☉.	Bieb. cant. 1. t. 29.
45	annulàris. DC.	(*ro.*)	ring-podded.	Egypt.	1800.	——	H. ☉.	DC. astr. app. n. 6. t. 7.
46	hispídulus. DC.	(*pa.*)	rough-podded.	——	1828.	——	H. ☉.	
47	scorpioídes. DC.	(*bl.*)	blue-flowered.	Spain.	1816.	6. 9.	H. ☉.	
	canaliculàtus. W. enum. ex Link enum. 2. p. 254.							
48	mareóticus. DC.	(*li.*)	Alexandrian.	Egypt.	1828.	——	H. ☉.	Delil. fl. eg. t. 30. f. 3.
49	corrugàtus. DC.	(*pu.*)	rugged-podded.	——	——	——	H. ☉.	
50	reticulàtus. DC.	(*pa.*)	netted.	Volga.	——	——	H. ☉.	
51	contortuplicàtus. DC.	(*st.*)	wave-podd'd.	Siberia.	1764.	7. 8.	H. ☉.	Pall. astr. t. 79.
52	triméstris. DC.	(*st.*)	Egyptian.	Egypt.	1739.	——	H. ☉.	Jacq. vind. 2. t. 174.
53	ægicèras. DC.	(*st.*)	Goat's-horn.	.....	1816.	6. 8.	H. ☉.	
54	brachycèras. DC.	(*st.*)	short-podded.	Persia.	1828.	——	H. ☉.	
55	hamòsus. DC.	(*st.*)	hook-podded.	Spain.	1633.	——	H. ☉.	Moris. ox. s. 2. t. 9. f. 10.
	bucèras. W. enum. ex Link enum.							
56	epigláttis. DC.	(*st.*)	heart-podded.	S. Europe.	1737.	——	H. ☉.	Herm. lugd. t. 77.
57	triangulàris. DC.	(*st.*)	triangular.	.....	1828.	——	H. ☉.	
58	b'æticus. DC.	(*st.*)	slender-podded.	S. Europe.	1759.	——	H. ☉.	Munt. phyt. t. 110.
59	capitàtus. W.	(*st.*)	headed.	Levant.	——	7. 8.	H. ♃.	
60	microphy'llus. DC.	(*st.*)	small-leaved.	Siberia.	1773.	6. 7.	H. ♃.	
61	semibiloculàris. DC.	(*st.*)	semibilocular.	——	1804.	6. 8.	H. ♃.	DC. astr. n. 64. t. 23.

62	réptans. DC.	(wh.)	creeping.	Mexico.	1809.	6. 8.	F. ¼.	Willd. hort. ber. 2. t. 88.
63	odorátus. DC.	(st.)	sweet-scented.	Levant.	1818.	——	H. ¼.	DC. astr. n. 67. t. 24.
64	stipulátus. DC.	(st.)	large-stipuled.	Nepaul.	1821.	8. 9.	H. ½.	Bot. mag. 2380.
65	glycyphýllos. DC.	(st.)	sweet-leaved.	Britain.	....	6. 7.	H. ½.	Eng. bot. 8. t 203.
66	deprésus. DC.	(st.)	depressed.	Europe.	1772.	5. 6.	H. ½.	Lodd. bot. cab. 680.
67	leucoph'æus. DC.	(wh.)	dwarf-white.	.....	1776.	5. 8.	H. ½.	—— t. 111.
68	Cícer. DC.	(st.)	bladder-podd'd.	Europe.	1570.	6. 7.	H. ½.	Jacq. aust. t. 251.
69	uliginósus. DC.	(st.)	marsh.	Siberia.	1752.	6. 8.	H. ½.	Pall. astr. t. 26.
70	micránthus. DC.	(st.)	small-blossom'd.	.....	1824.	——	H. ½.	
71	canadénsis. DC.	(st.)	woolly.	N. America.	1738.	6. 7.	H. ½.	Lodd. bot. cab. 372.
72	carolinianus. DC.	(st.)	Carolina.	——	——	——	H. ½.	Dill. elth. t. 39. f. 45.
73	falcátus. DC.	(st.)	sickle-podded.	Siberia.	1787.	——	H. ½.	DC. astr. n. 70. t. 26.
	virescens. H.K.							
74	falciformis. DC.	(st.)	sickle-like.	Barbary.	....	——	H. ½.	Desf. atl. 2. t. 207.
75	asper. DC.	(st.)	rough Astracan.	Siberia.	1796.	7. 8.	H. ½.	Jacq. ic. 1. t. 33.
	chloránthus. Pall. astr. t. 25.							
76	chinénsis. DC.	(st.)	upright.	Chinese.	1795.	6. 8.	H. ½.	Linn. f. decad. 1. t. 3.
77	galegiformis. DC.	(st.)	Goat's-rue-like.	Siberia.	1729.	——	H. ½.	Pall. astr. t. 29.
78	racemósus. DC.	(wh.)	racemed.	Louisiana.	1827.	6. 8.	H. ½.	
	galegoides. H.							
79	alopecias. DC.	(ye.)	axillary-headed.	Siberia.	1823.	——	H. ½.	Pall. astr. p. 12. t. 9.
80	alopecuroides. DC.	(ye.)	Foxtail-like.	——	1737.	——	H. ½.	—— t. 8.
81	narbonénsis. DC.	(ye.)	French.	S. Europe.	1789.	——	H. ½.	—— t. 10.
82	póntica. DC.	(ye.)	villous-calyxed.	Tauria.	1824.	——	H. ½.	—— t. 11.
83	vulpínus. DC.	(ye.)	Fox-tail.	Siberia.	1815.	——	H. ½.	—— t. 7.
	alopecuroides. Pall. astr. t. 7.							
84	macrocéphalus. DC.	(ye.)	large-headed.	Persia.	1829.	——	H. ½.	
85	christianus. DC.	(st.)	great-yellow.	Armenia.	1737.	7. 8.	H. ½.	Tourn. it. 2. t. 254.
86	tomentósus. DC.	(st.)	downy-leaved.	Egypt.	1800.	——	H. ½.	DC. astr. n. 80. t. 29.
87	Siebèri. DC.	(st.)	Sieber's.	——	1828.	——	H. ½.	
88	Bárba-Jóvis. DC.	(pu.)	silvery-leaved.	Armenia.	....	——	H. ½.	
	Tragacántha argéntea. Mill.							
89	caucásicus. DC.	(wh.)	Caucasean.	Caucasus.	1822.	——	H. ½.	Pall. astr. p. 2. t. 2.
90	brevifólius. DC.	(pu.)	short-flowered.	Armenia.	1826.	6. 8.	H. ½.	Lodd. bot. cab. 1388.
91	arnacántha. DC.	(li.)	prickly-leaved.	Tauria.	1640.	——	H. ½.	Pall. astr. p. 1. t. 1.
	Potérium. Pall. ast. *nec aliorum.*							
92	sículus. DC.	(bl.)	Sicilian.	Sicily.	1827.	——	H. ½.	
93	Potérium. DC.	(wh.)	small goat's-thorn.	S. Europe.	1640.	——	H. ½.	Morris. ox. s. 2. t. 18. f. 2.
94	maxiliénsis. DC.	(wh.)	sea-side.	——	1697.	——	H. ½.	Duham. arb. 2. t. 100.
	Tragacántha. Pall. astr. t. 4. f. 1. 2.							
95	aristátus. DC.	(wh.)	awned.	Pyrenees.	1701.	5. 7.	H. ½.	Garid. alx. t. 104.
96	lagúrus. DC.	(ye.)	hare's-tail'd.	Armenia.	1629.	——	H. ½.	DC. astr. n. 104. t. 36.
97	armátus. W.	(ye.)	armed.	Barbary.	....	6. 7.	H. ½.	Desf. atl. 2. t. 194.
	Astrágalis tragacanthoides. Desf.							
98	halicácabus. DC.	(ye.)	bladdered.	Armenia.	1806.	——	H. ½.	Schreb. dec. p. 5. t. 3.
	Phaca vesicaria. Schreb.							
99	laguroides. DC.	(pu.)	Hare's-tail-like.	Siberia.	1829.	....	H. ½.	Pall. astr. t. 16.
100	ammod'ytes. DC.	(wh.)	silky-leaved.	——	1828.	6. 7.	H. ½.	—— p. 7. t. 5.
101	dasyánthus. DC.	(ye.)	woolly-headed.	——	1828.	——	H. ½.	—— p. 79. t. 65.
	eriocéphalus. W. et K. hung. 1. t. 46.							
102	caprínus. DC.	(ye.)	scented.	Barbary.	1683.	——	H. ½.	Moris. ox. s. 2. t. 24. f. 3.
103	longiflórus. DC.	(ye.)	long-flowered.	Tartary.	——	——	H. ½.	Pall. astr. t. 60.
104	utriger. DC.	(ye.)	turgid-podded.	——	1825.	——	H. ½.	—— t. 61.
105	exacápus. DC.	(ye.)	hairy-podded.	Hungary.	1787.	5. 7.	H. ½.	Jacq. ic. 3. t. 561.
106	diffúsus. DC.	(st.)	diffuse.	Tauria.	1824.	6. 7.	H. ½.	Pall. astr. t. 68.
107	buchtormènsis. DC.	(y.)	pointed-podd'd.	Siberia.	1826.	——	H. ½.	—— t. 62. f. A.
108	monspessulánus. DC.	(pu.)	Montpelier.	S. Europe.	1710.	7. 8.	H. ½.	Bot. mag. 375.
109	incánus. DC.	(pu.)	hoary.	——	1759.	6. 7.	H. ½.	Magn. monsp. p. 32. ic.
110	macrorhizus. DC.	(pu.)	long-rooted.	Spain.	1821.	6. 8.	H. ½.	Cavan. ic. 2. t. 133.
111	brachycárpus. DC.	(pu.)	short-podded.	Siberia.	1820.	——	H. ½.	Bot. mag. 2335.
112	physódes. DC.	(pu.)	inflated	——	1759.	——	H. ½.	DC. astr. n. 127. t. 48.
113	Pallásii. DC.	(pu.)	Pallas's.	Caucasus.	1826.	——	H. ½.	Pall. astr. t. 59.
114	testiculátus. DC.	(bl.)	woolly-podded.	——	1824.	——	H. ½.	—— t. 67.
115	rupifragus. DC.	(pu.)	dry rock.	Tauria.	1823.	——	H. ½.	—— t. 70.
116	redúncus. DC.	(pu.)	crook-podded.	Volga.	——	——	H. ½.	—— p. 109. t. 82.
117	chlorostáchys. H.C.	(st.)	straw-colour'd.	N. America.	1826.	9. 10.	H. ½.	
118	uncátus. DC.	(wh.)	hooked.	Aleppo.	1768.	7. 8.	H. ½.	
119	radicans. DC.	(pu.)	rooting-branch'd.	.....	1828.	——	H. ½.	

BISE'RRULA. DC. HATCHET-VETCH. Diadelphia Decandria. L.
Pelecìnus. DC. (*bl.*) common. S. Europe. 1640. 7. 9. H. ☉. Tourn. inst. 417. t. 234.

Tribus III. HEDYSAREÆ. *DC. prodr.* 2. *p.* 307.

Subtribus I. *CORONILLEÆ.* DC. loc. cit. p. 308.

SCORPI'URUS. DC. CATERPILLAR. Diadelphia Decandria. L.
1 lævigàta. DC. (*ye.*) smooth. Levant. 1820. 6. 8. H. ☉. Flor. græc. t. 718.
2 muricàta. DC. (*ye.*) two-flowered. S. Europe. 1640. —— H. ☉. Moris. ox. s. 2. t. 11. f. 4.
3 sulcàta. DC. (*ye.*) three-flowered. ——— 1596. —— H. ☉. Desf. atl. 2. f. 4.
4 acutifòlia. DC. (*ye.*) acute-leaved. Corsica. 1828. —— H. ☉. Viv. fl. lyb. t. 19. f. 4.
5 vermiculàta. DC. (*ye.*) common. S. Europe. 1621. —— H. ☉. Moris. ox. s. 2. t. 11. f. 3.

CORONI'LLA. DC. CORONI'LLA. Diadelphia Decandria. L.
1 E'merus. DC. (*ye.*) Scorpion Senna. France. 1596. 4. 6. H. ♄. Bot. mag. 445.
2 júncea. DC. (*ye.*) rush-like. ——— 1656. 6. 8. F. ♄. Bot. reg. 820.
3 valentína. L. (*ye.*) nine-leaved. S. Europe. 1596. 2. 6. F. ♄. Bot. mag. 185.
stipulàris. Lam.
4 pentaphy'lla. DC. (*ye.*) five-leaved. Algiers. .... 3. 6. F. ♄. Mill. ic. t. 289. f. 2?
5 argéntea. DC. (*ye*) silvery-leaved. Crete. 1664. 5. 6. F. ♄. —— 2. t. 289. f. 3.
6 glàuca. DC. (*ye.*) seven-leaved. France. 1722. 9. 5. F. ♄. Bot. mag. t. 13.
7 viminàlis. DC. (*bl.*) slender. Mogador. 1798. 5. 11. G. ♄. Sal. par. lond. t. 13.
8 mínima. DC. (*ye.*) least. S. Europe. 1658. 7. 8. H. ♃. Bot. mag. 2179.
9 coronàta. DC. (*ye.*) large-headed. ——— 1776. 6. 8. H. ♃. Clus. hist. 1. p. 98. f. 2.
10 montàna. DC. (*ye.*) mountain. Europe. 1816. 6. 9. H. ♃. Scop. carn. ed. 2. t. 44.
coronàta. B.M. 907. *non* L.
11 ibérica. DC. (*ye.*) Iberian. Iberia. 1818. 7. 10. H. ♃. Swt. br. fl. gar. t. 25.
12 parviflòra. DC. (*ye.*) small-flowered. Crete. 1828. —— F. ♃.
13 crética. DC. (*v.*) Cretan. ——— 1731. 6. 8 H. ☉. Jacq. vind. 1. t. 25.
14 vària. DC. (*pu.*) purple. Europe. 1597. 6. 11. H. ♃. Bot. mag. 258.

ASTROL'OBIUM. DC. ASTROL'OBIUM. Diadelphia Decandria.
1 ebracteàtum. DC. (*ye.*) round-podded. Portugal. .... 5. 6. H. ☉. Dalech. his. 1. 487. f. 1.
Ornithòpus lævigàtus. Sm. *nudiflòrus.* Lag. *ebracteàtus.* Brot.
2 dùrum. DC. (*ye.*) perennial. S. Europe. 1805. 6. 7. H. ♃. Cavan. ic. 1. t. 41.
3 repándum. DC. (*ye.*) repand. Barbary. —— —— H. ☉. Lam. ill. t. 631. f. 4.
4 scorpioídes. DC. (*ye.*) Purslane-leav'd. S. Europe. 1596. —— H. ☉. Cavan. ic. 1. t. 37.
Ornithòpus scorpioìdes. L. *trifoliàtus.* Lam.

ORNITH'OPUS. DC. BIRD'S-FOOT. Diadelphia Decandria. L.
1 compréssus. DC. (*ye.*) hairy. S. Europe. 1730. 6. 7. H. ☉. Berg. phyt. t. 191.
2 intermèdius. RO. (*ro.*) intermediate. Portugal. 1816. —— H. ☉.
sativus. Brot. fl. lus. 2. p. 160.
3 perpusíllus. DC. (*v.*) common. Britain. .... 5. 6. H. ☉. Eng. bot. v. 6. t. 369.

HIPPOCR'EPIS. DC. HORSESHOE-VETCH. Diadelphia Decandria. L.
1 baleàrica. DC. (*ye.*) shrubby. Minorca. 1776. 5. 6. F. ♄. Bot. mag. 427.
2 helvética. (*ye.*) Swiss. Switzerland. 1822. 5. 8. H. ♃.
3 comòsa. DC. (*ye.*) tufted. England. .... 4. 8. H. ♃. Eng. bot. 1. t. 31.
4 glàuca. DC. (*ye.*) glaucous. Naples. 1825. 5. 8. H. ♃. Ten. fl. neap. 2. t. 69.
5 syriaca. E. (*ye.*) Syrian. Syria. 1826. 6. 8. H. ☉.
6 scábra. DC. (*ye.*) rough. Spain. —— —— H. ☉.
7 multisiliquòsa. DC. (*ye.*) many-podded. S. Europe. 1683. —— H. ☉. Schkuhr hand. 2. t. 206.
8 monocárpa. DC. (*ye.*) one-podded. Caucasus. 1825. —— H. ☉.
9 unisiliquòsa. DC. (*ye.*) single-podded. Italy. 1570. 6. 7. H. ☉. Lam. ill. t. 630. f. 3.
10 ciliàta. DC. (*ye.*) ciliated. Spain. 1823. 6. 8. H. ☉.
11 biflòra. DC. (*ye.*) two-flowered. ..... 1824. —— H. ☉.

SECURI'GERA. DC. HATCHET-VETCH. Diadelphia Decandria.
Coronílla. DC. (*ye.*) common. S. Europe. 1562. 7. 8. . ☉. Lam. ill. t. 629.

Subtribus II. *EUHEDISAREÆ.* DC. prodr. 2. p. 313.

PICTE'TIA. DC. PICTE'TIA. Diadelphia Decandria.
aristàta. DC. (*ye.*) awned. St. Domingo. 1820. 4. 6. S. ♄. DC. leg. mem. t. 47. f. 5.
Æschynómene aristàta. Jacq. schœnb. 2. t. 237.

ORMOCA'RPUM. DC. Ormoca'rpum. Diadelphia Decandria.
sennoides. DC. (*ye.*) Senna-like. E. Indies. 1818. 6.7. S. ♄.
Hedy'sarum sennoides. W.
POIR'ETIA. DC. Poir'etia. Monadelphia Decandria.
scándens. DC. (*ye.*) climbing. St. Domingo. 1826. .... S. ♄.⌣. Venten. choix. t. 42.
Turpínia punctàta. P.S. *Gly'cine punctàta.* Lam. ill. t. 609.
TETRAN'EMA. Tetran'ema. Monadelphia Decandria.
nùtans. (*li.*) drooping-fld. E. Indies. 1823. 5.8. S. ♄. Bot. mag. 2867.
Hedy'sarum nùtans. Gr. *Desmòdium nùtans.* B.M.
ZO'RNIA. DC. Zo'rnia. Monadelphia Decandria.
1 angustifòlia. DC. (*ye.*) narrow-leaved. E. Indies. 1733. 7.8. S.⊙. Rheed. mal. 9. t. 82.
diphy'lla. P.S. *Hedy'sarum diphy'llum.* L.
2 reticulàta. DC. (*ye.*) netted-bracted. W. Indies. .... —— S.⊙.
3 thymifòlia. DC. (*ye.*) Thyme-leaved. Mexico. 1826. —— G. ♄.
4 zeylonénsis. DC. (*ye.*) Ceylon. Ceylon. 1733. —— S.⊙. Burm. zeyl. t. 50. f. 1.
conjugàta. Sm. *Hedy'sarum conjugàtum.* W.
5 dyctiocárpa. DC. (*ye.*) netted-podded. N. Holland. 1824. —— H.⊙.
6 tetraphy'lla. DC. (*ye.*) four-leaved. Carolina. 1823. —— H. ♃. Mich. amer. 2. t. 41.
7 capénsis. DC. (*ye.*) Cape. C. B. S. 1824. 5.6. G. ♃. Thunb. n. ac. ups. 6. t. 3.
STYLOSA'NTHES. DC. Stylosa'nthes. Monadelphia Decandria.
1 procúmbens. DC. (*ye.*) procumbent. Jamaica. 1820. 6.8. S. ♄. Swar. ac. b. 1789. t. 11. f. 1
2 viscòsa. DC. (*ye.*) viscous. ———— —— S. ♄. ——— t. 9. f. 2.
3 mucronàta. DC. (*ye.*) mucronate. E. Indies. 1818. —— S. ♄. Burm. zeyl. t. 106. f. 2.
Hedy'sarum hamàtum. Burm. *A'rachis fruticòsa.* Retz.
4 elatior. DC. (*ye.*) tall. Carolina. 1823. 7.8. H. ♃. Pluk. alm. t. 447. f. 7.
5 guianénsis. DC. (*ye.*) Guiana. Guiana. 1826. —— S.⊙. Aubl. guian. 2. t. 309.
ADE'SMIA. DC. Ade'smia. Decandria Monogynia.
1 muricàta. DC. (*ye.*) prickly-podded. Patagonia. 1793. 6.7. G. ♃. Jacq. ic. 3. t. 568.
Hedy'sarum muricàtum. Jacq. *Patagònium Hedysaroides.* Schk.
2 hispídula. DC. (*ye.*) hispid. Peru. 1826. 6.8. G. ♃. DC. leg. mem. t. 48.
3 pappòsa. DC. (*ye.*) feathery-podd'd. Chili. 1823. —— G. ♃.
ÆSCHYNO'MENE. DC. Æschyno'mene. Diadelphia Decandria. L.
1 áspera. DC. (*ye.*) rough-stemm'd. E. Indies. 1759. 6.7. S.⊙. Breyn. cent. 51. t. 52.
2 sensitiva. DC. (*wh.*) sensitive. W. Indies. 1733. 5.8. S. ♄. Plum. ic. t. 139.
3 índica. DC. (*ye.*) Indian. E. Indies. 1799. 6.7. S.⊙. Rheed. mal. 9. t. 18.
4 americána. DC. (*ye.*) hairy. Jamaica. 1732. 7.8. S.⊙. Sloan. jam. 1. t. 118. f. 3.
5 pátula. DC. (*ye.*) spreading. Mauritius. 1826. 6.8. S. ♄.
6 subviscòsa. DC. (*v.*) glandular. E. Indies. 1820. 9.10. S.⊙.
7 híspida. DC. (*ye.*) hispid. N. America. 1803. 8.9. H.⊙. Bart. fl. amer. t. 29.
8 micrántha. DC. (*ye.*) small-flowered. Madagascar. 1826. 6.8. S. ♃.
9 viscídula. DC. (*ye.*) viscous. N. America. 1818. 7.8. H.⊙.
10 falcàta. DC. (*ye.*) sickle-podded. Brazil. 1825. —— S.⊙.
11 péndula. Boj. (*ye.*) pendulous. Madagascar. —— —— S.⊙.
SMI'THIA. DC. Smi'thia. Diadelphia Decandria.
1 sensitiva. DC. (*ye.*) sensitive. E. Indies. 1785. 7.10. S.⊙. Sal. par. lond. t. 92.
2 confèrta. DC. (*ye.*) close-flowered. N. Holland. 1825. —— S.⊙.
3 áspera. H.B. (*ye.*) rough. E. Indies. 1812. —— S.⊙.
LO'UREA. DC. Lo'urea. Diadelphia Decandria.
1 Vespertiliònis. DC. (*w.*) bat-winged. Cochinchina. 1780. 7.8. S. ♂. Jacq. ic. 3. t. 566.
Hedy'sarum Vespertiliònis. Jacq. *Christia lunàta.* Mœnch.
2 reniformis. DC. (*pu.*) kidney-leaved. China. 1826. —— S. ♂.
UR'ARIA. DC. Ur'aria. Diadelphia Decandria.
1 pícta. DC. (*pu.*) painted-leaved. Guinea. 1788. 6.8. S. ♂. Jacq. ic. 3. t. 567.
Hedy'sarum píctum. Jacq.
2 crinita. DC. (*br.*) crook-podded. E. Indies. 1780. 7.9. S. ♄. Burm. ind. t. 56.
3 lagopoides. DC. (*wh.*) Harefoot-like. ———— 1790. —— S. ♄. ———— t. 53. f. 2.
Hedy'sarum lagopodioides. L. *Lespedèza lagopodioides.* P.S.
4 Lágopus. DC. (*pu.*) Hare's-foot. Nepaul. 1823. 6.8. S. ♄.
5 hamósa. (*wh.*) hooked. E. Indies. —— 6 7. S. ♃.
Doódia hamósa et Hedy'sarum hamósum. H.B.
6 alopecuroides. (*wh.*) Fox-tail. E. Indies. —— —— S. ♃.
Doódia alopecuroides et Hedy'sarum alopecuroides. H.B.
7 lagocéphala. DC. (*ye.*) hairy. Brazil. —— 7.9. S. ♃.
NICOLS'ONIA. DC. Nicols'onia. Diadelphia Decandria.
barbàta. DC. (*pu.*) bearded. W. Indies. 1826. 6.8. S. ♃.
DESM'ODIUM. DC. Desm'odium. Diadelphia Decandria.
1 dùbium. B.R. doubtful. Nepaul. 1823. 7.8. S. ♄. Bot. reg. 967.
2 umbellàtum. DC. (*wh.*) umbel-flower'd. E. Indies. 1801. 6.7. S. ♄. Jacq. schœnb. 3. t. 297.
3 auriculàtum. DC. (*pu.*) eared. Timor. 1825. —— S. ♄.

4	triquètrum. DC.	(*pu.*)	triangular.	E. Indies.	1802.	7.8.	S. ♃.	Burm. ind. t. 52. f. 2.
5	pseudotriquètrum. DC.	(*pu.*)	three-sided.	Nepaul.	1818.	——	S. ♃.	
6	alàtum. DC.	(*pu.*)	winged-stalked.	E. Indies.	1809.	——	S. ♄.	
7	g'yrans. DC.	(*re.*)	moving plant.	——	1775.	7.9.	S. ♃.	Jacq. ic. t. 508.
8	gyroïdes. DC.	(*li.*)	gyrans-like.	——	1818.	——	S. ♄.	
9	gangéticum. DC.	(*li.*)	oval-leaved.	——	1762.	——	S. ♄.	Burm. zeyl. t. 49.
10	maculàtum. DC.	(*li.*)	spotted.	——	1732.	6.8.	S. ☉.	Dill. elth. t. t. 141. f. 168.
	Hedy'sarum maculàtum. L. *Æschynómene maculàta.* Poir.							
11	sagittàtum. DC.	(*re.*)	arrow-leaved.	——	1807.	——	S. ♃.	
12	angustifòlium. DC.	(*pu.*)	narrow-leaved.	Mexico.	1825.	——	S. ♄.	
13	latifòlium. DC.	(*bi.*)	broad-leaved.	E. Indies.	1800.	7.8.	S. ♄.	Bot. reg. t. 356.
	Hedy'sarum latifòlium. B.R.							
14	velutìnum. DC.	(*vi.*)	velvetty.	Trinidad.	1820.	——	S. ♄.	
15	lasiocárpum. DC.	(*ro.*)	woolly-podded.	Guinea.	1822.	7.9.	S. ♄.	Beauv. fl. ow. l. t. 28.
16	canadénse. DC.	(*pu.*)	Canadian.	N. America.	1640.	——	H. ♃.	Corn. canad. t. 45.
17	canéscens. DC.	(*pu.*)	canescent.	——	1738.	——	H. ♃.	
18	marylándicum. DC.	(*p.*)	Maryland.	——	1725.	7.10.	H. ♃.	Dill. elth. t. 144. f. 171.
19	obtùsum. DC.	(*vi.*)	obtuse.	——	1805.	7.8.	H. ♃.	
20	ciliàre. DC.	(*vi.*)	fringed.	——	1823.	——	H. ♃.	
21	viridiflòrum. DC.	(*pu.*)	green-flower'd.	——	1787.	7.9.	H. ♃.	Pluk. alm. t. 308. f. 5.
22	lævigàtum. DC.	(*pu.*)	smooth-stalk'd.	——	1826.	——	H. ♃.	
23	bracteòsum. DC.	(*pu.*)	bracted.	——	1806.	7.8.	H. ♃.	
24	cuspidàtum. DC.	(*pu.*)	sharp-pointed.	——	——	——	H. ♃.	
25	glábellum. DC.	(*pu.*)	smooth.	——	1824.	7.9.	H. ♃.	
26	paniculàtum. DC.	(*pu.*)	panicled.	——	1781.	7.8.	H. ♃.	Pluk. alm. t. 432. f. 6.
27	acuminàtum. DC.	(*pu.*)	glutinous.	——	1805.	——	H. ♃.	
	Hedy'sarum glutinòsum. W. *acuminàtum.* Ph.							
28	nudiflòrum. DC.	(*pu.*)	naked-flowered.	——	1823.	——	H. ♃.	
29	pauciflòrum. DC.	(*wh.*)	small-flowered.	——	1828.	——	H. ♃.	
30	rotundifòlium. DC.	(*pu.*)	round-leaved.	——	1738.	——	H. ♃.	
31	Aparìnes. DC.	(*li.*)	hairy-stalked.	Mexico.	1820.	7.9.	S. ♄.	
32	cinèreum. DC.	(*pu.*)	white-branched.	——	1826.	——	S. ♄.	H. et B. n. pl. am. 6. t. 598.
33	uncinàtum. DC.	(*vi.*)	uncinate.	Caracas.	1823.	6.7.	S. ♄.	Jacq. schœnb. 3. t. 296.
34	incànum. DC.	(*pu.*)	hoary.	W. Indies.	1820.	7.8.	S. ♄.	Plum. ed. Burm. t. 149. f. 2.
35	erythrinæfòlium. DC.	(*wh.*)	Erythrina-l^d.	Trinidad.	——	——	S. ♄.	
36	supìnum. DC.	(*pu.*)	trailing.	Jamaica.	——	——	S. ♄.	Sloan. jam. 1. t. 118. f. 2.
37	tortuòsum. DC.	(*pu.*)	twisted-podded.	——	1781.	——	S. ♄.	—— 1. t. 116. f. 2.
38	adscéndens. DC.	(*pu.*)	ascending.	——	1820.	7.9.	S. ♄.	H. et B. n. pl. am. 6. t. 597.
39	mexicànum.	(*bi.*)	Mexican.	Mexico.	1820.	11.5.	S. ♄.	Bot. reg. 815.
	Hedy'sarum adscéndens β? *cærùleum.* DC.							
40	trigònum. DC.	(*li.*)	trigonal.	Jamaica.	1732.	7.9.	S. ♄.	
41	spirále. DC.	(*wh.*)	spiral-podded.	——	.....	——	S. ♄.	
42	ásperum. DC.	(*pu.*)	harsh.	.....	1820.	6.8.	S. ♄.	
43	cæspitòsum. DC.	(*bi.*)	tufted.	Mauritius.	——	——	S. ♃.	
44	mauritiànum. DC.	(*wh.*)	creeping-rooted.	——	1822.	7.9.	S. ♃.	
45	Scálpe. DC.	(*pu.*)	repand-leaved.	Madagascar.	1823.	7.8.	S. ♄.	
	Hedy'sarum repándum. Poir. *non* Vahl.							
46	diversifòlium. DC.	(*li.*)	different-leav'd.	——	1820.	——	S. ♄.	
47	spectábile.	(*pu.*)	showy.	Zanzibar.	1825.	.....	S. ♄.	
	Hedy'sarum spectábile. Boj.							
48	triflòrum. DC.	(*pu.*)	three-flowered.	India.	1796.	6.7.	S. ♃.	Burm. ind. t. 56. f. 2.
49	heterophy'llum. DC.	(*pu.*)	various-leav'd.	Ceylon.	1820.	——	S. ♃.	Burm. zeyl. t. 54. f. 1.
50	parvifòlium. DC.	(*pu.*)	slender.	Nepaul.	1823.	7.9.	S. ♄.	
	Hedy'sarum tenéllum. D.P. *non* Kth.							
51	Roxbúrghii.	(*pu.*)	Roxburgh's.	E. Indies.	1825.	——	S. ♄.	
	diffùsum. DC. p. 335. *non* p. 336.							
52	floribúndum. D.P.	(*pu.*)	abundant-fl^d.	Nepaul.	1822.	——	S. ♄.	
53	retùsum. D.P.	(*pu.*)	retuse-leaved.	——	——	——	S. ♄.	
54	confértum. DC.	(*li.*)	close-flowered.	——	1826.	——	S. ♄.	
55	sambuénse. D.P.	(*li.*)	villous-leaved.	——	——	——	S. ♄.	
56	concínnum. DC.	(*li.*)	neat.	——	1823.	——	S. ♄.	
57	trichocaúlum. DC.	(*vi.*)	hairy-stalked.	——	1827.	——	S. ♄.	
58	Leschenaúltii. DC.	(*li.*)	Leschenault's.	E. Indies.	——	——	S. ♄.	
59	capitàtum. DC.	(*pu.*)	headed.	Ceylon.	.....	7.8.	S. ♄.	Burm. ind. t. 54. f. 1.
	Hedy'sarum cònicum. Poir.							
60	láxum. DC.	(*li.*)	loose.	Nepaul.	1828.	——	S. ♄.	
61	tomentòsum. DC.	(*wh.*)	woolly.	China.	1782.	6.7.	G. ♃.	
62	repens. Bs.	(*pu.*)	creeping.	W. Indies.	1820.	——	S. ♄.	
63	malacophy'llum. DC.	(*li.*)	soft-leaved.	Manila.	1828.	——	S. ♃.	

64 grandifòlium. DC. (*li.*) large-leaved. E. Indies. 1822. 6. 7. S. ♄.
65 serotìnum. DC. (*pu.*) late-flowering. N. America. 1806. 8. 10. H. ♃.
66 cephalòtes. H.B. (*li.*) close-headed. E. Indies. 1825. 6. 8. S. ♄.
67 altìssimum. (*pa.*) tallest. ——— —— .... S. ♄.
68 heptaphy'llum. (*li.*) seven-leaved. ——— 1820. 6. 8. S. ♄.
69 abyssìnicum. DC. (*li.*) Abyssinian. Abyssinia. 1802. 7. S. ♃.
70 bracteàtum. H.B. (*li.*) bracted. E. Indies. 1820. 7. 8. S. ♄.
71 rhomboìdeum. (*pa.*) rhomboid. ——— —— 7. 9. S. ♄.
Hedy'sarum rhombifòlium. H.B. non Elliot.
72 orbiculàtum. H.B. (*li.*) round-leaved. ——— 1818. —— S. ♄.
73 recurvàtum. H.B. (*li.*) recurved. ——— 1824. —— S. ♄.
74 divérgens. H.B. (*pa.*) divergent. ——— —— —— S. ♄.
75 purpùreum. H.B. (*pu.*) purple-flowered. ——— 1818. 6. 8. S. ♃.
76 pàtens. H.B. (*li.*) spreading ——— 1824. —— S. ♃.
77 arbòreum. .... tree. ——— 1818. .... S. ♄.
Hedy'sarum arbòreum. H.B.
78 lácteum. Boj. (*st.*) milk-coloured. Zanzibar. 1825. 10. 11. S. ♂.
79 Helsinbérgii. Boj..... Helsinberg's. Madagascar. —— .... S. ♄.

DICE'RMA. DC. DICE'RMA. Diadelphia Decandria.
1 pulchéllum. DC. (*ge.*) neat. E. Indies. 1799. 7. 8. S. ♄. Burm. zeyl. t. 52.
Hedy'sarum pulchéllum. W. *Zórnia pulchélla.* P.S. *Phyllòdium pulchéllum.* Desv.
2 élegans. DC. (*ye.*) elegant. China. 1826. 7. 8. G. ♄.
3 biarticulàtum. DC. (*ye.*) two-jointed. E. Indies. 1808. —— S. ♄. Burm. zeyl. t. 50. f. 2.
Hedy'sarum biarticulàtum. L.

HEDY'SARUM. DC. HEDY'SARUM. Diadelphia Decandria. L.
1 grandiflòrum. DC. (*st.*) large-flowered. Iberia. 1820. 6. 8. H. ♃. Pall. itin. 2. p. 743. t. Y.
sericeum. M.B. *Astrágalus grandiflòrus.* L.
2 argénteum. DC. (*pu.*) silvery. Siberia. 1827. —— H. ♃. Gmel. sib. 4. t. 13.
3 cándidum. DC. (*pu.*) silver-leaved. ——— 1796. 7. 8. H. ♃.
4 spléndens. DC. (*pa.*) glossy-leaved. ——— 1828. —— H. ♃.
5 pállidum. DC. (*pa.*) pale-flowered. Barbary. 1811. —— H. ♃.
6 coronàrium. DC. (*sc.*) F. Honeysuckle. Italy. 1596. 6. 8. H. ♂. Gært. fruct. 2. t. 155.
α coccíneum. (*sc.*) *scarlet-flowered.* ——— —— —— H. ♂.
β álbum. (*wh.*) *white-flowered.* ——— —— —— H. ♂.
7 húmile. DC. (*pu.*) dwarf. Spain. 1640. 7. 8. H. ♃. J. Bauh. his. 2. p. 336. f. 1.
8 spinosíssimum. DC. (*pu.*) thorny. ——— 1731. —— H. ☉. Pluk. alm. t. 50. f. 2.
9 capitàtum. DC. (*ro.*) headed. Barbary. .... —— H. ♃. Bot. mag. 1251.
10 flexuòsum. DC. (*pu.*) wave-podded. Asia. 1680. —— H. ☉. Schk. hand. 2. t. 207.
11 cárneum. DC. (*fl.*) flesh-coloured. Siberia. 1818. —— H. ♃. Lodd. bot. cab. 312.
12 elongàtum. F. (*pu.*) long-stalked. Russia. 1823. 6. 8. H. ♃. ——— t. 1401.
13 lasiocárpum. DC. (*pu.*) woolly-podded. Altay. 1824. —— H. ♃.
14 taúricum. DC. (*ro.*) Taurian. Tauria. 1804. 7. 8. H. ♃. Bieb. cent. 2. t. 85.
rùseum. Bot. mag. t. 996. *non* DC.
15 ròseum. DC. (*ro.*) rose-coloured. Siberia. 1803. —— H. ♃.
16 altaícum. DC. (*pu.*) Altay. ——— 1823. —— H. ♃.
17 venústum. DC. (*pu.*) handsome. Altay. —— —— H. ♃.
18 fruticòsum. DC. (*li.*) shrubby. Siberia. 1782. 6. 7. H. ♄. Pall. it. 3. . 5. f. 1.
19 ibéricum. DC. (*li.*) Iberian. Iberia. 1824. 6. 8. H. ♃.
20 Razoumowiànum. DC. (*li.*) net-podded. Scythia. 1823. —— H. ♃.
21 cretíceum. DC. (*pu.*) slender-spiked. Volga. 1818. —— H. ♃.
22 consanguíneum. DC. (*pu.*) related. Altay. —— —— H. ♃.
23 obscùrum. DC. (*pu.*) creeping-rooted. Europe. 1640. 7. 8. H. ♃. Bot. mag. 282.
24 brachisèma. DC. (*pu.*) short-lipped. Altay. 1820. —— H. ♃. Gmel. sib. 4. t. 10.
25 sibíricum. DC. (*pu.*) Siberian. Siberia. 1798. 6. 7. H. ♃. Lam. ill. t. 628. f. 3.
26 alpìnum. W. (*pu.*) Alpine. ——— —— —— H. ♃. Bot. mag. 2213.
27 caucásicum. DC. (*pu.*) Caucasean. Caucasus. 1824. 6. 8. H. ♃.
28 argyrophy'llum. F. (*pu.*) silvery-leaved. Altay. 1827. —— H. ♃.

ONOBRY'CHIS. DC. SAINTFOIN. Diadelphia Decandria.
1 sativa. DC. (*ro.*) common. Britain. .... 6. 7. H. ♃. Eng. bot. v. 2. t. 96.
Hedy'sarum Onobry'chis. Jacq. aust. t. 352.
2 tanaítica. F. (*ro.*) spreading. Siberia. 1823. —— H. ♃.
3 carpáthica. DC. (*ro.*) Carpathian. Carp. Mount. 1818. —— H. ♃.
4 incurvàta. DC (*ro.*) incurved. ..... 1826. —— H. ♃.
5 montàna. DC. (*pu.*) mountain. Pyrenees. 1816. —— H. ♃.
6 confèrta. DC. (*pu.*) close-flowered. Caucasus. 1827. 6. 8. H. ♃.
7 procúmbens. DC. (*ro.*) procumbent. Iberia. 1823. —— H. ♃.
8 supìna. DC. (*ro.*) trailing. S. Europe. 1816. —— H. ♃.
9 glábra. DC. (*ro.*) smooth. Tauria. 1829. —— H. ♃.
10 arenària. DC. (*ro.*) sand. Hungary. 1818. —— H. ♃.

11	mareótica. DC.	(*ro.*)	villous-calyxed.	Siberia.	1829.	6. 8.	H. ♃.	
12	álba. DC.	(*wh.*)	white-flowered.	Hungary.	1804.	7. 8.	H. ♃.	W. et K. hung. 2. t. 111.
13	petr'æa. DC.	(*wh.*)	stone.	Caucasus.	1818.	6. 8.	H. ♃.	
14	grácilis. DC.	(*li.*)	slender.	Poland.	1828.	——	H. ♃.	
15	saxátilis. DC.	(*wh.*)	rock.	S. France.	1790.	——	H. ♃.	All. ped. 1191. t. 19. f. 1.
16	Cáput-gálli. DC.	(*vi.*)	Cock's-head.	S. Europe.	1731.	7. 8.	H. ♃.	Lobel. ic. 2. p. 81. f. 1.
17	Crista-gálli. DC.	(*vi.*)	Cock's-comb.	————	1710.	6. 8.	H. ☉.	Gært. fruct. 2. t. 148.
18	foveolàta. DC.	(*vi.*)	Sicilian.	Sicily.	1828.	——	H. ☉.	
19	æquidentàta. DC.	(*re.*)	equal-toothed.	Levant.	1823.	——	H. ☉.	Desv. j. bot. 1. t. 23.
20	Pallàsii. DC.	(*st.*)	Pallas's.	Tauria.	——	——	H. ♃.	Bieb. pl. ros. 1. t. 35.
	Buxbaumiàna. S.S. *Hedy'sarum Pallàsii.* W. Buxb. cent. 2. t. 42.							
21	radiàta. DC.	(*st.*)	rayed.	Caucasus.	1823.	7. 9.	H. ♃.	Desf. an. mus. 12. t. 13.
	Hedy'sarum Buxbaúmii. M.B.							
22	ptolemàica. DC.	(*ye.*)	striped-flower'd.	Egypt.	1829.	——	H. ♃.	Delil. fl. eg. t. 39. f. 1.

ELEI'OTIS. DC. ELEI'OTIS. Diadelphia Decandria.

1	monophy'lla. DC.	(*li.*)	simple-leaved.	E. Indies.	1820.	4. 8.	S. ♃.	Burm. ind. t. 50. f. 2.
2	sorória. DC.	(*bl.*)	ternate-leaved.	————	——	——	S. ♃.	Desv. j. bot. 3. t. 6. f. 31.
	Hedy'sarum sorórium. L.							

LESPED'EZA. DC. LESPED'EZA. Diadelphia Decandria.

1	júncea. DC.	(*wh.*)	slender-branch'd.	Siberia.	1776.	7. 8.	G. ♄.	Linn. f. dec. 1. t. 4.
	Hedy'sarum júnceum. L. *Anthy'llis cuneàta.* Dum. Cours.							
2	reticulàta. DC.	(*pu.*)	netted.	N. America.	1823.	——	H. ♃.	
3	sessilifòlia. DC.	(*pu.*)	sessile-flowered.	————	....	——	H. ♃.	
4	eriocárpa. DC.	(*vi.*)	woolly-podded.	Nepaul.	1819.	7. 9.	G. ♄.	
5	frutéscens. DC.	(*pu.*)	frutescent.	Carolina.	1739.	——	G. ♄.	Jacq. vind. 3. t. 89.
6	capitáta. DC.	(*li.*)	headed.	N. America.	1789.	6. 8.	H. ♃.	
7	angustifòlia. DC.	(*li.*)	narrow-leaved.	Carolina.	1827.	——	H. ♃.	
8	Stùvei. DC.	(*pu.*)	Stuve's.	New Jersey	1823.	7. 9.	H. ☉.	
9	polystàchya. DC.	(*wh.*)	hairy.	N. America.	1789.	6. 8.	H. ♃.	Mich. amer. 2. t. 40.
	Hedy'sarum hírtum. W.							
10	villòsa. DC.	(*wh.*)	villous.	————	1812.	——	H. ♃.	
11	violàcea. DC.	(*vi.*)	violet-colour'd.	————	1789.	7. 8.	H. ♃.	
12	divérgens. DC.	(*vi.*)	divergent.	————	1827.	——	H. ♃.	
13	procúmbens. DC.	(*pu.*)	procumbent.	————	1812.	——	H. ♃.	Mich. amer. 2. t. 39.
14	prostràta. DC.	(*pu.*)	prostrate.	————	1818.	——	H. ♃.	

E'BENUS. DC. EBE'NUS. Monadelphia Decandria.

1	crética. DC.	(*bl.*)	Cretan.	Crete.	1737.	6. 7.	F. ♄.	Bot. mag. 1092.
	Anthy'llis crética. Lam.							
2	pinnàta. DC.	(*pi.*)	wing-leaved.	Barbary.	1786.	7. 8.	G. ♂.	Desf. ac. par. 1. t. 3.
	Anthy'llis sericea. W.							
3	Sibthórpii. DC.	(*pi.*)	Sibthorp's.	Greece.	1826.	——	G. ♂.	DC. leg. mem. t. 53.

FLEMI'NGIA. DC. FLEMI'NGIA. Diadelphia Decandria.

1	stricta. DC.	(*re.*)	straight.	E. Indies.	1798.	7. 9.	S. ♄.	Roxb. corom. 3. t. 248.
2	semialàta. DC.	(*ro.*)	winged.	Nepaul.	1805.	7. 8.	S. ♄.	———— 3. t. 249.
3	congésta. DC.	(*re.*)	crowded spiked.	E. Indies.	1802.	7. 9.	S. ♄.	
4	nàna. DC.	(*re.*)	dwarf.	————	1804.	8. 9.	S. ♄.	
5	lineàta. DC.	(*re.*)	branch-spiked.	————	1793.	7. 8.	S. ♄.	Burm. ind. t. 53. f. 1.
6	angustifòlia. DC.	(*re.*)	narrow-leaved.	————	1812.	7. 9.	S. ♄.	
7	procúmbens. DC.	(*re.*)	procumbent.	————	1816.	8.	S. ♄.	
8	prostràta. DC.	(*re.*)	prostrate.	China.	1820.	7. 9.	S. ♄.	
9	strobilífera. DC.	(*wh.*)	Beech-leaved.	E. Indies.	1787.	——	S. ♄.	Bot. reg. 617.
	Hedy'sarum strobilíferum. L. *Zórnia strobilífera.* P.S.							

Subtribus III. *ALHAGEÆ.* DC. *prodr.* 2. *p.* 352.

ALH'AGI. DC. ALH'AGI. Diadelphia Decandria.

1	maurórum. DC.	(*re.*)	Levant.	Levant.	1714.	7. 8.	G. ♄.	Tourn. cor. 54. t. 489.
	Hedy'sarum Alhàgi. L. *mannífera.* Dv. *Mánna hebraica.* D.D.							
2	camelórum. DC.	(*re.*)	Caspian.	Caucasus.	1824.	——	H. ♃.	

ALSICA'RPUS. DC. ALSICA'RPUS. Diadelphia Decandria.

1	bupleurifòlius. DC.	(*li.*)	Bupleurum-l^d.	E. Indies.	1793.	7. 8.	S. ♂.	Bot. mag. 1722.
	Hedy'sarum bupleurifòlium. Roxb. corom. 2. t. 194.							

2 vaginàlis. DC.	(*pu.*)	sheathed.	E. Indies.	1790.	7. 8.	S. ☉.	Burm. zeyl. t. 49. f. 1.
3 nummularifòlius. DC.	(*pu.*)	moneywort.	————	1777.	7. 9.	S. ☉.	Petiv. gaz. t. 26 f. 1.
4 monilifer. DC.	(*pu.*)	neck-lace.	————	1824.	——	S. ♃.	Burm. ind. t. 52. f. 3.
5 glumàceus. DC.	(*vi.*)	rugged-podded.	Arabia.	——	——	G. ♃.	
6 styracifòlius. DC.	(*pu.*)	Storax-leaved.	E. Indies.	1796.	——	S. ♄.	
Hedysarum styracifòlium. L.							

Tribus IV. *VICIEÆ.* DC. prodr. 2. p. 353.

CICER. DC.		CHICK-PEA.	Diadelphia Decandria. L.				
1 arietìnum. DC.		common.	S. Europe.	1548.	7. 8.	H. ☉.	Bot. mag. 2274.
2 songáricum. DC.		large-flowered.	Persia.	1828.	——	H. ☉.	DC. leg. mem. t. 54.
FABA. DC.		BEAN.	Diadelphia Decandria.				
vulgàris. DC.	(*wh.bk.*)	common.	Egypt.	....	5. 8.	H. ☉.	Tourn. inst. t. 222.
α èquina.	(*wh.bk.*)	*Horse.*	————	....	——	H. ☉.	
β præcox.	(*wh.bk.*)	*Mazagon.*	————	....	——	H. ☉.	
γ ensifórmis.	(*wh.bk.*)	*long-pod.*	————	....	——	H. ☉.	
δ albiflòra.	(*wh.*)	*white-blossomed.*	————	....	——	H. ☉.	
ε purpùrea.	(*pu.*)	*purple-flowered.*	————	....	——	H. ☉.	
ζ macrospérma.	(*wh.bk.*)	*broad Windsor.*	————	....	——	H. ☉.	
η chlorospérma.	(*wh.bk.*)	*green Windsor.*	————	....	——	H. ☉.	
VICIA. DC.		VETCH.	Diadelphia Decandria.				
1 pisifórmis. DC.	(*st.*)	Pea-shaped.	S. Europe.	1739.	7. 8.	H. ♃.	Jacq. aust. 4. t. 364.
2 amœna. DC.	(*pu.*)	beautiful.	Siberia.	1829.	——	H. ♃.	Gmel. sib. 4. n. 11. t. 3?
3 caroliniàna. DC.	(*wh.*)	Carolina.	Carolina.	——	——	H. ♃.	
4 dumetòrum. DC.	(*vi.*)	great wood.	France.	1752.	5. 7.	H. ♃.	Sturm deuts. 1. fas. 31.
5 dentàta. F.	(*vi.*)	toothed.	Russia.	1818.	6. 7.	H. ♃.	
6 sylvatica. DC.	(*wh.vi.*)	wood.	Britain.	....	7. 8.	H. ♃.	Eng. bot. 2. t. 79.
7 americàna. DC.	(*vi.*)	American.	N. America.	1818.	——	H. ♃.	
8 variegàta. DC.	(*v.*)	variegated.	Caucasus.	1820.	——	H. ♃.	Desf. cor. p. 86. t. 66.
9 purpùrea. DC.	(*pu.*)	purple.	Tauria.	1827.	——	H. ♃.	
10 alpéstris. DC.	(*pu.*)	alpine.	————	1828.	——	H. ♃.	
11 cassùbica. DC.	(*vi.*)	Cassubian.	Germany.	1711.	6. 7.	H. ♃.	Sturm deuts. 1. fas. 31.
12 abbreviàta. DC.	(*vi.*)	abbreviated.	Caucasus.	1818.	——	H. ♃.	
13 cinèrea. DC.	(*pu.bl.*)	ash-coloured.	Tauria.	1829.	——	H. ♃.	
14 Crácca. DC.	(*vi.*)	tufted.	Britain.	....	7. 9.	H. ♃.	Eng. bot. 17. t. 1168.
15 Bivònea. DC.	(*ro.*)	Bivoni's.	Sicily.	1828.	——	H. ♃.	
16 Gerárdi. DC.	(*vi.*)	Gerard's.	S. Europe.	1711.	6. 7.	H. ♃.	Jacq. aust. t. 229.
17 pseudocrácca. DC.	(*vi.*)	slender-leaved.	Italy.	1824.	7. 9.	H. ☉.	
tenuifòlia. Tenore. *non* Roth.							
18 microphylla. DC.	(*li*)	small-leaved.	Archipelago.	1828.	6. 8.	H. ♃.	
19 polyphylla. DC.	(*li.*)	many-leaved.	Algiers.	1823.	——	H. ♃.	
20 tenuifòlia. DC.	(*vi.*)	slender-leaved.	Germany.	1799.	6. 7.	H. ♃.	Sturm deuts. 1. fas. 31.
21 consentina. DC.	(*st.*)	straw-coloured.	Naples.	1824.	——	H. ♃.	
22 capénsis. DC.	(*pu.*)	Cape.	C. B. S.	1802.	6. 8.	G. ♃.	
23 canéscens. DC.	(*bl.*)	hoary.	Libanus.	1800.	——	H. ☉.	Labil. dec. syr. 1. t. 7.
24 ochroleùca. DC.	(*st.*)	sulphur-color'd.	Italy.	1824.	——	H. ♃.	
25 punctàta. DC.	(*pu.*)	spot-leaved.	Switzerland.	1826.	——	H. ☉.	
26 onobrychioídes. DC.	(*pu.*)	Saintfoin-like.	Europe.	1789.	——	H. ☉.	Sturm deuts. 1. fas. 31.
27 atropurpùrea. DC.	(*d.pu.*)	dark-purple.	Algiers.	1815.	——	H. ☉.	Bot. reg. t. 871.
28 benghalénsis. DC.	(*sc.*)	Bengal.	E. Indies.	1792.	7. 9.	H. ☉.	Herm. lugd. t. 625.
29 perénnis. DC.	(*pu.*)	perennial.	S. Europe.	1820.	6. 8.	H. ♃.	
30 longifòlia. DC.	(*st.*)	long-leaved.	Syria.	1824.	——	H. ♃.	
31 argéntea. DC.	(*ro.*)	silvery.	Pyrenees.	1829.	——	H. ♃.	
32 villòsa. DC.	(*pu.*)	villous.	Germany.	1815.	——	H. ☉.	Sturm deuts. 1. fas. 31.
33 dispérma. DC.	(*li.*)	two-seeded.	S. France.	1826.	——	H. ☉.	
34 biénnis. DC.	(*vi.*)	biennial.	Siberia.	1753.	7. 9.	H. ♂.	Gmel. sib. 4. t. 2.
35 Nissoliàna. DC.	(*re.*)	red-flowered.	Levant.	1773.	6. 7.	H. ☉.	
36 pellùcida. DC.	(*pu.*)	pellucid.	C. B. S.	1812.	6. 8.	G. ♃.	Jacq. schœnb. 2. t. 222.
37 biflòra. DC.	(*bl.*)	two-flower'd.	Algiers.	1801.	——	H. ☉.	Desf. atl. 2. t. 197.
38 calcaràta. DC.	(*pu.*)	spurred.	————	1790.	7. 9.	H. ☉.	
monántha. W.							
39 syriaca. DC.	(*vi.*)	Syrian.	Syria.	1822.	——	H. ☉.	
40 pimpinelloídes. DC.	(*pu.*)	Pimpinella-like.	Rome.	——	6. 9.	H. ☉.	

41	sativa. DC.	(pa.)	common.	Britain.	....	5. 7.	H. ⊙.	Eng. bot. 5. t. 334.
	α *nemoràlis.* P.S.	(pa.)	*wood.*	———	....	——	H. ⊙.	Sturm deuts. 1. fas. 31.
	β *segetàlis.* DC.	(pa.)	*hedge.*	———	....	——	H. ⊙.	Eng. bot. 5. t. 334.
42	leucospérma. L.en.	(wh.)	white-seeded.	.....	....	——	H. ⊙.	
43	angustifòlia. W.en.	(pa.)	narrow-leaved.	Europe.	....	——	H. ⊙.	Sturm deuts. 1. fas. 31.
44	megalospérma. W.en.	(pa.)	large-seeded.	Tauria.	1798.	6. 8.	H. ⊙.	
45	incisa. DC.	(pa.)	cut-leaved.	———	1829.	——	H. ⊙.	
46	rèpens. DC.	(pa.)	creeping.	Archipelago.	1828.	——	H. ↾.	
47	canadénsis. DC.	(li.)	Canadian.	Canada.	———	——	H. ⊙.	
48	globòsa. DC.	(bl.)	globular.	.....	1804.	——	H. ⊙.	
49	cordàta. DC.	(pa.)	heart-leaved.	Germany.	1828.	——	H. ⊙.	Sturm deuts. 1. fas. 32.
50	pilòsa. DC.	(pa.)	pilose.	Tauria.	1820.	——	H. ⊙.	
51	peregrìna. DC.	(pa.)	broad-podded.	S. Europe.	1779.	7. 8.	H. ⊙.	Sturm deuts. 1. fas. 32.
52	Michaúxii. DC.	(wh.)	Michaux's.	.....	1803.	——	H. ⊙.	
53	amphicárpa. DC.	(pa.)	subterraneous.	S. France.	1815.	——	H. ⊙.	Ger. m. an. 6. v. 3. p. 344.
54	lathyroídes. DC.	(pa.)	spring.	Britain.	....	4. 6.	H. ⊙.	Eng. bot. 1. t. 30.
55	lævigàta. DC.	(br.)	smooth-podded.	England.	....	7. 9.	H. ↾.	——— 7. t. 488.
56	dùbia. DC.	(pa.)	doubtful.	.....	1827.	——	H. ↾.	
57	lùtea. DC.	(ye.)	yellow-flowered.	Britain.	....	6. 8.	H. ↾.	Eng. bot 7. t. 481.
58	hírta. P.S.	(wh.)	hairy.	France.	1820.	——	H. ↾.	
59	hy'brida. DC.	(st.)	hairy-flower'd.	England.	....	——	H. ↾.	Eng. bot. 7. t. 482.
60	spuria. DC.	(st.)	spurious.	Sicily.	1826.	——	H. ↾.	
61	grandiflòra. DC.	(ye.)	large-flowered.	Switzerland.	1823.	——	H. ♃.	Scop. fl. carn. 2. t. 42.
62	sórdida. DC.	(ye.)	large-yellow.	Hungary.	1802.	——	H. ⊙.	W.et K. hung. 2. t. 134.
63	Biebersteínii. DC.	(ye.)	Bieberstein's.	Poland.	1823.	——	H. ↾.	
64	tricolor. DC.	(ye.pu.)	three-coloured.	Naples.	1827.	——	H. ⊙.	Seb.et Maur. pr. rom. t. 4.
65	sèpium. DC.	(pu.)	bush.	Britain.	....	5. 6.	H. ↾.	Eng. bot. 22. t. 1515.
66	pannònica. DC.	(wh.)	Hungarian.	Hungary.	1658.	6. 7.	H. ⊙.	Jacq. aust. 1. t. 34.
67	pyrenaìca. DC.	(pu.)	Pyrenean.	Pyrenees.	1828.	——	H. ⊙.	DC. ic. rar. 1. t. 38.
68	striàta. M.B.	(std.)	striped.	Tauria.	1824.	——	H. ⊙.	
69	truncàtula. DC.	(st.)	truncate-leav'd.	Caucasus.	1828.	6. 8.	H. ⊙.	
70	narbonénsis. DC.	(d.pu.)	broad-leaved.	France.	1596.	——	H. ⊙.	Roth. abhand. 10. t. 2.
71	serratifòlia. W.	(pu.)	saw-leaved.	Hungary.	1723.	——	H. ⊙.	Sturm fl. germ. 1. fas. 32.
72	platycárpos. DC.	(pu.)	flat-podded.	Germany.	——	——	H. ⊙.	Roth. abhand. 10. t. 1.
73	bícolor. DC.	(v.)	two-coloured.	.....	1818.	——	H. ↾.	

ERVUM. DC. TARE. Diadelphia Decandria. L.

1	Léns. DC.	(pa.)	Lentil.	France.	1548.	5. 7.	H. ⊙.	Sturm fl. germ. 1. fas. 32.
	Cicer Léns. W. *Léns esculénta.* Mœnch.							
2	nígricans. DC.	(pa.)	dark-seeded.	Tauria.	1823.	6. 7.	H. ⊙.	
	lentoides. T.P.							
3	lentícula. DC.	(bi.)	one-flowered.	Carinthia.	1824.	6. 8.	H. ⊙.	Sturm fl. germ. 1. fas. 32.
	soloniénse. Schrank pl. rar. t. 48. *uniflòrum.* Seb. rom. pl. fas. 2. t. 4.							
4	hirsùtum. DC.	(pu.wh.)	hairy.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. 14. t. 970.
5	dispérmum. S.S.	(li.)	two-seeded.	E. Indies.	1824.	6. 8.	H. ⊙.	
6	camelòrum. S.S.	(li.)	broad-podded.	.....	——	——	H. ⊙.	
7	péndulum. S.S.	(li.)	pendulous-podd'd.	E. Indies.	1628.	——	H. ⊙.	
8	Ervília. DC.	(pu.)	officinal.	S. Europe.	1596.	6. 8.	H. ⊙.	Sturm fl. germ. 1. fas. 32.
	Ervília sativa. L. en. *Vícia Ervília.* W.							
9	monánthos. DC.	(li.)	single-flowered.	———	1790.	7. 8.	H. ⊙.	Sturm fl. ge. 1. fas. 32. ic.
	Vícia articulàta. W. *Láthyrus monánthos.* W.en.							
10	agrigentìnum. DC.	(li.)	Sicilian.	Sicily.	1827.	——	H. ⊙.	
11	tetraspérmum. DC.	(li.)	four-seeded.	Britain.	....	6. 8.	H. ⊙.	Eng. bot. 17. t. 1220.
12	grácile. DC.	(li.)	slender.	S. Europe.	1823.	——	H. ⊙.	Lois. fl. gal. t. 12.
	tenuissimum. P.S. *longifòlium* T.W. *Vícia lasiflòra.* Brot. phyt. t. 54.							
13	pubéscens. DC.	(li.)	pubescent.	S. Europe.	1823.	6. 8.	H. ⊙.	
14	Loiseleùrii. DC.	(li.)	Loiseleur's.	Tauria.	———	——	H. ⊙.	
15	diphy'llum. DC.	(li.)	two-leaved.	.....	———	——	H. ⊙.	

PI'SUM. DC. PEA. Diadelphia Decandria. L.

1	sativum. DC.	(wh.)	cultivated.	S. Europe.	....	5. 10.	H. ⊙.	Lam. ill. t. 686.
	α *saccharàtum.* DC.	(wh.)	*sugar.*	———	....	——	H. ⊙.	Tourn. inst. t. 215.
	β *macrocárpon.* DC.	(wh.)	*marrowfat.*	———	....	——	H. ⊙.	
	γ *viride.*	(wh.)	*green marrowfat.*	———	....	——	H. ⊙.	
	δ *rugòsum.*	(wh.)	*Knight's marrowfat.*	———	....	——	H. ⊙.	
	ε *chlorospérmum.*	(wh.)	*green rouncival.*	———	....	——	H. ⊙.	
	ζ *cærulèscens.*	(wh.)	*blue Prussian.*	———	....	——	H. ⊙.	
	η *prolìficum.*	(wh.)	*prolific.*	———	....	——	H. ⊙.	
	θ *præcox.*	(wh.)	*early Charlton.*	———	....	——	H. ⊙.	
	ι *uniflòrum.*	(wh.)	*early frame.*	———	....	——	H. ⊙.	

ε humile.	(*wh.*)	*dwarf.*	S. Europe.	....	——	H. ⊙.		
λ *umbellàtum.* DC.	(*pi.*)	*rose or crown.*	——	....	——	H. ⊙.	Tabern. icon. t. 495.	
μ *quadràtum.* DC.	(*pu.*)	*grey or swine's.*	——	....	——	H. ⊙.		
2 élatum. DC.	(*pa.pu.*)	upright.	Iberia.	1827.	6. 10.	H. ⊙.		
3 arvénse. DC.	(*pu.*)	field.	Europe.	....	6. 9.	H. ⊙.	Moris. his. 2. s. 2 t. 1. f. 4.	
4 marítimum. DC.	(*pu.*)	sea.	England.	....	7. 8.	H. ¾.	Eng. bot. 15. t. 1046.	
5 americànum. DC.	(*pu.*)	American.	America.	....	——	H. ⊙.		
6 Jomárdi. DC.	(*wh.*)	angular-stalk'd.	Egypt.	1818.	6. 9.	H. ⊙.		
7 thebáicum. DC.	(*wh.*)	short-peduncled.	.....	——	——	H. ⊙.		
LATHYRUS. DC.		LA'THYRUS.	Diadelphia Decandria.			L.		
1 sylvéstris. DC.	(*pu.*)	wood.	Britain.	....	7. 8.	H. ¾.	Eng. bot. v. 12. t. 865.	
2 intermèdius. DC.	(*ro.*)	intermediate.	N. Europe.	1818.	7. 8.	H. ¾.	Flor. dan. t. 785.	
3 magellànicus. DC.	(*pu.*)	Lord Anson's Pea.	Cape Horn.	1744.	——	H. ¾.		
4 latifólius. DC.	(*ro.*)	everlasting Pea.	England.	....	7. 9.	H. ¾.	Eng. bot. v. 10. t. 1168.	
β albiflórus.	(*wh.*)	*white-flowered.*	.....	....	——	H. ¾.		
5 rotundifólius. DC.	(*ro.*)	round-leaved.	Tauria.	1822.	——	H. ¾.	Bieb. cent. 1. t. 22.	
6 praténsis. DC.	(*ye.*)	meadow.	Britain.	....	6. 8.	H. ¾.	Eng. bot. v. 10. t. 670.	
7 tuberósus. DC.	(*ro.*)	tuberous-rooted.	Europe.	1596.	7. 8.	H. ¾.	Bot. mag. 111.	
8 róseus. DC.	(*ro.*)	rose-coloured.	Iberia.	1828.	——	H. ¾.		
9 pisifórmis. DC.	(*std.*)	Siberian.	Siberia.	1759.	6. 8.	H. ¾.	Linn. fil. dec. t. 20.	
10 mutábilis. B.F.G.	(*std.*)	changeable.	——	1825.	——	H. ¾.	Swt. br. fl. gar. t. 194.	
11 venósus. DC.	(*pu.*)	veined.	N. America.	1823.	7. 8.	H. ¾.		
12 californícus. B.R.	(*pu.*)	Californian.	California.	1827.	6. 10.	H. ¾.	Bot. reg. 1144.	
13 palústris. DC.	(*pu.*)	marsh.	Britain.	....	7. 8.	H. ¾.	Eng. bot. v. 3. t. 169.	
14 myrtifólius. DC.	(*pu.*)	Myrtle-leaved.	N. America.	1823.	——	H. ¾.		
15 polymórphus. DC.	(*pu.*)	variable.	Missouri.	——	——	H. ¾.		
16 heterophy'llus. DC.	(*li.*)	various-leaved.	Europe.	1731.	7. 9.	H. ¾.	J. Bauh. his. 2. p. 304. f. 1.	
17 stipulàceus. DC.	(*pu.*)	large-stipuled.	N. America.	1827.	——	H. ¾.		
18 Apháca. DC.	(*st.*)	yellow vetchling.	England.	....	6. 7.	H. ⊙.	Eng. bot. v. 17. t. 1167.	
19 Nissólia. DC.	(*cr.*)	crimson.	——	....	5. 6.	H. ⊙.	—— v. 2. t. 112.	
20 inconspícuus. DC.	(*pa.*)	small-flowered.	Levant.	1739.	7. 8.	H. ⊙.		
21 sphæricus. DC.	(*sc.*)	scarlet.	S. Europe.	1800.	6. 7.	H. ⊙.	DC. ic. rar. 1. t. 32.	
coccineus. P.S. *axillàris.* Lam. *inconspícuus.* Jacq. vind. t. 86. *Orobus coccineus.* Lodd. b. cab. t. 883.								
22 micránthus. DC.	(*pu.*)	small-blossom'd.	S. France.	....	6. 7.	H. ⊙.		
23 angulàtus. DC.	(*pu.*)	angular-seeded.	S. Europe.	1683.	——	H. ⊙.	Buxb. cent. 3. t. 42. f. 2.	
24 longepedunculàtus. DC.	(*pu.*)	long-stalked.	.....	1824.	6. 9.	H. ⊙.		
25 leptophy'llus. DC.	(*pu.*)	slender-leaved.	Caucasus.	1828.	——	H. ⊙.		
26 setifólius. DC.	(*ro.*)	bristle-leaved.	S. Europe.	1739.	6. 7.	H. ⊙.	J. Bauh. 2. p. 308. ic.	
27 amphicárpos. DC.	(*li.*)	Earth Pea.	Levant.	1680.	6. 9.	H. ⊙.	Swt. br. fl. gar. 3. t. 286.	
28 sativus. DC.	(*bl.wh.*)	chickling vetch.	S. Europe.	1640.	6. 8.	H. ⊙.	Jacq. f. eclog. t. 116.	
α cærùleus.	(*bl.*)	*blue-flowered.*	——	——	——	H. ⊙.	Bot. mag. 115.	
β álbus.	(*wh.*)	*white-flowered.*	——	——	——	H. ⊙.		
29 Cícera. DC.	(*pu.*)	flat-podded.	——	1633.	——	H. ⊙.	Jacq. f. eclog. t. 115.	
30 ámnua. DC.	(*ye.*)	yellow annual.	——	1621.	——	H. ⊙.	Buxb. cent. 3. t. 42. f. 1.	
31 hirsùtus. DC.	(*pu.*)	rough-podded.	England.	....	7. 8.	H. ⊙.	Eng. bot. v. 18. t. 1285.	
32 hírtus. DC.	(*pu.*)	hairy.	.....	1824.	7. 9.	H. ⊙.		
33 odoràtus. DC.	(*va.*)	Sweet Pea.	Sicily.	1700.	6. 9.	H. ⊙.	Bot. mag. t. 60.	
α purpùreus. DC.	(*pu.*)	*dark-purple.*	——	——	——	H. ⊙.	—— t. 60.	
β rùber.	(*re.*)	*red-flowered.*	.....	——	——	H. ⊙.		
γ róseus. DC.	(*ro.*)	*painted lady.*	Ceylon.	——	——	H. ⊙.		
δ álbus.	(*wh.*)	*white-flowered.*	——	——	——	H. ⊙.		
34 grandiflórus. DC.	(*pu.*)	large-flowered.	Italy.	1814.	——	H. ¾.	Bot. mag. t. 1936.	
35 tingitànus. DC.	(*pu.*)	Tangier Pea.	Barbary.	1680.	——	H. ⊙.	—— t. 100.	
36 bithy'nicus. DC.	(*vi.*)	tumid-podded.	S. Europe.	1816.	6. 8.	H. ⊙.	All. ped. 1. t. 25. f. 2.	
tùmidus. W. *túrgidus.* Lam. *Vícia bithy'nica.* L.								
37 incúrvus. DC.	(*pu.*)	curve-podded.	Siberia.	1802.	7. 8.	H. ¾.	Roth abh. 19. t. 4.	
38 alàtus. DC.	(*pu.*)	wing-stalked.	Italy.	1829.	——	H. ⊙.		
39 Cly'menum. DC.	(*re.bl.*)	various-flower'd.	Levant.	1713.	6. 7.	H. ⊙.	Pluk. alm. t. 114. f. 6.	
40 articulàtus. DC.	(*ro.wh.*)	joint-podded.	S. Europe.	1640.	7. 9.	H. ⊙.	Bot. mag. 258.	
41 auriculàtus. Bert.	(*pu.*)	eared.	Italy.	1820.	6. 8.	H. ⊙.		
42 spùrius. DC.	(*pu.*)	bastard.	.....	1815.	——	H. ⊙.		
43 tenuifólius. DC.	(*bl.*)	slender-leaved.	Algiers.	1824.	6. 7.	H. ⊙.		
44 'Ochrus. DC.	(*ye.*)	pale-yellow.	S. Europe.	1633.	——	H. ⊙.	Schk. hand. 2. t. 260.	
'Ochrus pállida. P.S. *Pisum 'Ochrus.* L.								
45 purpùreus. DC.	(*pu.*)	purple-flower'd.	Levant.	1826.	6. 8.	H. ¾.	Desf. cor. p. 81. t. 63.	
46 cornùtus. DC.	(*pu.*)	horned.	.....	1824.	——	H. ⊙.		
47 aphy'llus.	(*pu.*)	leafless.	Smyrna.	1828.	7. 8.	H. ⊙.		
PLATYST'YLIS. B.F.G.		PLATYST'YLIS.	Diadelphia Decandria.					
1 cyánea. B.F.G.	(*bl.*)	blue-flowered.	Iberia.	1826.	7. 8.	H. ¾.	Swt. br. fl. gar. 3. t. 290.	

2	sessilifòlius. B.F.G.	(*pu.*)	sessile-leaved.	Levant.	1824.	6. 8.	H. ♃.	Buxb. cent. 2. t. 38.
	O'robus sessilifòlius. Bot. Mag. 2796. *digitàtus.* M.B.							
O'ROBUS. DC.			Bitter Vetch. Diadelphia Decandria. L.					
1	hirsùtus. DC.	(*li.*)	hairy.	Levant.	1818.	5. 6.	H. ♃.	Bot. mag. t. 2345.
2	formòsus. DC.	(*pu.*)	handsome.	Caucasus.	1824.	——	H. ♃.	
3	lathyroides. DC.	(*bi.*)	upright.	Siberia.	1758.	6. 7.	H. ♃.	Bot. mag. t. 2098.
4	vérnus. DC.	(*pu.*)	spring.	Europe.	1629.	3. 4.	H. ♃.	——— t. 521.
5	venòsus. DC.	(*bi.*)	veined.	Siberia.	1818.	5. 6.	H. ♃.	Gmel. fl. sib. 4. t. 5.
6	alpéstris. DC.	(*pu.*)	alpine.	Hungary.	1818.	——	H. ♃.	W. et K. hung. 2. t. 126.
7	multiflòrus. DC.	(*li.*)	many-flowered.	Italy.	1824.	5. 7.	H. ♃.	
8	variegàtus. DC.	(*pu.*)	variegated.	Naples.	1818.	5. 6.	H. ♃.	Ten. fl. nap. t. 68.
9	vicioides. DC.	(*pu.*)	Vetch-like.	Hungary.	——	6. 8.	H. ♃.	W. et K. hung. 3. t. 242.
	Vicia oroboides. W.K.							
10	lùteus. DC.	(*ye.*)	yellow.	Siberia.	1759.	6. 7.	H. ♃.	Lodd. bot. cab. 783.
11	lævigàtus. DC.	(*ye.*)	smooth.	Hungary.	1818.	——	H. ♃.	W. et K. hung. 3. t. 243.
12	aurántius. DC.	(*ye.*)	orange-color'd.	Iberia.	1824.	6. 8.	H. ♃.	
13	sylváticus. DC.	(*std.*)	wood.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 8. t. 518.
14	ochroleùcus. DC.	(*st.*)	straw-colour'd.	Hungary.	1816.	——	H. ♃.	W. et K. hung. 2. t. 118.
15	niger. DC.	(*pu.*)	black-rooted.	Europe.	1596.	5. 7.	H. ♃.	Bot. mag. t. 2261.
16	erèctus. DC.	(*pu.*)	upright.	.....	1820.	6. 7.	H. ♃.	
17	tuberòsus. DC.	(*pu.*)	tuberous-rooted.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 17. t. 1153.
18	pyrenàicus. L.	(*pu.*)	Pyrenean.	Pyrenees.	1699.	——	H. ♃.	Pluk. alm. t. 210. f. 2.
19	tenuifòlius. Roth.	(*pu.*)	slender-leaved.	Germany.	1818.	5. 6.	H. ♃.	
20	vàrius. DC.	(*v.*)	parti-coloured.	Italy.	1759.	——	H. ♃.	Bot. mag. t. 675.
21	angustifòlius. DC.	(*v.*)	narrow-leaved.	Siberia.	1766.	——	H. ♃.	Gmel. sib. 4. p. 14. t. 5.
22	canéscens. DC.	(*bl.wh.*)	canescent.	S. Europe.	1823.	——	H. ♃.	
23	palléscens. M.B.	(*wh.*)	pale-flowered.	Tauria.	1824.	——	H. ♃.	
24	àlbus. DC.	(*wh.*)	white-flowered.	Austria.	1794.	——	H. ♃.	Swt. br. fl. gar. 1. t. 22.
	pannònicus. Jacq. aust. 1. t. 39.							
25	atropurpùreus. DC.	(*d.pu.*)	dark-purple.	Algiers.	1826.	6. 7.	H. ♃.	Desf. atl. 2. t. 196.
26	Fischèri. B.F.G.	(*d.pu.*)	Fischer's.	Siberia?	1827.	——	H. ♃.	Swt. br. fl. gar. 3. t. 289.
27	saxátilis. DC.	(*pu.*)	rock.	S. France.	1823.	6. 8.	H. ⊙.	Venten. cels. t. 94.
28	longifòlius. N.	(*li.*)	long-leaved.	Missouri.	1827.	——	H. ♃.	

Tribus V. *PHASEOLEÆ.* DC. prodr. 2. p. 381.

'ABRUS. DC.			Wild Liquorice. Monadelphia Enneandria.					
	precatòrius. DC.	(*ro.*)	common.	India.	1680.	3. 5.	S. ♄.⌣.	Rheed. mal. 3. t. 39.
	α erythrospérma.	(*ro.*)	*red-seeded.*	———	——	——	S. ♄.⌣.	Rumph. amb. 5. t. 32.
	β melanospérma.	(*ro.*)	*black-seeded.*	———	——	——	S. ♄.⌣.	
SWE'ETIA. DC.			Swe'tia. Diadelphia Decandria.					
1	longifòlia. DC.	(*pu.*)	long-leaved.	S. America.	1824.	6. 7.	S. ♄.⌣.	Jacq. ic. 3. t. 572.
	Gálega longifòlia. Jacq. *Tephròsia longifòlia.* P.S.							
2	filifórmis. DC.	(*pu.*)	slender.	———	1826.	——	S. ♄.⌣.	Jacq. ic. 3. t. 573.
3	lignòsa. DC.	(*pu.*)	woody.	Trinidad.	1820.	....	S. ♄.⌣.	
	Gl'ycine lignòsa. P.S.							
MACRA'NTHUS. DC.			Macra'nthus. Diadelphia Decandria.					
	cochinchinénsis. DC.	(*wh.*)	eatable-podd'd.	Cochinchina.	1826.	6. 9.	H. ⊙.⌣.	
WEST'ONIA. S.S.			West'onia. Monadelphia Decandria.					
	trifoliàta. S.S.	(*st.re.*)	trifoliate.	.....	1820.	6. 8.	S. ⊙.	
	Róthia trifoliàta. DC. *Gl'ycine humifùsa.* W. en.							
TERA'MNUS. DC.			Tera'mnus. Monadelphia Pentandria.					
1	volùbilis. DC.	(*re.*)	twining.	Jamaica.	1822.	7. 8.	S. ♄.⌣.	
2	uncinàtus. DC.	(*re.*)	hooked.	———	——	——	S. ♄.⌣.	Plum. ed. Burm. t. 221.
AMPHICARP'ÆA. DC.			Amphicarp'æa. Diadelphia Decandria.					
1	monoica. DC.	(*pa.*)	pale-flowered.	N. America.	1781.	8. 10.	H. ⊙.⌣.	Rœm. arch. 1. p. 3. t. 2.
2	comòsa.	(*bl.*)	tufted.	———	1812.	7. 9.	H. ♃.⌣.	
	Gl'ycine comòsa. Ph.							
3	sarmentòsa. DC.	(*pa.*)	sarmentose.	———	1805.	——	H. ⊙.⌣.	Schk. bot. an. 12. t. 2.
	Gl'ycine sarmentòsa. Ph. *monoica.* Schknhr.							
KENN'EDYA. DC.			Kenn'edya. Diadelphia Decandria.					
1	rubicúnda. DC.	(*cr.*)	dingy-flowered.	N. S. W.	1788.	3. 8.	G. ♄.⌣.	Bot. mag. 208.
2	prostràta. DC.	(*sc.*)	scarlet one-fld.	———	1790.	——	G. ♆.⌣.	——— t. 270.
	Gl'ycine coccínea. B.M.							
3	coccínea. DC.	(*sc.*)	many-flowered.	N. Holland.	1803.	5. 8.	G. ♄.⌣.	Swt. fl. aust. t. 23.
4	Comptoniàna. DC.	(*pu.*)	Comptonian.	———	——	3. 6.	G. ♄.⌣.	Bot. reg. 298.
	Gl'ycine Comptoniàna. B.R.							

5 heterophy'lla. ψ. (*pu.*) various-leaved. H. Holland. 1826. .... G. ♄.⌣.
6 inophy'lla. ψ. (*pu.*) few-leaved. ——— 1825. .... G. ♄.⌣.
7 dilatàta. ψ. (*pu.*) dilated-leaved. ——— ——— .... G. ♄.⌣.
8 monophy'lla. (*pu.*) simple-leaved. N. S. W. 1790. 3. 8. G. ♄.⌣. Vent. malm. t. 106.
Gl'ycine bimaculàta. Bot. mag. t. 263.
9 ovàta. DC. (*pu.*) oval-leaved. ——— 1820. ——— G. ♄.⌣. Bot. mag. 2169.
cordàta. Bot. reg. 944.

RHYNCH'OSIA. DC. RHYNCH'OSIA. Diadelphia Decandria. ●
1 renifórmis. DC. (*ye.*) kidney-leaved. Carolina. 1806. 7. 8. F. ♃.
2 diffórmis. DC. (*ye.*) downy climbing. ——— 1732. 6. 9. F. ♃.⌣. Dill. elth. t. 26. f. 29.
Gl'ycine tomentòsa β volùbilis. M.
3 erécta. DC. (*br.*) upright. ——— .... ——— F. ♃.
4 carib'æa. DC. (*ye.*) trailing. W. Indies. 1742. 9. 10. S. ♄.⌣. Bot. reg. t. 275.
Gly'cine carib'æa. B.R.
5 móllis. DC. (*ye.*) soft-leaved. Guinea. 1823. 6. 7. S. ♄.⌣. Hook. ex. flor. 201.
Gl'ycine móllis. H.E.F.
6 mínima. DC. (*ye.*) slender-stalked. W. Indies. ——— ——— S. ♄.⌣. Jacq. obs. 1. t. 22.
7 volùbilis. DC. (*ye.*) black-podded. China. 1826. ——— S. ♄.⌣.
8 phaseoloídes. DC. (*ye.*) Abrus-seeded. W. Indies. 1820. ——— S. ♄.⌣. Bot. mag. t. 2284.
9 precatòria. DC. (*ye.*) Abrus-like. S. America. ——— ——— S. ♄.⌣.
10 macrophy'lla. DC. (*ye.*) large-leaved. Cuba. 1826. ——— S. ♄.⌣.
11 reticulàta. DC. (*ye.*) netted. Jamaica. 1779. 7. 9. S. ♄.⌣.
12 rhombifòlia. DC. (*ye.*) rhomb-leaved. E. Indies. 1815. 5. 8. S. ♄.⌣.
13 medicagínea. DC. (*ye.*) Medick-like. Ceylon. 1826. ——— S. ♄.⌣. Burm. zeyl. 188. t. 88.
14 suavèolens. DC. (*ye.*) sweet-scented. E. Indies. 1816. ——— S. ♄.
15 víscida. DC. (*ye.*) viscous. ——— 1823. 6. 7. S. ♄.⌣.
16 viscòsa. DC. (*ye.*) clammy. ——— 1824. ——— S. ♄.⌣.
17 Fridericiàna. DC. (*ye.*) blunt-leaved. Manilla. 1826. ——— S. ♄.⌣.
18 scarabœoídes. DC. (*ye.*) rough-stemmed. E. Indies. ——— ——— S. ⊙.⌣. Pluk. alm. t. 52. f. 3.
19 biflòra. DC. (*ye.*) two-flowered. E. Indies. 1827. 6. 8. S. ⊙.⌣.
20 angustifòlia. DC. (*ye.*) narrow-leaved. C. B. S. 1795. ——— G. ♄.⌣. Jacq. schœn. 2. t. 231.
21 Tótta. DC. (*ye.*) smooth-stemm'd. ——— 1819. ——— G. ♄.⌣.

FAG'ELIA. DC. FAG'ELIA. Diadelphia Decandria.
bituminòsa. DC. (*ye.*) clammy. C. B. S. 1774. 4. 9. G. ♄.⌣. Bot. reg. t. 261.
Gl'ycine bituminòsa. B.R.

WIST'ERIA. DC. WIST'ERIA. Diadelphia Decandria.
1 frutéscens. DC. (*bl.*) handsome. N. America. 1724. 6. 9. H. ♄.⌣. Bot. mag. t. 2103.
speciòsa. N. *Gl'ycine frutéscens.* B.M. *'Apios frutéscens.* Ph.
2 chinénsis. DC. (*p.bl.*) Chinese. China. 1818. 5. 7. H. ♄.⌣. Swt. br. fl. gar. 3. t. 211.
Gl'ycine chinénsis. Bot. mag. 2083. *sinénsis.* Bot. reg. 650.

'APIOS. DC. 'APIOS. Diadelphia Decandria.
tuberòsa. DC. (*ro.*) tuberous-rooted. N. America. 1640. 8. 9. H. ♃.⌣. Bot. mag. t. 1198.
Gl'ycine 'Apios. B.M.

AMPH'ODUS. B.R. AMPH'ODUS. Diadelphia Decandria.
ovàtus. B.R. (*pu.*) oval-leaved. Trinidad. 1824. 4. 6. S. ♄.⌣. Bot. reg. t. 1101.

PHAS'EOLUS. DC. KIDNEY BEAN. Diadelphia Decandria. L.
1 Caracálla. DC. (*pu.*) Snail-flower. E. Indies. 1690. 8. 9. S. ♃.⌣. Bot. reg. t. 341.
2 tuberòsus. DC. (*ye.*) tuberous-rooted. China. 1825. ——— S. ♃.⌣.
3 perénnis. DC. (*pu.*) perennial. Carolina. 1823. 7. 9. F. ♃.⌣.
4 macrostàchyus. DC. (*pu.*) long-spiked. N. America. 1824. ——— H. ♃.⌣.
5 alàtus. DC. (*pu.*) winged. Carolina. 1732. 7. 8. H. ⊙. Dill. elth. t. 285. f. 303.
6 multiflòrus. DC. (*sc.*) scarlet-runner. S. America. 1633. 6. 10 H. ♃.⌣. Schk. hand. 2. t. 199. a.
α coccíneus. DC. (*sc.*) *scarlet-flowered.* ——— ——— ——— H. ♃.⌣. Moris. his. 52. t. 5. f. 4.
β albiflòrus. DC. (*wh.*) *white-flowered.* ——— .... ——— H. ♃.⌣.
7 vulgàris. DC. (*wh.li.*) common. E. Indies. 1597. 5. 9. H. ⊙.⌣. Lobel. ic. 2. p. 59. ic.
8 compréssus. DC. (*wh.*) white-runner. .... 6. 9. H. ⊙.⌣. Savi. mem. 3. t. 10. f. 20.
9 oblóngus. DC. (*li.*) oblong-seeded. .... ——— H. ⊙.⌣. ——— 3. p. 17. t. 10. f. 14.
10 saponàceus. DC. (*wh.*) spotted-white. .... ——— H. ⊙.⌣. ——— 3. p. 19. t. 10. f. 15.
11 túmidus. DC. (*wh.*) thick-seeded. .... ——— H. ⊙.⌣. ——— 3. p. 19. t. 10. f. 16.
12 hæmatocárpus. DC. (*li.*) red-podded. .... ——— H. ⊙.⌣. ——— 3. p. 20. t. 10. f. 17.
13 sph'æricus. DC. (*li.*) roundish-seeded. .... ——— H. ⊙.⌣. ——— 3. p. 20. t. 10. f. 18.
14 gonospérmus. DC. (*wh.*) angular-seeded. .... ——— H. ⊙.⌣. ——— 3. p. 21. t. 10. f. 19.
15 derásus. DC. (*gr.wh.*) narrow-podded. Brazil. 1823. ——— H. ⊙.⌣. Schk. h. mon. 1. t. 89.
16 lunàtus. DC. (*gr.*) cimeter-podded. E. Indies. 1779. ——— S. ⊙.⌣. Hout. syst. 8. t. 63. f. 1.
17 inæ'quinus. DC. (*gr.wh.*) various-colour'd. Africa. 1794. 7. 8. H. ⊙.⌣. Jacq. vind. t. 66.
18 Xuarèsii. DC. (*gr.wh.*) pointed-leaved. ..... 1823. 6. 9. H. ⊙.⌣.
19 adenánthus. DC. (*wh.bl.*) painted-flower'd. Guiana. 1821. ——— S. ⊙.⌣.
20 macrocárpus. DC. (*wh.*) long-podded. .... ——— H. ⊙.⌣.
21 calcaràtus. H.B. (*li.*) spurred. E. Indies. 1820. 7. 8. S. ♂.⌣.

22	dolichoïdes. H.B.	(*pu.*)	Dolichos-like.	E. Indies.	1820.	7. 8.	S. ♄ ∽.	
23	mínimus. H.B.	(*li.*)	small.	China.	1823.	——	H. ⊙.∽.	
24	angustifòlius. H.B.	(*li.*)	narrow-leaved.	————	1818.	6. 8.	H. ⊙.∽.	
25	microspérmus. DC.	(*pu.*)	small-seeded.	Cuba.	1821.	6. 9.	S. ⊙.	
26	heterophy'llus. DC.	(*re.*)	different-leaved.	Mexico.	1818.	7. 8.	H. ⊙.∽.	
27	aconitifòlius. DC.	(*ye.*)	Aconite-leaved.	E. Indies.	1731.	6. 8.	S. ⊙.∽.	Jacq. obs. 3. t. 52.
28	sublobàtus. H.B.	(*li.*)	lobed-leaved.	————	1820.	——	S. ⊙.∽.	
29	subtrilòbus. L.en.	(*ye.*)	obtuse-lobed.	Brazil.	1818.	——	S. ⊙.∽.	
30	diversifòlius. DC.	(*pu.*)	various-leaved.	N. America.	1806.	6. 8.	H. ⊙.	
31	trilòbus. DC.	(*pu.*)	three-lobed.	E. Indies.	1777.	7. 8.	S. ⊙.	Burm. ind. t. 50. f. 1.
32	angulòsus. DC.	(*bh.*)	angular-stalked.	S. America.	1818.	7. 8.	S. ⊙.∽.	
33	farinòsus. DC.	(*re.*)	mealy.	E. Indies.	1759.	——	S. ♃.∽.	Niss. act. par. 1739. t. 42.
34	stipulàris. DC.	(*ye.*)	large-stipuled.	Peru.	1805.	——	H. ⊙.	
35	mesoleùcus. L.en.	(*wh.*)	Brazilian.	Brazil.	1818.	——	H. ⊙.∽.	
36	bélvolus. DC.	(*ro.*)	pale red.	Carolina.	1732.	——	H. ⊙.∽.	Dill. elth. t. 233. f. 300.
37	vexillàtus. DC.	(*bh.*)	sweet-scented.	————	——	——	H. ⊙.∽.	Jacq. vind. 2. t. 102.
38	Múngo. DC.	(*ye.*)	small-fruited.	E. Indies.	1790.	6. 7.	H. ⊙.	
39	hírtus. W.	(*ye.*)	hairy.	C. B. S.	1818.	7. 8.	H. ⊙.∽.	
40	Hernandèsii. DC.	(*ye.*)	Hernandez.	Mexico.	1824.	——	H. ⊙.	Hern. mex. 887. ic.
41	chrysánthos. DC.	(*ye.*)	golden-flowered.	.....	....	——	H. ⊙.	
42	radiàtus. DC.	(*bh.*)	rayed.	China.	1732.	6. 7.	H. ⊙.	Dill. elth. t. 235. f. 305.
43	scáber. DC.	(*st.*)	rough-podded.	.....	....	6. 9.	H. ⊙.	Moris. ox. s. 2. t. 5. f. 8.
44	lathyroïdes. DC.	(*re.*)	Lathyrus-like.	Jamaica.	1786.	7. 8.	S. ⊙.∽.	Sloan. hist. 1. t. 116. f. 1.
45	semieréctus DC.	(*re.*)	dark-red.	S. America.	1732.	——	S. ⊙.∽.	Bot. reg. t. 743.
46	violàceus. DC.	(*vi. wh.*)	violet-flowered.	Africa ?	....	6. 9.	H. ⊙.	
47	Máx. DC.	(*re.*)	hairy-podded.	E. Indies.	1758.	6. 7.	S. ⊙.	Rumph. amb. 5. t. 140.
48	gláber. H.B.	(*li.*)	smooth.	Mauritius.	1823.	7. 8.	S. ⊙.	
49	toròsus. H.B.	(*li.*)	twisted-podded.	Nepaul.	——	——	H. ⊙.	
S'OJA. DC.			Soy. Diadelphia Decandria.					
	híspida. DC.	(*vi.*)	hispid.	E. Indies.	1790.	7. 8.	S. ⊙.	Jacq. ic. 1. t. 145.
	Dólichos Soja. Jacq. *Sòja japónica.* Savi.							
	β pállida. DC.	(*ye.*)	*pale-flowered.*	————	....	——	S. ⊙.	
DO'LICHOS. DC.			Do'lichos. Diadelphia Decandria. L.					
1	lignòsus DC.	(*ro.*)	woody.	E. Indies.	1776.	7. 8.	S. ♄.∽.	Smith spicil. t. 21.
	β? falcifórmis.	(*ro.*)	*falcate-podded.*	C. B. S.	——	——	G. ♄.∽.	Bot. mag. t. 382.
2	Jacquíni. DC.	(*wh.*)	Jacquin's.	W. Indies.	1822.	7. 9.	S. ♄.∽.	
3	spùrius. DC.	(*pu.*)	spurious.	Guiana.	1826.	——	S. ♄.∽.	
4	tuberòsus. DC.	(*li.*)	tuberous-rooted.	Martinica.	——	——	S. ♄.∽.	Plum. ed. Burm. t. 220.
5	articulàtus. DC.	(*pu.*)	jointed.	St. Domingo.	1828.	——	S. ♄.∽.	
6	hirsùtus. DC.	(*pu.*)	hirsute.	China.	1802.	6. 7.	G. ♄.∽.	Kæmpf. ic. t. 41.
7	pubéscens. DC.	(*st.*)	pubescent.	S. America.	1826.	7. 9.	G. ⊙.∽.	
8	pilòsus. DC.	(*li.*)	hairy-podded.	E. Indies.	1790.	7. 8.	S. ⊙.∽.	
9	tetraspérmus. DC.	(*li.*)	four-seeded.	————	1816.	5. 8.	S. ♂.∽.	
10	capénsis. DC.	(*ye.*)	Cape.	C. B. S.	1818.	——	G. ♃.∽.	
11	falcàtus. DC.	(*li.*)	falcate-podded.	E. Indies.	1820.	7. 8.	S. ♃.∽.	
12	heterophy'llus. DC.	(*pu.*)	various-leaved.	Canaries.	1827.	6. 9.	H. ⊙.∽.	
13	lutèus. DC.	(*ye.*)	yellow-flowered.	Jamaica.	1812.	7. 8.	S. ♃.∽.	
14	biflòrus. DC.	(*li.*)	two-flowered.	E. Indies.	1776.	——	S. ⊙.	Pluk. alm. t. 213. f. 4.
15	Catiáng. DC.	(*pu.*)	small-podded.	————	1798.	——	S. ⊙.	
16	monáchalis. DC.	(*pu.*)	hybrid.	Portugal.	1826.	——	H. ⊙.	
17	sinénsis. DC.	(*fl.*)	Chinese.	China.	1776.	——	H. ⊙.∽.	Rumph. amb. 5. t. 134.
18	niloticus. DC.	(*st.*)	Egyptian.	Egypt.	1828.	——	H. ⊙.∽.	Delil. fl. eg. t. 38. f. 1.
19	Lùbia. DC.	(*bl. wh.*)	cultivated.	————	——	——	H. ⊙.	
20	vexillàtus. DC.	(*st.*)	hispid.	S. America.	....	——	H. ⊙.∽.	Dill. elt. 2. f. 302.
21	lobàtus. DC.	(*li.*)	lobe-leaved.	C. B. S.	1818.	6. 7.	G. ♃.∽.	Hout. syst. 8. t. 64. f. 1.
22	viròsus. H.B.	(*li.*)	virose.	E. Indies.	——	5. 8.	S. ♂.∽.	Rheed. mal. 8. t. 45.
23	gangéticus. H.B.	(*pu.*)	Ganges.	Bengal.	1824.	6. 7.	S. ♃.∽.	
24	glutinòsus. H.B.	(*pu.*)	glutinous.	E. Indies.	1820.	——	S. ♃.∽.	
25	unguiculàtus. DC.	(*li.*)	Bird's-foot.	W. Indies.	1780.	——	S. ⊙.∽.	Jacq. vind. 1. t. 23.
26	tranquebáricus. DC.	(*vi.*)	Tranquebar.	E. Indies.	1801.	6. 7.	S. ⊙.∽.	Jacq. vind. 3. t. 70.
27	melanophthálmus. DC.	(*vi.*)	black-circled.	.....	1822.	7. 9.	H. ⊙.∽.	
28	sesquipedàlis. DC.	(*wh.*)	long-podded.	W. Indies.	1781.	8. 9.	S. ⊙.∽.	Jacq. vind. 1. t. 67.
29	Brunélli. DC.	(*wh.*)	branching.	.....	1826.	6. 9.	S. ⊙.	
30	sphærospérmos. DC.	(*st.*)	round-seeded.	S. America.	1823.	7. 8.	S. ⊙.	Sloan. jam. 1. t. 117.
31	reticulàtus. DC.	(*li.*)	netted-leaved.	N. S. W.	1781.	6. 7.	G. ♄.∽.	
32	phaseoloïdes. H.B.	(*li.*)	Kidney Bean-like.	China.	1823.	7. 8.	G. ♃.∽.	
33	frutéscens. D.P.	(*pu.*)	frutescent.	Nepaul.	1824.	——	G. ♄.	
34	incànus. Wal.	(*pu.*)	hoary.	E. Indies.	1825.	——	S. ⊙.	

VI'GNA. DC. Vi'gna. Diadelphia Decandria.
1 glàbra. DC. (ye.) smooth. America. 1805. 7. 8. H. ⊙.⌣. Jacq. vind. 1. t. 99.
Dólichos luteòlus. Jacq.
2 villòsa. DC. (ye.) villous. Chile. 1826. —— H. ⊙.⌣.
LA'BLAB. DC. La'blab. Diadelphia Decandria.
1 vulgàris. DC. (pu.) common. Egypt. 1694. 6. 7. S. ⊙. Bot. mag. t. 896.
Dólichos Láblab. B.M.
2 purpùreus. DC. (pu.) purple. E. Indies. 1790. 5. 10. S. ♃.⌣. Exot. bot. 2. t. 74.
Dólichos purpùreus. Bot. reg. t. 830.
3 benghalénsis. (wh.) Bengal. Bengal. 1820. 7. 8. S. ♃.⌣. Jacq. vind. 2. t. 124.
4 nankínicus. DC. (wh.) Chinese. China. 1821. —— H. ⊙.⌣. Savi. dis. 1821. f. 8. d-g.
5 leucocárpus. DC. (wh.) white-podded. E. Indies. —— —— S. ⊙.⌣. —————— f. 9. a-d.
6 cultràtus. DC. (wh.) sharp-edged. Japan. 1818. 6. 7. H. ⊙.⌣. Banks ic. kæmpf. t. 25.
7 microcárpus. DC. (pu.) short-podded. E. Indies. 1824. —— S. ⊙.⌣. Rumph. am. 5. t. 141. f. 1.
8 perénnans. DC. (wh.) perennial. China. 1823. 7. 8. H. ⊙.⌣. —————— 5. t. 137.
Dólichos álbus. W.
PACHYRH'IZUS. DC. Pachyrh'izus. Diadelphia Decandria.
1 angulàtus. DC. (vi.) angular-leaved. E. Indies. 1781. 7. 8. S. ♄.⌣. Rumph. amb. 5. t. 132.
Dólichos bulbòsus. L.
2 trilòbus. DC. (pu.) three-lobed. China. 1825. 6. 8. S. ♄.⌣.
PAROCH'ETUS. D.P. Paroch'etus. Diadelphia Decandria.
1 commùnis. D.P. (li.) common. Nepaul. 1827. 6. 8. G. ♃.
2 màjor. D.P. (li.) larger. ———— —— —— G. ♃.
DIOCL'EA. DC. Diocl'ea. Diadelphia Decandria.
Jacquiniàna. DC. (re.) Jacquin's. Martinica. 1826. 6. 9. S. ♄.⌣. Jacq. amer. t. 123.
Dólichos ràber. Jacq.
PSOPHOCA'RPUS. DC. Psophoca'rpus. Diadelphia Decandria.
tetragonólobus. DC. (bl.) square-podded. Mauritius. 1816. 9. 11. S. ⊙. Rumph. amb. 5. t. 133.
Dólichos tetragonólobus. L.
CANAV'ALIA. DC. Canav'alia. Monadelphia Decandria.
1 obtusifòlia. DC. (pu.) blunt-leaved. E. Indies. 1818. 7. 8. S. ♄.⌣. Rheed. mal. 8. t. 43.
Dólichos rotundifòlius. Vahl.
β emarginàta. DC. (pu.) *emarginate.* ———— .... —— S. ♄.⌣. Jacq. schœn. 2. t. 221.
2 gladiàta. DC. (bl.) sabre-podded. ———— 1801. 6. 7. S. ♄.⌣. Jacq. ic. 3. t. 560.
Dólichos gladiàtus. W. *Malócchia gladiàta.* Savi.
3 ensifórmis. DC. (pu.) cimeter-podded. E. Indies. 1778. 7. 8. S. ⊙. Jacq. ic. 3. t. 559.
4 rósea. DC. (ro.) rose-colour'd. Jamaica. 1812. —— S. ♄.
5 bonariénsis. B.R. (pu.) Buenos Ayres. Buenos Ayres. 1826. 6. 10. G. ♄.⌣. Bot. reg. t. 1199.
MUC'UNA. DC. Cow-Itch. Diadelphia Decandria.
1 àrens. DC. (st.) broad-podded. W. Indies. 1691. 6. 7. S. ♄.⌣. Jacq. amer. t. 182. f. 84.
Dólichos àrens. L. *Stizolòbium àrens.* P.S.
2 altíssima. DC. (li.) tallest. Martinica. 1779. 6. 8. S. ♄.⌣. Jacq. amer. t. 182. f. 85.
3 prùriens. DC. (vi.) common. India. 1680. —— S. ♄.⌣. Rheed. mal. 8. t. 85.
Dólichos prùriens. L. *Stizolòbium prùriens.* P.S. *Carpopògon prùriens.* H.B.
4 gigántea. DC. (pa.) gigantic. E. Indies. 1815. 7. 9. S. ♄.⌣. Rheed. mal. 8. t. 36.
5 elliptica. DC. (li.) elliptic-leaved. Peru. 1828. .... G. ♄.⌣.
6 mitis. DC. (li.) oblique-leaved. ———— 1823. 7. 9. G. ♄.⌣.
Negrètia mìtis. R.P.
7 comòsa. DC. (wh.) tufted. Guiana. 1827. —— S. ♄.⌣.
8 monospérma. DC. (li.) one-seeded. E. Indies. 1819. —— S. ♄.⌣.
Carpopògon monospérmum. H.B.
9 atropurpùrea. DC. (d.pu.) dark-purple. ———— 1820. —— S. ♄.⌣.
10 anguínea. (pu.) snake-like. ———— 1822. .... S. ♄.⌣.
Carpopògon anguíneum. Roxb.
11 nívea. DC. (wh.) snowy-white. ———— 1820. 7. 9. S. ⊙.⌣.
12 imbricàta. DC. (pu.) imbricated. ———— 1815. —— S. ♄.⌣.
13 bracteàta. DC. (pu.) bracteate. ———— 1822. —— S. ♄.⌣.
14 càpitàta. (pu.) headed. ———— —— 8. 11. S. ⊙.⌣.
Carpopògon capitàtum. H.B.
PHYLLOL'OBIUM. DC. Phyllol'obium. Diadelphia Decandria. S.S.
1 chinénse. DC. (wh.) Chinese. China. 1818. 6. 8. G. ♃.
2 zanzibarénse. Boj. .. Zanzibar. Zanzibar. 1825. .... S. ♄.
CAJ'ANUS. DC. Pigeon Pea. Diadelphia Decandria.
1 bícolor. DC. (ye.pu.) two-coloured. E. Indies. 1687. 7. 8. S. ♄. Jacq. vind. 2. t. 119.
Cytisus pecìdo-cájan. Jacq.
2 flàvus. DC. (ye.) yellow-flowered. ———— —— —— S. ♄. Jacq. obs. 1. t. 1.
Cytisus Cájan. L.
LUP'INUS. DC. Lupine. Monadelphia Decandria.
1 álbus. DC. (wh.) white. Levant. 1596. 7. 8. H. ⊙. Blackw. herb. t 282.

2	Térmis. DC.	(*wh.bl.*)	Egyptian.	Egypt.	1802.	6. 7.	H. ⊙.	
3	vàrius. DC.	(*bl.*)	variable.	S. Europe.	1596.	7. 9.	H. ⊙.	
4	hirsùtus. DC.	(*bl.*)	blue-flowered.	———	1629.	——	H. ⊙.	J. Baah. his. 2. p. 289. ic.
5	bracteolàris. DC.	(*bl.*)	bracteolate.	Monte Video.	1828.	——	H. ⊙.	
6	pilòsus. DC.	(*ro.*)	rose.	S. Europe.	1710.	——	H. ⊙.	
7	angustifòlius. DC.	(*bl.*)	narrow-leaved.	———	1686.	——	H. ⊙.	Knor. del. 2. t. L. 7.
8	linifòlius. DC.	(*bl.*)	Flax-leaved.	.....	1790.	——	H. ⊙.	Roth. abhand. 14. t. 5.
9	lùteus. DC.	(*ye.*)	yellow.	S. Europe.	1596.	——	H. ⊙.	Bot. mag. t. 140.
	β sulphùreus.	(*st.*)	*straw-coloured.*	———	——	——	H. ⊙.	
10	microcárpus. DC.	(*bl.*)	small-podded.	Chile.	1822.	4. 6.	H. ⊙.	Bot. mag. t 2413.
11	micránthus. B.R.	(*pu.*)	small-flowered.	Columbia.	1827.	5. 7.	H. ⊙.	Bot. reg. t. 1251.
12	áridus. B.R.	(*bl.pu.*)	arid.	———	——	6. 9.	H. ♂.	——— t. 1242.
13	bícolor. B.R.	(*bl.wh.*)	two-coloured.	———	——	5. 10.	H. ♃.	——— t. 1109.
14	lépidus. B.R.	(*bl.li.*)	lively.	———	——	7. 10.	H. ♃.	——— t. 1149.
15	laxiflòrus. B.R.	(*bl.pi.*)	lax-flowered.	———	——	8. 10.	H. ♃.	——— t. 1140.
16	littoràlis. B.R.	(*pu.bl.*)	shore.	———	——	6. 10.	H. ♃.	——— t. 1198.
17	ornàtus. B.R.	(*bl.*)	adorned.	———	——	5. 11.	H. ♃.	——— t. 1216.
18	plumòsus. B.R.	(*bl.*)	feathered.	———	——	——	H. ♃.	——— t. 1217.
19	Sabìni. D.	(*bl.*)	Sabine's.	———	——	6. 10.	H. ♃.	
20	mexicanus. DC.	(*bl.*)	Mexican.	Mexico.	1819.	7. 9.	F. ♃.	Bot. reg. t. 457.
21	perénnis. DC.	(*bl.*)	smooth perenial.	N. America.	1658.	5. 8.	F. ♃.	Bot. mag. t. 202.
	β albiflòrus.	(*wh.*)	*white-flowered.*	———	1817.	——	F. ♃.	
22	polyphy'llus. B.R.	(*bl.*)	many-leaved.	Columbia.	1827.	——	H. ♃.	Bot. reg. t. 1096.
23	leucophy'llus. B.R.	(*pu.*)	white-leaved.	———	——	6. 8.	H. ♃.	——— t. 1124.
24	nootkatènsis. DC.	(*bl.*)	hairy perennial.	Nootka sound.	1794.	——	H. ♃.	——— t. 1311.
	β variàbilis.	(*va.*)	*variable coloured.*	———	——	——	H. ♃.	——— t 2136.
25	variegàtus. F.	(*v.*)	variegated.	Silka.	1828.	——	H. ♃.	
26	argyræus. DC.	(*bl.*)	silvery-leaved.	.....	——	——	F. ♃.	
27	arbústus. B.R.	(*pu.*)	half-shrubby.	California.	1827.	6. 9.	F. ♄.	Bot. reg. 1230.
28	canaliculàtus. B.F.G.	(*bl.*)	channel-l^d.	BuenosAyres.	1828.	6. 9.	H. ♄.	Swt. br. fl. gar. t. 283.
29	versícolor. B.F.G.	(*v.*)	various-colour'd.	Mexico.	1828.	——	H. ♄.	——— ser. 2. t. 12.
30	tomentòsus. DC.	(*va.*)	woolly.	Peru.	1826.	6. 10.	H. ♄.	Swt. br. fl. gar. t. 261.
31	arbòreus. DC.	(*ye.*)	tree.	S. America.	1793.	7. 9.	H. ♄.	Bot. mag. t. 682.
32	mutàbilis. B.F.G.	(*wh.y.*)	changeable.	Begota.	1825.	——	F. ♄.	Swt. br. fl. gar. t. 130.
33	villòsus. DC.	(*pu.*)	simple-leaved.	Carolina.	1787.	——	F. ♃.	Pursh. fl. amer. 2. t. 21.

CYLI'STA. DC. CYLI'STA. Diadelphia Decandria.

1	scariòsa. DC.	(*bk.*)	rough.	E. Indies.	1806.	4. 6.	S. ♄. ⌣.	Roxb. corom. 1. t. 92.
2	tomentòsa. DC.	(*ye.*)	tomentose.	———	1818.	——	S. ♄. ⌣.	——— t. 221.
3	albiflòra. DC.	(*wh.*)	white-flowered.	Mauritius.	....	4. 5.	S. ♄. ⌣.	Bot. mag. t. 1859.
4	villòsa. DC.	(*wh.*)	hairy.	C. B. S.	1776.	4. 6.	G. ♄. ⌣.	Andr. rep. t. 446.

Dólichos hírtus. A.R.

ERYTHR'INA. DC. CORAL-TREE. Diadelphia Decandria. L.

1	herbàcea. DC.	(*sc.*)	herbaceous.	Carolina.	1724.	6. 9.	G. ♄.	Bot. mag. t. 877.
2	cárnea. DC.	(*fl.*)	flesh-coloured.	Vera Cruz.	1733.	5. 6.	G. ♄.	Trew. ehr. 2. t. 8.
	β pubéscens.	(*fl.*)	*pubescent-leaved.*	———	——	——	G. ♄.	Bot. reg. t. 389.
3	Corallodéndron. DC.	(*sc.*)	common.	W. Indies.	1690.	——	S. ♄.	Comm. h. ams. 1. t. 106.
4	enneándra. DC.	(*sc.*)	nine-anthered.	.....	....	——	S. ♄.	Jacq. schœn. 4. t. 466.
	velutìna. Jacq. *non* W.							
5	macrophy'lla. DC.	(*sc.*)	large-leaved.	.....	1816.	——	S. ♄.	
6	mìtis. DC.	(*sc.*)	smooth-stem'd.	Caracas.	1818.	6. 8.	S. ♄.	Jacq. schœn. 2. t. 216.
7	poíanthes. DC.	(*sc.*)	crowded-flower'd.	.....	1626.	4. 6.	S. ♄.	Bot. reg. t. 1246.
8	secundiflòra. DC.	(*sc.*)	side-flowering.	Brazil.	1818.	——	S. ♄.	Linn. trans. 14. t. 12.
9	speciòsa. DC.	(*sc.*)	large-flowered.	W. Indies.	1805.	5. 10.	S. ♄.	Andr. rep. t. 443.
10	umbròsa. DC.	(*sc.*)	deltoid-leaved.	Caracas.	1824.	....	S. ♄.	
11	Humeàna. s.s.	(*sc.*)	Sir A. Hume's.	C. B. S.	1818.	5. 6.	S. ♄.	Bot. mag. t. 2431.
	cáffra. Bot. reg. t. 736. *non Thunb.*							
12	cáffra. Th.	(*pu.*)	Cape-tree.	———	1816.	....	S. 5.	
13	fúlgens. DC.	(*sc.*)	fulgent.	E. Indies.	1801.	5. 10.	S. ♄.	
14	arboréscens. DC.	(*cr.*)	arborescent.	Nepaul.	1818.	....	S. ♄.	Roxb. corom. 3. t. 219.
15	índica. DC.	(*sc.*)	Indian.	E. Indies.	1814.	5. 6.	S. ♄.	Rheed. mal. 6. t. 7.
16	pícta. DC.	(*cr.*)	prickly-leaved.	———	1696.	5. 10.	S. ♄.	Rumph. amb. 2. t. 77.
17	aculeatíssima. Df.	(*sc.*)	very prickly.	.....	1816.	——	S. ♄.	
18	velutìna. DC.	(*sc.*)	velvetty.	Caracas.	1824.	....	S. ♄.	
19	fúsca. DC.	(*br.re.*)	red-brown.	China.	1800.	....	S. ♄.	Rumph. amb. 2. t. 78.
20	laurifòlia. Jacq.	(*sc.*)	Laurel-leaved.	Brazil.	....	5. 10.	H. ♄.	Swt. br. fl. gar. t. 142.
21	crista-gálli. DC.	(*sc.*)	Cockscomb.	———	1771.	6. 10.	H. ♄.	——— t. 1214.
22	nervòsa. DC.	(*sc.*)	nerved-leaved.	———	1824.	——	S. ♄.	
23	glaùca. DC.	(*sn.*)	glaucous.	Caracas.	——	....	S. ♄.	
24	piscidioídes. DC.	(*sc.*)	Piscidia-leaved.	E. Indies.	1800.	....	S. ♄.	

25 incàna. W.	(*sc.*)	hoary.	.....	1820.	6. 8.	S. ♄.		
26 lithospérma. W.H.	....	stony-seeded.	N. Holland.	1824.	....	S. ♄.		
27 arbòrea. D.L.	....	tree.	Trinidad.	1822.	....	S. ♄.		
28 stricta. H.B.	(*sc.*)	upright.	E. Indies.	1816.	4. 6.	S. ♄.		
29 ovalifòlia. H.B.	....	oval-leaved.	———	——	....	S. ♄.		
30 suberòsa. H.B.	....	cork-barked.	———	1818.	....	S. ♄.		
31 resupinàta. H.B.	....	resupinate.	———	1822.	....	S. ♄.		
32 abyssínica. DC.	....	Abyssinian.	Africa.	1820.	....	S. ♄.		
RUDO'LPHIA. DC.		RUDO'LPHIA.	Diadelphia Decandria.					
1 volùbilis. DC.	(*sc.*)	twining.	Portorico.	1820.	....	S. ♄.◡.	Vahl ecl. 3. t. 30.	
2 portoricénsis.	(*sc.*)	Portorico.	———	1820.	....	S. ♄.◡.		
Erythrìna portoricénsis. Df.								
3 dùbia. DC.	(*sc.*)	doubtful.	S. America.	1815.	....	S. ♄.◡.	H. et B. n. gen. 6. t. 591.	
B'UTEA. DC.		B'UTEA.	Diadelphia Decandria.					
1 frondòsa. DC.	(*sc.*)	downy-branch'd.	E. Indies.	1796.	....	S. ♄.	Roxb. corom. 1. t. 21.	
2 supérba. DC.	(*sc.*)	smooth-branch'd.	———	1798.	....	S. ♄.	———v. 1. t. 22.	
3 parviflòra. DC.	(*sc.*)	small-flowered.	Coromandel.	1820.	....	S. ♄.		

Tribus VI. *DALBERGIEÆ.* DC. prod. 2. p. 415.

DE'RRIS. DC.		DE'RRIS.	Monadelphia Decandria.					
trifoliàta. DC.	(*wh.*)	three-leaved.	China.	1826.	4. 6.	G. ♄.◡.		
PONG'AMIA. DC.		PONG'AMIA.	Monadelphia Decandria.					
1 glàbra. DC.	(*wh.*)	smooth-leaved.	E. Indies.	1699.	6. 8.	S. ♄.	Vent. malm. t. 28.	
2 ellíptica.	(*wh.*)	elliptic-leaved.	———	1820.	——	S. ♄.◡.		
Galedùpa elliptica. H.B.								
3 chinénsis. DC.	(*ye.*)	Chinese.	China.	1827.	——	S. ♄.		
4 uliginòsa. DC.	....	marsh.	E. Indies.	——	....	S. ♄.◡.		
5 piscídia.	....	Piscidia-leaved.	———	1816.	....	S. ♄.		
Galedùpa piscídia. H.B.								
6 marginàta. H.B.	....	margined.	———	1824.	....	S. ♄.◡.		
DALBE'RGIA. DC.		DALBE'RGIA.	Mono-Diadelphia Decandria.					
1 ougeinénsis. DC.	(*wh.*)	Hindoo.	E. Indies.	1828.	....	S. ♄.		
2 latifòlia. DC.	(*wh.*)	broad-leaved.	———	1811.	....	S. ♄.	Roxb. corom. 2. t. 113.	
3 Sissoò. DC.	(*wh.*)	large.	———	1823.	....	S. ♄.		
4 rubiginòsa. DC.	(*wh.*)	rusty.	———	1811.	6. 8.	S. ♄.◡.	Roxb. corom. 2. t. 115.	
5 robùsta. DC.	(*wh.*)	robust.	———	——	....	S. ♄.		
6 scándens. DC.	(*ro.*)	scandent.	———	——	5. 7.	S. ♄.◡.	Roxb. corom. 2. t. 192.	
7 volùbilis. DC.	(*wh.*)	twining.	———	1820.	——	S. ♄.◡.	———v. 2. t. 191.	
8 frondòsa. DC.	(*wh.*)	frondose.	———	1818.	....	S. ♄.		
9 paniculàta. DC.	(*wh.*)	panicled.	———	1811.	....	S. ♄.	Roxb. corom. 2. t. 114.	
10 emarginàta. H.B.	(*wh.*)	emarginate.	———	1823.	....	S. ♄.		
11 zeylànica. H.B.	(*wh.*)	Ceylon.	Ceylon.	1816.	....	S. ♄.		
12 marginàta. H.B.	(*wh.*)	margined.	E. Indies.	1820.	5. 7.	S. ♄.◡.		
13 tamarindifòlia. H.B.	(*wh.*)	Tamarind-leav'd.	———	——	....	S. ♄.◡.		
14 stipulàcea. H.B.	(*wh.*)	stipuled.	———	——	6. 8.	S. ♄.		
15 rimòsa. H.B.	(*wh.*)	rimose.	———	1824.	....	S. ♄.		
16 alàta. H.B.	(*wh.*)	winged.	———	1823.	....	S. ♄.		
17 Crówei. DC.	(*wh.*)	Silhet.	———	——	....	S. ♄.		
PTEROCA'RPUS. DC.		PTEROCA'RPUS.	Mono-Diadelphia Decandria.					
1 Dráco. DC.	(*ye.*)	officinal.	S. America.	1818.	....	S. ♄.	Jacq. amer. t. 183. f. 92.	
officinàlis. Jacq. *hemiptera.* Gært.								
2 suberòsus. DC.	(*ye.*)	corky.	Guiana.	1826.	....	S. ♄.	Aubl. guian. 2. t. 299.	
3 Marsùpium. DC.	(*st.*)	leathery-leaved.	E. Indies.	1811.	....	S. ♄.	Roxb. corom. 2. t. 116.	
4 dalbergioídes. DC.	(*ye.*)	Andaman red-wood.	——	1820.	....	S. ♄.		
5 índicus. DC.	(*ye.*)	Indian.	———	1818.	....	S. ♄.		
6 santalìnus. DC.	(*ye.*)	red sandal wood.	———	1800.	....	S. ♄.		
7 santalinoídes. DC.	(*ye.*)	African.	Sierra Leon.	1826.	....	S. ♄.		
8 flàvus. DC.	(*ye.*)	yellow-barked.	China.	——	....	S. ♄.	Rumph. amb. 3. t. 117.	
9 scándens. DC.	(*vi.*)	climbing.	Caracas.	1822.	6. 8.	S. ♄.◡.		
Americanum scándens. W.								
DREPANOCA'RPUS.		DREPANOCA'RPUS.	Monadelphia Decandria.					
lunàtus. DC.	(*wh.*)	crescent-podded.	S. America.	1792.	....	S. ♄.	Plu. ed. Burm. t. 201. f. 2.	
Pterocárpus lunàtus. L. *Pterocárpus ápterus.* Gært. fruct. t. 156.								

ECASTAPHY'LLUM. DC. Ecastaphy'llum. Diadelphia Octo-Decandria.
Brównei. DC. (*wh.*) Browne's. W. Indies. 1733. 6. 8. S. ♄.⌣. Brown. jam. t. 33. f. 1.
Pterocárpus Ecastaphy'llum. L.
AMERI'MNUM. DC. Ameri'mnum. Monadelphia Decandria.
Brównei. DC. (*wh.*) Browne's. W. Indies. 1793. 6. 8. S. ♄. Brown. jam. 266. t. 33. f. 3
BR'YA. DC. Br'ya. Monadelphia Decandria.
E'benus. DC. (*ye.*) Jamaica Ebony. W. Indies. 1713. 7. 8. S. ♄. Brown. jam. t. 31. f. 2.

Subordo II.—*Tribus* VII. SWARTZIEÆ. DC. prodr. 2. p. 422.

SWA'RTZIA. DC. Swa'rtzia Monadelphia Dec-Polyandria.
1 simplicifòlia. DC. (*ye.*) simple-leaved. W. Indies. 1822. .... S. ♄.
Rittera simplex. Vahl. *Péssira simplex.* Swartz.
2 grandiflòra. DC. (*ye.*) great-flowered. Trinidad. 1822. .... S. ♄. Vahl. pl. am. dec. 1. t. 9.
3 pinnàta. DC. (*ye.*) wing-leaved. ——— 1820. .... S. ♄. Corr. an. mus. 9. t. 24. f. 2.
4 tomentòsa. DC. (*ye.*) woolly. Cayenne. 1826. .... S. ♄. Aubl. guian. 2. t. 307.
BA'PHIA. DC. Ba'phia. Decandria Monogynia.
nítida. DC. (*wh.*) glossy. Sierra Leone. .... 5. 9. S. ♄. Lodd. bot. cab. t. 367.

Subordo III.—*Tribus* VIII. MIMOSEÆ. DC. prodr. 2. p. 424.

ENTADA. DC. Ent'ada. Polygamia Monœcia.
1 Gigalòbium. DC. (*wh.*) West Indian. W. Indies. 1760. 4. 6. S. ♄.⌣.
2 Purs'ætha. DC. (*wh.*) East Indian. E. Indies. —— —— S. ♄.⌣. Rumph. amb. 5. t. 4.
Parràna. S.S. *Acàcia scándens.* W. *Mimòsa scándens.* L.
3 monostàchya. DC. (*wh.*) single-spiked. ——— —— —— S. ♄.⌣. Rheed. mal. 9. t. 77.
Rheèdii. S.S. *Mimòsa Entàda.* W.
4 polystàchya. DC. (*wh.*) many-spiked. W. Indies. 1816. 4. 9. S. ♄.⌣. DC. leg. mem. t. 61—63.
MIMOSA. DC. Sensitive-plant. Polygamia Monœcia. L.
1 sensitiva. DC. (*ro.*) true. Brazil. 1648. 4. 9. S. ♄. Botan. regist. t. 25.
2 obtusifòlia. DC. (*ru.*) blunt-leaved. ——— 1816. —— S. ♄.
3 strigòsa. DC. (*ro.*) strigose. S. America. 1822. —— S. ♄.
4 floribúnda. DC. (*ru.*) many-flowered. Cumana. 1824. 6. 7. S. ♄.
5 víva. DC. (*ro.*) lively. Jamaica. 1739. 7. 9. S. ¼. Sloan. his. 2. t. 183. f. 7.
6 polycárpa. DC. (*ro.*) many-podded. Peru. 1816. —— S. ♄. Kth. mim. p. 8. t. 3.
7 púdica. DC. (*ru.*) humble-plant. Brazil. 1638. 4. 9. S. ♄. Bot. reg. v. 11. t. 941.
8 pudibúnda. DC. (*ro.*) fringe-stipuled. ——— 1822. —— S. ♄.
9 polydáctyla. DC. (*ro.*) many-fingered. Demerara. 1824. —— S. ♄. Kth. mim. p. 14. t. 5.
10 hamàta. DC. (*ro.*) hooked. E. Indies. 1820. 4. 9. S. ♄.
11 intermèdia. DC. (*ro.*) intermediate. Caracas. 1825. —— S. ♄. Kth. mim. p. 16. t. 6.
12 víscida. DC. (*ro.*) viscid Brazil. —— —— S. ♄.
13 canéscens. DC. (*wh.*) canescent. Guinea. 1826. —— S. ♄.
14 híspida. DC. (*wh.*) hispid. Caracas. 1824. 6. 9. S. ♄.
15 ciliàta. DC. (*wh.*) ciliated. Brazil. —— —— S. ♄.
16 polyacántha. DC (*wh.*) many-spined. Africa. 1828. —— S. ♄. Bruce itin. 5. t. 7.
17 asperàta. DC. (*wh.*) various spined. W. Indies. 1822. 6. 7. S. ♄. DC. leg. mem. t. 69.
18 pígra. L. (*wh.*) straight-spined. Vera Cruz. 1733. —— S. ♄. Mill. ic. 2. t. 189. f. 2.
19 Sicària. DC. (*wh.*) subulate-spined. Brazil. 1828. —— S. ♄.
20 rubicaúlis. DC. (*st.*) Bramble-stalk'd. E. Indies. 1799. 6. 7. S. ♄. Roxb. corom. 3. t. 260.
octándra. R.C. *spinostíliqua.* Rottler. *Rottleri.* S.S.
21 Ceratònia. DC. (*wh.*) round-leaved. St. Domingo. 1800. .... S. ♄. Plum. ed. Burm. 17. t. 8.
Acàcia Ceratònia. W.
22 cásta. DC. (*wh.*) chaste. E. Indies. 1741. 6. 8. S. ♄. Comm. hort. 1. t. 20.
23 angulàta. S.S. (*wh.*) angular-stalked. Brazil. 1826. —— S. ♄.
24 latispinòsa. S.S. (*ye.*) broad-spined. Madagascar. 1822. —— S. ♄.
25 Barclayàna. .... Mr. Barclay's. ——— —— .... S. ♄.
26 brasiliènsis. S.S. (*wh.*) Brazilian. Brazil. 1824. 6. 8. S. ♄.
27 abstérgens. S.S. (*ro.*) spotted-stalked. E. Indies. 1818. —— S. ♄.
28 ferruginea. S.S. (*ro.*) ferruginous. ——— —— —— S. ♄.

GAGNEB'INA. DC. GAGNEB'INA. Decandria Monogynia.
1 tamaricína. DC. (st.) Tamarisk-like. Mauritius. 1824. .... S. ♄. DC. leg. mem. t. 64. f. B.
Acácia tamaricína. W. *Mimósa tamaricína.* Lam. Pluk. t. 329. f. 3.
2 axillàris. DC. (st.) axillary-spiked. Mauritius. 1822. .... S. ♄. DC. leg. mem. t. 64. f. A.
ERYTHROPHL'EUM. B. RED-WATER-TREE. Decandria Monogynia.
leonénse. G.D. .... Sierra Leone. Sierra Leone. 1822. .... S. ♄.
PA'RKIA. B. PA'RKIA. Monadelphia Decandria.
africàna. B. (cr.) African. Africa. 1822. 6. 8. S. ♄. Beauv. fl. ow. 2. t. 90.
Inga bigiobósa. DC. *Mimósa bigiobósa.* Jacq. amer. t. 179. f. 87.
I'NGA. DC. I'NGA. Polygamia Monœcia.
1 quassiæfólia. DC. (wh.) Quassia-leaved. Brazil. 1820. .... S. ♄.
2 pilosiúscula. DC. (wh.) glossy-leaved. Cayenne. 1827. .... S. ♄. Vahl. ecl. 3. t. 24.
Mimósa líneida. Vahl.
3 setífera. DC. (wh.) setiferous. Guiana. 1824. .... S. ♄.
4 álba. DC. (wh.) white. Cayenne. 1804. 7. 8. S. ♄.
5 Feuillèi. DC. (wh.) Feuillee's. Peru. 1824. —— S. ♄. Feuil. obs. 3. p. 2. t. 19.
6 fastuósa. DC. (re.) villous-flower'd. Caracas. 1820. .... S. ♄. Jacq. fragm. t. 10.
Mimósa fastuósa. Jacq.
7 saponoídes. DC. (wh.) Soap-berry-like. —— 1826. .... S. ♄.
8 spúria. DC. (wh.) spurious. Cumana. 1823. 7. 8. S. ♄. Kth. mim. 39. t. 12.
9 vera. DC. (wh.) sweet-fruited. S. America. 1739. —— S. ♄. Sloan. his. t. 188. f. 1.
Mimósa Inga. L.
10 rhoifólia. DC. (wh.) Rhus-leaved. Brazil. 1815. —— S. ♄.
11 Bourgòni. DC. (st.) Beech-leaved. W. Indies. 1752. —— S. ♄. Aubl. guian. 2. t. 358.
marginàta. W. *Mimósa fagifólia.* L. *non* Jacq.
12 marginàta. DC. .... margined. Caracas. —— —— S. ♄.
13 laurina. DC. (wh.) Laurel-leaved. —— 1768. 8. 5. S. ♄.
14 punctàta. DC. (wh.) white-spotted. —— 1818. —— S. ♄. Jacq. amer. t. 164.
Mimósa fagifólia. Jacq. *non* L.
15 splèndens. DC. (wh.) shining-leaved. —— 1825. .... S. ♄.
16 nodósa. DC. (wh.) knobbed. Ceylon. 1690. 4. 6. S. ♄. Pluk. alm. t. 211. f. 5.
17 microphy'lla. DC (wh.) small-leaved. Cumana. 1815. .... S. ♄.
18 dúlcis. DC. (wh.) Sappan fruit. E. Indies. 1800. 5. 7. S. ♄. Roxb. corom. 1. t. 99.
19 U'nguis-càti. DC. (wh.) four-leaved. W. Indies. 1690. 4. 6. S. ♄. Jacq. schœn. 2. t. 34.
20 mellífera. DC. (wh.) honey-bearing. Arabia. 1820. .... S. ♄.
21 ligustrina. DC. (wh.) Privet-leaved. Caracas. —— .... S. ♄. Jacq. frag. t. 32. f. 5.
22 fœtida. DC. (wh.) strong-smelling. W. Indies. 1818. .... S. ♄. Jacq. schœn. 3. t. 300.
23 tergémina. DC. (ps.) trifoliolate. Martinica. —— 4. 6. S. ♄. Jacq. amer. t. 177. f. 81.
24 emarginàta. DC. (re.) emarginate. Mexico. 1825. .... S. ♄. Kth. mim. 54. t. 17.
25 latifólia. DC. (ro.) broad-leaved. —— 1768. 8. 5. S. ♄. Plum. ed. Burm. t. 9.
26 circinàlis. DC. (sc.) spiral-podded. W. Indies. 1726. 4. 6. S. ♄. Catesb. car. 2. t. 97.
27 purpùrea. DC. (pu.) Soldier-wood. —— 1733. 8. 5. S. ♄. Bot. reg. t. 129.
Mimósa purpùrea. Andr. reposit. t. 372.
28 xylocárpa. DC. (wh.) woody-podded. E. Indies. 1822. 4. 7. S. ♄. Roxb. corom. 1. t. 100.
29 bigémina. DC. (wh.) two-paired. —— 1823. —— S. ♄. Rheed mal. 6. t. 12.
30 Jiringa. DC. (wh.) twisted-podded. —— 1828. .... S. ♄.
31 comósa. DC. (wh.) tufted. Jamaica. 1820. 4. 6. S. ♄.
32 cyclocárpa. DC. (wh.) shell-podded. Caracas. 1826. .... S. ♄. Jacq. fragm. t. 34. f. 1.
33 Samán. DC. .... linear-podded. Jamaica. —— .... S. ♄. —— t. 9.
34 coromandèlina. DC. (wh.) Coromandel. E. Indies. 1818. .... S. ♄.
35 pulchérrima. Cerv. (pu.) handsome. Mexico. 1822. .... S. ♄.
ANNESLE'IA. P.L. ANNESLE'IA. Monadelphia Polyandria.
1 grandiflòra. (cr.) large-flowered. Mexico. 1760. 6. 9. S. ♄. Andr. reposit. t. 592.
Mimósa grandiflòra. A.R. *Acácia grandiflòra.* W. *Inga anómala.* Kth. mim. t. 22.
2 Houstòni. (cr.) Houstoun's. Vera Cruz. 1729. 9. 11. S. ♄. Bot. reg. t. 98.
falciflia. Sal. par. lond. 64. *Acácia Houstòni.* W. *Inga? Houstòni.* DC.
SCHRA'NKIA. DC. SCHRA'NKIA. Polygamia Monœcia.
1 aculeàta. DC. (ro.) prickly. Vera Cruz. 1733. 7. 8. S. ♃. Mill. ic. 1. t. 182. f. 1.
2 leptocárpa. DC. (ro.) slender-podd'd. St. Domingo. 1827. —— S. ♃.
3 uncinàta. DC. (ro.) hooked. N. America. 1789. —— H. ♃. Vent. choix. t. 28.
DARLINGTO'NIA. DC. DARLINGTO'NIA. Pentandria Monogynia.
1 brachylòba. DC. (wh.) short-podded. N. America. 1803. 9. 10. H. ♃. DC. leg. mem. t. 66.
2 glandulósa. DC. (wh.) glandular. —— 1806. —— F. ♄. Vent. choix. t. 27.
Mimósa glandulósa. M.
DESMA'NTHUS. DC. DESMA'NTHUS. Polygamia Monœcia.
1 lacústris. DC. (st.) marsh. S. America. 1826. 6. 8. S. *w.* ⊙. H. et B. pl. æq. 1. t. 16.
2 nátans. DC. (ye.) floating. China. 1800. 7. 9. S. *w.* ⊙. Andr. reposit. t. 629.
3 polyphy'llus. DC. (wh.) many-leaved. ..... 1826. —— S. *w.* ⊙.
4 triquètrus. DC. (wh.) triquetrous. E. Indies. 1823. —— S. *w.* ⊙.

5	plènus. DC.	(ye.)	double-yellow.	Vera Cruz.	1733.	7. 9.	S. w. ☉.		Mill. ic. t. 189. f. 2.
6	deprèssus. DC.	(wh.)	depressed.	W. Indies.	1828.	....	S. ♄.		Kth. mim. p. 115. t. 35.
7	diffùsus. DC.	(wh.)	prostrate.	———	1731.	7. 9.	S. ♄.		Pluk. alm. t. 307. f. 3.
8	virgàtus. DC.	(wh.)	twiggy.	E. Indies.	1774.	——	S. ♄.		Jacq. vind. 1. t. 80.
9	stríctus. DC.	(wh.)	upright.	Caribees.	1827.	——	S. ♄.		
10	punctàtus. DC.	(wh.)	spotted-stalked.	Jamaica.	1636.	——	S. ♂.		Comm. hort. 1. t. 31.
11	divérgens. DC.	(ye.)	prickly.	Abyssinia.	1816.	6. 7.	S. ♄.		Bruce itin. 5. t. 6.
12	callistáchys. DC.	(ro.ye.)	pretty-spiked.	.....	1820.	——	S. ♄.		
13	cinèreus. DC.	(ro.ye.)	ash-coloured.	E. Indies.	1739.	——	S. ♄.		Roxb. corom. 2. t. 174.
	Mimòsa cinèrea. R.C.								
14	nùtans. DC.	(ro.ye.)	nodding.	Senegal.	1826.	——	S. ♄.		

ADENANTH'ERA. DC. BASTARD FLOWER-FENCE. Decandria Monogynia.

1	pavonìna. DC.	(st.)	pale-pellow.	E. Indies.	1759.	5. 8.	S. ♄.		Rumph. amb. 3. t. 109.
2	falcàta. DC.	(ye.)	woolly-leaved.	———	1812.	——	S. ♄.		——— 3. t. 111.

PR'OSOPIS. DC. PR'OSOPIS. Polygamia Monœcia.

1	spicígera. DC.	(ye.)	eatable-podded.	E. Indies.	1812.	6. 7.	S. ♄.		Roxb. corom. 1. t. 68.
2	Adenanthèra. DC.	(ye.)	prickly.	Coromandel.	1821.	....	S. ♄.		
	Adenanthèra aculeàta. H.B.								
3	hórrida. DC.	(wh.)	long-spined.	S. America.	1826.	....	S. ♄.		Kth. mim. p. 106. t. 33.
4	dúlcis. DC.	(wh.)	sweet-podded.	New Spain.	1824.	....	S. ♄.		——— p. 110. t. 34.
5	siliquástrum. DC.	(wh.)	falcate-podded.	Chile.	1827.	....	S. ♄.		
6	cumanénsis. DC.	(wh.)	Cumana.	Cumana.	1824.	....	S. ♄.		
7	domingénsis. DC.	(wh.)	St. Domingo.	St. Domingo.	1826.	....	S. ♄.		
8	juliflòra. DC.	(ye.)	long-spiked.	Jamaica.	1793.	5. 6.	S. ♄.		
	Acàcia juliflòra. W. *Mimòsa juliflòra.* Swartz.								

LAGONY'CHIUM. DC. LAGONY'CHIUM. Decandria Monogynia.

	Stephaniànum. DC.		Stephan's.	Levant.	1821.	....	H. ♄.		Breyn. cent. 1. t. 56. f. 4.

AC'ACIA. DC. AC'ACIA. Polygamia Monœcia.

1	alàta. DC.	(ye.)	wing-stalked.	N. Holland.	1803.	4. 7.	G. ♄.		Bot. reg. 396.
2	dolabriformis. DC.	(ye.)	hatchet-leaved.	———	1818.	4. 6.	G. ♄.		
3	decípiens. DC.	(ye.)	paradoxical.	———	1803.	3. 6.	G. ♄.		Bot. mag. t. 1745.
4	biflòra. DC.	(ye.)	two-flowered.	———	——	——	G. ♄.		Wendl. dis. n. 3. t. 2.
5	hastulàta. DC.	(ye.)	hastulate.	———	1824.	4. 6.	G. ♄.		
6	nervòsa. DC.	(ye.)	nervose.	———	——	——	G. ♄.		
7	paradóxa. DC.	(ye.)	wave-leaved.	———	1818.	3. 6.	G. ♄.		Wendl. dis. n. 4. t. 3.
	undulàta. Bot. reg. t. 843.								
8	ornithóphora. S. F. A.	(ye.)	Bird-leaved.	———	1825.	4. 6.	G. ♄.		Swt. fl. aust. t. 24.
9	armàta. DC.	(ye.)	armed.	———	1803.	——	G. ♄.		Bot. mag. t. 1653.
10	hy'brida.	(ye.)	Whitley's mule.	Hybrid.	1822.	3. 6.	G. ♄.		Lodd. bot. cab. 1342.
11	genistifòlia. DC.	(ye.)	Genista-leaved.	N. Holland.	1820.	——	G. ♄.		
12	juniperina. DC.	(st.)	Juniper-leaved.	N. S. W.	1790.	——	G. ♄.		Vent. malm. t. 64.
	ulicifòlia. Wendl. coll. 2. t. 6. *Mimòsa ulicina.* Sal. prodr.								
13	Bròwnii. DC.	(st.)	Brown's.	N. S. W.	1796.	——	G. ♄.		
	acicularis. H.K. *non* W.								
14	echínula. DC.	(st.)	pungent.	———	1824.	——	G. ♄.		
15	pugioniformis. DC.	(st.)	needle-leaved.	———	1803.	——	G. ♄.		Wendl. dis. 26. t. 9.
16	asparagoides. F.T.	(st.)	Asparagus-like.	———	1824.	——	G. ♄.		
17	Cunninghámii.	(ye.)	Cunningham's.	———	1825.	——	G. ♄.		
	taxifòlia. F.T. *non* W.								
18	diffùsa. DC.	(ye.)	spreading.	———	1822.	3. 6.	G. ♄.		Bot. reg. t. 634.
	prostràta. Lodd. bot. cab. 631.								
19	sulcàta. DC.	(ye.)	furrowed-leaved.	N. Holland.	1803.	4. 8.	G. ♄.		Bot. reg. v. 11. t. 928.
20	canaliculàta.	(ye.)	glaucous-furrow'd.	———	1823.	5. 8.	I. ♄.		
21	salígna. DC.	(ye.)	Willow-leaved.	———	1820.	3. 6.	G. ♄.		Labil. n. hol. 2. t. 235.
22	emarginàta. DC.	(st.)	emarginate.	———	1816.	——	G. ♄.		
23	stricta. DC.	(ye.)	upright.	N. S. W.	1790.	2. 5.	G. ♄.		Bot. mag. t. 1121.
24	lepròsa. DC.	(ye.)	leprous.	———	1824.	3. 6.	G. ♄.		
25	dodonæfòlia. DC.	(ye.)	clammy.	———	1818.	4. 6.	G. ♄.		Wendl. dis. n. 19. t. 7.
	viscòsa. Wendl.								
26	vernicifìua. F.T.	(ye.)	varnished.	———	1819.	3. 6.	G. ♄.		
27	lanígera. F.T.	(ye.)	woolly-stem'd.	———	1824.	——	G. ♄.		Bot. mag. t. 2922.
	virgàta. Lodd. bot. cab. 1246.								
28	multinérvia. DC.	(ye.)	many-nerved.	N. Holland.	——	——	G. ♄.		
29	eglandulòsa. DC.	(ye.)	glandless.	———	——	——	G. ♄.		
30	hispídula. DC.	(ye.)	little harsh.	N. S. W.	1794.	4. 5.	G. ♄.		Sm. nov. holl. t. 16.
31	cochleàris. DC.	(ye.)	spoon-leaved.	N. Holland.	1820.	3. 6.	G. ♄.		Labill. n. holl. 2. t. 234.
32	coriàcea. DC.	(ye.)	leathery.	———	1824.	——	G. ♄.		
33	ancéps. DC.	(ye.)	flat-edged.	———	——	——	G. ♄.		
34	laurifòlia. DC.	(ye.)	Laurel-leaved.	S. Sea Isl.	1775.	——	S. ♄.		

35	elongàta. DC.	(ye.)	elongated.	N. S. W.	1824.	3. 6.	G. ħ.	
36	trinervàta. DC.	(ye.)	three-nerved.	———	1823.	4. 6.	G. ħ.	
37	calamifòlia. DC.	(ye.)	quill-leaved.	———	1822.	1. 12.	G. h.	Bot. reg. t. 839.
38	quadrilateràlis. DC.	(ye.)	tetragonal-leav'd	———	——	4. 6.	G. h.	
39	falcàta. DC.	(st.)	sickle-leaved.	———	1790.	5. 6.	G. h.	Lodd. bot. cab. 1115.
40	falciformis. DC.	(st.)	sickle-shaped.	———	1824.	4. 6.	G. ħ.	
41	penninérvis. DC.	(wh.)	feather-nerved.	———	1822.	——	G. h.	Bot. mag. t. 2754.
	imprèssa. Bot. reg. v. 13. t. 1115! Lodd. bot. cab. 1319.							
42	platyphy'lla.	(st.)	broad-leaved.	N. Holland.	——	——	I. ħ.	
43	melanòxylon. DC.	(wh.)	black-wooded.	V. Diem. Isl.	1808.	——	G. ħ.	Bot. mag. t. 1659.
44	heterophy'lla. DC.	(ye.)	various-leaved.	Bourbon.	1820.	....	S. h.	
45	am'œna. DC.	(st.)	handsome.	N. S. W.	1824.	4. 6.	G. ħ.	Wendl. dis. 16. t. 4.
46	myrtifòlia. DC.	(st.)	Myrtle-leaved.	———	1789.	2. 5.	G. ħ.	Swt. flor. aust. t. 49.
47	vestìta. DC.	(ye.)	clothed.	N. Holland.	1820.	3. 6.	G. ħ.	Bot. reg. t. 696.
48	marginàta. DC.	(ye.)	thick margined.	N. S. W.	1803.	4. 6.	G. ħ.	Wendl. dis. 19. t. 5. A.
49	pyrifòlia. DC.	(ye.)	Pear-leaved.	———	1824.	——	G. ħ.	
50	binervàta. DC.	(ye.)	two-nerved.	———	——	——	G. h.	
51	bivenòsa. DC.	(ye.)	two-veined.	———	——	——	G. h.	
52	buxifòlia. F.T.	(ye.)	Box-leaved.	———	——	3. 5.	G. h.	
53	lunàta. DC.	(ye.)	lunate-leaved.	V. Diem. Isl.	1816.	3. 6.	G. ħ.	Swt. flor. aust. t. 42.
	β brevifòlia. B.C.	(ye.)	*short-leaved.*	———	——	——	G. h.	Lodd. bot. cab. t. 1235.
54	obtusàta. DC.	(ye.)	obtuse.	N. S. W.	1824.	4. 6.	G. h.	
55	crassiúscula. DC.	(st.)	thick-leaved.	———	1803.	2. 6.	G. ħ.	Wendl. dis. 20. t. 8.
56	suavèolens. DC.	(st.)	sweet-scented.	———	1790.	——	G. h.	Lodd. bot. cab. t. 730.
	β platycárpa. DC.	(st.)	*flat-podded.*	———	——	——	G. ħ.	
57	angustifòlia. DC.	(st.)	narrow-leaved.	———	——	——	G. h.	Lodd. bot. cab. t. 768.
	Mimòsa angustifòlia. Jacq. schœnb. 3. t. 391.							
58	linifòlia. DC.	(wh.)	Flax-leaved	———	——	——	G. ħ.	Bot. mag. t. 2168.
59	abietìna. DC.	(wh.)	Fir-leaved.	———	——	3. 6.	G. ħ.	
60	subulàta. DC.	(ye.)	awl-leaved.	N. Holland.	1824.	4. 6.	G. h.	Bonpl. nav. t. 45.
61	spinulosa.	(ye.)	small-spined.	———	1822.	3. 6.	I. h.	
62	cordifòlia. ψ.	(ye.)	heart-leaved.	———	1824.	4. 6.	I. ħ.	
63	dillwynisefòlia. ψ.	(st.)	Dillwynia-leaved.	———	——	——	G. h.	
64	thegonocárpa. ψ.	(ye.)	angular-podded.	———	——	——	G. ħ.	
65	rigens. ψ.	(ye.)	stiff.	———	——	——	G. ħ.	
66	Cyclòpis. ψ.	(ye.)	Cyclopia-like.	———	——	——	G. h.	
67	mucronàta. ψ.	(ye.)	sharp-pointed.	———	——	——	G. h.	
68	oleifòlia. ψ.	(ye.)	Olive-leaved.	———	——	——	G. h.	
69	pèndula. ψ.	(wh.)	pendulous.	———	——	——	G. h.	
70	leucophy'lla. C.C.	(ye.)	white-leaved.	———	1820.	3. 6.	I. h.	
71	taxifòlia. DC.	(ye.)	Yew-leaved.	China.	——	——	G. h.	
72	Oxycèdrus. DC.	(ye.)	sharp-leaved.	N. S. W.	1824.	4. 6.	G. h.	Swt. flor. aust. t. 6.
	taxifòlia. Lodd. bot. cab. t. 1225. *non* W.							
73	verticillàta. DC.	(ye.)	whorl-leaved.	V. Diem. Isl.	1780.	3. 5.	G. ħ.	Bot. mag. t. 110.
	α glàbra. DC.	(ye.)	*smooth-leaved.*	———	——	——	G. h.	
	β angùsta. DC.	(ye.)	*narrow-leaved.*	———	——	——	G. h.	Vent. malm. t. 63.
	γ latifòlia. DC.	(ye.)	*broad-leaved.*	———	——	——	G. h.	Wendl. coll. 1. t. 30.
74	linèaris. B.M.	(wh.)	linear-leaved.	N. S. W.	1812.	3. 12.	G. h.	Bot. mag. t. 2156.
75	longissima. W.A.	(ye.)	long-linear-l^d.	———	——	——	G. h.	Wendl. dis. 31. t. 11.
76	uncinàta. C.C.	(ye.)	hooked-leaved.	N. Holland.	1823.	9. 1.	G. h.	
77	mucronàta. DC.	(wh.)	mucronate.	N. S. W.	1812.	——	G. h.	Bot. mag. t. 2747.
78	floribúnda. DC.	(wh.)	many-flowered.	———	1796.	5. 6.	G. ħ.	Vent. choix. t. 13.
79	doratòxylon. F.T.	(ye.)	spear-wood.	———	1824.	3. 6.	G. ħ.	
80	obtusifòlia. F.T.	(ye.)	blunt-leaved.	———	——	4. 6.	G. ħ.	
81	homomálla. DC.	(ye.)	downy-leaved.	———	——	——	G. ħ.	Wendl. dis. 34. t. 13.
82	longifòlia. DC.	(ye.)	long-leaved.	———	1792.	3. 6.	G. ħ.	Bot. mag. t. 1827.
	β latifòlia.	(ye.)	*broader-leaved.*	———	——	——	G. ħ.	——— t. 2166.
83	intertéxta. DC.	(ye.)	netted-veined.	———	1824.	4. 6.	G. ħ.	
84	glaucéscens. DC.	(ye.)	glaucescent.	———	1790.	2. 6.	G. h.	Willd. hort. ber. t. 101.
85	leucolòbia.	(ye.)	white-podded.	———	1824.	3. 6.	G. ħ.	
	dealbàta. F.T. *non* Link.							
86	cinerèscens. DC.	(ye.)	greyish.	———	——	——	G. h.	
87	subcœrùlea. B.R.	(ye.)	bluish-leaved.	N. Holland.	——	4. 6.	I. ħ.	Bot. reg. t. 1075.
88	rùbida. F.T.	(st.)	red-margined.	N. S. W.	1824.	——	G. h.	
89	Sophòræ. DC.	(ye.)	Sophora-podd'd.	V. Diem. Isl.	1805.	——	G. ħ.	Labil. n. holl. 2. t. 237.
90	heteromálla. C.C.	(ye.)	broad woolly-l^d.	N. Holland.	1822.	——	I. ħ.	
91	coronillæfòlia. DC.	(ye.)	Coronilla-leaved.	Mogador.	1826.	4. 5.	G. h.	
92	strumbulifera. DC.	(ye.)	twisted-podded.	Peru.	1823.	4. 7.	G. h.	
93	reticulàta. DC.	(ye.)	netted.	C. B. S.	1816.	4. 6.	G. h.	Pluk. alm. t. 123. f. 2.

94	pulchélla. DC.	(ye.)	zigzag spiny.	N. Holland.	1803.	4. 7.	G. h.	Lodd. bot. cab. t. 212.
95	hispidíssima. DC.	(ye.)	hispid.	———	1824.	4. 6.	G. h.	
96	detinens. DC.	(ye)	detaining.	C. B. S.	1816.	6. 10.	I. h.	
97	viridiràmis. DC.	(ye.)	green-branched.	———	——	4. 6.	I. h.	
98	cassioídes. DC.	(ye.)	Cassia-like.	S. America.	1822.	——	S. h.	
99	díptera. DC.	(ye.)	two-winged.	———	——	....	S. h.	
100	lophanthoídes. DC.	(st.)	crested.	Jamaica.	1826.	5. 6.	S. h.	
101	lophántha. DC.	(st.)	two-spiked.	N. Holland.	1803.	11. 4.	G. h.	Bot. reg. t. 361.
	Mimòsa élegans. Andr. reposit. 563.							
102	guianénsis. DC.	(wh.)	Guiana.	Guiana.	1803.	....	S. h.	Aubl. guian. 2. t. 357.
103	elephantìna. B.T.	(ye.)	Elephant.	C. B. S.	1816.	....	I. h.	
104	pulchérrima. DC.	(re.)	beautiful.	Brazil.	1826.	....	S. h.	
105	aspidioídes. DC.	(wh.)	Aspidium-leav'd.	Guiana.	1827.	....	S. h.	
106	dealbàta. DC.	(ye.)	white-leaved.	V. Diem. Isl.	1818.	3. 6.	G. h.	Bot. reg. t. 371.
	decúrrens β móllis. B.R.							
107	Wallichiàna. DC.	(ye.)	Wallich's.	E. Indies.	1827.	....	S. h.	
108	adenanthèra. H.B. ..		perennial.	———	1825.	....	S. h.	
109	ferruginea. DC.	(wh.)	ferruginous.	———	——	....	S. h.	
110	Súndra. DC.	(ye.)	hook-spined.	———	1789.	5. 6.	S. h.	Roxb. corom. 3. t. 226.
111	Sùma. H.B.	(ye.)	Shumee-tree.	———	1823.	——	S. h.	
112	Catèchu. DC.	(ye.)	medicinal.	———	1790.	——	S. h.	Roxb. corom. 2. t. 175.
113	fasciculàta. DC.	(wh.)	fascicled.	Mexico.	1828.	....	S. h.	Kth. mim. 75. t. 23.
114	cáffra. DC.	(ye.)	Hottentot.	C. B. S.	1816.	5. 6.	I. h.	
115	Senegal. DC.	(wh.)	Senegal.	Africa.	1823.	....	S. h.	
116	cornígera. DC.	(ye.)	Cuckold-tree.	S. America.	1692.	5. 6.	S. h.	
	a americàna. DC.	(ye.)	*brown-spined.*	———	——	——	S. h.	Comm. hort. 1. t. 107.
	β índica. DC.	(ye.)	*yellow-spined.*	E. Indies.	——	——	S. h.	Sebathes. 1. t. 70. f. 13.
117	latrònum. DC.	(wh.)	white-spined.	———	1824.	——	S. h.	
118	Séyal. DC.	(ye.)	Egyptian.	Egypt.	1828.	....	G. h.	Delil. fl. eg. t. 52. f. 2.
119	hórrida. DC.	(ye.)	common-cape.	C. B. S.	1823.	3. 5.	I. h.	Pluk. t. 121. f. 4.
	Mimòsa leucacántha. Jacq. *capénsis.* B.T.							
120	ebúrnea. DC.	(ye.)	ivory-thorned.	E. Indies.	1792.	4. 6.	S. h.	Roxb. corom. 2. t. 199.
121	tortuòsa. DC.	(st.)	twisted.	Jamaica.	1822.	....	S. h.	
122	Burmanniàna. DC.	(ye.)	Burmann's.	E. Indies.	1824.	....	S. h.	
123	vèra. DC.	(ye.)	Egyptian-thorn.	Egypt.	1596.	7. 8.	I. h.	Vest egypt. t. 8.
	Mimòsa nilótica. L.							
124	arábica. DC.	(ye.)	Gum Arabic.	Arabia.	....	6. 8.	S. h.	Roxb. corom. 2. t. 149.
125	hebeclàda. DC.	(ye.)	stoloniferous.	C. B. S.	1816.	4. 6.	I. h.	
	stolonífera. B.T.							
126	mauroceàna. DC.	(wh.)	Marocca.	Morocco.	....	——	G. h.	
127	farnesiàna. DC.	(ye.)	Sponge-tree.	St. Domingo.	1656.	6. 8.	I. h.	Duham. ar. ed. n. 2. t. 98.
128	álba. DC.	(wh.)	white.	E. Indies.	1828.	....	S. h.	
129	álbicans. DC.	(wh.)	whitish.	Mexico.	1827.	....	S. h.	Kth. mim. 87. t. 27.
130	leucophl'œa. DC.	(st.)	panicled.	E. Indies.	1812.	4. 6.	S. h.	Roxb. corom. 2. t. 150.
131	hæmatóxylon. DC.	(ye.)	hoary.	C. B. S.	1816.	....	S. h.	
	ataxiphýlla. B.T.							
132	tomentòsa. DC.	(st.)	tomentose.	E. Indies.	——	5. 7.	S. h.	
133	índica. DC.	(ye.)	Indian.	———	1824.	....	S. h.	
134	flexuòsa. DC.	(ye.)	flexuose.	Cumana.	1822.	....	S. h.	
135	peruviàna. DC.	(ye.)	Peruvian.	Peru.	——	....	S. h.	
136	brachyacántha. DC. ..		short-spined.	S. America.	1812.	....	S. h.	
137	ciliàta. DC.	....	fringed.	———	1823.	....	S. h.	
138	aciculàris. DC.	....	needle-spined.	———	——	....	S. h.	
139	Giráffæ. DC.	(ye.)	Camelopard's.	C. B. S.	1816.	....	I. h.	
140	rhodacántha. DC.	(ye.)	red-spined.	.....	——	....	S. h.	
141	heteracántha. DC.	(ye.)	various-spined.	C. B. S.	——	....	I. h.	
142	Bancroftiàna. DC.	(st.)	Bancroft's.	Jamaica.	1826.	....	S. h.	
143	polycéphala. DC.	(wh.)	many-headed.	Mauritius.	——	....	S. h.	
144	subinérmis. DC.	(ye.)	scarcely spiny.	Jamaica.	——	....	S. h.	
145	èdulis. W. en.	....	eatable.	S. America.	1822.	....	S. h.	
146	acanthocárpa. DC.	(bh.)	prickly-podd'd.	New Spain.	1818.	4. 7.	F. h.	
	Mimòsa aculeaticárpa. P.S.							
147	acanthocàrpa. DC.	(st.)	prickly-fruited.	S. America.	1822.	....	S. h.	
148	concínna. DC.	(bh.)	neat.	E. Indies.	1794.	6. 8.	S. h.	
149	tamarindifólia. DC.	(wh.)	Tamarind-l'd.	W. Indies.	1774.	....	S. h.	Jacq. schœnb. 2. t. 296.
150	I'ntsia. DC.	(st.)	angular-stalked.	E. Indies.	1778.	6. 8.	S. h.	Rheed. mal. 6. t. 4.
151	pennàta. DC.	(ye.)	fine-leaved.	———	1778.	——	S. h.	Burm. zeyl. 2. t. 1.
152	c'æsia. DC.	(wh.)	gray.	———	——	——	S. h.	Pluk. mant. 1. t. 330. f. 3.
153	centrophy'lla. DC.	(wh.)	prickly-leaved.	Jamaica.	1826.	——	S. h.	

154	Courantiàna. DC.	(wh.)	Courant's.	.....	1824.	6. 8.	S. ♄.	
155	arróphula. DC.	(wh.)	Nepaul.	Nepaul.	1823.	....	G. ♄.	
156	scándens. DC.	....	climbing.	Brazil.	1826.	....	S. ♄.	
157	sarmentòsa. DC.	....	trailing.	.....	——	....	S. ♄.	
158	trichòdes. DC.	(wh.)	warted-stalked.	Caracas.	1824.	6. 8.	S. ♄.	Jacq. schœnb. 3. t. 304.
159	formòsa. DC.	(wh.)	handsome.	Mexico.	1826.	....	S. ♄.	Kth. mim. t. 32.
160	nigricans. DC.	(st.)	unequal-winged.	N. Holland.	1803.	5. 7.	G. ♄.	Bot. mag. t. 2188.
161	strigòsa. DC.	(ye.)	ciliate-winged.	——	——	3. 6.	G. ♄.	
	ciliàta. H.K. *nec aliorum.*							
162	vìga. DC.	(st.)	Brazilian.	Brazil.	1823.	....	S. ♄.	Marcg. bras. p. 111. f. 1.
163	Lébbeck. DC.	(pa.)	Egyptian.	Egypt.	....	4. 6.	G. ♄.	Pluk. mant. 2. t. 331. f. 1.
164	pròcera. DC.	(pa.)	lofty.	Coromandel.	1824.	....	S. ♄.	Roxb. corom. 2. t. 121.
165	odoratìssima. DC.	(pa.)	fragrant.	——	1790.	4. 6.	S. ♄.	—— 2. t. 120.
166	speciòsa. DC.	(wh.)	splendid.	E. Indies.	1742.	8. 9.	S. ♄.	Jacq. ic. 1. t. 198.
167	glaùca. DC.	(wh.)	glaucous.	S. America.	1690.	6. 9.	S. ♄.	Trew ehret. t. 46.
168	leucocéphala. DC.	(wh.)	white-headed.	——	1818.	4. 6.	S. ♄.	
169	latisiliqua. DC.	(wh.)	broad-podded.	W. Indies.	1777.	3. 6.	S. ♄.	Plum. ed. Burm. t. 6.
170	portoricénsis. DC.	(wh.)	Porto Rico.	Porto Rico.	1820.	....	S. ♄.	Jacq. ic. 3. t. 663.
171	caracasàna. DC.	(pu.)	Caracas.	Caracas.	1823.	....	S. ♄.	—— 3. t. 662.
172	Lambertiàna. DC.	(pu.)	Mr. Lambert's.	Mexico.	1820.	7. 9.	G. ♄.	Bot. reg. t. 721.
173	tetragòna. DC.	(wh.)	square-stalked.	Caracas.	1822.	....	S. ♄.	
174	quadrangulàris. DC.	(wh.)	quadrangular.	.....	1816.	5. 7.	S. ♄.	Bot. mag. t. 2651.
175	discolor. DC.	(ye.)	two-coloured.	N. S. W.	1788.	3. 6.	G. ♄.	—— t. 1750.
	Mimòsa discolor. Andr. reposit. t. 235. *Mimòsa botrycéphala.* Vent. cels. t. 1.							
176	angulàta. DC.	(ye.)	angular.	N. Holland.	1824.	4. 6.	G. ♄.	
177	pubéscens. DC.	(ye.)	hairy-stemmed.	N. S. W.	1790.	3. 6.	G. ♄.	Bot. mag. t. 1263.
178	filicina. DC.	(wh.)	fern-leaved.	Mexico.	1825.	4. 6.	G. ♄.	Cavan. ic. 1. t. 78.
179	villòsa. DC.	(wh.)	villous.	Jamaica.	1826.	——	S. ♄.	
180	frondòsa. DC.	(wh.)	frondose.	E. Indies.	1816.	....	S. ♄.	
181	venùsta. W. en.	(ye.)	charming.	S. America.	——	....	S. ♄.	
182	stipulàta. DC.	(wh.)	stipuled.	Bengal.	1820.	5. 6.	S. ♄.	
183	divaricàta. DC.	(wh.)	straddling.	E. Indies.	——	——	S. ♄.	Jacq. schœnb. t. 395.
184	umbellulífera. DC.	(wh.)	small-umbell'd.	Mexico.	1825.	——	G. ♄.	Kth. mim. t. 31.
185	arbòrea. DC.	(bh.)	tree.	Jamaica.	1768.	——	S. ♄.	Sloan. his. 2. t. 162. f. 1. 2.
186	amàra. DC.	(wh.)	bitter.	Coromandel.	1823.	4. 6.	S. ♄.	Roxb. corom. 2. t. 122.
187	Nemù. DC.	(bh.)	Japan tree.	Japan.	——	....	G. ♄.	Banks ic. Kæmpf. t. 19.
188	Julibrìssin. DC.	(bh.)	smooth tree.	Levant.	1745.	8. 9.	H. ♄.	Scop. insub. 1. t. 8.
189	polyphy'lla. DC.	(wh.)	many-leaved.	St. Martha.	1826.	6. 9.	S. ♄.	
190	decúrrens. DC.	(ye.)	decurrent.	N. S. W.	1790.	5. 7.	G. ♄.	Vent. malm. t. 61.
191	mollìssima. DC.	(ye.)	soft-leaved.	——	1813.	4. 6.	G. ♄.	Swt. flor. aust. t. 12.
192	esculénta. DC.	(wh.)	eatable.	New Spain.	1829.	....	S. ♄.	Flor. mexic. ic. ined.
193	peregrìna. DC.	(wh.)	white-flowered.	S. America.	1780.	7. 8.	S. ♄.	Kth. mim. t. 30.
194	gràta. DC.	(wh.)	grateful.	Brazil.	1826.	....	S. ♄.	
195	microphy'lla. DC.	(wh.)	small-leaved.	Caracas.	1826.	....	S. ♄.	
196	chrysostàchys.	(ye.)	golden-spiked.	Mauritius.	1823.	....	S. ♄.	
197	lùcida. H.B.	....	glossy.	E. Indies.	1816.	....	S. ♄.	
198	Sirìssa. H.B.	(wh.)	Shireesh.	——	——	....	S. ♄.	
199	elàta. H.B.	(wh.)	tall.	——	1820.	....	S. ♄.	
200	Kalkòra. H.B.	(wh.)	large.	——	——	....	S. ♄.	
201	Smithiàna. H.B.	.....	Smith's.	Silhet.	1823.	....	S. ♄.	
202	semicordàta. H.B.	(wh.)	semicordate.	E. Indies.	——	....	S. ♄.	
203	fruticòsa. H.B.	(wh.)	frutescent.	China.	1820.	5. 6.	G. ♄.	
204	pedunculàta. H.B.	(wh.)	peduncled.	E. Indies.	1823.	....	S. ♄.	
205	triquètra. H.B.	(wh.)	triquetrous.	Coromandel.	1824.	....	S. ♄.	
206	robùsta. B.T.	(ye.)	robust.	C. B. S.	1816.	....	I. ♄.	
207	litakunénsis. B.T.	(ye.)	Litakun.	——	——	....	I. ♄.	
208	guilandinæfòlia.	(gr.)	Guilandina-ld.	N. Holland.	1818.	7. 9.	I. ♄.	

Subordo IV. CÆSALPINEÆ.

Tribus V. *GEOFFREÆ.* DC. prodr. 2. p. 473.

ARACHIS. DC. EARTH-NUT. Diadelphia Decandria. L

1	hypogæa. DC.	(ye.)	American.	S. America.	1712.	5. 6.	H. ☉.	Trew ehret. t. 3. f. 3.
2	africàna. W.	(ye.)	African.	Africa.	1824.	——	H. ☉.	

VOANDZE'IA. DC. VOANDZE'IA. Diadelphia Decandria.
subterrànea. DC. (*ye.*) subterraneous. Madagascar. 1820. 6. 8. S. ⊙. DC. leg. me. t. 20. f. 106.
Gly'cine subterrànea. Linn. dec. 37. t. 17.

PERA'LTEA. DC. PERA'LTEA. Diadelphia Decandria.
lupinoïdes. DC. (*pu.*) Lupine-like. New Spain. 1827. 9. 11. F. ♄. H. et B. n. gen. 6. t. 589.

BRONGNIA'RTIA. DC. BRONGNIA'RTIA. Diadelphia Decandria.
podalyrioïdes. DC. (*fl.*) Podalyria-like. New Spain. 1827. 9. 11. F. ♄. H. et B. n. gen. 6. t. 588.

AND'IRA. DC. AND'IRA. Diadelphia Decandria.
1 racemòsa. DC. (*pu.*) racemed. Brazil. 1824. .... S. ♄. Aubl. gui. sup. t. 373.
2 inérmis. DC. (*pu.*) bastard cabbage-tree. Jamaica. 1778. .... S. ♄. Phil. trans. 1777. t. 10.

GEOFFRO'YA. DC. GEOFFRO'YA. Diadelphia Decandria.
1 spinòsa. DC. (*st.*) spiny. S. America. 1823. .... S. ♄. Jacq. amer. t. 180. f. 62.
2 Bredemeyèri. DC. (*ye.*) striated. Caracas. 1824. .... S. ♄.
Robìnia striàta. W.
3 violàcea. DC. (*vi.*) violet. Guiana. 1827. .... S. ♄. Aubl. guian. t. 301.

BRO'WNEA. DC. BRO'WNEA. Monadelphia Dec-Dodecandria.
1 Ròsa. DC. (*ro.*) mountain Rose. Trinidad. 1816. .... S. ♄. Ber. act. ang. 1771. t. 8-9.
speciòsa. Sieber.
2 coccínea. DC. (*sc.*) scarlet-flower'd. W. Indies. 1793. 7. 9. S. ♄. Jacq. amer. t. 121.
3 latifòlia. DC. (*ro.*) broad-leaved. Caracas. 1826. .... S. ♄. Jacq. fragm. t. 17.
4 racemòsa. DC. (*ro.*) racemed. ——— —— .... S. ♄. ——— t. 18-19.
5 grandicèps. DC. (*ro.*) close-headed. ——— 1828. .... S. ♄. ——— t. 22-23.

DI'PTERIX. DC. TONQUIN BEAN. Monadelphia Octo-Decandria.
odoràta. DC. (*pu.*) sweet-scented. Guiana. 1793. .... S. ♄. Aubl. guian. 3. t. 296.
Coumaroùna odoràta. Aubl. *Baryósma Tónga.* Gært. fruct. 2. t. 98.

Tribus X. *CASSIEÆ.* DC. prodr. 2. p. 478.

MORI'NGA. DC. HORSE-RADISH-TREE. Decandria Monogynia.
1 pterigospérma. DC. (*st.*) wing-seeded. E. Indies. 1759. .... S. ♄. Jacq. ic. 3. t. 461.
oleífera. Lam. *Zeylánica.* P.S. *Hyperanthèra Moringa.* Vahl. *Guilandìna Moringa.* L.
2 polygòna. DC. (*st.*) many-sided. ——— 1822. .... S. ♄.

GLEDI'TSCHIA. DC. GLEDI'TSCHIA. Polygamia Dicœcia. L.
1 triacánthos. DC. (*gr.*) three-thorned. N. America. 1700. 6. 8. H. 5. Wats. dend. brit. 2. t. 138.
β inérmis. DC. (*gr.*) *spineless.* ——— —— —— H. 5. DC. leg. mem. t. 22. f. 109
2 brachycárpa. DC. (*gr.*) curved-spined. ——— .... —— H. 5.
3 monospérma. DC. (*gr.*) single-seeded. ——— 1723. —— H. 5. Mich. f. arb. 3. t. 10.
4 sinénsis. DC. (*gr.*) Chinese. China. 1774. —— H. 5. DC. leg. mem. 1. t. 1.
hórrida. W.
5 macracántha. DC. (*gr.*) large-spined. ——— .... —— H. 5.
6 fèrox. DC. (*gr.*) flat-spined. ——— .... —— H. 5.
orientàlis. Bosc.
7 cáspica. DC. (*gr.*) Caspian. Caucasus. 1822. —— H. ♄.
8 micracántha. L.C. (*gr.*) small-spined. ..... 1824. —— H. ♄.
9 índica. DC. (*gr.*) Indian. E. Indies. 1812. .... S. ♄.
10 l'ævis. L.C. (*gr.*) smooth. ..... 1824. .... H. ♄.
11 latisíliqua. L.C. (*gr.*) broad-podded. ..... —— .... H. 5.

GYMNOCLA'DUS. DC. KENTUCKY COFFEE-TREE. Dicœcia Decandria.
canadénsis. DC. (*wh.*) Canadian. N. America. 1748. 5. 6. H. 5. Mich. amer. 2. t. 51.
Guilandìna dioìca. L.

GUILAND'INA. DC. NICKER-TREE. Decandria Monogynia. L.
1 Bónduc. L.T. (*ye.*) Sumatra. Sumatra. 1640. .... S. ♄. Rumph. amb. 5. t. 48.
2 Bonducélla. L.T. (*ye.*) common. E. Indies. —— .... S. ♄. Schrank. h. mon. t. 68.
3 microphy'lla. DC. .... small-leaved. ——— .... S. ♄. Rumph. amb. 5. t. 49. f. 2?

COULT'ERIA. DC. COULT'ERIA. Decandria Monogynia.
1 tinctòria. DC. (*ye.*) dyer's. Peru. 1818. .... S. ♄. H. et B. n. ge. am. 6. t. 589.
Poincièna Tàra. R.P. *Cæsalpìnia pectinàta.* Cavan.
2 mexicàna. DC. (*ye.*) Mexican. New Spain. 1826. .... S. ♄. Flor. mexic. ic. ined.

CÆSALPI'NIA. DC. BRASILE'TTO. Decandria Monogynia. L.
1 Nùga. DC. (*ye.*) acute-leaved. Amboyna. 1801. 4. 6. S. ♄. Rumph. amb. 5. t. 50.
2 paniculàta. DC. (*ye.*) panicled. E. Indies. 1812. .... S. ♄. Rheed. mal. 6. t. 19.
3 brasiliénsis. DC. (*ye.*) Brazilian. Brazil. 1818. 4. 6. S. ♄.
4 Sappán. DC. (*ye.*) narrow-leaved. E. Indies. 1773. —— S. ♄. Roxb. corom. 1. t. 16.

5 dig'yna. DC.	(ye.)	digynous.	E. Indies.	1828.	....	S. ½.		Will.n.ac.1806.v.4.t.2.
6 mimosoides. DC.	(ye.)	Mimosa-leaved.	———	1806.	5. 7.	S. ½.		Rheed. mal. 6. t. 8.
7 bijùga. DC.	(ye.)	broad-leaved.	Jamaica.	1770.	6. 9.	S. ½.		Sloan. j. 2. t. 181. f. 2. 3.
8 bahamènsis. DC.	(wh.)	emarginate.	Bahama.	1823.	....	S. ½.		Catesb. car. 2. t. 51.
9 Crista. DC.	(ye.)	oval-leaved.	Jamaica.	....	4. 6.	S. ½.		Plum. gen. 28. t. 9.
10 glandulòsa. DC.	(ye.)	glandular.	St. Domingo.	1828.	....	S. ½.		
11 Cacalàco. DC.	(ye.)	round-leaved.	Mexico.	1826.	....	S. ½.		H. et B. pl. æq. 2. t. 137.
12 coriària. DC.	(ye.)	leathery.	W. Indies.	———	....	S. ½.		Kth. mim. t. 45.
13 lebbekkoídes. DC.	(ye.)	Lebbek-podd'd.	China.	1812.	....	S. ½.		
14 punctàta. DC.	(ye.)	dotted-leaved.	Brazil.	1818.	....	S. ½.		
15 pròcera. s.s.	(ye.)	tall.	Cuba.	1822.	....	S. ½.		
16 cassioídes. DC.	(ye.)	Cassia-like.	S. America.	1823.	....	S. ½.		
17 mucronàta. DC.	(ye.)	mucronate.	Brazil.	———	....	S. ½.		
18 oleospérma. H.B.	(ye.)	oil-seeded.	E. Indies.	1800.	5. 6.	S. ½. ⌣.		
19 cucullàta. H.B.	(ye.)	hooded.	———	1822.	....	S. ½. ⌣.		
20 sepiària. H.B.	(ye.)	Mysore-thorn.	———	1806.	6. 9.	S. ½. ⌣.		
21 resupinàta. H.B.	(ye.)	resupinate.	———	1828.	....	S. ½. ⌣.		
22 enneaphýlla. H.B.	(ye.)	nine-leaved.	———	1812.	....	S. ½. ⌣.		
23 chinénsis. H.B.	(ye.)	Chinese.	China.	———	....	S. ½. ⌣.		
24 tortuòsa. H.B.	(ye.)	twisting.	E. Indies.	1822.	....	S. ½. ⌣.		
25 sumatràna. H.B.	(ye.)	Sumatra.	———	———	....	S. ½. ⌣.		

POINCI'ANA. DC. FLOWER FENCE. Decandria Monogynia. L.

1 règia. B.M.	(sc.)	superb.	Madagascar.	1827.	....	S. ½.		Bot. mag. t. 2884.
2 pulchérrima. DC.	(or.)	Barbadoes.	E. Indies.	1691.	6. 9.	S. ½.		——— t. 995.
3 elàta. DC.	(ye.)	fringe-petal'd.	———	1778.	———	S. ½.		
Cæsalpínia elàta. s.s.								

HOFFMANSE'GGIA. DC. HOFFMANSE'GGIA. Decandria Monogynia.

1 falcària. DC.	(ye.)	sickle-podded.	Chile.	1806.	7. 8.	F. ¼.		Cavan. ic. t. 392.
2 prostràta. DC.	(ye.)	prostrate.	Lima.	1824.	———	F. ¼.		

MELANOSTI'CTA. DC. MELANOSTI'CTA. Decandria Monogynia.

Burchéllii. DC.	(ye.)	Burchell's.	C. B. S.	1816.	....	G. ½.		DC. leg. mem. t. 69.

POM'ARIA. DC. POM'ARIA. Decandria Monogynia.

glandulòsa. DC.	(ye.)	glandular.	New Spain.	1826.	5. 6.	G. ½.		Cavan. ic. 5. t. 402.

HÆMATO'XYLON. D. LOGWOOD. Decandria Monogynia. L.

campechiànum. DC.	(ye.)	common.	S. America.	1724.	....	S. ½.		Catesb. car. 2. t. 66.

PARKINSO'NIA. DC. PARKINSO'NIA. Decandria Monogynia. L.

aculeàta. DC.	(ye.)	prickly.	W. Indies.	1739.	6. 9.	S. ½.		Jacq. amer. t. 80.

CA'DIA. DC. CA'DIA. Decandria Monogynia.

vària. DC.	(bh.)	various-colour'd.	Arabia.	1755.	7. 10.	S. ½.		Picc. hort. pan. 9. ic.
purpùrea. W. *Spændónea tamarindifólia.* Desf.								

CERATO'NIA. DC. CAROB-TREE. Polygamia Dioecia.

Siliqua. DC.	(gr.)	St. John's bread.	Levant.	1570.	9. 10.	G. ½.		Andr. reposit. 567.

HARDWI'CKIA. DC. HARDWI'CKIA. Oct-Decandria Monogynia.

1 binàta. DC.	(ye.)	binate-leaved.	E. Indies.	1824.	....	S. ½.		Roxb. corom. t. 209.
2 pinnàta. DC.	(ye.)	pinnate-leaved.	———	1826.	....	S. ½.		

JON'ESIA. DC. JON'ESIA. Octandria Monogynia.

Asòca. DC.	(or.)	winged-leaved.	E. Indies.	1796.	4. 6.	S. ½.		Rheed. mal. 5. t. 59.
pinnàta. W. *Saraca indica.* L.								

TACHIG'ALIA. DC. TACHIG'ALIA. Decandria Monogynia.

paniculàta. DC.	(ye.)	panicled.	Guiana.	1827.	....	S. ½.		Aubl. guian. 1. t. 148. f. 1.

MOLDENHAW'ERA. DC. MOLDENHAW'ERA. Decandria Monogynia.

floribúnda. DC.	(ye.)	many-flowered.	Brazil.	1828.	....	S. ½.		Neuw. reis. v. 2. ic.

TAMARI'NDUS. DC. TAMARIND-TREE. Monadelphia Triandria.

1 índica. DC.	(ye.)	East Indian.	E. Indies.	1633.	6. 7.	S. ½.		Rheed. mal. 1. t. 23.
2 occidentàlis. DC.	(ye.)	West Indian.	W. Indies.	———	———	S. ½.		Jacq. amer. t. 10.

CA'SSIA. DC. CA'SSIA. Decandria Monogynia. L.

1 brasiliàna. DC.	(ye.)	large.	Brazil.	1822.	....	S. ½.		Breyn. cent. t. 21.
grándis. L. *móllis.* Vahl. *Cathartocárpus grándis.* P.S.								
2 ferruginea. DC.	(ye.)	ferruginous.	Brazil.	1828.	....	S. ½.		
3 Roxbúrghii. DC.	(ye.)	Roxburgh's.	Coromandel.	1828.	6. 7.	S. ½.		
marginàtus. H.B. *non* W.								
4 trinitàtis. DC.	(ye.)	Trinidad.	Trinidad.	1824.	....	S. ½.		
5 javánica. DC.	(fl.)	Java.	Java.	1779.	6. 7.	S. ½.		Rumph. amb. 2. t. 23.
6 Fístula. DC.	(ye.)	purging.	E. Indies.	1731.	———	S. ½.		Woodv. med. bot. t. 163.
7 rhombifólia. H.B.	(ye.)	rhomb-leaved.	———	1820.	———	S. ½.		
8 nodòsa. H.B.	(ye.)	knotted.	———	1824.	———	S. ½.		
9 conspícua. G.D.	(ye.)	drumstick-tree.	Sierra Leon.	1822.	....	S. ½.		
10 baciliària. DC.	(ye.)	smooth.	Surinam.	1818.	———	S. ½.		Houst. rel. t. 17.
Cathartocárpus Bacillus. Bot. Reg. t. 881.								

11	**speciòsa.** DC.	(*ye.*) handsome.	Brazil.	1818.	6. 8.	S	♄.	
12	**melanocárpa.** DC.	(*ye.*) black-podded.	Jamaica.	1825.	——	S.	♄.	
13	**corymbòsa.** DC.	(*ye.*) corymbose.	Buenos Ayres.	1796.	7. 6.	S.	♄.	Bot. mag. t. 638.
14	**floribúnda.** DC.	(*ye.*) many-flowered.	New Spain.	1822.	5. 8.	S.	♄.	
15	**lævigàta.** DC.	(*ye.*) smooth.	——	1811.	——	S.	♄.	
16	**péndula.** DC.	(*ye.*) pendulous.	S. America.	1820.	....	S.	♄.	
17	**torùsa.** DC. *chinénsis.* Jacq. *non* Lam.	(*ye.*) twisted.	China.	1807.	5. 7.	G.	♄.	Jacq. ic. 1. t. 73.
18	chinénsis. DC.	(*ye.*) Chinese.	——	——	——	G.	♄.	
19	**gigántea.** DC.	(*ye.*) gigantic.	Jamaica.	1825.	....	S.	♄.	
20	**coromandelìana.** DC.	(*or.*) Coromandel.	Coromandel.	1822.	5. 7.	S.	♄.	Jacq. fragm. t. 100.
21	**Sòphera.** DC.	(*ye.*) round-podded.	E. Indies.	1658.	7. 9.	S.	♄.	Burm. zeyl. t. 98.
22	**alàta.** DC.	(*ye.*) winged-podded.	S. America.	1731.	....	S.	♄.	Jacq. obs. 2. t. 45. f. 2.
23	**Rumphiàna.** DC.	(*ye.*) Rumphius's.	E. Indies.	1822.	....	S.	♄.	Rumph. amb. 7. t. 18.
24	**bracteàta.** DC.	(*ye.*) bracteate.	Surinam.	——	....	S.	♄.	
25	**obovàta.** DC. *Sénna.* Lam. ill. t. 332. f. 2.	(*ye.*) obovate-leaved.	Egypt.	1640.	7. 9.	G.	☉.	Jacq. f. ecl. 1. t. 97.
26	**lanceolàta.** DC. *orientàlis.* P.S. *acutifòlia.* Delil. ill. eg. 75. t. 27. f. 1.	(*ye.*) spear-leaved.	——	1759.	6. 6.	G.	☉.	Tabern. ic. 507.
27	**ligustrinoídes.** DC.	(*ye.*) Privet-like.	Arabia.	1829.	——	G.	♄.	
28	**Browniàna.** DC.	(*ye.*) Brown's.	Mexico.	1828.	....	S.	♄.	Kth. mim. t. 41.
29	**cuspidàta.** W.en.	(*ye.*) sharp-pointed.	S. America.	1820.	5. 7.	S.	♄.	
30	**sericea.** DC. *sensitiva.* Jacq.	(*ye.*) silky-leaved.	——	1731.	5. 8.	S.	☉.	Jacq. ic. 3. t. 469.
31	**obtusifòlia.** DC.	(*ye.*) blunt-leaved.	Jamaica.	1732.	7. 8.	S.	☉.	Dill. elth. t. 62. f. 72.
32	**hùmilis.** DC.	(*ye.*) dwarf.	S. America.	....	——	S.	☉.	Plum. ed. Burm. t. 76. f. 2
33	**Tòra.** DC.	(*st.*) oval-leaved.	E. Indies.	1698.	——	S.	☉.	Dill. elth. t. 63. f. 78.
34	**toroídes.** H.B.	(*st.*) Mysore.	——	1812.	——	S.	☉.	
35	**ciliàris.** DC.	(*ye.*) fringe-stipuled.	——	——	——	S.	♂.	
36	**Tágera.** DC.	(*ye.*) long-podded.	——	1803.	——	S.	♂.	Rheed. mal. 2. t. 53.
37	**venústula.** DC.	(*ye.*) pretty.	Cumana.	1825.	——	S.	♄.	
38	**aversifòra.** B.M.	(*ye.*) contrary-flowr'd.	Brazil.	1823.	4. 12.	S.	♄.	Bot. mag. t. 2638.
39	**vimínea.** DC.	(*ye.*) twiggy.	W. Indies.	1796.	6. 7.	S.	♄.	Sloan. jam. 2. t. 199. f. 67.
40	**chrysotricha.** DC.	(*ye.*) golden-podded.	Guiana.	1823.	——	S.	♄.	Coll. mon. p. 99. t. 13.
41	**Apoucouìta.** DC. *acuminàta.* W. *non* Mœnch.	(*ye.*) acuminate.	——	1823.	——	S.	♄.	Aubl. gui. 1. t. 146.
42	**semoídes.** DC.	(*ye.*) Senna-leaved.	E. Indies.	1808.	7. 8.	S.	♄.	Jacq. ic. 1. t. 70.
43	**bicapsulàris.** DC.	(*ye.*) six-leaved.	W. Indies.	1739.	5. 6.	S.	♄.	Bot. mag. t. 633.
44	**mollissima.** DC.	(*ye.*) soft-leaved.	S. America.	1816.	7. 8.	S.	♄.	
45	**artemisioídes.** DC.	(*ye.*) Wormwood-like.	N. S. W.	1823.	4. 7.	G.	♄.	
46	**glutinòsa.** DC.	(*ye.*) glutinous.	N. Holland.	——	——	G.	♄.	
47	**oxyadèna.** DC.	(*ye.*) acute-glanded.	Jamaica.	1820.	——	S.	♄.	
48	**díspar.** DC.	(*ye.*) various-leaved.	S. America.	1822.	5. 8.	S.	♄.	
49	**acapulcénsis.** DC.	(*ye.*) Acapulco.	Mexico.	1824.	——	S.	♄.	
50	**sulfùrea.** DC. *arboréscens.* Vahl. *non* Miller.	(*st.*) straw-coloured.	E. Indies.	1800.	——	S.	♄.	Rheed. mal. 6. t. 9-10.
51	**colutcoídes.** DC.	(*ye.*) Colutea-like.	.....	....	——	S.	♄.	Coll. mon. 102. t. 12.
52	**Barclayàna.** S.F.A.	(*ye.*) Mr. Barclay's.	N. Holland.	1824.	6. 10.	G.	♄.	Swt. flor. aust. t. 32.
53	**bifòra.** DC.	(*ye.*) two-flowered.	W. Indies.	1768.	12. 4.	S.	♄.	Bot. mag. t. 310.
54	**tomentòsa.** DC. *multiglandulòsa.* Jacq.	(*st.*) tomentose.	S. America.	1822.	6. 8.	S.	♄.	Jacq. ic. 1. t. 72.
55	**mexicàna.** DC.	(*ye.*) Mexican.	Mexico.	1824.	——	S.	♄.	Jacq. schœnb. t. 283.
56	**stipulàcea.** DC.	(*ye.*) large-stipuled.	Chile.	1786.	——	S.	♄.	Feuill. per. 3. t. 42.
57	**auriculàta.** DC.	(*ye.*) eared.	E. Indies.	1777.	7. 9.	S.	♄.	Pluk. alm. t. 214. f. 4.
58	**frondòsa.** DC.	(*ye.*) smooth shrubby.	W. Indies.	1760.	3. 4.	S.	♄.	Jacq. ic. 1. t. 74.
59	**australis.** B.M.	(*ye.*) New Holland.	N. Holland.	1820.	5. 12.	I.	♄.	Bot. mag. t. 2876.
60	**polyphylla.** DC.	(*ye.*) many-leaved.	Portorico.	1826.	6. 9.	S.	♄.	Jacq. ic. t. 469.
61	**marginàta.** DC.	(*ye.*) white-edged.	Surinam.	1822.	——	S.	♄.	
62	**ægyptiaca.** DC.	(*ye.*) Egyptian.	Egypt.	1823.	7. 9.	G.	☉.	
63	**esculénta.** H.B.	(*ye.*) esculent.	E. Indies.	——	——	S.	☉.	
64	**occidentàlis.** DC.	(*ye.*) occidental.	W. Indies.	1759.	3. 8.	S.	♄.	Bot. reg. t. 26.
65	**purpùrea.** DC.	(*ye.*) purple-stalked.	E. Indies.	1823.	6. 11.	S.	♄.	—— t. 856.
66	**hirsùta.** DC. *caracasàna.* Jacq.	(*ye.*) hairy.	S. America.	1776.	7. 9.	S.	♄.	Jacq. schœnb. t. 270.
67	**lineàris.** DC.	(*ye.*) linear-podded.	Carolina.	1823.	5. 7.	F.	♄.	
68	**pátula.** DC.	(*ye.*) shining.	W. Indies.	1778.	8. 9.	S.	♄.	
69	**pubéscens.** DC.	(*ye.*) pubescent.	.....	1818.	5. 8.	S.	♄.	Jacq. fragm. t. 57.
70	**sulcàta.** DC.	(*ye.*) furrowed.	S. America.	1826.	6. 8.	S.	♄.	Coll. mon. p. 110. t. 6.
71	**ruscifòlia.** DC.	(*ye.*) Ruscus-leaved.	Caracas.	1816.	5. 7.	G.	♄.	Jacq. ic. 1. t. 71.

72	ligustrìna. DC.	(ye.)	Privet-leaved.	America.	1728.	8. 8.	S. ħ.	Bot. reg. t. 169.
73	robinioìdes. DC.	(ye.)	Robinia-like.	S. America.	1820.	——	S. ħ.	
74	marylándica. DC.	(ye.)	Maryland.	N. America.	1723.	8. 10.	H. ¼.	Schkuhr hand. 1. t. 118.
75	latifòlia. DC.	(ye.)	broad-leaved.	Trinidad.	1826.	6. 6.	S. ħ.	
76	arboréscens. DC.	(ye.)	arborescent.	New Spain.	....	——	S. ħ.	
77	opàca. Gr.	(or.)	dull-leaved.	S. America.	1825.	8. 12.	S. ħ.	
78	pulchélla. Boj.	(ye.)	pretty.	Zanzibar.	1825.	7. 9.	S. ħ.	
79	Millèri. DC.	(ye.)	Miller's.	Jamaica.	....	6. 6.	S. ħ.	
80	Houstoniàna. DC.	(ye.)	Houstoun's.	————	....	7. 10.	S. ⊙.	
81	Plumiéri. DC.	(ye.)	Plumier's.	Guadaloupe.	1822.	——	S. ħ.	Plum. ed. Burm. t. 77.
	planisiliqua. Lam. *non* Linn.							
82	hirta. DC.	(ye.)	hairy-branched.	S. America.	1822.	6. 9.	S. ħ.	
83	sumatràna. DC.	(ye.)	Sumatra.	Sumatra.	1823.	——	S. ħ.	
84	formòsa.	(ye.)	beautiful.	E. Indies.	——	——	S. ħ.	
	speciòsa. H.B. *non* Schrader.							
85	emarginàta. DC.	(ye.)	notch-leaved.	Jamaica.	1759.	5. 6.	S. ħ.	Sloan. his. 2. t. 189. f. 1-4.
86	atomària. DC.	(ye.)	woolly-leaved.	S. America.	1823.	8. 8.	S. ħ.	
87	reticulàta. DC.	(ye.)	netted-leaved.	Brazil.	——	4. 6.	S. ħ.	
88	spectábilis. DC.	(ye.)	showy.	Caracas.	1823.	5. 7.	S. ħ.	Coll. mon. p. 115. t. 7.
89	setígera. DC.	(ye.)	seta-bearing.	E. Indies.	1826.	——	S. ħ.	
90	montàna. DC.	(ye.)	mountain.	————	1823.	——	S. ħ.	
91	A'bsus. DC.	(su.)	four-leaved.	Ceylon.	1777.	6. 7.	S. ⊙.	Burm. zeyl. t. 97.
92	hispida. DC.	(ye.)	hispid.	Cayenne.	1826.	——	S. ⊙.	
93	diphy'lla. DC.	(ye.)	two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cavan. ic. 5. t. 460. f. 1.
94	bifoliolàta. DC.	(ye.)	two-leafleted.	Brazil.	1825.	——	S. ħ.	Coll. mon. 120. t. 9. f. B.
95	exígua. H.B.	(ye.)	dwarf.	Bengal.	1820.	8. 10.	S. ⊙.	
96	grácilis. DC.	(ye.)	slender.	S. America.	1816.	6. 8.	S. ħ.	Kth. mim. t. 96.
97	unifòra. DC.	(re.)	one-flowered.	Brazil.	1824.	——	S. ħ.	
98	lineàta. DC.	(ye.)	lined.	Jamaica.	1820.	5. 7.	S. ħ.	
99	prostràta. DC.	(ye.)	prostrate.	S. America.	1823.	7. 9.	S. ħ.	
100	trifiòra. DC.	(ye.)	three-flowered.	.....	1825.	——	S. ⊙.	Jacq. schœnb. t. 420.
101	Burmánni. DC.	(ye.)	Burmann's.	C. B. S.	1816.	——	G. ħ.	
102	virgàta. DC.	(ye.)	slender-twigg'd.	Jamaica.	1820.	5. 8.	S. ħ.	
103	nictitans. DC.	(ye.)	Virginian.	N. America.	1800.	7.	G. ♂.	Linn. hort. cliff. t. 36.
104	chamæcrísta. DC.	(ye.)	dwarf.	America.	1699.	6. 9.	G. ♂.	Bot. mag. t. 157.
105	chamæcristoìdes. DC.	(ye.)	large-flower'd.	Vera Cruz.	....	——	S. ħ.	
106	stricta. Sck.	(ye.)	straight.	Jamaica.	....	——	S. ♂.	Schk. hort. mem. t. 84.
107	glandulòsa. DC.	(ye.)	glandular.	W. Indies.	1822.	——	S. ♂.	
108	mimosoìdes. DC.	(ye.)	Mimosa-leaved.	E. Indies.	1806.	——	S. ⊙.	
109	capénsis. DC.	(ye.)	Cape.	C. B. S.	1816.	4. 6.	G. ħ.	Coll. mon. 124. t. 19.
110	pùmila. DC.	(ye.)	small.	E. Indies.	1820.	7. 10.	S. ⊙.	Pluk. phy. t. 120. f. 1.
111	procúmbens. DC.	(ye.)	procumbent.	N. America.	1806.	6. 9.	H. ⊙.	Comm. petiop. t. 11.
112	Wallichiàna. DC.	(ye.)	fine-leaved.	Nepaul.	1812.	——	S. ⊙.	
	dimidiàta. B.P.							
113	ténera.	(ye.)	small-branched.	E. Indies.	1818.	——	S. ♂.	
	tenélla. H.B. *non* Kth.							
114	microphy'lla. DC.	(ye.)	small-leaved.	W. Indies.	1822.	——	S. ⊙.	
115	Hornemánni. DC.	(ye.)	Hornemann's.	.....	1827.	——	S. ⊙.	
	vendea. Horn. *non* Zucc.							
AFZ'ELIA. DC.			Afz'elia. Octandria Monogynia.					
	africàna. DC.	(cr.)	African.	Sierra Leone.	1821.	....	S. ħ.	
SCHO'TIA. DC.			Scho'tia. Decandria Monogynia.					
1	speciòsa. DC.	(cr.)	superb.	C. B. S.	1759.	7. 12.	I. ¼.	Andr. repos. t. 348.
2	tamarindifòlia. DC.	(cr.)	Tamarind-leav'd.	————	1795.	5. 9.	I. ħ.	Bot. mag. t. 1152.
3	stipulàta. DC.	(cr.)	falcate-stipuled.	————	1794.	——	I. ħ.	
4	alata. DC.	(re.)	winged.	————	1816.	6. 7.	I. ħ.	
5	simplicifòlia. DC.	(re.)	simple-leaved.	————	——	——	I. ħ.	
6	latifòlia. DC.	(re.)	broad-leaved.	————	——	5. 8.	I. ħ.	Hook. ex. flor. t. 169.
	Omphalòbium Schotia. s.s. Jacq. ecl. ic.							
COPAI'FERA. DC.			Balsam of Capevi. Decandria Monogynia. L.					
1	officinàlis. DC.	(st.)	officinal.	S. America.	1774.	....	S. ħ.	H. et B. n. gen. 7. t. 659.
2	guianénsis. DC.	(st.)	Guiana.	Guiana.	1826.	....	S. ħ.	
3	coriàcea. DC.	(st.)	leathery-leaved.	Brazil.	1824.	....	S. ħ.	
CYNOMETRA. DC.			Cynom'etra. Decandria Monogynia. L.					
1	caulifòra. DC.	(re.)	stem-flowered.	E. Indies.	1804.	....	S. ħ.	Rumph. amb. 1. t. 62.
2	ramifòra. DC.	(re.)	branch-flowered.	————	1826.	....	S. ħ.	———— 1. t. 63.
3	polyándra. DC.	(re.)	many stamen'd.	————	1822.	....	S. ħ.	Roxb. corom. t. 286.
PARIV'OA. DC.			Pariv'oa. Diadelphia Decandria.					
	grandifòra. DC.	(pu.)	large-flowered.	Cayenne.	1816.	....	S. ħ.	Aubl. guian. 2. t. 303
	Dimórpha grandifòra. Linn. trans. 9. t. 20.							

O'UTEA. DC. O'UTEA. Tri-Tetrandria Monogynia.

1	guianénsis. DC.	(wh.)	Guiana.	Guiana.	1827.	....	S. ½.	Aubl. guian. 1. t. 9.
2	bijùga. DC.	(wh.)	two-paired.	E. Indies.	1823.	....	S. ½.	Linn. trans. 12. t. 17.
	Macrolòbium bijùgum. Linn. trans.							

VOU'APA. DC. VOU'APA. Triandria Monogynia.

	bifòlia. DC.	....	two-leaved.	Guiana.	1823.	....	S. ½.	Aubl. guian. 1. t. 7.

HYMEN'ÆA. DC. LOCUST-TREE. Decandria Monogynia.

1	Coùrbaril. DC.	(wh.)	leathery-leaved.	S. America.	1688.	6. 8.	S. ½.	Lam. ill. t. 330. f. 1.
2	Candolleàna. DC.	(wh.)	Decandolle's.	Mexico.	1825.	....	S. ½.	H. et B. n. gen. 6. t. 506.
3	verrucòsa. DC.	(wh.)	wart-podded.	Madagascar.	1808.	6. 7.	S. ½.	Lam. ill. t. 330. f. 2.

BAUHI'NIA. DC. BAUHI'NIA. Monadelphia v. Decandria Monogynia.

1	divaricàta. DC.	(wh.)	dwarf.	W. Indies.	1742.	6. 9.	S. ½.	Linn. hort. cliff. t. 15.
2	Lamarckiàna. DC.	(wh.)	Lamarck's.	S. America.	....	——	S. ½.	
3	spathàcea. DC.	(wh.)	spathaceous.	New Spain.	1825.	——	S. ½.	
4	subrotundifòlia. DC.	(w.)	round-leaved.	S. America.	1816.	4. 6.	S. ½.	Cavan. ic. 5. t. 466.
5	aurìta. DC.	(wh.)	long-eared.	Jamaica.	1756.	9. 10.	S. ½.	Miller ic. t. 61.
6	porrécta. DC.	(wh.)	smooth-leaved.	W. Indies.	1737.	7. 8.	S. ½.	Bot. mag. t. 1708.
7	latifòlia. DC.	(wh.)	broad-leaved.	New Spain.	1825.	....	S. ½.	Cavan. ic. t. 405.
8	cándida. DC.	(wh.)	white-flowered.	E. Indies.	1777.	5. 6.	S. ½.	
9	acuminàta. DC.	(wh.)	acute-leaved.	————	1808.	7. 8.	S. ½.	Rheed. mal. 1. t. 34.
10	grandiflòra. DC.	(wh.)	large-flowered.	Peru.	1824.	....	S. ½.	
11	aculeàta. DC.	(wh.)	prickly-stalked.	W. Indies.	1737.	6. 8.	S. ½.	Plum. ed. Bur. t. 44. f. 1.
12	forficàta. DC.	(wh.)	forked.	Brazil.	1824.	——	S. ½.	
13	emarginàta. DC.	(wh.)	emarginate.	Carthagena.	....	——	S. ½.	
14	rufèscens. DC.	....	rufous.	Africa.	1816.	....	S. ½.	
15	parviflòra. DC.	(wh.)	small-flowered.	E. Indies.	1808.	....	S. ½.	
16	U'ngula. DC.	(wh.)	villous-leaved.	Caracas.	1827.	....	S. ½.	Jacq. fragm. t. 15. f. 1.
	aculeàta. Jacq. amer. t. 177. f. 2.							
17	variegàta. DC.	(v.)	variegated-fl^{d}.	E. Indies.	1690.	6. 7.	S. ½.	Rheed. mal. 1. t. 32.
18	tomentòsa. DC.	(st.)	tomentose.	————	1808.	....	S. ½.	Burm. zeyl. t. 18.
19	pubéscens. DC.	(wh.)	pubescent.	W. Indies.	1824.	....	S. ½.	
20	multinérvia. DC.	(wh.)	many-nerved.	Caracas.	1825.	....	S. ½.	
21	racemòsa. DC.	....	large-leaved.	E. Indies.	1790.	....	S. ½.⌣.	Vahl. symb. 3. t. 62.
22	purpùrea. DC.	(pu.)	purple.	————	1778.	....	S. ½.	Rheed. mal. 1. t. 33.
23	retùsa. DC.	(wh.)	retuse-leaved.	————	1822.	....	S. ½.	
24	corymbòsa. DC.	(wh.)	corymbose.	China.	1816.	....	S. ½.⌣.	DC. leg. mem. t. 70.
25	anguìna. DC.	(wh.)	snake.	E. Indies.	1818.	....	S. ½.⌣.	Roxb. corom. 3. t. 285.
	scándens. L. *excl. synon. Rumph.* Rheed. mal. 8. t. 30-31.							
26	Língua. DC.	(st.)	tongue-leaved.	E. Indies.	1799.	....	S. ½.⌣.	Rumph. amb. 5. t. 1.
	scándens. L. *excl. syn. Rheed.*							
27	coccínea. DC.	(sc.)	scarlet-flowered.	China.	1826.	....	S. ½.⌣.	
28	guianénsis. DC.	(wh.)	Guiana.	Guiana.	1824.	....	S. ½.⌣.	Aubl. guian. 1. t. 145.
29	heterophy'lla. DC.	(wh.)	various-leaved.	Caracas.	1824.	....	S. ½.	Kth. mim. t. 46.
30	cumanénsis. DC.	(wh.)	Cumana.	Cumana.	——	7. 8.	S. ½.⌣.	Bot. reg. t. 1138.
31	anatómica. L. en.	....	jagged-leaved.	S. America.	1816.	....	S. ½.	
32	triándra. H.B.	(wh.)	triandrous.	E. Indies.	1823.	....	S. ½.	
33	semibífida. H.B.	(wh.)	half-cleft.	————	1818.	....	S. ½.⌣.	
34	malabárica. H.B.	....	Malabar.	Malabar.	1823.	....	S. ½.	
35	ferrugínea. H.B.	....	ferruginous.	E. Indies.	1822.	....	S. ½.⌣.	
36	cordifòlia. H.B.	....	heart-leaved.	————	1828.	....	S. ½.⌣.	
37	spicàta.	....	spiked.	————	1820.	....	S. ½.	
38	speciòsa. L.C.	....	handsome.	.....	....	....	S. ½.	
39	microphy'lla. L.C.		small-leaved.	.....	....	....	S. ½.	
40	esculénta. B.T.	(wh.)	eatable-rooted.	C. B. S.	1816.	——	I. ¼.	

CE'RCIS. DC. JUDAS-TREE. Decandria Monogynia. L.

1	Siliquástrum. DC.	(ro.)	European.	S. Europe.	1596.	5. 6.	H. ½.	Bot. mag. t. 1138.
2	canadénsis. DC.	(ro.)	American.	N. America.	1730.	——	H. ½.	Miller ic. t. 2.

CR'UDYA. DC. CR'UDYA. Octo-Decandria Monogynia.

1	spicàta. DC.	(wh.)	spiked.	Guiana.	1825.	....	S. ½.	Aubl. guian. 1. t. 147.
	Apalatòa spicàta. Aubl.							
2	aromática. DC.	(gr.)	aromatic.	————	1828.	....	S. ½.	Aubl. guian. 1. t. 148.
	Touchiròa aromática. Aubl.							

COD'ARIUM. DC. VELVET TAMARIND. Diandria Monogynia.

1	acutifòlium. DC.	(re.)	acute-leaved.	Sierra Leone.	1800.	....	S. ½.	Rœm. arch. 1. t. 6.
	nitidum. Vahl. *Dialium guineénse.* W.							
2	obtusifòlium. DC.	(re.)	blunt-leaved.	————	——	....	S. ½.	

Tribus X. *DETARIEÆ.* DC. prodr. 2. p. 521.

DETARIUM. DC.		DET'ARIUM.	Decandria Monogynia.					
senegalénsis. DC.	(*gr.*)	Senegal.	Senegal.	1822.	....	S. ½.		

ORDO LXXV.

CHRYSOBALANEÆ. *Brown cong. p.* 14.

CHRYSOBA'LANUS. DC.		Cocoa Plum.	Icosandria Monogynia.	L.			
1 Icáco. DC.	(*wh.*)	West Indian.	W. Indies.	1752.	4. 6.	S. ½.	Jacq. amer. t. 94.
2 ellípticus. DC.	(*wh.*)	Pigeon plum.	Sierra Leone.	1822.	....	S. ½.	
3 oblongifólius. DC.	(*wh.*)	American.	Georgia.	1812.	4. 5.	G. ½.	
PARIN'ARIUM. DC.		Parin'arium.	Dodecandria Monogynia.				
1 excélsum. G.D.	(*wh.*)	rough plum.	Sierra Leone.	1822.	....	S. ½.	Loud. encycl. pl. f. 5072.
2 macrophy'llum. G.D.	(*w.*)	gingerbread plum.	——	——	....	S. ½.	
GRANG'ERIA. DC.		Grang'eria.	Dodecandria Monogynia.				
borbónica. DC.	(*wh.*)	Bourbon.	Bourbon.	1822.	....	S. ½.	Lam. ill. t. 427.
HIRTE'LLA. DC.		Hirte'lla.	Tri-Dodecandria Monogynia.				
1 triándra. DC.	(*wh.*)	triandrous.	W. Indies.	1782.	....	S. ½.	Jacq. amer. t. 8.
americàna. Jacq. *non* Aubl. *paniculàta.* R.S.							
2 glandulósa. DC.	(*wh.*)	glandular.	Brazil.	1827.	....	S. ½.	Spreng. anl. t. 7. f. 1-4.
3 racemósa. DC.	(*bl.*)	racemed.	Guiana.	1782.	....	S. ½.	Aubl. guian. 1. t. 98.
americàna. Aubl. *non* Jacq.							
4 oblongifólia. DC.	(*ro.*)	oblong-leaved.	New Spain.	1828.	....	S. ½.	
5 nemorósa. DC.	(*ye.*)	wood.	Brazil.	1825.	....	S. ½.	

ORDO LXXVI.

AMYGDALINÆ. *D. Don prodr. flor. nepal. p.* 239.

AMY'GDALUS. K.S.		Almond.	Icosandria Monogynia.	L.			
1 nána. W.	(*pi.*)	common dwarf.	Russia.	1683.	3. 4.	H. ½.	Bot. mag. t. 161.
2 geórgica. Df.	(*pi.*)	Georgian.	Georgia.	1820.	——	H. ½.	
3 campéstris. Bes.	(*pi.*)	Besser's.	Poland.	1829.	——	H. ½.	
Besseriàna. Schott.							
4 orientàlis. W.	(*ro.*)	silvery-leaved.	Levant.	1756.	——	F. ½.	
argéntea. Lam.							
5 incàna. W.	(*ro.*)	woolly.	Caucasus.	....	——	H. ½.	Pall. ross. 1. t. 7.
6 prostràta. K.S.	(*pi.*)	prostrate.	Crete.	1802.	5.	H. ½.	Bot. reg. t. 136.
Prùnus prostràta. B.R.							
7 púmila. W.	(*pi.*)	double dwarf.	Africa.	1683.	5. 6.	H. ½.	Bot. mag. t. 2176.
Prùnus sinénsis. P.S. Prùnus japónica, B.R. is a very different plant, and a true Cérasus.							
8 sibírica. L.C.	(*pi.*)	Siberian.	Siberia.	1820.	3. 4.	H. ½.	
9 commùnis. DC.	(*pi.*)	common.	Barbary.	1548.	——	H. 5.	
α *amara.* DC.	(*pi.*)	*bitter.*	————	——	——	H. 5.	
β *dúlcis.* DC.	(*bh.*)	*sweet.*	————	——	——	H. 5.	Lam. ill. t. 430. f. 2.
γ *frágilis.* DC.	(*bh.*)	*tender.*	————	....	——	H. 5.	Nois. jard. fr. t. 3. f. 2.
δ *macrocarpa.* DC.	(*pi.*)	*large-fruited.*	.....	....	——	H. 5.	Bot. reg. t. 1160.
ε *persicoides.* DC.	(*pi.*)	*Almond Peach.*	Hybrid.	....	——	H. 5.	Nois. jard. fr. t. 3. f. 1.
10 cochinchinénsis. DC.	(*pi.*)	Chinese.	Cochinchina.	1825.	——	H. 5.	
11 Pérsica. W.	(*pi.*)	common Peach.	Persia.	1562.	4. 5.	H. 5.	Nois. j. fr. 1-16. 22-35. ic.
β *flóre plèno.*	(*pi.*)	*double-blossomed.*	.....	....	——	H. 5.	
γ *nána.*	(*pi.*)	*dwarf.*	China.	1826.	——	H. ½.	
ε *nectarína.*	(*pi.*)	*Nectarine.*	Persia.	1562.	——	H. 5.	Nois. jard. fr. t. 20-21.

ARMENIACA. DC.		**Apricot.**	**Icosandria Monogynia.**				
1 vulgàris. DC.	(wh.)	common.	Levant.	1548.	2. 4.	H. 5.	Lam. ill. t. 431.
α ovalifòlia. DC.	(wh.)	*oval-leaved.*	———	——	——	H. 5.	Nois. jar. fr. t. 1-2. f. 1-2.
β cordifòlia. DC.	(wh.)	*heart-leaved.*	———	——	——	H. 5.	——— t. 1. f. 3. t. 2. f. 3.
2 dasycárpa. DC.	(wh.)	black-fruited.	.....	....	3. 4.	H. 5.	Bot. reg. t. 1243.
Prùnus dasycárpa. B.R.							
β persicifòlia. DC.	(wh.)	*Peach-leaved.*	.....	....	——	H. ½.	Du. ar. ed. no. 5. t. 52. f. 1.
3 sibírica. DC.	(pi.)	Siberian.	Siberia.	1788.	4.	H. ½.	Pall. ross. 1. t. 8.
4 brigantìaca. DC.	(wh.)	spiny.	S. Europe.	....	——	H. ½.	Duh. arb. ed. n. 5. t. 59.
PRUNUS. DC.		**Plum-tree.**	**Icosandria Monogynia. L.**				
1 spinòsa. DC.	(wh.)	Sloe-tree.	Britain.	....	3. 4.	H. ½.	Eng. bot. v. 12. t. 842.
α vulgàris. DC.	(wh.)	*common.*	———	....	——	H. ½.	Duham. ed. n. 5. t. 54. f. 1.
β microcárpa. DC.	(wh.)	*small-fruited.*	———	....	——	H. ½.	
γ macrocárpa. DC.	(wh.)	*large-fruited.*	———	....	——	H. ½.	
δ ovàta. DC.	(wh.)	*oval-leaved.*	———	....	——	H. ½.	Blackw. herb. t. 494.
2 insititia. DC.	(wh.)	Bullace-tree.	Britain.	....	4.	H. ½.	Eng. bot. v. 12. t. 841.
3 cándicans. DC.	(wh.)	snowy.	.....	1818.	4. 5.	H. ½.	Bot. reg. t. 1135.
4 Cocomília. DC.	(wh.)	twin-flowered.	Calabria.	1826.	——	H. ½.	
5 marítima. DC.	(wh.)	sea-side.	N. America.	1800.	——	H. ½.	
6 pubéscens. DC.	(wh.)	pubescent.	.....	1819.	——	H. ½.	
7 diváricata. DC.	(wh.)	spreading.	Caucasus.	1823.	.....	H. ½.	
8 cerasífera. B.B.	(wh.)	Myrobalan.	N. America.	1629.	4. 5.	H. 5.	Duham. arb. 2. t. 2. f. 15.
9 pyramidàlis. DC.	(wh.)	pyramidal.	Europe.	....	4.	H. 5.	——— 2. t. 15—20.
10 doméstica. DC.	(wh.)	common.	England.	....	——	H. 5.	Eng. bot. v. 25. t. 1788.
α armenioides. DC.	(wh.)	*Apricot-like.*	.....	....	——	H. 5.	Duham. arb. 2. t. 13—14.
β Claudiàna. DC.	(wh.)	*Reine Claude.*	.....	....	——	H. 5.	——— 2. t. 11—12.
γ damascèna. DC.	(wh.)	*Damson.*	.....	....	——	H. 5.	——— 2. n. 13. t. 5.
δ turonénsis. DC.	(wh.)	*Monsieur hatif, &c.*	.....	....	——	H. 5.	——— 2. n. 16. t. 20. f. 1.
ε Juliàna. DC.	(wh.)	*Saint Julien.*	.....	....	——	H. 5.	Duh. ed. nov. 5. t. 54. f. 2.
ζ Catharìnæa. DC.	(wh.)	*Saint Catherine.*	.....	....	——	H. 5.	Duham. arb. 2. f. 1.
η Aubertiàna. DC.	(wh.)	*Imperatrice.*	.....	....	——	H. 5.	Nois. jar. fr. t. 57-58. f. 4.
CERASUS. DC.		**Cherry tree.**	**Icosandria Monogynia.**				
1 ávium. DC.	(wh.)	small-fruited.	Britain.	....	4. 5.	H. 5.	Blackw. t. 425.
α sylvéstris.	(wh.)	*wood.*	———	....	——	H. 5.	
β macrocárpa. DC.	(wh.)	*large-fruited.*	.....	....	——	H. 5.	Du. ed. no. 1. n. 2. t. 4. f. D.
γ pállida. DC.	(wh.)	*pale-fruited.*	.....	....	——	H. 5.	——— 5. n. 3. t. 4. f. B. C.
δ multiplex. DC.	(wh.)	*double-blossomed.*	.....	....	——	H. 5.	
2 duracina. DC.	(wh.)	hard-fruited.	Europe.	....	——	H. 5.	
α cordígera. DC.	(wh.)	*Bigarreaux.*	.....	....	——	H. 5.	Nois. jard. fr. t. 6. f. 1.
β obtusàta. DC.	(wh.)	*blunt-fruited.*	.....	....	——	H. 5.	Duh. ed. no. 5. t. 18. f. B.
γ mamillàris. DC.	(wh.)	*large-leaved.*	.....	....	——	H. 5.	——— 5. n. 12. t. 16. f. A.
3 juliàna. DC.	(wh.)	early.	S. Europe.	....	——	H. 5.	——— 5. n. 5. t. 15. f. A.
β Heaumiàna. DC.	(wh.)	*long-leaved.*	———	....	——	H. 5.	——— n. 29. t. 19.
γ péndula. DC.	(wh.)	*pendulous-branch'd.*	———	....	——	H. 5.	
4 Caproniàna. DC.	(wh.)	common.	———	....	——	H. 5.	
α Montmorencyàna. DC.		*May Duke, &c.*	———	....	——	H. 5.	Duh. ed. no. 5. n. 14. t. 7.
β pallèscens. DC.	(wh.)	*pale-fruited.*	———	....	——	H. 5.	——— n. 18. t. 11.
γ gobétia. DC.	(wh.)	*Kentish.*	———	....	——	H. 5.	——— t. 12. f. A.
δ polyg'yna. DC.	(wh.)	*polygynous.*	———	....	——	H. 5.	Duham. arb. 4. t. 3.
ε multiplex. DC.	(wh.)	*semi-double.*	.....	....	——	H. 5.	——— p. 173. t. 5.
ϑ persiciflòra. DC.	(wh.)	*double-flowered.*	.....	....	——	H. 5.	
κ variegàta. DC.	(wh.)	*striped-leaved.*	.....	....	——	H. 5.	
θ grioliæa. DC.	(wh.)	*globular-fruited.*	.....	....	——	H. 5.	Duh. ed. nov. n. 21. t. 14.
ι cordígera. DC.	(wh.)	*red-heart.*	.....	....	——	H. 5.	Duham. arb. 4. t. 16. f. 1.
5 semperflòrens. DC.	(wh.)	late-fruited.	N. America.	....	5. 6.	H. ½.	Wats. dend. brit. 131.
6 chamæcérasus. BG.	(wh.)	bastard.	Germany.	1597.	5.	H. ½.	Jacq. ic. 1. t. 90.
7 persicifòlia. DC.	(wh.)	Peach-leaved.	N. America.	1818.	4. 5.	H. ½.	
8 púmila. DC.	(wh.)	dwarf.	———	1756.	5.	H. ½.	Mill. ic. t. 89. f. 2.
9 pygm'æa. DC.	(wh.)	small.	———	1818.	——	H. ½.	
10 nigra. DC.	(wh.)	black-fruited.	Canada.	1773.	5. 6.	H. ½.	Bot. mag. t. 1117.
11 boreàlis. DC.	(wh.)	northern.	N. America.	1818.	——	H. ½.	
12 deprèssa. DC.	(wh.)	depressed.	———	1805.	5.	H. ½.	
13 Susquehánnæ. W.	(wh.)	glaucous-l^d.	N. America.	1800.	——	H. ½.	
14 hyemàlis. DC.	(wh.)	mountain.	———	1805.	——	H. ½.	
15 Chícasa. DC.	(wh.)	Chicasaw.	———	1806.	4. 5.	H. ½.	
16 pubéscens. DC.	(wh.)	pubescent.	———	1822.	5.	H. ½.	
17 japónica. DC.	(pi.)	Japan.	Japan.	1810.	3. 5.	H. ½.	Bot. reg. t. 27.
18 serrulàta. H.C.	(bl.)	saw-leaved.	China.	1822.	4. 5.	H. ½.	
19 salicìna. H.C.	(bl.)	Willow-like.	———	——	——	H. ½.	

20	pseùdo-cérasus. HC.	(wh.)	Chinese.	China.	1830.	4. 5.	F. ½.	Bot. reg. t. 900.
	paniculàta. H.B. *non* Thunb.							
21	pensylvánica. DC.	(wh.)	Pensylvanian.	N. America.	1773.	5.	H. ½.	Willd. arb. t. 3. f. 3.
22	Mahàleb. DC.	(wh.)	perfumed.	S. Europe.	1714.	4. 5.	H. ½.	Jacq. aust. 3. t. 227.
23	Pádus. DC.	(wh.)	Bird.	Britain.	....	——	H. ½.	Eng. bot. v. 20 t. 1393.
24	rùbra. W.	(wh.)	red-fruited.	England.	....	——	H. ½.	Willd. arb. t. 4. f. 2.
25	virginiàna. DC.	(wh.)	Virginian.	N. America.	1724.	5. 6.	H. ½.	—— t. 3. f. 1.
26	serotìna. DC.	(wh.)	American Bird.	——	1629.	——	H. ½.	Wats. dend. brit. 48.
27	occidentàlis. DC.	(wh.)	West Indian.	Jamaica.	1784.	12. 1.	S. ½.	Catesb. car. 2. t. 94?
28	lusitánica. DC.	(wh.)	Portugal Laurel.	Portugal.	1648.	6.	H. ½.	Mill. ic. t. 196. f. 1.
29	Híxa. W. en.	(wh.)	Teneriffe.	Teneriffe.	1824.	——	F. ½.	
30	Laurocérasus. DC.	(wh.)	Laurel.	Levant.	1629.	4. 5.	H. ½.	Blackw. herb. t. 512.
31	carolinìana. DC.	(wh.)	evergreen.	Carolina.	1759.	5.	H. ½.	

ORDO LXXVII.

POMACEÆ. *D. Don prodr. flor. nepal. p.* 236.

ME'SPILUS. K.S. Me'spilus. Icosandria Di-Pentagynia.

1	germánica. DC.	(wh.)	Medlar.	England.	....	5. 7.	H. 5.	Eng. bot. v. 22. t. 1523.
	α sylvéstris. DC.	(wh.)	*wild.*	——	....	——	H. 5.	
	β stricta. DC.	(wh.)	*upright.*	.....	....	——	H. 5.	
	γ diffùsa. DC.	(wh.)	*Dutch.*	.....	....	——	H. 5.	Duham. arb. fr. 1. t. 3.
2	grandiflòra. S.S.	(wh.)	large-flow red.	S. Europe.	1800.	5. 6.	H. 5.	Exot. bot. 1. t. 18.
	Smithii. DC.							
3	Pyracántha. S.S.	(wh.)	evergreen thorn.	——	1629.	5.	H. ½.	Schmidt arb. t. 90.
4	crenulàta. D.P.	(wh.)	crenulate.	Nepaul.	1818.	6. 7.	H. ½.	
5	mexicàna. DC.	(wh.)	Mexican.	Mexico.	1824.	5. 6.	F. ½.	
6	Crús-gálli. L.	(wh.)	Cockspur-thorn.	N. America.	1691.	5. 6.	H. 5.	Wats. dend. brit. t. 56.
7	pyracanthifòlia.	(wh.)	Pyracantha-leaved.	——	——	——	H. 5.	
	làcida. Dum-Cours. bot. cult. ed. 2. v. 5. p. 448. *non* Miller.							
8	salicifòlia. L.C.	(wh.)	Willow-leaved.	——	——	——	H. 5.	
9	lineàris. DF.	(wh.)	linear-leaved.	——	——	——	H. 5.	
10	nàna. Dum-C.	(wh.)	dwarf.	——	1826.	——	H. ½.	
11	spinosíssima. L.C.	(wh.)	long-spined.	S. Europe.	....	——	H. ½.	Lodd. bot. cab. 1100.
12	punctàta. W. en.	(wh.)	spotted-fruited.	N. America.	1746.	——	H. 5.	Wats. dend. brit. t. 57.
	α rùbra. Ph.	(wh.)	red-fruited.	——	——	——	H. ½.	
	β cèrea. Ph.	(wh.)	*yellow-fruited.*	——	——	——	H. ½.	
13	elliptica. W. en.	(wh.)	oval-leaved.	——	1765.	5.	H. 5.	
14	prunifòlia. S.S.	(wh.)	Plum-leaved.	——	1812.	5. 6.	H. 5.	
15	prunellifòlia. DC.	(wh.)	Sloe-leaved.	——	1824.	——	H. ½.	
16	latifòlia. Poir.	(wh.)	broad-leaved.	N. America.	....	——	H. 5.	
17	parvifòlia. W. en.	(wh.)	Gooseberry-leav'd.	——	1704.	——	H. ½.	Wats. dend. brit. 65.
	xanthocárpos. S.S. *Crat'ægus parvifòlia.* DC. *tomentòsa.* L. Trew. ehr. t. 17.							
18	ovalifòlia. DC.	(wh.)	oval-leaved.	——	....	——	H. ½.	
19	víridis. DC.	(wh.)	smooth green.	——	....	——	H. ½.	
20	pauciflòra. Poir.	(wh.)	few-flowered.	Switzerland.	1818.	——	H. ½.	
21	lùcida. DC.	(wh.)	glossy-leaved.	——	....	——	H. ½.	
22	apiifòlia. S.S.	(wh.)	Parsley-leaved.	——	1812.	——	H. ½.	
23	pyrifòlia. S.S.	(wh.)	Pear-leaved.	——	1765.	6.	H. 5.	Wats. dend. brit. t. 61.
24	glandulòsa. S.S.	(wh.)	hollow-leaved.	N. America.	1750.	5. 6.	H. 5.	—— brit. t. 58.
	Crat'ægus sanguínea. Pall. ross. 1. t. 11.							
25	spathulàta. S.S.	(wh.)	spatula-leaved.	——	1806.	——	H. 5.	Lodd. bot. cab. t. 1261.
26	coccínea. S.S.	(wh.)	scarlet-fruited.	——	1683.	4. 5.	H. 5.	Wats. dend. brit. t. 62.
27	purpùrea. W.D.	(wh.)	purple-branch'd.	——	....	——	H. 5.	—— t. 60.
28	cordàta. S.S.	(wh.)	Maple-leaved.	——	1738.	5. 6.	H. 5.	—— t. 63.
	Crat'ægus cordàta. Bot. reg. t. 1151.							
29	lobàta. Poir.	(wh.)	lobed-leaved.	——	1818.	——	H. 5.	
30	florentìna. Be.	(wh.)	Florentine.	Florence.	1824.	——	H. 5.	
31	nìgra. S.S.	(wh.)	black-fruited.	Hungary.	1818.	——	H. 5.	Lodd. bot. cab. t. 1021.

ARMENIACA. DC.		**Apricot.**	**Icosandria Monogynia.**				
1 vulgàris. DC.	(wh.)	common.	Levant.	1548.	2. 4.	H. 5.	Lam. ill. t. 431.
α ovalifòlia. DC.	(wh.)	*oval-leaved.*	———	——	——	H. 5.	Nois. jar. fr. t. 1-2. f. 1-2.
β cordifòlia. DC.	(wh.)	*heart-leaved.*	———	——	——	H. 5.	——— t. 1. f. 3. t. 2. f. 2.
2 dasycárpa. DC.	(wh.)	black-fruited.	.....	....	3. 4.	H. 5.	Bot. reg. t. 1243.
Prùnus dasycárpa. B.R.							
β persicifòlia. DC.	(wh.)	*Peach-leaved.*	.....	....	——	H. ½.	Du. ar. ed. no. 5. t. 52. f. 1.
3 sibírica. DC.	(pi.)	Siberian.	Siberia.	1788.	4.	H. ½.	Pall. ross. 1. t. 8.
4 brigantiaca. DC.	(wh.)	spiny.	S. Europe.	....	——	H. ½.	Duh. arb. ed. n. 5. t. 59.
PRUNUS. DC.		**Plum-tree.**	**Icosandria Monogynia. L.**				
1 spinòsa. DC.	(wh.)	Sloe-tree.	Britain.	....	3. 4.	H. ½.	Eng. bot. v. 12. t. 842.
α vulgàris. DC.	(wh.)	*common.*	———	....	——	H. ½.	Duham. ed. n. 5. t. 54. f. 1.
β microcárpa. DC.	(wh.)	*small-fruited.*	———	....	——	H. ½.	
γ macrocárpa. DC.	(wh.)	*large-fruited.*	———	....	——	H. ½.	
δ ovàta. DC.	(wh.)	*oval-leaved.*	———	....	——	H. ½.	Blackw. herb. t. 494.
2 insititia. DC.	(wh.)	Bullace-tree.	Britain.	....	4.	H. ½.	Eng. bot. v. 12. t. 841.
3 cándicans. DC.	(wh.)	snowy.	.....	1818.	4. 5.	H. ½.	Bot. reg. t. 1135.
4 Cocomília. DC.	(wh.)	twin-flowered.	Calabria.	1826.	——	H. ½.	
5 marítima. DC.	(wh.)	sea-side.	N. America.	1800.	——	H. ½.	
6 pubéscens. DC.	(wh.)	pubescent.	.....	1819.	——	H. ½.	
7 diváricata. DC.	(wh.)	spreading.	Caucasus.	1823.	.....	H. ½.	
8 cerasífera. B.B.	(wh.)	Myrobalan.	N. America.	1820.	4. 5.	H. 5.	Duham. arb. 2. t. 2. f. 15.
9 pyramidàlis. DC.	(wh.)	pyramidal.	Europe.	....	4.	H. 5.	——— 2. t. 15—20.
10 doméstica. DC.	(wh.)	common.	England.	....	——	H. 5.	Eng. bot. v. 25. t. 1788.
α armenioides. DC.	(wh.)	*Apricot-like.*	.....	....	——	H. 5.	Duham. arb. 2. t. 13—14.
β Claudiàna. DC.	(wh.)	*Reine Claude.*	.....	....	——	H. 5.	——— 2. t. 11—12.
γ damascèna. DC.	(wh.)	*Damson.*	.....	....	——	H. 5.	——— 2. n. 13. t. 5.
δ turonénsis. DC.	(wh.)	*Monsieur hatif, &c.*	.....	....	——	H. 5.	——— 2. n. 16. t. 20. f. 1.
ε Juliàna. DC.	(wh.)	*Saint Julien.*	.....	....	——	H. 5.	Duh. ed. nov. 5. t. 54. f. 3.
ζ Catharinea. DC.	(wh.)	*Saint Catherine.*	.....	....	——	H. 5.	Duham. arb. 2. f. 1.
η Aubertiàna. DC.	(wh.)	*Imperatrice.*	.....	....	——	H. 5.	Nois. jar. fr. t. 57-58. f. 4.
CERASUS. DC.		**Cherry tree.**	**Icosandria Monogynia.**				
1 ávium. DC.	(wh.)	small-fruited.	Britain.	....	4. 5.	H. 5.	Blackw. t. 425.
α sylvéstris.	(wh.)	*wood.*	———	....	——	H. 5.	
β macrocárpa. DC.	(wh.)	*large-fruited.*	.....	....	——	H. 5.	Du. ed. no. 1. n. 2. t. 4. f. D.
γ pállida. DC.	(wh.)	*pale-fruited.*	.....	....	——	H. 5.	——— 5. n. 3. t. 4. f. B. C.
δ multiplex. DC.	(wh.)	*double-blossomed.*	.....	....	——	H. 5.	
2 duracina. DC.	(wh.)	hard-fruited.	Europe.	....	——	H. 5.	
α cordigera. DC.	(wh.)	*Bigarreaux.*	.....	....	——	H. 5.	Nois. jard. fr. t. 6. f. 1.
β obtusàta. DC.	(wh.)	*blunt-fruited.*	.....	....	——	H. 5.	Duh. ed. no. 5. t. 18. f. B.
γ mamillàris. DC.	(wh.)	*large-leaved.*	.....	....	——	H. 5.	——— 5. n. 12. t. 16. f. A.
3 juliàna. DC.	(wh.)	early.	S. Europe.	....	——	H. 5.	——— 5. n. 5. t. 15. f. A.
β Heaumiàna. DC.	(wh.)	*long-leaved.*	———	....	——	H. 5.	——— n. 20. t. 19.
γ péndula. DC.	(wh.)	*pendulous-branch'd.*	———	....	——	H. 5.	
4 Caproniàna. DC.	(wh.)	common.	———	....	——	H. 5.	
α Montmorencyàna. DC.		*May Duke, &c.*	———	....	——	H. 5.	Duh. ed. no. 5. n. 14. t. 7.
β polléscens. DC.	(wh.)	*pale-fruited.*	———	....	——	H. 5.	——— n. 18. t. 11.
γ gobétta. DC.	(wh.)	*Kentish.*	———	....	——	H. 5.	——— t. 12. f. A.
δ polyg'yna. DC.	(wh.)	*polygynous.*	———	....	——	H. 5.	Duham. arb. 4. t. 3.
ε multiplex. DC.	(wh.)	*semi-double.*	.....	....	——	H. 5.	——— p. 173. t. 5.
ϑ persiciflòra. DC.	(wh.)	*double-flowered.*	.....	....	——	H. 5.	
κ variegàta. DC.	(wh.)	*striped-leaved.*	.....	....	——	H. 5.	
θ grioëtta. DC.	(wh.)	*globular-fruited.*	.....	....	——	H. 5.	Duh. ed. nov. n. 21. t. 14.
ι cordigera. DC.	(wh.)	*red-heart.*	.....	....	——	H. 5.	Duham. arb. 4. t. 16. f. 1.
5 semperflòrens. DC.	(wh.)	late-fruited.	N. America.	....	5. 6.	H. ½.	Wats. dend. brit. 131.
6 chamæcérasus. DC.	(wh.)	bastard.	Germany.	1597.	5.	H. ½.	Jacq. ic. 1. t. 90.
7 persicifòlia. DC.	(wh.)	Peach-leaved.	N. America.	1818.	4. 5.	H. ½.	
8 púmila. DC.	(wh.)	dwarf.	———	1756.	5.	H. ½.	Mill. ic. t. 89. f. 2.
9 pygm'æa. DC.	(wh.)	small.	———	1818.	——	H. ½.	
10 nigra. DC.	(wh.)	black-fruited.	Canada.	1773.	5. 6.	H. ½.	Bot. mag. t. 1117.
11 boreàlis. DC.	(wh.)	northern.	N. America.	1818.	——	H. ½.	
12 deprèssa. DC.	(wh.)	depressed.	———	1805.	5.	H. ½.	
13 Susquehánnæ. W.en.	(wh.)	glaucous-l^d.	N. America.	1800.	——	H. ½.	
14 hyemàlis. DC.	(wh.)	mountain.	———	1805.	——	H. ½.	
15 Chícasa. DC.	(wh.)	Chicasaw.	———	1806.	4. 5.	H. ½.	
16 pubéscens. DC.	(wh.)	pubescent.	———	1822.	5.	H. ½.	
17 japónica. DC.	(pi.)	Japan.	Japan.	1810.	3. 5.	H. ½.	Bot. reg. t. 27.
18 serrulàta. H.C.	(bh.)	saw-leaved.	China.	1822.	4. 5.	H. ½.	
19 salicìna. H.C.	(bh.)	Willow-like.	———	——	——	H. ½.	

20	pseùdo-cérasus. HC.	(wh.)	Chinese.	China.	1820.	4. 5.	F. ½.	Bot. reg. t. 998.
	paniculàta. H.B. *non* Thunb.							
21	pensylvánica. DC.	(wh.)	Pensylvanian.	N. America.	1773.	5.	H. ½.	Willd. arb. t. 3. f. 2.
22	Mahàleb. DC.	(wh.)	perfumed.	S. Europe.	1714.	4. 5.	H. ½.	Jacq. aust. 3. t. 227.
23	Pádus. DC.	(wh.)	Bird.	Britain.	....	——	H. ½.	Eng. bot. v. 20 t. 1393.
24	rùbra. W.	(wh.)	red-fruited.	England.	....	——	H. ½.	Willd. arb. t. 4. f. 2.
25	virginiàna. DC.	(wh.)	Virginian.	N. America.	1724.	5. 6.	H. ½.	——— t. 3. f. 1.
26	serotìna. DC.	(wh.)	American Bird.	———	1629.	——	H. ½.	Wats. dend. brit. 46.
27	occidentàlis. DC.	(wh.)	West Indian.	Jamaica.	1784.	12. 1.	S. ½.	Catesb. car. 2. t. 94?
28	lusitánica. DC.	(wh.)	Portugal Laurel.	Portugal.	1648.	6.	H. ½.	Mill. ic. t. 196. f. 1.
29	Híxa. W. en.	(wh.)	Teneriffe.	Teneriffe.	1824.	——	F. ½.	
30	Laurocérasus. DC.	(wh.)	Laurel.	Levant.	1629.	4. 5.	H. ½.	Blackw. herb. t. 512.
31	carolinìana. DC.	(wh.)	evergreen.	Carolina.	1759.	5.	H. ½.	

ORDO LXXVII.

POMACEÆ. *D. Don prodr. flor. nepal. p. 236.*

MESPILUS. K.S. Mĕ'spilus. Icosandria Di-Pentagynia.

1	germánica. DC.	(wh.)	Medlar.	England.	....	5. 7.	H. 5.	Eng. bot. v. 22. t. 1523.
	α sylvéstris. DC.	(wh.)	*wild.*	———	....	——	H. 5.	
	β stricta. DC.	(wh.)	*upright.*	.....	....	——	H. 5.	
	γ diffùsa. DC.	(wh.)	*Dutch.*	.....	....	——	H. 5.	Duham. arb. fr. 1. t. 3.
2	grandiflòra. S.S.	(wh.)	large-flow red.	S. Europe.	1800.	5. 6.	H. 5.	Exot. bot. 1. t. 18.
	Smíthii. DC.							
3	Pyracántha. S.S.	(wh.)	evergreen thorn.	———	1629.	5.	H. ½.	Schmidt arb. t. 90.
4	crenulàta. D.P.	(wh.)	crenulate.	Nepaul.	1818.	6. 7.	H. ½.	
5	mexicàna. DC.	(wh.)	Mexican.	Mexico.	1824.	5. 6.	F. ½.	
6	Crús-gálli. L.	(wh.)	Cockspur-thorn.	N. America.	1691.	5. 6.	H. 5.	Wats. dend. brit. t. 56.
7	pyracanthifòlia.	(wh.)	Pyracantha-leaved.	———	——	——	H. 5.	
	làcida. Dum-Cours. bot. cult. ed. 2. v. 5. p. 448. *non* Miller.							
8	salicifolia. L.C.	(wh.)	Willow-leaved.	———	——	——	H. 5.	
9	lineària. DF.	(wh.)	linear-leaved.	———	——	——	H. 5.	
10	nàna. Dum-C.	(wh.)	dwarf.	———	1826.	——	H. ½.	
11	spinosíssima. L.C.	(wh.)	long-spined.	S. Europe.	....	——	H. ½.	Lodd. bot. cab. 1100.
12	punctàta. W. en.	(wh.)	spotted-fruited.	N. America.	1746.	——	H. 5.	Wats. dend. brit. t. 57.
	α rùbra. Ph.	(wh.)	red-fruited.	———	——	——	H. ½.	
	β àurea. Ph.	(wh.)	*yellow-fruited.*	———	——	——	H. ½.	
13	elliptica. W. en.	(wh.)	oval-leaved.	———	1765.	5.	H. 5.	
14	prunifòlia. S.S.	(wh.)	Plum-leaved.	———	1812.	5. 6.	H. 5.	
15	prunellifòlia. DC.	(wh.)	Sloe-leaved.	———	1824.	——	H. ½.	
16	latifòlia. Poir.	(wh.)	broad-leaved.	N. America.	....	——	H. 5.	
17	parvifòlia. W. en.	(wh.)	Gooseberry-leav'd.	———	1704.	——	H. ½.	Wats. dend. brit. 65.
	xanthocárpos. S.S. *Crat'ægus parvifòlia.* DC. *tomentòsa.* L. Trew. ehr. t. 17.							
18	ovalifòlia. DC.	(wh.)	oval-leaved.	———	....	——	H. ½.	
19	víridis. DC.	(wh.)	smooth green.	———	....	——	H. ½.	
20	pauciflòra. Poir.	(wh.)	few-flowered.	Switzerland.	1818.	——	H. ½.	
21	lùcida. DC.	(wh.)	glossy-leaved.	———	....	——	H. ½.	
22	apiifòlia. S.S.	(wh.)	Parsley-leaved.	———	1812.	——	H. ½.	
23	pyrifòlia. S.S.	(wh.)	Pear-leaved.	———	1765.	6.	H. 5.	Wats. dend. brit. t. 61.
24	glandulòsa. S.S.	(wh.)	hollow-leaved.	N. America.	1750.	5. 6.	H. 5.	——— brit. t. 58.
	Crat'ægus sanguínea. Pall. ross. 1. t. 11.							
25	spathulàta. S.S.	(wh.)	spatula-leaved.	———	1806.	——	H. 5.	Lodd. bot. cab. t. 1261.
26	coccínea. S.S.	(wh.)	scarlet-fruited.	———	1683.	4. 5.	H. 5.	Wats. dend. brit. t. 62.
27	purpùrea. W.D.	(wh.)	purple-branch'd.	———	....	——	H. 5.	——— t. 60.
28	cordàta. S.S.	(wh.)	Maple-leaved.	———	1738.	5. 6.	H. 5.	——— t. 63.
	Crat'ægus cordàta. Bot. reg. t. 1151.							
29	lobàta. Poir.	(wh.)	lobed-leaved.	———	1818.	——	H. 5.	
30	florentìna. Be.	(wh.)	Florentine.	Florence.	1824.	——	H. 5.	
31	nigra. S.S.	(wh.)	black-fruited.	Hungary.	1818.	——	H. 5.	Lodd. bot. cab. t. 1021.

32	pentágyna. s.s.	(wh.)	five-styled.	Hungary.	1818.	5. 6.	H. 5.	
33	flàva. W. en.	(wh.)	yellow-berried.	N. America.	1724.	——	H. 5.	Wats. dend. brit. t. 59.
34	fissa. Poir.	(wh.)	cloven-leaved.	————	1818.	——	H. 5.	
35	Oliveriàna. DC.	(wh.)	Oliver's.	Levant.	——	——	H. 5.	
36	Poiretiàna. DC.	(wh.)	Poiret's.	N. America.	....	——	H. 5.	
	linearis. Poir. *non* P.S.							
37	dissécta. Dum.	(wh.)	cut-leaved.	Persia.	1828.	....	H. 5.	
38	Oxyacántha. s.s.	(wh.)	Hawthorn.	Britain.	....	5. 6.	H. 5.	Eng. bot. v. 35. t. 2504.
	Crat'ægus Oxyacántha. DC.							
	β *major.*	(wh.)	*great-fruited.*	————	....	——	H. 5.	
	γ *aùrea.*	(wh.)	*yellow-berried.*	————	....	——	H. 5.	
39	pr'æcox.	(wh.)	Glastonbury.	.....	....	3. 5.	H. 5.	
40	oxyacanthoides. B.R.		Hawthorn-like.	S. Europe.	....	5. 6.	H. 5.	Bot. reg. t. 1128.
	β *multiplex.*	(wh.)	*double-flowered.*	————	....	——	H. 5.	
41	élegans. Poir.	(ro.)	*rose-coloured.*	————	....	——	H. 5.	Blackw. herb. t. 149.
	β *rubéscens.*	(re.)	*dark-red.*	————	1827.	——	H. 5.	
42	eriocárpa. Lind.	(wh.)	woolly-fruited.	Britain.	....	——	H. 5.	
43	monógyna. Pal.	(wh.)	one-styled.	Siberia.	....	——	H. 5.	Pall. ross. 1. t. 12.
44	heterophy'lla. DC.	(wh.)	various-leaved.	Levant?	1818.	——	H. 5.	Bot. reg. t. 1161.
45	Azaròlus. s.s.	(wh.)	Azarole.	S. Europe.	1640.	——	H. 5.	Andr. reposit. t. 579.
46	Ardònia. W. en.	(wh.)	Aronian.	Levant.	....	——	H. 5.	Pocock tr. t. 85.
47	orientàlis. Poir.	(wh.)	oriental.	————	1824.	——	H. 5.	
48	tanacetifòlia. A.R.	(wh.)	Tansy-leaved.	————	1789.	——	H. ½.	Andr. reposit. t. 591.
49	odoratíssima. A.R.	(wh.)	sweet-scented.	Crimea.	....	——	H. ½.	———— t. 590.
50	Celsiàna. W. en.	(wh.)	Cels's.	Levant.	1822.	——	H. ½.	
51	laciniàta. DC.	(wh.)	jagged.	Sicily.	——	——	H. ½.	
52	melanocárpa. s.s.	(wh.)	black-berried.	Tauria.	1818.	——	H. ½.	
53	pectinàta. L. en.	(wh.)	pectinated.	Persia.	1824.	——	H. ½.	
54	flabellàta. L.C.	(wh.)	fan-leaved.	.....	1823.	——	H. ½.	
55	pruinòsa. Lk.	(wh.)	frosted	.....	1826.	——	H. ½.	
56	succulénta. Scr.	(wh.)	succulent.	.....	——	——	H. ½.	
57	subvillòsa. Scr.	(wh.)	villous.	.....	1827.	——	H. ½.	
58	punícea. F.		crimson.	Dahuria.	——	....	H. ½.	
RAPHIOL'EPIS. DC.			RAPHIOL'EPIS.	Icosandria Digynia.				
1	índica. DC.	(wh.)	Indian.	China.	1806.	5. 8.	G. ½.	Bot. mag. t. 1736.
	Crat'ægus índica. B.M.							
2	phæostémon. DC.	(wh.)	red-stamen'd.	————	1818.	——	G. ½.	Bot. reg. t. 468.
	índica. Bot. reg. *non* Bot. mag.							
3	rùbra. DC.	(wh.)	red-stemmed.	————	1806.	——	G. ½.	Lindl. coll. t. 3.
4	salicifòlia. DC.	(wh.)	Willow-leaved.	————	1820.	——	G. ½.	Bot. reg. t. 652.
PHOTI'NIA. DC.			PHOTI'NIA.	Icosandria Digynia.				
1	serrulàta. DC.	(wh.)	smooth-leaved.	China.	1804.	4. 7.	H. ½.	Bot. mag. t. 2105.
	Crat'ægus glàbra. B.M.							
2	arbutifòlia. DC.	(wh.)	Arbutus-leaved.	California.	1796.	6. 8.	H. ½.	Bot. reg. t. 491.
3	integrifòlia. DC.	(wh.)	entire-leaved.	Nepaul.	1820.	5. 6.	H. ½.	
	P'yrus integérrima. D.P.							
4	dùbia. DC.	(wh.)	doubtful.	————	1822.	——	H. ½.	Linn. trans. 13. t. 10.
	Mespilus tinctòria. D.P. *Mespilus bengalénsis.* Roxb.							
ERIOBO'TRYA. DC.			LOQUAT.	Icosandria Pentagynia.				
1	japónica. DC.	(wh.)	Japan.	Japan.	1787.	9. 10.	H. ½.	Bot. reg. t. 365.
	Mespilus japónica. Vent. malm. t. 19.							
2	ellíptica. DC.	(wh.)	elliptic-leaved.	Nepaul.	1822.	....	H. ½.	
	Mespilus Cuila. D.P.							
COTONEA'STER. DC.			COTONEA'STER.	Icosandria Di-Pentagynia.				
1	vulgàris. DC.	(wh.)	common.	Europe.	1656.	4. 5.	H. ½.	Flor. dan. t. 113.
	Mespilus Cotonéaster. L.							
2	affínis. DC.	(bh.)	likened.	Nepaul.	1820.	6. 7.	H. ½.	
3	tomentòsa. DC.	(wh.)	Quince-leaved.	Europe.	1759.	4. 5.	H. ½.	Wats. dend. brit. t. 55.
	Mespilus eriocárpa. W.D.							
4	denticulàta. K.S.	(wh.)	tooth-leaved.	Mexico.	1826.	....	F. ½.	H.etB.n.ge.am.6.t.556.
5	laxiflòra. J.F.	(wh.)	loose-flowered.	Nepaul.	1820.	5. 7.	H. ½.	
6	frígida. B.R.	(wh.)	mountain.	————	1823.	4. 5.	H. ½.	Bot. reg. t. 1229.
7	acuminàta. DC.	(bh.)	pointed-leaved.	————	1820.	4. 6.	H. ½.	Linn. trans. v. 13. t. 9.
	Mespilus acuminàta. Lodd. bot. cab. t. 919.							
8	rotundifòlia. B.R.	(wh.)	round-leaved.	————	——	——	H. ½.	Bot. reg. t. 1187.
	microphy'lla β *Uva úrsi.* B.R.							
9	microphy'lla. B.R.	(wh.)	small-leaved.	————	——	——	H. ½.	Bot. reg. t. 1114.
10	buxifò'lia. B.R.	(wh.)	Box-leaved.	————	1824.	——	H. ½.	

AMELA'NCHIER. DC. Amela'nchier. Icosandria Pentagynia.

1 vulgàris. DC. (*wh.*) common. S. Europe. 1596. 4. 5. H. ½. Schmidt. arb. t. 85.
Mespilus Amelánchier. Jacq. aust. t. 300. *P'yrus Amelánchier.* W.

2 Botryàpium. DC. (*wh.*) snowy. N. America. 1746. —— H. ½. Schmidt. arb. t. 84.
Mespilus canadénsis. L. *P'yrus Botryàpium.* W. *Arònia Botryàpium.* P.S.

3 ovàlis. DC. (*wh.*) oval-leaved. ——— 1800. —— H. ½.

4 sanguínea. DC. (*wh.*) red-branched. ——— 1812. —— H. ½. Bot. reg. t. 1171.

AR'ONIA. P.S. Ar'onia. Icosandria. Di-Pentagynia.

1 arbutifòlia. N. (*wh.*) red-berried. N. America. 1700. 5. 6. H. ½. Mill. ic. t. 109.
pyrifòlia. P.S. *P'yrus arbutifòlia.* Ph.

2 grandifòlia. (*wh.*) large-leaved. ——— .... —— H. ½. Bot. reg. t. 1154.
P'yrus grandifòlia. B.R.

3 floribúnda. (*wh.*) many-flowered. ——— .... —— H. ½. Bot. reg. t. 1006.

4 xanthocárpa. L.C. (*wh.*) yellow-fruited. ——— 1820. —— H. ½.

5 melanocárpa. N. (*wh.*) black-fruited. ——— 1700. —— H. ½. Schmidt. arb. t. 86.

6 chamæméspilus. P.S. (*wh.*) Bastard Quince. Pyrenees. 1683. —— H. ½. ——— t. 87.
Mespilus chamæméspilus. L. *Crat'ægus chamæméspilus.* Jacq. aust. t. 231.

P'YRUS. DC. Pear & Apple. Icosandria Di-Pentagynia.

1 communis. DC. (*wh.*) common Pear. England. .... 4. H. 5. Eng. bot. v. 25. t. 1784.

α 'Achras. DC. (*wh.*) *pointed-leaved.* ——— .... —— H. 5.

β pyráster. DC. (*wh.*) *round-leaved.* ——— .... —— H. 5. Gært. fr. t. 87. f. 2.

γ sativa. DC. (*wh.*) *cultivated.* ——— .... —— H. 5.

2 Bollwylleriàna. DC. (*wh.*) woolly-leaved. Germany. 1786. 4. 5. H. 5. Lodd. bot. cab. t. 1009.

3 salvifòlia. DC. (*wh.*) Sage-leaved. France. 1824. —— H. 5.

4 amygdalifórmis. DC. (*wh.*) Almond-like. ——— 1820. —— H 5.

5 elæagnifòlia. DC. (*wh.*) Oleaster-leaved. Tauria. 1818. —— H. 5.

6 salicifòlia. DC. (*wh.*) Willow-leaved. Siberia. 1780. 5. 6. H. 5. Bot. reg. t. 514.

7 crenàta. D.P. (*wh.*) crenated. Nepaul. 1820. —— H. 5.

8 sinàica. DC. (*wh.*) Mount Sinai. Levant. —— 5. H. 5. Wats. dend. brit. t. 49.
pérsica. P.S.

9 nivàlis. DC. (*wh.*) white-leaved. Austria. .... —— H. 5. Jacq. aust. 2. t. 107.

10 Pàshia. D.P. (*wh.*) rough-fruited. Nepaul. 1825. 5. 6. H. 5.

11 Nússia. D.P. (*wh.*) small-fruited. ——— 1823. —— H. 5.

12 sinénsis. B.R. (*wh.*) Chinese. China. —— —— H. 5. Bot. reg. t. 1248.

13 acérba. DC. (*bk.*) sour. Europe. .... 4. 5. H. 5. Flor. dan. t. 1101.

14 Málus. DC. (*bk.*) common Apple. Britain. .... —— H. 5. Eng. bot. v. 3. t. 179.

15 pr'æcox. (*bk.*) Paradise. Russia. 1784. 4. H. 5.

16 dioica. DC. (*st.*) linear petal'd. .... 4. 5. H. 5.

17 astracànica. DC. (*bk.*) Astracan. Astracan. 1824. —— H. 5.

18 spectábilis. DC. (*pi.*) Chinese Apple. China. 1780. 5. H. 5. Bot. mag. t. 267.

19 prunifòlia. DC. (*bk.*) Siberian Crab. Siberia. 1758. 4. 5. H. 5. Mill. ic. 2. t. 269.

20 tomentòsa. DC. (*bk.*) woolly. ——— 1824. —— H. 5.

21 rubicúnda. DC. (*bk.*) red-fruited. ..... 1820. —— H. 5.

22 baccàta. DC. (*bk.*) small Crab. Siberia. 1784. —— H. 5. Pall. fl. ross. t. 10.

23 coronària. DC. (*pi.*) sweet-scented. Virginia. 1724. 5. H. 5. Bot. reg. t. 651.

24 angustifòlia. DC. (*bk.*) narrow-leaved. N. America. 1750. —— H. ½. Wats. dend. brit. 132.

25 pùmila. Mil. (*bk.*) dwarf evergreen. .... 4. 5. H. ½.

26 Aria. DC. (*wh.*) white-beam. Britain. .... 5. 6. H. 5. Eng. bot. v. 26. t. 1858.

27 alpina. W. en. (*wh.*) Alpine. Europe. 1820. —— H. 5. Duham. ed. nov. 4. t. 34.
longifòlia. Duham.

28 intermèdia. DC. (*wh.*) Swedish. Sweden. 1789. 4. 5. H. 5. Flor. dan. 301.

29 latifòlia. P.S. (*wh.*) broad-leaved. France. .... 5. 6. H. 5. Duham. arb. 1. t. 80.

30 èdulis. W. en. (*wh.*) eatable-fruited. Europe. 1816. —— H. 5. Wats. dend. brit. t. 52.

31 lanàta. D.P. (*wh.*) woolly. Nepaul. 1820. —— H. 5.

32 torminàlis. DC. (*wh.*) Wild Service. England. .... 4. 5. H. 5. Eng. bot. v. 5. t. 298.

33 auriculàta. DC. (*wh.*) eared-leaved. Egypt. 1828. .... H. 5.

34 pinnatífida. DC. (*wh.*) pinnatifid. England. .... 5. 6. H. 5. Eng bot. v. 33. t. 23-31.

35 arbúscula. Poir. (*wh.*) little tree. Germany. .... —— H. 5.

36 microcárpa. DC. (*wh.*) small-berried. N. America. .... —— H. 5.

37 aucupària. DC. (*wh.*) Mountain Ash. Britain. .... —— H. 5. Eng. bot. v. 5. t. 337.

38 americàna. DC. (*wh.*) purple-berried. Canada. 1782. —— H. 5. Wats. dend. brit. t. 54.

39 sorbifòlia. W.D. (*wh.*) Service-leaved. .... 5. H. 5. ——— t. 53

40 Sórbus. DC. (*wh.*) Service-tree. England. .... 5. 6. H. 5. Eng. bot. v. 5. t. 350.
doméstica. E.B. *Sórbus doméstica.* L.

41 lanuginòsa. DC. (*wh.*) woolly-leaved. Hungary. 1820. —— H. 5.

42 spùria. DC. (*bk.*) spurious. Hybrid. .... —— H. 5. Bot. reg. t. 1196.
hy'brida. Mœnch. Weis. t. 6. *Sórbus spuria.* P.S.

CYD'ONIA. DC.	Quince.	Icosandria Pentagynia.				
1 vulgàris. DC. (wh.)	common.	S. Europe.	1573.	5. 6.	H. 5.	Jacq. aust. 4. t. 342.
α malifórmis. DC. (wh.)	*Apple-fruited.*	———	——	——	H. 5.	
β lusitànica. DC. (wh.)	*large-fruited.*	———	——	——	H. 5.	Duha.arb.fr.1.p.195.ic.
γ oblónga. DC. (wh.)	*oblong-fruited.*	———	——	——	H. 5.	Blackw. herb. t. 137.
2 sinénsis. DC. (wh.)	Chinese.	China.	1815.	4. 5.	H. 5.	Bot. reg. t. 905.
3 japónica. DC. (sc.)	Japan.	Japan.	1796.	1, 12.	H. ½.	Bot. mag. t. 602.
α rùbra. (sc.)	*red-flowered.*	———	——	——	H. ½.	
P'yrus japónica. B.M.	*Malus japónica.* A.R. 462.					
β álba. (wh.)	*white-flowered.*	———	1812.	——	H. ½.	Lodd. bot. cab. t. 541.

ORDO LXXVIII.

ROSACEÆ. *D. Don prodr. fl. nepal. p.* 229.

Tribus I. *ROSEÆ.* DC. prodr. 2. p. 596.

R'OSA. DC.	Rose.	Icosandria Polygynia. L.				
1 berberifòlia. W. (ye.)	Berberry-ld.	Persia.	1790.	6. 8.	H. ½.	Redout. ros. 1. 27. t. 2.
simplicifòlia. P.L. 101.	*Lo'wea berberifòlia.* Bot. reg. 1261.					
2 fèrox. L.R. (pu.)	hedgehog.	Caucasus.	1796.	6. 8.	H. ½.	Bot. reg. t. 420.
3 kamchática. L.R. (pu.)	Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. ½.	——— t. 419.
β nitens. B.R. (pu.)	*glossy.*	———	1820.	——	H. ½.	——— t. 834.
4 involucràta. L.R. (wh.)	floral-leaved.	China.	1814.	5. 10.	H. ½.⌣.	——— t. 739.
5 clinophy'lla. R.R. (wh.)	naked-flowered.	———	1820.	——	H. ½.⌣.	Redout. ros. 1. t. 10.
6 bracteàta. L.R. (wh.)	Macartney.	———	1795.	6. 10.	H. ½.⌣.	——— 1. t. 6.
β scabriúscula. L.R. (w.)	*rough Macartney.*	———	——	——	H. ½.⌣.	Bot. mag. 1377.
7 nítida. W.en. (ro.)	dwarf Labrador.	N. America.	1773.	7. 8.	H. ½.⌣.	Lindl. ros. t. 2.
8 ràpa. R.R. (ro.)	double Burnet.	———	1726.	——	H. ½.	Redout. ros. t. 7. t. 2.
9 lùcida. W. (re.)	single Burnet.	———	1773.	——	H. ½.	Miss Lawr. ros. t. 24.
10 Lindlèyi. s.s. (ro.)	spreading.	———	1726.	——	H. ½.	Lindl. ros. t. 3.
láxa. L.R. *non* Retz.						
11 parviflòra. W. (bk.)	small-flowered.	———	1724.	——	H. ½.	
α Single Pensylvanian (bk.)		———	——	——	H. ½.	Miss Lawr. ros. t. 68.
β Double Pensylvanian (bk.)		———	——	——	H. ½.	——— t. 66.
12 Woódsii. L.R. (pi.)	Woods's.	———	1815.	6. 7.	H. ½.	
13 gemélla. s.s. (re.)	tw.n-flowering.	———	1800.	7. 8.	H. ½.	
14 Lyònii. s.s. (ro)	Lyon's.	Tennassee.	1812.	——	H. ½.	
15 flòrida. L.C. (re.)	flowering.	N. America.	——	6. 7.	H. ½.	
16 carolìna. L.R. (re.)	Carolina.	———	1726.	——	H. ½.	Lindl. ros. t. 4.
17 pensylvànica. L.en. (re.)	Pensylvanian.	———	——	——	H. ½.	
18 blánda. L.R. (re.)	Hudson's Bay.	———	1773.	5. 8.	H. ½.	Miss Lawr. ros. t. 27.
19 fraxinifòlia. L.R. (re.)	Ash-leved.	Newfoundland.	—	4. 6.	H. ½.	Bot. reg. 458.
β Red Alpine Rose. (re.)	.....		——	——	H. ½.	Miss Lawr. ros. t. 75.
20 cinnamòmea. E.B. (ro.)	Single Cinnamon.	England.	....	5.	H. ½.	Eng. bot. v. 34. t. 2388.
β flòre semiplèno. (ro.)	*semidouble.*	———	....	——	H. ½.	
γ fœcundíssima. (ro.)	*double Cinnamon.*	Europe.	....	4. 5.	H. ½.	Lindl. ros. t. 5.
21 majális. L.R. (ro.)	dwarf Cinnamon.	S. Europe.	....	——	H. ½.	Flor. dan. t. 666.
22 frutetòrum. s.s. (bk.)	short peduncl'd.	Volhynia.	1820.	5. 6.	H. ½.	
23 ambígua. s.s. (bk.)	ambiguous.	.....	——	——	H. ½.	
24 macrophy'lla. L.R. (ro.)	long-leaved.	Nepaul.	1822.	....	H. ½.	Lindl. ros. t. 6.
25 americàna. L.en. (ro.)	American.	America.	——	....	H. ½.	
26 alpina. L.R. (re.)	Alpine.	Europe.	1683.	6. 7.	H. ½.	Bot. reg. 424.
α Alpine Rose. (re.)	*common.*	———	——	——	H. ½.	Miss Lawr. ros. t. 30.
β pyrenàica. L.R. (re.)	*Pyrenean.*	———	——	——	H. ½.	Jacq. schœnb. 4. t. 416.
γ pendulìna. L.R. (re.)	*pendulous.*	———	1726.	——	H. ½.	Miss Lawr. ros. t. 9.
27 pygm'æa. s.s. (ro.)	pigmy.	Tauria.	....	——	H. ½.	
28 rubélla. E.B. (re.)	long-fruited.	England.	....	7.	H. ½.	Eng. bot. v. 36. t. 2521.
β melanocárpa. L.R. (re.)	*black-fruited.*	———	....	——	H. ½.	

29	muricàta. L.en.	(ro.)	muricate.	.....	1820.	6. 7.	H. h.	
30	balsámica. s.s.	(ro.)	balsamic.	.....	——	——	H. h.	
31	stricta. L.R.	(ro.)	upright.	N. America.	1726.	——	H. h.	Lindl. ros. t. 7.
	Upright Carolina.	(ro.)		——	——	——	H. h.	Miss Lawr. ros. t. 36.
32	súavis. s.s.	(ro.)	sweet.	.....	1817.	——	H. h.	
33	acicularis. L.R.	(ro.)	grey Siberian.	Siberia.	....	3. 4.	H. h.	Lindl. ros. t. 8.
34	pauciflòra. Ly.	(ro.)	few-flowered.	——	....	——	H. h.	
35	sulphùrea. w.	(st.)	double yellow.	Levant.	1629.	7.	H. h.	Bot. reg. 46.
36	lutéscens. Ph.	(st.)	yellowish.	Siberia.	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	hispida. Bot. mag. t. 1570.							
37	viminea. L.R.	(ro.)	twiggy.	Russia.	1826.	5. 6.	H. h.	
38	spinosíssima. E.B.	(wh.)	Scotch.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 3. t. 187.
	β *revérsa.* L.R.	(wh.)	*reversed prickle.*	——	....	——	H. h.	Bot. reg. 431.
	γ *striped-flowered Scotch.*	(std.)		——	....	——	H. h.	Miss Lawr. ros. t. 15.
	δ *Red Scotch.*	(re.)		——	....	——	H. h.	—— t. 62.
	ε *Double Scotch.*	(wh.)		——	....	——	H. h.	—— t. 63.
	ζ *Tall Scotch.*	(wh.)		——	....	——	H. h.	—— t. 19.
	η *Marbled Scotch.*	(pu.) (wh.)		——	....	——	H. h.	—— t. 78.
	ϑ *sanguisorbifólia.* L.R.	(wh.)	*Sanguisorba-ld.*	....	....	——	H. h.	
39	altàica. W.en.	(wh.)	Pallas's.	Siberia.	....	——	H. h.	Pall. ros. 2. t. 75.
40	ochroleùca. L.en.	(st.)	sulphur-color'd.	——	1814.	——	H. h.	
41	melanocárpa. s.s.	(wh.)	small black fruited.	S. Europe.	1823.	——	H. h.	
42	grandiflòra. L.R.	(wh.)	large flowered.	Siberia.	....	5. 6.	H. h.	Bot. reg. 988.
43	myriacántha. DC.	(wh.)	numerous-spin'd.	S. France.	1820.	——	H. h.	Lindl. ros. t. 10.
44	involùta. E.B.	(bl.)	Dr. Walker's.	Hebrides.	....	6. 7.	H. h.	Eng. bot. v. 29. t. 2068.
45	revérsa. L.R.	(bl.)	reversed.	Hungary.	1817.	——	H. h.	W. et K. hung. 3. t. 264.
46	Biebersteínii. Ly.	(ro.)	Bieberstein's.	Caucasus.	1821.	5.	H. h.	
47	Doniàna. L.T.	(wh.)	Mr. Don's.	Britain.	....	6. 7.	H. h.	
48	grácilis. L.T.	(ro.)	slender.	——	....	7 8.	H. h.	Eng. bot. v. 9. t. 598.
	villòsa. E.B. not L.							
49	Sabini. L.T.	(ro.)	Mr. Sabine's.	—— ——	....	——	H. h.	
50	marginàta. L.R.	(ro.)	margined.	Germany.	1823.	——	H. h.	
51	coruscans. L.en.	(ro.)	glittering.	.....	——	——	H. h.	
52	damascèna. L.R.	(re.)	red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
53	centifólia. L.R.	(ro.)	Provins.	Caucasus.	1596.	——	H. h.	—— —— t. 8.
	β *muscòsa.* L.R.	(ro.)	*single moss.*	.....	1724.	——	H. h.	Bot. reg. 58.
	γ *multiplex.*	(ro.)	*double moss.*	.....	——	——	H. h.	Bot. mag. t. 60.
	δ *albiflòra.*	(wh.)	*white moss.*	.....	——	——	H. h.	Bot. reg. t. 102.
	ε *pomponia.* L.R.	(pi.)	*Pompone.*	.....	....	——	H. h.	Redout. ros. 1. 66. t. 21.
	ζ *bipinnata.* L.R.	(pi.)	*bipinnate.*	Caucasus.	....	——	H. h.	—— 2. 11. t. 4.
54	gállica. L.R.	(re.)	officinal.	Europe.	1596.	——	H. h.	Bot. reg. 448.
	β *pùmila.* L.R.	(re.)	*dwarf.*	Austria.	1773.	——	H. h.	Jacq. aust. 2. t. 196.
55	pulchélla. s.s.	(re.)	neat.	France.	....	——	H. h.	
56	parvifólia. L.R.	(pu.)	Burgundy.	Europe.	....	——	H. h.	Bot. reg. t. 452.
57	turbinàta. L.R.	(ro.)	Frankfort.	——	1629.	——	H. h.	Miss Lawr. ros. t. 69.
58	villòsa. L.T.	(bl.)	villous.	Britain.	....	6.	H. h.	Eng. bot. v. 35. t. 2459.
	mállis. E.B.							
	α *single apple bearing.*	(bl.)	——	——	....	——	H. h.	Miss Lawr. ros. t. 33.
	β *carùlea.* L.T.	(bl.)	*blue-stalked.*	——	....	——	H. h.	
	γ *concavifólia.* L.T.	(bl.)	*concave-leaved.*	Scotland.	....	——	H. h.	
	δ *suberécta.* L.T.	(bl.)	*suberect.*	Yorkshire.	....	——	H. h.	
	ε *double apple bearing.*	(pi.)		——	....	——	H. h.	Miss Lawr. ros. t. 29.
59	scabriúscula. L.T.	(bl.)	roughish.	Britain.	....	——	H. h.	Eng. bot. t. 1896.
60	heterophýlla. L.T.	(bl.)	various-leaved.	Scotland.	....	——	H. h.	
61	tomentòsa. L.T.	(bl.)	downy-ld. dog.	Britain.	....	——	H. h.	Eng. bot. v. 14. t. 990.
	β *sylvéstris.* L.T.	(bl.)	*wood.*	——	....	——	H. h.	
	γ *canéscens.* L.T.	(bl.)	*canescent.*	——	....	——	H. h.	
	δ *incàna.* L.T.	(bl.)	*hoary.*	——	....	——	H. h.	
	ε *resinòsa.* L.R.	(re.)	*resinous.*	Ireland.	....	——	H. h.	
62	núda. L.T.	(bl.)	naked.	Westmoreland.	..	——	H. h.	
63	álba. L.R.	(wh.)	single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
64	montàna. s.s.	(bl.)	mountain.	Tauria.	1820.	——	H. h.	
65	hibérnica. L.T.	(pi.)	Irish.	Ireland.	....	6. 11.	H. h.	Eng. bot. v. 31. t. 2196.
66	lùtea. L.R.	(ye.)	yellow.	Germany.	1596.	6.	H. h.	Bot. mag. 363.
67	punícea. Mil.	(re. ye.)	red and yellow.	Persia.	——	——	H. h.	—— — t. 1077.
68	Sherárdi. s.s.	(bl.)	Sherard's.	Britain.	....	6. 7.	H. h.	
69	Dicksoniàna. L.B.	(bl.)	Dickson's.	Ireland.	....	——	H. h.	
70	rubiginòsa. E.B.	(ro.)	sweet briar.	Britain.	....	——	H. h.	Eng. bot. v. 14. t. 991.
71	micrántha. L.T.	(ro.)	small.	England.	....	——	H. h.	—— v. 35. t. 2490.

72	sèpium. DC.	(*bk.*) hedge.	France.	....	——	H. ♄.		
73	Borrèri. L.T.	(*bk.*) Borrer's.	Britain.	....	——	H. ♄.		Eng. bot. v. 36. t. 2579.
	dumetòrum. E.B.	*nec aliorum.*						
74	umbellàta. DC.	(*ro.*) umbel-flowered.	——	....	——	H. ♄.		
75	adenophy'lla. S.S.	(*bk.*) glandulous.	.....	1816.	——	H. ♄.		
76	pruinòsa. L.C.	(*ro.*) frosted.	.....	1817.	5. 6.	H. ♄.		
	pulverulénta. L.R.	*non* M.B.						
77	glutinòsa. L.R.	(*bk.*) glutinous.	Levant.	1821.	6. 7.	H. ♄.		Cupan. panp. ed. 1. t. 61.
	rubiginòsa crética.	Red. ros. 125. t. 47.						
78	Montezùmæ. K.S.	(*ro.*) Mexican.	Mexico.	1823.	....	H. ♄.		Redout. ros. 1. t. 16.
79	rèpens. Scop.	(*bk.*) creeping.	.....	1825.	6. 7.	H. ♄.		
80	uncinàta. Bes.	(*bk.*) hooked.	Poland.	1826.	——	H. ♄.		
81	Boreykiàna. Bes.	(*bk.*) Boreyki's.	.....	1827.	——	H. ♄.		
82	Fischeriàna. Bes.	(*bk.*) Fischer's.	Russia.	1825.	——	H. ♄.		
83	gorenkénsis. Bes.	(*bk.*) Gòrenki.	——	——	——	H. ♄.		
84	guttensteiniénsis. Bes.	(*bk.*) Guttenstein.	Poland.	1822.	——	H. ♄.		
85	Kosinskiàna. Bes.	(*bk.*) Koscinszki.	Europe.	1825.	——	H. ♄.		
86	polyphy'lla. Bes.	(*bk.*) many-leaved.	.....	1827.	——	H. ♄.		
87	terebinthinàcea. Bes.	(*bk.*) Turpentine.	Germany.	1825.	——	H. ♄.		
88	Redowskiàna. Bes.	(*bk.*) Redowski's.	.....	1828.	——	H. ♄.		
89	uncinélla. Bes.	(*bk.*) small-hooked.	Europe.	1825.	——	H. ♄.		
90	dimórpha. Bes.	(*bk.*) variable.	Volhynia.	1821.	——	H. ♄.		
91	caryophyllàcea. Bes.	(*bk.*) Clove-scent'd.	Poland.	1825.	——	H. ♄.		
92	glaùca. Bes.	(*bk.*) glaucous.	——	——	——	H. ♄.		
93	nitídula. Bes.	(*bk.*) glossy.	Europe.	——	——	H. ♄.		
94	floribúnda. Bes.	(*bk.*) abundant-fl'd.	——	1828.	——	H. ♄.		
95	solstitiàlis. Bes.	(*bk.*) summer.	Poland.	1821.	——	H. ♄.		
96	acùta. F.	(*bk.*) acute-leaved.	Caucasus.	——	——	H. ♄.		
97	purpuráscens. F.	(*pu.*) purplish.	Tanaim.	——	——	H. ♄.		
98	rupícola. F.	(*bk.*) rocky.	Altay.	——	——	H. ♄.		
99	saxátilis. M.B.	(*bk.*) rock.	Tauria.	1825.	——	H. ♄.		
100	caucásica. M.B.	(*bk.*) Caucasean.	Caucasus.	1798.	5. 6.	H. ♄.		Lindl. ros. t. 11.
101	c'æsia. L.T.	(*bk.*) grey-leaved.	Scotland.	....	7.	H. ♄.		Eng. bot. v. 33. t. 2367.
102	sarmentàcea. L.T.	(*ro.*) sarmentose.	Britain.	....	6. 7.	H. ♄.		
	β nitens. L.T.	(*ro.*) *glossy-leaved.*	——	....	——	H. ♄.		
103	bractéscens. L.T.	(*bk.*) long-bracted.	Lancashire.	....	——	H. ♄.		
104	dumetòrum. L.T.	(*bk.*) bushy.	England.	....	6.	H. ♄.		
105	Forstèri. Sm.	(*bk.*) Forster's.	——	....	——	H. ♄.		
106	collìna. L.T.	(*bk.*) hill.	——	....	——	H. ♄.		Jacq. aust. 2. t. 197.
107	canìna. L.T.	(*bk.*) dog or hep.	Britain.	....	6. 7.	H. ♄.		Eng. bot. v. 14. t. 992.
	β cera. L.T.	(*bk.*) *waxy.*	——	....	——	H. ♄.		
	γ glandulifera. L.T.	(*bk.*) *glandular.*	——	....	——	H. ♄.		
	δ simpliciuscula. L.T.	(*bk.*) *simple-calyxed.*	——	....	——	H. ♄.		
108	surculòsa. L.T.	(*bk.*) surculose.	——	....	——	H. ♄.		
109	leucántha. L.en.	(*wh.*) white-flowered.	Siberia.	1824.	....	H. ♄.		
110	rubrifòlia. L.R.	(*re.*) reddish-leaved.	S. Europe.	....	5. 6.	H. ♄.		Bot. reg. t. 490.
111	sericea. L.R.	(*bk.*) silky-leaved.	Nepaul.	1823.	....	H. ♄.		Lindl. ros. t. 12.
112	microphy'lla. L.R.	(*re.*) small-leaved.	China.	1822.	6. 8.	H. ♄.		Bot. reg. t. 919.
113	longifòlia. W.	(*bk.*) Willow-leaved.	——	....	2. 10.	F. ♄.		Redout. ros. 2. 27. t. 12.
114	índica. W.	(*ro.*) common Chìna.	——	1789.	1. 12.	H. ♄.		Miss Lawr. ros. t. 26.
	β centifòlia.	(*ro.*) *large-double.*	——	....	——	H. ♄.		
	γ purpùrea.	(*pu.*) *purple China.*	——	....	——	H. ♄.		
	δ subálba.	(*bk.*) *whitish China.*	——	....	——	H. ♄.		
	ε mèdia.	(*ro.*) *middle China.*	——	....	——	H. ♄.		
	ζ minor.	(*ro.*) *small China.*	——	....	——	H. ♄.		Andr. ros. ic.
	η frágrans.	(*pu.*) *animating.*	——	....	——	H. ♄.		
115	odoràta.	(*pa.*) sweet-scented.	——	1810.	2. 12.	H. ♄.		Bot. reg. 804.
	índica odoràta. A.R.	*índica frágrans.* R.R. 1. 115. t. 42.						
	β flavéscens.	(*st.*) *yellow China.*	China.	1823.	——	H. ♄.		
116	semperflòrens. L.R.	(*cr.*) red China.	——	1789.	1. 12.	F. ♄.		Exot. bot. 2. t. 91.
	a diversifòlia. V.	(*re.*) *single.*	——	....	——	F. ♄.		Vent. cels. t. 35.
	β atrorùbens.	(*cr.*) *double red.*	——	1789.	....	F. ♄.		Bot. mag. 284.
	γ resplèndens.	(*cr.*) *resplendent.*	——	....	——	F. ♄.		
	δ frágrans.	(*re.*) *fragrant.*	——	1820.	——	F. ♄.		
	ε Terneáuxi.	(*re.*) *Terneaux's.*	——	——	——	F. ♄.		
	ζ Bichónii.	(*re.*) *Bichon's.*	——	——	——	F. ♄.		
117	Lawranceàna. L.R.	(*bk.*) Miss Lawrance's.	——	1810.	——	F. ♄.		Bot. reg. t. 538.
	β flore plèno.	(*bk.*) *double-flowered.*	——	1824.	——	F. ♄.		

118	syst'yla. L.T.	(*bk.*)	clustered dog.	Britain.	....	6. 7.	H. ½.	Eng. bot. v. 27. t. 1895.
	β *lanceolata*. L.R.	(*bk.*)	spear-leaved.	Ireland.	....	——	H. ½.	
	γ *Monsoniæ*. L.R.	(*bk.*)	Lady Monson's.	England.	....	——	H. ½.	
119	arvénsis. L.T.	(*wk.*)	field.	Britain.	....	——	H. ½.	Eng. bot. v. 3. t. 188.
	β *scándens*.	(*wk.*)	*Ayrshire*.	——	....	——	H. ½.⌣.	Bot. mag. 2054.
120	geminàta. Rau.	(*bk.*)	Swiss.	Switzerland.	....	——	H. ½.	
121	sempervìrens. W.	(*wk.*)	evergreen.	S. Europe.	1629.	6. 8.	H. ½.⌣.	Bot. reg. t. 465.
122	Boursoùlti.	(*ro.*)	Boursoult's.	Hybrid.	1821.	4. 7.	H. ½.⌣.	
123	hyacinthina.	(*ro.*)	Hyacinth-scented.	——	——	——	H. ½.⌣.	
124	Grevíllii.	(*ro.bk.*)	Greville's.	China.	....	——	H. ½.⌣.	
125	Roxbúrghii.	(*ro.*)	Roxburgh's.	——	....	——	H. ½.⌣.	
126	multiflòra. W.	(*va.*)	many-flowered.	——	1804.	6. 8.	H. ½.⌣.	Bot. reg. 425.
	α *ròsea*.	(*ro.*)	*common*.	——	——	——	H. ½.⌣.	Bot. mag. t. 1059.
	β *albiflòra*.	(*wk.*)	white-flowered.	——	1825.	——	H. ½.⌣.	
127	Brunónii. L.R.	(*wk.*)	Mr. Brown's.	Nepaul.	1820.	——	H. ½.	Lindl. ros. t. 14.
128	moschàta. L.R.	(*wk.*)	musk-scented.	Africa.	1596.	7. 9.	H. ½.	Miss Lawr. ros. t. 64.
	β *flòre plèno*.	(*wk.*)	*double musk*.	——	——	——	H. ½.	—— t. 53.
129	nívea. Dup.	(*wk.*)	snow white.	Hybrid.	1823.	——	H. ½.	Bot. reg. 861.
130	Noisettiàna. R.R.	(*bk.*)	Noisette's.	——	1816.	5. 11.	H. ½.	
	β *grandiflòra*.	(*bk.*)	*large-flowered*.	——	1827.	——	H. ½.	
	γ *Fraseri*.	(*bk.*)	*Fraser's*.	——	1815.	——	H. ½.	
	δ *purpùrea*.	(*pu.*)	*purple*.	——	1823.	——	H. ½.	
131	rubifólia. L.R.	(*re.*)	bramble-leav'd.	N. America.	1800.	7. 9.	H. ½.	
	β *fenestràlis*. L.R.	(*re.*)	*thin-leaved*.	——	——	——	H. ½.	Lindl. ros. t. 15.
132	lævigàta. L.R.	(*wk.*)	smooth.	Georgia.	1826.	——	H. ½.⌣.	Bot. mag. t. 2847.
133	símica. L.R.	(*wk.*)	shining-leaved.	China.	1759.	6. 8.	F. ½.	Lindl. ros. t. 16.
134	Bánksiæ. L.R.	(*wk.*)	Lady Banks's.	——	1807.	——	H. ½.⌣.	Bot. reg. t. 397.
	α *albiflòra*.	(*wk.*)	white-flowered.	——	——	——	H. ½.⌣.	Bot. mag. t. 1954.
	β *lùtea*.	(*ye.*)	*yellow-flowered*.	——	1828.	——	H. ½.⌣.	—— v. 13. t. 1105.

Garden Varieties.

I. *spinosissima*.

1 Aberdeen.
2 Aberfoil.
3 alba.
4 Alloa.
5 Ancram.
6 Anderson's double lady's blush.
7 Arbroath.
8 Argyll.
9 Arrochar.
10 Aurora borealis.
11 Balloch.
12 Banff.
13 Bannochburn.
14 Borisdale.
15 Bass.
16 Bengloe.
17 Ben Lomond.
18 Ben More.
19 Berwick.
20 bicolor.
21 Biggar.
22 Birnam.
23 Blair Athol.
24 Boharm.
25 Borthwick.
26 Buchan.
27 Bute.
28 Caithness.
29 Calder.
30 Callender.
31 Campsie.
32 carnescens.
33 Carron.
34 Cheviot.
35 ciphieri.

Garden Varieties.

36 Clydesdale.
37 Cromarty.
38 Dalkeith.
39 Dalrymple.
40 Dornock.
41 double blush Princess.
42 double blush Provins.
43 double crimson.
44 double crimson mottled.
45 double dark marbled.
46 double dark red.
47 double lady's blush.
48 double light marbled.
49 double light purple.
50 double pink.
51 double purple.
52 double rose blush.
53 Douglas.
54 Dumbarton.
55 Dumblane.
56 Dumfernline.
57 Dumfries.
58 Dunbar.
59 Duncrieff.
60 Dundee.
61 Dunglass.
62 Dunkeld.
63 Dunlop.
64 Dunmore.
65 Dutch double blush.
66 dwarf bicolor.
67 Dysart.
68 Eden.
69 Elgin.
70 Etterick.
71 Fairy.
72 Falkirk.

Garden Varieties.

73 Falkland.
74 Falls.
75 Fife.
76 flavescens.
77 Forfar.
78 Forth.
79 Fort William.
80 fulgens.
81 Furness.
82 Galloway.
83 Glasgow.
84 Glenco.
85 Glenfallach.
86 Glengarry.
87 Gourock.
88 Grahamston.
89 Grampian.
90 Greenock.
91 Haddington.
92 Halkirk.
93 Hamilton.
94 Hawick.
95 Hawthorndean.
96 Hector.
97 humilis.
98 Huntly.
99 incarnata.
100 Inverary.
101 Inverness.
102 Invermay.
103 Janus.
104 Jedburgh.
105 Jura.
106 Keith.
107 Kelso.
108 Kilmarnock.
109 Kincardine.

GARDEN VARIETIES.

110 Kinnaird.
111 Kinross.
112 Kircaldy.
113 Kirkwall.
114 Lanark.
115 Laxford.
116 Leith.
117 Leslie.
118 Lismore.
119 Lochaber.
120 Lochnaid.
121 Loch fine.
122 Lochleven.
123 Lochlomond.
124 Lothian.
125 Maidenkirk.
126 Melrose.
127 Moncrieff.
128 Monteith.
129 Montgomery.
130 Montrose.
131 Mount Stuart.
132 Mull.
133 Moray.
134 mutabilis.
135 Nevis.
136 Northumberland.
137 Paisley.
138 paniculata.
139 Pentland.
140 perpetual.
141 picta. L.B.C. 687.
142 Proteus.
143 red, double light.
144 Roberton.
145 Rosslyn.
146 Rothsay.
147 rubicunda.
148 Selkirk.
149 Shetland.
150 Sky.
151 small double light purple.
152 small double white.
153 small double yellow.
154 Staffa.
155 Stirling.
156 Strathmore.
157 striata.
158 Stronsa.
159 Sutherland.
160 Tiviotdale.
161 Tarbet.
162 Thornhill.
163 Thurso.
164 Tranent.
165 true double red.
166 two-coloured large double.
167 two-coloured small double.
168 variegata.
169 venulosa glabra.
170 venulosa hispida.
171 white, large double.
172 white, large semidouble.
173 white, small double.
174 Whitley's double white.
175 yellow, globe double.
176 yellow, large double.
177 yellow, pale double.

GARDEN VARIETIES.

II. *gallica.*

178 admirable.
179 aigle noir.
180 aimable beaute.
181 albanian.
182 Amaranth.
183 Antwerp.
184 atlas.
185 beaute rouge.
186 beaute supreme.
187 belle aurore.
188 belle cramoisie.
189 belle herminie.
190 belle pourpre.
191 belle violette.
192 Bijou.
193 Bishop. M.L.R. 20.
194 black frizzled.
195 blue.
196 blue and purple.
197 blush hundred-leaved.
198 bouquet rouge royale.
199 bright purple.
200 brunette.
201 Brussels.
202 Buonaparte.
203 burning coal.
204 cardinal M.L.R. 59.
205 carmine.
206 carmine, brillante.
207 carmine, prolifaneus.
208 carnation.
209 Catalonian.
210 champion.
211 chancellor.
212 changeable.
213 cherry.
214 Clementine.
215 coquette.
216 couleur de feu.
217 cramoisie, grand.
218 crown.
219 Cupid.
220 damask black.
221 dark marbled.
222 dark violet.
223 delicious.
224 dingy.
225 double velvet.
226 double marbled. M.L.R. 57.
227 Duc de Guiche.
228 Duchess d'Orleans.
229 dutch crimson.
230 dutch tree.
231 dutch 100 leaved.
232 early Ranunculus.
233 enchanter.
234 enfant de France.
235 Eucharis.
236 Fanny Kins.
237 favourite purple.
238 fiery.
239 Flanders.
240 Flemish.
241 formidable.
242 fringed. M.L.R. 82.
243 garnet.
244 gay.

GARDEN VARIETIES.

245 giant. M.L.R. 40.
246 gloria mundi.
247 gloria mundi flore pallido.
248 gloria mundi pourpre.
249 grenat appel.
250 grand monarque.
251 grand purple.
252 grand Sultan.
253 Henry IV.
254 Hervy.
255 imperatrice.
256 incomparable.
257 infernal.
258 invincible.
259 Italian.
260 Josephine.
261 Junon.
262 king.
263 La Dauphine.
264 la grand belle pourpre.
265 Leyden.
266 light purple.
267 Lisbon. M.L.R. 67.
268 lively.
269 L'ombre agreable.
270 L'ombre superbe.
271 lurid.
272 maiden.
273 Majorca.
274 Malabar.
275 Malta.
276 manteau royal.
277 marbled.
278 marbled, grand.
279 Margaret.
280 matchless.
281 Mauve.
282 mignonne.
283 mignonne, blush.
284 mignonne, dark.
285 mignonne, favorite.
286 mignonne, incised.
287 mignonne, red.
288 mignonne, semidouble.
289 mignonne, striped.
290 mirabelle.
291 Mogul.
292 Montaubon.
293 Morocco.
294 mottled, black.
295 mundi. M.L.R. 18.
296 natalie.
297 negrette.
298 negro.
299 ninon de l'Enclos.
300 nonpareil.
301 nonsuch.
302 noir de Hollande.
303 Normandy.
304 officinal.
305 officinal blush.
306 officinal carmine.
307 Orleans.
308 ornement de parade.
309 Pæstana.
310 paradise.
311 paragon.
312 pavot.

GARDEN VARIETIES.

313 perruque.
314 petite 100 leav'd. M.L.R. 55.
315 petite panachée.
316 phœnix.
317 plicate. M.L.R. t. 87.
318 Pluto. M.L.R. 32.
319 Pomona.
320 pompadour.
321 pompone bizard.
322 Poniatowsky.
323 poppy.
324 porcelaine.
325 Portland.
326 pourpre bouquet.
327 pourpre charmante.
328 pourpre de Tyr.
329 pourprée, grand belle.
330 pourprée, point.
331 pourpre velours.
332 prince.
333 princess.
334 prince William V.
335 prolific.
336 Pronville.
337 Proserpine.
338 Provins pulmonaire.
339 purple blue.
340 purple crimson.
341 pyramidal.
342 queen.
343 Ranunculus.
344 red and violet.
345 Roi de France.
346 Roi de pourpres.
347 royal crimson.
348 royal red.
349 royal purple.
350 royal virgin. M.L.R. 7.
351 sable.
352 Saint John's.
353 Sanspareil.
354 sceptre.
355 semidouble velvet.
356 shell. M.L.R. 99.
357 single velvet.—51.
358 Singleton's 100 leaved.—85.
359 Spanish.
360 stadtholder.
361 Stepney. M.L.R. 46.
362 striped nosegay.
363 striped velvet.
364 superb red.
365 Sultan. M.L.R. 35.
366 Trafalgar.
367 triumphant.
368 Tuscany. R.R. v. 6. t. 448.
369 two-colored.
370 Venetian.
371 victory.
372 violette and rouge.

III. *centifolia.*

373 aurora.
374 Belle d'Aunay.
375 Blandford, M.L.R. 21.
376 black mottled.
377 blush royal. M.L.R. 47.

GARDEN VARIETIES.

378 blush cabbage.
379 Bourbon.
380 bright crumpled.
381 carmine.
382 Centfeuilles Anemone.
383 Centfeuilles de Bruxelles.
384 Centfeuilles de Hesse.
385 Centfeuilles gaufrée.
386 chamois.
387 cluster.
388 Constance.
389 Cumberland.
390 dragon.
391 Duchesse d'Angoulême.
392 Duchesse de Berri.
393 early 100 leaved.
394 Elysian.
395 emperor.
396 grand chamois.
397 grand marbled.
398 grand Provins.
399 Louis XVIII.
400 Malta.
401 mère gryone.
402 mignonne, scarlet.
403 mignonne, crimson.
404 mignonne, purple.
405 mottled purple.
406 Neapolitan.
407 one-sided.
408 Œillet.
409 pencilled.
410 petite Hollande.
411 Persian.
412 pompone, gros.
413 pourprée aimable.
414 pourprée favorite.
415 pourprée violette.
416 Provins, single. R.R. 1. t. 1.
417 Provins, common. M.L.R. 8.
418 Provins, cabbage.
419 Provins, blush cabbage.
420 Provins, scarlet, M.L.R. 22.
421 Provins, Childings.—48.
422 Provins, blush.—1.
423 Provins, white.—4.
424 Provins, Shailer's.—76.
425 Provins, Colvill's.
426 Provins, damask.
427 Provins, dwarf.
428 Provins, invincible.
429 Provins, Dutch.
430 Provins, imperial.
431 Provins, royal.
432 Provins, early.
433 Provins, semidouble.
434 red Belgic.
435 rouge superbe.
436 sans petales.
437 souchet.
438 Spong's.
439 superb carmine.
440 surpassante.
441 Syren.
442 Trianon, Belle de
443 Versailles.
444 Vilmorin.

GARDEN VARIETIES.

* *centifolia* muscosa.
445 single moss.
446 common moss.
447 blush moss.
448 dark moss.
449 mottled moss.
450 prolific moss.
451 royal moss.
452 scarlet moss.
453 semidouble moss.
454 striped moss.
455 Shailer's white moss.
456 Bristol white moss.
† *centifolia* pomponia.
457 de Meax. M.L.R. 31.
458 de Rheims.—71.
459 dwarf Bagshot.
460 mignonne charmante.
461 mossy de Meaux.
462 mossy Pompone.
463 Pompone. M.L.R. 59.
464 proliferous Pompone.
465 St. Francis. M.L.R. 88.
466 small provins.

IV. *damascena.*

467 argentea.
468 Aurora.
469 bifera carnea.
470 bifera de Naples.
471 bifera grandiflora.
472 Belgique carnée.
473 Belgique violette.
474 belle couronnee.
475 blush Belgic. M.L.R. 79.
476 blush monthly.—18.
477 blush damask.—52.
478 Brunswick.
479 couronnée petite.
480 damas argente.
481 damas pourpre.
482 early blush.
483 Egyptian.
484 Emperor.
485 favorite mignonne.
486 felicité.
487 Goliath. M.L.R. t. 80.
488 gracieuse.
489 grande monarque.
490 great royal. M.L.R. 58.
491 imperial blush. M.L.R. 90.
492 incomparable.
493 lesser Belgic.
494 pale cluster.
495 paragon.
496 Parnassus.
497 Pestana.
498 petite 100-leaved.
499 perpetual.
500 prolific.
501 quatre saisons.
502 quatre saisons blanche.
503 quatre saisons, flesh-colored.
504 quatre saisons Francois.
505 quatre saisons panaché.
506 quatre saisons pompone.
507 quatre saisons sans épines.
508 quatre saisons, semidouble.

GARDEN VARIETIES.

509 red damask. M.L.R. 38.
510 red monthly. M.L.R. 5.
511 red Belgic.—83.
512 rouge agathe.
513 Swiss.
514 valiant.
515 Watson's blush.
516 white damask.
517 white monthly. M.L.R. 17.
518 York and Lancaster.—10.
519 Zealand.

V. *alba.*

520 agate.
521 agate magnifique.
522 agate Marie Louise.
523 agate nouvelle.
524 agate prolifère.
525 agate royale.
526 agate superb.
527 agate thalie.
528 belle aurore.
529 belle Henriette.
530 blanche à cœur vert.
531 blanche de Belgique.
532 bouquet blanc.
533 cœlestial.
534 cluster maiden's blush. [M.L.R. 23.
535 double white blush.
536 Duc d'York.
537 Eliza.
538 feuille fermée.
539 full double white. M.L.R. 25.
540 grand cuisse de nymphe.
541 great maiden's blush. [M.L.R. 230.
542 Joanne d'Arc.
543 Moraga la favourite.
544 muscat rouge.
545 nova cœlestis.
546 nova plena.
547 petite cuisse de nymphe.
548 rosea.
549 semidouble white.
550 Simonville.
551 small maiden's blush.
552 spineless virgin.
553 thornless virgin.
554 triangularis.

VI. *rubiginosa.*

555 Clementine sweet briar.
556 cluster blush sweet briar.
557 double mossy sweet briar. [M.L.R. 72.
558 double red sweet briar.—61.
559 double rosy sweet briar.
560 double tree sweet briar.
561 eglantine sweet briar.
562 eglanteria alba.
563 evergreen sweet briar.
564 large blush sweet briar.
565 maiden sweet briar.
566 Manning's sweet briar. [M.L.R. 41.
567 monstrous sweet briar.

GARDEN VARIETIES.

568 petite hessoise.
569 royal sweet briar. [M.L.R. 74.
570 scarlet sweet briar.
571 semidouble dwarf.
572 semidouble white sweet briar. [M.L.R. 65.
573 Zabeth.

VII. *indica* et *semperflorens.*

574 atronigra.
575 Bengale a bouquet.
576 Bengale à flore panachè.
577 Bengale blanche.
578 carnescens.
579 Chiffonnèe.
580 Cérise éclatante.
581 cucullàta.
582 elegant.
583 flòrida.
584 gigántea.
585 lie de vin.
586 lùcida.
587 màjor.
588 monstròsa.
589 moonshine.
590 nigra.
591 sanguínea.
592 sans épines.
593 Thisbe.
594 Veloutèe.

VIII. *various garden Roses.*

595 abundant.
596 abyla.
597 Achaia.
598 Achilles.
599 Adelina.
600 admirable.
601 Adonis.
602 African black.
603 agate japanese.
604 aglace noir.
605 aimable violette.
606 Ajax.
607 aland.
608 alba feuille fermee.
609 alba bifera.
610 Albanian.
611 alba nova pleno.
612 alba nova cœlestis.
613 albo-rosea.
614 alba triangularis.
615 aline.
616 Amazon.
617 amour constant.
618 Andalusian.
619 anemoneflora.
620 Arcadian.
621 arcaro.
622 archbishop.
623 ardoise.
624 Armenian.
625 armida.
626 Assyrian.
627 Athenian.
628 augusta.

GARDEN VARIETIES.

629 aurelia.
630 Baden.
631 Balbec.
632 beaute frappante.
633 beaute insurmontable.
634 beaute panache.
635 beaute renommee.
636 beaute sanspareille.
637 beaute tendre.
638 belladonna.
639 belle actrise.
640 belle aimable.
641 belle aurore descemet.
642 belle brune.
643 belle cataline.
644 belle cerisie.
645 belle d'aunay.
646 belle du jour.
647 belle flamande.
648 belle forme.
649 belle galathee.
650 belle hative.
651 belle incarnate.
652 belle inconnue.
653 belle matilde.
654 belle mahœca.
655 belle parade.
656 belle Tigridia.
657 belle zulme.
658 belle rouge.
659 belle sans flatterie.
660 belle sanspareille.
661 belle therese.
662 belle vue.
663 bellona.
664 Berkshire.
665 bizard royal.
666 black purple.
667 blanche superbe.
668 blondine.
669 blush Italian.
670 blush velvet.
671 bold.
672 Bonifacius.
673 bouquet blanc.
674 bouquet panache.
675 bouquet parfait.
676 bouquet superb.
677 Bourbon.
678 Brabant.
679 bracelet d'amour.
680 brigitte.
681 brilliant.
682 brune brillante.
683 brunette aimable.
684 brunette superbe.
685 bucephalus.
686 bullata.
687 cabinet.
688 Calypso.
689 camellote.
690 cannabina.
691 canopus.
692 Carthaginian.
693 Castile.
694 Cecropia.
695 Ceres.

GARDEN VARIETIES.

696 cervalis.
697 chance.
698 charmante pourpre.
699 chausse.
700 chiron.
701 cicris pale rose.
702 Cleopatra.
703 comtesse de Genlis.
704 cornelian.
705 cossack.
706 couleur a la mode.
707 couleur de cendre.
708 couleur de cerise.
709 couleur excellent.
710 coupee.
711 couronne.
712 couronne des roses.
713 couronne imperiale.
714 cramoisie eblouissant.
715 cramoisie elegant.
716 cramoisie fonce.
717 cramoisie imperial.
718 cramoisie incomparable.
719 cramoisie minor.
720 cramoisie nouveau.
721 cramoisie panache.
722 cramoisie sanspareil.
723 cramoisie triomphant.
724 crimson.
725 crimson perpetual.
726 crown imperial.
727 crown purple.
728 cybele.
729 danæ.
730 Danish.
731 dark mignonne.
732 dark mottled.
733 dark shell.
734 darling.
735 de bengal gros violet
736 Dejanira.
737 delicate.
738 Derby.
739 descemets.
740 diadem.
741 dianthiflora.
742 Dickson's duchess.
743 Dido.
744 don des dames.
745 Dione.
746 discolor.
747 Dorothee.
748 double apple bearing.
[M.L.R. 29.
749 double dog.—60.
750 double mimms.
751 double Pæony.
752 double purple.
753 double red thornless.
754 double white thornless.
755 duc de Brabant.
756 Duchess.
757 duchess d'Oldenburgh.
758 duke of Clarence.
759 Durham.
760 Dutch Cinnamon.
761 Dutch velvet.

GARDEN VARIETIES.

762 dwarf burnet-leaved.
763 dwarf Chester.
764 dwarf prolific.
765 early red.
766 erato.
767 Etna.
768 euphrosyne.
769 evratina.
770 ex alba rosea.
771 fair maid.
772 favonius.
773 favorite.
774 favorite des dames.
775 fausse unique.
776 felicie.
777 felicite.
778 Felix.
779 feu amoureux.
780 feuille chiffonee.
781 feuille crenulee.
782 feuille de chene.
783 feuille de frene.
784 few-spined.
785 fine panachee.
786 fine crimson.
787 fine purple.
688 flavia pourpre.
789 flesh-coloured.
790 flesh-coloured four seasons.
791 fleur de parade.
792 fleur de pomme.
793 fleur et feuille marbree.
794 fleur panachee.
795 flora.
796 flore nigricante.
797 florentine.
798 flore rubra.
799 floribunda.
800 florio.
801 flos puniceus.
802 folie de corse.
803 four seasons semidouble.
804 franconian.
805 Frankfort.
806 Frankfort agate.
807 freckled.
808 frilled.
809 frizzled.
810 gallica foliacea.
811 garnett.
812 Gascony.
813 Genoese.
814 Genoese velvet.
815 gienvieve.
816 globe.
817 gloomy.
818 gloria rubrorum.
819 gloriosa.
820 glowing.
821 grand Alexandre.
822 grande Angloise.
823 grand Cæsar.
824 grand centifolia.
825 grande chausse.
826 grand cramoisi.
827 grande foncee.
828 grand Mogul.

GARDEN VARIETIES.

829 grand pivoine.
830 grande pompadour.
831 grand pyramidal.
832 grand rouge.
833 grand triumphant.
834 grandesse royale.
835 grandeur royal.
836 great Mogul.
837 grey.
838 grisdeline.
839 grisdeline sans epines.
840 Hainault.
841 Haarlem.
842 harpagus.
843 Helena.
844 Hebe.
845 hero.
846 Hertford.
847 Hildesheim.
848 Hollandia magniflora.
849 hortulanus.
850 hundred leaved mignonne.
851 hyacinth.
852 hybrida perfecta.
853 hybride nouvelle.
854 iconium.
855 idumea.
856 illustrious.
857 imperatrice.
858 imperatrice de France.
859 Indian queen.
860 inermis.
861 iris noir.
862 Isabelle.
863 Isis.
864 jaqueline.
865 jeanne d'arc.
866 Jersey.
867 jessica.
868 jolie.
869 Julian.
870 king Agrippa.
871 king of Mexico.
872 la belle elise.
873 la belle rosine.
874 l'abondance.
875 la constance.
876 la coquette.
877 la Diane.
878 l'admirable.
879 la fidele.
880 la gracieuse.
881 la grandesse.
882 l'aimable de Stors.
883 lake.
884 la maculee.
885 la magnifique.
886 la majesteuse.
887 la mignarde.
888 l'amitie.
889 la moderne.
890 Lancaster.
891 lanckman.
892 la negresse.
893 la parfaite.
894 la Parisienne.
895 la petite lisette.

GARDEN VARIETIES.

896 la plus belle.
897 la plus rouge.
898 la pomme grenade.
899 la precieuse pourpre.
900 la reine.
901 la reine des roses.
902 large platter.
903 large perfect.
904 la rose de Medicis.
905 la rose d'Ispahan.
906 la royale.
907 la superbe.
908 la superbe en brun.
909 la tendresse.
910 la victorieuse.
911 la virginité.
912 leafy.
913 Leander.
914 le dauphin.
915 Lee's perpetual.
916 le grandeur.
917 le grand lowendael.
918 le grand suwarrow.
919 le grand visir.
920 Leipsick.
921 les alliées.
922 le violet triomphant.
923 light 100 leaved.
924 l'impayable.
925 l'importante.
926 l'obscurité.
927 Lodona.
928 Lodoiska.
929 l'ombre panaché.
930 l'ombre sanspareille.
931 London pride.
932 Louis 18th.
933 Lubeck.
934 Ludolph.
935 Ludovicus.
936 Luxemburg.
937 Lyonnoise.
938 lystra.
939 madder.
940 magdalen.
941 maiden blush.
942 mantle.
943 marble apple bearing.
944 Margaretta.
945 Marie anne.
946 marquis de la Romana.
947 Marseilles.
948 maxima.
949 mere gigon.
950 merveilleuse.
951 Mexican.
952 Milanese.
953 Minerva.
954 miroir des dames.
955 mon bijou.
956 monstrosa.
957 monstrous cluster.
958 monstrous 100 ld. M.L.R. 73.
959 Montpelier.
960 morin.
961 morning star.
962 mottled.

GARDEN VARIETIES.

963 mourning.
964 multiplex.
965 Napolean.
966 Napoli di romana.
967 Narbonne.
968 Nassau.
969 negre panaché.
970 Neptune.
971 new mottled.
972 new Provins.
973 nigritienne.
974 Niobe.
975 noblesse.
976 noir foncé.
977 non plus ultra.
978 nouvelle favorite.
979 nouvelle de Provins.
980 nouvelle pivoine.
981 Oldenburg.
982 Oliver.
983 Olympic.
984 omphale.
985 orient.
986 orion.
987 ornement de park.
988 ornement de violet.
989 oublie des François.
990 painted.
991 painted Belgic.
992 Palestine.
993 panachée admirable.
994 panachée nouvelle.
995 panachée sanspareille.
996 panachée superbe.
997 Pannonian.
998 paradise.
999 Paris 100-leaved.
1000 Parnassus.
1001 parson.
1002 party coloured.
1003 Patmos.
1004 Palmyra.
1005 Paulina.
1006 Pearson's gigantic.
1007 Pegasus.
1008 pencilled mignonne.
1009 pencilled Provins.
1010 Penelope.
1011 perfecta.
1012 perle de l'orient.
1013 perpetuelle rouge.
1014 Peruvian.
1015 petit Cæsar.
1016 petit cramoisi.
1017 petit favorite.
1018 petit mignon.
1019 pierian.
1020 pilgrim.
1021 pink velvet.
1022 plicata purpurea.
1023 Pomeranian.
1024 pomegranate.
1025 pomona.
1026 pompone.
2027 pompone blanc.
1028 pompone bifera.
1029 pompone quatre saisons.

GARDEN VARIETIES.

1030 pompone varin.
1031 Pope's cluster.
1032 portlandica grandiflora.
1033 portlandica perpetua.
1034 Portobella.
1035 Portugal.
1036 pourpre agreable.
1037 pourpre de Paris.
1038 pourpre sans epines.
1039 pourpre de Vienne.
1040 pourpre imperial.
1041 pourpre incomparable.
1042 pourpre obscur.
1043 pourpre sans defaut.
1044 pourpre sanspareil.
1045 pourpre superb.
1046 predominant.
1047 Presburg.
1048 prince.
1049 prince d'Aremberg.
1050 princely.
1051 prince regent.
1052 princess Charlotte.
1053 princesse noble.
1054 professor.
1055 purple crown.
1056 purple imperial.
1057 purple velvet.
1058 pyramide pourpre.
1059 quatre saisons blanche.
1060 quatre saisons François.
1061 quatre saisons panaché.
1062 quatre saisons sans epines.
1063 queen's Provins.
1064 ragged robin.
1065 Raphael.
1066 Ratisbon.
1067 ravenna.
1068 red cluster.
1069 red crown.
1070 red Provins.
1071 red velvet.
1072 refulgent.
1073 regina florum.
1074 reine Caroline.
1075 reine d'Hongrie.
1076 renoncule nouvelle.
1077 rex rubrorum.
1078 riche en fleurs.
1079 roi des negres.
1080 roi de Rome.
1081 roi de Maroc.
1082 roi des pays bas.
1083 Roman.
1084 Rosabel.
1085 Rosanna.
1086 rose agreeable.
1087 rose bouquet.
1088 rose de Ceres.
1089 rose des dames.
1090 rose du roi.
1091 rose d'Orleans.
1092 rose du prince.
1093 rose la mode.
1094 rose lee.
1095 rose pivoine.
1096 rose prolifere.

GARDEN VARIETIES.

1097 rouge agreable.
1098 rouge bien vif.
1099 rouge eclatant.
1100 rouge formidable.
1101 rouge frappant.
1102 rouge luisant.
1103 rouge panaché.
1104 rouge sans epines.
1105 rouge semidouble.
1106 rouge vegetable.
1107 royal bouquet.
1108 royal carmine.
1109 royal gabina.
1110 royal mantle.
1111 royal viscous.
1112 rubrispina.
1113 rubiginosa umbellata.
1114 ruby.
1115 sable.
1116 St. Antoine.
1117 St. Catharine.
1118 St. George.
1119 St. Germain.
1120 St. Gothard.
1121 St. Jago.
1122 St. Mark.
1123 St. Patrick.
1124 sans defaut.
1125 sans petales.
1126 Sarmatian.
1127 scarlet Brabant.
1128 sceptre.
1129 seane purple.
1130 semidouble hep.
1131 semidouble mignonne.
1132 semidouble monthly.
1133 semidouble new.
1134 seigneur d'Ærtzelaar.
1135 septum cerise.
1136 Seville.
1137 Sheffield.
1138 Shylock.
1139 Sileaus.
1140 Silesian.
1141 shining semidouble.
1142 simplicité.
1143 singuliere agate.

GARDEN VARIETIES.

1144 Skinn.
1145 soliditas.
1146 Southampton.
1147 Spartan.
1148 spineless red.
1149 spiral.
1150 stanhon.
1151 standard.
1152 state.
1153 Stephanus.
1154 striped monthly.
1155 striped Provins.
1156 sugar loaf.
1157 sulphurea.
1158 sulphurea minor.
1159 superb.
1160 superb amaranth.
1161 superbe brune.
1162 superbe pyramide.
1163 surpasse Singleton.
1164 surpasse tout.
1165 Swiss.
1166 Syrian.
1167 Tangiers.
1168 ten-leaved.
1169 temple d'Apollon.
1170 tête de mort.
1171 Theseus.
1172 Tigris.
1173 tricolor.
1174 tomentosa alba.
1175 toujours.
1176 tous les mois gris.
1177 transparent.
1178 transparent nouvelle.
1179 Trebonius.
1180 tree burnet-leav'd.
1181 tree pæony.
1182 tresorier.
1183 triomphe.
1184 triomphe des dames.
1185 triomphe royale.
1186 Triton.
1187 turban.
1188 two-coloured 100-leaved.
1189 two-coloured mignonne.
1190 vacuna.

GARDEN VARIETIES.

1191 vagrant.
1192 velours cramoisie.
1193 velonte.
1194 venerable.
1195 venetatus.
1196 ventenne noir.
1197 Venus.
1198 venusta.
1199 veritas.
1200 vermillion.
1201 vesta.
1202 Vesuvius.
1203 Victoria.
1204 Vidua.
1205 villosa nouvelle.
1206 Vilmorin.
1207 violette.
1208 violette agreable.
1209 violette aimable.
1210 violette brillante.
1211 violette curieuse.
1212 violette foncée.
1213 violette maculée.
1214 violette nouvelle.
1215 violette sanspareille.
1216 violette superbe.
1217 violette superieure.
1218 virgin's.
1219 virginale.
1220 viridia.
1221 virgo cramoisie.
1222 ulterio.
1223 ultramarine.
1224 umbrella.
1225 unique rouge.
1226 Waterloo.
1227 Watson's blush.
1228 Watson's white.
1229 Wellington.
1230 woolly-leaved.
1231 white damask.
1232 white Pompone.
1233 York.
1234 Yorkshire blush.
1235 Yorkshire Provins.
1236 zatre.
1237 Zenobia.

Subordo II. *POTENTILLÆ.* Juss. gen. 337.

RUBUS. L. BRAMBLE. Icosandria Polygynia. L.

1	rossefòlius. DC.	(wh.)	Rose-leaved.	Mauritius.	1811.	10. 4.	G.	♄.	Smith ic. 3. t. 60.
2	eglantèria. DC.	(wh.)	Eglantine.	N. Holland.	1824.	5. 6.	G.	½.	
3	coronàrius.	(wh.)	double-flowered.	China.	1811.	10. 4.	H.	½.	Bot. mag. t. 1783.
	rosæfòlius β coronarius. B.M.								
4	pinnàtus. DC.	(wh.)	pinnate.	St. Helena.	1789.	6. 7.	G.	♄.	
5	grácilis. DC.	(wh.)	slender.	E. Indies.	1826.	——	S.	½.	
6	micránthus. D.P.	(re.)	small-flowered.	Nepaul.	1818.	6. 8.	H.	½.	Bot. reg. t. 854.
	pauciflòrus. B.R.								
7	distans. D.P.	(re.)	distant-leaved.	——	——	——	H.	½.	
8	apétalus. DC.	(gr.)	petalless.	Mauritius.	1823.	——	S.	½.	
9	macropòdus. DC.	(wh.)	large-footed.	N. Holland.	1822.	——	G.	½.	
10	strigòsus. DC.	(wh.)	strigose.	N. America	....	6. 7.	H.	♄.	

11	pedunculòsus. D.P.	(wh.)	long-peduncled.	Nepaul.	1820.	7. 8.	H.	♄.	
12	occidentàlis. DC.	(wh.)	American raspberry.	N.Amer.	1696.	5. 6.	H.	♄.	Dill. elth. t. 247. f. 319.
13	ásper. DC.	(wh.)	rough.	Nepaul.	1822.	6. 8.	H.	♄.	
14	Idæus. DC.	(wh.)	Raspberry.	Britain.	....	5. 6.	H.	♄.	Eng. bot. v. 34. t. 2442.
15	laciniàtus. DC.	(bh.)	jagged-leaved.	.....	....	6. 9.	H.	♄.	Willd. hort. ber. t. 82.
16	cæsius. DC.	(wh.)	Dewberry.	Britain.	....	6. 8.	H.	♄.	Eng. bot. v. 12. t. 826.
17	foliolòsus. D.P.	(li.)	leafy.	Nepaul.	1823.	7. 8.	H.	♄.	
18	flagellàris. DC.	(wh.)	shining-leaved.	N. America.	1789.	6. 7.	H.	♄.	
19	inérmis. W. en.	(wh.)	smooth.	———	1805.	——	H.	♄.	
20	corylifòlius. E.B.	(wh.)	Hazel-leaved.	Britain.	....	7.	H.	♄.	Eng. bot. v. 12. t. 827.
21	agréstis. DC.	(wh.)	field.	Hungary.	1818.	7. 8.	H.	♄.	W. et K. hung. 3. t. 268.
22	spectábilis. DC.	(pu.)	showy.	Columbia.	1827.	6. 8.	H.	♄.	Ph. fl. amer. 1. t. 16.
23	plicàtus. W.N.	(wh.)	plaited-leaved.	Britain.	....	7. 8.	H.	♄.	Wei. et N. rub. germ. t. 1.
24	affínis. W.N.	(wh.)	related.	———	....	6. 9.	H.	♄.	——— p. 22. t. 3 et 36.
25	ulmifòlius. DC.	(ro.)	Elm-leaved.	Gibraltar.	1824.	7. 8.	H.	♄.	
26	Linkiànus. DC.	(wh.)	double-flowered.	.....	....	6. 9.	H.	♄.	
27	álbicans. DC.	(wh.)	white-leaved.	Hungary.	1818.	——	H.	♄.	
28	fruticòsus. DC.	(fl.)	Blackberry.	Britain,	....	——	H.	♄.	Eng. bot. v. 10. t. 715.
	β *pompònius.* DC.	(bh.)	*semidouble.*	.....	....	——	H.	♄.	
	γ *leucocárpus.* DC.	(bh.)	*white-berried.*	.....	....	——	H.	♄.	
	δ *inermis.* DC.	(bh.)	*smooth-stemm'd.*	.....	....	——	H.	♄.	
29	tomentòsus. W.N.	(wh.)	woolly-leaved.	Germany.	1816.	6. 8.	H.	♄.	Wei. et N. rub. germ. t. 8.
30	sánctus. DC.	(pk.)	holy.	Levant.	1823.	——	H.	♄.	Schreb. dec. t. 8.
31	canéscens. DC.	(bh.)	canescent.	Piedmont.	1826.	——	H.	♄.	
32	collínus. DC.	(bh.)	hill.	Montpelier.	1820.	7. 8.	H.	♄.	Noc. et Balb. fl. tic. t. 9.
33	fastigiàtus. W.N.	(wh.)	close-flowered.	Britain.	....	——	H.	♄.	Wei. et N. rub. germ. t. 2.
34	suberéctus. E.B.	(wh.)	upright.	———	....	6. 9.	H.	♄.	Eng. bot. v. 36. t. 2572.
35	cordifòlius. W.N.	(wh.)	heart-leaved.	———	....	7. 8.	H.	♄.	Wei. et N. rub. germ. t. 5.
36	Ménkil. S.S.	(wh.)	velvetty.	Germany.	1816.	——	H.	♄.	
37	Schlechtendàlii. S.S.	(w.)	Schlechtendale's.	———	———	——	H.	♄.	
38	tiliæfòlius. S.S.	(wh.)	Lime-tree-ld.	———	———	——	H.	♄.	
39	Schleichèri. S.S.	(wh.)	Schleicher's.	———	1824.	——	H.	♄.	
40	hórridus. S.S.	(wh.)	very prickly.	———	———	——	H.	♄.	
41	leucostàchys. S.S.	(wh.)	white-spiked.	Britain.	....	——	H.	♄.	
42	rhamnifòlius. W.N.	(wh.)	Rhamnus-leaved.	———	....	——	H.	♄.	Wei. et N. rub. germ. t. 6.
43	abruptus. L.B.	(wh.)	abrupt.	———	....	——	H.	♄.	
44	nítidus. W.N.	(bh.)	glossy-leaved.	Britain.	....	7. 8.	H.	♄.	Wei. et N. rub. germ. t. 4.
45	argùtus. DC.	(wh.)	sharp-toothed.	N. America.	1824.	6. 7.	H.	♄.	
46	cuneifòlius. DC.	(wh.)	wedge-leaved.	———	1811.	6. 8.	H.	♄.	
47	sanguinoléntus. DC.	(w.)	red-wooded.	Mauritius.	1823.	——	S.	♄.	
48	villòsus. DC.	(wh.)	shaggy.	N. America.	1777.	7. 8.	H.	♄.	
49	hírtus. W.K.	(wh.)	hairy.	Britain.	....	——	H.	♄.	W. et K. hung. 2. t. 141.
50	vulpìnus. Df. *Sprengèlii.* W.N.	(re.)	fox-tail.	Germany.	1816.	——	H.	♄.	Flor. dan. t. 1165.
51	jamaicénsis. DC.	(wh.)	Jamaica.	Jamaica.	1820.	——	S.	♄.	Sloan. jam. 2. t. 213. f. 1.
52	híspidus. DC.	(wh.)	bristly.	Canada.	1768.	——	H.	♄.	
53	triviàlis. Ph.	(bh.)	American dewberry.	N.Amer.	1789.	6. 7.	H.	♄.	
54	macrophy'llus. W.N.	(w.)	large-leaved.	Wales.	....	7. 8.	H.	♄.	
55	vulgàris. W.N.	(bh.)	common.	Britain.	....	——	H.	♄.	
56	diversifòlius. L.B.	(bh.)	different-leaved.	———	....	——	H.	♄.	
57	díscolor. W.N.	(bh.)	two-coloured.	———	....	——	H.	♄.	
58	fusco-ater. W.N.	(bh.)	dark-brown.	———	....	——	H.	♄.	
59	pállidus. W.N.	(bh.)	pale-leaved.	———	....	——	H.	♄.	
60	Kœhlèri. W.N.	(bh.)	Kœhler's.	———	....	——	H.	♄.	
61	rùdis. W.N.	(bh.)	way-side.	———	....	——	H.	♄.	
62	rubricaùlis. W.N.	(bh.)	red-stalked.	Germany.	1816.	——	H.	♄.	
63	echinàtus. L.B.	(bh.)	hedgehog.	Britain.	....	——	H.	♄.	
64	dumètorum. W.N.	(wh.)	bushy.	———	....	——	H.	♄.	
65	tetraphy'llus. W.en.	(w.)	four-leaved.	N. America.	1812.	6. 7.	H.	♄.	
66	parvifòlius. DC.	(pu.)	small-leaved.	China.	1818.	6. 8.	H.	♄.	Bot. reg. t. 496.
67	canádénsis. DC.	(wh.)	purple-stalked.	N. America.	1811.	6. 7.	H.	♄.	
68	saxátilis. DC.	(wh.)	stone.	Britain.	....	——	H.	♃.	Eng. bot. v. 32. t. 2233.
69	triflòrus. Rich.	(wh.)	three-flowered.	N. America.	....	——	H.	♃.	
70	árcticus. DC.	(cr.)	dwarf crimson.	Scotland.	....	5. 8.	H.	♃.	Eng. bot. v. 23. t. 1585.
71	pistillàtus. Ph. *ucaùlis.* DC.	(ro.)	close-styled.	Labrador.	1802.	6. 7.	H.	♃.	Sm. exot. bot. 2. t. 86.
72	obovàlis. DC.	(wh.)	oboval-leaved.	N. America.	1823.	5. 7.	H.	♃.	
73	parviflòrus. DC.	(wh.)	Vine-leaved.	———	1824.	——	H.	♃.	
74	stellàtus. DC.	(ro.)	star-flowered.	———	1823.	6. 7.	H.	♃.	Sm. ic. fasc. 3. t. 64.

75	Chamæmòrus. DC.	(wh.)	Cloud-berry.	Britain.	....	6. 7.	H. ¼.	Eng. bot. v. 10. t. 716.
76	fibridus. DC.	(wh.)	large-flowered.	N. America.	1827.	6. 8.	H. ½.	
77	odoràtus. DC.	(re.)	flowering raspberry.	——	1700.	6. 9.	H. ½.	Bot. mag. t. 323.
78	reflèxus. DC.	(wh.)	reflexed.	China.	1818.	6. 7.	G. ½.	Bot. reg. t. 461.
79	Hamiltoniànus. DC.	(wh.)	Hamilton's.	Nepaul.	——	——	H. ½.	
	rugòsus. D.P. *non* Smith.							
80	moluccànus. DC.	(wh.)	Moluccas.	Amboyna.	1810.	——	S. ½.	Rumph. amb. 5. t. 47. f. 2.
81	rugòsus. DC.	(wh.)	rugose.	S. America.	1824.	——	S. ½.	
82	tiliàceus. DC.	(wh.)	Lime-tree-l^{d}.	Nepaul.	——	——	H. ½.	
83	paniculàtus. DC.	(wh.)	panicled.	————	1826.	7. 9.	H. ½.	
84	betulìnus. DC.	(wh.)	Birch-leaved.	————	1825.	——	H. ½.	
DALIBA'RDA. DC.			DALIBA'RDA.	Icosandria Pent-Decagynia.				
1	rèpens. DC.	(wh.)	Violet-leaved.	N. America.	1768.	5. 6.	H. ¼.	Mich. amer. 1. t. 27.
	violæoides. M.							
FRAG'ARIA. DC.			STRAWBERRY.	Icosandria Polygynia.				
1	monophy'lla. S.S.		simple-leaved.	.....	1773.	5. 6.	H. ¼.	Bot. mag. t. 63.
2	vèsca. DC.	(wh.)	wood.	Britain.	....	4. 6.	H. ¼.	Eng. bot. v. 22. t. 1524.
	α sylvéstris. DC.	(wh.)	*wild.*	————	....	——	H. ¼.	
	β semperflòrens. DC.	(wh.)	*ever-bearing.*	.....	....	4. 12.	H. ¼.	Nois. jard. fr. t. 11. f. 2.
	γ álba.	(wh.)	*white-fruited.*	.....	....	——	H. ¼.	
	δ minor. DC.	(wh.)	*small English.*	Britain.	....	——	H. ¼.	
	ε hortènsis. DC.	(wh.)	*garden.*	.....	....	——	H. ¼.	
	ζ efflágellis. DC.	(wh.)	*short-shooted.*	.....	....	——	H. ¼.	
	η multiplex. DC.	(wh.)	*double-blossomed.*	.....	....	4. 6.	H. ¼.	Blackw. herb. t. 77. f. 3.
	θ botryfórmis. DC.	(wh.)	*crown-flowered.*	.....	....	——	H. ¼.	
	ι muricàta. DC.	(gr.)	*monstrous.*	.....	....	——	H. ¼.	
3	calycìna. DC.	(wh.)	large-calyxed.	Britain.	....	——	H. ¼.	
4	collìna. DC.	(wh.)	Alpine.	Germany.	1768.	4. 11.	H. ¼.	
	α rùbra.	(wh.)	*red Alpine.*	————	——	——	H. ¼.	
	β álba.	(wh.)	*white Alpine.*	————	——	——	H. ¼.	
5	platanoìdes. DC.	(bl.)	Plane-leaved.	N. America.	....	4. 6.	H. ¼.	
6	Majaùfea. DC.	(wh.)	plaited-leaved.	France.	....	——	H. ¼.	
	α bífera. DC.	(wh.)	*double-bearing.*	————	....	——	H. ¼.	
	β dàbia. DC.	(wh.)	*flat-fruited.*	————	....	——	H. ¼.	
7	Brealingea. DC.	(wh.)	leathery-leaved.	————	....	——	H. ¼.	
	α abórtiva. DC.	(wh.)	*sterile.*	————	....	——	H. ¼.	
	β nìgra. DC.	(wh.)	*black-fruited.*	.....	....	——	H. ¼.	
	γ péndula. DC.	(wh.)	*pear-fruited.*	.....	....	——	H. ¼.	
	δ hispida. DC.	(wh.)	*Longchamp.*	France.	....	——	H. ¼.	
	ε viridis. DC.	(wh.)	*green-fruited.*	.....	....	——	H. ¼.	Nois jard. fr. t. 13. f. 2.
	ζ pruténsis. DC.	(wh.)	*field.*	France.	....	——	H. ¼.	
8	elàtior. DC.	(wh.)	tall.	Europe.	....	——	H. ¼.	
9	moschàta. Ehr.	(wh.)	Hautboy.	England.	....	5. 6.	H. ¼	Eng. bot. v. 31. t. 2197.
	elàtior. E.B.							
	β dioìca. DC.	(wh.)	*diœcious.*	————	....	——	H. ¼.	
10	virginiàna. DC.	(wh.)	scarlet.	N. America.	1629.	4. 6.	H. ¼.	Nois. jard. fr. t. 12. f. 2.
	β hy'brida. DC.	(wh.)	*Keen's seedling.*	Hybrid.	....	——	H. ¼.	
11	chilènsis. DC.	(wh.)	Chile.	S. America.	1727.	5. 6.	H. ¼.	Dill. elth. t. 20. f. 140.
12	grandiflòra. DC.	(wh.)	Pine.	Surinam.	1759.	——	H. ¼.	Mill. ic. t. 288.
	β ananássa. DC.	(wh.)	*Pine apple.*	.....	....	——	H. ¼.	Nois. jard. fr. t. 14. f. 2.
	γ calyculàta. DC.	(wh.)	*Bath scarlet*	.....	....	——	H. ¼.	———— t. 11. f. 1. t. 14. f. 1.
	δ tincta. DC.	(wh.)	*red-fleshed.*	.....	....	——	H. ¼.	
13	canadènsis. DC.	(wh.)	Canadian.	Canada.	....	——	H. ¼.	
14	índica. DC.	(ye.)	yellow-flower'd.	Nepaul.	1805.	5. 10.	H. ¼.	Bot. reg. t. 61.
	Duchésnea fragarioìdes. Smith Linn. trans. 10. p. 373.							
COMARO'PSIS. DC.			COMARO'PSIS.	Icosandria Pent-Octagynia.				
1	fragarioìdes. DC.	(ye.)	strawberry-like.	N. America.	1803.	5. 6.	H. ¼.	Mich. amer. 1. t. 28.
	Dalibárda fragarioìdes. M.							
2	Doniàna. DC.	(ye.)	Don's.	————	——	——	H. ¼.	Bot. mag. t. 1567.
	Dalibárda fragarioìdes. B.M. *non* Mich. *Waldsteínia Doniàna.* Tratt.							
3	pedàta. DC.	(wh.)	pedate.	————	1827.	——	H. ¼.	Smith. ic. ined. t. 63.
	Rùbus pedàtus. Sm. *Dalibárda pedàta.* S.S.							
HORK'ELIA. B.M.			HORK'ELIA.	Decandria Polygynia.				
	congésta. B.M.	(wh.)	tufted-flowered.	N. America.	1827.	7. 9.	H. ¼.	Bot. mag. t. 2880.
WALDST'EINIA. DC.			WALDST'EINIA.	Icosandria Digynia.				
	geoìdes. DC.	(ye.)	Avens-leaved.	Hungary.	1804.	6. 7.	H. ¼.	Lodd. bot. cab. 402.
COL'URIA. B.			COL'URIA.	Icosandria Polygynia.				
	potentilloìdes. B.	(or.)	Siberian.	Siberia.	1780.	6. 7.	H. ¼.	Jacq. vind. 3. t. 68.
	Gèum potentilloìdes. W. *Dr'yas geoìdes.* Pall. *Sievérsia geoìdes.* S.S.							

CYD'ONIA. DC. Quince. Icosandria Pentagynia.

1	vulgàris. DC.	(wh.)	common.	S. Europe.	1573.	5. 6.	H. 5.	Jacq. aust. 4. t. 342.
	α malifórmis. DC.	(wh.)	*Apple-fruited.*	———	——	——	H. 5.	
	β lusitànica. DC.	(wh.)	*large-fruited.*	———	——	——	H. 5.	Duha.arb.fr.1.p.195.ic.
	γ oblónga. DC.	(wh.)	*oblong-fruited.*	———	——	——	H. 5.	Blackw. herb. t. 137.
2	sinénsis. DC.	(wh.)	Chinese.	China.	1815.	4. 5.	H. 5.	Bot. reg. t. 905.
3	japónica. DC.	(sc.)	Japan.	Japan.	1796.	1. 12.	H. ½.	Bot. mag. t. 692.
	α rùbra.	(sc.)	*red-flowered.*	———	——	——	H. ½.	
	P'yrus japónica.	B.M.	*Màlus japónica.*	A.R. 462.				
	β álba.	(wh.)	*white-flowered.*	———	1812.	——	H. ½.	Lodd. bot. cab. t. 541.

ORDO LXXVIII.

ROSACEÆ. *D. Don prodr. fl. nepal. p.* 229.

Tribus I. *ROSEÆ.* DC. prodr. 2. p. 596.

R'OSA. DC. Rose. Icosandria Polygynia. L.

1	berberifòlia. W.	(ye.)	Berberry-ld.	Persia.	1790.	6. 8.	H. ½.	Redout. ros. 1. 27. t. 2.
	simplicifòlia. P.L. 101.		*Lo'wea berberifolia.*	Bot. reg. 1261.				
2	fèrox. L.R.	(pu.)	hedgehog.	Caucasus.	1796.	6. 8.	H. ½.	Bot. reg. 420.
3	kamchática. L.R.	(pu.)	Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. ½.	——— t. 419.
	β nitens. B.R.	(pu.)	*glossy.*	———	1820.	——	H. ½.	——— t. 824.
4	involucràta. L.R.	(wh.)	floral-leaved.	China.	1814.	5. 10.	H. ½.⌣.	——— t. 780.
5	clinophy'lla. R.R.	(wh.)	naked-flowered.	———	1820.	——	H. ½.⌣.	Redout. ros. 1. t. 10.
6	bracteàta. L.R.	(wh.)	Macartney.	———	1795.	6. 10.	H. ½.⌣.	——— 1. t. 6.
	β scabriúscula. L.R.	(w.)	*rough Macartney.*	———	——	——	H. ½.⌣.	Bot. mag. 1377.
7	nítida. W.en.	(ro.)	dwarf Labrador.	N. America.	1773.	7. 8.	H. ½.⌣.	Lindl. ros. t. 2.
8	ràpa. R.R.	(ro.)	double Burnet.	———	1726.	——	H. ½.	Redout. ros. 1. 7. t. 2.
9	lùcida. W.	(re.)	single Burnet.	———	1773.	——	H. ½.	Miss Lawr. ros. t. 24.
10	Lindlèyi. S.S.	(ro.)	spreading.	———	1726.	——	H. ½.	Lindl. ros. t. 3.
	láxa. L.R. *non* Retz.							
11	parviflòra. W.	(bk.)	small-flowered.	———	1724.	——	H. ½.	
	α Single Pensylvanian	(bk.)	.....	———	——	——	H. ½.	Miss Lawr. ros. t. 68.
	β Double Pensylvanian	(bk.)	.....	———	——	——	H. ½.	——— t. 66.
12	Woòdsii. L.R.	(pi.)	Woods's.	———	1815.	6. 7.	H. ½.	
13	gemélla. S.S.	(re.)	twin-flowering.	———	1800.	7. 8.	H. ½.	
14	Lyònii. S.S.	(ro)	Lyon's.	Tennassee.	1812.	——	H. ½.	
15	flórida. L.C.	(re.)	flowering.	N. America.	——	6. 7.	H. ½.	
16	carolìna. L.R.	(re.)	Carolina.	———	1726.	——	H. ½.	Lindl. ros. t. 4.
17	pensylvànica. L.en.	(re.)	Pensylvanian.	———	——	——	H. ½.	
18	bláuda. L.R.	(re.)	Hudson's Bay.	———	1773.	5. 8.	H. ½.	Miss Lawr. ros. t. 27.
19	fraxinifòlia. L.R.	(re.)	Ash-leaved.	Newfoundland.	—	4. 6.	H. ½.	Bot. reg. 458.
	β Red Alpine Rose.	(re.)	.....	———	——	——	H. ½.	Miss Lawr. ros. t. 75.
20	cinnamòmea. E.B.	(ro.)	Single Cinnamon.	England.	....	5.	H. ½.	Eng. bot. v. 34. t. 2368.
	β flòre semipléno.	(ro.)	*semidouble.*	———	....	——	H. ½.	
	γ fœcundissima.	(ro.)	*double Cinnamon.*	Europe.	....	4. 5.	H. ½.	Lindl. ros. t. 5.
21	majális. L.R.	(ro.)	dwarf Cinnamon.	S. Europe.	....	——	H. ½.	Flor. dan. t. 688.
22	frutetòrum. S.S.	(bk.)	short peduncl'd.	Volhynia.	1820.	5. 6.	H. ½.	
23	ambígua. S.S.	(bk.)	ambiguous.	.....	——	——	H. ½.	
24	macrophy'lla. L.R.	(ro.)	long-leaved.	Nepaul.	1822.	....	H. ½.	Lindl. ros. t. 6.
25	americàna. L.en.	(ro.)	American.	America.	——	....	H. ½.	
26	alpìna. L.R.	(re.)	Alpine.	Europe.	1683.	6. 7.	H. ½.	Bot. reg. 424.
	α Alpine Rose.	(re.)	*common.*	———	——	——	H. ½.	Miss Lawr. ros. t. 30.
	β pyrenàica. L.R.	(re.)	*Pyrenean.*	———	——	——	H. ½.	Jacq. schœnb. 4. t. 416.
	γ pendulìna. L.R.	(re.)	*pendulous.*	———	1726.	——	H. ½.	Miss Lawr. ros. t. 9.
27	pygm'æa. S,S.	(ro.)	pigmy.	Tauria.	....	——	H. ½.	
28	rubélla. E.B.	(re.)	long-fruited.	England.	....	7.	H. ½.	Eng. bot. v. 36. t. 2521.
	β melanocárpa. L.R.	(re.)	*black-fruited.*	———	....	——	H. ½.	

29	muricàta. L.en.	(ro.)	muricate.	.....	1826.	6. 7.	H. h.	
30	balsámica. S.S.	(ro.)	balsamic.	.....	——	——	H. h.	
31	stricta. L.R.	(ro.)	upright.	N. America.	1726.	——	H. h.	Lindl. ros. t. 7.
	Upright Carolina.	(ro.)		——	——	——	H. h.	Miss Lawr. ros. t. 26.
32	suávis. S.S.	(ro.)	sweet.	.....	1817.	——	H. h.	
33	aciculàris. L.R.	(ro.)	grey Siberian.	Siberia.	....	3. 4.	H. h.	Lindl. ros. t. 8.
34	pancifiòra. Ly.	(ro.)	few-flowered.	——	....	——	H. h.	
35	sulphùrea. W.	(st.)	double yellow.	Levant.	1629.	7.	H. h.	Bot. reg. 46.
36	lutéscens. Ph.	(st.)	yellowish.	Siberia.	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	hispida. Bot. mag. t. 1570.							
37	vimínea. L.R.	(ro.)	twiggy.	Russia.	1826.	5. 6.	H. h.	
38	spinosíssima. E.B.	(wh.)	Scotch.	Britain.	....	6. 7.	H. h.	Eng. bot. v. 3. t. 187.
	β *revérsa.* L.R.	(wh.)	*reversed prickle.*	——	....	——	H. h.	Bot. reg. 431.
	γ *striped-flowered Scotch.*	(std.)		——	....	——	H. h.	Miss Lawr. ros. t. 15.
	δ *Red Scotch.*	(re.)		——	....	——	H. h.	—— t. 62.
	ε *Double Scotch.*	(wh.)		——	....	——	H. h.	—— t. 63.
	ζ *Tall Scotch.*	(wh.)		——	....	——	H. h.	—— t. 19.
	η *Marbled Scotch.*	(pu.) (wh.)		——	....	——	H. h.	—— t. 78.
	9 *sanguisorbifólia.* L.R.	(wh.)	*Sanguisorba-ld.*	....	....	——	H. h.	
39	altàica. W.en.	(wh.)	Pallas's.	Siberia.	....	——	H. h.	Pall. ros. 2. t. 75.
40	ochroleùca. L.en.	(st.)	sulphur-color'd.	——	1814.	——	H. h.	
41	melanocárpa. S.S.	(wh.)	small black fruited.	S. Europe.	1823.	——	H. h.	
42	grandifiòra. L.R.	(wh.)	large flowered.	Siberia.	....	5. 6.	H. h.	Bot. reg. 868.
43	myriacántha. DC.	(wh.)	numerous-spin'd.	S. France.	1820.	——	H. h.	Lindl. ros. t. 10.
44	involùta. E.B.	(bl.)	Dr. Walker's.	Hebrides.	....	6. 7.	H. h.	Eng. bot. v. 20. t. 2066.
45	revérsa. L.R.	(bl.)	reversed.	Hungary.	1817.	——	H. h.	W. et K. hung. 3. t. 264.
46	Bieberstеínii. Ly.	(ro.)	Bieberstein's.	Caucasus.	1821.	5.	H. h.	
47	Doniàna. L.T.	(wh.)	Mr. Don's.	Britain.	....	6. 7.	H. h.	
48	grácilis. L.T.	(ro.)	slender.	——	....	7 8.	H. h.	Eng. bot. v. 9. t. 598.
	villòsa. E.B. NOT L.							
49	Sabini. L.T.	(ro.)	Mr. Sabine's.	—— ——	....	——	H. h.	
50	marginàta. L.R.	(ro.)	margined.	Germany.	1823.	——	H. h.	
51	corúscans. L.en.	(ro.)	glittering.	.....	——	——	H. h.	
52	damascèna. L.R.	(re.)	red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
53	centifólia. L.R.	(ro.)	Provins.	Caucasus.	1596.	——	H. h.	—— —— t. 8.
	β *muscòsa.* L.R.	(ro.)	*single moss.*	.....	1724.	——	H. h.	Bot. reg. 53.
	γ *multiplex.*	(ro.)	*double moss.*	.....	——	——	H. h.	Bot. mag. t. 60.
	δ *albiflòra.*	(wh.)	*white moss.*	.....	——	——	H. h.	Bot. reg. t. 102.
	ε *pompónia.* L.R.	(pi.)	*Pompone.*	.....	....	——	H. h.	Redout. ros. 1. 65. t. 23.
	ζ *bipinnata.* L.R.	(pi.)	*bipinnate.*	Caucasus.	....	——	H. h.	—— 2. 11. t. 4.
54	gállica. L.R.	(re.)	officinal.	Europe.	1596.	——	H. h.	Bot. reg. 448.
	β *pùmila.* L.R.	(re.)	*dwarf.*	Austria.	1773.	——	H. h.	Jacq. aust. 2. t. 198.
55	pulchélla. S.S.	(re.)	neat.	France.	....	——	H. h.	
56	parvifólia. L.R.	(pu.)	Burgundy.	Europe.	....	——	H. h.	Bot. reg. t. 452.
57	turbinàta. L.R.	(ro.)	Frankfort.	——	1629.	——	H. h.	Miss Lawr. ros. t. 69.
58	villòsa. L.T.	(bl.)	villous.	Britain.	....	6.	H. h.	Eng. bot. v. 35. t. 2459.
	mállis. E.B.							
	α *single apple bearing.*	(bl.)	——	——	....	——	H. h.	Miss Lawr. ros. t. 33.
	β *cærúlea.* L.T.	(bl.)	*blue-stalked.*	——	....	——	H. h.	
	γ *concavifólia.* L.T.	(bl.)	*concave-leaved.*	Scotland.	....	——	H. h.	
	δ *suberécta.* L.T.	(bl.)	*siberect.*	Yorkshire.	....	——	H. h.	
	ε *double apple bearing.*	(pi.)		——	....	——	H. h.	Miss Lawr. ros. t. 29.
59	scabriúscula. L.T.	(bl.)	roughish.	Britain.	....	——	H. h.	Eng. bot. t. 1896.
60	heterophýlla. L.T.	(bl.)	various-leaved.	Scotland.	....	——	H. h.	
61	tomentòsa. L.T.	(bl.)	downy-ld. dog.	Britain.	....	——	H. h.	Eng. bot. v. 14. t. 990.
	β *sylvéstris.* L.T.	(bl.)	*wood.*	——	....	——	H. h.	
	γ *canéscens.* L.T.	(bl.)	*canescent.*	——	....	——	H. h.	
	δ *incàna.* L.T.	(bl.)	*hoary.*	——	....	——	H. h.	
	ε *resinòsa.* L.R.	(re.)	*resinous.*	Ireland.	....	——	H. h.	
62	núda. L.T.	(bl.)	naked.	Westmoreland.	..	——	H. h.	
63	álba. L.R.	(wh.)	single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
64	montàna. S.S.	(bl.)	mountain.	Tauria.	1820.	——	H. h.	
65	hibérnica. L.T.	(pi.)	Irish.	Ireland.	....	6. 11.	H. h.	Eng. bot. v. 31. t. 2196.
66	lùtea. L.R.	(ye.)	yellow.	Germany.	1596.	6.	H. h.	Bot. mag. 363.
67	punícea. Mil.	(re. ye.)	red and yellow.	Persia.	——	——	H. h.	—— —— t. 1077.
68	Sherárdi. Sm.	(bl.)	Sherard's.	Britain.	....	6. 7.	H. h.	
69	Dicksoniàna. L.B.	(bl.)	Dickson's.	Ireland.	....	——	H. h.	
70	rubiginòsa. E.B.	(ro.)	sweet briar.	Britain.	....	——	H. h.	Eng. bot. v. 14. t. 991.
71	micrántha. L.T.	(ro.)	small.	England.	....	——	H. h.	—— v. 35. t. 2490.

72	sèpium. DC.	(*bh.*)	hedge.	France.	....	——	H. ½.	
73	Borrèri. L.T.	(*bh.*)	Borrer's.	Britain.	....	——	H. ½.	Eng. bot. v. 36. t. 2579.
	dumetòrum. E.B.	*nec aliorum.*						
74	umbellàta. DC.	(*ro.*)	umbel-flowered.	——	....	——	H. ½.	
75	adenophy'lla. S.S.	(*bh.*)	glandulous.	.....	1816.	——	H. ½.	
76	pruinòsa. L.C.	(*ro.*)	frosted.	.....	1817.	5. 6.	H. ½.	
	pulverulènta. L.R.	*non* M.B.						
77	glutinòsa. L.R.	(*bh.*)	glutinous.	Levant.	1821.	6. 7.	H. ½.	Cupan. panp. ed. 1. t. 61.
	rubiginòsa crética.	Red. ros. 125. t. 47.						
78	Montezùmæ. K.S.	(*ro.*)	Mexican.	Mexico.	1823.	....	H. ½.	Redout. ros. 1. t. 16.
79	rèpens. Scop.	(*bh.*)	creeping.	.....	1825.	6. 7.	H. ½.	
80	uncinàta. Bes.	(*bh.*)	hooked.	Poland.	1826.	——	H. ½.	
81	Boreykiàna. Bes.	(*bh.*)	Boreyki's.	.....	1827.	——	H. ½.	
82	Fischeriàna. Bes.	(*bh.*)	Fischer's.	Russia.	1825.	——	H. ½.	
83	gorenkénsis. Bes.	(*bh.*)	Gòrenki.	——	——	——	H. ½.	
84	guttensteiniénsis. Bes.	(*bh.*)	Guttenstein.	Poland.	1822.	——	H. ½.	
85	Kosinskiàna. Bes.	(*bh.*)	Koscinszki.	Europe.	1825.	——	H. ½.	
86	polyphy'lla. Bes.	(*bh.*)	many-leaved.	.....	1827.	——	H. ½.	
87	terebinthinàcea. Bes.	(*bh.*)	Turpentine.	Germany.	1825.	——	H. ½.	
88	Redowskiàna. Bes.	(*bh.*)	Redowski's.	.....	1828.	——	H. ½.	
89	uncinélla. Bes.	(*bh.*)	small-hooked.	Europe.	1825.	——	H. ½.	
90	dimórpha. Bes.	(*bh.*)	variable.	Volhynia.	1821.	——	H. ½.	
91	caryophyllàcea. Bes.	(*bh.*)	Clove-scent'd.	Poland.	1825.	——	H. ½.	
92	glaùca. Bes.	(*bh.*)	glaucous.	——	——	——	H. ½.	
93	nitídula. Bes.	(*bh.*)	glossy.	Europe.	——	——	H. ½.	
94	floribúnda. Bes.	(*bh.*)	abundant-fl'd.	——	1828.	——	H. ½.	
95	solstitiàlis. Bes.	(*bh.*)	summer.	Poland.	1821.	——	H. ½.	
96	acùta. F.	(*bh.*)	acute-leaved.	Caucasus.	——	——	H. ½.	
97	purpuráscens. F.	(*pu.*)	purplish.	Tanaim.	——	——	H. ½.	
98	rupícola. F.	(*bh.*)	rocky.	Altay.	——	——	H. ½.	
99	saxátilis. M.B.	(*bh.*)	rock.	Tauria.	1825.	——	H. ½.	
100	caucásica. M.B.	(*bh.*)	Caucasean.	Caucasus.	1793.	5. 6.	H. ½.	Lindl. ros. t. 11.
101	c'æsia. L.T.	(*bh.*)	grey-leaved.	Scotland.	....	7.	H. ½.	Eng. bot. v. 33. t. 2367.
102	sarmentàcea. L.T.	(*ro.*)	sarmentose.	Britain.	....	6. 7.	H. ½.	
	β nitens. L.T.	(*ro.*)	*glossy-leaved.*	——	....	——	H. ½.	
103	bractéscens. L.T.	(*bh.*)	long-bracted.	Lancashire.	....	——	H. ½.	
104	dumetòrum. L.T.	(*bh.*)	bushy.	England.	....	6.	H. ½.	
105	Forstèri. Sm.	(*bh.*)	Forster's.	——	....	——	H. ½.	
106	collìna. L.T.	(*bh.*)	hill.	——	....	——	H. ½.	Jacq. aust. 2. t. 197.
107	canìna. L.T.	(*bh.*)	dog or hep.	Britain.	....	6. 7.	H. ½.	Eng. bot. v. 14. t. 992.
	β cera. L.T.	(*bh.*)	*waxy.*	——	....	——	H. ½.	
	γ glandulifera. L.T.	(*bh.*)	*glandular.*	——	....	——	H. ½.	
	δ simpliciuscula. L.T.	(*bh.*)	*simple-calyxed.*	——	....	——	H. ½.	
108	surculòsa. L.T.	(*bh.*)	surculose.	——	....	——	H. ½.	
109	leucántha. L.en.	(*wh.*)	white-flowered.	Siberia.	1824.	....	H. ½.	
110	rubrifòlia. L.R.	(*re.*)	reddish-leaved.	S. Europe.	....	5. 6.	H. ½.	Bot. reg. t. 430.
111	sericea. L.R.	(*bh.*)	silky-leaved.	Nepaul.	1823.	....	H. ½.	Lindl. ros. t. 12.
112	microphy'lla. L.R.	(*re.*)	small-leaved.	China.	1822.	6. 8.	H. ½.	Bot. reg. t. 919.
113	longifòlia. W.	(*bh.*)	Willow-leaved.	——	....	2. 10.	F. ½.	Redout. ros. 2. 27. t. 12.
114	índica. W.	(*ro.*)	common China.	——	1789.	1. 12.	H. ½.	Miss Lawr. ros. t. 26.
	β centifòlia.	(*ro.*)	*large-double.*	——	....	——	H. ½.	
	γ purpùrea.	(*pu.*)	*purple China.*	——	....	——	H. ½.	
	δ subálba.	(*bh.*)	*whitish China.*	——	....	——	H. ½.	
	ε mèdia.	(*ro.*)	*middle China.*	——	....	——	H. ½.	
	ζ minor.	(*ro.*)	*small China.*	——	....	——	H. ½.	Andr. ros. ic.
	η frágrans.	(*pu.*)	*animating.*	——	....	——	H. ½.	
115	odoràta.	(*pa.*)	sweet-scented.	——	1810.	2. 12.	H. ½.	Bot. reg. 804.
	índica odoràta. A.R.	*índica frágrans.* R.R. 1. 115. t. 42.						
	β flavéscens.	(*st.*)	*yellow China.*	China.	1823.	——	H. ½.	
116	semperflòrens. L.R.	(*cr.*)	red China.	——	1789.	1. 12.	F. ½.	Exot. bot. 2. t. 91.
	a diversifòlia. V.	(*re.*)	*single.*	——	....	——	F. ½.	Vent. cels. t. 35.
	β atrorùbens.	(*cr.*)	*double red.*	——	1789.	....	F. ½.	Bot. mag. 284.
	γ resplèndens.	(*cr.*)	*resplendent.*	——	....	——	F. ½.	
	δ frágrans.	(*re.*)	*fragrant.*	——	1820.	——	F. ½.	
	ε Terneáuxi.	(*re.*)	*Terneaux's.*	——	——	——	F. ½.	
	ζ Bichónii.	(*re.*)	*Bichon's.*	——	——	——	F. ½.	
117	Lawranceàna. L.R.	(*bh.*)	Miss Lawrance's.	——	1810.	——	F. ½.	Bot. reg. t. 538.
	β flore plèno.	(*bh.*)	*double-flowered.*	——	1824.	——	F. ½.	

118	syst'yla. L.T.	(*bk.*) clustered dog.	Britain.	....	6. 7.	H. ♄.	Eng. bot. v. 27. t. 1895.
	β *lancelata.* L.R.	(*bk.*) spear-leaved.	Ireland.	....	——	H. ♄.	
	γ *Monsoniæ.* L.R.	(*bk.*) Lady Monson's.	England.	....	——	H. ♄.	
119	arvénsis. L.T.	(*wk.*) field.	Britain.	....	——	H. ♄.	Eng. bot. v. 3. t. 188.
	β *scándens.*	(*wk.*) *Ayrshire.*	————	....	——	H. ♄.⌣.	Bot. mag. 2054.
120	geminàta. Rau.	(*bk.*) Swiss.	Switzerland.	....	——	H. ♄.	
121	sempervirens. W.	(*wk.*) evergreen.	S. Europe.	1629.	6. 8.	H. ♄.⌣.	Bot. reg. t. 465.
122	Boursoàlti.	(*ro.*) Boursoult's.	Hybrid.	1821.	4. 7.	H. ♄.⌣.	
123	hyacinthina.	(*ro.*) Hyacinth-scented.	————	....	——	H. ♄.⌣.	
124	Grevíllii.	(*ro. bk.*) Greville's.	China.	....	——	H. ♄.⌣.	
125	Roxbúrghii.	(*ro.*) Roxburgh's.	————	....	——	H. ♄.⌣.	
126	multiflòra. W.	(*va.*) many-flowered.	————	1804.	6. 8.	H. ♄.⌣.	Bot. reg. 425.
	α *rósea.*	(*ro.*) *common.*	————	....	——	H. ♄.⌣.	Bot. mag. t. 1059.
	β *albiflòra.*	(*wh.*) white-flowered.	————	1825.	——	H. ♄.⌣.	
127	Brunónii. L.R.	(*wh.*) Mr. Brown's.	Nepaul.	1820.	——	H. ♄.	Lindl. ros. t. 14.
128	moschàta. L.R.	(*wh.*) musk-scented.	Africa.	1596.	7. 9.	H. ♄.	Miss Lawr. ros. t. 64.
	β *flòre plèno.*	(*wh.*) *double musk.*	————	....	——	H. ♄.	———— t. 53.
129	nívea. Dup.	(*wh.*) snow white.	Hybrid.	1823.	——	H. ♄.	Bot. reg. 861.
130	Noisettiàna. R.R.	(*bk.*) Noisette's.	————	1816.	5. 11.	H. ♄.	
	β *grandiflòra.*	(*bk.*) *large-flowered.*	————	1827.	——	H. ♄.	
	γ *Fraséri.*	(*bk.*) *Fraser's.*	————	1815.	——	H. ♄.	
	δ *purpùrea.*	(*pu.*) *purple.*	————	1823.	——	H. ♄.	
131	rubifólia. L.R.	(*re.*) bramble-leav'd.	N. America.	1800.	7. 9.	H. ♄.	
	β *fenestràlis.* L.R.	(*re.*) *thin-leaved.*	————	....	——	H. ♄.	Lindl. ros. t. 15.
132	lævigàta. L.R.	(*wh.*) smooth.	Georgia.	1826.	——	H. ♄.⌣.	Bot. mag. t. 2847.
133	sínica. L.R.	(*wh.*) shining-leaved.	China.	1759.	6. 8.	F. ♄.	Lindl. ros. t. 16.
134	Bánksiæ. L.R.	(*wh.*) Lady Banks's.	————	1807.	——	H. ♄.⌣.	Bot. reg. t. 397.
	α *albiflòra.*	(*wh.*) white-flowered.	————	....	——	H. ♄.⌣.	Bot. mag. t. 1954.
	β *lùtea.*	(*ye.*) *yellow-flowered.*	————	1823.	——	H. ♄.⌣.	———— v. 13. t. 1105.

Garden Varieties.

I. *spinosissima.*

1 Aberdeen.
2 Aberfoil.
3 alba.
4 Alloa.
5 Ancram.
6 Anderson's double lady's blush.
7 Arbroath.
8 Argyll.
9 Arrochar.
10 Aurora borealis.
11 Balloch.
12 Banff.
13 Bannockburn.
14 Borisdale.
15 Bass.
16 Bengloe.
17 Ben Lomond.
18 Ben More.
19 Berwick.
20 bicolor.
21 Biggar.
22 Birnam.
23 Blair Athol.
24 Boharm.
25 Borthwick.
26 Buchan.
27 Bute.
28 Caithness.
29 Calder.
30 Callender.
31 Campsie.
32 carnescens.
33 Carron.
34 Cheviot.
35 ciphieri.

Garden Varieties.

36 Clydesdale.
37 Cromarty.
38 Dalkeith.
39 Dalrymple.
40 Dornock.
41 double blush Princess.
42 double blush Provins.
43 double crimson.
44 double crimson mottled.
45 double dark marbled.
46 double dark red.
47 double lady's blush.
48 double light marbled.
49 double light purple.
50 double pink.
51 double purple.
52 double rose blush.
53 Douglas.
54 Dumbarton.
55 Dumblane.
56 Dumfernline.
57 Dumfries.
58 Dunbar.
59 Duncrieff.
60 Dundee.
61 Dunglass.
62 Dunkeld.
63 Dunlop.
64 Dunmore.
65 Dutch double blush.
66 dwarf bicolor.
67 Dysart.
68 Eden.
69 Elgin.
70 Etterick.
71 Fairy.
72 Falkirk.

Garden Varieties.

73 Falkland.
74 Falla.
75 Fife.
76 flavescens.
77 Forfar.
78 Forth.
79 Fort William.
80 fulgens.
81 Furness.
82 Galloway.
83 Glasgow.
84 Glenco.
85 Glenfallach.
86 Glengarry.
87 Gourock.
88 Grahamston.
89 Grampian.
90 Greenock.
91 Haddington.
92 Halkirk.
93 Hamilton.
94 Hawick.
95 Hawthorndean.
96 Hector.
97 humilis.
98 Huntly.
99 incarnata.
100 Inverary.
101 Inverness.
102 Invermay.
103 Janus.
104 Jedburgh.
105 Jura.
106 Keith.
107 Kelso.
108 Kilmarnock.
109 Kincardine.

KE'RRIA. DC.		KE'RRIA. Icosandria Pent-Octagynia.						
japónica. DC.	(*ye.*)	Japanese.	Japan.	1804.	4. 9.	H. ½.		
β flòre plèno.	(*ye.*)	*double-flowered.*	———	——	——	H. ½.		Andr. reposit. t. 587.
Córchorus japónicus. Bot. mag. t. 1296.								
SPIR'ÆA. DC.		SPIR'ÆA. Icosandria Pentagynia. L.						
1 opulifòlia. DC.	(*wh.*)	Guelder-rose-l^d.	N.America.	1690.	6. 7.	H. ½.		Schmidt arb. 1. t. 52.
2 capitàta. DC.	(*wh.*)	headed.	Columbia.	1827.	——	H. ½.		
3 ulmifòlia. DC.	(*wh.*)	Elm-leaved.	Siberia.	1790.	——	H. ½.		Jacq. vind. 2. t. 149.
4 flexuòsa. DC.	(*wh.*)	flexuose.	———	1820.	——	H. ½.		Camb. mon. spir. t. 26.
5 bélla. DC.	(*ro.*)	red-flowered.	Nepaul.	1818.	6. 9.	H. ½.		Bot. mag. t. 2426.
6 chamædrifòlia. DC.	(*wh.*)	Germander-l^d.	Siberia.	1780.	6. 7.	H. ½.		Bot. reg. t. 1221.
7 mèdia. Ph.	(*wh.*)	middle.	Canada.	1827.	——	H. ½.		
8 oblongifòlia. W.K.	(*wh.*)	oblong-leaved.	Hungary.	1815.	5. 7.	H. ½.		W. et K. hung. 3. t. 225.
9 càna. DC.	(*wh.*)	hoary-leaved.	———	1824.	6. 7.	H. ½.		——— 3. t. 227.
10 trilobàta. DC.	(*wh.*)	three-lobed.	Siberia.	1801.	5. 6.	H. ½.		Pall. ross. 1. t. 17.
11 alpina. DC.	(*wh.*)	Alpine.	———	1806.	6. 7.	H. ½.		——— 1. t. 20.
12 thalictroides. DC.	(*wh.*)	meadow-rue-l^d.	———	1790.	5. 6.	H. ½.		——— 1. t. 18.
13 pikowiénsis. DC.	(*wh.*)	Pikow.	Poland.	1824.	——	H. ½.		
14 hypericifòlia. W.	(*wh.*)	Hypericum-l^d.	N. America.	1640.	4. 5.	H. ½.		Schmidt arb. 1. t. 26.
15 uralénsis.	(*wh.*)	Fischer's.	Siberia.	1822.	——	H. ½.		
crenàta. F. non W. *hypericifòlia β uralénsis.* DC.								
16 acutifòlia. W.en.	(*wh.*)	acute-leaved.	Siberia.	——	——	H. ½.		
17 crenàta. L.	(*wh.*)	crenated.	———	1739.	——	H. ½.		
18 cratægifòlia. L.en.	(*wh.*)	Hawthorn-leav'd.	.....	1824.	5. 6.	H. ½.		
19 obovàta. W.K.	(*wh.*)	obovate leaved.	Hungary.	1816.	——	H. ½.		
20 savránica. Bes.	(*wh.*)	small-flowered.	Poland.	1826.	——	H. ½.		
21 Besseriàna.	(*wh.*)	Besser's.	———	——	——	H. ½.		
crenàta. Bes. non L.								
22 canéscens. DC.	(*wh.*)	canescent.	Nepaul.	1825.	6. 8.	H. ½.		
23 ceanothifòlia. DC.	(*wh.*)	Ceanothus-l^d.	.....	1820.	5. 6.	H. ½.		
24 corymbòsa. DC.	(*wh.*)	corymbose.	Virginia.	1812.	——	H. ½.		Lodd. bot. cab. t. 671.
25 vacciniifòlia. D.P.	(*wh.*)	Vaccinium-l^d.	Nepaul.	1824.	6. 8.	H. ½.		——— t. 1403.
26 betulæfòlia. DC.	(*wh.*)	Birch-leaved.	Siberia.	1812.	6. 7.	H. ½.		Pall. ross. 1. t. 16.
27 lævigàta. DC.	(*wh.*)	smooth-leaved.	———	1774.	4. 6.	H. ½.		Schmidt arb. 1. t. 49.
28 salicifòlia. DC.	(*ro.*)	Willow-leaved.	Britain.	....	6. 8.	H. ½.		Eng. bot. v. 21. t. 1468.
29 álba. W.D.	(*wh.*)	white-flowered.	.....	....	——	H. ½.		Wats. dend. brit. t. 133.
30 carpinifòlia. W.en.	(*bh.*)	broad-leaved.	N. America.	....	7. 8.	H. ½.		——— t. 66.
31 tomentòsa. DC.	(*ro.*)	tomentose.	———	1736.	7. 9.	H. ½.		Schmidt arb. 1. t. 51.
32 ariæfòlia. DC.	(*ro.*)	Aria-leaved	———	1827.	6. 8.	H. ½.		
33 discolor. DC.	(*wh.*)	two-coloured.	———	——	——	H. ½.		
34 sorbifòlia. DC.	(*wh.*)	Service-leaved.	Siberia.	1759.	7. 9.	H. ½.		Schmidt arb. 1. t. 56.
35 grandiflòra.	(*wh.*)	large-flowered.	Kamtschatka.	1817.	7. 8.	H. ½.		Pall. ros. 1. t. 25.
sorbifòlia β alpìna. DC.								
36 Aráncus. DC.	(*wh.*)	Goat's-beard.	Siberia.	1633.	6. 7.	H. ½.		Pall. ros. 1. t. 26.
37 americàna.	(*wh.*)	glossy-leaved.	N. America.	1825.	——	H. ½.		
38 Ulmària. DC.	(*wh.*)	Meadow-sweet.	Britain.	....	6. 10.	H. ½.		Eng. bot. v. 14. t. 966.
α tomentòsa. DC.	(*wh.*)	*tomentose.*	———	....	——	H. ½.		
β múltiplex. DC.	(*wh.*)	*double-flowered.*	———	....	——	H. ½.		
γ variegàta. DC.	(*wh.*)	*variegated-leav'd.*	———	....	——	H. ½.		
39 lobàta. DC.	(*ro.*)	lobed-leaved.	N. America.	1765.	7. 8.	H. ½.		Jacq. vind. 1. t. 68.
40 palmàta. DC.	(*wh.*)	palmated.	China.	1823.	——	H. ½.		
41 digitàta. DC.	(*ro.*)	digitate.	Siberia.	———	——	H. ½.		Pall. ros. 1. t. 27.
42 Filipéndula. DC.	(*wh.*)	Dropwort.	Britain.	....	6. 10.	H. ½.		Eng. bot. v. 4. t. 264.
β múltiplex. DC.	(*wh.*)	*double-flower'd.*	———	....	——	H. ½.		
GILL'ENIA. DC.		GILL'ENIA. Dodecandria Pentagynia.						
1 trifoliàta. DC.	(*bh.*)	three-leaved.	N. America.	1713.	6. 7.	H. ½.		Bot. mag. t. 490.
Spir'æa trifoliàta. B.M.								
2 stipulàcea. DC.	(*bh.*)	large-stipuled.	———	1805.	——	H. ½.		Bart. med. bot. t. 6.

ORDO LXXX.

CALYCANTHEÆ. *DC. prodr.* 3. *p.* 1.

CALYCA'NTHUS. DC.		ALLSPICE-TREE. Icosandria Polygynia. L.						
1 flòridus. DC.	(*d. pu.*)	Carolina.	Carolina.	1726.	5. 8.	H. ½.		Bot. mag. t. 508.

2 prunifòlius. (d.pu.) Plum-leaved. Carolina. 1822. 5. 8. H. ½.
3 glaùcus. DC. (d.pu.) glaucous-leaved. ——— 1806. —— H. ½. Guimp. ab. holz. t. 5.
fértilis. Bot. reg. t. 404.
4 oblongifòlius. N. (d.pu.) oblong-leaved. ——— 1812. —— H. ½.
5 lævigàtus. DC. (d.pu.) smooth-leaved. ——— 1806. —— H. ½. Bot. reg. t. 481.

CHIMÒNA'NTHUS. DC. JAPAN ALLSPICE. Icosandria Polygynia.
fràgrans. DC. (ye.) fragrant. Japan. 1766. 12. 3. H. ½. Bot. mag. t. 466.
Calycánthus præcox. B.M.
α *vérus.* (ye.pu.) *common.* ——— —— —— H. ½. Hort. Kew. v. 2. t. 10.
β *làtus.* (ye.) *yellow-flowered.* ——— 1814. —— H. ½.
γ *grandiflòrus.* B.R. (ye.) *large-flowered.* ——— 1812. —— H. ½. Bot. reg. t. 451.

ORDO LXXXI.

GRANATEÆ. *D. Don in Jameson Edinb. phil. journ. jul.* 1826. *p.* 134.

PU'NICA. DC. POMEGRANATE. Icosandria Monogynia. L.
1 Granàtum. DC. (or.) common. S. Europe. 1548. 6. 9. H. ½. Bot. mag. t. 1832.
α *rùbrum.* DC. (or.) *red-flowered.* ——— —— —— H. ½. Schkuhr handb. t. 181.
β *flòre plèno.* DC. (or.) *double red.* ——— .... 6. 8. H. ½. Trew ehret. t. 71. f. 2.
γ *flavéscens.* (ye.) *yellow-flowered.* China. 1810. —— F. ½.
δ *albéscens.* (wh.) *white-flowered.* ——— —— —— F. ½. Andr. reposit. t. 96.
ε *múltiplex.* (wh.) *double white.* ——— .... —— F. ½.
2 nàna. DC. (or.) dwarf. S. America. 1728. 7. 9. F. ½. Bot. mag. t. 634.

ORDO LXXXII.

MEMECYLEÆ. *DC. prodr.* 3. *p.* 5.

MEME'CYLON. DC. MEME'CYLON. Octandria Monogynia. L.
1 angulàtum. DC. (pu.) square-stalked. Mauritius. 1826. 5. 7. S. ½.
2 capitellàtum. DC. (pu.) headed. Ceylon. 1796. 7. 8. S. ½. Burm. zeyl. t. 30.
3 èdule. DC. (pu.) eatable-fruited. E. Indies. 1823. —— S. ½. Roxb. corom. 1. t. 82.
4 grànde. DC. (bl.) tree. ——— 1824. .... S. ½. Rheed. mal. 2. t. 14.

MOURI'RIA. DC. MOURI'RIA. Decandria Monogynia.
1 myrtilloides. DC. (wh.) sessile-leaved. Jamaica. 1818. 6. 8. S. ½. Sloan. his. 2. t. 87. f. 3.
Petalòma myrtilloides. Swartz fl. ind. occ. 2. p. 833. t. 14.
2 guianénsis. DC. (ye.) Guiana. Guiana. 1825. —— S. ½. Aubl. guian. 1. t. 180.
3 grandiflòra. DC. (wh.) great flowered. Brazil. 1822. .... S. ½.
4 alternifòlia. H.B. .... alternate-leav'd. E. Indies. 1823. .... S. ½.

ORDO LXXXIII.

COMBRETACEÆ. *DC. prodr.* 3. *p.* 9.

Tribus I. *TERMINALIEÆ.* DC. prodr. 3. p. 9.

BUCI'DA. DC. OLIVE-BARK-TREE. Decandria Monogynia. L.
1 Bùceras. DC. (wh.) Jamaica. Jamaica. 1793. 7. 10. S. ½. Bot. reg. t. 907.
2 capitàta. DC. (wh.) headed. W. Indies. 1826. .... S. ½. Vahl. ecl. 1. t. 8.

TERMIN'ALIA. DC. TERMIN'ALIA. Polygamia Monœcia. L.
1 Taniboùca. DC. (wh.) Guiana. Guiana. 1826. .... S. ½. Aubl. guian. 1. t. 178.
2 angustifòlia. DC. (wh.) narrow-leaved. E. Indies. 1692. 5. 7. S. ½. Jacq. vind. 3. t. 100.
Catéppa Benzoin. Gært. fruct. 2. p. 206. t. 127.

3	mauritiàna. DC.	(wh.)	Mauritius.	Mauritius.	1822.	....	S. ♄.	Lam. ill. t. 848. f. 2.
4	Catáppa. DC.	(wh.)	large-leaved.	E. Indies.	1778.	5. 7.	S. ♄.	Jacq. ic. 1. t. 197.
5	subcordàta. K.S.	(wh.)	heart-leaved.	W. Indies.	1816.	....	S. ♄.	
6	moluccàna. DC.	(wh.)	smooth-leaved.	Moluccas.	——	....	S. ♄.	Rumph. amb. 1. t. 68.
7	glábrata. DC.	(wh.)	smooth-leaved.	Society Isles.	1822.	....	S. ♄.	Spreng. antiq. bot. t. 2.
8	latifolia. DC.	(wh.)	broad-leaved.	W. Indies.	1778.	6. 8.	S. ♄.	
9	bengalénsis. DC.	(wh.)	Bengal.	E. Indies.	1826.	....	S. ♄.	
10	Bellerìca. DC.	(wh.)	fetid-flowered.	————	1818.	....	S. ♄.	Roxb. corom. 2. t. 198.
11	Chébula. DC.	(wh.)	oval-leaved.	————	1796.	6. 8.	S. ♄.	———— 2. t. 197.
12	citrìna. DC.	(st.)	Citron-leaved.	————	1823.	....	S. ♄.	Gært. fruct. 2. t. 97.
13	pròcera. DC.	(wh.)	lofty.	————	1816.	....	S. ♄.	Roxb. corom. 3. t. 224.
14	gangética. H.B.	(wh.)	Ganges.	————	1823.	....	S. ♄.	
15	biticària. H.B.	(wh.)	Silhet.	————	1824.	....	S. ♄.	
16	arbúscula. DC.	(wh.)	small tree.	Jamaica.	1822.	....	S. ♄.	
17	sericea. DC.	(wh.)	silky-leaved.	C. B. S.	1816.	....	I. ♄.	
18	Fatr`æa. DC.	(wh.)	Madagascar.	Madagascar.	1826.	....	S. ♄.	

PENTA'PTERA. DC. PENTA'PTERA. Polygamia Monœcia.

1	tomentòsa. DC.	(wh.)	woolly.	E. Indies.	1824.	....	S. ♄.	DC. diss. t. 1.
2	paniculàta. DC.	(wh.)	panicled.	————	1826.	....	S. ♄.	
3	Arjùna. DC.	(wh.)	glaucous-leaved.	————	1825.	....	S. ♄.	DC. diss. t. 2.
4	bialàta. H.B.	(wh.)	two-winged.	——	——	....	S. ♄.	

GET'ONIA. DC. GET'ONIA. Decandria Monogynia.

1	floribúnda. DC.	(wh.)	many-flowered.	E. Indies.	1815.	5. 7.	S. ♄⌣.	Roxb. corom. 1. t. 87.
2	nùtans. DC.	(wh.)	nodding.	————	1823.	——	S. ♄⌣.	

CONOCA'RPUS. DC. BUTTON-TREE. Pent-Decandria Monogynia.

1	erécta. W.	(wh.)	upright.	Jamaica.	1752.	6. 8.	S. ♄.	Jacq. amer. t. 52. f. 1.
2	procúmbens. W.	(wh.)	procumbent.	Cuba.	1730.	——	S. ♄.	———— t. 52. f. 2.
3	acuminàta. DC.	(wh.)	pointed-leaved.	E. Indies.	1822.	....	S. ♄.	
4	latifòlia. DC.	(wh.)	broad-leaved.	————	1816.	....	S. ♄.	

LAGUNCUL'ARIA. DC. LAGUNCUL'ARIA. Decandria Monogynia.

	racemòsa. DC.	(gr.)	racemed.	W. Indies.	1825.	....	S. ♄.	Jacq. amer. t. 53.

POI'VREA. DC. POI'VREA. Decandria Monogynia.

1	comòsa.	(cr.)	tufted.	Sierra Leone.	1821.	5. 8.	S. ♄⌣.	Bot. reg. t. 1165.
	Combrètum comòsum. Bot. reg.							
2	intermèdia. G.D.	(cr.)	intermediate.	————	——	....	S. ♄⌣.	
3	alternifòlia. DC.	(wh.)	alternate-leav'd.	S. America.	1826.	....	S. ♄⌣.	Jacq. am. pic. t. 260. f. 27.
	Combrètum decándrum. Jacq.							
4	coccínea. DC.	(sc.)	scarlet-flower'd.	Madagascar.	1818.	8. 10.	S. ♄⌣.	Lam. ill. t. 282. f. 2.
	Combrètum purpùreum. Bot. reg. 429. *Cristària coccínea.* Sonn. itin. 2. t. 140. *non* Pursh.							
5	Roxbúrghii. DC.	(wh.)	Roxburgh's.	E. Indies.	1822.	....	S. ♄⌣.	Roxb. corom. 1. t. 59.
	Combrètum decándrum. Roxb. *non* Jacq.							

Tribus II. *COMBRETEÆ.* DC. prodr. 3. p. 18.

COMBR'ETUM. DC. COMBR'ETUM. Octandria Monogynia. L.

1	secúndum. G.D.	(ye.sc.)	side-flowering.	W. Indies.	1822.	....	S. ♄⌣.	Jacq. am. pic. t. 260. f. 26.
2	élegans. DC.	(rg.)	elegant.	S. America.	1823.	....	S. ♄⌣.	Aubl. gui. 1. t. 137.
3	formòsum. G.D.	(ye.re.)	beautiful.	Brazil.	1824.	....	S. ♄⌣.	
4	grandifòrum. G.D.	(sc.)	large-flowered.	Sierra Leone.	1821.	....	S. ♄⌣.	
5	farinòsum. G.D.	(or.)	mealy-leaved.	Mexico.	1823.	....	G. ♄⌣.	
6	láxum. G.D.	(wh.)	loose-racemed.	S. America.	1822.	....	S. ♄⌣.	Lam. ill. t. 282. f. 1.
7	pulchéllum. G.D.	(ro.)	pretty.	Brazil.	1823.	....	S. ♄⌣.	
8	nànum. G.D.	(wh.)	dwarf.	Nepaul.	1826.	....	G. ♄.	
9	micránthum. G.D.	(sc.)	small-flowered.	Sierra Leone.	1828.	....	S. ♄.	
	parvifòrum. Reichenb. hort. bot. t. 62.							

CACO'UCIA. DC. CACO'UCIA. Dodecandria Monogynia.

	coccínea. DC.	(sc.)	scarlet.	Guiana.	1815.	....	S. ♄⌣.	Aubl. guian. 1. t. 179.
	Schouwèa coccínea. W.							

QUISQU'ALIS. DC. QUISQU'ALIS. Decandria Monogynia. L.

1	índica. DC.	(cr.)	Indian.	China.	1815.	5. 8.	S. ♄⌣.	Bot. reg. t. 492.
2	glábra. DC.	(cr.)	smooth.	E. Indies.	1825.	——	S. ♄⌣.	Burm. ind. t. 28. f. 2.
3	pubéscens. s.s.	....	pubescent.	China.	1815.	....	S. ♄⌣.	
4	villòsa. s.s.	....	villous.	Pegu.	1818.	....	S. ♄⌣.	

ORDO LXXXIV.

VOCHYSIEÆ. *DC. prodr.* 3. *p.* 25.

VOCHY'SIA. DC. Vochy'sia. Monandria Monogynia.
1 guianénsis. DC. (*ye.*) Guiana. Guiana. 1822. .... S. ♄. Aubl. guian. 1. t. 6.
Cuculària excélsa. W.
2 tomentòsa. DC. (*ye.*) woolly. ——— 1825. .... S. ♄.

ORDO LXXXV.

RHIZOPHOREÆ. *DC. prodr.* 3. *p.* 31.

OLISBEA. DC. Olisbea. Decandria Monogynia.
rhizophoræfólia. DC. .. Rhizophora-lf. W. Indies. 1825. .... S. ♄.
RHIZO'PHORA. DC. Rhizo'phora. Octandria Monogynia.
Mángle. DC. (*ye.*) common. India. 1818. .... S. ♄. Jacq. amer. t. 89.
CARA'LLIA. DC. Cara'llia. Dodecandria Monogynia.
lùcida. DC. (*ye.*) glossy. E. Indies. 1826. .... S. ♄. Roxb. corom. 3. t. 211.

ORDO LXXXVI.

ONAGRARIEÆ. *DC. prodr. v.* 3. *p.* 35.

Tribus I. *MONTINIEÆ.* DC. prodr. loc. cit.

MONTI'NIA. DC. Monti'nia. Dioecia Tetrandria. L. ♂
ácris. DC. (*wh.*) Sea purslane-lf. C. B. S. 1774. 7. 8. G. ♄. Smith spicil. t. 15.
caryophyllácea. Thunb.

Tribus II. *FUCHSIEÆ.* DC. prod. v. 3. p. 36.

FUCHSIA. DC. Fuchsia. Octandria Monogynia. L.
1 microphy'lla. DC. (*re.*) small-leaved. Mexico. 1827. 6. 9. F. ♄. Swt. br. fl. gar. s. 2. t. 16.
2 lycioides. DC. (*re.*) Box-thorn-lf. Chile. 1796. 4. 10. G. ♄. Bot. mag. t. 1024.
3 parviflòra. DC. (*re.*) small-flowered. Mexico. 1824. 6. 9. F. ♄. Bot. reg. t. 1048.
4 arboréscens. DC. (*re.*) arborescent. ——— 1823. 6. 10. G. ♄. ——— t. 943.
5 grácilis. DC. (*sc.*) slender. ——— 1822. 5. 10. F. ♄. ——— t. 847.
β *multiflòra.* DC. (*sc.*) *many-flowered.* ——— 1824. —— F. ♄. ——— t. 1052.
6 macrostémma. DC. (*sc.*) large-crowned. Chile. 1823. —— G. ♄. Flor. per. 3. t. 324. f. b.
tenélla. DC. (*sc.*) *weak.* ——— 1822. —— G. ♄.
7 cónica. B.R. (*sc.*) conical-tubed. ——— 1824. —— F. ♄. Bot. reg. t. 1062.
8 virgàta. (*sc.*) Colvill's. Mexico. 1825. —— F. ♄.
9 coccínea. DC. (*sc.*) scarlet. Chile. 1788. —— F. ♄. Bot. mag. t. 97.
10 excorticàta. DC. (*gr. re.*) changeable. N. Zealand. 1821. —— G. ♄. Bot. reg. t. 857.

Tribus III. *ONAGREÆ.* DC. prodr. v. 3. p. 40.

CHAMÆN'ERION. Tourn. Chamæn'erion. Octandria Monogynia.
1 spicàtum. G.B. (*re.*) spiked. England. .... 7. 8. H. ♃. Eng. bot. v. 28. t. 1947.
Epilóbium angustifólium. E.B.
β *albiflòrum.* (*wh.*) *white-flowered.* ——— .... —— H. ♃.

2	speciòsum. L.C.	(*re.*) handsome.	Europe.	....	7. 8.	H. ♃.	
	Epilòbium angustifòlium β latum, DC. *latifòlium*. Schmidt.							
3	americànum.	(*re.*) American.	N. America.	1825.	——	H. ♃.	
4	rosmarinifòlium. DC.	(*re.*) Rosemary-l^d.	Europe.	1775.	6. 8.	H. ♃.	Reich. ic. 4. t. 341.
	Epilòbium angustissimum. Bot. mag. t. 76.							
5	Hallèri. Retz.	(*re.*) Haller's.	Switzerland.	1798.	——	H. ♃.	——— 4. t. 342.
	Epilòbium Dodon'æi. Allioni. *rosmarinifòlium β alpinum*. DC.							
6	latifòlium.	(*li.*) broad-leaved.	Europe.	1779.	7. 8.	H. ♃.	Sal. par. lond. t. 58.
	halimifòlium. P.L.							
EPIL'OBIUM. DC.		WILLOW-HERB.	Octandria Monogynia. L.					
1	alpìnum. DC.	(*ro.*) alpine.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 28. t. 2001.
2	origanifòlium. DC.	(*ro.*) Marjoram-leav'd.	———	....	7. 8.	H. ♃.	——— v. 28. t. 2000.
	alsinifòlium. E.B.							
3	ròseum. E.B.	(*ro.*) rose-coloured.	———	....	——	H. ♃.	——— v. 10. t. 693.
4	alpéstre. S.S.	(*ro.*) simple-stalked.	Switzerland.	....	——	H. ♃.	
5	montànum. DC.	(*li.*) mountain.	Britain.	....	——	H. ♃.	Eng. bot. v. 17. t. 1177.
6	nùtans. DC.	(*bh.*) nodding.	Bohemia.	1827.	——	H. ♃.	Reich. ic. 2. t. 197.
7	Hornemánni. DC.	(*li.*) Hornemann's.	Finland.	——	——	H. ♃.	——— p. 73. t. 180.
	nùtans. Horn. *nec aliorum*.							
8	coloràtum. DC.	(*ro.*) pink-flowered.	N. America.	1805.	——	H. ♃.	
9	dahùricum. DC.	(*wh.*) Dahurian.	Dahuria.	1816.	——	H. ☉.	
10	hirsùtum. DC.	(*pu.*) Codlins & cream.	Britain.	....	——	H. ♃.	Eng. bot. v. 12. t. 823.
11	tomentòsum. DC.	(*pu.*) woolly.	Levant.	1821.	——	H. ♃.	Vent. hort. cels. t. 90.
12	villòsum. DC.	(*pu.*) villous.	C. B. S.	1799.	——	G. ♃.	
13	cylíndricum. DC.	(*ro.*) round-stemmed.	Nepaul.	1827.	——	H. ♃.	
14	palústre. DC.	(*ro.*) round-stalked.	Britain.	....	——	H. ♃.	Eng. bot. v. 5. t. 346.
15	rivulàre. DC.	(*ro.*) rivulet.	N. Europe.	1828.	——	H. ♃.	Reich. ic. 2. t. 170.
16	parviflòrum. DC.	(*pu.*) small-flowered.	Britain.	....	——	H. ♃.	Eng. bot. v. 12. t. 795.
17	tetragònum. DC.	(*pu.*) square-stemmed.	———	....	——	H. ♃.	——— v. 28. t. 1948.
18	obscùrum. P.S.	(*pu.*) obscure.	Europe.	1820.	——	H. ♃.	Reich. ic. 2. t. 199.
19	canéscens. H.H.	(*ro.*) canescent.	.....	1826.	——	H. ♃.	
GA'URA. DC.		GA'URA.	Octandria Monogynia. L.					
1	biénnis. DC.	(*bh.*) biennial.	N. America.	1762.	8. 10.	H. ♂.	Bot. mag. t. 389.
2	angustifòlia. DC.	(*fl.*) narrow-leaved.	Carolina.	1816.	7. 9.	F. ♂.	Jacq. ic. 3. t. 457.
	fruticòsa. Jacq. *ex* DC. prodr.							
3	sinuàta. DC.	(*fl.*) sinuate-leaved.	Arkanza.	1826.	——	H. ♂.	
4	tripétala. DC.	(*bh.*) three-petaled.	Mexico.	1804.	8. 10.	H. ☉.	Cavan. ic. 4. t. 396. f. 1.
5	linifòlia. DC.	(*wh.*) Flax-leaved.	Arkanza.	1826.	7. 9.	H. ♂.	
6	coccínea. DC.	(*ro.*) pale-scarlet.	Louisiana.	1811.	8. 10.	H. ♃.	
7	mutábilis. DC.	(*ye.*) changeable-col'd.	N. Spain.	1795.	7. 9.	F. ♂.	Bot. mag. t. 388.
8	œnotherifòra. DC.	(*ye.*) canescent.	.....	1816.	——	F. ♂.	
ŒNOTH'ERA. DC.		EVENING PRIMROSE.	Octandria Monogynia. L.					
1	dentàta. DC.	(*ye.*) toothed.	Chile.	1818.	6. 9.	H. ☉.	Lindl. coll. t. 10.
2	micrántha. S.S.	(*ye.*) small-blossom'd.	California.	1820.	——	H. ☉.	
	hirta. L. enum.							
3	cheiranthifòlia. DC.	(*ye.*) Wallflower-l^d.	Chile.	——	——	F. ♄.	Bot. reg. t. 1040.
4	biénnis. DC.	(*ye.*) common.	N. America.	1629.	——	H. ♂.	Eng. bot. v. 22. t. 1534.
5	elàta. DC.	(*ye.*) tall upright.	Mexico.	1827.	7. 10.	F. ♂.	
6	grandiflòra. DC.	(*ye.*) large-flowered.	N. America.	1778.	6. 8.	H. ☉.	Bot. mag. t. 2068.
7	suavéolens. DC.	(*ye.*) fragrant.	———	....	——	H. ♂.	
8	Simsiàna. DC.	(*ye.*) Sims's.	Mexico.	1816.	7. 10.	F. ♂.	Bot. mag. t. 1974.
	corymbòsa. B.M. *non* Lamarck.							
9	macrocárpa. DC.	(*ye.*) broad-leaved.	N. America.	1811.	6. 8.	H. ♃.	Swt. br. fl. gar. t. 5.
10	missouriénsis. B.M.	(*ye.*) narrow-leaved.	———	——	——	H. ♃.	Bot. mag. t. 1592.
	alàta. N. *non* Rafin.							
11	salicifòlia. DC.	(*ye.*) Willow-leaved.	.....	1818.	6. 9.	H. ☉.	
12	parvifòlea. DC.	(*ye.*) small-flowered.	N. America.	1757.	6. 8.	H. ♂.	Meerb. ic. 1. t. 34.
13	cruciàta. N.	(*st.*) cross-petaled.	———	1821.	6. 10.	H. ♂.	
14	muricàta. DC.	(*ye.*) prickly-stalked.	N. America.	1789.	7. 9.	H. ♂.	Murr. com. goet. 6. t. 1.
15	noctúrna. DC.	(*ye.*) night-smelling.	C. B. S.	1790.	4. 8.	G. ♂.	Jacq. ic. 3. t. 455.
16	longiflòra. DC.	(*ye.*) long-flowered.	BuenosAyres.	1776.	7. 9.	H. ♂.	Bot. mag. t. 365.
17	villòsa. DC.	(*ye.*) villous.	C. B. S.	1791.	——	G. ♂.	
18	mollíssima. DC.	(*ye.*) soft wave-l^d.	BuenosAyres.	1732.	6. 10.	H. ♂.	Schkuhr hand. 1. t. 105.
19	odoràta. DC.	(*ye.*) sweet-scented.	Patagonia.	1790.	4. 8.	H. ♃.	Bot. mag. t. 2403.
	α glaucéscens. DC.	(*ye.*) *glaucescent*.	———	——	——	H. ♃.	Jacq. ic. 3. t. 456.
	β viréscens. DC.	(*ye.*) *purple-stalked*.	———	——	——	H. ♃.	Bot. reg. t. 147.
20	striàta. DC.	(*ye.*) striped-seeded.	.....	1816.	6. 9.	H. ☉.	
21	sinuàta. DC.	(*ye.*) scollop-leaved.	N. America.	1770.	7. 8.	H. ☉.	Murr. com. goet. 5. t. 9.
22	tenélla. DC.	(*pu.*) slender.	Chile.	1822.	6. 9.	H. ☉.	Swt. br. fl. gar. t. 167.

23 tenuifòlia. DC.	(pu.)	slender-leaved.	Chile.	1829.	6. 9.	H. ☉.	Cavan. ic. 4. t. 397.
24 vimínea. B.M.	(pu.)	twiggy.	N. America.	1827.	——	H. ☉.	Bot. reg. t. 1220.
25 decúmbens. D.	(pu.)	decumbent.	————	——	——	H. ☉.	———— t. 1221.
26 quadrivúlnera. D.	(pu.)	four-spotted.	————	——	——	H. ☉.	———— t. 1119.
27 Lindleyàna. D.	(pu.)	Lindley's.	————	——	——	H. ☉.	Swt. br. fl. gar. s. 2. t. 19.
28 rùseo-álba. DC.	(wh.ro.)	rosy and white.	America.	1826.	——	H. ☉.	———— t. 268.
29 purpùrea. DC.	(pu.)	purple-flower'd.	N. America.	1794.	5. 9.	H. ☉.	Bot. mag. t. 352.
30 Romanzòvii. DC.	(pu.)	Romanzoff's.	————	1819.	——	H. ☉.	Bot. reg. t. 662.
31 corymbòsa. DC.	(ye.)	corymbose.	.....	1826.	6. 9.	H. ♂.	
32 spectábilis. H.H.	(ye.)	showy.	Mexico.	1822.	——	F. ♂.	
33 gauroídes. DC.	(ye.)	Gaura-like.	Baltimore.	1816.	7. 9.	H. ♂.	
34 mèdia. DC.	(ye.)	intermediate.	N. America.	1821.	6. 9.	H. ♃.	
35 serrulàta. DC.	(ye.)	saw-leaved.	————	——	6. 10.	H. ♃.	Swt. br. fl. gar. t. 133.
36 stricta. Led.	(ye.)	straight.	.....	1822.	——	H. ☉.	
37 am'œna. Leh.	(ye.)	delicate.	.....	1826.	——	H. ☉.	
38 nervòsa. H.H.	(ye.)	nerved-leaved.	.....	——	——	H. ♂.	
39 cæspitòsa. DC.	(wh.)	tufted.	N. America.	1811.	6. 9.	H. ♃.	Bot. mag. t. 1593.
40 acaúlis. DC.	(wh.)	short-stalked.	Chile.	1822.	——	H. ♃.	Bot. reg. t. 769.
41 taraxacifòlia. B.F.G. *grandiflòra.* Flor. peruv. 3. t. 318. f. 6.	(w.)	Dandelion-l^d. *nec aliorum.*	————	1823.	——	H. ♃.	Swt. br. fl. gar. t. 294.
42 triloba. DC. *rhizocárpa.* S.S.	(st.)	root-flowering.	N. America.	1821.	6. 10.	H. ☉.	Bot. mag. t. 2566.
43 virgàta. DC.	(pu.)	slender-twigg'd.	Peru.	1823.	6. 9.	H. ☉.	Flor. per. 29. t. 315.
44 pinnatífida. DC.	(ye.)	pinnatifid.	Mexico.	1825.	——	F. ♃.	
45 tetraptera. DC.	(wh.)	four-winged.	————	1796.	——	H. ☉.	Bot. mag. t. 466.
46 latifiòra. DC.	(wh.)	broad-flowered.	————	1826.	——	H. ♃.	Flor. mex. ined. t. 376.
47 glaùca. DC.	(ye.)	glaucous-leav'd.	N. America.	1812.	5. 10.	H. ♃.	Bot. mag. t. 1606.
48 fruticòsa. DC.	(ye.)	frutescent.	————	1737.	6. 8.	H. ♃.	———— t. 332.
49 ambígua. DC.	(ye.)	ambiguous.	————	....	....	H. ♃.	
50 serótina. B.F.G.	(ye.)	late-flowered.	————	1820.	7. 10.	H. ♄.	Swt. br. fl. gar. t. 184.
51 tetragòna. DC.	(ye.)	blunt-leaved.	————	....	6. 8.	H. ♃.	
52 Fraséri. DC.	(ye.)	Fraser's.	————	1811.	5. 10.	H. ♃.	Bot. mag. t. 1674.
53 pùmila. DC.	(ye.)	dwarf.	————	1757.	5. 9.	H. ♃.	———— t. 355.
54 rùsea. DC.	(ro.)	rose-coloured.	Peru.	1788.	——	F. ♃.	———— t. 247.
55 linèaris. DC.	(ye.)	linear-leaved.	N. America.	....	6. 8.	H. ♃.	
56 speciòsa. DC.	(wh.)	handsome.	Louisiana.	1821.	——	H. ♃.	Swt. br. fl. gar. t. 253.
57 pállida. B.R.	(bh.)	pale.	N. America.	1827.	——	H. ♃.	Bot. reg. t. 1142.
58 albicaùlis. DC. *pinnatífida.* N. *non* Kth.	(wh.)	white-stalked.	————	1811.	5. 9.	H. ☉.	
59 Nuttállii. *albicaùlis.* N. *non* Pursh.	(wh.)	Nuttall's.	N. America.	——	5. 8.	H. ♃.	
60 canadénsis. DC.	(ye.)	Canadian.	Canada.	1825.	6. 9.	H. ☉.	
CLA'RKIA. Ph.		CLA'RKIA.	Octandria Monogynia.				
pulchélla. Ph.	(ro.)	beautiful.	N. America.	1827.	5. 10.	H. ☉.	Bot. reg. t. 1100.
β *albiflòra.*	(wh.)	*white-flowered.*	————	——	——	H. ☉.	
γ *integrilòba.*	(ro.)	*entire-lobed.*	————	——	——	H. ☉.	

Tribus IV. *JUSSIEÆ.* DC. prodr. v. 3. p. 52.

JUSSIÆA. DC.		JUSSIÆA.	Octo-Dec-Dodecandria Monogynia.				
1 variábilis. DC.	(ye.)	variable.	Guiana.	1820.	7. 9.	S.w. ♄.	
2 leptocárpa. DC.	(ye.)	narrow-podded.	Missisippi.	1824.	——	H. ☉.	
3 pilòsa. DC.	(ye.)	hairy.	Caracas.	1829.	——	S.w. ♃.	H. et B. n. gen. 6. t. 532.
4 grandiflòra. DC.	(ye.)	great-flowered.	Carolina.	1812.	7. 10.	G.w. ♃.	Bot. mag. t. 2122.
5 rèpens. DC.	(ye.)	creeping.	E. Indies.	1816.	——	S.w. ♃.	Rheed. mal. 2. t. 51.
6 Swartziàna. DC.	(ye.)	Swartz's.	W. Indies.	1826.	——	S.w. ♃.	
7 inclinàta. DC.	(ye.)	inclined.	Surinam.	1820.	——	S.w. ☉.	
8 acuminàta. DC.	(ye.)	acuminate.	Jamaica.	——	——	S. ☉.	
9 linifòlia. DC.	(ye.)	Flax-leaved.	W. Indies.	——	——	S. ☉.	
10 erécta. DC.	(ye.)	upright.	S. America.	1739.	——	S.w. ♂.	Gært. fruct. t. 31.
11 frutéscens. DC.	(ye.)	frutescent.	.....	1829.	4. 6.	S.w. ♃.	
12 longifòlia. DC.	(ye.)	long-leaved.	Brazil.	1828.	6. 9.	S.w. ♃.	DC. pl. rar. gen. 1. t. 4.
13 decúrrens. DC.	(ye.)	decurrent.	N. America.	——	——	H.w. ♃.	Abb. ins. t. 40.
14 ovalifòlia. DC.	(ye.)	oval-leaved.	Madagascar.	1823.	7. 9.	S.w. ♃.	Bot. mag. t. 2530.
15 Burmànni. DC. *suffruticòsa.* A.R.	(ye.)	Burmann's.	E. Indies.	1808.	8. 9.	S.w. ♄.	Andr. reposit. 621.

16 villòsa. DC.	(ye.) villous.	E. Indies.	1826.	8. 9.	S.w. ♄.	Rheed. mal. 2. t. 50.
17 octonérvia. DC.	(ye.) eight-nerved.	S. America.	....	7. 9.	S.w. ♃.	Lam. ill. t. 280. f. 1.
Œnothèra octoválvis. Jacq. amer. t. 70.						
18 octofila. DC.	(ye.) eight-veined.	Caribees.	....	——	S.w. ♃.	Plum.edBur.t.175.f.1.
19 scábra. DC.	(ye.) rough.	Brazil.	1816.	——	S.w. ♃.	
20 hírta. DC.	(ye.) hairy.	S. America.	1823.	——	S.w. ♄.	Plum.edBur.t.174.f.2.
LUDWI'GIA. DC.	LUDWI'GIA. Tetrandria Monogynia. L.					
1 jussiæoídes. DC.	(ye.) Jussiæa-like.	Mauritius.	1826.	7. 9.	S.w. ♃.	
2 parvifòlia. DC.	(ye.) small-flowered.	E. Indies.	1812.	——	S. ☉.	
ISNA'RDIA. DC.	ISNA'RDIA. Tetrandria Monogynia. L.					
1 alternifòlia. DC.	(ye.) alternate-leav'd.	N. America.	1752.	6. 7.	H.w. ♃.	Lam. ill. t. 77.
Ludwígia alternifólia. L. *macrocárpa.* M.						
2 hirsùta. DC.	(ye.) hairy.	————	1812.	6. 8.	H.w. ♃.	
3 palústris. DC.	(gr.) marsh.	Europe.	1776.	7. 8.	H.w. ♃.	Schk. handb. 1. t. 25.
4 nítida.	(gr.) American.	America.	....	——	H.w. ♃.	
Ludwígia nítida. M. *apétala.* Walter. *palústris.* Torrey.						

Tribus V. *CIRCÆEÆ.* DC. prodr. v. 3. p. 61.

LOP'EZIA. DC.	LOP'EZIA. Monandria Monogynia.					
1 racemòsa. DC.	(pu.) smooth.	Mexico.	1792.	8. 10.	G. ♂.	Bot. mag. t. 254.
2 cordàta. DC.	(pu.) heart-leaved.	————	1826.	7. 10.	H. ☉.	
3 coronàta. DC.	(pu.) coronet-flower'd.	————	1805.	——	H. ☉.	Swt. br. fl. gar. t. 166.
4 oppositifòlia. DC.	(pu.) opposite-leaved.	————	1825.	——	H. ☉.	
5 integrifòlia. DC.	(pu.) entire-leaved.	————	——	——	H. ☉.	
6 miniàta. DC.	(pu.) frutescent.	————	1824.	9. 11.	G. ♄.	Jacq. f. ecl. t. 109.
7 hirsùta. DC.	(pu.) hairy.	————	1796.	——	G. ♂.	Jacq. coll. 5. t. 15. f. 4.
8 pùmila. DC.	(pu.) dwarf.	————	1825.	7. 9.	H. ☉.	
CIRC'ÆA. DC.	ENCHANTER'S NIGHTSHADE. Diandria Monogynia.					
1 lutetiàna. DC.	(wh.) common.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 15. t. 1056.
2 canadénsis. L.	(wh.) smooth-stalked.	N. America.	....	——	H. ♃.	
3 alpìna. DC.	(wh.) mountain.	Britain.	....	6. 9.	H. ♃.	Eng. bot. v. 15. t. 1057.

Tribus VI. *HYDROCARYEÆ.* DC. prodr. v. 3. p. 63.

TR'APA. DC.	WATER-CALTROPS. Tetrandria Monogynia. L.					
1 nàtans. DC.	(wh.) floating.	S. Europe.	1781.	6. 8.	H.w. ☉.	Bot. reg. t. 259.
2 quadrispinòsa. DC.	(wh.) four-spined.	E. Indies.	1823.	——	S.w. ☉.	
3 bispinòsa. DC.	(wh.) two-spined.	————	1822.	6. 9.	S.w. ☉.	Roxb. corom. t. 234.
4 bicórnis. DC.	(wh.) two-horned.	China.	1790.	——	G.w. ♃.	Braam ic. chin. t. 22.

ORDO LXXXVII.

HALORAGEÆ. *DC. prodr. v.* 3. *p.* 65.

Tribus I. *CERCODIANÆ.* DC. prodr. v. 3. p. 65.

SERPI'CULA. DC.	SERPI'CULA. Monœcia Tetrandria. L.					
rèpens. DC.	(gr.) creeping.	C. B. S.	1789.	7. 8.	G. ♃.	Berg. cap. t. 5. f. 10.
GONIOCA'RPUS. DC.	GONIOCA'RPUS. Octandria Tetragynia.					
1 micránthus. DC.	(wh.) small-flowered.	Japan.	1805.	6. 9.	H. ☉.	Thunb. fl. jap. t. 15.
2 scáber. DC.	(wh.) rough-leaved.	China.	1820.	——	H. ☉.	Ann. bot. 1. t. 12. f. 6.
3 teucrioídes. DC.	(wh.) Teucrium-like.	N. S. W.	1826.	——	H. ☉.	
HALOR'AGIS. DC.	HALOR'AGIS. Octandria Di-Tetragynia.					
1 prostràta. DC.	(gr.) prostrate.	N. S. W.	1818.	4. 9.	G. ♄.	
2 dig'yna. DC.	(gr.) two-styled.	N. Holland.	1826.	——	G. ♄.	Labil. n. holl. 1. t. 129.

CERC'ODIA. DC. Cerc'odia. Octandria Tetragynia.
1 erécta. DC. (gr.) upright. N. Zealand. 1772. 4. 9. G. ½. Jacq. ic. 1. t. 69.
Haloràgis alàta. Jacq. *Cercòdia.* H.K. *Tetragònia ivæfòlia.* L.
PROSERPIN'ACA. DC. Proserpin'aca. Triandria Trigynia.
1 palústris. DC. (wh.) marsh. N. America. 1822. 7. 8. H.w.⊙. Jus. an. mus. 3. t. 30. f. 1.
2 pectinàta. DC. (wh.) pectinated. ——— —— —— H.w.⊙. Lam. ill. 1. t. 50. f. 1.
MYRIOPHY'LLUM. Water Milfoil. Monœcia Tetr-Octandria.
1 spicàtum. DC. (ro.) spiked. Britain. .... 7. 8. H.w.♃. Eng. bot. v. 2. t. 83.
2 pectinàtum. DC. (ro.) pectinated. Europe. 1828. —— H.w.♃. Flor. dan. t. 1046.
verticillàtum. F.D.
3 verticillàtum. DC. (ro.) verticillate. England. .... —— H.w.♃. Eng. bot. v. 4. t. 218.

Tribus II. *CALLITRICHINEÆ.* DC. prodr. v. 3. p. 70.

CALLI'TRICHE. DC. Water Starwort. Monandria Digynia. L.
1 vérna. DC. (wh.) vernal. Britain. .... 4. 10. H.w.⊙. Eng. bot. v. 11. t. 722.
2 autumnàlis. DC. (wh.) autumnal. ——— .... 6. 10. H.w.⊙. Gmel. sib. 3. t. 1.

Tribus III. *HIPPURIDEÆ.* DC. prodr. v. 3. p. 71.

HIPP'URIS. DC. Mare's-tail. Monandria Monogynia. L.
vulgàris. DC. (gr.) common. Britain. .... 5. H.w.♃. Eng. bot. v. 11. t. 763.

ORDO LXXXVIII.

CERATOPHYLLEÆ. *Gray brit. pl. arr.* 2. *p.* 554.

CERATOPHY'LLUM. DC. Hornwort. Monœcia Polyandria. L.
1 demérsum. DC. (gr.) spiny-fruited. Britain. .... 7. 9. H.w.♃. Eng. bot. v. 14. t. 947.
2 submérsum. DC. (gr.) naked-fruited. ——— .... 9. H.w.♃. ——— v. 10. t. 679.

ORDO LXXXIX.

LYTHRARIEÆ. *DC. prodr. v.* 3. *p.* 75.

Tribus I. *SALICARIEÆ.* DC. prodr. v. 3. p. 75.

PEPLIS. DC. Water Purslane. Hexandria Monogynia. L.
Pórtula. DC. (re.) common. Britain. .... 7. 9. H. ⊙. Eng. bot. v. 17. t. 1211.
AMMA'NNIA. DC. Amma'nnia. Tetr-Heptandria Monogynia.
1 ægyptiaca. DC. (gr.) Egyptian. Egypt. 1818. 7. 8. H.w.⊙. Willd. hort. ber. t. 6.
2 vesicatòria. DC. (ye.) bladdered. E. Indies. 1825. —— S.w.⊙. Pluk. alm. t. 136. f. 22.
3 occidentàlis. DC. (gr.) occidental. Portorico. 1829. —— S.w.⊙.
4 cáspica. DC. (gr.) Caspian. Astracan. 1818. —— H.w.⊙.
5 ramòsior. DC. (pu.) branching. Virginia. 1759. —— H.w.⊙. Bocc. mus. t. 104.
6 latifòlia. DC. (wh.) broad-leaved. W. Indies. 1733. —— S.w.⊙. Sloan. his. 1. t. 7. f. 4.
7 húmilis. DC. (ro.) small. N. America. 1823. —— H.w.⊙.
8 baccífera. R.S. (ye.) berry-bearing. China. 1820. —— H.w.⊙. Burm. ind. t. 15. f. 3.
9 verticillàta. DC. (pu.) whorled. ——— —— —— H.w.⊙. Lam. ill. t. 77. f. 3.
10 multiflòra. DC. (re.) many-flowered. E. Indies. 1818. —— S.w.⊙.
11 débilis. DC. (li.) cluster-flower'd. ——— 1778. —— S.w.⊙.
12 diffúsa. DC. (wh.) spreading. ——— 1818. —— S.w.⊙.
13 rotundifòlia. DC. (fl.) round-leaved. Nepaul. —— —— H.w.⊙.
14 pentándra. DC. (wh.) pentandrous. E. Indies. 1823. —— S.w.⊙.

15 sanguinolénta. DC.	(cr.)	bloody.	Jamaica.	1803.	7. 8.	S.w.⊙.		
16 octándra. DC.	(cr.)	octandrous.	E. Indies.	1818.	——	S.w.⊙.	Roxb. corom. 2. t. 133.	
17 auriculàta. DC.	(pu.)	eared.	Egypt.	1820.	——	H.w.⊙.	Willd. h. ber. 1. t. 7.	
18 rùbra. DC.	(re.)	red-flowered.	Nepaul.	1822.	——	H.w.⊙.		
19 pállida. DC.	(pa.)	pale-flowered.	.....	1828.	——	H.w.⊙.		
20 víridis. DC.	(gr.)	green.	.....	1818.	——	H.w.⊙.		
21 Wormskiòldii. F.	....	Wormskiold's.	Siberia.	1828.	....	H.w.⊙.		
L'YTHRUM. DC.		L'YTHRUM. Di-Dodecandria Monogynia.						
1 thymifòlium. DC.	(li.)	Thyme-leaved.	S. Europe.	1820.	7. 9.	H. ⊙.	Barrel. ic. 773. f. 2.	
2 thesioídes DC.	(li.)	Thesium-like.	Caucasus.	1828.	——	H. ⊙.		
3 lineàre, DC.	(wh.)	linear-leaved.	N. America.	1812.	7. 8.	H. ↿.		
4 alàtum. DC.	(pu.)	winged-stalked.	———	1812.	5. 11.	F. ↿.	Bot. mag. t. 1812.	
5 hyssopifòlium. DC.	(li.)	Hyssop-leaved.	England.	....	8. 9.	H. ⊙.	Eng. bot. v. 5. t. 292.	
6 lanceolàtum. DC.	(pu.)	spear-leaved.	Carolina.	1822.	7. 9.	H. ↿.		
7 álbum. DC.	(wh.)	white-flowered.	Mexico.	1827.	——	H. ♄.		
8 Græfferi. DC.	(pu.)	Græffer's.	S. Europe.	1825.	——	H. ⊙.		
9 Salicària. DC.	(pu.)	common.	Britain.	....	7. 9.	H.w. ↿.	Eng. bot. v. 15. t. 1061.	
10 pubéscens.	(pu.)	pubescent.	N. America.	....	7. 8.	H. ↿.		
Salicària β pubéscens. Ph.								
11 diffùsum. B.F.G.	(pu.)	spreading.	———	1822.	7. 9.	H. ↿.	Swt. br. fl. gar. t. 149.	
12 virgàtum. DC.	(ro.)	slender-branch'd.	Europe.	1776.	6. 9.	H. ↿.	Bot. mag. t. 1003.	
C'UPHEA. DC.		C'UPHEA. Dodecandria Monogynia.						
1 circæoídes. DC.	(vi.)	Circæa-like.	S. America.	1819.	8. 10.	H. ⊙.	Bot. mag. t. 2201.	
2 spicàta. DC.	(ro.)	spiked.	Peru.	——	——	H. ⊙.	Cavan. icon. 4. t. 381.	
3 Melvílla. DC.	(sc.gr.)	scarlet & green.	Guiana.	1822.	6. 10.	S. ♄.	Bot. reg. t. 852.	
4 viscosíssima. DC.	(li.)	clammy.	America.	1776.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 60.	
5 procúmbens. DC.	(li.)	procumbent.	Mexico.	1816.	6. 9.	H. ⊙.	Bot. reg. t. 182.	
6 lanceolàta. DC.	(li.)	spear-leaved.	———	1796.	5. 8.	G. ♂.		
7 æquipètala. DC.	(vi.)	equal-flowered.	———	1828.	6. 9.	H. ⊙.	Cavan. ic. 4. t. 382. f. 2.	
8 virgàta. DC.	(vi.)	twiggy.	———	——	——	H. ⊙.	——— t. 382. f. 1.	
9 decándra. DC.	(pu.)	ten-stamened.	Jamaica.	1789.	6. 10.	S. ♄.		
10 parvifòra. DC.	(ro.)	small-flowered.	Demerara.	1824.	10. 12.	S. ♄.	Hook. ex. flor. t. 161.	
11 Símsii. ed. 1.	(li.)	Sims's.	Trinidad.	1823.	8. 10.	S. ♄.	Bot. mag. t. 2580.	
serpyllifòlia. B.M. *non* Kth. *Trinitatis.* DC.								
12 multifòra. DC.	(vi.)	many-flowered.	———	1822.	——	S. ♄.	Lodd. bot. cab. t. 806.	
ACISANTH'ERA. DC.		ACISANTH'ERA. Decandria Monogynia.						
quadràta. DC.	(pi.)	four-sided.	Jamaica.	1804.	....	S. ↿.	Brown. jam. t. 22. f. 1.	
HE'IMIA. DC.		HE'IMIA. Dodecandria Monogynia.						
1 salicifòlia. DC.	(ye.)	Willow-leaved.	Mexico.	1821.	6. 9.	F. ♄.	Swt. br. fl. gar. t. 281.	
2 myrtifòlia. Ot.	(ye.)	Myrtle-leaved.	———	1827.	——	F. ♄.		
DEC'ODON. DC.		DEC'ODON. Decandria Monogynia.						
verticillàtum. DC.	(pu.)	whorl-flowered.	N. America.	1759.	7. 9.	H.w. ↿.		
L'ythrum verticillàtum. L. *Nes'æa verticillàta.* Kth.								
NES'ÆA. DC.		NES'ÆA. Oct-Dodecandria Monogynia.						
trifòra. DC.	(bl.)	three-flowered.	Mauritius.	1802.	8. 9.	S.w. ↿.		
L'ythrum trifòrum. L.								
LAWS'ONIA. DC.		LAWS'ONIA. Octandria Monogynia. L.						
1 spinòsa. W.	(wh.)	prickly.	E. Indies.	1759.	6. 9.	S. ♄.	Rheed. mal. 1. t. 40.	
2 inérmis. W.	(wh.)	smooth.	Egypt.	——	——	G. ♄.	Rauw. ic. 60. t. 7.	
GIN'ORIA. DC.		GIN'ORIA. Dodecandria Monogynia.						
americàna. DC.	(bl.)	American.	Cuba.	1827.	....	S. ♄.	Jacq. amer. t 91.	
GRI'SLEA. DC.		GRI'SLEA. Oct-Dodecandria Monogynia.						
1 secúnda. DC.	(re.)	secund.	Caracas.	1824.	6. 8.	S. ♄.		
2 tomentòsa. DC.	(sc.)	downy.	E. Indies.	1804.	5. 12.	S. ♄.	Bot. reg. t. 30.	
Woodfòrdia floribùnda. Sal. par. lond. t. 42. *L'ythrum fruticòsum.* L.								

Tribus II. *LAGERSTRŒMIEÆ.* DC. prodr. v. 3. p. 92.

LAGERSTR'ŒMIA. DC.		LAGERSTR'ŒMIA. Icosandria Monogynia.					
1 índica. DC.	(re.)	Indian.	China.	1759.	8. 10.	F. ♄.	Bot. mag. t. 405.
β *carnea.*	(fl.)	*flesh-coloured.*	———	1816.	——	F. ♄.	
γ *álba.*	(wh.)	*white-flowered.*	———	——	——	F. ♄.	
2 parvifòra. DC.	(wh.)	small-flowered.	E. Indies.	——	——	S. ♄.	Roxb. corom. 1. t. 66.
3 speciòsa. DC.	(ro.)	beautiful.	China.	1826.	....	S. ♄.	Manch. hans. 5. t. 356.
4 grandifòra. DC.	(ro.)	large-flowered.	E. Indies.	1809.	....	S. ♄.	
5 regìnæ. DC.	(ro.)	oblong-leaved.	———	1792.	....	S. ♄.	Roxb. corom. 1. t. 64.

ORDO XC.

TAMARISCINEÆ. *DC. prodr. v. 3. p. 95.*

TAMARIX. DC.		TAMARISK. Tetr-Pentandria Trigynia.						
1 gállica. DC.	(*fl.*)	red-wooded.	England.	....	7. 8.	H. ♄.		Eng. bot. v. 19. t. 1318.
2 Pallàsii. DC.	(*fl.*)	Pallas's.	Caucasus.	1827.	——	H. ♄.		Pall. fl. ross. t. 77.
pentándra. Pall. *gállica.* M.B. *nec aliorum.*								
3 índica. DC.	(*bh.*)	Indian.	E. Indies.	....	6. 8.	S. ♄.		
4 dioíca. DC.	(*bh.*)	dicœcious.	————	1812.	——	S. ♄.		
5 articulàta. DC.	(*pi.*)	jointed.	————	1816.	....	S. ♄.		Vahl. symb. 2. t. 32.
6 tetrándra. DC.	(*wh.*)	tetrandrous.	Tauria.	1821.	7. 8.	H. ♄.		
MYRIC'ARIA. DC.		MYRIC'ARIA. Monadelphia Decandria.						
1 germánica. DC.	(*pi.*)	green-wooded.	Germany.	1582.	6. 9.	H. ♄.		Flor. dan. t. 234.
Támarix germánica. L.								
2 dahùrica. DC.	(*pi.*)	Dahurian.	Dahuria.	1827.	....	H. ♄.		

ORDO XCI.

MELASTOMACEÆ. *DC. prodr. v. 3. p. 99.*

Subordo I. *MELASTOMEÆ.—Tribus* I. LAVOISIEREÆ. *DC. loc. cit.* 100.

MERIANIA. DC.		MERI'ANIA. Decandria Monogynia.						
1 leucántha. DC.	(*wh.*)	white-flowered.	Jamaica.	1825.	6. 8.	S. ♄.		
2 rósea. DC.	(*ro.*)	mountain rose.	————	——	——	S. ♄.		Tussac fl. ant. t. 6.
3 purpùrea. DC.	(*pu.*)	purple.	————	——	——	S. ♄.		Swart. fl. ind. oc. 2. t. 15.

Tribus II. RHEXIEÆ. *DC. prodr.* 3. *p.* 114.

SPENN'ERA. DC.		SPENN'ERA. Octo-Decandria Monogynia.						
1 paludòsa. DC.	(*ro.*)	marsh.	Brazil.	1825.	6. 8.	S. ♃.		
2 frágilis. DC.	(*wh.*)	brittle.	Trinidad.	1822.	——	S. ♄.		
3 aquática. DC.	(*ro.*)	marsh.	S. America.	1793.	8. 9.	S. ♄.		Aubl. guian. 1. t. 169.
Rhéxia aquática. Bonpl. rhex. t. 40. *Melástoma aquática.* Aubl.								
4 pendulifòlia. DC.	(*ro.*)	hanging leaved.	Guiana.	1826.	——	S. ♄.		Bonpl. nav. t. 26.
5 glandulòsa. DC.	(*wh.*)	glandulous.	————	1824.	——	S. ♄.		———— 70. t. 27.
MICROLI'CIA. DC.		MICROLI'CIA. Decandria Monogynia.						
1 brevifòlia. DC.	(*pu.*)	short-leaved.	Guiana.	1823.	7. 10.	S. ☉.		Aubl. guian. 1. t. 155. f. b.
Melástoma triválvis. Aubl. *Rhéxia triválvis.* Vahl.								
2 bivàlvis. DC.	(*pu.*)	two-valved.	Trinidad.	1822.	6. 8.	S. ☉.		Aubl. guian. 1. t. 155. f. a.
3 recúrva. DC.	(*pu.*)	recurved-leav'd.	————	1820.	——	S. ♃.		
RHE'XIA. DC.		RHE'XIA. Octandria Monogynia. L.						
1 mariàna. DC.	(*li.*)	Maryland.	N. America.	1759.	7. 9.	H. ♃.		Pluk. mant. t. 428. f. 1.
α *purpùrea.* DC.	(*li.*)	*purplish.*	————	——	——	H. ♃.		
β *rubélla.* DC.	(*re.*)	*reddish.*	————	——	——	H. ♃.		Swt. br. fl. gar. t. 41.
2 virgínica. DC.	(*pu.*)	Virginian.	————	——	6. 8.	H. ♃.		Bot. mag. t. 968.
3 ciliòsa. DC.	(*pu.*)	ciliated.	————	1812.	8. 10.	H. ♃.		Swt. br. fl. gar. t. 298.
4 angustifòlia. DC.	(*wh.*)	narrow-leaved.	————	——	7. 9.	H. ♃.		
OXYSP'ORA. DC.		OXYSP'ORA. Octandria Monogynia.						
paniculàta. DC.	(*wh.*)	panicled.	Nepaul.	1826.	6. 8.	S. ♄.		
Arthrostémma paniculàtum. D.P.								

Tribus III. OSBECKIÆ. *DC. prodr.* 3. *p.* 127.

LASIA'NDRA. DC.		**Lasia'ndra.**	**Decandria Monogynia.**					
1	Fontanesiàna. DC.	(*pu.*)	rough-leaved.	Brazil.	1818.	4. 8.	S. ♄.	Bonpl. rhex. t. 36.
	Melástoma granulòsa. B. reg. 671. *Rhéxia Fontanèsii.* Bonpl.							
2	Langsdorfiàna. DC.	(*pu*)	Langsdorf's.	Brazil.	1821.	——	S. ♄.	Bonpl. rhex. t. 51.
3	argéntea. DC.	(*bl.*)	silvery-leaved.	————	1816.	——	S. ♄.	———— t. 12.
	Rhéxia holosericea. Bot. reg. t. 323. *Pleròma holosericeum.* Don.							
CHÆTOGA'STRA. DC.		**Chætoga'stra.**	**Decandria Monogynia.**					
1	lanceolàta. DC.	(*wh.*)	spear-leaved.	Trinidad.	1827.	1. 5.	S. ♄.	Bot. mag. t. 2836.
2	hypericoídes. DC.	(*wh.*)	Hypericum-like.	————	1820.	8. 12.	S. ☉.	Aubl. guian. 1. t. 168.
	Rhéxia villosíssima. Bonpl. rhex. t. 31. *Melástoma villòsa.* Aubl.							
3	ciliàris. DC.	(*pu.*)	fringed.	S. America.	1822.	4. 7.	S. ♃.	Vent. choix. t. 34.
	Meriània ciliàris. Vent.							
4	grácilis. DC.	(*ro.*)	slender.	Brazil.	1824.	——	S. ♃.	Bonpl. rhex. t. 52.
ARTHROSTE'MMA. DC.		**Arthroste'mma.**	**Octandria Monogynia.**					
1	ladanoídes. DC.	(*li.*)	bristly-stalked.	Trinidad.	1820.	6. 9.	S. ☉.	Bonpl. rhex. t. 27.
	Rhéxia ladanoídes. Bonpl. *Melástoma trichótoma.* W.							
2	villòsum. DC.	(*vi.*)	villous.	Trinidad.	——	——	S. ♄.	Aubl.guian.1.t.129.f.1.
3	versícolor. DC.	(*bh.*)	changeable-col'd.	Brazil.	1825.	5. 9.	S. ♄.	Bot. reg. t. 1066.
	Rhéxia versícolor. B.R.							
OSBE'CKIA. DC.		**Osbe'ckia.**	**Octo-Decandria Monogynia.**					
1	urceolàris. DC.	(*pu.*)	urceolate.	Brazil.	1825.	4. 9.	S. ♄.	
2	Símsii. DC.	(*pu.*)	Sims's.	Mauritius.	1820.	——	S. ♄.	Bot. mag. t. 2235.
	Melástoma osbeckioídes. B.M.							
3	glomeràta. DC.	(*ro.*)	cluster-flower'd.	S. America.	1821.	12. 4.	S. ♄.	Bot. mag. t. 2838.
	β albiflòra DC.	(*wh.*)	*white-flowered.*	Brazil.	——	——	S. ♄.	Lodd. bot. cab. t. 334.
	Rhéxia glomeràta. B.C.							
4	chinénsis. DC.	(*ro.*)	Chinese.	China.	1816.	3. 10.	S. ♄.	Bot. reg. t. 542.
5	zeylánica. DC.	(*wh.*)	Ceylon.	Ceylon.	1749.	5. 9.	S. ♄.	———— t. 565.
6	angustifòlia. DC.	(*ro.*)	narrow-leaved.	Nepaul.	1826.	——	S. ♄.	
7	nepalénsis. H.E.F.	(*ro.*)	handsome.	————	1820.	——	S. ♄.	Hook. ex. flor. t. 31.
	speciòsa. D.P.							
8	stellàta. DC.	(*li.*)	starry-haired.	————	1818.	——	S. ♄.	Bot. reg. t. 674.
9	ternifòlia. DC.	(*li.*)	whorl-leaved.	————	1825.	——	S. ♄.	
10	octándra. DC.	(*ro.*)	octandrous.	Ceylon.	1815.	4. 8.	S. ♄.	
	Melástoma octándra. L.							
11	decúmbens. DC.	(*ro.*)	decumbent.	Africa.	1821.	——	S. ♃.	Beauv. fl. ow. t. 41.
	Melástoma decúmbens. Beauv.							
TIBOUCH'INA. DC.		**Tibouch'ina.**	**Decandria Monogynia.**					
	áspera. DC.	(*pu.*)	rough.	Guiana.	1820.	4. 6.	S. ♄.	Aubl. guian. 1. t. 177.
MELA'STOMA. DC.		**Mela'stoma.**	**Decandria Monogynia. L.**					
1	affine. DC.	(*ro.*)	scaly-stalked.	E. Indies.	1816.	1. 8.	S. ♄.	
2	malabáthricum. DC.	(*ro.*)	Malabar.	————	1793.	——	S. ♄.	Bot. reg. t. 672.
3	ásperum. DC.	(*ro.*)	rough.	————	1815.	8. 11.	S. ♄.	Rheed. mal. 4. t. 43.
4	macrocárpum. DC.	(*ro.*)	large-fruited.	————	1793.	1. 8.	S. ♄.	Bot. mag. t. 529.
	malabáthrica. B.M. *nec aliorum.*							
5	sanguíneum. DC.	(*li.*)	red-veined.	Sunda. St.	1818.	4. 12.	S. ♄.	Bot. mag. t. 2241.
6	rubrolimbàtum. DC.	(*wh.*)	red-limbed.	E. Indies.	1823.	——	S. ♄.	
7	cándidum. DC.	(*li.*)	white-leaved.	China.	1820.	4. 8.	S. ♄.	
8	normàle. DC.	(*li.*)	Nepaul.	Nepaul.	1819.	2. 6.	S. ♄.	Lodd. bot. cab. t. 707.
	nepalénsis. B.C.							
9	Wallíchii. DC.	(*li.*)	Wallich's.	————	1824.	——	S. ♄.	
10	decémfidum. DC.	(*pu.*)	ten-cleft.	E. Indies.	1826.	1. 8.	S. ♄.	
11	cymòsum. DC.	(*li.*)	cymose.	Sierra Leone.	1792.	4. 8.	S. ♄.	Vent. h. malm. t. 14.
	corymbòsum. Bot. mag. t. 984.							
12	elongàtum. DC.	(*li.*)	tuberous-rooted.	————	1822.	....	S. ♃.	
13	pulverulèntum. DC.	(*re.*)	powdered.	Sumatra.	——	....	S. ♄.	
PLER'OMA. DC.		**Pler'oma.**	**Decandria Monogynia.**					
1	vimíneum. DC.	(*vi.*)	slender.	Brazil.	1820.	4. 8.	S. ♄.	Bot. reg. t. 664.
	Rhéxia vimínea. B.R.							
2	heteromállum. DC.	(*bl.*)	woolly-leaved.	————	——	——	S. ♄.	Bot. reg. t. 644.
	Melástoma heteromálla.							
DIPLOST'EGIUM. DC.		**Diplost'egium.**	**Decandria Monogynia.**					
	canéscens. DC.	(*ro.*)	hoary-stemm'd.	Brazil.	1820.	4. 8.	S. ♄.	
ACI'OTIS. DC.		**Aci'otis.**	**Octandria Monogynia.**					
	díscolor. DC.	(*bh.*)	two-coloured.	W. Indies.	1793.	3. 9.	S. ♃.	

Tribus IV. MICONIEÆ. *DC. prodr. v. 3. p. 152.*

CLID'EMIA. DC.	CLID'EMIA. Decandria Monogynia.						
1 aggregàta. DC.	(*wh.*) clustered.	Peru.	1820.	7. 10.	S. ♄.		
2 hirta. DC.	(*wh.*) hairy.	Jamaica.	1740.	3. 6.	S. ♄.	Bot. mag. t. 1971.	
Melástoma hirta. B.M.							
3 crenàta. DC.	(*wh.*) crenated.	W. Indies.	1820.	——	S. ♄.	Vahl. ic. pl.am. 2. t. 22.	
4 élegans. DC.	(*wh.*) elegant.	Trinidad.	1822.	——	S. ♄.	Aubl. guian. 1. t. 167.	
5 biserràta. DC.	(*pu.*) doubly serrate.	Brazil.	1825.	——	S. ♄.		
6 spicàta. DC.	(*wh.*) spiked.	Trinidad.	1820.	——	S. ♄.	Aubl. guian. 1. t. 165.	
7 strigillòsa. DC.	(*wh.*) strigose.	Jamaica.	1825.	——	S. ♄.		
8 agréstis. DC.	(*wh.*) field.	Cayenne.	1822.	4. 8.	S. ♄.	Aubl. guian. 1. t. 166.	
9 lanàta. DC.	(*wh.*) sweet-scented.	Trinidad.	——	——	S. ♄.		
TOC'OCA. DC.	TOC'OCA. Decandria Monogynia.						
guianénsis. DC.	(*ro.*) Guiana.	Guiana.	1822.	4. 7.	S. ♄.	Aubl. guian. 1. t. 174.	
Melástoma physíphora. Vahl.							
MAI'ETA. DC.	MAI'ETA. Decandria Monogynia.						
guianénsis. DC.	(*ro.*) Guiana.	Guiana.	1824.	....	S. ♄.	Aubl. guian. 1. t. 176.	
OSS'ÆA. DC.	OSS'ÆA. Octandria Monogynia.						
purpuráscens. DC.	(*pu.*) purplish.	Jamaica.	1822.	3. 6.	S. ♄.		
Melástoma purpuráscens. Swartz.							
SAGR'ÆA. DC.	SAGR'ÆA. Octandria Monogynia.						
1 sessiliflòra. DC.	(*re.*) sessile-flowered.	Guiana.	1793.	4. 8.	S. ♄.	Vahl. ic. am. t. 19.	
Melástoma rùbra. Bonpl. mel. t. 39.							
2 hirtélla. DC.	(*wh.*) hispid-fruited.	Jamaica.	1824.	——	S. ♄.		
3 umbròsa. DC.	(*wh.*) shaded.	W. Indies.	——	3. 7.	S. ♄.		
4 pilòsa. DC.	(*wh.*) pilose.	Jamaica.	1828.	——	S. ♄.		
5 microphy'lla. DC.	(*wh.*) small-leaved.	————	1820.	5. 6.	S. ♄.		
6 hirsùta. DC.	(*wh.*) purple-haired.	————	1823.	——	S. ♄.		
TETRAZY'GIA. DC.	TETRAZY'GIA. Tetr-Octandria Monogynia.						
1 tetrándra. DC.	(*wh.*) tetrandrous.	Jamaica.	1815.	3. 6.	S. ♄.		
Melástoma tetrándra. Swartz.							
2 discolor. DC.	(*wh.*) two-coloured.	W. Indies.	1793.	5. 7.	S. ♄.	Bonpl. mel. t. 34.	
Melástoma discolor. Jacq. amer. t. 84.							
3 angustifòlia. DC.	(*wh.*) narrow-leaved.	————	1823.	——	S. ♄.	Bonpl. mel. t. 10.	
HETEROTRI'CHUM. DC.	HETEROTRI'CHUM. Decandria Monogynia.						
1 níveum. DC.	(*bk.*) snowy-white.	St. Domingo.	1820.	5. 10.	S. ♄.		
Melástoma nívea. Lam.							
2 pátens. DC.	(*bk.*) spreading.	————	1825.	4. 8.	S. ♄.		
CONOSTEGIA. DC.	CONOST'EGIA. Dec-Dodecandria Monogynia.						
1 pròcera. DC.	(*wh.*) tall.	Jamaica.	1822.	....	S. ♄.	Bonpl. mel. t. 51.	
2 Balbisiàna. DC.	(*wh.*) Balbis's.	————	1825.	....	S. ♄.		
3 semicrenàta. DC.	(*wh.*) semicrenate.	W. Indies.	1823.	4. 6.	S. ♄.	Bonpl. mel. t. 41.	
DIPLOCHTTA. DC.	DIPLOCH'ITA. Octo-Decandria Monogynia.						
1 Fothergílla. DC.	(*wh.*) Fothergill's.	Trinidad.	1815.	....	S. ♄.	Bonpl. mel. t. 32.	
Melástoma Fothergílla. s.s. *Fothergílla mirábilis.* Aubl. gui. 1. t. 175.							
2 Swartziàna. DC.	(*ro.*) Swartz's.	Jamaica.	1815.	4. 6.	S. ♄.	Bonpl. mel. t. 33.	
Melástoma Tamònea. Swartz.							
3 macrophy'lla. DC.	..... large-leaved.	Mexico.	1820.	....	S. ♄.		
L'OREYA. DC.	L'OREYA. Decandria Monogynia.						
arboréscens. DC.	(*wh.*) arborescent.	Guiana.	1822.	....	S. ♄.	Aubl. guian. 1. t. 163.	
Melástoma arboréscens. Aubl.							
MIC'ONIA. DC.	MIC'ONIA. Decandria Monogynia.						
1 racemòsa. DC.	(*ro.*) racemed.	Trinidad.	1822.	4. 8.	S. ♄.	Bonpl. mel. t. 27.	
Melástoma racemòsa. Aubl. guian. t. 156.							
2 purpuráscens. DC.	(*wh.*) purple-berried.	Guiana.	1804.	3. 6.	S. ♄.	Aubl. guian. t. 154.	
Melástoma purpùrea. W.							
3 ciliàta. DC.	(*wh.*) fringed.	————	1824.	4. 7.	S. ♄.	Bonpl. mel. t. 26.	
4 holosericea. DC.	(*wh.*) velvetty.	W. Indies.	1816.	——	S. ♄.	———— t. 23-24.	
5 argéntea. DC.	(*wh.*) silvery-leaved.	————	1827.	——	S. ♄.	Sloan. jam. t. 196. f. 1.	
6 impetiolàris. DC.	(*wh.*) great-leaved.	————	1822.	——	S. ♄.	Bonpl. mel. t. 29.	
Melástoma macrophy'lla. Lam.							
7 Lambertiàna. DC.	(*wh.*) Mr. Lambert's.	————	1824.	——	S. ♄.		
8 candàta. DC.	(*ro.*) tailed-leaved.	S. America.	1822.	5. 8.	S. ♄.	Bonpl. mel. t. 7.	
9 pyramidàlis. DC.	(*wh.*) pyramidal.	Trinidad.	——	——	S. ♄.	Pluk. alm. t. 159. f. 1.	
Melástoma pyramidàlis. Lam.							

10 Acinodéndron.	(*wh.*)	oval-leaved.	Jamaica.	1804.	5. 8.	S. ħ.	Plum. ic. 142. f. 2.
Melástoma Acinodéndron. L.							
11 lævigàta. DC.	(*wh.*)	smooth.	Caribees.	1815.	4. 8.	S. ħ.	Bot. reg. t. 368.
12 prasìna. DC.	(*wh.*)	green.	Jamaica.	1824.	——	S. ħ.	
13 ? ecostàta.	(*pu.*)	ribless.	————	1793.	5. 6.	S. ħ.	
Melástoma ecostata. H.K.							

BL'AKEA. DC. BL'AKEA. Dodecandria Monogynia. L.

1 trinérvia. DC.	(*ro.*)	three-ribbed.	Jamaica.	1789.	6. 7.	S. ħ.	Bot. mag. t. 451.
2 quinquenérvia. DC.	(*ß.*)	five-nerved.	Guiana.	1820.	——	S. ħ.	Aubl. guian. 1. t. 210.
triplinérvia. L.							

ORDO XCII.

ALANGIEÆ. *DC. prodr.* 3. *p.* 203.

ALA'NGIUM. DC. ALA'NGIUM. Icosandria Monogynia.

1 decapètalum. DC.	(*wh.*)	Sage-leaved.	E. Indies.	1779.	5. 8.	S. ħ.	Rheed. mal. 4. t. 17.
Grewia salvifòlia. L.							
2 hexapétalum. DC.	(*wh.*)	six-petaled.	————	1822.	——	S. ħ.	Rheed. mal. 4. t. 26.

ORDO XCIII.

PHILADELPHEÆ. *DC. prodr. v.* 3. *p.* 205.

PHILADE'LPHUS. DC. SYRINGA. Icosandria Monogynia. L.

1 coronàrius. DC.	(*wh.*)	common.	S. Europe.	1596.	5. 6.	H. ħ.	Bot. mag. t. 391.
ß *variegàtus.*	(*wh.*)	*striped-leaved.*	————	....?	——	H. ħ.	
γ *multipléx.*	(*wh.*)	*double-flowered.*	————	....	——	H. ħ.	
2 nànus. Mill.	(*wh.*)	dwarf.	.....	....	6. 7.	H. ħ.	
3 Zeyhèri. DC.	(*wh.*)	Zeyher's.	N. America.	1812.	——	H. ħ.	Schrad. diss. c. ic.
4 floribúndus. DC.	(*wh.*)	many-flowered.	————	1816.	——	H. ħ.	———— c. ic.
5 verrucòsus. DC.	(*wh.*)	warted.	————	1812.	——	H. ħ.	———— c. ic.
grandiflòrus. Bot. reg. t. 570. *non* W.							
6 latifòlius. DC.	(*wh.*)	broad-leaved.	————	1820.	——	H. ħ.	Lois. herb. amat. t. 206.
7 grandiflòrus. DC.	(*wh.*)	large-flowered.	————	1816.	——	H. ħ.	Swt. br. fl. gar. s. 2. t. 8.
8 speciòsus. DC.	(*wh.*)	beautiful.	————	1820.	——	H. ħ.	Schrad. diss. c. ic.
9 làxus. DC.	(*wh.*)	loose-branched.	————	1816.	——	H. ħ.	———— c. ic.
10 hirsùtus. DC.	(*wh.*)	slender hairy.	————	——	——	H. ħ.	Wats. dend. brit. t. 47.
11 inodòrus. DC.	(*wh.*)	entire-leaved.	Carolina.	1738.	——	H. ħ.	Bot. mag. t. 1478.

DECUMA'RIA. DC. DECUMA'RIA. Dodecandria Monogynia. L.

1 bárbara. Ph.	(*wh.*)	smaller.	Carolina.	1785.	7. 8.	H. ħ. ⌣.	
2 sarmentòsa. Ph.	(*wh.*)	larger.	————	1758.	——	H. ħ. ⌣.	Bosc. act. par. 1. t. 13.

ORDO XCIV.

MYRTACEÆ. *DC. prodr. v.* 3. *p.* 207.

Tribus I. *CHAMÆLAUCIEÆ.* DC. prodr. 3. p. 208.

CA'LYTHRIX. DC. CA'LYTHRIX. Icosandria Monogynia.

1 glábra. DC.	(*wh.*)	smooth.	N. S. W.	1818.	4. 6.	G. ħ.	Bot. reg. t. 409.
2 ericoídes. P.T.	(*wh.*)	Heath-like.	————	1823.	——	G. ħ.	
3 scábra. DC.	(*wh.*)	rough-leaved.	————	1824.	——	G. ħ.	

DARWI'NIA. L.T. DARWI'NIA. Decandria Monogynia.
1 **fascicularis.** L.T. (*wh.*) fascicled. N. S. W. 1826. 4. 6. G. ½. Linn. trans. v. 11. t. 22.
2 **taxifòlia.** F.T. (*wh.*) Yew-leaved. ——— 1827. —— G. ½.
VERTICO'RDIA. DC. VERTICO'RDIA. Decandria Monogynia.
1 **Fontanèsii.** DC. (*wh.*) Desfontaines'. N. Holland. 1826. 4. 6. G. ½. Desf. mem. mus. 5. t. 4.
Chamelaùcium plumòsum. Df.
2 **Brownii.** DC. (*wh.*) Brown's. ——— —— —— G. ½. Desf. mem. mus. 5. t. 19.
CHAMÆLA'UCIUM. DC. CHAMÆLA'UCIUM. Decandria Monogynia.
ciliàtum. DC. (*wh.*) fringed. N. Holland. 1825. 4. 6. G. ½. Df. mem. mus. 5. t. 3. f. B.
GENETY'LLIS. DC. GENETY'LLIS. Icosandria Monogynia.
diosmoides. DC. (*wh.*) Diosma-like. N. Holland. 1827. 4. 6. G. ½. DC. dict. cl. v. 11. c. ic.
PILE'ANTHUS. DC. PILE'ANTHUS. Icosandria Monogynia.
Limàcis. DC. (*wh.*) clubbed-leaved. N. Holland. 1824. 4. 7. G. ½. Lab. n. holl. 2. t. 149.

Tribus II. *LEPTOSPERMEÆ.* DC. prodr. 3. p. 209.

Subtribus I. MELALEUCEÆ. Stamina polyadelpha. *DC. loc. cit. p.* 210.

ASTA'RTEA. DC. ASTA'RTEA. Polyadelphia Icosandria.
fasciculàris. DC. (*wh.*) fascicled. V. Diem. Isl. 1824. 4. 6. G. ½. Lab. n. holl. 2. t. 170.
Melaleùca fasciculàris. Labill.
TRISTA'NIA. DC. TRIST'ANIA. Polyadelphia Icosandria.
1 **neriifòlia.** DC. (*ye.*) Oleander-leav'd. N. S. W. 1804. 7. 9. G. ½. Bot. mag. t. 1058.
Melaleùca neriifòlia. B.M. *salicifòlia.* Andr. reposit. t. 485.
2 **persicæfòlia.** F.T. (*ye.*) Peach-leaved. N. S. W. 1824. —— G. ½.
3 **laurìna.** DC. (*ye.*) Laurel-leaved. ——— 1798. —— G. ½.
4 **deprèssa.** DC. (*ye.*) depressed. ——— 1820. —— G. ½.
5 **álbens.** DC. (*ye.*) white-leaved. ——— 1822. —— G. ½.
6 **confèrta.** DC. (*ye.*) Pittosporum-l^d. ——— 1805. —— G. ½.
7 **suavèolens.** DC. (*ye.*) sweet-scented. N. Holland. 1826. .... G. ½. Gært. fruct. 1. t. 35.
BEAUFO'RTIA. DC. BEAUFO'RTIA. Polyadelphia Icosandria.
1 **decussàta.** DC. (*sc.*) splendid. N. Holland. 1803. 3. 8. G. ½. Bot. règ. t. 18.
2 **spàrsa.** DC. (*sc.*) alternate-leav'd. ——— —— —— G. ½.
CALOTHA'MNUS. DC. CALOTHA'MNUS. Polyadelphia Icosandria.
1 **quadrífida.** DC. (*sc.*) four-cleft. N. Holland. 1803. 1. 12. G. ½. Bot. mag. t. 1506.
2 **clavata.** M.C. (*sc.*) club-leaved. ——— 1826. —— G. ½. Lodd. bot. cab. t. 1447.
3 **villòsa.** DC. (*sc.*) hairy 5-cleft. ——— 1803. —— G. ½. Bot. reg. t. 1099.
4 **grácilis.** DC. (*sc.*) long-leaved. ——— —— —— G. ½.
MELALE'UCA. DC. MELALE'UCA. Polyadelphia Icosandria.
1 **Leucadéndron.** DC. (*wh.*) aromatic. E. Indies. 1796. .... S. ½. Rumph. amb. 2. t. 16.
2 **minòr.** DC. (*wh.*) Cajuputi-tree. ——— 1816. .... S. ½. Rumph. amb. 2. t. 17. f. 1.
3 **viridiflòra.** DC. (*gr.*) green-flowered. N. S. W. 1798. 4. 6. G. ½. Cavan. ic. t. 333.
Metrosidèros quinquenèrvia. Cavan.
4 **paludòsa.** DC. (*re.*) long-leaved red. N. Holland. 1803. 7. 9. G. ½.
5 **globífera.** DC. (*wh.*) globe-fruited. ——— —— —— G. ½.
6 **diosmifòlia.** DC. (*gr.*) Diosma-leaved. ——— 1794. 6. 7. G. ½. Andr. reposit. t. 476.
7 **styphelioides.** DC. (*wh.*) Styphelia-leav'd. N. S. W. 1793. 4. 6. G. ½.
8 **genistifòlia.** DC. (*wh.*) Genista-leaved. ——— —— —— G. ½. Sm. exot. bot. 1. t. 55.
9 **lanceolàta.** DC. (*st.*) spear-leaved. N. Holland. 1812. 5. 6. G. ½. Otto hort. ber. 36.
10 **striàta.** DC. (*wh.*) rigid-leaved. ——— 1803. —— G. ½. Lab. n. holl. 2. t. 165.
11 **thymoides.** DC. (*ye.*) yellow-spear leav'd. ——— —— —— G. ½. ——— 2. t. 167.
12 **squámea.** DC. (*pu.*) scaly-branched. V. Diem. Isl. 1805. 6. 8. G. ½. Bot. reg. t. 477.
13 **nodòsa.** DC. (*wh.*) Whin-leaved. N. S. W. 1790. —— G. ½. Sm. exot. bot. 1. t. 35.
14 **tenuifòlia.** DC. (*wh.*) slender-leaved. ——— 1824. —— G. ½.
15 **ericifòlia.** DC. (*wh.*) Heath-leaved. ——— 1788. 7. 9. G. ½ Sm. exot. bot. 1. t. 34.
16 **erubéscens.** DC. (*li.*) Lilac-coloured. ——— 1820. —— G. ½. Otto hort. ber. 37.
17 **armillàris.** DC. (*wh.*) pale-flowered. ——— 1788. 6. 8. G. ½. Vent. malm. t. 76.
ericifòlia. Andr. rep. t. 175. *non* Sm. *Metrosidèros armillàris.* G. Cav. ic. t. 335.
18 **uncinàta.** DC. (*re.*) hook-leaved. N. Holland. 1803. —— G. ½.
19 **scábra.** DC. (*pu.*) rough-leaved. ——— —— —— G. ½. Swt. flor. aust. t. 10.
20 **juniperoides.** DC. (*st.*) Juniper-like. N. S. W. 1826. —— G. ½.
21 **pulchélla.** DC. (*li.*) pendulous. N. Holland. 1803. 6. 9. G. ½. Lodd. bot. cab. t. 200.
22 **thymifòlia.** DC. (*pu.*) Thyme-leaved. N. S. W. 1792. —— G. ½. Sm. exot. bot. 1. t. 36.
coronàta. Andr. rep. t. 278. *gnidiæfòlia.* Vent. malm. t. 7.
23 **decussàta.** DC. (*li.*) cross-leaved. N. Holland. 1803. 6. 9. G. ½. Bot. mag. t. 2268.
24 **tetragòna.** DC. (*li.*) four-sided. ——— 1824. —— G. ½.

25	cuticulàris. DC.	(*pu.*)	solitary-flower'd.	N. Holland.	1824.	6. 9.	G. ½.	Lab. n. holl. 2. t. 171.
26	fúlgens. DC.	(*sc.*)	splendid.	———	1803.	6. 8.	G. ½.	Bot. reg. t. 103.
27	linariifòlia. DC.	(*wh.*)	Toad-flax-leav'd.	N. S. W.	1793.	5. 7.	G. ½.	Sm. exot. bot. 1. t. 56.
28	abietìna. DC.	(*wh.*)	Fir-leaved.	N. Holland.	1824.	——	G. ½.	
29	hypericifòlia. DC.	(*sc.*)	Hypericum-lé.	N. S. W.	1792.	7. 9.	G. ½.	Andr. reposit. t. 200.
30	ellíptica. DC.	(*cr.*)	elliptic-leaved.	N. Holland.	1824.	——	G. ½.	Lab. n. holl. 2. t 173.
31	squarròsa. DC.	(*wh.*)	Myrtle-leaved.	N. S. W.	1792.	——	G. ½.	Bot. mag. t. 1935.
	myrtifòlia. Vent. malm. t. 47.							
32	gibbòsa. DC.	(*li.*)	gibbous.	V. Diem. Isl.	1822.	6. 8.	G. ½.	Lab. n. holl. 2. t. 172.
33	imbricàta. L.en.	(*wh.*)	imbricated.	N. Holland.	1803.	5. 6.	G. ½.	
34	sprengelioídes. DC.	(*wh.*)	Sprengelia-like.	N. S. W.	1824.	——	G. ½.	
35	calycìna. DC.	(*wh.*)	permanent-cup'd.	N. Holland.	1803.	6. 8.	G. ½.	
36	dénsa. DC.	(*pu.*)	dense-leaved.	———	——	——	G. ½.	
37	incàna. DC.	(*st.*)	hoary.	N. S. W.	1812.	——	G. ½.	Bot. reg. t. 410.
	canéscens. Otto hort. ber. p. 87. Abbild. t. 81.							
EUDE'SMIA. DC.			EUDE'SMIA.	Polyadelphia Icosandria.				
	tetragòna. DC.	(*wh.*)	square-stemm'd.	N. Holland.	1824.	6. 8.	G. ½.	Swt. flor. aust. t. 21.

Subtribus II. EULEPTOSPERMEÆ. Stamina libera. *DC. prodr.* 3. *p.* 216.

EUCALY'PTUS. DC.			EUCALY'PTUS.	Icosandria Monogynia.				
1	cornùta. DC.	(*wh.*)	horned.	N. Holland.	1803.	3. 6.	G. ½.	Lab. voy. 1. t. 20.
2	tereticórnis. DC.	(*wh.*)	long-horned.	N. S. W.	1804.	4. 7.	G. ½.	
3	resinífera. DC.	(*wh.*)	red gum-tree.	———	1788.	——	G. ½.	Andr. reposit. t. 400.
4	longifòlia. DC.	(*wh.*)	long-leaved.	———	1818.	——	G. ½.	Link et Ot. abb. t. 45.
5	robústa. DC.	(*wh.*)	brown gum-tree.	———	1794.	8. 9.	G. ½.	Smith nov. holl. t. 13.
6	rostràta. Cav.	(*wh.*)	beaked.	———	1804.	——	G. ½.	Cavan. ic. 4. t. 342.
7	marginàta. DC.	(*wh.*)	thick-edged.	———	1794.	4. 7.	G. ½.	
8	incrassàta. DC.	(*wh.*)	thick-leaved.	N. Holland.	1820.	——	G. ½.	Lab. nov. holl. 2. t. 150.
9	persicifòlia. DC.	(*wh.*)	Peach-leaved.	N. S. W.	1812.	——	G. ½.	Lodd. bot. cab. t. 501.
10	punctàta. DC.	(*wh.*)	black-dotted.	———	1810.	——	G. ½.	
11	acérvula. DC.	(*wh.*)	flat-peduncled.	———	1818.	——	G. ½.	
12	virgàta. DC.	(*wh.*)	slender-twigged.	———	1820.	5. 8.	G. ½.	
13	micrántha. DC.	(*wh.*)	small-flowered.	———	1824.	——	G. ½.	
14	stellulàta. DC.	(*wh.*)	starry.	———	1816.	——	G. ½.	
15	oblónga. DC.	(*wh.*)	oblong-leaved.	———	1819.	6. 8.	G. ½.	
16	viminàlis. DC.	(*wh.*)	slender.	N. Holland.	1816.	——	G. ½.	Lab. nov. holl. 2. t. 151.
17	capitellàta. DC.	(*wh.*)	small-headed.	N. S. W.	1804.	4. 7.	G. ½.	White's voy. 226. ic.
18	triántha. L.en.	(*wh.*)	three-flowered.	———	1820.	4. 6.	G. ½.	
19	salígna. DC.	(*wh.*)	Willow-like.	———	1804.	4. 7.	G. ½.	
20	angustifòlia. L.en.	(*wh.*)	narrow-leaved.	———	1816.	——	G. ½.	
21	microphy'lla. DC.	(*wh.*)	small-leaved.	———	——	——	G. ½.	
22	stenophy'lla. DC.	(*wh.*)	slender-leaved.	———	——	——	G. ½.	
23	myrtifòlia. DC.	(*wh.*)	Myrtle-leaved.	———	1812.	4. 6.	G. ½.	
24	elongàta. DC.	(*wh.*)	taper-pointed.	———	1820.	——	G. ½.	
25	mèdia. DC.	(*wh.*)	acuminate.	———	——	——	G. ½.	
26	reticulàta. DC.	(*wh.*)	netted-leaved.	———	1816.	....	G. ½.	
27	umbellàta. DC.	(*wh.*)	umbel-flowered.	———	1820.	5. 8.	G. ½.	
28	ovàta. DC.	(*wh.*)	oval-leaved.	N. Holland.	——	——	G. ½.	Lab. nov. holl. 2. t. 153.
	mucronàta. L. enum.							
29	scábra. DC.	(*wh.*)	rough-leaved.	N. S. W.	1803.	——	G. ½.	
30	pilulàris. DC.	(*wh.*)	small-fruited.	———	1804.	2. 5.	G. ½.	
31	radiàta. DC.	(*wh.*)	rayed.	———	1824.	3. 6.	G. ½.	
32	stricta. DC.	(*wh.*)	straight.	———	——	....	G. ½.	
33	hæmastómma. DC.	(*wh.*)	red-mouthed.	———	1803.	4. 7.	G. ½.	White's voy. 226. c. ic.
	racemòsa. Cavan. ic. 4. n. 377.							
34	ligustrìna. DC.	(*wh.*)	Privet-like.	N. S. W.	1824.	....	G. ½.	
35	amygdalìna. DC.	(*wh.*)	Almond-leaved.	N. Holland.	1822.	....	G. ½.	Lab. nov. holl. 2. t. 154.
36	ambígua. DC.	(*wh.*)	ambiguous.	———	1824.	....	G. ½.	
37	Lindleyàna. DC.	(*wh.*)	Lindley's.	N. S. W.	1816.	4. 6.	G. ½.	Bot. reg. t. 947.
	longifòlia. B.R. *non* Link.							
38	botryoídes. DC.	(*wh.*)	clustered.	———	1803.	4. 7.	G. ½.	Cavan. ic. 4. t. 341.
	platypòdos. Cavan.							
39	piperìta. DC.	(*wh.*)	Peppermint-tree.	———	1788.	——	G. ½.	Reich. gart. mag. t. 42.
40	pállens. DC.	(*wh.*)	white-leaved.	———	1822.	——	G. ½.	
41	oblíqua. DC.	(*wh.*)	oblique-leaved.	V. Diem. Isl.	1774.	4. 8.	G. ½.	Sel. par. lond. t. 15.

42 corymbòsa. DC. (*wh.*) corymbose-fld. N. S. W. 1788. 4. 8. G. h. Cavan. ic. 4. t. 340.
43 paniculàta. DC. (*wh.*) panicled. ——— 1801. 6. 8. G. h.
44 cneorifòlia. DC. (*wh.*) Willow-wail-ld. ——— 1824. —— G. h.
45 obtusifòlia. DC. (*wh.*) blunt-leaved. ——— —— .... G. h.
46 Cunninghámi. (*wh.*) Cunningham's. ——— 1825. .... G. h.
microphy'lla. F.T. *non* Link.
47 gomphocéphala. DC. (*w.*) persistent-headed. ——— 1824. .... G. h.
48 Glòbulus. DC. (*wh.*) large tree. V. Diem. Isl. 1804. 5. 6. G. h. Lab. voy. 1. t. 13.
pulverulénta. L. enum. *non* B.M. *glaùca.* DC.
49 diversifòlia. DC. (*wh.*) various-leaved. N. S. W. 1810. 5. 8. G. h. Bonpl. nav. 1. t. 13.
50 perfoliàta. C.C. (*wh.*) perfoliate glaucous. N. Holland. 1803. 4. 6. G. h.
51 cordàta. DC. (*wh.*) heart-leaved. V. Diem. Isl. 1816. 11. 3. G. h. Lab. nov. holl. 2. t. 152.
52 pulverulénta. DC. (*wh.*) powdered. N. S. W. —— —— G. h. Bot. mag. t. 2087.
53 purpuráscens. DC. (*wh.*) purple-branch'd. ——— 1804. .... G. h.
54 tuberculàta. DC. (*wh.*) warted-branch'd. ——— 1816. .... G. h.
55 rígida. DC. (*wh.*) rigid-leaved. ——— —— .... G. h.
56 hypericifòlia. (*wh.*) Hypericum-leaved. ——— 1804. .... G. h.

ANGO'PHORA. DC. ANGO'PHORA. Icosandria Monogynia.
1 cordifòlia. DC. (*wh.*) hispid. N. S. W. 1789. 5. 8. G. h. Bot. mag. t. 1960.
Metrosidèros hispida. Sm. exot. bot. 1. t. 42. *hirsùta.* Andr. rep. t. 281. *anómala.* Vent. malm. t. 2.
2 floribúnda. (*wh.*) many-flowered. N. S. W. 1788. —— G. h.
Metrosidèros floribúnda. L.T. *non* Vent.
3 intermèdia. DC. (*wh.*) intermediate. ——— 1820. —— G. h.
4 lanceolàta. DC. (*wh.*) ribbed. ——— 1816. —— G. h. Cavan. ic. 4. t. 337.
Metrosidèros costàta. Gært. fruct. 1. t. 34. f. 2.

CALLISTEMON. DC. CALLIST'EMON. Icosandria Monogynia.
1 pinifòlium. DC. (*gr.*) Pine-tree-leav'd. N. S. W. 1806. 6. 8. G. h. Wendl. coll. 1. t. 16.
2 viridiflòrum. DC. (*gr.*) green-flowered. ——— 1820. —— G. h. Bot. mag. t. 2602.
rusciflòrum. C.C. *Metrosidèros viridiflòra.* B.M.
3 lophánthum. S.F.A. (*st.*) crested. ——— 1816. —— G. h. Swt. flor. aust. t. 29.
4 leptostàchyum. S.F.A. (*st.*) slender-spik'd. ——— —— —— G. h.
5 salígnum. DC. (*st.*) Willow-leaved. ——— 1788. 5 7. G. h. Bonpl. nav. t. 4.
Metrosidèros saligna. Vent. cels. t 70. *non* Bot. mag.
6 pállidum. DC. (*st.*) pale-leaved. N. S. W. 1816. —— G. h. Bonpl. nav. p. 101. t. 41.
7 Siebèri. DC. (*st.*) Sieber's. ——— 1820. —— G. h.
8 rígidum. DC. (*sc.*) rigid-leaved. ——— 1800. 3. 8. G. h. Bot. reg. t. 393.
9 lineàre. DC. (*sc.*) linear. ——— 1788. 6. 7. G. h. Sert. hann. t. 11.
10 rugulòsum. DC. (*sc.*) tubercle-leaved. ——— 1820. —— G. h.
11 scábrum. B.C. (*sc.*) rough-leaved. N. Holland. 1824. —— G. h. Lodd. bot. cab. t. 1288.
12 linearifòlium. DC. (*sc.*) linear-leaved. ——— 1820. —— G. h.
13 microphy'llum. M.C. (*sc.*) small-leaved. —— —— 1825. —— G. h.
14 formòsum. M.C. (*sc.*) handsome. ——— —— —— G. h.
15 lanceolàtum. DC. (*sc.*) spear-leaved. N. S. W. 1788. 11. 6. G. h. Bot. mag. t. 260.
Metrosidèros citrina. B.M. *lanceolàta.* L.T.
β semperflòrens. B.C. (*sc.*) *ever-blowing.* ——— —— —— G. h. Lodd. bot. cab. t. 523.
16 marginàtum. DC. (*sc.*) thick-margined. ——— 1816. 6. 8. G. h. Cavan. ic. 4. t. 332.
17 glaùcum. (*sc.*) splendid. N. Holland. 1803. 3. 6. G. h. Bonpl. nav. t. 34.
Metrosidèros glaùca. Bonp. *speciòsa.* Bot. mag. t. 1761.
18 hybridum. DC. (*sc.*) hybrid. N. S. W. 1824. 4. 6. G. h.

METROSID'EROS. DC. METROSID'EROS. Icosandria Monogynia.
1 vera. DC. (*gr.*) Ironwood. E. Indies. 1815. 5. 8. S. h. Lindl. coll. t. 18.
2 florida. DC. (*st.*) many-flowered. N. Zealand. 1820. —— G. h.
3 glomulífera. DC. (*st.*) cluster-flower'd. N. S. W. 1805. —— G. h.
4 umbellàta. DC. (*re.*) umbel-flowered. ——— 1822. —— G. h. Cavan. ic. 4. t. 337.
5 angustifòlia. DC. (*wh.*) narrow-leaved. C. B. S. 1787. —— G. h. Hont. pfl. sys. 3. t. 25. f. 2.

STENOSPE'RMUM. STENOSPE'RMUM. Icosandria Monogynia.
1 capitàtum. (*li.*) headed. N. S. W. 1824. 4. 6. G. h. Reich. hort. bot. 1. t. 84.
Metrosidèros capitàta. DC.
2 corifòlium. (*wh.*) Coris-leaved. ——— 1791. 6. 7. G. h. Vent. malm. t. 46.
Leptospérmum ambíguum. Sm. exot. bot. t. 59. *Metrosidèros corifòlia.* Vent.

AG'ONIS. DC. AG'ONIS. Icosandria Monogynia.
1 marginàta. DC. (*wh.*) white margined. N. Holland. 1816. 6. 7. G. h. Lab. nov. holl. 2. t. 148.
Leptospérmum marginàtum. Labill.
2 flexuòsa. DC. (*wh.*) flexuose. ——— 1812. —— G. h. Colla h. rip. ap. 1. t. 2.
Leptospérmum flexuòsum. L. enum. *Metrosidèros flexuòsa.* W. enum.
3 saligna. (*wh.*) Willow-like. N. S. W. 1812. 6. 7. G. h.
4 ovalifòlia. (*wh.*) oval-leaved. N. Holland. —— —— G. h.
Fabrícia myrtifòlia. Hort. *nec aliorum.*
5 linearifòlia. DC. linear-leaved. ——— 1824. .... G. h.

6 ellíptica.	(*wh.*)	elliptic-leaved.	N. Holland.	1824.	....	G. ♄.		
Billóttia ellíptica. M.C.								
LEPTOSPE'RMUM. DC.		SOUTH SEA MYRTLE.		Icosandria Monogynia.				
1 emarginàtum. DC.		emarginate.	N. S. W.	1816.	6. 7.	G. ♄.		
2 seríceum. DC.	(*wh.*)	silky-leaved.	V. Diem. Isl.	1820.	——	G. ♄.		Lab. nov. holl. 2. t. 147.
3 tuberculàtum. DC.	(*wh.*)	tuberculate.	N. S. W.	1816.	——	G. ♄.		Cavan. ic. 4. t. 330.
stellàtum. Cavan.								
4 grandifòlium. DC.	(*wh.*)	large-leaved.	————	1803.	——	G. ♄.		Bot. mag. t. 1810.
5 lanígerum. DC.	(*wh.*)	woolly-leaved.	————	1774.	——	G. ♄.		Lodd. bot. cab. t. 1192.
6 pubéscens. W.	(*wh.*)	hoary-leaved.	————	——	——	G. ♄.		
7 trinérve. DC.	(*wh.*)	three-nerved.	————	1812.	——	G. ♄.		White itin. 229. c. ic.
8 grandiflòrum. B.C.	(*wh.*)	large-flowered.	————	1816.	——	G. ♄.		Lodd. bot. cab. t. 514.
9 scopàrium. DC.	(*wh.*)	N. Zealand Tea.	N. Zealand.	1772.	——	G. ♄.		Andr. rep. t. 622.
10 squarrósum. G.	(*wh.*)	squarrose.	N. S. W.	——	——	G. ♄.		Forst. itin. 1. t. 22.
11 floribúndum.	(*wh.*)	many-flowered.	————	——	——	G. ♄.		Rœm. et Ust. mag. 7. t. 2.
12 rubricaùle. L.en.	(*wh.*)	red-stemmed.	————	1812.	——	G. ♄.		
13 flavéscens. DC.	(*wh.*)	yellowish.	————	1787.	5. 7.	G. ♄.		Bot. mag. t. 2695.
Melaleùca Thèa. Wendl. sert. han. 1. t. 14.								
14 gnidiæfòlium. DC.	(*wh.*)	Gnidia-leaved.	————	1824.	——	G. ♄.		
15 thymifòlium. F.T.	(*wh.*)	Thyme-leaved.	————	1823.	——	G. ♄.		
16 multicaùle. F.T.	(*wh.*)	many-branched.	————	——	——	G. ♄.		
17 porophy'llum. DC.	(*wh.*)	dotted-leaved.	————	——	——	G. ♄.		Cav. ic. 4. t. 330. f. 2.
18 parvifòlium. DC.	(*wh.*)	small-leaved.	————	1795.	——	G. ♄.		
19 myrtifòlium. DC.	(*wh.*)	Myrtle-leaved.	————	1824.	6. 8.	G. ♄.		
20 obovàtum. S.F.A.	(*wh.*)	obovate-leavêd.	————	1823.	——	G. ♄.		Swt. flor. anst. t. 36.
21 attenuàtum. DC.	(*wh.*)	fine-branched.	————	1795.	——	G. ♄.		
22 multiflorum. DC.	(*wh.*)	abundant-flower'd.	————	1820.	——	G. ♄.		Cav. ic. 4. t. 331. f. 1
23 juniperìnum. DC.	(*wh.*)	Juniper-leaved.	————	1790.	——	G. ♄.		Vent. malm. 89.
24 baccàtum. DC.	(*wh.*)	berry-fruited.	————	1790.	6. 7.	G. ♄.		Cavan. ic. 4. t. 331. f. 2.
25 arachnoídeum. DC.	(*w.*)	cobweb.	————	1795.	5. 7.	G. ♄.		Gært. fruct. 1. t. 35. f. 3.
26 triloculàre. DC.	(*wh.*)	trilocular.	————	1816.	——	G. ♄.		Vent. malm. t. 84.
27 dùbium. DC.	(*wh.*)	doubtful.	————	1824.	6. 7.	G. ♄.		
28 péndulum. DC.	(*wh.*)	pendulous.	————	——	——	G. ♄.		
FABRI'CIA. DC.		FABRI'CIA.	Icosandria Monogynia.					
1 myrtifòlia. DC.	(*wh.*)	Myrtle-leaved.	N. S. W.	1803.	5. 6.	G. ♄.		Gært. fruct. 1. t. 35. f. 4.
2 lævigàta. DC.	(*wh.*)	smooth-leaved.	————	1788.	——	G. ♄.		Bot. mag. t. 1304.
3 seríceа.	(*wh.*)	silky-leaved.	N. Holland.	1803.	....	G. ♄.		
4 stricta. B.C.	(*wh.*)	upright.	N. S. W.	1822.	5. 7.	G. ♄.		Lodd. bot. cab. t. 1219.
BÆ'CKEA. DC.		BÆ'CKEA.	Pent-Dodecandria Monogynia.					
1 frutéscens. DC.	(*wh.*)	Chinese.	China.	1806.	9. 1.	G. ♄.		Bot. mag. t. 2802.
2 grácilis. F.T.	(*wh.*)	slender-branch'd.	N. S. W.	1824.	6. 9.	G. ♄.		
3 virgàta. DC.	(*wh.*)	slender-twiggy.	————	1806.	8. 10.	G. ♄.		Bot. mag. t. 2127.
4 linifòlia. DC.	(*wh.*)	Flax-leaved.	————	1820.	6. 8.	G. ♄.		Linn. trans. 8. t. 12.
5 diffùsa. DC.	(*wh.*)	spreading.	————	1824.	——	G. ♄.		
6 densifòlia. DC.	(*wh.*)	close-leaved.	————	1812.	——	G. ♄.		
7 pulchélla. DC.	(*wh.*)	neat.	————	1825.	——	G. ♄.		
8 diosmifòlia. DC.	(*wh.*)	Diosma-leaved.	————	1823.	——	G. ♄.		
9 camphoràta. DC.	(*wh.*)	Camphor-scented.	————	1803.	8. 10.	G. ♄.		Bot. mag. t. 2604.
10 microphy'lla. DC.	(*wh.*)	small-leaved.	————	1812.	——	G. ♄.		
11 brevifòlia. DC.	(*wh.*)	short-leaved.	————	1824.	——	G. ♄.		
12 ramosíssima. DC.	(*wh.*)	branching.	————	1825.	7. 9.	G. ♄.		
13 crenulàta. DC.	(*wh.*)	notch leaved.	————	1822.	——	G. ♄.		
14 diosmoídes. DC.	(*wh.*)	Diosma-like.	————	1825.	——	G. ♄.		

Tribus III. *MYRTEÆ.* DC. prodr. v. 3. p. 230.

SONNER'ATIA. DC.		SONNER'ATIA.	Icosandria Monogynia. L.					
1 ácida. DC.	(*re.*)	acid-fruited.	E. Indies.	1822.	....	S. ♄.		Rheed. mal. 3. t. 40.
2 álba. DC.	(*wh.*)	white-flowered.	————	1824.	....	S. ♄.		Rumph. amb. 3. t. 78.
3 apètala. DC.	(*gr.*)	petalless.	————	1826.	....	S. ♄.		Sym. emb. to Ava. 3. t. 25.
NEL'ITRIS. DC.		NEL'ITRIS.	Icosandria Monogynia.					
paniculàta. DC.	(*wh.*)	panicled.	Moluccas.	1820.	....	S. ♄.		
CAMPOMAN'ESIA. DC.		CAMPOMAN'ESIA.	Icosandria Monogynia.					
lineatifòlia. DC.	(*wh.*)	yellow-fruited.	Peru.	1824.	4. 6.	G. ♄.		Flor. per. prod. t. 13.
PSI'DIUM. DC.		GUAVA.	Icosandria Monogynia. L.					
1 pùmilum. DC.	(*wh.*)	dwarf.	E. Indies.	1824.	——	S. ♄.		Rumph. amb. 1. t. 49.
2 aromáticum. DC.	(*wh.*)	aromatic.	W. Indies.	1779.	6. 8.	S. ♄.		Aubl. guian. 1. t. 191.

3 montànum. DC.	(wh.)	mountain.	W. Indies.	1779.	5. 7.	S. ½.	
4 pyrìferum. DC.	(wh.)	Pear-fruited.	———	1656.	6. 8.	S. ½.	Trew. ehr. t. 43.
5 pomìferum. DC.	(wh.)	Apple-fruited.	———	1692.	——	S. ½.	Rumph. amb. 1. t. 48.
6 sapidìssimum. s.s.	(wh.)	pleasant.	.....	1823.	——	S. ½.	Jacq. schœnb. 3.t.366.
7 guinecnse. DC.	(wh.)	Guinea.	Guinea.	——	——	S. ½.	
8 polycárpon. DC.	(wh.)	many-fruited.	Trinidad.	1809.	4. 8.	S. ½.	Linn. trans. 11. t. 17.
9 Aràca. DC.	(wh.)	egg-fruited.	Brazil.	1820.	5. 7.	S. ½.	Raddi mem. 1821. t. 1.
10 fluviátile. DC. *guianénse.* P.S.	(wh.)	Guiana.	Guiana.	1823.	——	S. ½.	
11 oligospérmum. DC.	(wh.)	few-seeded.	Brazil.	——	——	S. ½.	
12 Cattleiànum. DC.	(wh.)	Mr. Cattley's.	———	1816.	1. 12.	S. ½.	Lindl. coll. t. 16.
13 cordàtum. DC.	(wh.)	spice.	W. Indies.	1811.	5. 7.	S. ½.	Bot. mag. t. 1779.
14 nigrum. DC.	(wh.)	black-fruited.	China.	....	——	S. ½.	
15 rùbrum. DC.	(wh.)	red-fruited.	———	1820.	——	S. ½.	
16 chinénse. L.C.	(wh.)	yellow Chinese.	———	1818.	——	S. ½.	
17 frágrans. L.C.	(wh.)	fragrant.	.....	....	4. 8.	S. ½.	
18 myrtifòlia. L.C.	(wh.)	Myrtle-leaved.	.....	....	——	S. ½.	
19 latifòlium. DC.	(wh.)	broad-leaved.	.....	1820.	6. 8.	S. ½.	
20 índicum. DC.	(wh.)	Indian.	E. Indies.	1824.	——	S. ½.	
JOSSI'NIA. DC.		Jossi'nia.	Icosandria Monogynia.				
1 mespiloides. DC.	(wh.)	Mespilus-like.	Isl. Bourbon.	1826.	....	S. ½.	
2 ellíptica. DC. *Eugènia elliptica.* Lam. *non* Smith.	(wh.)	elliptic-leaved.	Mauritius.	1824.	....	S. ½.	
3 buxifòlia. DC.	(wh.)	Box-leaved.	Isl. Bourbon.	1822.	....	S. ½.	
MYRTUS. DC.		Myrtle.	Icosandria Monogynia.	L.			
1 commùnis. DC.	(wh.)	common.	S. Europe.	1597.	7. 8.	F. ½.	Lam. ill. t. 410.
A. *melanocárpa.* DC.	(w.)	*black-berried.*	———	——	——	F. ½.	
α romana. DC.	(wh.)	*broad-leaved.*	———	——	——	F. ½.	Mill. ic. t. 184. f. 1.
β multiplex.	(wh.)	*double-blossomed.*	———	....	——	F. ½.	
B. *leucocárpa.* DC.	(wh.)	*white-fruited.*	Levant.	....	——	F. ½.	
2 tarentìna.	(wh.)	Box-leaved.	S. Europe.	1597.	——	F. ½.	
3 itálica.	(wh.)	upright Italian.	———	——	——	F. ½.	
β variegàta.	(wh.)	*striped-leaved.*	———	....	——	F. ½.	
γ maculàta.	(wh.)	*blotch-leaved.*	———	....	——	F. ½.	
4 bœtica.	(wh.)	Orange-leaved.	———	1597.	——	F. ½.	Blackw. t. 114.
5 lusitánica.	(wh.)	Portugal.	Portugal.	——	——	F. ½.	Clus. hist. 1. p. 66. f. 1.
6 bélgica.	(wh.)	sharp-leaved.	S. Europe.	——	——	F. ½.	
7 mucronàta.	(wh.)	small-leaved.	———	——	——	F. ½.	
8 tomentòsa. DC.	(rv.)	woolly-leaved.	China.	1776.	5. 9.	S. ½.	Bot. mag. t. 250.
9 tenuifòlia. DC.	(wh.)	slender-leaved.	N. S. W.	1824.	——	G. ½.	
10 làcida. DC.	(wh.)	shining.	Surinam.	1793.	4. 8.	S. ½.	
MY'RCIA. DC.		My'rcia.	Icosandria Monogynia.				
1 punctàta. DC.	(wh.)	punctated.	Santa Cruz.	1825.	....	S. ½.	
2 coriácea. DC.	(wh.)	Sumach-leaved.	Hispaniola.	1759.	5. 7.	S. ½.	Plum. ic. t. 208. f. 2.
3 àcris. DC.	(wh.)	broad-l^d. Allspice.	W. Indies.	——	——	S. ½.	Pluk. alm. t. 155. f. 3.
4 pimentoides. DC. *My'rtus Piménta. β latifòlia.* Lodd. bot. cab. t. 178.	(wh.)	Allspice-like.	———	——	——	S. ½.	Lodd. bot. cab. t. 178.
5 divaricàta. DC.	(wh.)	spreading-flow^d.	W. Indies.	1820.	——	S. ½.	Plum. ic. t. 208. f. 1.
6 sopòria. DC.	(wh.)	sister.	Trinidad.	1822.	——	S. ½.	
7 spléndens. DC. *Eugènia periplocæfòlia.* Jacq.	(wh.)	glossy-leaved.	Hispaniola.	——	——	S. ½.	Jacq. coll. 2. t. 4.
8 Mìni. *Eugènia Mìni.* Aubl.	(wh.)	small-fruited.	Guiana.	1803.	——	S. ½.	Aubl. guian. 1. t. 197.
9 crassinérvia. DC.	(wh.)	thick-nerved.	———	1780.	——	S. ½.	
10 bracteàta. DC.	(wh.)	leafy-bracted.	Brazil.	1824.	——	S. ½.	
11 pseùdo-Mìni. DC.	(wh.)	Brazilian.	———	1822.	——	S. ½.	
CALYPTRA'NTHES. DC.		Calyptra'nthes.	Icosandria Monogynia.				
1 rígida. DC.	(wh.)	rigid-leaved.	Jamaica.	1822.	....	S. ½.	
2 Chytracùlia. DC.	(wh.)	forked-panicled.	———	1778.	3. 5.	S. ½.	Brown. jam. t. 37. f. 2.
3 Zary'gium. DC.	(wh.)	oval-leaved.	———	——	5. 7.	S. ½.	——— 240. t. 7. f. 2.
SYZY'GIUM. DC.		Syzy'gium.	Icosandria Monogynia.				
1 obovàtum. DC.	(wh.)	obovate-leaved.	Mauritius.	1822.	....	S. ½.	
2 paniculàtum. DC. *Eugènia paniculàta.* Lam.	(wh.)	panicled.	———	1821.	4. 6.	S. ½.	
3 glomeràtum. DC.	(wh.)	cluster-flowered.	———	1824.	....	S. ½.	
4 Jambolàna. DC. *Calyptránthes Jambolàna.* w. *Eugènia Jambolàna.* Lam.	(wh.)	Jambolana-tree.	E. Indies.	1796.	5. 7.	S. ½.	Rumph. amb. 1. t. 42.
5 inophy'llum. DC.	(wh.)	equal-leaved.	E. Indies.	1826.	....	S. ½.	

6 caryophyllifòlium. DC. (*wh.*) Clove-leav'd. E. Indies. 1822. 5. 7. S. ♄. Rumph. amb. 1. t. 41.
Eugènia caryophyllifòlia. Lam. *Calyptránthes caryophyllifòlia.* W.
7 venòsum. DC. (*wh.*) veined-leaved. Nepaul. 1824. .... S. ♄.
8 fruticósum. DC. (*wh.*) shrubby. E. Indies. —— .... S. ♄.
9 zeylánicum. DC. (*wh.*) Ceylon. —— 1798. 6. 7. S. ♄. Herm. zeyl. 435. ic.

CARYOPHY'LLUS. DC. CLOVE-TREE. Icosandria Monogynia. L.
aromáticus. DC. (*wh.*) aromatic. Moluccas. 1797. .... S. ♄. Bot. mag. t. 2749-2750.

ACM'ENA. DC. ACM'EMA. Icosandria Monogynia.
ellíptica. DC. (*wh.*) elliptic-leaved. N. S. W. 1790. 5. 9. G. ♄. Bot. mag. t. 1872.
Eugènia ellíptica. B.M. *My'rtus Smíthii.* S.S. *Metrosidèros floribúnda.* Vent. malm. t. 75.

EUG'ENIA. DC. EUG'ENIA. Icosandria Monogynia.
1 Michèlii. DC. (*wh.*) one-flowered. Brazil. 1759. 1. 8. S. ♄. Bot. mag. t. 478.
uniflòra. W. *Pènia pedunculàta.* B.M.
2 ligustrìna. DC. (*wh.*) Privet-leaved. Caribees. 1798. 8. 9. S. ♄.
3 balsámica. DC. (*wh.*) balsamic. W. Indies. 1816. 6. 7. S. ♄. Jacq. frag. t. 45. f. 2.
4 angustifòlia. DC. (*wh.*) narrow-leaved. St. Domingo. 1825. .... S. ♄. Plum. ed Bur. t. 207. f. 2.
5 obscùra. DC. (*wh.*) obscure. Brazil. 1824. 10. 11. S. ♄. Bot. reg. t. 1044.
My'rtus obscùra. B.R.
6 alpìna. DC. (*wh.*) alpine. Jamaica. 1827. 6. 8. S. ♄.
7 latifòlia. DC. (*wh.*) broad-leaved. Guiana. 1793. —— S. ♄. Aubl. guian. 1. t. 199.
8 Lambertiàna. DC. (*wh.*) Mr. Lambert's. W. Indies. 1794. .... S. ♄.
9 Parkeriàna. DC (*wh.*) Parker's. Trinidad. —— .... S. ♄.
10 Roxbúrghii. DC. (*wh.*) Roxburgh's. E. Indies. 1798. 6. 7. S. ♄. Andr. reposit. t. 619?
zeylànica. Roxb. *non* W.
11 dísticha. DC. (*wh.*) globe-berried. Jamaica. 1793. 4. 7. S. ♄. Lindl. coll. t. 19.
My'rtus dísticha. L. coll.
12 glabràta. DC. (*wh.*) smooth. W. Indies. 1825. —— S. ♄.
13 axillàris. DC. (*wh.*) axillary. Jamaica. 1793. 9. 10. S. ♄.
14 floribúnda. DC. (*wh.*) many-flowered. Santa Cruz. 1822. 4. 6. S. ♄.
15 buxifòlia. DC. (*wh.*) Box-leaved. W. Indies. —— —— S. ♄.
16 baruénsis. DC. (*wh.*) many-flowered. —— —— .... —— S. ♄. Jacq. ic. 3. t. 486.
17 dumòsa. DC. (*wh.*) bushy. —— 1793. 6. 7. S. ♄.
18 biflòra. DC. (*wh.*) two-flowered. Jamaica. 1759. 4. 5. S. ♄. Brown jam. t. 25. f. 3.
My'rtus biflòra. W.
19 Sieberiàna. DC. (*wh.*) Sieber's. Trinidad. 1824. —— S. ♄.
20 trinérvia. DC. (*wh.*) three-nerved. N. S. W. 1823. .... G. ♄.
My'rtus trinérvia. L.T.
21 trinitàtis. DC. (*wh.*) Trinidad. Trinidad. —— .... S. ♄.
22 Grégii. DC. (*wh.*) Greg's. Dominica. 1776. 6. 7. S. ♄. Gært. fruct. 1. t. 33.
Gréggia aromática. G. *My'rtus Grégii.* W.
23 frágrans. DC. (*wh.*) sweet-scented. Jamaica. 1790. 4. 5. S. ♄. Bot. mag. t. 1242.
24 virgultòsa. DC. (*wh.*) twiggy. W. Indies. 1787. 7. 8. S. ♄.
My'rtus virgultòsa. W.
25 corymbòsa. DC. (*wh.*) corymbose. E. Indies. 1824. .... S. ♄. Rheed. mal. 5. t. 27.
26 pulchélla. H.B. (*wh.*) pretty. —— 1822. .... S. ♄.
27 glandulífera. H.B. (*wh.*) glandular. —— —— 1823. .... S. ♄.
28 obtusifòlia. H.B. (*wh.*) blunt-leaved. —— —— .... S. ♄.
29 cerasoídes. H.B. (*wh.*) Cherry-fruited. —— —— .... S. ♄.
30 Piménta. DC. (*wh.*) Allspice. W. Indies. 1723. 5. 7. S. ♄. Bot. mag. t. 1236.
My'rtus Piménta. W.

JAMB'OSA. DC. JAMB'OSA. Icosandria Monogynia.
1 vulgàris. DC. (*st.*) narrow-leaved. E. Indies. 1768. 2. 7. S. ♄. Bot. mag. t. 1696.
Eugènia Jámbos. B.M.
2 venòsa. DC. (*bh.*) veined-leaved. Madagascar. 1824. .... S. ♄.
3 macrophy'lla. DC. (*wh.*) large-leaved. E. Indies. 1822. .... S. ♄.
4 macrocárpa. (*wh.*) large-fruited. —— —— .... S. ♄.
Eugènia macrocárpa. H.B.
5 purpuráscens. DC. (*pu.*) purple-flower'd. W. Indies. 1768. 5. 8. S. ♄. Andr. reposit. t. 458.
Eugènia malaccénsis. Smith exot. bot. t. 61.
6 malaccénsis. DC. (*wh.*) Malay Apple. E. Indies. —— —— S. ♄. Rheed. mal. 1. t. 18.
7 amplexicaùlis. DC. (*gr.*) stem-clasping. Sumatra. 1820. 3. 6. S. ♄. Bot. reg. t. 1033.
8 áquea. DC. (*ro.*) watery. Moluccas. 1819. —— S. ♄. Rumph. amb. 1. t. 38. f. 2.
Eugènia áquea. H.B.
9 acuminàta. (*gr.*) taper-pointed. Amboyna. 1816. 5. 6. S. ♄.
Eugènia acuminàta. H.B.
10 laurifòlia. DC. (*wh.*) Laurel-leaved. E. Indies. 1824. .... S. ♄.
11 ternifòlia. (*wh.*) three-leaved. —— 1822. —— S. ♄.
Eugènia ternifòlia. H.B.

12 austrâlis. DC. (wh.) Myrtle-leaved. N. Holland. 1812. 5. 9. G. ½. Bot. mag. t. 2230.
Eugènia austrâlis. Colla hort. rip. app. t. 8. *Eugènia myrtifòlia.* Bot. reg. t. 627.

Tribus IV. *BARRINGTONIEÆ.* DC. prodr. v. 3. p. 288.

BARRINGTO'NIA. DC. BARRINGTO'NIA. Monadelphia Polyandria. L.
1 speciòsa. DC. (pu.wh.) beautiful. E. Indies. 1786. .... S. ½. Rumph. amb. 3. t. 114.
2 racemòsa. DC. (wh.) racemed. Malabar. 1822. .... S. ½. Rheed. mal. 4. t. 6.
Eugènia racemòsa. L.
STRAV'ADIUM. DC. STRAV'ADIUM. Monadelphia Polyandria.
1 álbum. DC. (wh.) white-flowered. Moluccas. 1822. .... S. ½. Rumph. amb. 3. t. 116.
2 rùbrum. DC. (re.) red-flowered. ——— —— .... S. ½. ——— 3. t. 115.
Barringtònia acutángula. G. *Eugènia acutángula.* L.
GUST'AVIA. DC. GUST'AVIA. Monadelphia Polyandria. L.
1 augústa. DC. (wh.) large-flowered. Guiana. 1794. .... S. ½. Aubl. guian. 1. t. 192.
2 fastuòsa. DC. (wh.) six-petaled. ——— 1824. .... S. ½. ——— 1. t. 193.

Tribus V. *LECYTHIDEÆ.* DC. prodr. v. 3. p. 290.

LEC'YTHIS. DC. LEC'YTHIS. Monadelphia Polyandria.
1 Ollària. DC. (wh.) sessile-leaved. Brazil. 1820. .... S. ½.
2 minor. DC. (wh.) smaller. Carthagena. 1823. .... S. ½. Jacq. amer. t. 109.
3 grandiflòra. DC. (ro.) large-flowered. Cayenne. 1822. .... S. ½. Au.gu.2.t.283.284.285.
4 Idatìmon. DC. (fl.) flesh-coloured. Guiana. —— .... S. ½. ——— 2. t. 289.
5 amára. DC. (ye.) bitter-seeded. ——— —— .... S. ½. ——2.t.286et.t.285.f.1.
6 parviflòra. DC. (st.) small-flowered. ——— —— .... S. ½. ——— 2. t. 287.
BERTHOLL'ETIA. DC. BERTHOLL'ETIA. Monadelphia Polyandria.
excélsa. DC. (st.) lofty. Brazil. 1824. .... S. ½. H. et B. pl. equ. 1. t. 36.
COUROUP'ITA. DC. COUROUP'ITA. Monadelphia Polyandria.
guianénsis. DC. (bl.) Guiana. Guiana. 1820. .... S. ½. Aubl. guian. 2. t. 282.
Lec'ythis bracteàta. W. *Pèkea Couroupìta.* Juss.

MYRTACEÆ DUBIÆ. DC. prodr. v. 3. p. 394.

CAREYA. R.C. C'AREYA. Monadelphia Polyandria.
1 sph'erica. H.B. (wh.) spherical. E. Indies. 1823. .... S. ½.
2 arbòrea. R.C. (gr.bl.) tree. ——— —— .... S. ½. Roxb. corom. 3. t. 218.
3 herbàcea. R.C. (re.) herbaceous. ——— 1808. 7. 8. S. 4. ——— 3. t. 217.
GRIAS. DC. ANCHOVY PEAR. Polyandria Monogynia.
caulifòra. DC. (wh.) stem-flowering. Jamaica. .... S. ½. Sloan.his.2.t.217.f.1.2.
MA'RLEA. R.C. MA'RLEA. Icosandria Monogynia.
begonifòlia. R.C. (wh.) Begonia-leaved. E. Indies. 1824. .... S. ½. Roxb. corom. 3. t. 283.

ORDO XCV.

CUCURBITACEÆ. *DC. prodr. v. 3. p. 297.*

Tribus II. *CUCURBITEÆ.* DC. prod. 3. p. 299.

LAGENA'RIA. DC. GOURD. Monœcia Monadelphia.
1 vulgàris. DC. (wh.) bottle. India. 1597. 7. 9. H. ⊙.⌣.
α *Gòurda.* DC. (wh.) *common.* ——— —— —— H. ⊙.⌣. Moris. his. s. 1. t. 5. f. 1.
β *Cougòurda.* DC. (wh.) *Cow-gourd.* China. —— —— H. ⊙.⌣. Rumph. amb. 5. t. 144.
γ *deprèssa.* DC. (wh.) *flat-fruited.* India. —— —— H. ⊙.⌣.
δ *turbinàta.* DC. (wh.) *top-fruited.* ——— —— —— H. ⊙.⌣. Moris. his. s. 1. t. 5. f. 2.
ε *clavàta.* DC. (wh.) *club-fruited.* ——— —— —— H. ⊙.⌣. ——— sect. 1. t. 5. f. 3.

2 vittàta. DC.	(*wh.*)	ribbon.	E. Indies.	....	7. 9.	H. ⊙.◡.		
3 idolátrica. DC.	(*wh.*)	Pear-fruited.	———	....	——	H. ⊙.◡.		
C'UCUMIS. DC.		CUCUMBER.	Monœcia Monadelphia. L.					
1 Mèlo. DC.	(*st.*)	Melon.	Tartary.	1570.	5. 9.	F. ⊙.	Blackw. herb. t. 329.	
2 deliciòsus. DC.	(*st.*)	delicious.	E. Indies.	1818.	——	F. ⊙.		
3 satìvus. DC.	(*ye.*)	common.	———	1573.	7. 9.	H. ⊙.	Blackw. herb. t. 4.	
α víridis. DC.	(*ye.*)	*green-fruited.*	———	——	——	H. ⊙.		
β flavus. DC.	(*ye*)	*pale-fruited.*	———	——	——	H. ⊙.		
γ álbus. DC.	(*ye.*)	*white Turkey.*	———	——	——	H. ⊙.		
δ variegàtus. DC.	(*ye.*)	*striped-fruited.*	———	——	——	H. ⊙.		
ε fastigiàtus. DC.	(*ye.*)	*clustered.*	———	——	——	H. ⊙.		
4 flexuòsus. DC.	(*ye.*)	flexuous snake.	———	1597.	5. 9.	F. ⊙.	Lob. stirp. p. 363. f. 2.	
β reflèxus. DC.	(*ye.*)	*angular-leaved.*	———	....	——	F. ⊙.		
5 anguìnus. W.	(*ye.*)	snake-fruited.	———	1820.	7. 9.	F. ⊙.		
6 jamaicénsis. DC.	(*ye.*)	round-fruited.	Jamaica.	1818.	——	F. ⊙.		
7 Chàte. DC.	(*ye.*)	hairy.	Levant.	1759.	6. 7.	H. ⊙.	Alp. ægypt. t. 117.	
8 Dudàim. DC.	(*ye.*)	Apple-fruited.	———	1705.	7. 8.	H. ⊙.	Andr. reposit. t. 548.	
9 prophetàrum. DC.	(*ye.*)	globe-fruited.	———	1777.	6. 9.	F. ⊙.	Jacq. vind. 1. t. 9.	
10 africànus. DC.	(*ye.*)	African.	C. B. S.	1816.	——	G. ♃.◡.	Herm. parad. t. 134.	
11 Angùria. DC.	(*ye.*)	round prickly.	Jamaica.	1692.	7. 9.	H. ⊙.	Mill. ic. 1. t. 33.	
12 Citrúllus. DC.	(*ye.*)	Water Melon.	Africa.	1597.	5. 9.	F. ⊙.	Rumph. amb. 5. t. 146.	
α Pásteca. DC.	(*ye.*)	*firm-fruited.*	———	——	——	F. ⊙.		
β Jàce. DC.	(*ye.*)	*juicy-fruited.*	———	——	——	F. ⊙.		
13 pubéscens. DC.	(*ye.*)	pubescent.	.....	1815.	6. 9.	F. ⊙.		
14 maculàtus. DC.	(*ye.*)	spotted-fruited.	.....	....	——	F. ⊙.	Ser. dis. t. 3.	
15 Colocy'nthis. DC.	(*ye.*)	bitter.	Japan.	1551.	5. 8.	F. ⊙.	Blackw. herb. t. 441.	
16 perénnis. DC.	(*ye.*)	perennial.	N. America.	1824.	6. 8.	F. ⊙.		
17 coronàrius.	(*ye.*)	crowned.	.....	1827.	——	F. ⊙.		
18 Momórdica. H.B.	(*ye.*)	Momordica-like.	E. Indies.	1812.	7. 9.	F. ⊙.		
19 utilíssimus. H.B.	(*ye.*)	useful.	———	1820.	——	F. ⊙.		
20 turbinàtus. H.B.	(*ye.*)	top-shaped.	———	——	——	F. ⊙.		
21 maderaspatànus. W.	(*ye.*)	Madras.	———	1805.	7. 8.	F. ⊙.	Pluk. alm. t. 170. f. 2.	
Brydònia maderaspatàna. DC.								
22 integrifòlius. H.B.	(*ye.*)	entire-leaved.	———	1825.	——	F. ⊙.◡.		
LU'FFA. DC.		LU'FFA.	Pentandria Monogynia.					
1 fœtida. DC.	(*ye.*)	strong-scented.	E. Indies.	1812.	6. 10.	F. ⊙.◡.	Bot. mag. t. 1638.	
2 acutángula. DC.	(*ye.*)	acute-angled.	———	1692.	6. 9.	F. ⊙.◡.	Jacq. vind. 3. t. 73-74.	
Cucumis acutángulus. Jacq.								
3 Plukenetiàna. DC.	(*ye.*)	Plukenet's.	———	....	——	F. ⊙.◡.	Pluk. alm. t. 172. f. 1.	
4 clavàta. H.B.	(*ye.*)	erect.	———	1820.	6. 10.	F. ⊙.		
5 amára. H.B.	(*ye.*)	bitter.	———	——	——	F. ⊙.◡.		
6 gravèolens. H.B.	(*ye.*)	strong-smelling.	———	1823.	——	F. ⊙.◡.		
7 racemòsa. H.B.	(*ye.*)	racemed.	———	——	——	F. ⊙.◡.		
8 ægyptiaca. DC.	(*ye.*)	Egyptian.	Egypt.	1739.	7. 8.	F. ⊙.	Alp. ægyp. t. 58.	
Momórdica Lúffa. L.								
BENINC'ASA. DC.		BENINC'ASA.	Polygamia Monœcia.					
cerífera. DC.	(*ye.*)	musky.	E. Indies.	.....	7. 9.	F. ⊙.	Savi. mem. c. 1818. p. 6.	
BRY'ONIA. DC.		BRYONY.	Monœcia Monadelphia. W.					
1 rostràta. DC.	(*st.*)	rostrate.	E. Indies.	1825.	7. 9.	S. ⊙.◡.		
2 scábra. DC.	(*st.*)	globe-fruited.	C. B. S.	1774.	9. 10.	G. ♃.◡.		
3 verrucòsa. DC.	(*st.*)	warted.	Canaries.	1779.	6. 10.	G. ♃.◡.		
4 scabràta. DC.	(*st.*)	roughish.	E. Indies.	1826.	——	S. ♃.◡.		
5 punctàta. DC.	(*st.*)	dotted.	C. B. S.	1816.	——	G. ♃.◡.		
6 cordàta. DC.	(*st.*)	cordate.	———	——	——	G. ♃.◡.		
7 grándis. DC.	(*re.*)	great-flowered.	E. Indies.	1783.	5. 8.	S. ♃.◡.	Rump. amb. 5. t. 166. f. 1.	
8 umbellàta. DC.	(*st.*)	umbel-flowered.	———	1825.	——	S. ♃.◡.	Rheed. mal. 8. t. 26?	
9 hederæfòlia. DC.	(*st.*)	Ivy-leaved.	Teneriffe.	——	——	G. ♃.◡.	Jacq. fragm. 73. t. 113.	
10 epig'æa. DC.	(*st.*)	leathery-leaved.	E. Indies.	1815.	——	G. ♃.◡.		
11 scabrélla. DC.	(*st.*)	rough-seeded.	———	1781.	6. 8.	S. ⊙.◡.		
12 latebròsa. DC.	(*st.*)	hairy.	Canaries.	1779.	——	G. ♃.◡.		
13 trilobàta. DC.	(*st.*)	three-lobed.	C. B. S.	1816.	——	G. ⊙.◡.		
14 álba. DC.	(*wh.*)	black-fruited.	Europe.	1807.	——	H. ♃.◡.	Lam. ill. t. 796.	
15 dioíca. DC.	(*st.*)	red-fruited.	Britain.	....	5. 9.	H. ♃.◡.	Eng. bot. v. 7. t. 439.	
16 nítida. DC.	(*st.*)	glossy.	.....	1824.	——	S. ♃.◡.		
17 crética. DC.	(*st.*)	Cretan.	Candia.	1759.	7. 9.	G. ♃.◡.	Desf. an. mus. 12. t. 17.	
18 quinquelòba. DC.	(*st.*)	five-lobed.	C. B. S.	....	6. 10.	G. ♃.◡.	Bot. reg. t. 89.	
19 ficifòlia. DC.	(*st.*)	Fig-leaved.	Buenos Ayres.	1726.	——	G. ♃.◡.	Dill. elth. t. 50. f. 58.	
20 variegàta. DC.	(*st.*)	variegated.	America.	....	——	S. ♃.◡.		
21 racemòsa. DC.	(*st.*)	racemed.	Trinidad.	1820.	——	S. ♃.◡.	Plum. amer. 83. t. 97.	

22 pinnatífida. DC.	(st.)	pinnatifid.	C. B. S.	1816.	7. 8.	G. ♃.◡.	
23 divisa. W. en.	(st.)	divided-leaved.	.....	1818.	6. 10.	G. ♃.◡.	
24 palmàta. DC.	(st.)	palmated.	Ceylon.	1778.	7. 8.	S. ♃.◡.	
25 Garcìni. DC.	(st.)	round-lobed.	———	1818.	——	S. ♃.◡.	Burm. ind. t. 57. f. 3.
26 laciniòsa. DC.	(st.)	laciniated.	E. Indies.	1710.	——	S. ♃.◡.	Herm. lugd. 95. t. 97.
27 africàna. DC.	(st.)	African.	C. B. S.	1759.	7. 8.	G. ♃.◡.	Herm. parad. t. 708.
28 disécta. DC.	(st.)	smooth-leaved.	———	1710.	——	G. ♃.◡.	
29 tenélla. H.B.	(st.)	slender.	E. Indies.	1820.	——	S. ♃.◡.	
30 Wallichiàna. DC. *filifórmis.* H.B.	(st.)	filiform.	Nepaul.	——	——	S. ♃.◡.	

SI'CYOS. DC. SINGLE-SEEDED CUCUMBER. Monœcia Monadelphia. W.

1 angulàtus. DC.	(ye.)	angular-leaved.	N. America.	1710.	7. 9.	H. ⊙.◡.	Dill. elth. t. 51. f. 59.
2 parvifiòrus. DC.	(ye.)	small-flowered.	Quito.	1823.	——	H. ⊙.◡.	
3 microphy'llus. DC.	(ye.)	small-leaved.	Mexico.	——	——	H. ⊙.◡.	
4 vitifòlius. DC.	(ye.)	Vine-leaved.	.....	——	——	H. ⊙.◡.	
5 laciniàtus. DC.	(ye.)	jagged-leaved.	S. America.	1827.	——	F. ⊙.◡.	Plum. ed Burm. t. 243.

ELAT'ERIUM. DC. ELAT'ERIUM. Monœcia Monadelphia.

1 gemèllum. DC.	(wh.)	twin-tendrilled.	Mexico.	1826.	6. 9.	H. ⊙.◡.	
2 carthaginénse. DC.	(wh.)	Carthagenian.	Caracas.	1824.	——	F. ⊙.◡.	Jacq. am. pict. t. 232.
3 tamnoìdes. DC.	(st.)	Tamus-like.	Mexico.	1818.	——	H. ⊙.◡.	

MOMO'RDICA. DC. MOMO'RDICA. Monœcia Monadelphia. W.

1 balsamìna. DC.	(ye.)	Balsam Apple.	E. Indies.	1568.	6. 7.	F. ⊙.◡.	Blackw. herb. 6. t. 539.
2 muricàta. DC.	(ye.)	tubercled.	———	....	——	F. ⊙.◡.	Rheed. mal. 8. t. 10.
3 Charántia. DC.	(ye.)	hairy.	———	1710.	——	F. ⊙.◡.	Bot. mag. t. 2455.
β abbreviàta. DC.	(ye.)	*short-fruited.*	———	——	——	F. ⊙.◡.	
4 cylíndrica. DC.	(ye.)	cylindrical.	China.	1816.	——	F. ⊙.◡.	
5 operculàta. DC.	(ye.)	rough-fruited.	W. Indies.	1731.	6. 9.	F. ⊙.◡.	Comm. rar. t. 22.
6 Elatèrium. DC.	(st.)	squirting cucumber.	S. Europe.	1548.	——	H. ♃.	Bot. mag. t. 1914.
7 dioìca. DC.	(ye.)	dicœcious.	E. Indies.	1820.	7. 8.	S. ♃.◡.	Rheed. mal. 8. t. 18.
8 monadélpha. H.B.	(ye.)	monadelphous.	———	1812.	——	S. ♃.◡.	
9 mixta. H.B.	(ye.)	mixed.	———	1820.	——	S. ♃.◡.	
10 umbellàta. H.B.	(ye.)	umbel-flowered.	———	1818.	——	S. ♃.◡.	
11 tubiflòra. H.B.	(ye.)	tube-flowered.	———	1824.	7. 10.	F. ⊙.◡.	

S'ECHIUM. DC. CHOCHO. Monœcia Monadelphia.

1 èdule. DC.	(ye.)	eatable.	W. Indies.	1823.	7. 9.	F. ⊙.◡.	Jacq. amer. t. 163.
2 americànum. DC.	(ye.)	American.	Jamaica.	1825.	——	F. ⊙.◡.	
3 palmàtum. DC.	(st.)	palmated.	Mexico.	1827.	9. 11.	F. ⊙.◡.	Moc. et Ses. fl. mex. ic.

MELO'THRIA. DC. MELO'THRIA. Monœcia Triandria.

1 péndula. DC.	(ye.)	pendulous.	America.	1752.	6. 7.	H. ⊙.◡.	Plum. ic. t. 66. f. 2.
2 fœ'tida. DC.	(ye.)	strong-scented.	Guinea.	1825.	——	S. ♃.◡.	Jacq. ic. 3. t. 624.
Trichosánthes fœtidíssima. Jacq.							

TRICHOSA'NTHES. DC. SNAKE-GOURD. Monœcia Monadelphia. W.

1 anguìna. DC.	(wh.)	common.	China.	1755.	5. 8.	F. ⊙.◡.	Bot. mag. t. 722.
2 colubrìna. DC.	(wh.)	panicled.	.....	1820.	——	F. ⊙.◡.	Jacq. f. eclog. t. 128.
3 dioìca. H.B.	(wh.)	dicœcious.	E. Indies.	——	5. 6.	S. ♃.◡.	
4 cucumerìna. DC.	(wh.)	Cucumber-like.	———	1804.	6. 8.	F. ⊙.◡.	Rheed. mal. 8. t. 15.
5 lobàta. H.B.	(wh.)	lobed-leaved.	———	1812.	——	F. ⊙.◡.	
6 cordàta. H.B.	(wh.)	heart-leaved.	———	1823.	——	S. ♃.◡.	
7 palmàta. H.B.	(wh.)	palmated.	———	1825.	——	S. ♄.◡.	
8 corniculàta. DC.	(wh.)	horn-gourd.	W. Indies.	1810.	6. 7.	S. ♃.◡.	Bot. mag. t. 2703.
tuberòsa. B.M.	*Ceratosánthes tuberòsa.* S.S.						

JOLI'FFIA. DC. JOLI'FFIA. Dicœcia Monadelphia.

africàna. DC.	(pu.)	African.	Zanzibar.	1825.	6. 8.	S. ♄.◡.	Bot. mag. t. 2681.
♀ *fœ'mina.*	(pu.)	*female.*	———	——	——	S. ♄.◡.	——— t. 2681.
Feuill'æa pedàta. B.M.							
♂ *más'cula.*	(pu.)	*male.*	———	1827.	——	S. ♄.◡.	Bot. mag. t. 2751 et 2752.
Telfairia pedàta. Hook. bot. mag. t. 2751.							

CUCU'RBITA. DC. PUMPKIN. Monœcia Monadelphia. W.

1 máxima. DC.	(ye.)	Elephant.	.....	....	7. 10.	H. ⊙.◡.	Tourn. inst. n. 2. t. 84.
α Potíro. DC.	(ye.)	*yellow-fruited.*	.....	....	——	H. ⊙.◡.	
β víridis. DC.	(ye.)	*green-fruited.*	.....	....	——	H. ⊙.◡.	
γ Coërgero. DC.	(ye.)	*small-fruited.*	.....	....	——	H. ⊙.◡.	
2 Melopèpo. DC.	(ye.)	Squash.	.....	1597.	5. 9.	H. ⊙.◡.	Moris. hist. 1. s. 1. t. 8.
3 moschàta. DC.	(ye.)	musk Melon.	W. Indies.	——	6. 9.	F. ⊙.◡.	Dalech. hist. 616. f. 3.
4 villòsa. DC.	(ye.)	woolly-fruited.	E. Indies.	1818.	——	F. ⊙.◡.	
5 Pèpo. DC.	(ye.)	common.	Levant.	1570.	——	H. ⊙.◡.	
α subrotúnda. DC.	(ye.)	*round-fruited.*	———	——	——	H. ⊙.◡.	
β oblonga. DC.	(ye.)	*oblong-fruited.*	———	——	——	H. ⊙.◡.	
6 farinòsa. DC.	(ye.)	mealy-fruited.	E. Indies.	1822.	——	F. ⊙.◡.	

7 verrucòsa. DC.	(*ye.*) warted.	.....	1658.	6. 9.	H. ⊙.⌣.	Banh. hist. 2. p. 222. ic.
8 subverrucòsa. DC.	(*ye.*) oblong-fruited.	.....	....	——	H. ⊙.⌣.	
9 aurántia. DC.	(*ye.*) orange-gourd.	.....	....	——	H. ⊙.⌣.	
α orangìna. DC.	(*ye.*) *true orange.*	.....	....	——	H. ⊙.⌣.	
β colocynthoìdes. DC.	(*ye.*) *variegated-fruit'd.*	....	....	——	H. ⊙.⌣.	
10 ovífera. DC.	(*ye.*) egg-shaped.	Astracan.	....	——	H. ⊙.⌣.	Dod. pempt. 670. f. 1.
α pyriformis. DC.	(*ye.*) *pear-fruited.*	————	....	——	H. ⊙.⌣.	Ser. diss. t. 1.
β subglobòsa. DC.	(*ye.*) *white-striped.*	————	....	——	H. ⊙.⌣.	
γ grìsea. DC.	(*ye.*) *white-spotted.*	————	....	——	H. ⊙.⌣.	
11 fœtidíssima. DC.	(*ye.*) strong-scented.	Mexico.	1825.	——	H. ⊙.⌣.	
12 marsupiàlis. Jacq.	(*ye.*) bag-bearing.	.....	1821.	——	H. ⊙.⌣.	
13 dipsàcea. E.	(*ye.*) Teasel-like.	Egypt.	1827.	——	H. ⊙.⌣.	

ANG'URIA. DC. ANG'URIA. Monœcia Diandria. W.

1 trilobàta. DC.	(*re.*) three-lobed.	Martinico.	1793.	6. 7.	S. ♃.⌣.	Jacq. am. pict. t. 234.
2 pedatisécta. DC.	(*re.*) cut-leaved.	Peru.	1827.	7. 10.	H. ⊙.⌣.	Feuil per. 1. t. 41.
3 pedàta. DC.	(*re.*) pedate-leaved.	St. Domingo.	——	6. 8.	S. ♃.⌣.	Jacq. am. pict. t. 155.

GENERA CUCURBITACEIS AFFINIA.

GRON'OVIA. DC. GRON'OVIA. Pentandria Monogynia. L.

scándens. DC.	(*st.*) climbing.	Jamaica.	1731.	6. 7.	S. ♃.⌣.	Jacq. ic. 2. t. 338.

CA'RICA. S.S. PAPAW-TREE. Dicœcia Decandria. L.

1 Papáya. S.S.	(*st.*) common.	India.	1690.	7. 8.	S. ♄.	Bot. reg. t. 459.
2 pyriformis. S.S.	(*ro.*) Pear-fruited.	Peru.	1825.	....	S. ♄.	Feuil. journ. 3. t. 39.
3 citriformis. S.S.	(*st.*) Citron-fruited.	Guinea.	——	....	S. ♄.	
4 caulifiòra. S.S.	(*st.*) stem-flowering.	Caracas.	1806.	6. 8.	S. ♄.	Jacq. schœnb. 3. t. 311.
5 microcárpa. S.S.	(*st.*) small-fruited.	————	——	——	S. ♄.	———— 3. t. 309. 310.
6 monoíca. Df.	(*st.*) monœcious.	————	1816.	——	S. ♄.	
7 digitàta. S.S. *spinòsa.* W.	(*st.*) spiny.	Guiana.	1822.	....	S. ♄.	Aubl. guian. 2. t. 246.

ORDO XCVI.

PASSIFLOREÆ. *DC. prodr. v. 3. p. 321.*

Tribus I. *PAROPSIEÆ.* DC. prodr. v. 3. p. 322.

SMEATHMA'NNIA. L.T. SMEATHMA'NNIA. Polyandria Pentagynia.

lævigàta. L.T.	(*wh.*) smooth.	Sierra Leone.	1822.	....	S. ♄.	

Tribus II. *PASSIFLOREÆ VERÆ.* DC. prodr. v. 3. p. 322.

PASSIFL'ORA. DC. PASSION-FLOWER. Monadelphia Pentandria.

1 holoserícea. DC.	(*st.*) silky-leaved.	Vera Cruz.	1733.	5. 8.	S. ♄.⌣.	Bot. reg. t. 59.
2 pállida. DC.	(*gr.*) pale-flowered.	W. Indies.	1820.	5. 10.	S. ♄.⌣.	———— t. 660.
3 cùprea. DC.	(*co.*) copper-colour'd.	Bahama Isl.	1724.	7. 8.	S. ♄.⌣.	Jacq. ic. 3. t. 606.
4 multifiòra. DC.	(*wh.*) many-flowered.	Vera Cruz.	1731.	6. 9.	S. ♄.⌣.	Cavan. diss. 10. t. 272.
5 pubéscens. DC.	(*wh.*) pubescent.	Caracas.	1825.	——	S. ♄.⌣.	
6 mexicàna. DC.	(*wh.*) Mexican.	Mexico.	1812.	——	S. ♄.⌣.	Jus. an. mus. 6. t. 38. f. 2.
7 normàlis. DC.	(*cr.*) linear-lobed.	Jamaica.	1771.	5. 7.	S. ♄.⌣.	
8 angustifòlia. DC. *heterophy'lla.* Jacq. schœn. 2. t. 181.	(*gr.*) narrow-leaved.	W. Indies.	1773.	6. 9.	S. ♄.⌣.	Bot. reg. t. 186.
9 maculàta. DC.	(*wh.*) painted-leaved.	N. America.	1812.	——	G. ♄.⌣.	Pluk. t. 210. f. 3.
10 grácilis. DC.	(*wh.*) slender.	————	1823.	6. 10.	S. ⊙.⌣.	Bot. reg. t. 870.
11 lutèa. DC.	(*st.*) pale yellow.	————	1714.	5. 8.	F. ♃.⌣.	———— t. 79.
12 mínima. DC.	(*gr.*) small.	S. America.	1690.	7. 9.	S. ♄.⌣.	———— t. 144.
13 hirsùta. DC.	(*gr.*) hairy-stalked.	W. Indies.	1778.	8. 10.	S. ♄.⌣.	Plum. amer. t. 88.
14 suberòsa. DC.	(*wh.*) cork-barked.	————	1759.	6. 9.	S. ♄.⌣.	Sm. exot. bot. 1. t. 28.

15 peltàta. DC. (*st.*) peltate. W. Indies. 1778. 8. 10. S. ♄.⌣. Bot. reg. t. 507.
16 hederàcea. DC. (*wh.*) Ivy-leaved. Antilles. .... 6. 7. S. ♄.⌣. Plum. amer. t. 84.
17 pannòsa. DC. (*fl.*) cloth-leaved. W. Indies. 1824. 6. 9. S. ♄.⌣.
18 cuneàta. W.en. (*wh.*) wedge-leaved. S. America. 1820. 6. 10. S. ♄.⌣.
19 multifòrmis. DC. (*wh.*) multiform. Caracas. 1825. —— S. ♄.⌣. Jacq. frag. t. 67. f. 1.
caracasàna. W.en.
20 heterophy'lla. DC. (*wh.*) various-leaved. St. Domingo. 1817. —— S. ♄.⌣. Plum.ed.Bur.t.139.f.1.
21 rubricaùlis. Jac. (*re.*) red-stalked. S. America. 1821. 6. 8. S. ♄.⌣.
22 perfoliàta. DC. (*pu.*) perfoliate. W. Indies. 1806. 7. 9. S. ♄.⌣. Bot. reg. t. 78.
23 rùbra. DC. (*fl.*) red-fruited. ———— 1731. 4. 9. S. ♄.⌣. ———— t. 95.
24 capsulàris. DC. (*wh.*) angular-fruited. ———— 1826. —— S. ♄.⌣. Bot. mag. t. 2868?
25 bifòra. DC. (*wh.*) crescent-leaved. ———— 1733. —— S. ♄.⌣. Sm. ic. pict. 1. t. 1.
lunàta. Sm. *non* Juss. *Vespertilio*. Miss Lawr. pass. t. 8. *nec aliorum*.
β? acutilòba. (*wh.*) *acute-lobed*. W. Indies. —— —— S. ♄.⌣. Bot. reg. t. 577.
26 Vespertìlio. DC. (*wh.*) bat-winged. ———— 1732. 5. 6. S. ♄.⌣. Dill. elth. t. 137. f. 164.
27 Maximiliàna. DC. (*wh.*) two-coloured. Brazil. 1820. 6. 10. S. ♄.⌣. Bot. reg. t. 597.
Vespertìlio. B.R. *nec aliorum*. *discolor*. Lodd. bot. cab. t. 565.
28 oblongàta. DC. (*wh.*) oblong-leaved. Jamaica. 1822. —— S. ♄.⌣.
29 tuberòsa. DC. (*pa.*) tuberous-root'd. S. America. 1784. —— S. ♄.⌣. Bot. reg. t. 432.
punctàta. Lodd. bot. cab. t. 101.
30 rotundifòlia. DC. (*wh.*) round-leaved. W. Indies. 1779. 5. 8. S. ♄.⌣. Cavan. dis. t. 290.
31 punctàta. DC. (*st.*) dotted-leaved. Peru. 1784. 5. 6. S. ♄.⌣. ———— 6. t. 269.
32 serratifòlia. DC. (*pu.*) notch-leaved. W. Indies. 1731. 5. 10. S. ♄.⌣. Bot. mag. t. 651.
33 coccìnea. DC. (*sc.*) scarlet-flower'd. Guiana. 1823. .... S. ♄.⌣. Aubl. guian. 3. t. 324.
34 mucronàta. DC. (*v.*) mucronate. Brazil. 1822. .... S. ♄.⌣. Cavan. diss. t. 282.
35 malifòrmis. DC. (*v.*) Apple-fruited. W. Indies. 1731. 7. 11. S. ♄.⌣. Bot. reg. t. 94.
36 tiliæfòlia. DC. (*wh.*) Lime-tree-l'd. Peru. 1822. .... S. ♄.⌣. Feuill. obs. 2. t. 12.
37 ligularis. DC. (*v.*) taper-pointed. ———— —— 4. 8. S. ♄.⌣. Juss. an. mus. 6. t. 40.
38 quadrangulàris. DC. (*v.*) square-stalked. Jamaica. 1768. 8. 10. S. ♄.⌣. Bot. reg. t. 14.
39 alàta. DC. (*v.*) wing-stalked. W. Indies. 1772. 4. 8. S. ♄.⌣. Bot. mag. t. 66.
40 álbida. DC. (*wh.*) white-flowered. Brazil. 1816. 7. 11. S. ♄.⌣. Bot. reg. t. 677.
41 angulàta. Cerv. (*wh.*) angular-stalked. Mexico. 1823. —— G. ♄.⌣.
42 laurifòlia. DC. (*v.*) Laurel-leaved. W. Indies. 1690. 6. 8. S. ♄.⌣. Bot. reg. t. 13.
43 tinifòlia. DC. (*v.*) Tinus-leaved. ———— 1822. —— S. ♄.⌣. Juss. an. mus. 6. t. 41. f. 2.
44 racemòsa. DC. (*sc.*) racemed. Brazil. 1816. 1. 12. S. ♄.⌣. Bot. reg. t. 285.
45 sanguínea. DC. (*cr.*) crimson. Hybrid. 1820. —— G. ♄.⌣.
46 cærùleo-racemòsa. (*pu.*) Whitley's mule. ———— —— —— G. ♄.⌣. Lodd. bot. cab. t. 573.
α quinquelobàta. H.T. (*pu.*) *five-lobed*. ———— —— —— G. ♄.⌣. Hort. trans. 4. t. 9.
β trilobàta. H.T. (*pu.*) *three-lobed*. ———— —— —— G. ♄.⌣.
γ racemífera. (*pu.*) *raceme-bearing*. ———— —— —— G. ♄.⌣.
47 alàto-cærùlea. DC. (*ro.*) Masters's mule. Hybrid. 1823. 4. 8. G. ♄.⌣. Bot. reg. t. 848.
48 stipulàta. DC. (*wh.*) glaucous-leaved. Cayenne. 1779. 8. 9. S. ♄.⌣. Aubl. guian. 2. t. 325.
glàuca. Bot. reg. t. 88. *non* Humb.
49 incarnàta. DC. (*bl.*) flesh-coloured. N. America. 1629. 7. 9. H. ♄.⌣. Miss Lawr. pass. ic.
β? integrilòba. DC. (*bl.*) *entire-lobed*. ———— 1812. —— H. ♄.⌣. Bot. reg. t. 332.
50 èdulis. DC. (*bl.*) eatable-fruited. Brazil. 1816. 6. 10. G. ♄.⌣. Bot. mag. t. 1989.
incarnàta. *β*. Bot. reg. t. 152.
51 vitifòlia. DC. (*wh.*) Vine-leaved. S. America. 1824. .... S. ♄.⌣.
52 filamentòsa. DC. (*v.*) filamentose. ———— 1819. 7. 10. G. ♄.⌣. Cavan. diss. 10. t 294.
53 palmàta. DC. (*v.*) palmate-leaved. Brazil. —— —— F. ♄.⌣. Lodd. bot. cab. t. 97.
54 Colvillii. DC. (*v.*) Colvill's mule. Hybrid. 1823. —— H. ♄.⌣. Swt. br. fl. gar. t. 126.
55 cærùlea. DC. (*wh. bl.*) common. Brazil. 1699. —— H. ♄.⌣. Bot. reg. t. 488.
β glaucophy'lla. (*wh. bl.*) glaucous-leaved. ———— .... —— H. ♄.⌣.
γ angustifòlia. (*wh. bl.*) narrow long-l'd. ———— .... —— H. ♄.⌣.
56 chinénsis. (*wh. bl.*) Chinese. China. 1819. 6. 10. G. ♄.⌣.
cærùlea Lour. *nec aliorum*.
57 serrata. DC. (*pa.*) saw-leaved. Martinica. 1800. .... S. ♄.⌣. Cavan. diss. 10. t. 296.
58 digitàta. R.P. (*pa.*) digitate. Peru. 1824. .... S. ♄.⌣.
59 pedàta. DC. (*pa.*) curl-flowered. W. Indies. 1781. .... S. ♄.⌣. Plum. am. t. 81.
60 picturàta. DC. (*v.*) pictured. Brazil. 1823. 6. 9. S. ♄.⌣. Bot. reg. t. 673.
61 hibiscifòlia. (*wh. bl.*) Hibiscus-leav'd. Caribees. 1825. —— S. ♄.⌣. Plum. am. t. 86.
62 fœtida. (*wh. bl.*) stinking. W. Indies. 1731. 7. 9. S. ⅋.⌣. Bot. mag. t. 2619.
63 hircina. ed. 1. (*wh. bl.*) strong-scented. Brazil. .... 5. 10. S. ♄.⌣. Bot. reg. t. 321.
fœtida. Bot. reg. *nec aliorum*. *hirsùta*. Bot. cab. 138. *nec aliorum*.
64 ciliàta. DC. (*wh. ro.*) ciliated. Jamaica. 1783. 7. 9. S. ♄.⌣. Bot. mag. t. 288.

DISE'MMA. DC. DISE'MMA. Monadelphia Pentandria.

1 Herbertiàna. DC. (*st.*) L'd. Caernarvon's. N. Holland. 1822. 6. 10. G. ♄.⌣. Bot. reg. t. 737.
Passiflòra Herbertiàna. B.R.
2 adianthifòlia. DC. (*or.*) Adiantum-l'd. Norfolk Isl. 1792. —— G. ♄.⌣. Bot. reg. t. 233.
Passiflòra auràntia. Andr. reposit. t. 205. *Passiflòra glàbra*. Wendl. coll. 1. t. 17.

MURUC'UIA. DC. Muruc'uia. Monadelphia Pentandria.
ocellàta. DC. (*or.*) ocellated. W. Indies. 1739. 7. 8. S. ♄.⌣. Bot. reg. t. 574.
Passiflòra Murucùja. B.R. Lin. am. 1. t. 10. f. 10.
TACS'ONIA. DC. Tacs'onia. Monadelphia Pentandria.
1 pinnatistìpula. DC. (*ro.*) feather-stipuled. Chile. 1826. .... S. ♄.⌣. Cavan. ic. 5. t. 426.
2 pedunculàris. DC. (*ro.*) long-peduncled. Peru. 1815. .... S. ♄.⌣. ——— 5. t. 426.
Passiflòra pedunculàris. Cav.
MODE'CCA. DC. Mode'cca. Dicœcia Monadelphia.
1 lobàta. DC. (*gr.*) lobe-leaved. Sierra Leone. 1816. 6. 9. S. ♄.⌣. Bot. reg. t. 433.
2 trilobàta. H.B. (*gr.*) three-lobed. E. Indies. 1823. —— S. ♄.⌣. Roxb. coron. 3. ic.
3 tuberòsa. H.B. (*gr.*) tuberous-rooted. ——— 1822. —— S. ♄.⌣. Rumph. amb. 8. t. 20.

ORDO XCVII.

LOASEÆ. *DC. prodr. v.* 3. *p.* 339.

BART'ONIA. DC. Bart'onia. Polyandria Monogynia.
1 ornàta. DC. (*wh.*) naked-seeded. Missouri. 1811. 7. 9. F. ♂. Bot. mag. t. 1487.
decapétala. B.M.
2 nuda. DC. (*wh.*) winged-seeded. ——— —— —— F. ♃.
BLUMENBA'CHIA. DC. Blumenba'chia. Polyandria Monogynia.
insignis. DC. (*wh.*) elegant. Chile. 1826. 7. 10. H. ⊙. Swt. br. fl. gar. t. 171.
Loàsa palmàta. Treviranus. *pàtula.* Gr.
SCYPHA'NTHUS. B.F.G. Cup-flower. Polyandria Monogynia.
élegans. B.F.G. (*ye.*) elegant. Chile. 1824. 5. 9. F. ♄.⌣. Swt. br. fl. gar. t. 238.
LO'ASA. DC. Lo'asa. Polyandria Monogynia.
1 bryoniæfòlia. DC. (*ye.*) Bryony-leaved. Chile. 1828. 6. 9. H. ⊙. Schrad. pl. rar. gœt. ic.
2 tricolor. DC. (*ye.*) three-coloured. ——— 1822. 8. 10. H. ⊙. Bot. reg. t. 667.
3 nítida. DC. (*ye.*) glossy-leaved. Peru. —— 7. 10. H. ⊙. Hook. exot. bot. t. 83.
4 Plàcei. H.T. (*ye.*) Place's. Chile. —— —— H. ⊙. Bot. reg. t. 785.
acanthifòlia. B.R. *non* Lamarck.
5 grandiflòra. DC. (*ye.*) large-flowered. Peru. 1825. —— H. ⊙. Juss. an. mus. 5. t. 4. f. 2.
MENTZ'ELIA. DC. Mentz'elia. Polyandria Monogynia.
1 áspera. DC. (*or.*) rough. W. Indies. 1773. 7. 9. S. ⊙. Plum. ed. Bur. t. 174. f. 1.
2 oligospérma. DC. (*or.*) few-seeded. Louisiana. 1812. 5. 7. F. ♃. Bot. mag. t. 1760.
3 híspida. DC. (*or.*) hispid. Mexico. 1824. 6. 9. F. ♃. Cavan. ic. 1. t. 70.

ORDO XCVIII.

TURNERACEÆ. *DC. prodr. v.* 3. *p.* 345.

TURN'ERA. DC. Turn'era. Pentandria Trigynia. L.
1 ulmifòlia. DC. (*ye.*) Elm-leaved. Jamaica. 1733. 6. 9. S. ♄. Linn. h. cliff. t. 10.
2 angustifòlia. B.M. (*ye.*) narrow-leaved. ——— —— 4. 9. S. ♄. Bot. mag. t. 281.
3 cuneifórmis. DC. (*ye.*) wedge-leaved. Brazil. 1821. —— S. ♄.
4 trioniflòra. DC. (*ye.*) Ketmia-flow'd. Trinidad. 1812. —— S. ♄. Bot. mag. t. 2106.
élegans. R.S.
5 acùta. DC. (*ye.*) acute-leaved. Jamaica. 1826. —— S. ♄.
6 Pumílea. DC. (*ye.*) nettle-leaved. ——— 1796. 8. 9. S. ⊙. Sloan. hist. t. 127. f. 6.
7 rupéstris. DC. (*ye.*) rock. Guiana. 1826. 6. 9. S. ♄. Aubl. guian. 1. t. 113. f. 1.
8 guianénsis. DC. (*ye.*) Guiana. ——— —— —— S. ⊙. ——— 1. t. 114.
9 cistoídes. DC. (*ye.*) Cistus-like. America. 1774. 6. 10. H. ⊙. Plum. ic. t. 150. f. 1.
10 racemòsa. DC. (*ye.*) raceme-flower'd. St. Domingo. 1789. 7. 10. S. ⊙. Jacq. vind. 3. t. 94.
PIRIQU'ETA. DC. Piriqu'eta. Pentandria Trigynia.
villòsa. DC. (*ye.*) villous. Guiana. 1826. 7. 10. S. ⊙. Aubl. guian. 1. t. 117.

ORDO XCIX.

PORTULACEÆ. *DC. prodr. v. 3. p.* 351.

TRIA'NTHEMA. DC. TRIA'NTHEMA. Pent-Decandria Mono-Trigynia.

1 decándra. DC.	(*gr.*) trailing.	E. Indies.	1768.	7. 8.	S. ☉.	Burm. ind. t. 81. f. 3.
2 triquètra. DC.	(*gr.*) triquetrous.	———	1826.	——	S. ☉.	
3 obcordàta. H.B.	(*gr.*) obcordate.	———	1829.	——	S. ☉.	
4 monógyna. DC.	(*gr.*) Purslane-leav'd.	Jamaica.	1716.	——	S. ☉.	DC. plant. gras. t. 109.

PORTULA'CA. DC. PURSLANE. Oct-Dodecandria Monogynia.

1 oleràcea. H.S.	(*ye.*) small.	Europe.	1562.	6. 8.	H. ☉.	DC. plant. gras. t. 128.
2 satìva. H.S.	(*ye.*) garden.	America.	1652.	6. 9.	H. ☉.	
β aùrea. H.S.	(*ye.*) *golden.*	———	——	——	H. ☉.	
3 parvifòlia. H.S.	(*ye.*) small-leaved.	Jamaica.	1799.	8. 10.	H. ☉.	
4 foliòsa. DC.	(*ye.*) leafy.	Guinea.	1822.	6. 8.	S. ☿.	Bot. reg. t. 793.
5 involucràta. H.B.	(*ye.*) leafy-flowered.	.....	1819.	8. 9.	S. ♄.	
6 marginàta. DC.	(*ye.*) red-margined.	Caracas.	1822.	6. 10.	H. ☉.	
7 halimoìdes. DC.	(*ye.*) Halimus-leaved.	Jamaica.	1823.	8. 9.	S. ☉.	Sloan. hist. 1. t. 129. f. 3.
8 mucronàta. DC.	(*ye.*) mucronate.	.....	1827.	6. 9.	S. ☉.	
9 quadrifida. DC.	(*ye.*) quadrifid.	Asia.	1773.	8. 9.	S. ☉.	Jacq. coll. 2. t. 17. f. 4.
10 meridiàna. H.S.	(*ye.*) noon-day.	E. Indies.	1791.	5. 6.	S. ☉.	Rheed. mal. 10. t. 31.
11 grandiflòra. B.M.	(*va.*) large-flowered.	Chile.	1828.	6. 8.	F. ☿.	Bot. mag. t. 2885.
α purpùrea.	(*pu.*) *purple-flowered.*	———	——	——	F. ☿.	——— t. 2885. f. 2.
β aurantiaca.	(*or.*) *orange-coloured.*	———	——	——	F. ☿.	——— t. 2885. f. 1.
12 pilòsa. DC.	(*pu.*) hairy.	W. Indies.	1690.	——	S. ♄.	Bot. reg. t. 792.
13 setàcea. H.S.	(*pu.*) bristly.	———	——	——	S. ☉.	Pluk. phyt. t. 246. f 6.

ANACA'MPSEROS. DC. ANACA'MPSEROS. Dodecandria Monogynia.

1 telephiástrum. DC.	(*re.*) round-leaved.	C. B. S.	1732.	7. 9.	D.I. ♄.	DC. plant. gras. t. 3.
Portulàca Anacámpseros. L. *Talinum Anacámpseros.* W. *Rulingia Anacámpseros.* H.S.						
2 arachnoides. DC.	(*bl.*) cobweb.	C. B. S.	1790.	7. 9.	D.I. ♄.	Bot. mag. t. 1368.
3 vàrians.	(*re.*) various-leaved.	———	1812.	——	D.I. ♄.	
Rulingia vàrians. H.S.S.						
4 rùbens. DC.	(*re.*) red-leaved.	———	1796.	——	D.I. ♄.	
5 filamentòsa. DC.	(*ro.*) thready.	———	1795.	——	D.I. ♄.	Bot. mag. t. 1367.
6 lanceolàta. DC.	(*ro.*) spear-leaved.	———	1796.	——	D.I. ☿.	
7 angustifòlia. DC.	(*ro.*) narrow-leaved.	———	1819.	——	D.I. ♄.	
8 rufèscens. DC.	(*bl.*) rufescent.	———	1818.	——	D.I. ♄.	
9 trigòna. DC.	(*bl.*) trigonal-leaved.	———	——	——	D.I. ♄.	Burm. afr. t. 30. f. 2.
10 lanìgera. DC.	(*ro.*) woolly.	———	——	——	D.I. ♄.	
11 intermèdia. H.P.	(*ro.*) intermediate.	———	1823.	——	D.I. ♄.	
12 polyphy'lla. DC.	(*ro.*) many-leaved.	———	——	——	D.I. ♄.	
Rulingia polyphy'lla. H.S.S.						

TAL'INUM. DC. TAL'INUM. Dodecandria Monogynia.

1 teretifòlium. DC.	(*ro.*) round-leaved.	N. America.	1820.	7. 8.	H. ☿.	Lodd. bot. cab. t. 819.
2 crassifòlium. DC.	(*ro.*) thick-leaved.	Caribees.	1800.	8. 9.	S. ♄.	Jacq. vind. 3. t. 52.
3 fruticòsum. W.	(*wh.*) white-flowered.	S. America.	....	——	S. ♄.	Comm. hort. 1. t. 4.
4 triangulàre. DC.	(*ye.*) triangular.	W. Indies.	1739.	——	S. ♄.	Jacq. obs. 1. t. 23.
5 pàtens. DC.	(*re.*) spreading-fl'd.	S. America.	1776.	8. 10.	S. ♂.	Jacq. vind. 2. t. 151.
paniculàtum. Gært. fruct. 2. t. 128. *Portulàca paniculàta.* Jacq. amer. *non* R.P.						
6 reflexum. DC.	(*ye.*) reflex-flowered.	S. America.	1800.	8. 10.	S. ♂.	Bot. mag. t. 1548.
7 cuneifòlium. DC.	(*re.*) wedge-leaved.	Arabia.	1823.	——	S. ♄.	
8 lineàre. H.S.	(*ye.*) linear-leaved.	Mexico.	1827.	——	H. ☉.	
9 purpùreum. F.	(*pu.*) purple.	.....	——	——	H. ☉.	

CALANDRI'NIA. DC. CALANDRI'NIA. Dodecandria Monogynia.

1 paniculàta. DC.	(*ro.*) panicled.	S. America.	1812.	8. 10.	H. ☉.	
2 pilosiúscula. DC.	(*ro.*) ciliated.	Chile.	1823.	——	H. ☉.	Hook. ex. flor. 1. t. 82.
Talinum ciliàtum. Hooker *non* R.P. ex DC.						
3 Phacospérma. DC.	(*ro.*) Peruvian.	Peru.	1827.	——	G. ♂.	
4 caulèscens. DC.	(*ro.*) caulescent.	Mexico.	——	——	H. ☉.	H. et B. n. ge. am. 6. t. 526.
5 compréssa. DC.	(*ro.*) compressed.	Chile.	1826.	——	H. ☉.	
β adscéndens. Otto.	(*ro.*) *ascending*	———	——	——	H. ☉.	
6 glaùca. DC.	(*ro.*) glaucous-leaved.	———	1827.	——	D.G. ♄.	
7 grandiflòra. B.R.	(*ro.*) large-flowered.	———	1826.	6. 10.	D.G. ♄.	Bot. reg. t. 1194.
8 Andre'wsii.	(*ro.*) Andrews's.	W. Indies.	1812.	8. 10.	D.G. ♄.	Andr. rep. t. 258.
Talinum pàtens. A.R. *nec aliorum.*						
9 Lockhárti.	(*ro.*) Lockhart's.	Trinidad.	1825.	6. 9.	D.G. ♄.	
Talinum grandiflòrum. Lockhart.						

PORTULAC'ARIA. DC. Purslane-tree. Pentandria Trigynia.
A'fra. DC. (*ro.*) African. Africa. 1732. 6. 9. D.G. ♄. DC. plant. gras. t. 182.
CLAYT'ONIA. DC. Clayt'onia. Pentandria Monogynia. L.
1 perfoliàta. DC. (*wh.*) small-flowered. N. America. 1794. 5. 8. H. ⊙. Bot. mag. t. 1336.
cubénsis of Bonp.an.mus.7.t.6. is a very different species,according to G.Don,who saw it growing wild.
2 alsinoides. DC. (*wh.*) chickweed-like.Nootka-sound.1794. 3. 6. H. ⊙. Bot. mag. t. 1309.
3 lanceolàta. DC. (*wh.*) spear-leaved. N. America. 1812. 3. 5. H. ♃. Pursh. fl. amer. 1. t. 3.
4 sibírica. DC. (*ro.*) Siberian. Siberia. 1768. 5. 8. H. ⊙. Swt. br. fl. gar. t. 16.
5 acutifòlia. DC. (*wh.*) acute-leaved. ——— 1827. .... H. ♃.
6 Vestiàna. F. (*ro.*) Vest's. Altay. —— .... H. ♃.
7 unalaschkénsis. R.S.(*wh.*) Unalaschka. Unalaschka. 1824. 3. 6. H. ⊙.
8 virginiàna. L. (*wh.*) notch-petal'd. N. America. 1748. 3. 8. H. ♃. Pluk. alm. t. 102. f. 3.
9 acutifòlra. (*wh.*) acute-petal'd. ——— .... —— H. ♃. Bot. mag. t. 941.
virgínica. B.M. *non* L. *virginiàna a. acutifòlra.* DC.
10 grandiflòra. B.F.G.(*pi.*) large-flowered. N. America. .... —— H. ♃. Swt. br. fl. gar. t. 216.
11 caroliniàna. M. (*pi.*) spatula-leaved. ——— 1789. —— H. ♃. ——— v. 3. t. 208.
MO'NTIA. DC. Water Chickweed. Triandria Trigynia. L.
fontàna. DC. (*wh.*) common. Britain. .... 4. 6. H. ⊙. Eng. bot. v. 17. t. 1206.
GINGI'NSIA. DC. Gingi'nsia. Pentandria Trigynia.
1 brevicaùlis. DC. (*pi.*) short-stalked. C. B. S. 1816. 5. 6. G. ♄. DC.m.s.his.n.pa.v.4.ic.
2 elongàta. DC. (*pi.*) long-peduncled. ——— 1795. —— G. ♄. Andr. rep. t. 329?
Pharnàceum incànum. L. *linearе.* Andr. *non alior.*
3 auràntia. DC. (*or.*) orange-flowered.C. B. S. —— —— G. ♄. Andr. rep. t. 326.
4 álbens. DC. (*wh.*) white-flowered. ——— —— G. ♄. ——— t. 329?
5 confèrta. DC. (*wh.*) close-leaved. ——— 1782. 5. 10. G. ♄. Bot. mag. t. 1883.
Pharnàceum incànum. B.M. *non* L.
L'IMEUM. W. L'imeum. Heptandria Digynia. L.
africànum. W. (*wh.*) African. C. B. S. 1774. 6. 7. G. ♃.

ORDO C.

PARONYCHIEÆ. *DC. prodr. v. 3. p. 365.*

Tribus I. *TELEPHIEÆ.* DC. prodr. v. 3. p. 366.

TEL'EPHIUM. DC. Orpine. Pentandria Trigynia. L.
Imperàti. DC. (*wh.*) true. S. Europe. 1658. 6. 8. H. ♃. Schkuhr. handb.1.t.85.
CORRIGI'OLA. DC. Strapwort. Pentandria Trigynia. L.
1 telephiifòlia. DC. (*wh.*) Orpine-leaved. Spain. 1822. 6. 8. H. ♃.
2 littoràlis. DC. (*wh.*) sand. England. .... 7. 8. H. ♃. Eng. bot. v. 10. t. 668.

Tribus II. *ILLECEBREÆ.* DC. prodr. v. 3. p. 367.

HERNI'ARIA. DC. Rupture-wort. Pentandria Digynia. L.
1 cinèrea. DC. (*gr.*) cinereous. Montpelier. 1816. 7. 8. H. ⊙.
2 glábra. DC. (*gr.*) smooth. England. .... —— H. ♃. Eng. bot. v. 3. t. 206.
3 hirsùta. DC. (*gr.*) hairy. ——— .... —— H. ♃. ——— v. 20. t. 1379.
4 incàna. DC. (*gr.wh.*) hoary. S. Europe. 1816. 5. 8. H. ♃. Pluk. alm. t. 53. f. 3.
5 Bessèri. DC. (*gr.*) Besser's. Tauria. 1824. —— H. ♃.
6 alpìna. DC. (*gr.*) alpine. S. Europe. 1816. 7. 8. H. ♃.
7 fruticòsa. DC. (*gr.*) frutescent. Spain. 1814. 5. 8. H. ♄.
8 polygonoides. DC.(*gr.*) Knot-grass-like.S. Europe. 1752. —— F. ♄. Cavan. ic. 2. t. 137.
ANY'CHIA. DC. Any'chia. Pentandria Monogynia.
1 dichótoma. DC. (*gr.*) forked. N. America. 1806. 5. 8. H. ♂.
Quèria canadénsis. L.
2 capillàcea. DC. smooth-stalked. ——— 1824. —— H. ♂.
ILLE'CEBRUM. DC. Knot-grass. Pentandria Monogynia. L.
verticillàtum.DC.(*wh.*) whorled. England. .... 7. 8. H. ♃. Eng. bot. v. 13. t. 895.
CHÆTONY'CHIA. DC.Chætony'chia. Pentandria Monogynia.
cymòsa. DC. (*wh.*) cymose. S. Europe. 1817. 6. 7. H. ♃. Flor. Græc. t. 245.
Illecèbrum cymòsum. L.
PARONY'CHIA. DC. Parony'chia. Pentandria Monogynia.
1 echinàta. DC. (*wh.*) bristly. S. Europe. 1817. 6. 7. H. ♃. Schrad. journ.1801.t.4.

2 bonariénsis. DC.	(wk.)	Buenos Ayres.	BuenosAyres.	1826.	8. 10.	H. ☉.		
brasiliàna. Lam. dict. 5. p. 23.								
3 arábica. DC.	(wk.)	Arabian.	Arabia.	1828.	7. 10.	H. ☉.	Descr. de l'Egyp. t. 18.	
4 polygonifòlia. DC.	(wk.)	Polygonum-ld.	Dauphiny.	1816.	5. 8.	H. ♃.	Vill. delph. 2. t. 16.	
5 argéntea. DC.	(wk.)	silvery.	S. Europe.	1640.	——	H. ♃.	Flor. græc. t. 246.	
hispánica. s.s. *Illécebrum Parony'chia.* L.								
6 itálica. R.s.	(wk.)	Italian.	Italy.	1816.	——	H. ♃.	Vill. delph. 2. p. 410. ic.	
7 capitàta. DC.	(wk.)	capitate.	Spain.	1683.	6. 8.	H. ♃.	Flor. græc. t. 247.	
8 serpyllifòlia. DC.	(wk.)	Thyme-leaved.	S. Europe.	1820.	——	H. ♃.	Schrad. journ. 1801. t. 4.	
9 nívea. DC.	(wk.)	villous-leaved.	———	1812.	——	H. ♃.	Barrel. ic. t. 687.	
10 tenuifòlia. L.en.	(wk.)	slender-leaved.	.....	1822.	——	H. ☉.		
11 alsinefòlia. R.s.	(wk.)	Chickweed-leav'd.	Spain.	....	——	H. ☉.	Scop. del. ins. t. 13.	
14 pubéscens. R.s.	(wk.)	pubescent.	S. France.	1818.	——	H. ♃.	Schra. jour. 1801. p. 412.	

Tribus III. *POLYCARPÆÆ.* DC. prodr. v. 3. p. 373.

POLYCARP'ÆA. DC. POLYCARP'ÆA. Pentandria Monogynia.

1 gnaphalòdes. DC.	(wk.)	woolly-leaved.	Canaries.	1818.	6. 8.	F. ♄.		
Hàgea gnaphalòdes. P.s. *Móllia gnaphalòdes.* s.s. *Lahàya gnaphalòdes.* R.s.								
2 latifòlia. DC.	(wk.)	broad-leaved.	Teneriffe.	1816.	7. 8.	F. ♄.	Schrank pl. rar. t. 29.	
3 Teneriffæ. DC.	(wk.)	forked.	———	1779.	——	H. ☉.	W. hort. ber. 1. t. 11.	
Móllia diffùsa. W. *Lahàya diffùsa.* Schult. syst.								
4 aristàta. DC.	(wk.)	bearded.	Canaries.	1780.	6. 7.	F. ♄.		
5 memphítica. DC.	(wk.)	Egyptian.	Egypt.	1828.	7. 9.	H. ☉.	Delil. fl. æg. t. 24. f. 2.	
6 carnòsa. DC.	(wk.)	fleshy-leaved.	Canaries.	1816.	6. 8.	F. ♄.		
7 Smithii. DC.	(wk.)	Smith's.	———	——	——	F. ♄.		

ORT'EGIA. DC. ORT'EGIA. Triandria Monogynia. L.

1 hispánica. DC.	(gr.)	Spanish.	Spain.	1768.	6. 7.	H. ♃.	Cavan. ic. 1. t. 47.	
2 dichótoma. DC.	(gr.)	forked.	Italy.	1781.	8. 9.	H. ♃.	All. ac. taur. 3. t. 4. f. 1.	

POLYCA'RPON. DC. ALL-SEED. Tri-Pentandria Trigynia.

1 tetraphy'llum. DC.	(wk.)	four-leaved.	England	....	5. 8.	H. ☉.	Eng. bot. v. 15. t. 1031.	
2 alsinefòlium. DC.	(wk.)	Chickweed-ld.	S. Europe.	....	——	H. ☉.	Bocc. sic. p. 71. t. 38.	
Lahàya alsinefòlia. s.								
3 peploídes. DC.	(wk.)	Peplis-like.	Sicily.	1818.	6. 8.	H. ♃.		
Lahàya polycarpoides. s. *Móllia polycárpon.* s.s.								

Tribus IV. *POLLICHIEÆ.* DC. prodr. v. 3. p. 377.

POLLI'CHIA. DC. POLLI'CHIA. Monandria Monogynia.

campéstris. DC.	(wk.)	whorl-leaved.	C. B. S.	1780.	8. 10.	G. ♂.	Smith spicil. 1. t. 1.	

Tribus V. *SCLERANTHEÆ.* DC. prodr. v. 3. p. 377.

MNI'ARUM. DC. MNI'ARUM. Monandria Digynia.

1 biflòrum. DC.	(gr.)	two-flowered.	N. Holland.	1818.	5. 7.	G. ♃.	Forst. gen. 1. t. 1.	

SCLER'ANTHUS. DC. KNAWEL. Decandria Digynia. L.

1 ánnuus. DC.	(gr.)	annual.	Britain.	....	7. 8.	H. ☉.	Eng. bot. v. 5. t. 351.	
2 perénnis. DC.	(gr.)	perennial.	———	....	8. 9.	H. ♃.	——— v. 5. t. 352.	

Tribus VI. *QUERIACEÆ.* DC. prodr. v. 3. p. 379.

QU'ERIA. DC. QU'ERIA. Triandria Trigynia. L.

hispánica. DC.	(gr.)	Spanish.	Spain.	1800.	5. 9.	H. ☉.	Quer. fl. esp. 6. t. 15. f. 2.	

Tribus VII. *MINUARTIEÆ.* DC. prodr. v. 3. p. 379.

MINUA'RTIA. DC. MINUA'RTIA. Tri-Decandria Trigynia.

1 dichótoma. DC.	(wk.)	forked.	Spain.	1771.	6. 7.	H. ☉.	Lœfl. it. p. 121. t. 1. f. 3.	

2 montàna. DC.	(wh.)	mountain.	Spain.	1806.	6. 7.	H. ⊙.	Lœfl. it. p. 122. t. 1. f. 4.
3 campéstris. DC.	(wh.)	field.	———	——	——	H. ⊙.	Act. stock. 1758. t. 1. f. 3.
LŒFLI'NGIA. DC.		Lœfli'ngia.	Triandria Monogynia. L.				
hispánica. DC.	(wh.)	Spanish.	Spain.	1770.	6. 7.	H. ⊙.	Cavan. ic. 1. t. 94.

ORDO CI.

CRASSULACEÆ. *DC. prodr. v. 3. p. 381.*

Tribus I. *CRASSULEÆ.* DC. prodr. v. 3. p. 381.

TILL'ÆA. DC.		Till'æa.	Tetrandria Tetragynia. L.				
1 muscòsa. DC.	(wh.)	mossy.	England.	....	5. 7.	H. ⊙.	Eng. bot. v. 2. t. 116.
2 moschàta. DC.	(wh.)	musk-scented.	Magellan.	1794.	5. 11.	H. ⊙.	
Crássula moschàta. Forster.							
3 verticillàris. DC.	(wh.)	whorled.	N. S. W.	1823.	6. 9.	H. ⊙.	
BULLIA'RDA. DC.		Bullia'rda.	Tetrandria Tetragynia.				
1 Vaillántii. DC.	(wh.)	Vaillant's.	France.	1825.	6. 8.	H.w. ⊙.	DC. plant. gras. t. 74.
2 aquática. DC.	(wh.)	water.	N. Europe.	1816.	——	H.w. ⊙.	
DASYST'EMON. DC.		Dasyst'emon.	Pentandria Pentagynia.				
calycìnum. DC.	(wh.)	leafy-calyxed.	N. Holland.	1823.	6. 9.	H. ⊙.	
SE'PTAS. DC.		Se'ptas.	Heptandria Heptagynia. L.				
1 capénsis. DC.	(wh.)	Cape.	C. B. S.	1774.	8. 9.	D.G. ♃.	Andr. rep. t. 98.
2 globífera. B.M.	(wh.)	globe-flowering.	———	1809.	8. 5.	D.G. ♃.	Bot. mag. t. 1472.
3 Umbélla. DC.	(wh.)	skreen.	———	1800.	7. 8.	D.G. ♃.	Jacq. ic. t. 352.
Crássula Umbélla. Jacq.							
CRA'SSULA. H.R.		Cra'ssula.	Pentandria Pentagynia. L.				
1 arborèscens. DC.	(pi.)	arborescent.	C. B. S.	1730.	5. 6.	D.G. ♄.	Bot. mag. t. 384.
Cotylèdon. B.M.							
2 portulàcea. DC.	(ro.)	oblique-leaved.	———	1759.	4. 5.	D.G. ♄.	DC. plant. gras. t. 79.
obliqua. H.S.							
3 láctea. H.S.	(wh.)	milk white.	———	1774.	9. 2.	D.G. ♄.	Bot. mag. t. 1771.
4 telephioídes. H.R.	(ro.)	Orpine-like.	———	1820.	7. 8.	D.G. ♄.	
5 ramòsa. H.S.	(ro.)	branching.	———	1774.	——	D.G. ♄.	
6 revólvens. H.P.	(wh.)	recurved-leaved.	———	1820.	8. 10.	D.G. ♄.	
7 tetragòna. H.S.	(wh.)	square-leaved.	———	1711.	——	D.G. ♄.	DC. plant. gras. t. 19.
8 biplanàta. H.P.	(wh.)	flat-leaved.	———	1820.	——	D.G. ♄.	
9 acutifòlia. H.S.	(wh.)	acute-leaved.	———	1795.	9. 11.	D.G. ♄.	DC. plant. gras. t. 2.
10 bibracteàta. H.P.	(wh.)	double-bracted.	———	1820.	8. 10.	D.G. ♄.	
α minor. H.P.	(wh.)	*smaller.*	———	——	——	D.G. ♄.	
β major. H.P.	(wh.)	*larger.*	———	——	——	D.G. ♄.	
11 filicaùlis. H.P.	(wh.)	thready-stem'd.	———	——	——	D.G. ♄.	
12 scábra. H.R.	(wh.)	rough-leaved.	———	1730.	6. 7.	D.G. ♄.	Dill. elth. t. 99. f. 117.
13 scabréllа. H.R.	(wh.)	patent-leaved.	———	1820.	6. 9.	D.G. ♄.	
14 squamulòsa. H.R.	(wh.)	small-scaly.	———	1817.	——	D.G. ♄.	
15 bullulàta. H.S.	(ye.)	rough yellow.	———	1800.	6. 7.	D.G. ♄.	Mart. cent. t. 24.
16 pruinòsa. DC.	(wh.)	frosted.	———	1821.	——	D.G. ♄.	
17 columnàris. H.S.	(wh.)	columnar.	———	1789.	7. 10.	D.G. ♄.	Burm. afr. t. 9. f. 2.
18 lycopodioídes. DC.	(wh.pu.)	whip-cord.	———	1760.	6. 7.	D.G. ♄.	
imbricàta. H.K.							
19 ericoídes. H.P.	(wh.)	large whip-cord.	———	1820.	9. 10.	D.G. ♄.	
20 vestita. DC.	(ye.)	powdered-leav'd.	———	....	6. 10.	D.G. ♄.	
21 argéntea. H.S.	(wh.)	silvery-leaved.	———	1820.	7. 9.	D.G. ♄.	
22 perfóssa. DC.	(wh.)	threaded.	———	1785.	8. 9.	D.G. ♄.	DC. plant. gras. t. 25.
perfilàta. H.S. Scop. del. ins. 3. t. 6. c.							
23 perforàta. DC.	(wh.)	perfoliate.	———	——	——	D.G. ♄.	
24 marginàlis. DC.	(wh.)	red-margined.	———	1774.	7. 8.	D.G. ♄.	Jacq. schœnb. 4. t. 471.
25 pellúcida. H.S.	(bl.)	pellucid.	———	1732.	6. 9.	D.G. ♄.	Dill. elth. t. 100. f. 119.
26 centauroídes. DC.	(ro.)	Centaury-flow'd.	———	1774.	5. 7.	D.G. ♄.	Bot. mag. t. 1765.
27 cordàta. DC.	(ro.)	heart-leaved.	———	——	5. 8.	D.G. ♄.	DC. plant. gras. 2. t. 121.
28 spathulàta. DC.	(ro.)	notch-leaved.	———	——	7. 9.	D.G. ♄.	——— 1. t. 49.
29 orbiculàris. H.S.	(bl.)	starry.	———	1731.	——	D.G. ♃.	——— 1. t. 43.
30 rosulàris. H.R.	(wh.)	great starry.	———	1819.	——	D.G. ♃.	
31 glomeràta. H.S.	(wh.)	rough clustered.	———	1774.	8. 10.	H. ⊙.	DC. plant. gras. 1. t. 57.

33	glábra. H.B.	(wh.)	smooth-cluster'd.	C. B. S.	1774.	6. 10.	H. ☉.	
33	expánsa. H.S.	(wh.)	awl-leaved.	———	——	6. 8.	H. ☉.	
34	diffùsa. H.S.	(wh.)	diffuse.	———	——	——	H. ☉.	
35	subulàta. H.S.	(wh.)	awl-leaved.	———	1820.	——	H. ☉.	Petiv. gaz. t. 89. f. 8.
36	lineolàta. H.S.	(wh.)	channelled.	———	1774.	——	D.G. ♂.	
37	biconvéxa. H.S.	(wh.)	doubly convex.	———	1800.	8. 9.	D.G. ♄.	
38	pulchélla. H.R.	(ye.)	pretty.	———	1778.	7. 8.	H. ☉.	
39	spársa. H.S.	(st.)	alternate-leaved.	———	1774.	6. 9.	H. ☉.	
PURG'OSEA. H.P.			Purg'osea. Pentandria Pentagynia.					
1	linguæfòlia. H.R.	(wh.)	tongue-leaved.	C. B. S.	1803.	8. 9.	D.G. ♃.	
2	ciliàta. DC.	(st.)	ciliated.	———	1732.	7. 8.	D.G. ♃.	DC. plant. gras. t. 7.
3	concínna.	(wh.)	small neat.	———	1820.	——	D.G. ♄.	
	Crássula concínna. H.R.							
4	ligulifòlia.	(wh.)	latchet-leaved.	———	——	——	D.G. ♄.	
	Crássula ligulifòlia. H.R.							
5	conciunélla. DC.		elegant.	———	1822.	——	D.G. ♄.	
6	tomentòsa. H.R.	(wh.)	tomentose.	———	1790.	4. 5.	D.G. ♄.	
7	cotyledònis. DC.	(wh.)	Cotyledon-like.	———	1800.	7. 9.	D.G. ♃.	
8	conspícua.	(wh.)	conspicuous.	———	1820.	——	D.G. ♃.	
	Crássula conspícua. H.R.							
9	corymbulòsa. DC.	(wh.)	impress-dotted.	———	1818.	9. 11.	D.G. ♃.	Ot. et Lk. abb. t. 16.
	pertùsa. H.R. *Crássula corymbulòsa.* L.en.							
10	pertúsula. H.P.	(wh.)	small impress-dot'd.	———	1822.	——	D.G. ♃.	
11	capitellàta. H.R.	(wh.)	square-spiked.	———	1774.	7. 8.	D.G. ♂.	
12	thyrsiflòra. H.R.	(wh.)	thyrse-flowered.	———	1824.	——	D.G. ♂.	
13	obovàta. H.R.	(wh.)	obovate-leaved.	———	1818.	——	D.G. ♂.	
14	aloídes. H.R.	(bh.)	Aloe-like.	———	1774.	6. 8.	D.G. ♂.	
15	punctàta. DC.	(wh.)	dotted.	———	1759.	4. 8.	D.G. ♄.	
16	ramulifiòra. DC.	(wh.)	branch-flowered.	———	1821.	6. 7.	D.G. ♄.	Ot. et Lk. abb. t. 17.
17	turrita. H R.	(bh.)	tower-like.	———	1818.	9. 11.	D.G. ♂.	Jacq. schœnb. 1. t. 52.
	α álba.	(wh.)	*white-flowered.*	———	——	——	D.G. ♂.	
	β rósea. H.S.S.		*rose-coloured.*	———	——	——	D.G. ♂.	
GLOB'ULEA. DC.			Glob'ulea. Pentandria Pentagynia.					
1	cultràta. DC.	(wh.)	sharp-leaved.	C. B. S.	1732.	7. 8.	D.G. ♄.	Bot. mag. t. 1940.
2	rádicans. DC.	(wh.)	rooting-branch'd.	———	1822.	12. 3.	D.G. ♄.	
3	atropurpùrea. DC.	(wh.)	purple-leaved.	———	1823.	7. 8.	D.G. ♄.	
4	Língua. DC.	(wh.)	tongue-leaved.	———	——	5. 6.	D.G. ♃.	
5	língula. DC.	(wh.)	lesser-tongue.	———	——	——	D.G. ♃.	
6	capitàta. DC.	(wh.)	large grey-leav'd.	———	1819.	7. 8.	D.G. ♃.	
7	obvallàta. DC.	(wh.)	Houseleek-leav'd.	———	1795.	——	D.G. ♄.	DC. plant. gras. t. 61.
	Crássula obvallàta. L. Trew. pl. rar. 1. t. 11.							
8	canéscens. DC.	(wh.)	canescent.	———	1800.	——	D.G. ♃.	
9	nudicaùlis. DC.	(wh.)	naked-stalked.	———	1732.	5. 9.	D.G. ♃.	DC. plant. gras. t. 133.
10	sulcàta. DC.	(wh.)	sulcate.	———	1820.	——	D.G. ♃.	
11	imprésса. DC.	(wh.)	impressed.	———	1822.	7. 8.	D.G. ♃.	Comm. præl. t. 29.
	β minor. H P.	(wh.)	*lesser.*	———	——	——	D.G. ♃.	
12	paniculàta. DC.	(wh.)	panicled.	———	1823.	——	D.G. ♃.	
13	híspida. DC.	(wh.)	hispid.	———	——	10. 11.	D.G. ♄.	
14	mesembryanthoídes. DC.	(wh.)	hedgehog.	———	1822.	7. 9.	D.G. ♄.	
	β áltior.	(wh.)	*taller.*	———	——	——	D.G. ♄.	
15	móllis. DC.	(wh.)	soft.	———	1774.	——	D.G. ♄.	
16	subincàna. DC.	(wh.)	hoary frutescent.	———	1822.	——	D.G. ♄.	
	a decumbens. H.P.	(wh.)	*décumbent.*	———	——	——	D.G. ♄.	
	β erécta. H.P.	(wh.)	*erect.*	———	——	——	D.G. ♄.	
CURTO'GYNE. H.R.			Curto'gyne. Pentandria Pentagynia.					
1	dejécta. DC.	(wh.)	twisted-branch'd.	C. B. S.	1821.	6. 7.	D.G. ♄.	Jacq. schœnb. t. 423.
	Crássula dejécta. Jacq.							
2	undulàta. H.R.	(wh.)	lesser-waved.	———	1797.	8. 11.	D.G. ♄.	Lodd. bot. cab. t. 584.
3	undàta. H.R.	(wh.)	greater-waved.	———	1818.	——	D.G. ♄.	
GRAMMA'NTHES. DC.			Gramma'nthes. Pentandria Pentagynia.					
1	chloræflòra. DC.	(ye.)	Chlora-flower'd.	C. B. S.	1774.	6. 8.	H. ☉.	Herm. lugd. t. 553.
	Crássula dichòtoma. L. *Vauánthes chloræflòra.* H.R.							
2	retroflèxa.	(or.)	orange-flower'd.	———	1788.	——	H. ☉.	
	Crássula retroflèxa. H.S.							
3	gentianoídes. DC.	(ye.)	Gentian-flower'd.	———	1816.	——	H. ☉.	Pluk. mant. t. 415. f. 6.
R'OCHEA. DC.			R'ochea. Pentandria Pentagynia.					
1	falcàta. DC.	(or.)	falcated.	C. B. S.	1785.	6. 9.	D.G. ♄.	DC. plant. gras. t. 103.
	Crássula falcàta. Bot. mag. t. 2035. *oblíqua.* Andr. reposit. t. 414.							
	β minor. H.P.	(sc.)	*smaller.*	C. B. S.	1821.	6. 9.	D.G. ♄.	

2 perfoliàta. DC. (*va.*) great perfoliate. C. B. S. 1725. 7. 8. D.G. ♄. Mill. ic. t. 106.
α coccínea. DC. (*sc.*) *scarlet.* ——— —— —— D.G. ♄.
β álba. DC. (*wh.*) *white-flowered.* ——— —— —— D.G. ♄. DC. plant. gras. t. 13.
3 albiflòra. DC. (*wh.*) white-flowered. ——— 1820. 7. 9. D.G. ♄. Bot. mag. t. 2391.
Crássula albiflòra. B.M.

KALOSA'NTHES. H.R. KALOSA'NTHES. Pentandria Pentagynia.
1 coccínea. H.R. (*sc.*) scarlet. C. B. S. 1710. 6. 8. D.G. ♄. Bot. mag. t. 495.
Crássula coccínea. B.M. *Ròchea coccínea.* DC. plant. gras. t. 1.
β álba. H.R. (*wh.*) *white-flowered.* C. B. S. 1710. 6. 8. D.G. ♄. Bradl. succ. t. 50.
2 mèdia. H.R. (*std.*) great changeable. ——— 1820. —— D.G. ♄.
3 versícolor. H.R. (*std.*) various-coloured. ——— 1816. —— D.G. ♄. Bot. reg. t. 320.
Crássula versícolor. B.R.
4 bícolor. H.R. (*ye.sc.*) two-coloured. ——— 1820. —— D.G. ♄.
5 capitàta. (*wh.*) headed. ——— 1822. —— D.G. ♄. Lodd. bot. cab. t. 1029.
Crássula capitàta. L.C. *nec aliorum.*
6 odoratíssima. H.R. (*st.*) sweet-scented. ——— 1793. 6. 7. D.G. ♄. Andr. rep. t. 26.
Crássula odoratíssima. Jacq. schœnb. t. 434. *Dietríchia odoratíssima.* Tratt.
7 flàva. H.S. (*ye.*) yellow-flower'd. C. B. S. 1802. 6. 9. D.G. ♄. Burm. afr. t. 28. f. 3.
8 cymòsa. H.R. (*wh.*) cymose. ——— 1800. —— D.G. ♄.
9 biconvexa. H.P. (*wh.*) convex-leaved. ——— 1822. —— D.G. ♄.
10 jasmínea. H.R. (*wh.*) Jasmine-flower'd. ——— 1812. 6. 8. D.G. ♄. Bot. mag. t. 2178.
Crássula jasmínea. B.M. *Ròchea jasmínea.* DC.

KALANCHOE. DC. KALANCH'OE. Octandria Tetragynia.
1 spathulàta. DC. (*ye.*) spathulate. China. 1820. 7. 9. D.G. ♄. DC. plant. gras. t. 65.
2 ægyptíaca. DC. (*or.*) Egyptian. Egypt. 1820. 7. 9. D.G. ♄. DC. plant. gras. t. 64.
3 rotundifòlia. H.P. (*ye.*) round-leaved. C. B. S. —— —— D.G. ♄.
4 acutiflòra. H.P. (*wh.*) white-flowered. E. Indies. 1806. —— D.S. ♄. Andr. reposit. t. 560.
Vèria acutiflòra. A.R.
5 crenàta. DC. (*ye.*) great notched. Sierra Leone. 1793. —— D.S. ♄. Andr. reposit. t. 21.
Cotylèdon crenàtum. Bot. mag. t. 1436. *Vèria crenàta.* A.R.
6 laciniàta. DC. (*ye.*) cut-leaved. E. Indies. 1731. —— D.S. ♄. DC. plant. gras. t. 100.
7 ceratophy'lla. DC. (*st.*) buck's-horn-l'd. China. 1820. 9. 1. D.G. ♄.

BRYOPHY'LLUM. DC. BRYOPHY'LLUM. Octandria Tetragynia.
calycìnum. DC. (*br.*) large-cupped. Mauritius. 1800. 4. 7. D.G. ♄. Bot. mag. t. 1409.

COTYLEDON. DC. NAVELWORT. Decandria Pentagynia. L.
1 undulàta. H.S.S. (*ye.*) wave-leaved. C. B. S. 1818. 7. 8. D.G. ♄.
2 orbiculàta. H.S. (*ye.bk.*) round-leaved. ——— 1789. —— D.G. ♄.
3 ovàta. H.S. (*ye.bk.*) ovate-leaved. ——— —— —— D.G. ♄. Bot. mag. t. 321.
orbiculàta. B.M. *orbiculàta β obovàta.* DC. pl. gras. t. 76.
4 oblónga. H.S. (*ye.bk.*) oblong-leaved. C. B. S. 1690. 7. 10. D.G. ♄.
5 elàta. H.SS. (*ye.bl.*) tall powdered. ——— 1816. 6. 8. D.G. ♄.
6 crassifòlia. H.P. .... thick-leaved. ——— 1823. .... D.G. ♄.
7 víridis. H.P. .... green-leaved. ——— —— .... D.G. ♄.
8 ramòsa. H.S.S. (*ye.bk.*) branching. ——— 1768. 7. 10. D.G. ♄. Moris. his. s. 12. t. 7. f. 39.
9 ramosíssima. H.S.S. (*ye.*) cluster-branch'd. ——— 1816. —— D.G. ♄.
10 corúscans. H.S.S. (*or.*) sparkling. ——— 1818. 3. 5. D.G. ♄. Bot. mag. t. 2601.
canalifòlia. H.P.
11 ungulàta. DC. (*pu.*) ungulate. ——— 1822. 5. 8. D.G. ♄. Bur. afr. dec. 3. t. 22. f. 1.
12 papillàris. DC. (*or.*) cross-leaved. ——— 1813. —— D.G. ♄. Bot. reg. t. 915.
decussàta. Bot. mag. t. 2518.
13 tricuspidàta. H.P. (*or.*) trident-leaved. ——— 1820. —— D.G. ♄.
14 purpùrea. DC. (*pu.*) purple. ——— 1813. 7. 8. D.G. ♄. Burm. afr. t. 29. f. 1.
15 rotundifòlia. H.P. (*ye.bk.*) round-leav'd. ——— 1826. —— D.G. ♄.
16 cristàta. H.P. (*pu.*) Coxcomb-leaved. ——— 1825. 8. 10. D.G. ♄.
17 clavifòlia. H.P. (*pu.*) club-leaved. ——— —— —— D.G. ♄.
18 curviflòra. DC. (*ye.bk.*) curve-flower'd. ——— —— —— D.G. ♄. Bot. mag. t. 2044.
19 tuberculòsa. DC. (*or.*) tubercled. ——— 1822. —— D.G. ♄. DC. plant. gras. 1. t. 86.
20 cacalioídes. DC. (*ye.*) Cacalia-like. ——— 1820. 5. 6. D.G. ♄.
21 ventricòsa. DC. (*gr.*) bellied-tubed. ——— 1825. 6. 8. D.G. ♄. Burm. afr. d. 3. t. 21. f. 1.
22 spùria. DC. (*ye.*) narrow-leaved. ——— 1731. 7. 8. D.G. ♄. ——— t. 19. f. 1.
23 fasciculàris. DC. (*gr.re.*) clustered. ——— 1759. 7. 9. D.G. ♄. ——— t. 18.
tardiflòrum. Bonpl. nav. t. 37.
24 triflòra. DC. (*wh.pu.*) three-flowered. ——— 1821. 7. 19. D.G. ♄.
25 maculàta. DC. (*v.*) spotted-leaved. ——— 1818. 5. 7. D.G. ♄.
26 rhombifòlia. H.P. (*ye.*) rhomb-leaved. ——— 1823. —— D.G. ♄.
27 jasminiflòra. DC. (*v.*) Jasmine-flower'd. ——— 1818. 6. 8. D.G. ♄.
28 hemisph'ærica. DC. (*v.*) thick-leaved. ——— 1731. —— D.G. ♄. DC. plant. gras. 1. t. 87.
29 mamillàris. DC. (*v.*) mamillary. ——— 1818. 5. 7. D.G. ♄.
30 cuneàta. DC. (*ye.*) large pubescent. ——— 1818. 6. 8. D.G. ♄.

31	caryophyllàcea. DC.	(*re.*)	Clove-flowered.	C. B. S.	1816.	6. 8.	D.G. ♄.	Burm. dec. 2. t. 17.
32	mucronàta. DC.	(*ye.*)	mucronate.	———	1818.	——	D.G. ♄.	Burm. afr. t. 19. f. 2.
33	canaliculàta. H.S.S.	(*v.*)	channel-leav'd.	———	1817.	——	D.G. ♄.	
34	grácilis. H.S.S.	(*ye.*)	slender.	———	1800.	5. 8.	D.G. ♄.	
35	dichótoma. H.R.	(*gr.*)	fork-spined.	———	1818.	——	D.G. ♄.	
36	cuneifórmis. H.P.	..	wedge-leaved.	C. B. S.	1823.	....	D.G. ♄.	
37	interjécta. H.P.	....	fleshy-stemmed.	———	——	....	D.G. ♄.	

PISTORI'NIA. DC. PISTORI'NIA. Decandria Pentagynia.

	hispánica. DC.	(*re.*)	Spanish.	Spain.	1796.	6. 7.	H. ♂.	DC. plant. gras. t. 122.
	Cotylèdon hìspanica. Lœfl. it. p. 77. t. 1.							

UMBI'LICUS. DC. PENNYWORT. Decandria Pentagynia.

1	pendulìnus. DC.	(*gr.*)	drooping-flower'd.	Britain.	....	6. 9.	H. ♃.	Eng. bot. v. 5. t. 325.
	Cotylèdon Umbìlicus. E.B.							
2	eréctus. DC.	(*ye.*)	upright-flower'd.	England.	....	——	H. ♃.	Eng. bot. v. 22. t. 1522.
	Cotylèdon làteus. E.B.							
3	horizontàlis. DC.	(*st.*)	horizontal.	Sicily.	1828.	——	H. ♃.	

OROST'ACHYS. F. OROST'ACHYS. Decandria Pentagynia.

1	serràta.	(*pu.*)	notch-leaved.	Crete.	1732.	6. 7.	F. ♃.	Dill. elth. t. 95. f. 112.
	Cotylèdon serràta. H.S.							
2	spinòsa.	(*ye.*)	spiny.	Siberia.	....	——	F. ♃.	Murr. com. gœt. 7. t. 5.
	chlorántha. F. *Cotylèdon spinòsum.* L. Gmel. sib. 4. t. 67. f. 2.							
3	malachophy'lla. F.	(*wh.*)	soft-leaved.	Daluria.	1815.	——	H. ⊙.	Pall. it. 3. ap. t. G. f. 1.
4	thyrsiflòra. F.	(*bl.*)	thyrse-flowered.	———	1820.	——	H. ⊙.	

ECHEV'ERIA. DC. ECHEV'ERIA. Decandria Pentagynia.

1	coccínea. DC.	(*sc.*)	scarlet.	Mexico.	1816.	8. 10.	D.G. ♄.	Bot. mag. t. 2572.
	Cotylèdon coccínea. B.M.							
2	grandifòlia. H.P.	(*or.*)	large-leaved.	———	1826.	——	D.G. ♄.	Swt. br. fl. gar. t. 275.
3	gibbiflòra. DC.	(*or.*)	gibbous-flower'd.	———	——	——	D.G. ♄.	Bot. reg. t. 1247.
4	cæspitòsa. DC.	(*ye.*)	tongue-leaved.	California.	1796.	6. 8.	D.F. ♃.	Jacq. f. ecl. 1. t. 17.
	Cotylèdon linguifórmis. H.K. *Sèdum Cotylèdon.* Jacq.							

RHODI'OLA. L. ROSE-ROOT. Dicœcia Octandria. L.

1	ròsea. L.	(*ye.*)	common.	Britain.	....	5. 7.	H. ♃.	Eng. bot. v. 8. t. 506.
	Sèdum Rhodìola. DC. plant. gras. t. 143.							
2	sibírica. F.	(*ye.*)	Siberian.	Siberia.	1826.	——	H. ♃.	

S'EDUM. DC. STONECROP. Decandria Pentagynia.

1	Aizòon. DC.	(*ye.*)	yellow Orpine.	Siberia.	1757.	7. 9.	H. ♃.	DC. plant. gras. t. 101.
2	hy'bridum. DC.	(*st.*)	Germander-leaved.	———	1766.	5. 7.	H. ♃.	Murr. com. gœt. 6. t. 5.
3	involucràtum. DC.	(*wh.*)	involucred.	Caucasus.	1822.	——	H. ♃.	
4	verticillàtum. DC.	(*pu.*)	whorl-leaved.	Kamtschatka.	....	7. 9.	H. ♃.	Linn. amœn. 2. t. 4. f. 14.
5	latifòlium. DC.	(*st.*)	broad-leaved.	Europe.	1794.	——	H. ♃.	Clus. hist. 2. p. 66. f. 1.
6	máximum. H.S.	(*pu.*)	great purple.	Spain.	——	——	H. ♃.	
7	álbicans. H.S.	(*wh.*)	great white.	Europe.	——	——	H. ♃.	
8	argùtum. H.R.	(*pu.*)	lance-toothed.	M. Carpathian.	1820.	——	H. ♃.	
9	pancidéns. H.R.	(*wh.*)	few-toothed.	Europe.	——	——	H. ♃.	
10	Telèphium. E.B.	(*pu.*)	common Orpine.	Britain.	....	——	H. ♃.	Eng. bot. v. 19. t. 1319.
11	triphy'llum.	(*pu.*)	three-leaved.	Portugal.	1794.	——	H. ♃.	
	Anacámpseros triphy'lla. H.S.							
12	purpùreum. H.S.	(*pu.*)	purple-stalked.	———	——	——	H. ♃.	DC. plant. gras. t. 92.
13	telephioídes. DC.	(*pu.*)	Rhodiola-like.	N. America.	1810.	7. 8.	H. ♃.	
14	spùrium. DC.	(*pu.*)	greater-fringed.	Caucasus.	——	7. 9.	H. ♃.	Bot. mag. t. 2370.
15	ròseum. DC.	(*ro.*)	rose-coloured.	———	1827.	——	H. ♃.	
16	dentàtum. DC.	(*li.*)	large-toothed.	.....	1810.	——	H. ♃.	
17	pectinàtum. DC.	(*wh.*)	pectinated.	.....	1819.	——	H. ♃.	
18	lívidum. DC.	(*wh.*)	livid-leaved.	.....	1820.	——	H. ♃.	
19	cruciàtum. DC.	(*wh.*)	cross leaved.	S. Europe.	1816.	6. 7.	H. ♃.	Lodd. bot. cab. t. 464.
	monregalénse. Balb. misc. p. 23. t. 6.							
20	ciliàre. H.S.	(*wh.*)	fringed.	Caucasus.	1810.	7. 9.	H. ♃.	Bot. mag. t. 1807.
	oppositifòlium. B.M. *Anacámpseros ciliàris.* H.S.							
21	ternàtum. DC.	(*bl.*)	dwarf 3-leaved.	N. America.	1789.	7. 8.	H. ♃.	Bot. reg. t. 142.
22	púlchrum. DC.	(*pu.*)	pretty.	———	1824.	——	H. ♃.	
23	populifòlium. DC.	(*wh.*)	Poplar-leaved.	Siberia.	1780.	——	H. ♄.	Bot. mag. t. 211.
24	Notarjánni. DC.	(*wh.*)	few-flowered.	Naples.	1824.	——	H. ♄.	Ten. flor. nap. 1. t. 40.
25	Anacámpseros. DC.	(*pu.*)	evergreen.	France.	1596.	7. 8.	H. ♃.	Bot. mag. t. 118.
	Anacámpseros sempervìrens. H.S.							
26	divaricàtum. W.	(*li.*)	spreading.	Madeira.	1777.	6. 7.	G. ♄.	
27	Sempervìvum. DC.	(*re.*)	honeseleek-leav'd.	Iberia.	1823.	6. 8.	H. ♃.	Bot. mag. t. 2474.
28	deltoídeum. DC.	(*pu.*)	deltoid-leaved.	Naples.	1826.	——	H. ⊙.	
29	stellàtum. DC.	(*bl.*)	starry.	S. Europe.	1640.	6. 7.	H. ⊙.	Camer. hort. 7. t. 2.
30	Cep'æa. DC.	(*wh.*)	panicled.	France.	——	7. 8.	H. ♂.	Clus. hist. 2. p. 68. ic.
31	spathulàtum. W. K.	(*wh.*)	spathulate.	Hungary.	1820.	——	H. ♂.	W. et K. hung. 2. t. 104.

32	tetraphy'llum. F.G.	(*wh.*)	four-leaved.	Levant.	....	7. 8.	H. ♂.	
33	cærùleum. DC.	(*pu.*)	blue pubescent.	Tunis.	1821.	7. 9.	H. ♃.	Bot. reg. t. 520.
34	ánglicum. DC.	(*wh.re.*)	English.	England.	....	7. 8.	H. ♃.	Eng. bot. v. 3. t. 171.
	β microphy'llum. H.R.	(*wh.*)	*small-leaved.*	———	....	——	H. ♃.	
35	oblóngum. H.R.	(*wh.*)	oblong-leaved.	———	....	——	H. ♃.	
36	atrátum. DC.	(*wh.*)	dark annual.	Italy.	1795.	7. 9.	H. ☉.	DC. plant. gras. t. 120.
37	glaùcum. DC.	(*wh.*)	glaucous.	Hungary.	1816.	——	H. ♂.	W. et K. hung. 2. t. 181.
38	sexfìdum. DC.	(*wh.*)	six-cleft.	Caucasus.	1818.	——	H. ☉.	
39	pállens. H.R.	(*wh.*)	annual glaucous.	.....	....	7. 9.	H. ☉.	
40	villòsum. DC.	(*ro.*)	hairy.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 6. t. 394.
41	pállidum. M.B.	(*ro.*)	pale red.	Tauria.	1820.	7. 9.	H. ☉.	
42	rùbens. DC.	(*re.*)	annual red.	S. Europe.	1759.	5. 8.	H. ☉.	DC. plant. gras. t. 55.
	Crássula rùbens. DC.							
43	cæspitòsum. DC.	(*re.*)	tufted.	———	1788.	7. 8.	H. ☉.	Cavan. ic. t. 69. f. 2.
	Crássula cæspitòsa. Cav. *Crássula Magnòlii.* DC. *verticillàris.* L?							
44	dasyphy'llum. DC.	(*wh.*)	thick-leaved.	England.	....	6. 7.	H. ♃.	Eng. bot. v. 10. t. 656.
45	hispánicum. DC.	(*wh.*)	Spanish.	Spain.	1732.	——	H. ♃.	Jacq. aust. 5. ap. t. 47.
46	álbum. DC.	(*wh.*)	white.	England.	....	6. 8.	H. ♃.	Eng. bot. v. 22. t. 1578.
47	altàicum. F.	....	Altay.	Altay.	1827.	....	H. ♃.	
48	quinquéfidum. H.R.	(*gr.wh.*)	five-cleft.	.....	....	6. 8.	H. ♃.	
49	hexapétalum. H.R.	(*ye.*)	six-petal'd.	.....	....	——	H. ♃.	
50	quadrífidum. DC.	(*ye.*)	four-cleft.	Dahuria.	1800.	7. 8.	H. ♃.	Pall. it. 3. a. t. P. f. 1.
51	nùdum. DC.	(*ye.*)	naked-branch'd.	Madeira.	1777.	——	G. ♄.	
52	ochroleùcum. H.P.	(*st.*)	tall sharp-cup'd.	Greece.	....	——	F. ♃.	
53	altíssimum. DC.	(*st.*)	tall blunt-cup'd.	Italy.	1769.	——	H. ♃.	DC. plant. gras. t. 116.
	Jacquíni. H.P. *Sempervìvum sedifórme.* Jacq. vind. 1. t. 81.							
54	cæruléscens. H.P.	(*st.*)	great-straw-color'd.	.....	....	——	H. ♃.	
55	reflèxum. H.P.	(*ye.*)	reflex-leaved.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 10. t. 695.
56	septangulàre. H.P.	(*ye.*)	seven-angled.	Europe.	....	7, 8.	H. ♃.	
57	albéscens. H.R.	(*ye.*)	white-leaved.	England.	....	6. 7.	H. ♃.	Eng. bot. v. 35. t. 2477.
	glaùcum. E.B. *non* W.K.							
58	mìnus. H.P.	(*ye.*)	lesser short-leaved.	.....	....	——	H. ♃.	DC. plant. gras. t. 116.
	reflèxum. DC.							
59	spiràle. H.P.	(*ye.*)	spiral-leaved.	Europe.	....	——	H. ♃.	
60	sexangulàre. DC.	(*ye.*)	insipid.	England.	....	——	H. ♃.	Eng. bot. v. 28. t. 1946.
61	àcre. DC.	(*ye.*)	biting.	Britain.	....	——	H. ♃.	——— v. 12. t. 839.
62	recurvàtum. H.P.	(*ye.*)	slender recurv'd.	.....	1820.	——	H. ♃.	
63	anopétalum. DC.	(*st.*)	broader-leaved.	S. France.	1815.	——	H. ♃.	Bauh. icon. 3. 428.
	β aurantiacum. H.P.	(*or.*)	*orange-colour'd.*	———	——	——	H. ♃.	
64	vìrens. H.P.	(*ye.*)	deep green.	Portugal.	1774.	——	H. ♃.	
65	viridulum. H.P.	(*ye.*)	small-green.	.....	1826.	6. 8.	H. ♃.	
66	rupéstre. H.P.	(*ye.*)	expanding glaucous.	England.	....	——	H. ♃.	Eng. bot. v. 3. t. 170.
67	Forsteriànum. H.P.	(*ye.*)	Forster's.	Wales.	....	7. 8.	H. ♃.	——— v. 26. t. 1802.
68	saxátile. DC.	(*ye.*)	rock.	S. Europe.	1739.	7. 9.	H. ☉.	DC. plant. gras. t. 119.
69	rèpens. DC.	(*ye.*)	creeping.	Pyrenees.	1829.	——	H. ☉.	Vill. danph. 3. t. 45.
	Guettàrdi. Villars.							
70	magellénse. DC.	(*ye.*)	Neapolitan.	Naples.	1826.	——	H. ☉.	

MONA'NTHES. H.R. MONA'NTHES. Dodecandria Heptagynia.

	polyphy'lla. H.R.	(*pu.*)	many-leaved.	Canaries.	1777.	7. 9.	D.G. ♃.	Bot. mag. t. 98.
	Sempervivum monánthes. B.M.							

SEMPERVI'VUM. DC. HOUSELEEK. Dodecandria Dodecagynia. L.

1	tortuòsum. DC.	(*ye.*)	twisted.	Canaries.	1779.	7. 8.	D.G. ♄.	Bot. mag. t. 296.
2	villòsum. DC.	(*ye.*)	small villous.	Madeira.	1777.	6. 7.	D.G. ♄.	
3	ciliàtum. DC.	(*wh.*)	ciliated.	Teneriffe.	1815.	——	D.G. ♄.	
4	glanduldsum. DC.	(*ye.*)	gland-edged.	Madeira.	1777.	3. 5.	D.G. ♄.	
5	glutinòsum. DC.	(*ye.*)	glutinous.	———	——	7. 8.	D.G. ♄.	Bot. reg. t. 278.
6	úrbicum. DC.	(*ye.*)	wedge-leaved.	Canaries.	1824.	——	D.G. ♄.	
7	retùsum. H.P.	(*ye.*)	retuse-leaved.	Teneriffe.	——	——	D.G. ♄.	
8	arbòreum. DC.	(*ye.*)	tree.	Levant.	1640.	12. 3.	D.G. ♄.	Bot. reg. t. 99.
	β variegàtum. H.R.	(*ye*)	*variegated.*	———	....	——	D.G. ♄.	
	γ atropurpùreum. H.R.	(*ye.*)	*dark purple-leav'd.*	———	....	——	D.G. ♄.	
9	frutéscens. H.P.	(*ye.*)	frutescent.	Teneriffe.	1824.	3. 5.	D.G. ♄.	
10	tabulæfórme. DC.	(*ye.*)	table-shaped.	Madeira.	1815.	7. 9.	D.G. ♄.	Lodd. bot. cab. t. 1328.
11	canariénse. DC.	(*wh.*)	Canary Island.	Canaries.	1699.	6. 7.	D.G. ♄.	DC. plant. gras. t. 141.
12	Smíthii. DC.	(*ye.*)	Smidt's.	———	1815.	8. 10.	D.G. ♄.	Bot. mag. t. 1980.
13	barbàtum. DC.	(*ye.*)	bearded.	Madeira.	——	6. 7.	D.G. ♄.	
	lineolàre. H.S.S. *spathulàtum.* Horn.							
14	hy'bridum. H.R.	(*ye.*)	hybrid.	Hybrid.	....	——	D.G. ♄.	
15	cæspitòsum. DC.	(*ye.*)	latchet-leaved.	Canaries.	1815.	9. 4.	D.G. ♄.	Bot. mag. t. 1978.
	ciliàtum. B.M. *non* W. *barbàtum.* H.R. non Smith. *ciliàre.* H.S.S.							

16	*láxum.* H.B.	(*ye.*)	loose-flowered.	Canaries.	1820.	7. 10.	D.G. ♂.	
17	*dodrantàle.* DC.	(*st.*)	smooth-leaved.	———	1815.	7. 8.	D.G. ♂.	
18	*aàreum.* DC.	(*ye.*)	chalice-form.	Teneriffe.	——	6. 7.	D.G. ♃.	Bot. reg. t. 892.
	calyciférme. B.R.	Lodd. bot. cab. 1368.						
19	*punctàtum.* DC.	(*ye.*)	dotted-leaved.	Canaries.	1824.	7. 9.	D.G. ♂.	
20	*stellàtum.* DC.	(*ye.*)	annual villous.	Madeira.	1790.	7. 10.	H. ☉.	Bot. mag. t. 1869.
	villòsum. B.M. *non* H.S.							
21	*dichótomum.* DC.	(*ye.*)	forked.	Canaries.	1824.	6. 8.	D.G. ♂.	DC. jard. gen. t. 21.
22	*africànum.* DC.	(*ye.*)	African.	C. B. S.	1768.	....	D.G. ♃.	
23	*hírtum.* DC.	(*st.*)	hairy.	Italy.	....	6. 7.	H. ♃.	DC. plant. gras. t. 107.
	soboliferum. B.M. t. 1457 ex DC. *globíferum.* H.R. *non* DC.							
24	*globíferum.* DC.	(*ye.*)	great-flowered.	Germany.	1731.	——	H. ♃.	Bot. mag. t. 507 et 2115.
25	*tectòrum.* DC.	(*pu.*)	common.	Britain.	....	6. 9.	H. ♃.	Eng. bot. v. 19. t. 1320.
26	*flagelliférme.* DC.	(*re.*)	whip-lash.	Siberia.	1818.	6. 8.	H. ♃.	
27	*montànum.* DC.	(*re.*)	mountain.	Switzerland.	1752.	——	H. ♃.	DC. plant. gras. t. 105.
28	*arachnoídeum.* DC.	(*pu.*)	Cobweb.	Italy.	1699.	——	F. ♃.	Bot. mag. t. 66.

Tribus II. *PENTHOREÆ.*

PENTHORUM. DC.		PENTH'ORUM.	Decandria Pentagynia. L.					
	sedoídes. DC.	(*st.*)	American.	Virginia.	1768.	7. 8.	H. ♃.	Act. ups. 1744. t. 2.
LEWI'SIA. Ph.		LEWI'SIA.	Dodecandria Trigynia.					
	rediviva. Ph.	(*wh.*)	white-flowered.	N. America.	1827.	7. 8.	H. ♃.	

ORDO CII.

FICOIDEÆ. *DC. prodr. v. 3. p. 415.*

Tribus I. *MESEMBRYANTHEMEÆ.*

MESEMBRYA'NTHEMUM.		FIG-MARYGOLD.	Icosandria Pentagynia. L.					
1	*minùtum.* H.R.	(*re.*)	small-white.	C. B. S.	1795.	9. 11.	D.I. ♃.	Bot. mag. t. 1376.
2	*mínimum.* H.R.	(*st.*)	small chequer'd.	———	1766.	9. 12.	D.I. ♃.	Pet. gaz. t. 39. f. 3.
3	*perpusíllum.* H.R.	(*st.*)	small exserted.	———	1819.	——	D.I. ♃.	
4	*obcordéllum.* H.R.	(*wh.*)	glaucous chequer'd.	———	1776.	10. 2.	D.I. ♃.	Bot. mag. t. 1647.
5	*obconéllum.* H.R.	(*wh.*)	green chequer'd.	———	1794.	——	D.I. ♃.	
6	*ficiférme.* H.R.	....	fig-shaped.	———	1819.	....	D.I. ♃.	
7	*truncatéllum.* H.R.	(*st.*)	large dotted.	———	1795.	10. 2.	D.I. ♃.	
8	*fibuliférme.* H.R.	....	cloth button.	———	——	11.	D.I. ♃.	
9	*uvæférme.* H.R.	....	Grape-like.	———	1820.	....	D.I. ♃.	Burm. dec. t. 10. f. 2?
10	*nuciférme.* H.R.	....	nut-shaped.	———	1790.	....	D.I. ♃.	
11	*testiculàre.* H.R.	(*wh.*)	broad short white.	———	1774.	11.	D.I. ♃.	
12	*octophýllum.* H.R.	(*ye.*)	narrow short white.	———	——	——	D.I. ♃.	Bot. mag. t. 1573.
	testiculàre. B.M.							
	β longifòlium.	(*ye.*)	*longer-leaved.*	———	——	——	D.I. ♃.	
13	*testiculàtum.* DC.	(*ro.*)	rosy.	———	——	——	D.I. ♃.	Jacq. frag. 73. t. 12. f. 2.
14	*obtùsum.* H.R.	(*re.*)	obtuse cloven.	———	1792.	3. 4.	D.I. ♃.	
15	*fissum.* H.R.	....	cloven white.	———	1776.	....	D.I. ♃.	
16	*digitiférme.* H.R.	(*wh.*)	finger-formed.	———	1775.	4. 6.	D.I. ♃.	
	digitàtum. H.K?							
17	*magnipúnctum.* H.R.	(*ye.*)	great dotted club.	———	1816.	9. 11.	D.I. ♃.	
	α sesquiuncíale. H.R.	(*ye.*)	*thickest-leaved.*	———	——	——	D.I. ♃.	
	β uncíale. H.R.	(*ye.*)	*thinner-leaved.*	———	——	——	D.I. ♃.	
18	*nòbile.* H.P.	(*ye.*)	noble.	———	——	11.	D.I. ♃.	
19	*cànum.* H.R.	(*ye.*)	hoary club-leav'd.	———	1795.	....	D.I. ♃.	
20	*aloídes.* H.R.	(*ye.*)	Aloe-like.	———	1816.	9. 11.	D.I. ♃.	
21	*caninum.* H.R.	(*ye.*)	dog-chop.	———	1717.	8. 10.	D.G. ♄.	DC. plant. gras. t. 95.
22	*vulpínum.* H.R.	(*ye.*)	fox-chop.	———	1795.	——	D.G. ♄.	
23	*hybridum.* H.R.	(*ye.*)	hybrid.	Hybrid.	....	——	D.G. ♃.	
24	*álbidum.* H.R.	(*ye.*)	white.	C. B. S.	1714.	7. 8.	D.G. ♃.	Bot. mag. t. 1824.

25	albinòtum. H.P.	(*ye.*)	keeled white dott'd. C.B.S.	1824.	7. 9.	D.G. ¼.	
26	albipúnctum. H.P.	(*ye.*)	white-spotted. ———	——	8. 9.	D.G. ¼.	
27	tigrìnum. H.P.	(*ye.*)	tiger-chop. ———	1790.	9. 11.	D.G. ¼.	Bot. reg. t. 200.
28	felìnum. H.P.	(*ye.*)	cat-chop. ———	1730.	8. 11.	D.G. ¼.	DC. plant. gras. t. 152.
29	lupìnum. H.P.	(*ye.*)	wolf's chop. ———	1822.	6. 8.	D.G. ¼.	
30	agnìnum. H.P.	(*ye.*)	lamb's chop. ———	——	5. 6.	D.G. ¼.	
31	mustelìnum. H.P.	(*ye.*)	weasel-chop. ———	1818.	8. 11.	D.G. ¼.	
32	musculìnum. H.P.	(*ye.*)	small trailing. ———	——	6. 8.	D.G. ¼.	
33	erminìnum. H.P.	(*ye.*)	Ermine-chop. ———	1823.	5. 6.	D.G. ¼.	
	β màjus. H.P.	(*ye.*)	*red-tipped.* ———	——	——	D.G. ¼.	
34	murìnum. H.P.	(*ye.*)	mouse-chop. ———	1790.	9.	D.G. ¼.	
35	dolabriförme. H.R.	(*ye.*)	hatchet-leaved. ———	1705.	5. 11.	D.G. ½.	Bot. mag. t. 32.
36	cárinans. H.R.	(*ye.*)	scymetar-leav'd. ———	1820.	....	D.G. ¼.	
37	scapíger. H.P.	(*ye.*)	great-scaped. ———	1822.	8. 9.	D.G. ¼.	
38	denticulàtum. H.R.	(*st.*)	toothed-beak'd. ———	1793.	4.	D.G. ¼.	
	α cànum. H.R.	(*st.*)	*white-leaved.* ———	——	——	D.G. ¼.	
	β glaùcum. H.R.	(*st.*)	*glaucous-leaved.* ———	——	——	D.G. ¼.	
	γ candidìssimum. H.R.	(*st.*)	*whitest.* ———	——	——	D.G. ¼.	
39	robústum. H.R.	(*ye.*)	robust-beaked. ———	1795.	....	D.G. ¼.	
40	compáctum. H.R.	(*ye.*)	compact. ———	1780.	11.	D.G. ½.	
41	quadrífidum. H.R.	(*ye.*)	quadrifid. ———	1795.	——	D.G. ½.	
42	bífidum. H.R.	(*ye.*)	bifid beaked. ———	——	——	D.G. ¼.	
43	bibracteàtum. H.R.	(*ye.*)	double-bracted. ———	1803.	4. 11.	D.G. ½.	
44	purpuráscens. DC.	(*ye.*)	purple-bracted. ———	1826.	——	D.G. ¼.	
45	rostràtum. H.R.	(*ye.*)	heron-beaked. ———	1732.	4. 5.	D.G. ¼.	Dill. elth. f. 229.
	tuberculàtum. H.R.	(*ye.*)	*tuberculate.* ———	....	——	D.G. ¼.	
46	ramulòsum. H.R.	(*ye.*)	small-beaked. ———	1803.	3. 11.	D.G. ½.	
47	pisiförme. H.R.	....	pea-shaped. ———	1796.	....	D.I. ¼.	
48	monilifórme. H.R.	(*wh.*)	necklace. ———	1791.	3. 4.	D.I. ¼.	
49	scalpràtum. H.R.	(*ye.*)	great tongue. ———	1714.	8. 10.	D.G. ¼.	Dill. elth. t. 183. f. 224.
50	frágrans. H.R.	(*ye.*)	sweet-scented. ———	1820.	——	D.G. ¼.	Ott. et Lk. abb. t. 43.
51	grandiflórum. H.P.	(*ye.*)	great-blistered. ———	1824.	——	D.G. ¼.	
52	præpíngue. H.R.	(*ye.*)	soft-tongue. ———	1792.	——	D.G. ¼.	
53	mèdium. H.R.	(*ye.*)	large-tongue. ———	1816.	——	D.G. ¼.	
54	cultràtum. H.R.	(*ye.*)	long cultrated. ———	1820.	——	D.G. ¼.	
55	lùcidum. H.R.	(*ye.*)	high-polished. ———	1768.	——	D.G. ¼.	Dill. elth. f. 227.
56	adscéndens. H.R.	(*ye.*)	long-peduncled. ———	1805.	8. 11.	D.G. ¼.	
57	pustulàtum. H.R.	(*ye.*)	blistered tongue. ———	1816.	——	D.G. ¼.	
58	lóngum. H.R.	(*ye.*)	long-thin-leaved. ———	1725.	8. 10.	D.G. ¼.	
	α flàccidum. H.R.	(*ye.*)	*long-flaccid.* ———	——	——	D.G. ¼.	Bot. mag. t. 1866.
	deprèssum. B.M. *nec aliorum.*						
	β declìve. H.R.	(*ye.*)	*lesser erect-edged.* ———	——	——	D.G. ¼.	
	γ angústius. H.R.	(*ye.*)	*narrow-leaved.* ———	——	——	D.G. ¼.	
	δ purpuráscens. H.R.	(*ye.*)	*purple green.* ———	——	——	D.G. ¼.	
	ε uncàtum. H.R.	(*ye.*)	*leaden green.* ———	1819.	——	D.G. ¼.	
	ζ attóllens. H.R.	(*ye.*)	*narrow dark.* ———	——	——	D.G. ¼.	
59	linguæförme. H.R.	(*ye.*)	common tongue. ———	1732.	11. 8.	D.G. ¼.	Dill. elth. f. 226.
	β rufèscens. H.R.	(*ye.*)	*reddish green.* ———	1804.	....	D.G. ¼.	
	γ subcruciàtum. H.R.	(*ye.*)	*subcruciate.* ———	1820.	8. 11.	D.G. ¼.	
	δ prostràtum. H.R	(*ye.*)	*prostrate.* ———	——	——	D.G. ¼.	
	ε assúrgens. H.R.	(*ye.*)	*assurgent.* ———	1819.	——	D.G. ¼.	
60	làtum. H.R.	(*ye.*)	broad tongue. ———	1732.	——	D.G. ¼.	Dill. elth. f. 225.
	β brève. H.R.	(*ye.*)	*short flat.* ———	1802.	——	D.G. ¼.	
61	deprèssum. H.R.	(*ye.*)	small recurving-l^d. ———	1795.	9. 11.	D.G. ¼.	Dill. elth. f. 226?
	α pállens. H.R.	(*ye.*)	*light green.* ———	——	——	D.G. ¼.	
	β lìvidum. H.R.	(*ye.*)	*rufous green.* ———	1819.	——	D.G. ¼.	
62	cruciàtum. H.R.	(*ye.*)	soft cruciate. ———	1792.	5. 11.	D.G. ½.	
63	taurìnum. H.R.	(*ye.*)	Bull's-horn. ———	1795.	9. 11.	D.G. ½.	
64	Sálmii. H.R.	(*ye.*)	Prince de Salm's. ———	1818.	——	D.G. ¼.	
	α decussàtum. H.R.	(*ye.*)	*decussate.* ———	——	——	D.G. ¼.	
	β semicruciàtum. H.R.	(*ye.*)	*semicruciate.* ———	1820.	——	D.G. ¼.	
	γ angustifòlium. H.R.	(*ye.*)	*narrow-leaved.* ———	——	——	D.G. ¼.	
65	surréctum. H.R.	(*ye.*)	thick acute tongue. ———	1819.	——	D.G. ¼.	
66	heterophy'llum. H.R.	(*ye.*)	various-leaved. ———	1795.	——	D.G. ¼.	
67	angùstum. H.R.	(*ye.*)	narrow tongue. ———	1790.	3. 10.	D.G. ¼.	
	β pállidum. H.R.	(*ye.*)	*paler-leaved.* ———	1819.	....	D.G. ¼.	
	γ heterophy'llum. H.K.	(*ye.*)	*semicylindric-l^d.* ———	....	8. 10.	D.G. ¼.	Andr. reposit. 540.
68	diffórme. H.R.	(*ye.*)	difformed. ———	1732.	——	D.G. ¼.	Dill. elth. f. 242.
	β brevicaùle. H.R.	(*ye.*)	*short-stalked.* ———	——	——	D.G. ½.	

69	bidentàtum. H.R. (*ye.*) double-toothed.	C. B. S.	1816.	8. 10.	D.G. ♃.	
	α minus. H.R. (*ye.*) *smaller.*	——	——	——	D.G. ♃.	
	β május. H.R. (*ye.*) *larger.*	——	——	——	D.G. ♃.	
70	bigibberàtum. H.P. (*ye.*) lesser difformed.	——	1824.	——	D.G. ♄.	
71	semicylíndricum. H.R. (*ye.*) small difformed.	——	1732.	3. 11.	D.G. ♄.	Dill. elth. t. 194. f. 241.
72	gibbòsum. H.R. (*re.*) great pale gibbous.	——	1780.	1. 4.	D.G. ♄.	
73	lùteo-víride. H.R. (*re.*) long pale gibbous.	——	1795.	——	D.G. ♄.	
74	pervíride. H.R. (*re.*) dark green gibbous.	——	1792.	1. 5.	D.G. ♄.	
75	pubéscens. H.R. (*re.*) hoary gibbous.	——	——	——	D.G. ♄.	
76	calamifórme H.R. (*wh.*) white fld. quill.	——	1717.	7. 9.	D.G. ♄.	DC. plant. gras. t. 5.
77	obsubulàtum. H.R. ... reversed quill.	——	1796.	....	D.G. ♄.	
78	cylíndricum. H.R. (*re.*) cylindric quill.	——	1792.	9. 2.	D.G. ♄.	
79	teretifòlium. H.R. (*re.*) round quill.	——	1794.	——	D.G. ♄.	
80	teretiúsculum. H.R. (*re.*) roundish quill.	——	——	——	D.G. ♄.	
81	bellidifiòrum. H.R. (*re.*) daisy-flowered.	——	1717.	6. 8.	D.G. ♄.	Dill. elth. t. 224. f. 288.
	α glaucéscens. H.R. (*re.*) *small glaucous.*	——	——	——	D.G. ♄.	
	β víride. H.R. (*ro.*) *pea green.*	——	1822.	——	D.G. ♄.	
82	subulàtum. DC. (*std.*) great green.	——	1768.	6. 8.	D.G. ♄.	DC. plant. gras. t. 41.
83	acùtum. H.R. (*pu.*) great awl-leaved.	——	1793.	11. 4.	D.G. ♃.	
84	punctàtum. H.R. (*pu.*) middle-spotted.	——	....	....	D.G. ♃.	
85	diminùtum. H.R. (*pu.*) small awl-leaved.	——	1789.	4.	D.G. ♃.	
	β cauliculàtum. H.R. (*pu.*) *stalked.*	——	1817.	——	D.G. ♃.	
86	lòreum. H.R. (*st.*) leathery-stalk'd.	——	1732.	9.	D.G. ♄.	Dill. elth. t. 200. f. 255.
	β congéstum. H.R. (*st.*) *crowded-leaved.*	——	1805.	....	D.G. ♄.	
87	diversifòlium. H.R. (*st.*) short horn-leav'd.	——	1726.	8. 10.	D.G. ♄.	Dill. elth. t. 198. f. 252.
	α május. H.R. (*std.*) *larger.*	——	1819.	——	D.G. ♄.	
	β glaúcius. H.R. (*st.*) *glaucescent.*	——	1726.	——	D.G. ♄.	
	γ brevifòlium. H.R. (*st.*) *short-leaved.*	——	1819.	8.	D.G. ♄.	
	δ l'æte-vírens. H.R. (*st.*) *pale green.*	——	——	——	D.G. ♄.	
	ε átro-vírens. H.R. (*st.*) *dark green.*	——	——	8. 9.	D.G. ♄.	
88	decípiens. H.R. (*st.*) middle horn-ld.	——	1820.	....	D.G. ♄.	
89	dùbium. H.R. (*st.or.*) round stalked.	——	1800.	11. 5.	D.G. ♄.	Bradl. succ. d. 4. t. 40.
90	corniculatum. H.R. (*std.*) long-horn-leav'd.	——	1732.	3. 5.	D.G. ♄.	DC. plant. gras. t. 108.
91	purpùreo-álbum. H.P. (*std.*) purple & white.	——	1824.	7. 10.	D.G. ♄.	
92	procúmbens. H.R. (*v.*) purple-jointed.	——	1820.	....	D.G. ♄.	
93	tricolòrum. H.R. (*st.re.*) three-coloured.	——	1794.	10.	D.G. ♄.	
94	pugioniférme. H.R. (*ye.*) great dagger-ld.	——	1714.	7. 9.	D.G. ♄.	DC. plant. gras. t. 82.
	β cárneum. H.R. (*ye.*) *flesh-coloured.*	——	....	——	D.G. ♄.	
	γ purpùreum H.R. (*pu.*) *purple.*	——	....	——	D.G. ♄.	
	δ biénne. H.R. (*ye.*) *biennial.*	——	....	——	D.G. ♂.	
95	capitàtum. H.R. (*ye.*) lesser dagger-ld.	——	1717.	7. 9.	D.G. ♄.	Bot. reg. t. 494.
	β ramígerum. H.R. (*ye.*) *branching.*	——	1816.	——	D.G. ♄.	
96	brevicàule. H.R. (*ye.*) dwarf dagger-ld.	——	——	——	D.G. ♄.	
97	corúscans. H.R. (*ye.*) glittering dagger.	——	1813.	——	D.G. ♄.	
98	elongàtum. H.R. (*ye.*) tuberous long-ld.	——	1793.	5.	D.G. ♄.	DC. plant. gras. t. 72.
	α grandifiórum. (*ye.*) *large-flowered.*	——	——	——	D.G. ♄.	
	β minus. H.R. (*ye.*) *lesser.*	——	——	——	D.G. ♄.	Bot. reg. t. 493.
	γ fusifórme. H.R. (*ye.*) *fusiform.*	——	——	——	D.G. ♄.	Breyn. cent. t. 80.
99	válidum. H.P. (*ro.*) robust light green.	——	1823.	——	D.G. ♄.	
100	geminifiòrum. H.R. (*ro.*) small pale.	——	1819.	——	D.G. ♄.	
101	símile. H.R. (*ro.*) short-jointed.	——	——	5. 7.	D.G. ♄.	
102	láxum. H.R. (*ro.*) long-jointed.	——	——	——	D.G. ♄.	
103	sarmentòsum. H.R. (*ro.*) sarmentose.	——	1805.	4. 5.	D.G. ♄.	
104	rigidicàule. H.R. (*ro.*) stiff-stemmed.	——	1819.	——	D.G. ♄.	
105	Schóllii. H.R. (*ro.*) Scholl's.	——	1818.	——	D.G. ♄.	Jacq. frag. t. 51. f. 2.
	adúncum. Jacq. *non* H. *recúrvum.* H.S.S.					
106	filamentòsum. H.R. (*ro.*) thready.	——	1732.	8. 4.	D.G. ♄.	Dill. elth. t. 212. f. 273.
107	serrulàtum. H.R. (*ro.*) rosy-stalked.	——	1795.	11. 12.	D.G. ♄.	
	α glaúcum. H.R. (*ro.*) *glaucous.*	——	——	——	D.G. ♄.	
	β viridius. H.R. (*ro.*) *greenish.*	——	——	——	D.G. ♄.	
108	rubricaùle. H.R. (*ro.*) deep red-stalk'd.	——	1802.	12. 2.	D.G. ♄.	
	α gracílius. H.R. (*ro.*) *slenderest.*	——	——	——	D.G. ♄.	
	β dénsius. H.R. (*ro.*) *crowded.*	——	....	——	D.G. ♄.	
	γ subvírens. H.R. (*ro.*) *tall-green.*	——	....	——	D.G. ♄.	
109	acinaciférme. H.R. (*ro.*) great scymetar-ld.	——	1714.	8. 9.	D.G. ♄.	Dill. elth. f. 270. 271.
	α brève. H.R. (*ro.*) *short-branched.*	——	——	——	D.G. ♄.	Andr. reposit. 508.
	β lóngum. H.R. (*ro.*) *longer-branched.*	——	——	——	D.G. ♄.	
110	lævigàtum. H.R. (*ro.*) smooth scymetar.	——	1802.	——	D.G. ♄.	

111	rùbro-cínctum. H.R. (*ro.*) red-edged.	C. B. S.	1811.	8. 9.	D.G. ♄.	
	α crássum. H.R. (*ro.*) *thick-leaved.*	———	——	....	D.G. ♄.	
	β compréssum. H.R. (*ro.*) *compressed.*	———	....	....	D.G. ♄.	
	γ ténerum. H.R. (*ro.*) *tender.*	———	....	....	D.L. ♄.	
112	subalàtum. H.R. (*ro.*) wing-stalked.	———	1802.	....	D.G. ♄.	
113	èdule. H.R. (*ye.*) Hottentot's-fig.	———	1690.	7. 8.	D.G. ♄.	Dill. elth. t. 212. f. 272.
114	dimidiàtum. H.R. (*ro.*) lesser eatable.	———	1811.	——	D.G. ♄.	DC. plant. gras. t. 89.
115	glaucéscens. H.R. (*ro.*) glaucescent.	N. Holland.	1804.	7.	D.G. ♄.	
116	abbreviàtum. H.P.... short-jointed.	N. S. W.	1825.	....	D.G. ♄.	
117	Rössi. H.R. (*ro.*) Ross's.	V. Diem. Isl.	1821.	....	D.G. ♄.	
118	viréscens. H.R. (*ro.*) virescent.	N. Holland.	1804.	6. 8.	D.G. ♄.	
119	æquilaterale. H.R. (*ro.*) equal angled.	———	1791.	——	D.G. ♄.	
	β decag'ynum. DC. (*ro.*) *ten-styled.*	———	——	——	D.G. ♄.	
120	vírens. H.R. (*ro.*) smooth-edged green.	C. B. S.	1821.	7. 8.	D.G. ♄.	
121	réptans. H.R. (*ro.*) creeping.	———	1774.	6. 8.	D.G. ♄.	
122	débile. H.P. (*ro.*) smooth weak.	———	1821.	——	D.G. ♄.	
123	austràle. H.R. (*bk.*) New Zealand.	N. Zealand.	1773.	——	D.G. ♄.	
124	crassifòlium. H.R. (*ro.*) thick-leaved.	C. B. S.	1727.	5. 8.	D.G. ♄.	Dill. elth. t. 208. f. 257.
125	clavellàtum. H.R. (*re.*) club-ld. creeping.	N. Holland.	1803.	6. 7.	D.G. ♄.	
	β aggregàtum. H.R. (*re.*) *cluster branched.*	———	——	——	D.G. ♄.	
	γ minus. H.R. (*re.*) *shorter-branched.*	———	——	——	D.G. ♄.	
126	forficàtum. H.R. (*re.*) scissors-leaved.	C. B. S.	1758.	9. 10.	D.G. ♄.	Jacq. vind. 1. t. 26.
127	geminàtum. H.R. (*re.*) white twin-shoot'd.	———	1792.	....	D.G. ♄.	
128	marginàtum. H.R. (*re.*) white-edged.	———	1793.	....	D.G. ♄.	
129	rostéllum. H.R. (*wh. re.*) little prostrate beak.	———	1820.	8. 10.	D.G. ♄.	
130	perfoliàtum. H.R. (*ro.*) great-hooked.	———	1714.	6. 8.	D.G. ♄.	Dill. elth. t. 192. f. 240.
	α tricánthum. H.R. (*ro.*) *three-thorned.*	———	——	——	D.G. ♄.	Bradl. suc. 5. t. 46.
	β monacánthum. H.R. (*ro.*) *one-thorned.*	———	——	——	D.G. ♄.	Bradl. suc. dec. 3. f. 26.
131	uncinéllum. H.R. (*li.*) small-hooked.	———	1819.	——	D.G. ♄.	Dill. elth. f. 239.
132	uncinàtum. H.R. (*ro.*) greenish-hooked.	———	1725.	8.	D.G. ♄.	DC. plant. gras. t. 54.
133	semidentátum. H.R. (*ro.*) slender-hooked.	———	1818.	6. 8.	D.G. ♄.	
134	ùnidens. H.P. (*li.*) dwarf uncinate.	———	1824.	——	D.G. ♄.	
135	víride. H.R. (*li.*) deep green.	———	1792.	7.	D.G. ♄.	
136	acutángulum. H.P. (*wh.*) sharp-angled.	———	1820.	6. 8.	D.G. ♄.	
137	cúrtum. H.R. (*wh.*) short-sheathed.	———	1811.	——	D.G. ♄.	
	β május. H.R. (*wh.*) *larger.*	———	——	——	D.G. ♄.	
138	hamàtum. W. (*wh.*) hook'd sheathing.	———	——	——	D.G. ♄.	
139	vaginàtum. H.R. (*wh.*) rough sheathing.	———	1802.	7. 8.	D.G. ♄.	
	β parviflòrum. H.R. (*wh.*) *smaller-flowered.*	———	——	——	D.G. ♄.	
140	parviflòrum. H.R. (*wh.*) small-flowered.	———	1800.	8.	D.G. ♄.	
141	rígidum. H.R. (*wh.*) rigid.	———	1793.	——	D.G. ♄.	
142	tenéllum. H.R. (*wh.*) least perfoliate.	———	1792.	——	D.G. ♄.	
143	imbricàtum. H.R. (*wh.*) imbricated.	———	——	7.	D.G. ♄.	
	α minus. H.R. (*wh.*) *smallest.*	———	——	——	D.G. ♄.	
	β május. H.R. (*wh.*) *blunt crowded.*	———	——	——	D.G. ♄.	
	γ víride. H.R. (*wh.*) *dull green.*	———	——	——	D.G. ♄.	
144	multiflòrum. H.R. (*wh.*) many-flowered.	———	——	7. 9.	D.G. ♄.	Pluk. phyt. t. 117. f. 1.
	α május. H.R. (*wh.*) *larger white.*	———	——	——	D.G. ♄.	
	β minus. H.R. (*wh.*) *lesser white.*	———	——	——	D.G. ♄.	
	γ rùbrum. H.R. (*re.*) *red-flowered.*	———	1816.	——	D.G. ♄.	
	δ pàtens. H.R. (*wh.*) *single flowered.*	———	——	——	D.G. ♄.	
	ε nìtens. H.R. (*wh.*) *bright-green.*	———	....	——	D.G. ♄.	
145	umbellàtum. H.R. (*wh.*) umbel-flowered.	———	1727.	6. 9.	D.G. ♄.	Dill. elth. t. 208. f. 266.
	β apétalum. H.R. (*wh.*) *petalless.*	———	——	——	D.G. ♄.	
146	tumídulum. H.R. (*re.*) tumid.	———	1802.	8.	D.G. ♄.	
	β minus. H.R. (*re.*) *lesser.*	———	——	——	D.G. ♄.	
147	foliòsum. H.R. (*re.*) many-leaved.	———	——	9.	D.G. ♄.	
148	lineolàtum. H.R. (*re.*) tumid sheathed.	———	1819.	6. 8.	D.G. ♄.	
	β minus. H.R. (*re.*) *lesser.*	———	——	——	D.G. ♄.	
	γ nìtens. H.R. (*re.*) *glittering.*	———	——	——	D.G. ♄.	
149	serràtum. H.R. (*ye.*) saw-keeled.	———	1707.	6. 7.	D.G. ♄.	Dill. elth. t. 192. f. 238.
150	lácerum. H.R. (*re.*) ragged-keeled.	———	1792.	6.	D.G. ♄.	
151	heteropétalum. H.R. (*ye.*) various-petal'd.	———	1794.	5. 8.	D.G. ♄.	
	α albiflòrum. (*wh.*) *white-flowered.*	———	——	——	D.G. ♄.	
	β ròseum. (*ro.*) *rose-coloured.*	———	——	——	D.G. ♄.	
152	glaucínum. H.R. (*li.*) glaucine.	———	1818.	——	D.G. ♄.	
	α angústum. H.R. (*li.*) *slenderest-leaved.*	———	——	——	D.G. ♄.	
	β crássum. H.R. (*li.*) *thicker-leaved.*	———	——	——	D.G. ♄.	

153	mutábile. H.R. (*wh.ro.*) changeable. C. B. S. *filamentòsum.* DC.	1792.	7. 9.	D.G. ♄.	DC. plant. gras. t. 60.
154	inclaùdens. H.R. (*pu.*) open-flowered.	1805.	6. 9.	D.G. ♄.	Andr. reposit. 388.
155	cauléscens. H.R. (*li.*) smooth delta-l^d.	1731.	5. 7.	D.G. ♄.	Dill. elth. f. 243-4.
156	deltoídes. H.R. (*li.*) great delta-leaved.	——	5.	D.G. ♄.	DC. plant. gras. 53.
157	muricàtum. H.R. (*li.*) small delta-leaved.	——	——	D.G. ♄.	Dill. elth. t. 195. f. 27.
	β *minus.* H.R. (*li.*) *smaller-leaved.*	....	——	D.G. ♄.	
158	microphy'llum. H.R. (*ro.*) small-green-leav'd.	1795.	——	D.G. ♄.	
159	mucronàtum. H.R. (*ro.*) bristle-pointed.	1794.	6. 7.	D.G. ♄.	
160	pygmæ'um. H.R. (*ro.*) pigmy connate.	1820.	——	D.G. ♄.	
161	pulchéllum. DC, (*ro.*) small grey-leaved. *canéscens.* H.R.	1793.	4.	D.G. ♄.	
	β *revolùtum.* H.R. (*ro.*) *revolving-branched.*	1819.	——	D.G. ♄.	
162	máximum. H.R. (*ro.*) great crescent-l^d.	1787.	3. 8.	D.G. ♄.	
163	lunàtum. H.R. (*ro.*) small crescent-l^d.	....	4. 6.	D.G. ♄.	
164	falcàtum. H.R. (*ro.*) small sickle-leav'd.	1727.	6. 8.	D.G. ♄.	Dill. elth. f. 275-6.
165	decúmbens. H.R. (*li.*) dwarf decumbent.	1759.	5. 10.	D.G. ♄.	
166	incúrvum. H.R. (*li.*) incurved.	1802.	6.	D.G. ♄.	
	β *dilàtum.* H.R. (*li.*) *dilated.*	1805.	9. 10.	D.G. ♄.	
	γ *pallídum.* H.R. (*li.*) *pale flowering.*	——	——	D.G. ♄.	
	δ *densifòlium.* H.R. (*li.*) *dense lesser-leav'd.*	1819.	——	D.G. ♄.	
	ε *ròseum.* H.R. (*ro.*) *rosy.*	——	——	D.G. ♄.	
167	confértum. H.R. (*li.*) crowded-leaved.	1805.	——	D.G. ♄.	
168	falciférme. H.R. (*li.*) sickle-shaped.	——	7. 8.	D.G. ♄.	
169	glomeràtum. H.R. (*re.*) clustered.	1732.	6. 8.	D.G. ♄.	Dill. elth. t. 213. f. 274.
170	infléxum. H.R. (*re.*) inflex-leaved.	1818.	——	D.G. ♄.	
171	scábrum. H.R. (*re.*) rough.	1731.	7.	D.G. ♄.	Dill. elth. t. 197. f. 251.
	α *pállidum.* H.R. (*li.*) *pale-bloomed.*	——	——	D.G. ♄.	
	β *purpùreum.* H.R. (*pu.*) *purple.*	——	——	D.G. ♄.	
172	versícolor. H.R. (*wh.re.*) changeable rough.	1795.	5. 8.	D.G. ♄.	
173	retrofléxum. H.R. (*re.*) reflex-flowered.	1794.	5. 10.	D.G. ♄.	
174	imbricàns. H.R. (*re.*) imbricate-leaved.	1818.	——	D.G. ♄.	
175	defléxum. H.R. (*re.*) smooth deflexed.	1774.	7. 10.	D.G. ♄.	
176	polyánthon. H.R. (*pu.*) copious-flowered.	1803.	8.	D.G. ♄.	
177	polyphy'llum. H.R. (*re.*) crowded-leaved.	1819.	6. 10.	D.G. ♄.	
178	violáceum. H.R. (*vi.*) deep violaceous.	1820.	10.	D.G. ♄.	DC. plant. gras. t. 84.
179	emarginàtum. H.R. (*vi.*) notch-petaled.	1732.	6. 8.	D.G. ♄.	Dill. elth. t. 197. f. 250.
180	dilatàtum. H.R. (*wh.*) gibbous-keeled.	1795.	7.	D.G. ♄.	
181	virgàtum. H.R. (*li.*) slender-twigged.	1793.	2. 4.	D.G. ♄.	
182	bracteàtum. H.R. (*re.*) double-bracted.	1774.	7. 10.	D.G. ♄.	
183	ancéps. H.R. (*li.*) broad-bracted.	1811.	9. 10.	D.G. ♄.	
	β *pállidum.* H.R. (*li.*) *paler-flowered.*	——	——	D.G. ♄.	
184	grácile. H.R. (*li.*) slender bracteate. *stellàtum.* H.S. *non* DC.	1794.	8. 11.	D.G. ♄.	
	β *gracilius.* H.R. (*li.*) *pale flat-bracted.*	....	——	D.G. ♄.	
185	radiàtum. H.R. (*re.*) radiate.	1732.	——	D.G. ♄.	Dill. elth. t. 197. f. 249.
186	compréssum. H.R. (*re.*) rough compressed.	1792.	7. 9.	D.G. ♄.	
187	pátulum. H.R. (*li.*) paler-flowered.	1811.	10. 11.	D.G. ♄.	
188	ásperum. H.R. (*ro.*) large rough-leav'd.	1818.	7. 9.	D.G. ♄.	
	α *majus.* H.R. (*ro.*) *broader-leaved.*	——	——	D.G. ♄.	
	β *cæruléscens.* H.R. (*ro.*) *bluish-leaved.*	1820.	——	D.G. ♄	
189	formòsum. H.R. (*re.*) white-eyed red.	——	8. 9.	D.G. ♄.	
190	am'œna. DC. (*re.*) beautiful.	1825.	——	D.G. ♄.	
191	spectábile. H.R. (*pu.*) glaucous showy.	1787.	5. 8.	D.G. ♄.	Bot. mag. t. 396.
192	conspícuum. H.R. (*re.*) dark-red showy.	1806.	9. 10.	D.G. ♄.	
193	turbinàtum. DC. (*re.*) top-shaped.	1826.	——	D.G. ♄.	Jacq. vind. t. 476.
194	blándum. H.R. (*bh.*) fair-flowered.	1816.	6. 12.	D.G. ♄.	Bot. reg. t. 582.
195	curviflórum. H.R. (*bh.*) incurving white.	1818.	——	D.G. ♄.	
196	àureum. H.R. (*or.*) great orange.	1750.	8. 10.	D.G. ♄.	Bot. mag. t. 262.
197	aurántium. H.R. (*or.*) glaucous orange.	1793.	6. 8.	D.G. ♄.	
198	glaùcum. H.R. (*ye.*) great gold-flower'd.	1696.	6. 7.	D.G. ♄.	DC. plant. gras. t. 146.
199	cymbifólium. H.P. (*ye.*) greater boat-l^d.	1823.	....	D.G. ♄.	
200	strictum. H.R. (*ye.*) upright boat-l^d.	1795.	....	D.G. ♄.	
201	mucroníferum. H.P. (*ye.*) mucronate boat-l^d.	1823.	....	D.G. ♄.	
202	cymbifórme. H.R. (*re.*) small boat-leav'd.	1793.	....	D.G. ♄.	
203	granifórme. H.R. (*ye.*) grain-leaved.	1727.	9. 10.	D.G. ♄.	Bradl. succ. 2. t. 20.
204	mólle. H.R. (*re.*) soft.	1774.	10.	D.G. ♄.	

205	coccíneum. H.R. (*sc.*) scarlet-flower'd.	C. B. S.	1696.	5. 9.	D.G. ♄.	Bot. mag. t. 59.
	α obtùsum. H.R.(*sc.*) *blunt-calyxed.*	———	——	——	D.G. ♄.	DC. plant. gras. t. 83.
	β acùtius. H.R.(*sc.pu.*) *acute-calyxed.*	———	....	——	D.G. ♄.	
	γ mìnus. H.R. (*sc.*) *lesser.*	———	....	——	D.G. ♄.	
206	bicolòrum. H.R.(*sc.ye.*) two-coloured.	———	1732.	——	D.G. ♄.	
	α erectum. H.R.(*sc.ye.*) *tall upright.*	———	——	——	D.G. ♄.	Dill. elth. t. 202. f. 258.
	β patulum. H.R.(*sc.ye.*) *spreading.*	———	....	——	D.G. ♄.	
	γ mìnus. H.R.(*sc.ye.*) *dwarf spreading.*	———	....	——	D.G. ♄.	
207	inæquàle. H.R. (*ye.*) unequal-cupped.	———	1716.	——	D.G. ♄.	Bradl. succ. 1. t. 7.
208	tenuifòlium. H.R.(*sc.*) slender-leaved.	———	1700.	6. 9.	D.G. ♄.	Dill. elth. t. 201. f. 256.
	β erèctum. H.R. (*sc.*) *upright slender-ld.*	———	....	——	D.G. ♄.	DC. plant. gras. t. 82.
209	variábile. H.R. (*ye.*) changeable-fld.	———	1796.	6. 8.	D.G. ♄.	
	α dénsius. H.R. (*ye.*) *rough close-leaved.*	———	——	——	D.G. ♄.	
	β l'ævius. H.R. (*ye.*) *smoother distant-ld.*	———	——	——	D.G. ♄.	
210	spiniförme. H.R. (*li.*) thorn-shaped.	———	1793.	9. 10.	D.G. ♄.	
	β subadúncum. H.R.(*li.*) *greater hook-ld.*	———	1810.	10. 11.	D.G. ♄.	
211	curvifòlium. H.R. (*li.*) great curve-ld.	———	1790.	10.	D.G. ♄.	
212	flexifòlium. H.R. (*li.*) leaser curve-ld.	———	1818.	——	D.G. ♄.	
	α pervíride. H.R.(*li.*) *dark-green.*	———	——	——	D.G. ♄.	
	β l'æte vìrens. H.R.(*li.*) *apple-green.*	———	——	——	D.G. ♄.	
213	inconspícuum. H.P.(*li.*) inconspicuous.	———	1824.	6. 9.	D.G. ♄.	
214	adúncum. H.R. (*li.*) small curve-leav'd.	———	1795.	2. 8.	D.G. ♄.	
215	filicaùle. H.R. (*li.*) thready-stemmed.	———	1800.	9.	D.G. ♄.	
216	spinòsum. H.R. (*pu.*) thorny.	———	1714.	6. 9.	D.G. ♄.	Dill. elth. t. 206. f. 265.
217	prodúctum. H.P.(*ro.*) great-cupped.	———	1820.	6. 8.	D.G. ♄.	
218	lépidum. H.P. (*wh.*) pretty.	———	1824.	7. 9.	D.G. ♄.	
219	stipulàceum. H.R.(*re.*) tall, stipuled.	———	1723.	5. 8.	D.G. ♄.	Dill. elth. f. 207 & 208.
220	corallìnum. H.R. (*ro.*) coral-stemmed.	———	1819.	——	D.G. ♄.	
221	Hawórthii. H.R. (*ro.*) Haworth's.	———	1793.	6. 1.	D.G. ♄.	
222	l'æve. H.R. (*pu.*) blunt white-leav'd.	———	1774.	7. 9.	D.G. ♄.	
223	verruculàtum. H.R.(*ye.*) long spit-leaved.	———	1731.	5. 6.	D.G. ♄.	
	α Dillènii. H.R. (*ye.*) *Dillenius's.*	———	——	——	D.G. ♄.	Dill. elth. f. 259.
	β Candóllii. H.R.(*ye.*) *cluster spit-leaved.*	———	——	——	D.G. ♄.	DC. plant. gras. t. 36.
224	purpùro-cròceum. H.R. purple saffron-fld.	———	1780.	8. 10.	D.G. ♄.	
225	flàvo-cròceum. H.P. yellow and saffron.	———	1816.	5. 9.	D.G. ♄.	
226	lùteum. H.P. (*ye.*) upright yellow.	———	1822.	6. 8.	D.G. ♄.	
227	lutèolum. H.P. (*ye.*) small yellow.	———	——	——	D.G. ♄.	
228	cròceum. H.R. (*sn.*) saffron-flowered.	———	1816.	10. 11.	D.G. ♄.	Jacq.frag.p.17.t.11.f.2.
229	crystallìnum. H.R.(*wh.*) diamond.	———	1727.	5. 8.	D.G. ♂.	DC. plant. gras. 128.
230	glaciále. H.R. (*wh.*) Ice-plant.	Greece.	1787.	——	G.⊙.	
231	pinnatífidum. H.R.(*ye.*) jagged-leaved.	C. B. S.	1774.	5. 10.	G.⊙.	Bot. mag. t. 67.
232	sessiliflòrum. H.R.(*ye.*) small ice-plant.	———	——	7. 8.	G.⊙.	
	α lùteum. H.R. (*ye.*) *yellow-flowered.*	———	——	——	G.⊙.	
	β álbum. H.R. (*wh.*) *white-flowered.*	———	1816.	——	G.⊙.	
233	humifúsum. H.R.(*wh.*) narrow-ld. ice-plant.	———	1774.	——	D.G. ♄.	
234	clandestìnum. H.P.(*wh.*) minute-flower'd.	———	1823.	5. 8.	D.G. ♄.	
235	Aitòni. H.R. (*ro.*) Alton's.	———	——	6. 10.	D.G. ♂.	Jacq. vind. 3. t. 7.
236	lanceolàtum. H.R.(*wh.*) spear-leaved.	———	1795.	5. 8.	G.⊙.	
	α álbum. H.R. (*wh.*) *white-flowered.*	———	——	——	G.⊙.	
	β ròseum. H.R. (*ro.*) *rosy.*	———	1812.	——	G.⊙.	
237	cordifòlium. H.R.(*re.*) heart-leaved.	———	1774.	5. 9.	D.G. ♃.	DC. plant. gras. t. 102.
238	pomeridiànum. H.R.(*ye.*) great yellow.	———	——	7. 9.	G.⊙.	Bot. mag. t. 540.
	β Andre'wsii. H.R.(*ye.*) *Andrews's.*	———	....	——	G.⊙.	Andr. reposit. t. 57.
239	Candóllii. H.R. (*ye.*) Decandolle's.	———	....	——	G.⊙.	DC. plant. gras. t. 135.
	helianthoides. DC. *nec aliorum.*					
240	pilòsum. H.R. (*ye.*) hairy-yellow.	———	1800.	6. 8.	G.⊙.	Breyn. cent. t. 79.
241	calendulàceum. H.R.(*y.*) hispid narrow-cup'd.	———	1819.	8.	G.⊙.	
242	fláccidum. DC. (*ye.*) flaccid.	———	1826.	——	D.G. ♂.	
243	helianthoides. H.R.(*ye.*) spatula-leaved.	———	1774.	8. 10.	G.⊙.	
244	cuneifòlium. DC.(*pu.*) transparent.	———	——	7.	G.⊙.	Jacq. ic. 3. t. 288.
	límpidum. H.R.					
245	pyrop'æum. H.3.S.(*v.*) annual 3-colour'd.	———	1820.	4. 7.	G.⊙.	
	α rùbidum. (*pu.*) *the ruby.*	———	——	——	G.⊙.	Bot. mag. t. 2144.
	tricolor. W. hort. ber. t. 22.					
	β ròseum. H.R. (*ro.*) *the rosy.*	———	——	——	G.⊙.	
	γ álbum. H.R. (*bh.*) *blush white.*	———	1819.	——	G.⊙.	
246	villòsum. H.R. (*bh.*) villous.	———	1759.	7.	D.G. ♄.	

247	cadùcum. H.B. (*wh.*) deciduous. C. B. S.		1774.	7. 8.	G.⊙.	
248	apétalum. H.B. (*wh.*) dwarf spreading. ———		——	——	G.⊙.	Jacq. vind. 3. t. 6.
249	nodiflòrum. H.B. (*wh.*) knot-flowered. Egypt.		1739.	8. 10.	G.⊙.	DC. plant. gras. t. 88.
250	ciliàtum. H.B. (*wh.*) ciliated. C. B. S.		1774.	....	D.G.♄.	
251	geniculiflòrum. H.B. (*ye.*) joint-flower'd. Egypt.		1727.	7. 9.	D.G.♄.	DC. plant. gras. t. 17.
252	Tripòlium. H.B. (*wh.*) Aster-leaved. C. B. S.		1700.	6. 10.	D.G.♂.	Dill. elth. t. 179. f. 220.
253	expánsum. H.B. (*st.*) houseleek-leav'd. ———		1705.	7. 8.	D.G.♄.	——— f. 223.
	tortuòsum. DC. plant. gras. t. 94. *non* L.					
254	vàrians. H.B. (*wh.st.*) varying. ———		1706.	7. 10.	D.G.♄.	Pet. gaz. t. 78. f. 10.
255	tortuòsum. H.B. (*st.*) twisting-leaved. ———		1705.	6. 10.	D.G.♄.	Dill. elth. t. 181. f. 222.
256	pállens. H.B. (*wh.*) pale-flowered. ———		1774.	7. 8.	D.G.♄.	DC. plant. gras. t. 47.
	expánsum. DC. *non* L.					
257	crassicaùle. H.P. (*ye.*) thick-stalked. ———		1822.	5.	D.G.♄.	
258	loràtum. H.B. (*wh.*) glaucous strap-le. ———		1819.	——	D.G.♄.	
259	relaxàtum. H.B. (*re.*) livid strap-leav'd. ———		....	——	D.G.♄.	
260	anatómicum. H.B. (*wh.*) skeleton-leav'd. ———		1803.	7. 8.	D.G.♄.	
	β frágile. H.B. (*wh.*) *brittle.* ———		——	——	D.G.♄.	
261	réctum. H.B. (*wh.*) upright egg-leav'd. ———		1819.	——	D.G.♄.	
262	crassuloídes. H.B. (*bh.*) Crassula-like. ———		——	7. 8.	D.G.♄.	
263	incómptum. H.B. (*wh.*) persistent cup'd. ———		1816.	——	D.G.♄.	
264	spléndens. H.B. (*wh.*) shining white flo. ———		1716.	6. 8.	D.G.♄.	DC. plant. gras t. 35.
265	flexuòsum. H.B. (*bh.*) flexuose-leaved. ———		1795.	7. 8.	D.G.♄.	
266	acuminàtum. H.P. (*wh.*) long-cupped. ———		1820.	8. 9.	D.G.♄.	
267	albicaùle. H.P. (*wh.*) white-twigged. ———		1823.	8. 10.	D.G.♄.	
268	sulcàtum. H.B. (*wh.*) acute-cupped. ———		1819.	——	D.G.♄.	
269	fastigiàtum. H.B. (*bi.*) level-topped. ———		1794.	7. 9.	D.G.♄.	
	β reflèxum. H.B. (*br.*) *reflex-leaved.* ———		1792.	8. 9.	D.G.♄.	
270	umbelliflòrum. H.B. ... umbel-flowered. ———		1825.	——	D.G.♄.	
271	longist'ylum. DC. (*bh.*) long-styled. ———		1822.	——	D.G.♄.	
	pállens. Jacq. schœnb. 3. t. 279. *non* Ait. *palléscens.* H.B.					
	β purpuráscens. DC. (*pu.*) *purplish.* C. B. S.		——	——	D.G.♄.	
272	micránthon. H.B. (*wh.*) small-blossom'd. ———		1804.	——	D.G.♄.	Jacq. schœnb. 3. t. 278.
	parviflòrum. Jacq. *non* H.B.					
273	júnceum. H.B. (*ro.*) rushy. ———		1800.	8. 10.	D.G.♄.	
274	granulicaùle. H.P. (*ro.*) shagreen-stem'd. ———		1821.	6. 8.	D.G.♄.	
275	ténue. H.B. (*wh.*) slender rushy. ———		1819.	——	D.G.♄.	
276	spinulíferum. H.B. (*st.*) spinulescent. ———		1794.	6. 10.	D.G.♄.	
277	grósum. H.B. (*bh.*) gouty. ———		1774.	8. 10.	D.G.♄.	
278	salmòneum. H.B. (*ro.*) salmon-colour'd. ———		1819.	——	D.G.♄.	
279	canaliculàtum. H.B. (*ye.*) channel-leav'd. ———		1794.	7. 10.	D.G.♄.	
280	viridiflòrum. H.B. (*gr.*) green-flowered. ———		1774.	7. 11.	D.G.♄.	Bot. mag. t. 326.
281	tenuiflòrum. H.B. (*re.*) slender-flower'd. ———		1824.	....	D.G.♄.	Jacq. frag. 52. f. 3.
282	longispinulum. H.P. (*st.*) rosy-cupp'd yellow. ———		1821.	8. 11.	D.G.♄.	
283	nítidum. H.B. (*ye.*) shrubby crystalline. ———		1790.	7. 10.	D.G.♄.	DC. plant. gras. t. 129.
	brachiàtum. DC. *nec aliorum.*					
284	subincànum. H.P. (*wh.*) soft-leav'd white. ———		1821.	8. 9.	D.G.♄.	
285	brachiàtum. H.B. (*ye.*) three-forked. ———		1774.	6. 8.	D.G.♄.	
286	testàceum. H.B. (*su.*) tile-coloured. ———		1816.	——	D.G.♄.	
287	macrorhìzum. H.P. (*wh.*) large-rooted. ———		1823.	6. 9.	D.G.♄.	
288	tuberòsum. H.B. (*co.*) tuberous shrubby. ———		1714.	6. 10.	D.G.♄.	DC. plant. gras. t. 78.
	β minus. H.B. (*bl.*) *lesser-leaved.* ———		——	——	D.G.♄.	
289	noctiflòrum. H.B. (*ro. wh.*) night-flowering. ———		——	6. 8.	D.G.♄.	DC. plant. gras. t. 10.
	a phœnicèum. H.B. (*ro.*) *deep rosy.* ———		——	——	D.G.♄.	Dill. elth. f. 262.
	β stramíneum. H.B. (*st.*) *straw-coloured.* ———		——	——	D.G.♄.	——— f. 263.
	γ elàtum. H.B. (*wh. ro.*) *tall-rosy.* ———		1819.	——	D.G.♄.	
290	fúlvum. H.B. (*br. wh.*) grey-barked. ———		1732.	——	D.G.♄.	
291	clavàtum. DC. (*wh.*) clubbed. ———		....	——	D.G.♄.	Jacq. schœnb. t. 106.
	defoliàtum. H.B.					
292	horizontàle. H.B. (*st.*) spreading-leav'd. ———		1795.	——	D.G.♄.	
293	speciósum. H.B. (*cr.*) glittering orange. ———		1798.	5. 10.	D.G.♄.	
294	micans. H.B. (*sc.*) dark orange. ———		1704.	5. 8.	D.G.♄.	Bot. mag. t. 448.
295	maculàtum. H.B. (*sc.*) spotted-stalked. ———		1792.	——	D.G.♄.	
296	flàvum. H.B. (*ge.*) small-glittering. ———		1820.	8.	D.G.♄.	
297	oblíquum. H.B. (*re.*) bright afternoon fig ———		1819.	——	D.G.♄.	
298	parvifòlium. H.B. (*pu.*) small triquetrous. ———		——	6. 10.	D.G.♄.	
299	brevifòlium. H.B. (*re.*) short-leaved. ———		1777.	——	D.G.♄.	Jacq. vind. t. 477.
	erigerifòlium. Jacq.					
300	subglobòsum. H.B. (*re.*) globular. ———		1795.	——	D.G.♄.	
301	pulverulèntum. H.B. (*re.*) powdered. ———		1792.	5.	D.G.♄.	

302	hispidum. H.R.	(*pu.*)	hispid-stalked.	C. B. S.	1704.	5. 10.	D.G. ♄.	DC. plant. gras. t. 66.
	α Dillènii. H.R.	(*pu.*)	*the bushy.*	———	———	———	D.G. ♄.	Dill. elth. f. 278.
	β platypétalum. H.R.		*tall.*	———	1820.	———	D.G. ♄.	
303	hirtéllum. H.R.	(*re.*)	dwarf bristly.	———	1792.	5. 11.	D.G. ♄.	
304	cándens. H.R.	(*wh.*)	trailing hispid.	———	1820.	———	D.G. ♄.	
305	subcompréssum. H.P.	(*vi.*)	upright twiggy.	———	1824.	6. 8.	D.G. ♄.	
	β minus. H.P.	(*vi.*)	*lesser.*	———	———	———	D.G. ♄.	
306	floribúndum. H.R.	(*fl.*)	crowded-flower'd.	———	1704.	5. 10.	D.G. ♄.	Dill. elth. t. 214. f. 280.
307	calycínum. H.R.	(*wh.*)	hispid long-cup'd.	———	1819.	———	D.G. ♄.	
308	striàtum. H.R.	(*std.*)	striped bristly.	———	1727.	———	D.G. ♄.	Dill. elth. t. 215. f. 281.
	α ròseum. H.R.	(*std.*)	*rosy.*	———	———	———	D.G. ♄.	——— t. 215. f. 281.
	β pállens. H.R.	(*std.*)	*pale-flowered.*	———	———	———	D.G. ♄	DC. plant. gras. t. 132.
309	attenuàtum. H.R.	(*v.*)	slender hispid.	———	1820.	———	G. ♄.	
310	tuberculàtum. DC.	(*v.*)	hispid-leaved.	———	1814.	———	G. ♄.	
	hispifólium. H.R.							
	α fastigiàtum. H.R.	(*v.*)	*level-topped.*	———	———	———	G. ♄.	
	β ròseum. H.R.	(*ro.*)	*rosy-flowered.*	———	———	———	G. ♄.	
311	echinàtum. H.R.	(*ye.*)	hedge-hog.	———	1774.	7. 10.	G. ♄.	DC. plant. gras. t. 24.
	α lùteum.	(*ye.*)	*yellow.*	———	———	———	G. ♄.	
	β álbum.	(*wh.*)	*white-flowered.*	———	———	———	G. ♄.	
312	strumòsum. H.R.	(*st.*)	tuberous hedge-hog.	———	1820.	———	G. ♄.	
313	barbàtum. H.P.	(*pu.*)	bearded bushy.	———	1793.	5. 10.	G. ♄.	Bot. mag. t. 70.
314	stelligerum. H.P.	(*pu.*)	procumbent bearded.	———	1705.	6. 8.	G. ♄.	
315	bulbósum. H.P.	(*re.*)	bearded tuberous.	———	1820.	———	G. ♄.	
316	intónsum. H.P.	(*re.*)	black bearded.	———	———	7.	G. ♄.	
	α rubicúndum. H.P.	(*re.*)	*red-flowered.*	———	———	———	G. ♄.	
	β álbum. H.P.	(*bh.*)	*white-flowered.*	———	———	———	G. ♄.	
317	stellàtum. H.P.	(*pu.*)	small-bearded.	———	1716.	9. 10.	G. ♄.	DC. plant. gras. t. 29.
318	dénsum. H.P.	(*pu.*)	dwarf-bearded.	———	1732.	5. 8.	G. ♄.	Bot. mag. t. 1290.

HYMENO'GYNE. H.R. HYMENO'GYNE. Icosandria Dodecagynia.

	glábra. H.R.	(*st.*)	smooth.	C. B. S.	1787.	7. 8.	G. ☉.	
	Mesembryánthemum glábrum. H.S. *non* A.R.							

TETRAG'ONIA. W. TETRAG'ONIA. Icosandria Pentagynia. L.

1	expánsa. H.S.	(*gr.*)	horned.	N. Zealand.	1772.	8. 9.	H. ☉.	DC. plant. gras. t. 114.
2	crystallìna. H.S.	(*gr.*)	diamond.	Peru.	1788.	6. 12.	H. ☉.	——— t. 34.
3	echinàta. H.S.	(*gr.*)	hedgehog.	C. B. S.	1774.	5. 8.	G. ♂.	——— t. 113.
4	hirsùta. DC.	(*gr.*)	hairy.	———	1823.	———	G. ♂.	
5	fruticòsa. H.S.	(*gr.*)	shrubby.	———	1712.	7. 9.	G. ♄.	Mill. ic. 2. t. 263. f. 2.
6	lineàris. H.R.	(*gr.*)	linear-leaved.	———	1819.	9.	G. ♄.	
7	obovàta. H.R.	(*gr.*)	obovate-leaved.	———	———	....	G. ♄.	
8	decúmbens. H.S.	(*gr.*)	trailing.	———	1758.	7. 9.	G. ♄.	DC. plant. gras. t. 28.
9	Tetrápteris. H.S.	(*gr.*)	wing-seeded.	———	1795.	———	G. ♄.	
10	spicàta. H.S.	(*gr.*)	spiked.	———	———	———	G. ♃.	
11	herbàcea. H.S.	(*gr.*)	tuberous-rooted.	———	1752.	6. 7.	G. ♃.	Comm. hort. 2. t. 102.
12	purpùrea. Ot.	(*pu.*)	purple.	.....	1825.	———	H. ☉.	

SES'UVIUM. DC. SES'UVIUM. Icosandria Tri-Pentagynia.

1	pedunculàtum. P.S.	(*pu.*)	peduncled.	W. Indies.	1692.	6. 8.	D.S. ♃.	Plak. phyt. t. 216. f. 1.
2	sessile. P.S.	(*pu.*)	sessile-flowered.	———	———	———	D.S. ♃.	DC. plant. gras. t. 9.
	Aizoòn canariénse. Andr. rep. t. 201. *nec aliorum.*							
3	longifòlium. DC.	(*pu.*)	long-leaved.	S. America.	1816.	7. 8.	D.S. ♃.	
4	revolutifòlium. DC.	(*pu.*)	revolute-leaved.	Cuba.	....	———	D.S. ♃.	Bot. mag. t. 1701.
5	rèpens. DC.	(*pu.*)	creeping.	E. Indies.	1816.	———	S. ☉.	Rumph. amb. 5. t. 72. f. 1.
6	microphýllum. DC.	(*pu.*)	small-leaved.	Havannah.	1823.	———	D.S. ♃.	

AIZO'ON. DC. AIZO'ON. Icosandria Pentagynia. L.

1	canariénse. DC.	(*ye.*)	Purslane-leav'd.	Canaries.	1731.	7. 8.	D.G. ♃.	DC. plant. gras. t. 136.
2	glinoídes. DC.	(*ro.*)	hairy.	C. B. S.	1774.	6. 8.	D.G. ♃.	
3	hispánicum. DC.	(*wh.*)	Spanish.	Spain.	1728.	7. 8.	H. ☉.	DC. plant. gras. t. 80.
4	tomentòsum. DC.	(*ye.*)	woolly.	C. B. S.	1824.	———	D.G. ♄.	
5	stellàtum. DC.	(*ye.*)	starry.	———	———	———	D.G. ♄.	
6	perfoliàtum. DC.	(*ye.*)	perfoliate.	———	1816.	6. 8.	D.G. ♄.	
7	sarmentòsum. DC.	(*ye.*)	trailing.	———	———	———	D.G. ♄.	Burm. afr. t. 26. f. 2.
8	lanceolàtum. W.	(*ye.*)	spear-leaved.	———	1752.	8.	D.G. ♂.	

GL'INUS. DC. GL'INUS. Dodecandria Pentagynia. L.

	lotoídes. DC.	(*ye.*)	hairy.	S. Europe.	1788.	7. 8.	H. ☉.	Bocc. sic. 21. t. 11.

Tribus II. *REAUMURIEÆ.*

REAUM'URIA. DC. REAUM'URIA. Icosandria Pentagynia.

1	vermiculàta. DC.	(*wh.*)	white-flowered.	Persia.	1829.	....	G. ♄.	Lob. ic. t. 380.

2 hypericoídes. DC.	(*pu.*)	purple-flowered.	Syria.	1800.	7. 10.	G. ♄.	Bot. mag. t. 2057.
linifólia. Sal. par. lond. t. 18.							
NITRA'RIA. DC.		NITRA'RIA. Dodecandria Trigynia.					
1 Schobèri. L.	(*wh.*)	thick-leaved.	Siberia.	1778.	5. 8.	H. ♄.	Andr. rep. t. 529.
2 sibírica. F.	(*wh.*)	Siberian.	———	1826.	....	H. ♄.	Gmel. sib. 2. t. 98.
3 cáspica. W.en.	(*wh.*)	Caspian.	Caspia.	1822.	5. 8.	H. ♄.	Pall. ross. t. 50. f. B.
4 tridentàta. DC.	(*wh.*)	tridentate.	Africa.	——	——	H. ♄.	

ORDO CIII.

CACTEÆ. *DC. prodr. v. 3. p. 457.*

Tribus I. *OPUNTIACEÆ.* DC. prodr. v. 3. p. 458.

MAMMILLA'RIA. H.S.		MAMMILLA'RIA. Icosandria Monogynia.					
1 magnimámma. DC.	(*re.*)	large-beaded.	Mexico.	1823.	6. 8.	D.S. ♄.	
2 coronária. DC.	(*sc.*)	the great.	———	1820.	——	D.S. ♄.	Ortg. dec. t. 16.
3 díscolor. DC.	(*wh.re.*)	two-coloured.	S. America.	1800.	——	D S. ♄.	DC. diss. t. 2. f. 2.
Cáctus Spinii. Colla. *deprèssus.* DC. cat. h. monsp. p. 84. *pseudo-mammillàris.* Salm Dyck.							
4 lanífera. DC.	(*re.*)	wool-bearing.	Mexico.	1823.	6. 8.	D.S. ♄.	DC. diss. t. 4.
5 flavéscens. DC.	(*re.*)	yellow-spined.	S. America.	1811.	——	D.S. ♄.	
6 stramínea. H.S.S.	(*re.*)	straw-coloured.	———	——	——	D.S. ♄.	
7 prolífera. DC.	(*wh.*)	white-spined.	———	1688.	7. 8.	D.S. ♄.	
8 símplex. DC.	(*wh.*)	small red-spin'd.	W. Indies.	——	——	D.S. ♄.	DC. plant. gras. t. 8.
Cáctus mammillàris. L.							
9 missouriénsis. L.C.	(*wh.*)	Missouri.	Missouri.	1813.	6. 8.	D.G. ♄.	
Cáctus mammillàris. Nuttall. *nec aliorum.*							
10 vivípara. DC.	(*re.*)	viviparous.	———	——	——	D.G. ♄.	
11 parvimámma. DC.	.....	small-beaded.	S. America.	1817.	....	D.S. ♄.	
Cáctus microthèle. S.S.							
12 geminispìna. DC.	(*re.*)	twin-spined.	Mexico.	1823.	6. 8.	D.S. ♄.	DC. diss. t. 3.
13 glomeràta. DC.	(*re.*)	tufted.	St. Domingo.	1825.	....	D.S. ♄.	Plum. ed Bur. t. 201. f. 1.
14 pusílla. DC.	(*bh.*)	hoary starry.	S. America.	1816.	6. 9.	D.S. ♄.	DC. diss. t. 2. f. 1.
Cáctus stellàtus. Lodd. bot. cab. t. 79.							
15 Helícteres. DC.	(*ro.*)	simple obovate.	Mexico.	1827.	——	D.S. ♄.	DC. diss. t. 5.
16 cònica. H.S.S.	....	cone-beaded.	.....	1806.	....	D.S. ♄.	
17 coccínea. Gil.	(*sc.*)	scarlet-flower'd.	Chile.	1827.	....	D.S. ♄.	
18 speciòsa. Gil.	(*re.*)	handsome.	———	——	....	D.S. ♄.	
19 fuscàta. Ot.	....	brown.	S. America.	——	....	D.S. ♄.	
20 canéscens. Ot.	....	canescent.	———	——	....	D.S. ♄.	
21 cæspitòsa. Ot.	....	tufted.	———	——	....	D.S. ♄.	
22 chrysántha. Ot.	(*ye.*)	yellow-flowered.	———	——	....	D.S. ♄.	
MELOCA'CTUS. DC.		MELON THISTLE. Icosandria Monogynia.					
1 commùnis. DC.	(*re.*)	Turk's-cap.	W. Indies.	1688.	7. 8.	D.S. ♄.	DC. plant. gras. t. 112.
β *oblóngus.* DC.	(*re.*)	*oblong.*	———	——	——	D.S. ♄.	
γ *macrocéphalus.*		*large-beaded.*	———	——	——	D.S. ♄.	
2 macracánthus. DC.	(*re.*)	large-spined.	S. America.	1820.	——	D.S. ♄.	Lk. et Ot. dis. t. 12.
3 pyramidàlis. DC.	....	pyramidal.	Curassao.	1824.	....	D.S. ♄.	——— p. 10. t. 25.
4 placentifórmis. DC.	(*re.*)	black-spined.	Brazil.	——	7. 9.	D.S. ♄.	Besl. h. eyst. 4. ord. f. 1.
Cáctus Melocáctus. Besl. *non* L. *Melocáctus Beslèri.* Lk. et Ot. dis. p. 11. t. 21.							
5 Langsdórfii. DC.	(*ye.*)	Langsdorf's.	Brazil.	1826.	7. 9.	D.S. ♄.	
6 Sellówii. DC.	....	Sellow's.	Monte Video.	——	....	D.S. ♄.	Lk. et Ot. dis. t. 22.
7 polyacánthus. DC.	....	many-spined.	Brazil.	——	....	D.S. ♄.	——— p. 13. t. 16. f. 1.
ECHINOCA'CTUS. DC.		ECHINOCA'CTUS. Icosandria Monogynia.					
1 gibbòsus. DC.	(*wh.*)	gibbous.	Jamaica.	1806.	6. 8.	D.S. ♄.	Bot. reg. t. 137.
Cáctus gibbòsus. B.R.							
2 latispìnus. H.P.	(*pu.*)	flat-spined.	Mexico.	1823.	....	D.S. ♄.	Lk. et Ot. dis. t. 14.
corrígerus. DC. dis. t. 7 ?							
3 crispátus. DC.	(*pu.*)	curl-ribbed.	———	1826.	....	D.S. ♄.	DC. diss. t. 8.
4 obvallàtus. DC.	(*pu.*)	guarded.	———	——	....	D.S. ♄.	——— t. 9.
5 tenuispìnus. DC.	(*ye.*)	slender-spined.	Brazil.	——	6. 8.	D.S. ♄.	Lk. et Ot. dis. t. 19. f. 1.
6 melocactifórmis. DC.	(*bh.*)	Melocactus-like.	Mexico.	——	....	D.S. ♄.	DC. diss. t. 10.
7 tephracánthus. DC.	...	ashy-spined.	Brazil.	1825.	....	D.S. ♄.	Lk. et Ot. dis. t. 14. f. 2.
8 recúrvus. DC.	....	recurve-spined.	Mexico.	1768.	....	D.S. ♄.	
Cáctus nóbilis. L.							

9	intórtus. DC.	....	twisted.	Antigua.	1768.	....	D.S. ♄.	
10	Salmiànus. DC.	....	Salm-Dyck's.	Curassao.	1824.	....	D.S. ♄.	
11	tuberculàtus. DC.	....	tubercled.	Mexico.	1826.	....	D.S. ♄.	Lk. et Ot. dis. t. 26.
12	gladiàtus. DC.	....	sword-spined.	———	——	....	D.S. ♄.	——— p. 17. t. 17.
13	subuliferus. DC.	....	awl-spined.	———	1824.	....	D.S. ♄.	——— p. 16. t. 27.
14	deprèssus. DC.	....	depressed.	S. America.	1780.	....	D.S. ♄.	
15	orthacánthus. DC.	....	straight-spined.	Monte Video.	1828.	....	D.G. ♄.	Lk. et Ot. dis. t. 18.
16	acuàtus. DC.	....	sharp-ribbed.	———	——	....	D.G. ♄.	——— p. 15. t. 23.
17	parvispìnus. DC.	....	small-spined.	S. America.	1815.	....	D.S. ♄.	
18	intricàtus. DC.	....	intricate.	Monte Video.	1828.	....	D.S. ♄.	Lk. et Ot. dis. t. 24.
19	meonacánthus. DC.	....	oblong.	Jamaica.	....	....	D.S. ♄.	——— p. 19. t. 15.
20	inflàtus. Gil.	....	inflated.	Chile.	1828.	....	D.S. ♄.	
21	erinàceus.	....	Hedgehog.	.....	1818.	....	D.S. ♄.	
	Cáctus erinàceus. H.S.S.							
C'EREUS. DC.			C'EREUS.	Icosandria Monogynia.				
1	multangulàris. DC.	....	many angled.	S. America.	1815.	....	D.S. ♄.	
2	redúctus. DC.	....	removed.	Mexico.	1796.	....	D.S. ♄.	
	Cáctus nóbilis. H.S.							
3	Scòpa. DC.	....	setaceous.	Brazil.	1826.	....	D.S. ♄.	
4	sénilis. DC.	....	grey-headed.	Mexico.	1823.	....	D.S. ♄.	
	Cáctus sénilis. H.P.							
5	peruviànus. DC. (*re.wh.*)		great Peruvian.	Peru.	1728.	8. 10.	D.S. ♄.	DC. plant. gras. t. 58.
6	monstròsus. DC. (*re.wh.*)		irregular.	S. America.	1816.	——	D.S. ♄.	DC. diss. t. 11.
	Cáctus abnórmis. W. enum. sup. 31.							
7	monoclònos. DC. (*ro.wh.*)		obcordate-petal'd.	Caribees.	....	6. 8.	D.S. ♄.	Plum. ed. Burm. t. 191.
8	fimbriàtus. DC.	(*ro.*)	fringe-petal'd.	St. Domingo.	1826.	——	D.S. ♄.	——— t. 195. f. 1.
9	hexagònus. H.S. (*ro.wh.*)		great 6-angled.	Surinam.	1690.	7. 8.	D.S. ♄.	Bradl. succ. t. 1.
10	heptagònus. H.S. (*wh.*)		great 7-angled.	W. Indies.	1728.	——	D.S. ♄.	
11	Hístrix. DC.	....	Porcupine.	.....	1818.	....	D.S. ♄.	
12	ebúrneus. DC.	....	ivory-thorned.	Curassao.	——	....	D.S. ♄.	Bradl. succ. t. 10.
	β monstròsus. DC.	.....	*monstrous.*	Hybrid.	....	....	D.S. ♄.	
13	griseus. H.S.	(*wh.*)	grey-spined.	S. America.	1809.	9. 10.	D.S. ♄.	
14	crenulàtus. DC.	....	crenulate.	———	1822.	....	D.S. ♄.	
15	albispìnus. DC.	....	white-spined.	———	——	....	D.S. ♄.	
16	regàlis. DC.	....	the royal.	———	1816.	....	D.S. ♄.	
17	strictus. DC.	....	straight.	———	1822.	....	D.S. ♄.	
18	Hawórthii. DC.	....	Haworth's.	Caribees.	1811.	....	D.S. ♄.	
	Cáctus Hawórthii. S.S. *Cèreus nóbilis.* H.S.							
19	aùreus. DC.	....	gold-spined.	S. America.	1825.	....	D.S. ♄.	
20	nìger. DC.	(*wh.*)	black.	———	1820.	....	D.S. ♄.	
21	fulvispìnus. DC.	....	tawny-spined.	———	1795.	....	D.S. ♄.	
22	flavispìnus. DC.	....	yellow-spined.	———	1822.	....	D.S. ♄.	
23	chiloénsis. DC.	....	ten-angled.	Chile.	1825.	....	D.S. ♄.	
24	euphorbioídes. DC.	....	Euphorbia-like.	S. America.	1815.	....	D.S. ♄.	
25	Royèni. DC.	(*wh.*)	Royen's 9-angled.	W. Indies.	1728.	6. 9.	D.S. ♄.	DC. plant. gras. t. 142.
26	lanuginòsus. DC.	(*wh.*)	woolly.	———	1690.	7. 8.	D.S. ♄.	Herm. parad. t. 115.
27	repándus. DC.	(*wh.*)	waved short-spin'd.	———	1728.	8. 10.	D.S. ♄.	Bot. reg. t. 386.
28	subrepándus. DC.	(*wh.*)	waved long-spin'd.	———	1817.	——	D.S. ♄.	
29	polygònus. DC.	(*wh.*)	many-sided.	St. Domingo.	1826.	....	D.S. ♄.	Plum. ed. Burm. t. 196.
30	rosàceus. Ot.	(*ro.*)	rosy.	.....	1826.	....	D.S. ♄.	
31	Déppii. Ot.	....	Deppi's.	.....	——	....	D.S. ♄.	
32	incrustàtus. Ot.	....	incrusted.	.....	——	....	D.S. ♄.	
33	grándis. DC.	....	straddling-spin'd.	.....	1816.	....	D.S. ♄.	
34	tetragònus. DC.	(*wh.*)	great 4-angled.	S. America.	1710.	7. 8.	D.S. ♄.	
35	paniculàtus. DC. (*wh.re.*)		panicled.	St. Domingo.	1827.	....	D.S. ♄.	Plum. ed. Burm. t. 192.
36	obtùsus. DC.	....	blunt 3-angled.	Brazil.	1819.	....	D.S. ♄.	
37	serpentìnus. DC. (*pu.wh.*		white-spined.	S. America.	1817.	7. 8.	D.S. ♄.	Lk. et Ott. abb. t. 91.
38	ambíguus. DC. (*pu.wh.*)		ambiguous.	.....	1827.	——	D.S. ♄.	
39	flagelliförmis. DC.	(*ro.*)	creeping.	Peru.	1690.	5. 6.	D.G. ♄.	Bot. mag. t. 17.
40	caudàtus. Gil.	....	tailed.	Chile.	1828.	....	D.G. ♄.	
41	horizontàlis. Gil.	....	horizontal.	———	——	....	D.G. ♄.	
42	grandiflòrus. DC. (*ye.wh.*)		night-flowered.	Jamaica.	1700.	6. 8.	D.S. ♄.	Andr. reposit. t. 508.
43	Colvílii.	....	Colvill's hybrid.	Hybrid.	1825.	....	D.S. ♄.	
44	pentagònus. DC.	(*wh.*)	five-angled.	S. America.	1769.	7. 8.	D.S. ♄.	
45	réptans. H.S.S.	....	creeping.	———	1813.	....	D.S. ♄.	
46	albisetòsus. H.S.S.	.....	white-spin'd trails.	St. Domingo	1816.	....	D.S. ♄.	
47	rádicans. DC.	....	rooting-branch'd.	S. America.	1827.	....	D.S. ♄.	
48	hùmilis. DC.	....	slender dwarf.	.....	——	....	D.S. ♄.	
49	quadrangulàris. DC. (*wh.*)		quadrangular.	S. America.	1809.	7. 9.	D.S. ♄.	Plum. ed. Bur. t. 199. f. 1.

50	tripteris. DC.	....	broad-lobed.	.....	1827.	....	D.S. ħ.	
51	bifrons. H.S.S	....	rooting 4-angular.	St. Domingo.	1818.	....	D.S. ħ.	
52	speciosissimus. DC.	(*sc.pu.*)	beautiful.	Mexico.	1816.	6. 9.	D.G. ħ.	Bot. reg. t. 486.
	Cáctus speciosissimus. B.R. *speciòsus.* Colla hort. rip. t. 10.							
53	triangularis. DC.	(*wh.*)	great triangular.	W. Indies.	1690.	7. 8.	D.S. ħ.	Bot. mag. t. 1884.
54	trigonus. DC.	(*wh.*)	small triangular.	———	1809.	——	D.S. ħ.	Plum.ed.Burt.200.f.2.
55	triquèter. DC.	....	least triangular.	S. America.	1794.	....	D.S. ħ.	
56	coccineus. DC.	(*sc.*)	scarlet-flowered.	Brazil.	1828.	....	D.S. ħ.	
57	Smithianus.	(*sc.*)	Smith's hybrid.	Hybrid.	1824.	6. 9.	D.G. ħ.	
58	extensus. DC.	....	extended.	.....	1826.	....	D.S. ħ.	
59	squamulòsus. DC.	(*ye.*)	scaly.	Brazil.	——	....	D.S. ħ.	
60	prismáticus. DC.	....	prismatic.	.....	——	....	D.S. ħ.	
61	setáceus. DC.	....	bristly.	Brazil.	1828.	....	D.S. ħ.	
62	myosurus. DC.	....	mouse-tail.	———	——	....	D.S. ħ.	
63	tènuis. DC.	(*ro.*)	slender-branched.	———	1826.	....	D.S. ħ.	
64	tenuispinus. H.P.	....	slender-spined.	Mexico.	——	....	D.S. ħ.	
65	phyllanthoides. DC.	(*pi.*)	rosy-flowered.	———	1816.	5. 8.	D.G. ħ.	Bot. mag. t. 2092.
	Cáctus speciòsus. Bot. reg. t. 304. *Epiphy'llum phyllanthoides.* H.R.							
66	Jenkinsòni.	(*sc.*)	Mr. Jenkinson's.	Hybrid.	1824.	6. 9.	D.G. ħ.	
67	Ackermánni. H.R.	(*sc.*)	Ackermann's.	Mexico.	1824.	5. 7.	D.G. ħ.	
68	truncàtus. DC.	(*cr.*)	truncated.	Brazil.	1818.	7. 11.	D.S. ħ.	Bot. reg. t. 696.
	Cáctus truncàtus. Bot. mag. t. 2092. *Epiphy'llum truncàtum.* H.P.							
69	alàtus. DC.	(*gr.wh.*)	wing-stemmed.	Jamaica.	1818.	8. 11.	D.S. ħ.	Bot. mag. t. 2820.
70	Hookèri. H.P.	(*wh.*)	Hooker's.	S. America.	....	7. 8.	D.S. ħ.	——— t. 2692.
	Cáctus Phyllánthus. B.M. *nec aliorum.* *Epiphy'llum Hookèri.* H.P.							
71	Phyllánthus. DC.	(*wh.*)	long-tubed.	S. America.	1710.	6. 7.	D.S. ħ.	DC. plant. gras. t. 145.
72	grácilis. DC.	....	slender.	———	1826.	....	D.S. ħ.	
73	imbricàtus. H.R.	....	imbricated.	———	1820.	....	D.S. ħ.	
74	cylindricus. H.S.	....	cylindrical.	Peru.	1799.	....	D.G. ħ.	
OPU'NTIA. DC.			INDIAN-FIG.		Icosandria Monogynia.			
1	foliòsa. DC.	(*ye.*)	greater Pin-pillow.	S. America.	1805.	6. 7.	D.S. ħ.	
	pusilla. H.S. *non* DC.							
2	curassávica. DC.	(*ye.*)	Pin-pillow.	Curassao.	1690.	——	D.S. ħ.	Bradl. succ. t. 4.
	α major. H.S.	(*ye.*)	*larger.*	———	——	——	D.S. ħ.	
	β média. H.S.	(*ye.*)	*middle.*	———	——	——	D.S. ħ.	
	γ minor. H.S.	(*ye.*)	*smaller.*	———	——	——	D.S. ħ.	
	δ língua. H.R.	(*ye.*)	*longer.*	Brazil.	1820.	——	D.S. ħ.	
3	frágilis. DC.	(*ye.*)	brittle Pin-pillow.	Missouri.	1814.	....	D.F. ħ.	
4	pusilla. DC.	(*ye.*)	small Pin-pillow.	S. America.	1826.	....	D.S. ħ.	
5	polyacántha. H.S.S.	(*st.*)	many-spined.	Missouri.	1814.	7. 9.	D.F. ħ.	
	missouriénsis. DC. *Cáctus férox.* N.							
6	mèdia. H.S.S.	(*ye.*)	lesser many-spined.	———	——	——	D.F. ħ.	
7	férox. DC.	(*ye.*)	ferocious.	S. America.	1817.	....	D.S. ħ.	
8	spinosíssima. DC.	....	cluster-spined.	Jamaica.	1732.	7.	D.S. ħ.	
9	humilis. H.S.	(*ye.*)	humble.	W. Indies.	1795.	7. 8.	D.S. ħ.	
	hórrida. DC.							
10	Dillènii. DC.	(*ye.*)	Dillenius's.	S. America.	1731.	9. 10.	D.S. ħ.	Bot. reg. t. 255.
	Cáctus Dillènii. B.R. Dill. elth. 2. t. 296. f. 382.							
11	Tùna. DC.	(*ye.*)	yellow-spined.	———	——	——	D.S. ħ.	Dill. elth. t. 295. f. 380.
12	polyántha. DC.	(*ye.*)	many-flowered.	———	1811.	7. 9.	D.S. ħ.	Bot. mag. t. 2691.
13	monacántha. DC.	(*ye.*)	one-spined.	———	1816.	——	D.S. ħ.	DC. pla.gras.n.137.t.2.
14	elàtior. DC.	(*ye.*)	great black-spin'd.	———	1731.	7. 8.	D.S. ħ.	Dill. elth. t. 294. f. 379.
15	nígricans. DC.	(*ye.*)	lesser black-spined.	———	1795.	——	D.S. ħ.	Bot. mag. t. 1557.
	Cáctus Tùna γ nigricàns. B.M.							
16	máxima. DC.	(*ye.*)	great oblong.	S. America.	1768.	7. 9.	D.S. ħ.	
17	triacántha. DC.	(*ye.*)	three-spined.	———	1796.	——	D.S. ħ.	
18	decumàna. H.R.	....	great.	———	1820.	....	D.S. ħ.	
19	elongàta. H.S.S.	....	various-spined.	———	1816.	....	D.S. ħ.	
20	cochinillífera. DC.	(*re.*)	Cochineal-fig.	———	1688.	7. 9.	D.S. ħ.	Andr. rep. t. 523.
	Cáctus cochinillífer. Bot. mag. t. 2741-2742.							
21	Ficus-I'ndica. DC.	(*ye.*)	Indian Fig.	———	1731.	7. 8.	D.S. ħ.	
22	pseùdo-Tùna. DC.	(*ye.*)	bastard.	———	....	——	D.S. ħ.	
23	tomentòsa. DC.	....	woolly-branch'd.	———	1824.	....	D.S. ħ.	
24	sericea. Gil.	....	silky.	Chile.	1827.	....	D.S. ħ.	
25	lanceolàta. DC.	(*ye.*)	spear-shaped.	———	1796.	7. 9.	D.S. ħ.	
26	tuberculàta. DC.	(*ye.*)	tubercled.	———	1818.	——	D.S. ħ.	
27	inérmis. DC.	(*ye.*)	upright spineless.	———	1796.	——	D.S. ħ.	DC.plant.gras.n.138.ic.
	stricta. H.S.							
28	Amycl'æa. DC.	(*ye.*)	Neapolitan.	Naples.	1825.	——	D.F. ħ.	

29	subinérmis. L.en.	(*ye.*)	nearly smooth	S. America.	1824.	7. 9.	D.S. ♄.	
30	rubéscens. DC.	....	red-stemmed.	Brazil.	1828.	....	D.S. ♄.	
31	crássa. DC.	(*ye.*)	thick-lobed.	Mexico.	1817.	6. 9.	D.G. ♄.	
32	longispìna. Ot.	(*ye.*)	long-spined.	S. America.	1824.	....	D.S. ♄.	
33	leucántha. Ot.	(*wh.*)	white-flowered.	———	——	....	D.S. ♄.	
34	pulvinàta. DC.	....	pulvinate.	Mexico.	1827.	....	D.S. ♄.	
35	Hernandèsii. DC.	(*re.*)	Hernandez's.	———	——	....	D.G. ♄.	Hern. mex. 78. ic.
36	vulgàris. DC.	(*ye.*)	common.	America.	1596.	7. 9.	D.F. ♄.	Mill. dict. t. 191.
	Cáctus Opúntia. Bot. mag. t. 2396.							
	β minor.	(*ye.*)	*lesser.*	N. America.	1814.	——	D.F. ♄.	
	Cáctus Opúntia. N.							
37	brasiliénsis. DC.	(*gr.*)	round-stemm'd.	Brazil.	1817.	....	D.S. ♄.	Pis. bras. p. 100. f. 2.

PERE'SKIA. DC. PERE'SKIA. Icosandria Monogynia.

1	aculeàta. DC.	(*wh.*)	Barbadoes Gooseby.	W. Indies.	1696.	10. 11.	S. ♄.	Dill. elth. t. 227. f. 294.
	Cáctus Peréskia. L.							
2	longispìna. H.S.S.	(*wh.*)	long-spined.	S. America.	1806.	....	S. ♄.	
3	portulacæfòlia. DC.	(*pu.*)	Purslane-leav'd.	W. Indies.	1820.	....	S. ♄.	Plum. ed Bur. t. 197. f. 1.
4	grandifòlia. DC.	....	great-leaved.	Brasil.	1818.	....	S. ♄.	

Tribus II. *RHIPSALIDEÆ.* DC. prodr. v. 3. p. 475.

RHIPS'ALIS. DC. RHIPS'ALIS. Dodecandria Monogynia.

1	Cass'ytha. DC.	(*wh.*)	pendulous.	W. Indies.	1758.	7. 10.	S. ♄.	Gært. sem. 1. t. 28. f. 1.
2	Hookeriàna. DC.	(*wh.*)	four-petal'd.	———	....	——	S. ♄.	Hook. ex. flor. t. 2.
3	fasciculàta. DC.	(*wh.*)	cluster-branch'd.	S. America.	1800.	——	S. ♄.	
4	parasítica. DC.	(*wh.*)	parasitical.	W. Indies.	——	——	S. ♄.	Plum. ed Bur. t. 197. f. 2.
5	funàlis. DC.	(*wh.*)	great-flowered.	S. America.	1816.	7. 8.	S. ♄.	Bot. mag. t. 2740.
	grandiflòrus. B.M. *Cáctus funàlis.* S.S.							
6	salicornioídes. DC.	(*ye.*)	Glass-wort-like.	W. Indies.	1818.	5. 8.	D.S. ♄.	Bot. mag. t. 2463.
7	mesembryanthoídes. DC.		Fig Marygold-like.	———	——	——	D.S. ♄.	

ORDO CIV.

GROSSULARIEÆ. *DC. prodr. v.* 3. *p.* 477.

R'IBES. DC. CURRANT. Pentandria Monogynia. L.

1	oxyacanthoídes. DC.	(*st.*)	Hawthorn-leav'd.	N. America.	1705.	4. 5.	H. ♄.	Dill. elth. t. 139. f. 166.
2	férox. DC.	(*st.*)	ferocious.	California.	1827.	——	H. ♄.	
3	lacústre. DC.	(*br.*)	swamp.	N. America.	1812.	——	H. ♄.	Lodd. bot. cab. t. 884.
4	Menzièsii. DC.	(*cr.*)	Menzies'.	———	1827.	——	H. ♄.	
5	speciòsum. DC.	(*pu.*)	beautiful.	———	——	——	H. ♄.	
6	úva-crispa. R.S.	(*st.*)	smooth Gooseberry.	England.	....	——	H. ♄.	Eng. bot. v. 29. t. 2057.
7	reclinàtum. R.S.	(*st.*)	procumbent.	Germany.	1683.	——	H. ♄.	
8	Grossulària. R.S.	(*st.*)	rough Gooseberry.	England.	....	——	H. ♄.	Eng. bot. v. 12. t. 1292.
9	caucásicum. DC.	(*st.*)	Caucasian.	Caucasus.	1820.	——	H. ♄.	
10	setòsum. B.R.	(*st.*)	bristly.	Missouri.	1827.	5.	H. ♄.	Bot. reg. t. 1297.
11	hirtéllum. DC.	(*st.*)	hairy.	N. America.	1812.	4. 5.	H. ♄.	
12	grácile. DC.	(*st.*)	slender.	———	——	——	H. ♄.	
13	Cynósbati. DC.	(*gr.*)	prickly-fruited.	Canada.	1759.	4.	H. ♄.	Schmidt arb. t. 98.
14	triflòrum. DC.	(*br.*)	three-flowered.	N. America.	1812.	4. 5.	H. ♄.	Lodd. bot. cab. t. 1094.
15	Dikúscha. F.	(*st.*)	Fischer's.	Siberia.	1821.	——	H. ♄.	
16	Stakòri. F.	(*st.*)	Siberian.	———	——	——	H. ♄.	
17	orientàle. DC.	(*st.*)	oriental.	Syria.	1920.	——	H. ♄.	
18	saxátile. DC.	(*br.*)	rock.	Siberia.	1828.	——	H. ♄.	
19	diacántha. DC.	(*st.*)	two-spined.	———	1781.	5. 6.	H. ♄.	Pall. ross. 2. t. 66.
20	alpinum. DC.	(*st.*)	Alpine.	Britain.	....	4. 5.	H. ♄.	Eng. bot. v. 16. t. 704.
	α stérile. DC.	(*st.*)	*barren.*	———	....	——	H. ♄.	
	β baccíferum. DC.	(*st.*)	*berry-bearing.*	———	....	——	H. ♄.	
21	resinòsum. DC.	(*st.*)	clammy.	N. America.	1800.	——	H. ♄.	Bot. mag. t. 1583.
22	procúmbens. DC.	(*br.*)	trailing.	Dahuria.	1804.	5. 6.	H. ♄.	Pall. ross. 2. t. 65.
23	multiflòrum. DC.	(*st.*)	many-flowered.	Hungary.	1818.	5.	H. ♄.	Bot. mag. t. 2368.
24	spicàtum. DC.	(*br.*)	acid.	England.	....	——	H. ♄.	Eng. bot. v. 18. t. 1290.

25	rùbrum. DC.	(st.)	common red.	Britain.	....	4. 5.	H. ½.	Eng. bot. v. 18. t. 1289.
	α sylvéstre. DC.	(st.)	*wild.*	———	....	——	H. ½.	
	β hortènse. DC.	(st.)	*cultivated.*	.....	....	——	H. ½.	
	γ cárneum. DC.	(st.)	*pale-fruited.*	.....	....	——	H. ½.	
	δ variegàtum. DC.	(st.)	*stripe-fruited.*	.....	....	——	H. ½.	
	ε álbum. DC.	(st.)	*white-fruited.*	.....	....	——	H. ½.	Berl. mem. t. 2. f. 15.
26	petræum. DC.	(re.)	rock.	England.	....	5. 6.	H. ½.	Eng. bot. v. 10. t. 705.
27	cèreum. B.R.	(wh.)	waxy.	Columbia.	1827.	4. 5.	H. ½.	Bot. reg. t. 1263.
28	atropurpùreum. Led.		dark-purple.	Siberia.	——	....	H. ½.	
29	carpáthicum. R.S.	(st.)	Carpathian.	Carpathian. M.	1818.	4. 5.	H. ½.	
30	tríste. DC.	(re.ye.)	dark-coloured.	Siberia.	1818.	——	H. ½.	
31	nìgrum. DC.	(wh.)	black-fruited.	Britain.	....	——	H. ½.	Eng. bot. v. 18. t. 1291.
32	trifidum. DC.	(pu.)	trifid-calyxed.	N. America.	1828.	——	H. ½.	
33	glandulòsum. DC.	(st.)	glandular.	Chile.	1820.	5. 6.	H. ½.	Flor. per. t. 232. f. b.
34	prostràtum. DC.	(pu.)	prostrate.	N. America.	1777.	4. 5.	H. ½.	L'Herit. stirp. 1. t. 2.
	glandulòsum. H.K. *non* R.P.							
35	Biebersteinii. DC.	(st.)	Bieberstein's.	Caucasus.	1820.	——	H. ½.	
	caucásicum. M.B. *nec aliorum.*							
36	rigens. DC.	(st.)	rigid.	N. America.	1812.	——	H. ½.	
37	albinérvium. DC.	(st.)	white-nerved.	Canada.	1828.	——	H. ½.	
38	laxiflòrum. DC.	(st.)	loose-flowered.	N. America.	1812.	——	H. ½.	
39	viscosíssimum. DC.	(ye.)	viscous.	———	1827.	——	H. ½.	
40	sanguíneum. DC.	(cr.)	crimson.	———	1820.	5. 6.	H. ½.	
41	flòridum. DC.	(st.)	Pensylvanian.	———	1729.	4. 5.	H. ½.	Dill. elth. t. 244. f. 315.
42	aùreum. DC.	(ye.)	golden.	Missouri.	1812.	4. 6.	H. ½.	Bot. reg. t. 125.
43	longiflòrum. L.C.	(ye.)	long-flowered.	N. America.	1818.	——	H. ½.	
44	tenuiflòrum. B.R.	(ye.)	slender-flower'd.	———	1824.	——	H. ½.	Bot. reg. t. 1274.
	α melanocárpa.	(ye.)	*black-fruited.*	———	——	——	H. ½.	
	β chrysocárpa.	(ye.)	*yellow-fruited.*	———	——	——	H. ½.	

ORDO CV.

ESCALLONEÆ. *Kth. synops. v. 3. p. 364.*

ESCALL'ONIA. L.		ESCALL'ONIA.	Pentandria Monogynia. L.					
1	rùbra. R.S.	(re.)	red-flowered.	Chile.	1826.	8. 10.	G. ½.	Bot. mag. t. 2890.
	Stereóxylon rùbrum. Flor. per. v. 3. t. 236. f. b.							
2	glandulòsa. B.C.	(wh.)	glandular.	Chile.	——	——	G. ½.	Lodd. bot. cab. t. 1291.
3	floribúnda. K.S.	(wh.)	many-flowered.	New Granada.	1827.	....	G. ½.	
4	caracasàna. K.S.	(wh.)	Caracas.	Caracas.	——	....	S. ½.	
ANOPTERUS. B.P.		ANO'PTERUS.	Hexandria Monogynia.					
	glandulòsa. B.P.	(wh.)	glandular.	V. Diem. Isl.	1823.	....	G. ½.	Lab. nov. holl. 1. t. 112.

ORDO CVI.

SAXIFRAGEÆ. *Juss. gen.* 308.

SAXI'FRAGA. L.		SAXIFRAGE.	Decandria Digynia. L.					
1	crassifòlia. L.T.	(ro.)	thick-leaved.	Siberia.	1765.	3. 5.	H. 4.	Bot. mag. t. 126.
	Bergènia crassifòlia. Mœn. *Megàsea crassifòlia.* H.R.							
2	cordifòlia. L.T.	(ro.)	heart-leaved.	———	1779.	——	H. 4.	
3	mèdia.	(ro.)	intermediate.	———	1819.	——	H. 4.	
	Megàsea mèdia. H.R.							
4	ligulàta. L.T.	(wh.)	fringed-leaved.	Nepaul.	1818.	——	H. 4.	Swt. br. fl. gar. 59.
	Megàsea ciliàta. H.R.							
5	Gèum. L.T.	(sp.)	kidney-leaved.	Ireland.	....	6. 7.	H. 4.	Eng. bot. v. 22. t. 1561.
6	hirsùta. L.T.	(sp.)	hirsute.	———	....	5. 6.	H. 4.	——— v. 33. t. 2322.
7	polìta. L.en.	(sp.)	polished.	———	....	——	H. 4.	
	Robertsònia polìta. H.S.							

8	dentàta. L.en.	(*sp.*) toothed.	Ireland.	....	5. 6.	H. ¼.	
	Robertsònia dentàta. H.s.							
9	crenàta.	(*sp.*) crenated.	.....	1790.	——	H. ¼.	
	Robertsònia crenàta. H.s.							
10	sphæroídea.	(*sp.*) sphæroid.	Pyrenees?	1800.	——	H. ¼.	
	Robertsònia sphæroídea. H.s.							
11	punctàta. L.	(*sp.*) dotted-flower'd.	Siberia.	1699.	——	H. ¼.	
12	serràta. L.en.	(*sp.*) sawed-leaved.	Ireland.	....	——	H. ¼.	
	Robertsònia serràta. H.s.							
13	umbròsa. L.T.	(*sp.*) London pride.	Britain.	....	4. 6.	H. ¼.	Eng. bot. v. 10. t. 683.
14	cuneifòlia. L.T.	(*sp.*) wedge-leaved.	Switzerland.	1768.	5. 6.	H. ¼.	W. et K. hung. 1. t. 44.
15	hy'brida. L.en.	(*sp.*) hybrid.	.....	1820.	——	H. ¼.	Sternb. sax. 17. t. 8. f. 3.
16	stellàris. L.T.	(*wh.*) starry.	Britain.	....	6. 7.	H. ¼.	Eng. bot. v. 3. t. 167.
	♂ *Schleichèri.* L.T.	(*wh.*) *Schleicher's.*	Switzerland.	1819.	——	H. ¼.	
	Spatulària stellàris. γ *depilàta.* H.R.							
17	leucanthemifòlia.	(*wh.*) Stock-leav'd.	N. America.	1812.	——	H. ¼.	Lap. pyr. sax. t. 25.
18	sarmentòsa. L.T.	(*wh.*) sarmentose.	China.	1771.	——	F. ¼.	Bot. mag. t. 92.
	Diptera sarmentòsa. Bork. *Ligulària sarmentòsa.* H.R.							
19	cuscutæfòrmis. B.C.	(*wh.*) dodder-like.	China.	1815.	2. 7.	F. ¼.	Lodd. bot. cab. t. 186.
	Ligulària minor. H.R.							
20	eròsa. L.T.	(*wh.*) jagged-leaved.	N. America.	1812.	5. 6.	H. ¼.	
	Auláxis nùda. H.R.							
	β *hirsùta.* L.T.	(*wh.*) *hairy.*	————	——	——	H. ¼.	
	Auláxis micranthifòlia. H.R.							
21	rotundifòlia. L.T.	(*wh.*) round-leaved.	Austria.	1596.	——	H. ¼.	Bot. mag. t. 424.
	Miscopétalum rotundifòlium. H.R.							
	β *repánda.* L.T.	(*wh.*) *repand.*	————	....	——	H. ¼.	Sternb. saxif. t. 5.
22	granulàta. L.T.	(*wh.*) grain-rooted.	Britain.	....	5.	H. ¼.	Eng. bot. v. 7. t. 500.
	β *multiplex.*	(*wh.*) *double-flowered.*	————	....	——	H. ¼.	
23	bulbífera. L.T.	(*wh.*) bulbiferous.	S. Europe.	....	6. 7.	H. ¼.	Sternb. sax. t. 12. f. 1.
24	cérnua. L.T.	(*wh.*) drooping.	Scotland.	....	7.	H. ¼.	Eng. bot. v. 10. t. 664.
	Lobària cérnua. H.R.							
25	sibírica. L.T.	(*wh.*) Siberian.	Siberia.	1802.	5. 6.	H. ¼.	Sternb. sax. p. 23. t. 25.
26	rivulàris. L.T.	(*wh.*) Alpine brook.	Scotland.	....	6. 7.	H. ⊙.	Eng. bot. v. 32. t. 2275.
	Lobària rivulàris. H.R.							
27	hederàcea. L.T.	(*wh.*) Ivy-leaved.	Levant.	1752.	7.	H. ⊙.	Flor. græc. t. 379.
28	Hírculus. L.T.	(*ye.*) yellow marsh.	England.	....	8.	H. ¼.	Eng. bot. v. 15. t. 1009.
	Hírculus ranunculoídes. H.R.							
29	flagellàris. L.T.	(*ye.*) flagelliferous.	Baffin's Bay.	1820.	——	H. ¼.	Sternb. sax. p. 25. t. 6.
30	aizoídes. L.T.	(*ye.*) smaller mountain.	Britain.	....	7. 8.	H. ¼.	———— t. 8. f. 1.
	β *autumnàlis.*	(*ye.*) *larger mountain.*	————	....	——	H. ¼.	Eng. bot. v. 1. t. 39.
	Leptàsea aizoídes. H.R.							
31	bronchiàlis. L.T.	(*st.*) spiny-fringed,	Siberia.	1810.	——	H. ¼.	Gmel. sib. 4. t. 65. f. 2.
32	tenélla. L.T.	(*wh.*) slender.	Carinthia.	1824.	——	H. ¼.	Jacq. coll. 3. t. 17.
33	juniperìna. L.T.	(*ye.*) Juniper-like.	Caucasus.	1826.	——	H. ¼.	Sternb. sax. p. 31. t. 10.
34	áspera. L.T.	(*st.*) rough.	Switzerland.	1752.	8.	H. ¼.	Jacq. aust. 5. t. 31.
	Ciliària áspera. H.R.							
35	bryoídes. L.T.	(*st.*) thread-moss like.	————	——	6. 7.	H. ¼.	Jacq. misc. 2. t. 5. f. 1.
36	hieracifòlia. L.T.	(*br.*) Hawkweed-ld.	Hungary.	1789.	5. 6.	H. ¼.	W. et K. hung. 1. t. 18.
37	pensylvánica. L.T.	(*gr.*) Pensylvanian.	N. America.	1732.	——	H. ¼.	Dill. elt. t. 253. f. 328.
	β *glábra.*	(*gr.*) *smoother-leaved.*	————	——	——	H. ¼.	
38	semipubéscens. L.T.	(*st.*) semipubescent.	————	....	——	H. ¼.	
	Micránthes semipubéscens. H.s.							
39	virginiénsis. L.T.	(*wh.*) Virginian.	————	1790.	5. 7.	H. ¼.	Bot. mag. t. 1664.
	Dermàsea pilòsa. H.R.							
40	congésta. H.s.L.	(*wh.*) close-headed.	————	1812.	——	H. ¼.	
	nivàlis. Ph. *nec aliorum.*							
41	nivàlis. L.T.	(*wh.*) clustered Alpine.	Britain.	....	6. 7.	H. ¼.	Eng. bot. v. 7. t. 440.
	Dermasea nivàlis. H.R.							
42	melaleùca. s.s.	(*wh.*) Fischer's.	Siberia.	1826.	——	H. ¼.	
43	longiscàpa. L.T.	(*wh.*) long-scaped.	————	1824.	5. 7.	H. ¼.	
44	davùrica. L.T.	(*wh.*) Davurian.	Davuria.	——	——	H. ¼.	
45	Cotyledon. L.T.	(*wh.*) pyramidal.	Alps Europe.	1596.	5. 7.	H. ¼.	Flor. dan. t. 241.
	Chondròsea pyramidàlis. H.R.							
46	intermèdia.	(*wh.*) related.	.....	1808.	7.	H. ¼	
	Chondròsea intermèdia. H.R.							
47	lingulàta. L.T.	(*sp.*) tongue-leaved.	Pyrenees.	....	5. 7.	H. ¼.	
	longifòlia. s.s.							
	β *mèdia.* L.T.	(*sp.*) *middle.*	————	....	——	H. ¼.	Sternb. sax. p. 1. t. 1. a.

48	crustàta. L.en.	(*sp.*) crusted.	Pyrenees.	....	5. 7.	H. ¼.	Sternb. sax. t. 1. b.
49	Aizoòn. L.T.	(*sp.*) large margined.	———	1731.	——	H. ¼.	Jacq. aust. t. 438.
50	récta. P.S.	(*sp.*) straight-leaved.	Alps Europe.	....	——	H. ¼.	Lap. pyr. sax. t. 15.
	intácta. L.T. W. hort. ber. 2. t. 75. *Chondròsea Aizoòn.* H.R.						
	β minor. H.R.	(*sp.*) *lesser.*	Alps Europe.	....	——	H. ¼.	
	γ parviflòs. H.R.	(*sp.*) *smaller-flowered.*	———	....	——	H. ¼.	
51	mutàta. L.T.	(*ye.*) saffron-colour'd.	Switzerland.	1779.	6. 7.	H. ¼.	Bot. mag. t. 351.
52	aretioides. L.T.	(*ye.*) Aretia-like.	———	1825.	——	H. ¼.	Lap. pyr. sax. t. 18.
53	Burseriàna. L.T.	(*st.*) Burser's.	Italy.	——	5. 6.	H. ¼.	Jacq. misc. 1. t. 17. f. 3.
54	retùsa. L.T.	(*ro.*) purple-flower'd.	Pyrenees.	....	3. 4.	H. ¼.	Lap. pyr. sax. t. 18.
55	oppositifòlia. L.T.	(*re.*) opposite-leaved.	Britain.	....	——	H. ¼.	Eng. bot. v. 1. t. 9.
	Antiphy'lla carùlea. H.R.						
56	biflòra. L.T.	(*re.*) two-fld purple.	Switzerland.	1825.	——	H. ¼.	Lap. pyr. sax. t. 17.
57	c'æsia. L.T.	(*st.*) grey.	———	1752.	5. 6.	H. ¼.	Jacq. aust. 4. t. 374.
58	diapensioides. L.T.	(*wh.*) Diapensia-like.	———	1828.	——	H. ¼.	Flor. ped. app. p. 21. t. 3.
59	compácta. S.S.	(*wh.*) compact.	———	——	——	H. ¼.	
60	androsàcea. L.T.	(*wh.*) Androsace-leav'd.	———	1792.	——	H. ¼.	Jacq. aust. 4. t. 389.
61	sedioides. L.T.	(*st.*) Stonecrop-like.	Europe.	1825.	——	H. ¼.	Jacq. misc. 2. t. 21. f. 22.
62	ténera. L.T.	(*st.*) flat-leaved.	Switzerland.	——	5. 6.	H. ¼.	Sternb. sax. t. 9. f. 4.
	planifòlia. S.S.						
63	geranioides. L.S.	(*wh.*) cranesbill-leav'd.	Pyrenees.	1770.	4. 5.	H. ¼.	Lap. pyr. sax. t. 43.
64	irrígua. L.T.	(*wh.*) crowfoot-leav'd.	Siberia.	1820.	——	H. ¼.	M.B. cent. pl. rar. t. 73.
65	pedatífida. L.T.	(*wh.*) pedatifid.	Scotland.	....	5. 6.	H. ¼.	Eng. bot. v. 32. t. 2278.
	β minor. H.R.	(*wh.*) *smaller villous.*	———	....	——	H. ¼.	
	γ ladaníferа. L.T.	(*wh.*) *ladaniferous.*	Pyrenees.	....	——	H. ¼	Lap. sax. pyr. t. 42.
66	quinquéfida. H.R.	(*wh.*) quinquefid.	Scotland.	....	——	H. ¼.	
67	ceratophy'lla. L.T.	(*wh.*) shining-calyx'd.	Spain.	1804.	——	H. ¼.	Bot. mag. t. 1651.
68	ajugifòlia. L.T.	(*wh.*) Bugle-leaved.	Pyrenees.	1770.	6. 7.	H. ¼.	Lap. pyr. sax. t. 31.
69	affínis. L.T.	(*wh.*) affined.	Ireland.	....	——	H. ¼.	
70	pentadáctyla. L.T.	(*wh.*) five-fingered.	Pyrenees.	1815.	5. 6.	H. ¼.	Lap. pyr. sax. t. 40.
71	latífida. L.T.	(*wh.*) broad-cleft.	Spain.	1826.	——	H. ¼.	
72	decípiens. L.T.	(*wh.*) palmate.	Wales.	....	——	H. ¼.	Sternb. sax. p. 55. t. 23.
	palmàta. Eng. bot. v. 7. t. 455. *cæspitòsa.* Flor. dan. t. 71.						
73	hírta. L.T.	(*wh.*) hairy.	Ireland.	....	——	H. ¼.	Eng. bot. v. 32. t. 2291.
74	platypétala. L.T.	(*wh.*) broad-petaled.	Scotland.	....	6.	H. ¼.	——— v. 32. t. 2276.
75	Schradèri. S.S.	(*wh.*) Schrader's.	Siberia.	1826.	——	H. ¼.	
76	incurvifòlia. L.T.	(*wh.*) incurved-leav'd.	Ireland.	....	——	H. ¼.	
77	denudàta. L.T.	(*wh.*) half-naked.	Scotland.	....	——	H. ¼.	
78	Sternbérgii. L.T.	(*wh.*) Sternberg's.	Germany.	....	5. 6.	H. ¼.	Sternb. sax. t. 24.
79	pulchélla. L.T.	(*st.*) pretty.	———	1818.	——	H. ¼.	
80	tridentàta. L.T.	(*wh.*) three-toothed.	.....	....	——	H. ¼.	
81	cæspitòsa. L.T.	(*st.*) tufted.	Wales.	....	——	H. ¼.	Eng. bot. v. 12. t. 794.
82	exaràta. L.T.	(*wh.*) furrowed.	Pyrenees.	1818.	——	H. ¼.	Vill. delph. 4. t. 45.
	nervòsa. Lap. pyr. sax. t. 39.						
83	pedemontàna. L.T.	(*wh.*) Piedmont.	Piedmont.	1824.	——	H. ¼.	All. ped. t. 21. f. 6.
	cymòsa. Pl. rar. hung. t. 88. *heterophy'lla.* Sternb. sax. t. 20. f. 1-2.						
84	moschàta. L.T.	(*ye.*) musky.	Piedmont.	....	5. 6.	H. ¼.	Jacq. misc. 2. t. 21. f. 2.
85	muscoides. L.T.	(*st.*) Moss-like.	England.	....	——	H. ¼.	Lap. pyr. sax t. 35.
	Muscària muscoides. H.R.						
86	pygm'æa. L.T.	(*st.*) pigmy.	Scotland.	....	——	H. ¼.	Eng. bot. v. 33. t. 2214.
	moschàta. E.B. *non* Jacq. *Muscària cæspitòsa.* H.R.						
87	tridacty'lites. E.B.	(*bh.*) Rue-leaved.	Britain.	....	3. 5.	H. ⊙.	Eng. bot. v. 7. t. 501.
	Tridacty'lites ánnua. H.R.						
88	controvérsa. S.S.	(*wh.*) confused.	N. Europe.	....	——	H. ⊙.	Sternb. sax. t. 16.
89	petr'æa. L.T.	(*wh.*) rock.	Carinthia.	1752.	4. 5.	H. ⊙.	Jacq. ic. 1. t. 81.
90	adscéndens. L.T.	(*wh.*) ascending.	Pyrenees.	——	5. 6.	H. ¼.	Sternb. sax. t. 19. f 1. 2.
	aquática. Lap. pyr. sax. t. 28.						
91	hypnoides. L.T.	(*wh.*) mossy.	Britain.	....	4. 6.	H. ¼.	Eng. bot. v. 7. t. 454.
	β viscòsa. L.T.	(*wh.*) *viscous.*	———	....	——	H. ¼.	
	γ angustifòlia. L.T.	(*wh.*) *narrow-leaved.*	———	....	——	H. ¼.	
	δ muscòsa. L.T.	(*wh.*) *tufted.*	———	....	——	H. ¼.	
	ε pulchélla. L.T.	(*wh.*) *larger.*	———	....	——	H. ¼.	
	ζ spatulàta. H.R.	(*wh.*) *spatulate.*	———	....	——	H. ¼.	
	η latífida. H.R.	(*wh.*) *broad-cleft.*	———	....	——	H. ¼.	
	θ rhodopétala. H.R.	(*bh.*) *rosy-petaled.*	———	....	——	H. ¼.	
	ι recúrvula. H.R.	(*wh.*) *recurving-cup'd.*	———	....	——	H. ¼.	
	κ aristàta. H.R.	(*wh.*) *awned.*	———	....	——	H. ¼.	
	λ septífida. H.R.	(*wh.*) *seven-cleft.*	———	....	——	H. ¼.	
92	condensàta. L.T.	(*wh.*) close.	Scotland.	....	——	H. ¼.	Gmel. fl. bad. t. 3.

93 elongélla. L.T.	(*wh.*)	long peduncled.	Scotland.	....	5. 6.	H. ¼.	Eng. bot. v. 32. t. 2277.
94 leptophy'lla. L.T.	(*wh.*)	narrow-leaved.	Wales.	....	——	H. ¼.	
β angustifida. L.T.	(*wh.*)	*narrow-lobed.*	——	....	——	H. ¼.	
95 lætevirens. L.T.	(*wh.*)	light-green.	Scotland.	....	——	H. ¼.	
96 lanceolàta. H.R.	(*wh.*)	spear-leaved.	Europe.	1808.	——	H. ¼.	
obtùsa. H.R.	(*wh.*)	*blunt-leaved.*	——	1820.	——	H. ¼.	
97 altífida. H.R.	(*wh.*)	deep-cleft.	——	....	——	H. ¼.	
98 viscòsa. H.R.	(*wh.*)	viscous.	——	....	——	H. ¼.	
99 quinquedèns. H.R.	(*wh.*)	five-toothed.	——	....	——	H. ¼.	
100 Hawórthii. H.S.L.	(*wh.*)	Haworth's.	——	....	——	H. ¼.	
hírta. H.R. *non* E.B.							
101 æstivàlis. F.	(*wh.*)	summer.	Altay.	1821.	5. 7.	H. ¼.	
HEUCH'ERA. L.		ALLUM-ROOT.	Pentandria Digynia. L.				
1 americàna. L.	(*gr.*)	viscid.	N. America.	1656.	5. 7.	H. ¼.	Schkuhr hand. t. 58.
viscida. Ph.							
2 pubéscens. Ph.	(*bh.*)	pubescent.	——	1812.	——	H. ¼.	
3 híspida. Ph.	(*gr.*)	hispid.	——	1820.	——	H. ¼.	
4 villòsa. M.	(*gr.*)	villous.	——	1812.	——	H. ¼.	
5 cauléscens. Ph.	(*wh.*)	caulescent.	——	....	——	H. ¼.	
6 glábra. R.S.	(*gr.*)	smooth.	Altay.	1827.	——	H. ¼.	
TIARE'LLA. L.		TIARE'LLA.	Decandria Digynia. L.				
1 cordifòlia. Ph.	(*wh.*)	heart-leaved.	N. America.	1731.	4. 5.	H. ¼.	Bot. mag. t. 1589.
2 Menzièsii. Ph.	(*wh.*)	leafy-stemmed.	——	1812.	——	H. ¼.	
3 trifoliàta. Ph.	(*wh.*)	three-leaved.	N. America.	1826.	——	H. ¼.	
4 polyphy'lla. D.P.	(*wh.*)	many-leaved.	Nepaul.	1818.	——	H. ¼.	
ASTI'LBE. D.P.		ASTI'LBE.	Oct-Decandria Digynia.				
1 decándra. D.P.	(*st.*)	decandrous.	Carolina.	1812.	5. 6.	F. ¼.	Vent. malm. t. 54.
Tiarélla biternàta. V.							
2 rivulàris. D.P.	(*st.*)	rivulet.	Nepaul.	1825.	——	H. ¼.	
TELL'IMA. B.		TELL'IMA.	Decandria Digynia.				
grandiflòra. B.R.	(*st. re.*)	large-flowered.	N. America.	1826.	4. 5.	H. ¼.	Bot. reg. t. 1178.
Mitélla grandiflòra. Ph.							
MITE'LLA. L.		MITE'LLA.	Decandria Digynia. L.				
1 diphy'lla. W.	(*wh.*)	two-leaved.	N. America.	1731.	4. 5.	H. ¼.	Bot. reg. t. 166
2 cordifòlia. W.	(*wh.*)	heart-leaved.	——	1812.	——	H. ¼.	Lam. ill. t. 273. f. 3.
3 renifórmis. Ph.	(*wh.*)	kidney-leaved.	——	1758.	6. 8.	H. ¼.	—— t. 273. f. 2.
nùda. W.							
4 prostràta. M.	(*wh.*)	prostrate.	——	1812.	5. 6.	H. ¼.	
5 pentándra. B.M.	(*wh.*)	pentandrous.	——	1827.	6. 7.	H. ¼.	Bot. mag. t. 2983.
CHRYSOSPL'ENIUM. L.		GOLDEN SAXIFRAGE.	Oct-Decandria Digynia.				
1 alternifòlium. W.	(*ye.*)	alternate-leav'd.	Britain.	....	4. 5.	H. ¼.	Eng. bot. v. 1. t. 54.
2 oppositifòlium. W.	(*ye.*)	opposite-leaved.	——	....	——	H. ¼.	—— v. 7. t. 499.
3 nepalénse. D.P.	(*ye.*)	Nepaul.	Nepaul.	1824.	——	H. ¼.	
ADO'XA. L.		MOSCHATEL.	Oct-Decandria Tetragynia.				
Moschatéllina. E.B.	(*st.*)	tuberous.	Britain.	....	3. 5	H. ¼.	Eng. bot. v. 7. t. 453.
HYDRA'NGEA. L.		HYDRA'NGEA.	Decandria Digynia. L.				
1 arboréscens. W.	(*wh.*)	shrubby.	Virginia.	1736.	7, 8.	H. ½.	Bot. mag. t. 427.
vulgàris. Ph.							
2 cordàta. Ph.	(*wh.*)	heart-leaved.	Carolina.	1806.	——	H. ½.	Wats. dend. brit. t. 42.
3 radiàta. W.	(*wh.*)	white-leaved.	——	1786.	——	H. ½.	Lam. ill. t. 270. f. 2.
nívea. Wats. dend. brit. t. 43.							
4 heteromálla. D.P.	(*wh.*)	woolly-leaved.	Nepaul.	1823.	....	H. ½.	
5 quercifòlia. W.	(*wh.*)	Oak-leaved.	Florida.	1803.	6. 9.	H. ½.	Bot. mag. t. 975.
6 horténsis. W.	(*pi.*)	changeable.	China.	1788.	4. 9.	H. ½.	—— t. 438.
β cærùlea.	(*bl.*)	*blue-flowered.*	——	——	——	H. ½.	

ORDO CVII.

CUNONIACEÆ. *Brown.*

WEINMA'NNIA. L.		WEINMA'NNIA.	Octandria Digynia. L.				
1 glábra. L.	(*wh.*)	smooth.	W. Indies.	1818.	5. 7.	S. ½.	Lam. ill. t. 218. f. 1.
2 hírta. W.	(*wh.*)	hairy.	——	——	——	S. ½.	
3 ellíptica. K.S.	(*wh.*)	elliptic-leaved.	Peru.	1823.	....	G. ½.	
4 ovàta. K.S.	(*wh.*)	oval-leaved.	——	——	....	G. ½.	Cav. ic. 6. t. 566.

CUN'ONIA. L. Cun'onia. Decandria Digynia. L.
capénsis. w. (*wh.*) Cape. C. B. S. 1816. 5. 7. G. ♄. Bot. reg. t. 828.
CALLIC'OMA. A.R. Callic'oma. Dodecandria Digynia.
serratifòlia. A.R. (*st.*) saw-leaved. N. S. W. 1793. 5. 8. G. ♄. Andr. reposit. t. 566.
CERATOP'ETALUM. Sm. Ceratop'etalum. Decandria Monogynia.
gummíferum. Sm. (*ye.*) gum-bearing. N. Holland. 1820. .... G. ♄. Sm. n. holl. 1. t. 3.
BAU'ERA. Sal. Bau'era. Polyandria Digynia. H.K.
1 rubiæfòlia. Sal. (*re.*) Madder-leaved. N. S. W. 1793. 7. 12. G. ♄. Sal. ann. bot. 1. t. 10.
rubioídes. A.R. 198. B.M. 715.
2 hùmilis. L.en. (*re.*) dwarf. ——— 1804. —— G. ♄. Lodd. bot. cab. t. 1197.

ORDO CVIII.

UMBELLIFERÆ. *Juss. gen.* 218.

Subordo I. *ORTHOSPERMEÆ.* DC.

Tribus I. Hydrocotylineæ.—Subtribus I. *Hydrocotyleæ.* DC.

HYDROCO'TYLE. S.S. Marsh-pennywort. Pentandria Digynia. L.
1 vulgàris. s.s. (*bk.*) common. Britain. .... 5. 6. H.w. ♃. Eng. bot. v. 11. t. 751.
2 umbellàta. s.s. (*wh.*) umbelled. N. America. 1795. 7. 8. H.w. ♃. Spreng. umb. 1. t. 1.
3 bonariénsis. s.s. (*ye.*) Buenos Ayres. Buenos Ayres. 1828. —— F.w. ♃. Cavan. icon. 5. t. 488.
4 americàna. s.s. (*gr.*) American. N. America. 1790. 5. 8. H.w. ♃. Spreng. um. p. 3. t. 2. f. 3.
5 villòsa. s.s. (*gr.*) villous. C. B. S. 1795. 8. G.w. ♃.
6 nepalénsis. H.E.F. (*gr.*) Nepaul. Nepaul. 1818. 2. 6. G.w. ♃. Hook. ex. flor. t. 30.
hispida. D.P.
7 nitídula. s.s. (*gr.*) glossy. Java. 1821. —— S.w. ♃. Hook. ex. flor. t. 29.
8 canariénsis. (*gr.*) Canary. Canaries. 1828. 4. 6. G.w. ♃.
9 prolífera. Ot. (*gr.*) proliferous. Brazil. 1824. —— S.w. ♃.
10 repánda. s.s. (*wh.*) Pilewort-leav'd. N. America. 1806. 6. 7. G.w. ♃. Spreng. umb. t. 2. f. 4.
11 asiática. s.s. (*wh.*) thick-leaved. Asia. 1690. 7. 8. G.w. ♃. Rheed. mal. 10. t. 46.
12 sibthorpioídes. s.s. (*wh.*) Sibthorpia-like. Mauritius. 1818. —— S.w. ♃.
ERIG'ENIA. N. Erig'enia. Pentandria Digynia.
bulbòsa. N. (*wh.*) bulbous. N. America. 1825. 3. 5. H. ♃.
DIDI'SCUS. DC. Didi'scus. Pentandria Digynia.
1 incísus. DC. (*wh.*) cut-leaved. N. S. W. 1820. 6. 8. H. ☉. Linn. trans. 10. t. 21. f. 2.
Trachymène incísa. L.T.
2 azùreus. DC. (*bl.*) blue-flowered. ——— 1827. 7. 9. H. ☉. Bot. mag. t. 2875.
cærùleus. B.M. *Trachymène cærùlea.* Bot. reg. t. 1225.
TRACHYM'ENE. DC. Trachym'ene. Pentandria Digynia.
1 compréssa. s.s. (*st.*) flat-stalked. N. Holland. 1824. 5. 6. G. ♃. Lab. n. holl. 1. t. 101.
2 linearis. s.s. (*ye.*) linear-leaved. N. S. W. —— —— G. ♄. Cavan. icon. 5. t. 485.
Azorélla linearifòlia. Cav.
3 ovàta. s.s. (*st.*) oval-leaved. ——— 1827. —— G. ♄. Lab. n. holl. 1. t. 100.
Azorélla ovàta. Labill.
ASTROTRI'CHA. DC. Astrotri'cha. Pentandria Digynia.
floccòsa. DC. (*wh.*) woolly. N. S. W. 1825. 5. 7. G. ♄.
XANTH'OSIA. DC. Xanth'osia. Pentandria Digynia.
1 pilòsa. L.T. (*wh.*) hairy. N. S. W. 1826. —— G. ♃. Linn. trans. 10. t. 22. f. 1.
BOWL'ESIA. S.S. Bowl'esia. Pentandria Digynia.
ténera. s.s. (*wh.*) slender. Monte Video. 1827. 6. 8. H. ☉.

Subtribus II. *Mulineæ.* DC.

SPANAN'THE. S.S. Spananthe. Pentandria Digynia. S.S.
paniculàta. s.s. (*wh.*) panicled. Caracas. 1795. 7. 8. S. ♂. Jacq. ic. 2. t. 350.
Hydrocótyle Spananthe. w.
POZ'OA. Poz'oa. Pentandria Digynia.
coriàcea. s.s. (*wh.*) leathery-leaved. Peru. 1827. 7. 9. F. ♃.

Tribus II. Saniculeæ. DC.

ACTIN'OTUS. Lab. Actin'otus. Pentandria Digynia.
Heliánthi. Lab. (*wh.*) larger. N. S. W. 1821. 6. 12. G. ♄. Bot. reg. t. 654.
Eriocàlia májor. Ex. bot. t. 80.

SANI'CULA. S.S. SANICLE. Pentandria Digynia. L.

1 europ'æa. S.S.	(*wh.*)	wood.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 2. t. 98.
2 canadénsis. S.S.	(*wh.*)	Canadian.	Canada.	1800.	——	H. ♃.	
3 marilándica. S.S.	(*wh.*)	Maryland.	N. America.	1765.	——	H. ♃.	Jacq. ic. 2. t. 348.

HACQU'ETIA. DC. HACQU'ETIA. Pentandria Digynia.

Epipáctis. DC.	(*ye.*)	dwarf.	S. Europe.	1818.	5. 7.	H. ♃.	Jacq. aust. 5. t. 11.

Astrántia Epipáctis. W. *Dóndia Epipáctis.* S.S.

ASTRA'NTIA. S.S. ASTRA'NTIA. Pentandria Digynia. L.

1 màjor. W.	(*bh.*)	great black.	Alps Europe.	1596.	5. 9.	H. ♃.	Exot. bot. 2. t. 76.
2 carniòlica. W.	(*bh.*)	Carniolian.	Carniola.	1812.	5. 6.	H. ♃.	Jacq. aust. 5. app. t. 10.
3 caucàsica. R.S. *intermèdia.* M.B.	(*bh.*)	Caucasean.	Caucasus.	1824.	——	H. ♃.	
4 máxima. Pall. *helleborifòlia.* P.L. 60. *heterophy'lla.* M.B.	(*bh.*)	Hellebore-leav'd.	——	1804.	6. 7.	H. ♃.	Bot. mag. t. 1553.
5 mìnor. W.	(*wh.*)	small.	Switzerland.	1686.	5 6.	H. ♃.	Sm. exot. bot. 2. t. 77.

ERY'NGIUM. S.S. ERY'NGO. Pentandria Digynia. L.

1 aquáticum. S.S.	(*wh.*)	marsh.	N. America.	1699.	7. 9.	H. ♃.	Bot. reg. t. 372.
2 longifòlium. S.S.	(*wh.*)	long-leaved.	Mexico.	1812.	——	F. ♃.	Cav. ic. 6. t. 555.
3 gramíneum. S.S.	(*bl.*)	grass-leaved.	New Spain.	1825.	7. 10.	F. ♃.	Laroch. eryng. t. 26.
4 bromelifòlium. S.S.	(*st.*)	Bromelia-leav'd.	——	1822.	——	F. ♃.	—— t. 28.
5 monocéphalum. S.S.	(*pu.*)	one-headed.	Mexico.	1824.	——	F. ♃.	Cavan. icon. 6. t. 553.
6 ebracteàtum. S.S.	(*wh.*)	bractless.	Monte Video.	1810.	7. 9.	F. ♃.	Laroch. eryng. t. 32.
7 ternàtum. S.S.	(*pu.*)	ternate-leaved.	Crete.	....	——	F. ♃.	Moris. his. s. 7. t. 36. f. 24.
8 plànum. S.S.	(*bl.*)	flat-leaved.	Europe.	1596.	——	H. ♃.	Jacq. aust. 4. t. 391.
9 tricuspidàtum. S.S.	(*pu.*)	trifid.	Spain.	1699.	9.	H. ♂.	Laroch. eryng. t. 9.
10 asperifòlium. S.S.	(*wh.*)	rough-leaved.	.....	1824.	6. 8.	H. ♃.	—— t. 11.
11 dichótomum. S.S.	(*bl.*)	forked.	S. Europe.	——	7. 9.	H. ♃.	Desf. atl. 1. t. 55.
12 cœrùleum. M.B.	(*bl.*)	blue.	Caucasus.	1816.	——	H. ♃.	
13 gigánteum. S.S.	(*bl.*)	gigantic.	Armenia.	1823.	——	H. ♃.	
14 alpìnum. S.S.	(*bl.*)	Alpine.	Switzerland.	1597.	——	H. ♃.	Bot. mag. t. 922.
15 spìna-álba. DC.	(*wh.*)	white-spined.	S. Europe.	1816.	——	H. ♃.	Vill. delph. t. 17.
16 virgàtum. S.S.	(*bl.*)	oval-leaved.	N. America.	1810.	6. 7.	H. ♃.	Laroch. eryng. t. 20.
17 grácile. S.S.	(*ye.*)	slender.	New Spain.	1818.	7. 9.	F. ♃.	—— t. 24.
18 Baldwini. S.S.	(*bl.*)	small-headed.	Carolina.	1824.	——	H. ♃.	
19 aquifòlium. S.S.	(*bl.*)	holly-leaved.	Spain.	1827.	——	H. ♃.	Laroch. eryng. t. 10.
20 corniculàtum. S.S.	(*bl.*)	horned.	Portugal.	1803.	6. 8.	H. ♃.	Bot. mag. t. 1427.
21 tènue. S.S.	(*bl.*)	slender annual.	——	....	——	H. ☉.	Moris. sect. 7. t. 35. f. 15.
22 pusíllum. S.S.	(*bl.*)	dwarf.	Spain.	1640.	——	H. ♃.	Laroch. eryng. t. 16.
23 virginiànum. S.S.	(*pa.*)	Virginian.	Virginia.	....	7. 9.	H. ♃.	—— t. 19.
24 serràtum. S.S.	(*wh.*)	serrated.	New Spain.	1823.	8. 10.	F. ♃.	Cav. ic. 6. t. 55.
25 Carlìnæ. S.S.	(*bl.*)	Carlina-like.	——	1827.	——	F. ♃.	Laroch. eryng. t. 23.
26 f'œtidum. S.S.	(*wh.*)	stinking.	W. Indies.	1714.	——	S. ♂.	Sloan. jam. t. 156. f. 3. 4.
27 marítimum. S.S.	(*bl.*)	sea Holly.	Britain.	....	7. 10.	H. ♃.	Eng. bot. v. 10. t. 718.
28 triquètrum. S.S.	(*bl.*)	triquetrous.	Sicily.	1827.	——	H. ♃.	Desf. atl. 1. t. 54.
29 campéstre. S.S.	(*wh.*)	field.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 1. t. 57.
30 Bourgàti. S.S.	(*bl.*)	cut-leaved.	S. France.	1731.	6. 8.	H. ♃.	Gouan. ill. 7. t. 3.
31 amethy'stinum. S.S.	(*bl.*)	amethystine.	Styria.	1648.	7. 8.	H. ♃.	W. et K. hung. 3. t. 215.
32 dilatàtum. S.S.	(*bl.*)	dilated.	Portugal.	....	——	H. ♃.	Laroch. eryng. t. 4.
33 criuìtum. S.S.	(*bl.*)	fringe-leaved.	Spain.	1826.	——	H. ♃.	
34 comòsum. S.S.	(*pa.*)	tufted.	New Spain.	1818.	——	F. ♃.	Laroch. eryng. t. 7.
35 azùreum. R.S.	(*bl.*)	azure blue.	.....	——	——	H. ♃.	

Tribus III. AMMINEÆ. DC.

R'UMIA. H.U. R'UMIA. Pentandria Digynia.

1 taùrica. H.U. *Cáchrys taùrica.* S.S.	(*wh.*)	Taurian.	Tauria.	1820.	7. 8.	H. ♃.	Hoff. umb. p. 173. f. 17.
2 sibírica. F.	(*wh.*)	Siberian.	Siberia.	1826.	——	H. ♃.	
3 microcárpa. H.U.	(*wh.*)	small-fruited.	Caucasus.	1827.	——	H. ♃.	Moris. his. s. 9. t. 1. f. 3.
4 athamanthoídes. H.U.	(*wh.*)	Athamanta-like.	Siberia.	——	——	H. ♃.	
5 seseloídes. H.U.	(*wh.*)	Seseli-like.	Tauria.	——	——	H. ♃.	Hoff. umb. ed. 2. t. tit. f. 4.

CICU'TA. S.S. COWBANE. Pentandria Digynia. L.

1 virèsa. S.S.	(*wh.*)	long-leaved.	Britain.	....	7.	H. ♃.	Eng. bot. v. 7. t. 479.
2 davùrica. S.S.	(*wh.*)	Daurian.	Siberia.	1824.	——	H. ♃.	Gmel. sib. 1. t. 47.
3 maculàta. S.S.	(*wh.*)	spotted.	N. America.	1759.	7. 8.	H. ♃.	Pluk. alm. t. 76. f. 1.
4 bulbífera. S.S.	(*wh.*)	bulb-bearing.	——	1823.	——	H. ♃.	
5 sinénsis. R.S.	(*wh.*)	Chinese.	China.	1826.	——	H. ♃.	

Z'IZIA. DC. **Z'IZIA.** Pentandria Digynia.
aùrea. DC. (*ye.*) golden. N. America. 1699. 5. 6. H. ♃.
Smy'rnium aùreum. W. *Thàspium aùreum.* N. *Sison aùreus.* S.S.

'APIUM. DC. **CELERY.** Pentandria Digynia. L.
1 gravéolens. S.S. (*wh.*) common. Britain. .... 6. 8. H. ♂. Eng. bot. v. 17. t. 1210.
α fistulòsum. (*wh.*) *hollow-stalked.* ——— .... —— H. ♂.
β sólidum. (*wh.*) *solid-stalked.* ——— .... —— H. ♂.
γ rùbrum. (*wh.*) *red-stalked.* ——— .... —— H. ♂.
δ napàceum. Mill. (*wh.*) *Turnep-rooted.* .... —— H. ♂.

PETROSEL'INUM. DC. **PARSLEY.** Pentandria Digynia. L.
1 sativum. K.U. (*gr.*) common. Sardinia. 1548. 6. 7. H. ♂. Moris. sect. 9. t. 8. f. 2.
β crìspum. (*gr.*) *curled-leaved.* ——— .... —— H. ♂. ——— 9. t. 8. f. 3.
2 romànum. Zuc. (*gr.*) large. Greece. .... —— H. ♂.
3 fractophy'llum. Lag. (*st.*) broken-leaved. ..... 1825. —— H. ♂.
4 prostràtum. S.S. (*gr.*) prostrate. V. Diem. Isl. 1818. —— G. ♂. Vent. malm. t. 81.
5 peregrìnum. K.U. (*wh.*) Lovage-like. Portugal. 1683. 6. 7. H. ♂. Jacq. vind. 3. t. 18.
Ligùsticum peregrìnum. Jacq. *Sison peregrìnum.* R.S.
6 ségetum. K.U. (*bh.*) corn. England. .... 8. H. ⊙. Eng. bot. v. 4. t. 228.
Sison ségetum. E.B.

TR'INIA. H.U. **TR'INIA.** Pentandria Digynia. L.en.
1 Hoffmánni. M.B. (*wh.*) Hoffman's. England. .... 5. 6. H. ♃. Eng. bot. v. 17. t. 1209.
Pimpinélla dioìca. E.B.
2 Henníngii. M.B. (*wh.*) Henning's. Hungary. 1803. 6. 8. H. ♃.
Pimpinélla glaùca. W.
3 Kitaibèlii. M.B. (*wh.*) Kitaibel's. ——— 1827. —— H. ♃. W. et K. hung. 1. t. 72.
4 ramosíssima. F. (*wh.*) branching. Siberia. —— —— H. ♃.

HELOSC'IADIUM. K.U. **HELOSC'IADIUM.** Pentandria Digynia.
1 lateriflòrum. K.U. (*wh.*) narrow-leaved. S. Europe. 1824. 7. 8. H. ⊙. Jacq. vind. t. 200.
Sison Ammi. Jacq. *Pimpinélla lateriflòra.* L. enum.
2 inundàtum. K.U. (*wh.*) inundated. Britain. .... 5. 6. H. *w.* ⊙. Eng. bot. v. 4. t. 227.
Sison inundàtum. E.B. *Siàm inundàtum.* E.F. *Mèum inundàtum.* S.S.
3 nodiflòrum. K.U. (*wh.*) procumbent. Britain. .... 7. 8. H. *w.* ♃. Eng. bot. v. 9. t. 639.
Siàm nodiflòrum. E.B.
4 rèpens. K.U. (*wh.*) creeping. ——— .... 6. H. *w.* ♃. Eng. bot. v. 20. t. 1431.
5 bulbòsum. K.U. (*wh.*) bulb-bearing. Switzerland. 1826. 6. 8. H. *w.* ♃. Thor. jo. bot. 1. t. 7. f. 1-2.

DISCOPLE'URA. DC. **DISCOPLE'URA.** Pentandria Digynia.
Nuttállii. DC. (*wh.*) slender-leaved. N. America. 1812. 7. 8. H. ⊙.
A'mmi capillàceum. M. *Sison capillàceus.* S.S.

LEPTOCA'ULIS. DC. **LEPTOCA'ULIS.** Pentandria Digynia.
divaricàtus. DC. (*ro. wh.*) spreading. N. America. 1812. 6. 8. H. ⊙.
Æthùsa divaricàta. N. *A'mmi divaricàtum.* P.S.

PTYCH'OTIS. K.U. **PTYCH'OTIS.** Pentandria Digynia.
1 heterophy'lla. K.U. (*wh.*) Coriander-leav'd. Pyrenees. 1778. 7. 8. H. ♂. Jacq. vind. 2. t. 198.
Mèum heterophy'llum. S.S. *Æthùsa Bùnius.* W.
2 ammoìdes. K.U. (*wh.*) Milfoil-leaved. S. Europe. 1759. 6. 7. H. ⊙. Jacq. vind. 1. t. 52.
Séseli ammoìdes. S.S.
3 verticillàta. DC. (*wh.*) whorled. ——— 1825. —— H. ⊙.
4 cóptica. DC. (*wh.*) Egyptian. Egypt. 1773. —— H. ⊙. Jacq. vind. 2. t. 196.
Trachyspérmum cópticum. L. enum. *A'mmi cópticum.* L. *Bùnium cópticum.* R.S.

FALC'ARIA. DC. **FALC'ARIA.** Pentandria Digynia.
agréstis. (*wh.*) decurrent. Europe. 1726. 7. 8. H. ♃. Jacq. aust. 3. t. 257.
Siàm Falcària. R.S. *Drepanophy'llum agréste.* K.U.

S'ISON. S.S. **S'ISON.** Pentandria Pentagynia. L.
1 Amòmum. E.B. (*wh.*) hedge. Britain. .... 7. 8. H. ⊙. Eng. bot. v. 14. t. 954.

SCHU'LTZIA. S.S. **SCHU'LTZIA.** Pentandria Digynia.
crinìta. S.S. (*wh.*) slender-leaved. Altay. 1828. 6. 7. H. ♂. Pall. act. pet. 1779. 2. t. 7.

A'MMI. S.S. **BISHOP'S WEED.** Pentandria Digynia. L.
1 május. S.S. (*wh.*) great. S. Europe. 1551. 6. 7. H. ⊙. Flor. græc. t. 273.
2 Bœbèri. L.en. (*wh.*) Bœber's. Crete. 1818. 7. 8. H. ♃.
cicutæfòlium. R.S.
3 Visnàga. S.S. (*wh.*) Toothpick. S. Europe. 1596. 6. 8. H. ⊙. Gært. fr. 1. t. 107.
Visnàga daucoìdes. G.
4 glaucifòlium. S.S. (*wh.*) glaucous-leav'd. France. 1816. —— H. ♂. Lapeyr. pyr. t. 75.

ÆGOP'ODIUM. L. **GOUT-WEED.** Pentandria Digynia. L.
Podagrària. E.B. (*wh.*) common. Britain. .... 5. 7. H. ♃. Eng. bot. v. 14. t. 940.
Sison Podagrària. S.S.

C'ARUM. K.U. **CARAWAY.** Pentandria Digynia. L.
1 Cárvi. S.S. (*wh.*) common. Britain. .... 6. H. ♂. Eng. bot. v. 21. t. 1503.
Feniculum Cárvi. L.en.

2	Bulbocástanum. K.U. (*wh.*) Earth-nut. *Bùnium Bulbocástanum.* W. *My'rrhis Bùnium.* R.S.		Europe.	1797.	6. 7.	H.	♃.	Flor. dan. t. 220.
3	flexuòsum. (*wh.*) common. *Bùnium flexuòsum.* E.B.		Britain.	....	5. 6.	H.	♃.	Eng. bot. v. 14. t. 988.
4	verticillàtum. K.U. (*wh.*) whorl-leaved. *Sium verticillàtum.* E. B.	———	....		7. 8.	H.	♃.	Eng. bot. v. 6. t. 395.
B'UNIUM. DC.		B'UNIUM. Pentandria Digynia. L.						
1	peucedanoídes. M.B. (*st.*) Sulphur-wort.		Caucasus.	1823.	7. 8.	H.	♃.	
2	lùteum. M.B. (*ye.*) yellow.		Volga.	1827.	——	H.	♃.	
3	viréscens. DC. (*gr.*) greenish-flower'd. *Sium viréscens.* R.S.		Europe.	1826.	——	H.	♃.	
4	acaùle. M.B. (*ye.*) stalkless. *A'mmi acaùle.* S.S.		Caucasus.	1821.	6. 8.	H.	♂.	
CRYPTOTÆNIA. DC.		CRYPTOT'ÆNIA. Pentandria Digynia.						
1	canadénse. DC. (*wh.*) Canadian. *Sison canadénse.* W. *My'rrhis canadénsis.* S.S.		N. America.	1699.	7. 8.	H.	♃.	Moris. his. s. 9. t. 11.
2	Thomàsii. DC. (*wh.*) Thomas's.		Italy.	1827.	——	H.	♃.	
PIMPINE'LLA. K.U.		BURNET SAXIFRAGE. Pentandria Digynia. L.						
1	mágna. S.S. (*wh.*) great.		England.	....	6. 8.	H.	♃.	Eng. bot. v. 6. t. 406.
2	mèdia. P.S. (*wh.*) middle. *orientàlis.* Jacq. aust. t. 397.		Germany.	....	——	H.	♃.	Hoff. deut. fl. t. 397.
3	dissécta. W. (*wh.*) cut-leaved.		France.	....	——	H.	♃.	Retz. obs. 3. t. 2.
4	rotundifòlia. M.B. (*wh.*) round-leaved. *Sison rotundifòlius.* S.S.		Caucasus.	1816.	——	H.	♂.	Spr. Anl. ed. 2. t. 4. f. 1. 4.
5	Saxífraga. W. (*wh.*) common.		Britain.	....	——	H.	♃.	Eng. bot. v. 6. t. 407.
6	Tràgium. DC. (*wh.*) Columna's. *Tràgium Colúmnæ.* S.S.		S. Europe.	1824.	6. 8.	H.	♃.	Column. phyt. t. 17.
7	peregrìna. W. (*wh.*) nodding.		Italy.	1646.	——	H.	♃.	Jacq. vind. 2. t. 131.
8	aromática. M.B. (*wh.*) aromatic.		Caucasus.	1824.	——	H.	♂.	
9	bubonoídes. P.S. (*wh.*) Bubon-like. *Tràgium Brotèri.* R.S.		Portugal.	1814.	6. 8.	H.	♃.	
10	villòsa. Scho. (*wh.*) villous. *Tràgium Schousb'œi.* R.S.		Barbary.	1824.	——	H.	♃.	
11	taùrica. DC. (*wh.*) Taurian. *Ledebùria taùrica.* L.en. *Tràgium taùricum.* S.S.		Tauria.	1824.	6. 8.	H.	♃.	
12	nìgra. W.en. (*wh.*) black-rooted.		Germany.	1683.	——	H.	♃.	Moris. sect. 9. t. 5.
13	lateriflòra. L.en. (*wh.*) side-flowering.		Hungary.	1816.	——	H.	♃.	
14	dichótoma. W. (*wh.*) dichotomous.		Spain.	1798.	——	H.	♃.	
15	A'nisum. L. (*wh.*) Anise. *Sison A'nisum.* R.S. *A'nisum vulgàre.* Gaert.		Egypt.	1551.	6. 8.	H.	☉.	Moris. his. s. 9. t. 9.
S'IUM. K.U.		WATER-PARSNEP. Pentandria Digynia. L.						
1	latifòlium. S.S. (*wh.*) broad-leaved.		Britain.	....	7. 8.	H.	*w.* ♃.	Eng. bot. v. 3. t. 204.
2	lancifòlium. S.S. (*wh.*) spear-leaved.		Siberia.	1823.	——	H.	*w.* ♃.	Gmel. sib. 1. t. 47.
3	angustifòlium. S.S. (*wh.*) narrow-leaved.		Britain.	....	——	H.	*w.* ♃.	Eng. bot. v. 2. t. 139.
4	Sísarum. S.S. (*wh.*) Skirret.		China.	1548.	——	H.	♃.	Schkuhr. hand. 1. t. 60.
BUPLE'URUM. S.S.		HARE'S-EAR. Pentandria Digynia. L.						
1	coriàceum. S.S. (*st.*) thick-leaved.		Gibraltar.	1784.	7. 8.	G.	♄.	L'Herit. st. nov. t. 67.
2	fruticòsum. S.S. (*st.*) shrubby.		S. Europe.	1596.	——	H.	♄.	Flor. græc. t. 268.
3	fruticéscens. S.S. (*st.*) frutescent.		Spain.	1752.	8. 9.	H.	♄.	Cav. ic. 2. t. 106.
4	plantagíneum. S.S. (*st.*) plantain-leaved. *β canéscens.* P.S. (*st.*) *hoary.*		Barbary.	1809.	——	G.	♄.	Desf. atl. 1. t. 57.
		———			——	G.	♄.	
5	spinòsum. S.S. (*st.*) thorny.		Spain.	1752.	——	F.	♄.	Gouan. ill. 8. t. 2. f. 3.
6	difforme. S.S. (*st.*) various-leaved.		C. B. S.	——	——	G.	♄.	Burm. afr. t. 71. f. 1.
7	rotundifòlium. S.S. (*ye.*) round-leaved.		England.	....	6. 7.	H.	☉.	Eng. bot. v. 2. t. 90.
8	protráctum. S.S. (*st.*) protracted.		Portugal.	1824.	——	H.	☉.	
9	heterophy'llum. S.S. (*st.*) various-leaved.		Egypt.	——	——	H.	☉.	
10	aùreum. S.S. (*ye.*) golden.		Siberia.	——	——	H.	♃.	
11	longifòlium. S.S. (*st.*) long-leaved.		Switzerland.	1713.	5. 7.	H.	♃.	Moris. sect. 9. t. 11.
12	pyrenàicum. S.S. (*st.*) Pyrenean.		Pyrenees.	1814.	——	H.	♃.	Gouan. ill. t. 4.
13	angulòsum. W. (*st.*) angular-leaved.		Switzerland.	1759.	——	H.	♃.	Moris. sect. 9. t. 12.
14	ranunculoídes. W. (*st.*) Crowfoot-like.		Pyrenees.	1790.	7. 8.	H.	♃.	Park. theatr. f. 7.
15	caricifòlium. W. (*st.*) Carex-leaved.		S. France.	1824.	——	H.	♃.	
16	Burseriànum. W.en. (*st.*) Burser's.	———		1820.	——	H.	♃.	
17	petr'æum. S.S. (*st.*) alpine.		S. Europe.	1823.	——	H.	♃.	Rich. de Bellev. t. 206.
18	sibiricum. M.B. (*st.*) Siberian.		Siberia.	1826.	——	H.	♃.	
19	graminifòlium. S.S. (*st.*) Grass-leaved.		Switzerland.	1768.	5. 7.	H.	♃.	Jacq. ic. 1. t. 56.
20	stellàtum. S.S. (*st.*) starry.	———		1775.	——	H.	♃.	Hall. helv. t. 18.
21	falcàtum. S.S. (*st.*) twisted-stalk'd.		Germany.	1739.	5. 9.	H.	♃.	Jacq. aust. 2. t. 158.

22	scorzonerafŏlium.	W.en.	(*st.*)	Scorzonera-l^d.	Germany.	1818.	6. 8. H. ♃.	
23	rígidum. R.s.		(*st.*)	rigid.	S. France.	1739.	5. 9. H. ♃.	Moris. sect. 9. t. 12.
24	nùdum. s.s.		(*st.*)	naked-stalked.	C. B. S.	1778.	10. G. ♃.	
25	gibraltáricum.	Lag.	(*st.*)	Gibraltar.	Gibraltar.	1825.	—— G. ♃.	
26	glaùcum. DC.		(*ye.*)	glaucous.	S. France.	1828.	—— H. ⊙.	
27	Odontites. s.s.		(*bk.*)	narrow-leaved.	England.	....	—— H. ⊙.	Eng. bot. v. 35. t. 2468.
	Odontites lutéola. R.s.							
28	júnceum. s.s.		(*ye.*)	linear-leaved.	S. Europe.	1722.	7. 8. H. ⊙.	Moris. sect. 9. t. 12.
29	Gerárdi. R.s.		(*ye.*)	Gerard's.	————	1804.	—— H. ⊙.	Jacq. aust. t. 256.
30	baldénse. R.s.		(*ye.*)	channel-leav'd.	M. Baldo.	1818.	—— H. ⊙.	W. et K. hung. 3. t. 257.
	exaltàtum. P.s.							
31	lancifŏlium. H.H.		(*ye.*)	lance-leaved.	.....	1824.	6. 9. H. ⊙.	
32	semicompòsitum. s.s.		(*ye.*)	dwarf.	Spain.	1778.	—— H. ⊙.	Flor. græc. t. 261.
	Odontites semicompòsita. R.s.							
33	grácile. M.B.		(*ye.*)	slender-twigged.	Tauria.	1827	—— H. ⊙.	
34	tenuíssimum. s.s.		(*ye.*)	slender.	England.	....	7. 8. H. ⊙.	Eng. bot. v. 7. t. 478.
35	trífidum. s.s.		(*ye.*)	trifid-umbel'd.	Italy.	1824.	5. 9. H. ♃.	

HETEROMO'RPHA. DC. HETEROMO'RPHA. Pentandria Digynia.

	arboréscens. DC.		(*st.*)	arborescent.	C. B. S.	1816.	7. 8. G. ♄.	
	Bupleùrum arboréscens. s.s. *Tenòria arboréscens.* R.s.							

Tribus IV. SESELINEÆ. DC.

LICHTENSTEI'NIA. DC. LICHTENSTEI'NIA. Pentandria Digynia.

	inèbrians. DC.		(*wh.*)	various-leaved.	C. B. S.	1816.	8. 9. G. ♃.	
	Œnánthe inèbrians. s.s.							

ŒNA'NTHE. S.S. WATER-DROPWORT. Pentandria Digynia. L.

1	fistulòsa. s.s.		(*bk.*)	common.	Britain.	....	6. 8. H. ♃.	Eng. bot. v. 6. t. 363.
2	tenuifŏlia. s.s.		(*wh.*)	slender-leaved.	C. B. S.	1816.	6. 8. G. ♃.	
3	pencedanifŏlia. s.s.		(*wh.*)	round-rooted.	S. Europe.	....	—— H.*w.* ♃.	Pollich. palat. t. 3.
4	silaifŏlia. s.s.		(*wh.*)	oblong-rooted.	England.	....	—— H.*w.* ♃.	Eng. bot. v. 5. t. 348.
	peucedanifŏlia. E.B. *non.* s.s.							
5	gymnorhiza. s.s.		(*wh.*)	naked rooted.	N. Europe.	1824.	—— H.*w.* ♃.	
6	pimpinelloídes. s.s.		(*bk.*)	BurnetSaxifrage.	England.	....	—— H.*w.* ♃.	Eng. bot. v. 5. t. 347.
7	prolífera. s.s.		(*wh.*)	proliferous.	S. Europe.	1739.	—— H.*w.* ♃.	Jacq. vind. 3. t. 62.
8	globulòsa. s.s.		(*wh.*)	globe-headed.	Portugal.	1710.	—— H. ♂.	Gouan. ill. 18. t. 9.
9	crocàta. s.s.		(*wh.*)	poisonous.	Britain.	....	—— H.*w.* ♃.	Eng. bot. v. 33. t. 2313.
10	Phellándrium. s.s.		(*wh.*)	waterHemlock.	————	....	6. 7. H.*w.* ♂.	———— v. 10. t. 684.
	Phellándrium aquáticum. E.B.							
11	apiifŏlia. s.s.		(*wh.*)	Parsley-leaved.	Portugal.	1806.	6. 8. H. ♃.	
12	austrális. R.s.		(*wh.*)	southern.	S. Europe.	1824.	—— H. ♃.	
13	involucràta. Cav.		(*wh.*)	involucred.	Spain.	1820.	—— H. ♃.	
14	am'œna. Leh.		(*wh.*)	handsome.	.....	1827.	—— H ♃.	

ANESORH'IZA. DC. ANESORH'IZA. Pentandria Digynia.

	interrúpta.		(*wh.*)	interrupted.	C. B. S.	1816.	6. 8. G. ♃.	
	Œnánthe interrúpta. s.s.							

SCLEROSC'IADIUM. DC. SCLEROSC'IADIUM. Pentandria Digynia.

	rígens. DC.		(*wh.*)	rigid-stalked.	C. B. S.	1787.	6. 8. G. ♄.	
	Cònium rígens. W. *Bùnium rígens.* s.s.							

ÆTH'USA. R.S. FOOLS-PARSLEY. Pentandria Digynia. L.

1	Cynápium. W.		(*wh.*)	common.	Britain.	....	7. 9. H. ⊙.	Eng. bot. v. 17. t. 1192.
2	cynapioídes. M.B.		(*wh.*)	Caucasean.	Caucasus.	1820.	—— H. ♃.	Hoff. umb. ed. 2. t. tit. f. 9.
3	elàta. L.en.		(*wh.*)	tall.	Siberia.	——	—— H. ⊙.	
4	fàtua. R.s.		(*wh.*)	fine-leaved.	.....	1781.	—— H. ♃.	

FŒNI'CULUM. G. FENNEL. Pentandria Digynia.

1	vulgàre. G.		(*ye.*)	common.	Britain.	....	7. 8. H. ♃.	Eng. bot. v. 17. t. 1208.
	Anèthum Fœniculum. E.B. *Mèum Fœniculum.* s.s.							
2	dúlce. DC.		(*ye.*)	sweet.	S. Europe.	1824.	—— H. ⊙.	DC. hort. m. ined. t. 96.
3	piperìtum.		(*ye.*)	peppery.	Italy.	——	—— H. ♂.	
	Mèum piperìtum. R.s. *Anèthum piperìtum.* Bert.							
4	lùteum. F.		(*ye.*)	yellow.	Persia.	1829.	—— H. ♂.	

KUNDMA'NNIA. DC. KUNDMA'NNIA. Pentandria Digynia.

	pastinacæfŏlia.		(*ye.*)	Parsnep-leaved.	Sicily.	1686.	7. 8. H. ♃.	Jacq. vind. 2. t. 133.
	Brignòlia pastinacæfŏlia. K.U. *Sium siculum.* R.s.							

DEVE'RRA. DC. DEVE'RRA. Pentandria Digynia.

1	tortùosa. DC.		(*wh.*)	twisting.	Levant.	1828.	.... G. ♄.	Desf. atl. 1. t. 73.
	Bùbon tortuòsum. Df.							

2	aphy'lla. DC.	(*wh.*)	leafless.	C. B. S.	1816.	....	G. ♄.	
	Bùbon aphy'llus. Schlecht.							
SE'SELI. S.S.			Meadow Saxifrage. Pentandria Digynia. S.S.					
1	elàtum. S.S.	(*wh.*)	tall.	Austria.	1710.	7. 8.	H. ♃.	Gouan. ill. 16. t. 8.
2	vàrium. S.S.	(*wh.*)	variable.	.....	1818.	——	H. ♃.	
3	glaùcum. S.S.	(*pu.wh.*)	glaucous.	France.	1759.	——	H. ♃.	Jacq. aust. 2. t. 144.
4	taùricum. S.S.	(*wh.*)	Taurian.	Tauria.	1818.	6. 8.	H. ♃.	
5	montànum. S.S.	(*wh.*)	mountain.	Italy.	1658.	6. 7.	H. ♃.	Jacq. vind. 2. t. 129.
6	ánnuum. S.S.	(*bh.*)	annual.	Europe.	1816.	7. 8.	H. ♂.	Jacq. aust. t. 55.
	Càrum simplex. W.							
7	campéstre. S.S.	(*wh.*)	field.	Poland.	1827.	——	H. ♃.	
8	pimpinelloídes. S.S.	(*wh.*)	nodding-flower'd.	S.Europe.	1796.	——	H. ♃.	
9	Hippomárathrum. S.S.	(*bh.*)	various-leav'd.	Austria.	1656.	——	H. ♃.	Jacq. aust. 2. t. 143.
10	tortuòsum. S.S.	(*wh.*)	crooked.	S. Europe.	1597.	10.	H. ♃.	Moris. sect. 9. t. 6.
11	leucospérmum. S.S.	(*wh.*)	white-seeded.	Hungary.	1805.	7.	H. ♃.	W. et K. hung. t. 89.
12	prolíferum. S.S.	(*wh.*)	prolific.	.....	1823.	5. 8.	H. ♃.	
13	chærophylloídes. S.S.	(*wh.*)	Chervil-like.	C. B. S.	1816.	——	G. ♃.	
14	Boccòni. S.S.	(*wh.*)	Boccone's.	Sicily.	1826.	——	H. ♃.	Bocc. sic. s. 27. 28.
15	divaricàtum. S.S.	(*ye.*)	shining-leaved.	N. America.	1812.	6. 7.	H. ♃.	Bot. mag. t. 1742.
16	striàtum. S.S.	(*wh.*)	striped-stalked.	C. B. S.	1816.	7. 8.	G. ♃.	
17	grácile. S.S.	(*ye.*)	slender.	Hungary.	1805.	6. 7.	H. ♃.	W. et K. hung. 2. t. 117.
18	peucedanifòlium. K.U.	(*wh.*)	smooth-stalk'd.	Hungary.	1826.	7. 9.	H. ♃.	—— t. 146.
19	petr'æum. K.U.	(*wh.*)	glaucous.	Tauria.	1824.	7. 8.	H. ♃.	
	Bùbon glaùcus. S.S.							
20	cuneifòlium. M.B.	(*wh.*)	wedge-leaved.	Sicily.	1823.	7. 9.	H. ♃.	Moris. his. s. 9. t. 7.
21	gummíferum. K.U.	(*bh.*)	gum-bearing.	Crimea.	1710.	——	H. ♂.	Sm. exot. bot. t. 20.
22	dichótomum. M.B.	(*wh.*)	forked.	Tauria.	1816.	——	H. ♂.	Bot. mag. t. 2078.
23	eriocéphalum.	(*wh.*)	woolly-headed.	Siberia.	1827.	——	H. ♂.	
24	córsicum. L.en.	(*wh.*)	dwarf annual.	Corsica.	1825.	——	H. ☉.	
25	Pallàsii. Bess.	(*wh.*)	Pallas's.	Siberia.	1823.	——	H. ♃.	
26	Lobeliànum. Bess.	(*wh.*)	Lobel's.	.....	——	——	H. ♃.	
LIBAN'OTIS. DC.			Liban'otis. Pentandria Digynia.					
1	buchtormènsis. DC.	(*wh.*)	Siberian.	Siberia.	1822.	7. 8.	H. ♃.	
	Bùbon buchtormènsis. R.S. *Athamánta rígida.* Horn.							
2	vulgàris. DC.	(*wh.*)	mountain.	England.	....	——	H. ♃.	Eng. bot. v. 2. t. 138.
	Athamántu Libanòtis. E.B.							
CENOL'OPHIUM. DC.			Cenol'ophium. Pentandria Digynia.					
	Fischèri. DC.	(*wh.*)	Fischer's.	Siberia.	1820.	6. 8.	H. ♃.	
	Cnídium Fischèri. S.S. *Angélica Fischèri.* R.S. *Ligústicum Fischèri.* L. enum.							
CNI'DIUM. S.S.			Cni'dium. Pentandria Digynia. S.S.					
1	Monniéri. S.S.	(*wh.*)	annual.	S. Europe.	1771.	7. 8.	H. ☉.	Jacq. vind. 1. t. 62.
	Selìnum Monniéri. Jacq.							
2	apioídes. H.U.	(*wh.*)	Parsley-leaved.	Europe.	1791.	6. 7.	H. ♃.	Jacq. aust. 5. ap. t. 44.
	Ligústicum apioídes. R.S. *silaifòlium.* Jacq.							
3	venòsum. DC.	(*wh.*)	veined.	Europe.	1818.	7. 8.	H. ♃.	
	Séseli dùbium. R.S.							
THA'SPIUM. N.			Tha'spium. Pentandria Digynia.					
1	actæifòlium. N.	(*ye.*)	Actæa-leaved.	N. America.	1824.	7. 8.	H. ♃.	
	Ligústicum actæifòlium. M.							
2	barbinòde. N.	(*ye.*)	bearded-jointed.	——	1759.	6. 7.	H. ♃.	
	Thápsia trifòliata. R.S.							
TROCHISCA'NTHES. K.U.			Trochisca'nthes. Pentandria Digynia.					
	nodiflòrus. K.U.	(*bh.*)	knot-flowered.	Apennines.	1818.	6. 7.	H. ♃.	All. ped. t. 72.
	Ligústicum nodiflòrum. S.S. *verticillàtum.* W.et K. hung. 2. t. 171.							
ATHAMA'NTA. S.S.			Spignell. Pentandria Digynia. L.					
1	macedònica. S.S.	(*wh.*)	Macedonian.	Greece.	1596.	6. 8.	G. ♂.	Lobel. hist. 406. ic. 706.
	Bùbon macedònicum. L.							
2	condensàta. W.	(*wh.*)	close-headed.	Siberia.	1773.	7. 9.	H. ♃.	Gmel. sib. 1. t. 44.
3	sibírica. W.	(*st.*)	Siberian.	——	1771.	7. 8.	H. ♃.	Lam. ill. t. 194. f. 1.
4	sícula. S.S.	(*wh.*)	Flixweed-leav'd.	Sicily.	1686.	6. 7.	H. ♃.	Ten. fl. nap. 1. t. 25.
5	Matthìoli. S.S.	(*wh.*)	fine-leaved.	Carniola.	1802.	——	H. ♃.	Jacq. ic. rar. 1. t. 57.
6	stricta. Led.	(*wh.*)	upright.	Siberia.	1827.	——	H. ♃.	
7	creténsis. S.S.	(*wh.*)	candy-carrot.	Austria.	1596.	——	H. ♃.	Jacq. aust. 1. t. 62.
8	incàna. S.S.	(*wh.*)	hoary.	Siberia.	1802.	7. 8.	H. ♃.	
9	ánnua. W.	(*wh.*)	annual.	Candia.	1731.	6. 7.	H. ☉.	
LIGU'STICUM. S.S.			Ligu'sticum. Pentandria Digynia. L.					
1	scóticum. S.S.	(*bh.*)	Scotch.	Britain.	....	——	H. ♃.	Eng. bot. v. 17. t. 1207.
2	obtusifòlium. S.S.	(*wh.*)	blunt-leaved.	Tangiers.	1824.	7. 8.	H. ♃.	
3	athamantoídes. S.S.	(*st.*)	Carrot-leaved.	Pyrenees.	1784.	——	H. ♃.	Scop. carn. t. 10.
	Á'nisi daucifòlium. W. *Athamánta pyrenàica.* Jacq. vind. 2. t. 197.							

4 alàtum. s.s. (*ro.wh.*) winged-stalked. Caucasus. 1823. 7. 8. H. ♃.
5 simplex. s.s. (*wh.pu.*) shining. Switzerland. 1775. 7. H. ♂. Jacq. misc. 2. t. 2.
Laserpitium simplex. Jacq. *lùcidum.* H.K.
6 ferulàceum. s.s. (*wh.*) Fennel-leaved. Levant. 1752. 6. H. ♃. Allion. ped. t. 60.
Laserpitium daùricum. Jacq. vind. 3. t. 38.
7 cándicans. s.s. (*wh.*) pale. ..... 1780. 7. 8. H. ♃.
8 pyrenàicum. K.U. (*wh.*) Pyrenean. Pyrenees. 1739. 6. 7. H. ♃. Gouan. ill. t. 7. f. 2.
Cnídium pyrenæ um. s.s. *Séseli aristàtum.* H.K.
9 Seguiérii. K.U. (*wh.*) Fennel-leaved. Italy. 1774. 7. 8. H. ♃. Jacq. vind. 1. t. 61.
Selìnum Seguiérii. Jacq. *Imperatòria Seguiérii.* s.s.
10 Fontanèsii. s.s. (*wh.*) fine-leaved. Algiers. .... 6. 7. H. ♃. Desf. atl. 1. t. 71.
Laserpitium peucedanoides. Desf.
11 cuneifòlium. Led. (*wh.*) wedge-leaved. Siberia. 1827. —— H. ♃.

SIL'AUS. K.U. SIL'AUS. Pentandria Digynia.
1 praténsis. K.U. (*st.*) meadow. England. .... 6. 8. H. ♃. Eng. bot. v. 30. t. 2142.
Peucedànum Silàus. E.B. *Cnídium Silàus.* s.s.
2 Matthìoli. K.U. (*ye.*) late-flowering. Italy. 1824. 7. 8. H. ♃.
Peucedànum Matthìoli. s.s.
3 alpéstris. K.U. (*st.*) Alpine. France. 1739. 6. 7. H. ♃.

WALLRO'THIA. DC. WALLRO'THIA. Pentandria Digynia.
1 alpina. DC. (*wh.*) alpine. Hungary. 1827. 6. 8. H. ♃. W. et K. hung. 2. t. 182.
tuberòsa. R.S. *Bùnium alpìnum.* W.K.
2 tenuifòlia. DC. (*wh.*) slender-leaved. Pyrenees. 1826. —— H. ♃. DC. mem. umb. t. 1. f. A.

M'EUM. S.S. BAWD-MONEY. Pentandria Digynia. S.S.
1 athamánticum. s.s. (*wh.*) common. Britain. .... 4. 6. H. ♃. Eng. bot. v. 32. t. 2249.
2 Mutellìna. s.s. (*re.*) Alpine. Austria. 1774. 7. 8. H. ♃. Jacq. aust. t. 56.
Phellándrium Mutellìna. L.
3 sibiricum. s.s. (*ye.*) Siberian. Siberia. 1820. —— H. ♃.

CONIOSEL'INUM. H.U. CONIOSEL'INUM. Pentandria Digynia.
1 íngricum. F. (*wh.*) Ingrian. Russia. 1827. 7. 8. H. ♃.
2 tatáricum. F. (*wh.*) Tartarian. Tartary. 1825. —— H. ♃.
Angélica Fischèri. R.S.

CRITHMUM. L.en. SAMPHIRE. Pentandria Digynia. L.
1 Libanòtis. L.en. (*ye.*) smooth-seeded. Sicily. 1570. 7. 8. H. ♃. Schk. handb. 1. t. 65.
Cáchrys Libanòtis. s.s.
2 maritimum. W. (*st.*) sea-side. Britain. .... 7. 9. H. ♃. Eng. bot. v. 12. t. 819.

Tribus V. ANGELICEÆ. DC.

LEVI'STICUM. K.U. LOVAGE. Pentandria Digynia.
officinàle. K.U. (*ye.*) common. Italy. 1596. 6. 7. H. ♃. Schk. handb. t. 68.
Ligústicum Levísticum. s.s.

SEL'INUM. L. MILK-PARSLEY. Pentandria Digynia. L.
1 Carvifòlium. W. (*bl.*) Caraway-leav'd. Austria. 1774. 7. 8. H. ♃. Jacq. aust. 1. t. 16.

OSTE'RICUM. H.U. OSTE'RICUM. Pentandria Digynia.
praténse. H.U. (*wh.*) field. Galicia. 1824. 7. 8. H. ♃.
Angélica praténsis. M.B.

ANGE'LICA. K.U. ANGE'LICA. Pentandria Digynia. L.
1 sylvéstris. s.s. (*wh.*) wild. Britain. .... 6. 8. H. ♃. Eng. bot. v. 16. t. 1128.
2 Razoùlii. s.s. (*bl.*) decurrent-l^d. Pyrenees. 1816. —— H. ♃. Gouan. ill. 13. t. 6.
3 montàna. K.U. (*wh.*) mountain. Switzerland. —— —— H. ♃.
4 flavéscens. Bess. (*st.*) yellowish. Pyrenees. —— —— H. ♃.
5 pyren'æa. s.s. (*wh.*) Pyrenean. ———— 1818. —— H. ♃. Gouan. ill. p. 11. t. 5.
6 lùcida. s.s. (*br.*) shining. Canada. 1640. —— H. ♂. Jacq. vind. 3. t. 24.
7 chærophy'llea. s.s. (*wh.*) Chervil-leaved. Livonia. 1827. —— H. ♃.
8 Wormskiòldii. F. (*wh.*) Wormskiold's. Kamtschatka. —— —— H. ♃.
9 lancifòlia. s.s. (*wh.*) lance-leaved. ..... 1818. —— H. ♃.
Selìnum angelicástrum. L. enum.

ARCHANGE'LICA. H.U. ARCHANGE'LICA. Pentandria Digynia.
1 officinàlis. H.U. (*wh.*) garden. England. .... 6. 8. H. ♂. Eng. bot. v. 36. t. 2561.
Angélica Archangélica. E.B.
2 atropurpùrea. H.U. (*pu.*) dark purple. Canada. 1759. 7. 8. H. ♃. Cornut. canad. t. 199.

Tribus VI. PEUCEDANEÆ. DC.

OP'OPANAX. K.U. OP'OPANAX. Pentandria Digynia.
Chirònium. K.U. rough. S. Europe. 1640. 6. 7. H. ♃. W. et K. hung. 3. t. 211.
Pastinàca Opòpanax. W. *Ferùla Opòpanax.* s.s.

FER'ULA. S.S. GIANT-FENNEL. Pentandria Digynia. L.

1	lævigàta. s.s.	(*ye.*) smooth.	C. B. S.	1774.	12. 3.	G. ♄.		
	Bùbon lævigàtum. W.							
2	nudicaùlis. s.s.	(*ye.*) naked-stalked.	Sicily.	1825.	——	H. ♃.		
3	A'sa f'œtida. s.s.	(*st.*) Asa fœtida.	Persia.	1818.	7. 8.	H. ♃.		
4	commùnis. s.s.	(*ye.*) common.	S. Europe.	1597.	6. 7.	H. ♃.	Moris. s. 9. t. 15 f. 3.	
5	glaùca. s.s.	(*ye.*) glaucous.	Italy.	1596.	——	H. ♃.		
6	sylvática. s.s.	(*ye.*) wood.	Poland.	1827.	——	H. ♃.		
7	campéstris. s.s.	(*ye.*) field.	Tauria.	——	——	H. ♃.		
8	nodiflòra. s.s.	(*ye.*) knot-flowered.	S. Europe.	1596.	——	H. ♃.	Desf. atl. 1. t. 67.	
	sulcàta. Desf.							
9	Ferulàgo. s.s.	(*ye.*) Fennel-leaved.	————	——	——	H. ♃.	Jacq. aust. 5. ap. t. 5.	
	nodiflòra. Jacq. *non* s.s.							
10	thyrsiflòra. s.s.	(*st.*) thyrse-flower'd.	Crete.	1823.	——	F. ♃.	Flor. græc. t. 280.	
11	tingitàna. s.s.	(*ye.*) Tangier.	Barbary.	1680.	——	H. ♂.	Herm. parad. t. 165.	
12	stricta. s.s.	(*ye.*) upright.	C. B. S.	1816.	——	G. ♂.		
13	nùda. s.s.	(*ye.*) naked.	Siberia.	1827.	——	H. ♃.		
14	cáspica. s.s.	(*ye.*) Caspian.	Caspia.	1824.	——	H. ♃.	Spreng. umb. t. 7. f. 14.	
15	orientàlis. s.s.	(*ye.*) eastern.	Levant.	1759.	7. 8.	H. ♃.	Tourn. it. 3. t. 299.	
16	pérsica. s.s.	(*ye.*) stinking.	Persia.	1782.	——	H. ♃.	Andr. rep. t. 558.	
17	tatárica. F.	(*ye.*) Tartarian.	Tartary.	1826.	——	H. ♃.		
18	capillàris. s.s.	(*ye.*) capillary.	Portugal.	——	——	H. ♃.		
19	desertòrum. Led.	(*ye.*) desert.	Siberia.	1827.	——	H. ♃.		
20	songàrica. R.S.	(*ye.*) Songarian.	————	——	——	H. ♃.		

ERIOSYNA'PHE. DC. ERIOSYNA'PHE. Pentandria Digynia.

	longifòlia. DC.	(*ye.*) long-leaved.	Wolga.	1823.	7. 8.	H. ♃.	DC.mem.umb.pl.1 f.8.	
	Ferùla longifòlia. F.							

PÆLI'MBIA. DC. PÆLI'MBIA. Pentandria Digynia.

	Chabr'æi. DC.	(*bk.*) fine-leaved.	Europe.	1791.	7. 8.	H. ♃.	Jacq. aust. 3. t. 72.	
	Selìnum Chabr'æi. Jacq. *Oreoselìnum Chabr'æi.* M.B. *Imperatòria Chabr'æi.* R.S.							

PEUCED'ANUM. S.S. SULPHURWORT. Pentandria Digynia. L.

1	officinàle. s.s.	(*ye.*) officinal.	England.	....	5. 7.	H. ♃.	Eng. bot. v. 25. t. 1767.	
2	paniculàtum. R.S.	(*ye.*) panicled.	Corsica.	1827.	——	H. ♃.		
3	alsáticum. W.	(*wh.*) small-headed.	Austria.	1774.	6. 8.	H. ♃.	Jacq. aust. 1. t. 76.	
4	gállicum. s.s.	(*wh.*) French.	France.	1816.	——	H. ♃.	Gmel. sib. 1. t. 41.	
5	itálicum. P.S.	(*ye.*) yellow-flower'd.	Italy.	....	5. 7.	H. ♃.		
6	ruthénicum. R.S.	(*ye.*) Russian.	Russia.	1824.	6. 8.	H. ♃.		
7	tàuricum. R.S.	(*ye.*) Taurian.	Tauria.	1828.	——	H. ♃.		
8	longifòlium. R.S.	(*ye.*) long-leaved.	Hungary.	1826.	——	H. ♃.	W. et K. hung. t. 251.	
9	arenàrium. s.s.	(*ye.*) sand.	————	1816.	6. 7.	H. ♃.	———— 1. t. 20.	
10	Morisòni. R.S.	(*ye.*) Morison's.	————	——	——	H. ♃.	Moris. his. 3. s. 9. t. 15. f. 1.	
11	nodòsum. s.s.	(*wh.*) knotted-stalked.	Crete.	....	——	H. ♃.	Moris. his. s. 9. t. 17.	
12	aùreum. s.s.	(*ye.*) golden.	Canaries.	1779.	6.	G. ♂.	Bot. reg. t. 559.	
13	tenuifòlium. s.s.	(*ye.*) slender-leaved.	C. B. S.	1816.	6. 8.	G. ♂.		
14	iseténse. s s.	(*st.*) straw-coloured.	Siberia.	1828.	——	H. ♂.	Gmel. sib. 1. t. 42-43.	
15	sibíricum. W.	(*ye.*) Siberian.	————	1804.	6. 7.	H. ♃.	W. et K. hung. 1. t. 20.	
16	palústre. K.U.	(*wh.*) marsh.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 4. t. 239.	
	Selìnum palústre. E.B. *Thysselìnum palústre.* H.U.							
17	baicalénse. K.U.	(*wh.*) Baical.	Siberia.	1824.	——	H. ♃.		
18	Cervària. K.U.	(*wh.pu.*) large-leaved.	Europe.	1597.	——	H. ♃.	Jacq. aust. 1. t. 69.	
	Athamánta Cervària. Jacq. *Ligústicum Cervària.* S.S.							
19	Oreoselìnum. K.U.	(*re.wh.*) bending.	Europe.	1780.	7. 9.	H. ♃.	Jacq. aust. 1. t. 68.	
	Athamánta Oreoselìnum. Jacq. *Oreoselìnum legítimum.* M.B.							
20	montànum. K.U.	(*wh.*) mountain.	Switzerland.	1816.	7. 8.	H. ♃.		
21	involucràtum. K.U.	(*wh.*) involucred.	S. France.	1824.	——	H. ♃.		
	Selìnum peucedanoìdes. R.S. *Oreoselìnum peucedanoìdes.* H.U.							
22	austrìacum. K.U.	(*wh.*) Austrian.	Austria.	1804.	——	H. ♃.	Jacq. aust. 1. t. 71.	
	Selìnum austrìacum. Jacq. *Oreoselìnum austrìacum.* H.U.							
23	rablénse. K.U.	(*wh.*) linear-leaved.	N. Europe.	1816.	7. 8.	H. ♃.	Flor. dan. t. 1330.	
24	latifòlium.	(*wh.*) broad-leaved.	Caucasus.	——	——	H. ♃.		
	Oreoselìnum latifòlium. M.B.							
25	polymórphum. Lag.	(*wh.*) variable.	Russia.	1824.	——	H. ♃.		
26	Bellárdi. Lag.	(*wh.*) Bellardi's.	N. Europe.	——	——	H. ♃.		
27	élegans.	(*wh.*) elegant.	————	——	——	H. ♃.		
	Oreoselìnum élegans. H.U.							
28	podòlicum. H.U.	(*wh.*) Polish.	Poland.	1819.	——	H. ♃.		
29	nígricans. H.U.	(*wh.*) black-rooted.	Switzerland.	1823.	——	H. ♃.		
30	caucásicum.	(*st.*) Caucasean.	Caucasus.	1824.	——	H. ♃.		
31	Ostrùthium. K.U.	(*wh.*) Masterwort.	Scotland.	....	5. 7.	H. ♃.	Eng. bot. v. 20. t. 1380.	
	Imperatòria Ostrùthium. Eng. bot.							

22 imperatorioides. K.U. (wh.) narrow-leav'd. Alps, Europe. 1818. —— H. ♃. Moris. his. s. 9. t 4.
Imperatòria angustifòlia. S.S. *Selìnum imperatorioides.* L.en.

IMPERATORIA. DC. Masterwort. Pentandria Digynia. L.
verticillàris. S.S. (wh.) whorl-flowered. Italy. 1683. 7. H. ♃. Jacq. vind. 2. t. 130.
Angélica verticillàris. W.

CALLISTACE. F. Callistace. Pentandria Digynia.
davùrica. F. (wh.) Daurian. Dauria. 1820. 7. 8. H. ♃.
Thysselìnum davùricum. S.S.

BUBON. K.U. Bubon. Pentandria Digynia.
Galbànum. K.U. (ye.) Lovage-leaved. C. B. S. 1696. 6. 8. G. ♄. Jacq. vind. 3. t. 86.
Selìnum Galbànum. R.S.

ANETHUM. L.en. Dill. Pentandria Digynia. L.
1 gravèolens. W. (ye.) common. Spain. 1570. 6. 7. H. ♂. Hoff.umb.gen.t.1.f.13.
Pastinàca Anèthum. S.S.
2 ségetum. L.en. (ye.) Portugal. Portugal. 1796. —— H. ☉. Jacq. vind. t. 132.
3 Sowa. H.B. (st.) Indian. E. Indies. 1810. —— H. ☉.

CAPNOPHYLLUM. S.S. Capnophyllum. Pentandria Digynia. S.S.
africànum. S.S. (wh.) Rue-leaved. C. B. S. 1759. 6. 9. H. ☉. Jacq. vind. t. 194.
Cònium africànum. W. *Rùmia capénsis.* L.en.

ARCHEMORA. DC. Archemora. Pentandria Digynia.
rígida. DC. (wh.) rigid. Virginia. 1774. 7. 8. H. ♃. Moris. dis. s. 9. t. 7. f. 1.
Sium rígidius. W. *Œnánthe rígida.* N. *Pastinàca rígida.* S.S.

PASTINACA. S.S. Parsnep. Pentandria Digynia. L.
1 lùcida. S.S. (ye.) shining-leaved. S. Europe. 1771. 6. 7. H. ♂. Jacq. vind. 2. t. 199.
2 sativa. W.en. (ye.) cultivated. .... 7. H. ♂. Flor. dan. t. 1206.
3 opàca. W.en. (ye.) wild. Britain. .... —— H. ♂. Eng. bot. v. 8. t. 556.
sativa β arvénsis. P.S.
4 taraxacifòlia. F. (ye.) Dandelion-l^d. Russia. 1822. —— H. ♃.
5 gravèolens. S.S. (ye.) strong-scented. Tauria. 1819. 7. 8. H. ♃. Hoff. umb. t. 1. B. f. 6. c.
Malabatìla gravèolens. H.U.
6 panacifòlia. F. (ye.) Panax-leaved. Tauria. 1826. 7. 8. H. ♃.
7 pimpinellifòlia. S.S. (ye.) Burnet Saxifrage. Caucasus. 1824. —— H. ♂. —— p. 209. t. 1. B. f. 6. a. b.
8 umbròsa. F. (ye.) shady. ——— 1821. —— H. ♃.
9 dissécta. S.S. (ye.) cut-leaved. Levant. 1816. 6. 7. H. ♂. Venten. cels. t. 78.
10 nudicaùlis. S.S. (ye.) naked-stalked. N. America. 1816. —— H. ♃.
Smyrnium nudicaùle. Ph.
11 divaricàta. Desf. (ye.) spreading. ..... 1824. —— H. ♃.

ASTYDAMIA. DC. Astydamia. Pentandria Digynia.
canariénsis. DC. (ye.) cut-leaved. Canaries. 1780. 7. G. ♂. DC. dis. umb. t. 1. f. D.
Bupleùrum canariénse. S.S. *Crithmum latifòlium.* L. *Tenòria canariénsis.* R.S.

HERACLEUM. S.S. Cow-parsnep. Pentandria Digynia. L.
1 Sphondylium. W. (wh.) common. Britain. .... 5. 6. H. ♃. Eng. bot. v. 14. t. 989.
2 flavéscens. W. (wh.) yellowish. Austria. 1789. 6. 7. H. ♃. Jacq. aust. 2. t. 178.
3 élegans. W. (wh.) rough-leaved. ——— 1809. 5. 6. H. ♃. ——— 2. t. 175.
4 angustifòlium. W. (wh.) narrow-leaved. ——— .... —— H. ♃. ——— 2. t. 174.
5 longifòlium. Jacq. (wh.) long-leaved. ——— .... —— H. ♃. ——— 2. t. 374.
6 sibíricum. S.S. (st.) Siberian. Siberia. 1768. —— H. ♃. Gmel. sib. 1. t. 50.
7 Panáces. S.S. (wh.) Fig-leaved. ——— 1596. 7. 8. H. ♃. Lobel. ic. 701.
8 pyrenàicum. W. (wh.) Pyrenean. Pyrenees. 1804. —— H. ♃.
9 amplifòlium. Lap. (wh.) large-leaved. ——— —— —— H. ♃. Lap. fl. pyr. t. 79.
10 gummíferum. W. (wh.) gum-bearing. ——— 1816. —— H. ♃. Wild. hort. ber. t. 53. 54.
11 speciòsum. H.U. (wh.) handsome. ——— —— —— H. ♃.
12 ásperum. M.B. (wh.) rough. Caucasus. —— —— H. ♃.
13 cordàtum. Pr. (wh.) heart-leaved. Sicily. 1825. —— H. ♃.
14 villòsum. S.S. (wh.) villous. Siberia. 1816. —— H. ♃.
15 grandiflòrum. Stev. (w.) large-flowered. Caucasus. 1818. —— H. ♃.
16 decípiens. H.U. (wh.) deceiving. ——— —— —— H. ♃.
17 marginàtum. F. (wh.) margined. Siberia. 1816. —— H. ♃.
18 pubéscens. M.B. (wh.) pubescent. Caucasus. 1824. —— H. ♃.
19 cancásicum. R.S. (wh.) Caucasean. ——— —— —— H. ♃.
20 alpìnum. S.S. (wh.) Alpine. Switzerland. 1739. 6. 7. H. ♃. Barrel. ic. 55.
21 austrìacum. S.S. (wh.) Austrian. Austria. 1816. —— H. ♃. Jacq. aust. t. 61.
Tordylium sifòlium. W.
22 ligusticifòlium. S.S. (wh.) Lovage-leaved. Tauria. 1824. —— H. ♂.
23 subvillòsum. F. (wh.) subvillous. Siberia. 1820. —— H. ♃.
24 gigánteum. F. (wh.) gigantic. ——— —— —— H. ♃.
25 bàsvicum. F. (wh.) stately. ——— —— —— H. ♃.
26 laciniàtum. F. (wh.) jagged. ——— 1824. —— H. ♃.
27 taùricum. F. (wh.) Taurian. Tauria. 1823. —— H. ♃.

28 cáspicum. F. (*wh.*) Caspian. Caucasus. 1818. 6. 7. H. ♃.
29 lanàtum. M. (*wh.*) woolly. N. America. —— —— H. ♃.
30 pùmilum. DC. (*wh.*) dwarf. Dauphiny. 1800. 5. 7. H. ♃. Vill. delph. 2. t. 14.
Peucedànum Vocontiòrum. S.S.

ZOSI'MIA. H.U. Zosi'mia. Pentandria Digynia.
orientàlis. H.U. (*ye.*) Wormwood-ld. Persia. 1816. 7. 8. H. ⊙. Vent. choix. t. 22.
Heráclеum absinthifólium. S.S. *Tordy'lium absinthifólium.* P.S.

Tribus VII. Tordylineæ. DC.

HASSELQUI'STIA. S.S. Hasselqui'stia. Pentandria Digynia. L.
1 ægyptìaca. S.S. (*wh.*) Egyptian. Egypt. 1768. 7. H. ⊙. Jacq. vind. 1. t. 37.
2 cordàta. S.S. (*wh.*) heart-leaved. ..... 1787. —— H. ⊙. ——— 2. t. 193.

TORDY'LIUM. K.U. Hartwort. Pentandria Digynia. L.
1 syrìacum. S.S. (*wh.*) Syrian. Syria. 1597. 7. H. ⊙. Jacq. vind. 1. t. 54.
2 cordàtum. E. (*wh.*) heart-leaved. ——— 1826. —— H. ⊙.
3 máximum. S.S. (*wh.*) great. England. .... 6. 7. H. ⊙. Eng. bot. v. 17. t. 1173.
4 lusitánicum. W.en. (*wh.*) Portugal. Portugal. 1820. —— H. ⊙.

CONDYLOCA'RPUS. K.U. Condyloca'rpus. Pentandria Monogynia.
1 officinàlis. K.U. (*bh.*) officinal. England. .... 7. H. ⊙. Eng. bot. v. 34. t. 2449.
Tordy'lium officinàle. S.S.
2 ápulus. K.U. (*wh.*) small. Italy. 1739. —— H. ⊙. Jacq. vind. 1. t. 53.

Tribus VIII. Silerineæ. DC.

KRUB'ERA. H.U. Krub'era. Pentandria Digynia.
leptophy'lla. K.U. slender-leaved. Barbary. 1800. 6. 7. H. ⊙. Desf. atl. 1. t. 66.
Cònium dichótomum. Df. *Cáchrys dichótoma.* R.S. *Tordy'lium peregrìnum.* L.

AGASY'LLIS. S.U. Agasy'llis. Pentandria Digynia.
1 caucásica. S.U. (*wh.*) Caucasean. Caucasus. 1823. 5. 7. H. ♃.
Silér caucásicum. S.S. *Cáchrys latifólia.* M.B.
2 sálsa. S.U. (*st.*) fine-leaved. Siberia. 1804. 7. 8. H. ♃. Pall. act. pet. 1779. t. 8.
Silér sálsum. R.S. *Sison sálsum.* L.

SILE'R. K.U. Sile'r. Pentandria Digynia.
trilòbum. K.U. (*wh.*) Columbine-leav'd. Austria. 1796. 5. 7. H. ♃. Jacq. anst. 2. t. 147.
aquilegifólium. R.S. *Laserpìtium aquilegifólium.* W.

Tribus IX. Cumineæ. DC.

CU'MINUM. S.S. Cumin. Pentandria Digynia. L.
Cy'minum. S.S. (*wh.*) officinal. Egypt. 1594. 6. 7. H. ⊙. Cav. ic. 4. t. 360.

Tribus X. Thapsiæ. DC.

THA'PSIA. S.S. Deadly Carrot. Pentandria Digynia. L.
1 villòsa. S.S. (*ye.*) villous. S. Europe. 1710. 6. 7. H. ♃. Moris. s. 9. t. 18. f. 3.
2 f'œtida. S.S. (*ye.*) stinking. Spain. 1596. 7. 8. H. ♃. ——— t. 18. f. 7.
3 gummífera. S.S. (*wh.*) gum-bearing. S. Europe. 1824. —— H. ♃. Desf. atl. 1. t. 72.
Laserpìtium gummíferum. Desf.
4 Asclèpium. S.S. (*ye.*) oriental. Levant. .... —— H. ♃. Flor. græc. t. 236.
5 gargánica. S.S. (*ye.*) Garganian. Barbary. 1683. —— H. ♃. Gouan. ill. 18. t. 10.
6 altíssima. R.S. (*ye.*) tall. .... —— H. ♃.

CYMO'PTERUS. DC. Cymo'pterus. Pentandria Digynia.
glomeràta. (*wh.*) clustered. N. America. 1824. 5. 6. H. ♃.
Seltnum acaùle. Ph.

LASERPI'TIUM. DC. Laserwort. Pentandria Digynia. L.
1 latifólium. S.S. (*wh.*) broad-leaved. Europe. 1640. 6. 7. H. ♃. Jacq. anst. t. 146.
2 Libanòtis. S.S. (*pu.*) pubescent. S. Europe. 1824. —— H. ♃. Lob. ic. 705.
3 marginàtum. S.S. (*st.*) purple-margin'd. Hungary. 1818. —— H. ♃. W. et K. hung. 2. t. 192.
4 Silér. S.S. (*wh.*) mountain. ——— 1640. —— H. ♃. ——— 2. t. 145.

5 alpìnum. K.U.	(*wh.*) alpine.	S. Europe.	1640.	5. 7.	H. ♃.	W. et K. hung. 3. t. 258.
trilòbum. S.S.						
6 angustifòlium. W.	(*wh.*) narrow-leaved.	S. Europe.	1738.	6. 7.	H. ♃.	Moris. s. 9. t. 19. f. 9.
7 peucedanoìdes. W.	(*wh.*) fine-leaved.	Italy.	....	——	H. ♃.	Jacq. ic. 2. t. 350.
8 resinòsum. S.S.	(*ye.*) resinous.	Sicily.	1825.	——	H. ♃.	
9 hirsùtum. S.S.	(*wh.*) hairy.	Switzerland.	1759.	——	H. ♃.	Hall. stirp. t. 19.
10 Archangélica. S.S.	(*wh.*) spotted-stalked.	Hungary.	1818.	——	H. ♃.	Jacq. ic. 1. t. 58.
11 pilòsum. S.S.	(*st.*) sulphur-color'd.	Caucasus.	1759.	——	H. ♃.	
12 pruthènicum. S.S.	(*wh.*) Prussian.	Germany.	——	7. 8.	H. ♃.	Jacq. aust. 2. t. 153.
13 hìspidum. M.B.	(*bh.*) hispid.	Caucasus.	1818.	——	H. ♃.	
14 Athamántæ. S.S.	(*wh.*) branching.	Siberia.	——	——	H. ♂.	
15 gállicum. S.S.	(*wh.*) French.	S. Europe.	1683.	6. 7.	H. ♃.	Plnk. phyt. t. 198. f. 6.
16 ferulàceum. W.	(*wh.*) Fennel-leaved.	Levant.	1752.	——	H. ♃.	Tourn. it. 2. t. 121.
17 praténse. Led.	(*wh.*) field.	Siberia.	1827.	——	H. ♃.	
18 laxiflòrum. F.	(*wh.*) loose-flowered.	————	1828.	——	H. ♃.	

LOPHOSC'IADIUM. DC. LOPHOSC'IADIUM. Pentandria Digynia.

millefòlium. DC.	(*ye.*) milfoil-leaved.	Levant.	1823.	7. 8.	H. ♃.	DC. mem. umb. t. 2. f. P.
Ferùla meoìdes. S.S.						

MELANOSEL'INUM. H.U. BLACK-PARSLEY. Pentandria Digynia.

decípiens. H.U.	(*wh.*) shrubby.	Madeira.	1785.	6. 7.	G. ♄.	Wend. s. han. 3. t. 13.

Tribus XI. DAUCINEÆ. DC.

ART'EDIA. S.S. ART'EDIA. Pentandria Digynia. L.

squamàta. S.S.	(*wh.*) Fennel-leaved.	Levant.	1740.	7.	H. ⊙.	Lam. ill. t. 198.

ORLA'YA. H.U. ORLA'YA. Pentandria Digynia.

1 grandiflòra. H.U.	(*wh.*) great-flowered.	S. Europe.	1648.	7. 8.	H. ⊙.	Jacq. aust. 1. t. 54.
Caùcalis grandiflòra. S.S.						
2 maritima. K.U.	(*bh.*) sea-side.	————	1825.	——	H. ⊙.	Cavan. icon. 2. t. 101.
Caùcalis maritimus. S.S.						
3 platycárpos. K.U.	(*wh.*) broad-seeded.	————	1800.	——	H. ⊙.	Jacq. vind. 3. t. 10.

DA'UCUS. S.S. CARROT. Pentandria Digynia. L.

1 Caròta. W.	(*wh.*) wild.	Britain.	....	6. 7.	H. ♂.	Eng. bot. v. 17. t. 1174.
β làtea.	(*wh.*) *yellow-rooted garden.*	——	....	——	H. ♂.	
γ aurántia.	(*wh.*) *long-orange.*	——	....	——	H. ♂.	
δ præcox.	(*wh.*) *early horn.*	——	....	——	H. ♂.	
2 mauritànicus. W.	(*wh.*) fine-leaved.	Spain.	1768.	——	H. ♂.	All. ped. 2. t. 61. f. 1.
3 polygàmus. L.en.	(*wh.*) polygamous.	————	....	——	H. ♂.	Jacq. vind. 3. t. 78.
4 pusìllus. R.S.	(*wh.*) small.	N. America.	1812.	——	H. ♂.	
5 maritimus. E.B.	(*ro.*) sea-side.	England.	....	——	H. ♂.	Eng. bot. v. 36. t. 2560.
6 gummífer. S.S.	(*ro.*) gum-bearing.	Italy.	1722.	——	H. ♂.	Moris. sect. 9. t. 13.
7 prolífer. S.S.	(*wh.*) proliferous.	Sicily.	1828.	——	H. ♂.	
8 hìspidus. S.S.	(*bh.*) hispid.	Barbary.	1804.	——	H. ♂.	Desf. atl. t. 63.
9 sículus. S.S.	(*bh.*) Sicilian.	————	——	——	H. ♂.	
10 Gingídium. S.S.	(*ro.*) shining-leaved.	France.	1722.	——	H. ♂.	Moris. s. 9. t. 13. f. 4.
làcidus. W.						
11 muricàtus. S.S.	(*bh.*) prickly-seeded	Barbary.	1683.	——	H. ⊙.	Moris. s. 9. t. 14. f. 4.
12 littoràlis. S.S.	(*wh.*) sea-shore.	Greece.	1823.	——	H. ⊙.	Flor. græc. t. 271.
13 montevidénsis. Ot.	(*wh.*) Monte Video.	Monte Video.	1826.	——	H. ⊙.	
14 parviflórus. S.S.	(*wh.*) small-flowered.	Barbary.	1823.	——	H. ♂.	Desf. atl. 1. t. 68.
15 crinìtus. K.U.	(*wh.*) whorl-leaved.	————	1804.	6. 7.	H. ♃.	———— 1. t. 62.
Tórilis crinìta. S.S.						
16 pulchérrimus. DC.	(*wh.*) beautiful.	Caucasus.	1816.	——	H. ♂.	
Caùcalis pulchérrima. M.B.						
17 orientàlis. DC.	(*wh.*) oriental.	————	1699.	——	H. ♂.	Buxb. cent. 3. t. 28.
Caùcalis orientàlis. R.S.						
18 Marschallìànus. DC.	(*wh.*) Marschall's.	Odessa.	1824.	——	H. ♂.	
Caùcalis littoràlis. M.B. *Cachrys littoràlis.* S.S.						

Subordo II. *CAMPYLOSPERMEÆ.* DC.

Tribus XII. CAUCALINEÆ. DC.

CA'UCALIS. S.S. BUR-PARSLEY. Pentandria Digynia. L.

1 daucoìdes. S.S.	(*ro.*) small.	England.	....	7. 8.	H. ⊙.	Eng. bot. v. 3. t. 197.

2	mauritànica. s.s.	(wh.)	Barbary.	Barbary.	1823.	7. 8.	H. ⊙.	
3	leptophy'lla. s.s.	(bh.)	fine-leaved.	Europe.	1739.	——	H. ⊙.	Jacq. vind. t. 195.
4	pùmila. w.	(bh.)	dwarf.	————	1640.	——	H. ⊙.	Ger. gallop. n. 4. t. 10.
5	hìspida. s.s.	(st.)	hispid.	S. Europe.	1825.	——	H. ⊙.	
6	hùmilis. Lag.	(wh.)	low.	————	——	——	H. ⊙.	
TURG'ENIA. DC.			Turg'enia.	Pentandria Digynia.				
	latifòlia. DC.	(bh.)	broad-leaved.	England.	....	7. 8.	H. ⊙.	Eng. bot. v. 8. t. 196.
	Caùcalis latifòlia. E.B.							
TOR'ILIS. S.S.			Tor'ilis.	Pentandria Digynia. S.S.				
1	Anthríscus. s.s.	(bh.)	upright.	Britain.	....	7. 8.	H. ⊙.	Eng. bot. v. 14. t. 987.
2	infésta. E.F.	(wh.)	spreading.	————	....	——	H. ⊙.	———— v. 19. t. 1314.
	helvética. s.s. *arvénsis.* L.en. *Caùcalis infésta.* E.B.							
3	neglécta. R.s.	(wh.)	confused.	Austria.	....	——	H. ⊙.	Jacq. aust. t. 29.
4	ucrànica. s.s.	(wh.)	Ukraine.	Ukraine.	1828.	——	H. ⊙.	
5	nodòsa. s.s.	(wh.)	knotted.	Britain.	....	5. 7.	H. ⊙.	Eng. bot. v. 8. t. 199.
6	trichospérma. s.s.	(fl.)	hairy-seeded.	Egypt.	1818.	——	H. ⊙.	

Tribus XIII. Scandicineæ. DC.

SCA'NDIX. DC.			Cicely.	Pentandria Digynia. L.				
1	Pécten. R.s.	(wh.)	Venus's-comb.	Britain.	....	6. 7.	H. ⊙.	Eng. bot. v. 20. t. 1397.
2	austràlis. R.s.	(wh.)	southern.	S. Europe.	1713.	5. 7.	H. ⊙.	Flor. græc. t. 285.
	W'ylia austràlis. H.U.							
3	falcàta. R.s.	(wh.)	radiated.	Tauria.	——	——	H. ⊙.	Hoff. umb. t. 2. f. 2.
	W'ylia ràdians. H.U.							
4	grandiflòra. R.s.	(wh.)	large-flowered.	————	1827.	6. 7.	H. ⊙.	Hoff. umb. p. 15. t. 2. f. 3.
5	brachycárpa. s.s.	(wh.)	short-seeded.	Sicily.	1829.	——	H. ⊙.	
6	ibèrica. R.s.	(wh.)	Iberian.	Iberia.	1828.	——	H. ⊙.	Hoff. umb. t. 2. f. 4.
7	pinnatífida. R.s.	(wh.)	cut-leaved.	Persia.	1805.	5. 7.	H. ⊙.	Venten. cels. t. 14.
8	parviflòra. R.s.	(wh.)	small-flowered.	Tauria.	1827.	——	H. ⊙.	
ANTHRI'SCUS. S.S.			Rough Chervil.	Pentandria Digynia. S.S.				
1	vulgàris. s.s.	(wh.)	common.	Britain.	....	5. 6.	H. ⊙.	Eng. bot. v. 12. t. 818.
	Scándix anthríscus. E.B.							
2	trichospérma. R.s.	(wh.)	hairy-seeded.	Persia.	1827.	——	H. ⊙.	
3	nemoròsa. s.s.	(wh.)	wood.	Caucasus.	1823.	7. 8.	H. ♃.	Hoff. umb. 2. t. 1. B. f. 19.
4	fumarioídes. s.s.	(wh.)	Fumitory-like.	Hungary.	1818.	——	H. ♂.	W. et K. hung. 3. t. 224.
5	bulbòsa. DC.	(wh.)	bulbous-rooted.	Europe.	1726.	6. 7.	H. ♂.	Jacq. aust. 1. t. 63.
	My'rrhis bulbòsa. s.s. *Chærophy'llum bulbòsum.* Jacq.							
6	sylvéstris. K.U.	(wh.)	smooth.	Britain.	....	4. 5.	H. ♃.	Eng. bot. v. 11. t. 752.
	Charophy'llum sylvéstre. E.B.							
7	Cerefòlium. K.U.	(wh.)	true Chervil.	————	....	6. 7.	H. ⊙.	Eng. bot. v. 18. t. 1268.
	Scándix cerefòlium. E.B. *Chærophy'llum sativum.* s.s.							
8	capénsis. s.s.	(wh.)	Cape.	C. B. S.	1816.	——	G. ♃.	
CHÆROPHY'LLUM. S.S.			Chervil.	Pentandria Digynia. L.				
1	aromáticum. K.U.	(wh.)	aromatic.	Scotland.	....	6. 8.	H. ♃.	Jacq. anst. 2. t. 150.
	My'rrhis aromática. s.s.							
2	angelicæfòlium. M.B.	(wh.)	Angelica-leav'd.	Iberia.	1828.	6. 8.	H. ♃.	
3	hirsùtum. w.	(wh.)	hairy-leaved.	Switzerland.	1759.	6. 7.	H. ♃.	Jacq. aust. 2. t. 148.
4	cicutàrium. L.en.	(bh.)	Cicuta-like.	S. Europe.	1816.	——	H. ♃.	
5	aùreum. L.	(st.)	golden.	Scotland.	....	6.	H. ♃.	Eng. bot. v. 30. t. 2103.
6	témuléntum. E.B.	(wh.)	rough.	Britain.	....	7. 8.	H. ♂.	———— v. 22. t. 1521.
7	monogònum. L.en.	(wh.)	one-angled.	Hungary.	1820.	4. 6.	H. ♃.	
8	angulàtum. Kit.	(wh.)	angular.	————	——	——	H. ♃.	
9	hùmile. M.B.	(wh.)	dwarf.	.....	1825.	——	H. ♃.	
	Anthríscus hùmilis. Besser. *My'rrhis hùmilis.* R.s.							
10	nítidum. Wahl.	(wh.)	glossy-seeded.	Carpathian-m.	1820.	——	H. ♃.	
11	Biebersteínii. Lag.	(wh.)	Bieberstein's.	Caucasus.	1824.	5. 6.	H. ♃.	
12	nodòsum. K.U.	(wh.)	knotted.	Sicily.	1656.	5. 6.	H. ♃.	Jacq. vind. 3. t. 25.
	Scándix nodòsa. Jacq. *Anthríscus nodòsa.* s.s.							
13	procúmbens. Ph.	(wh.)	procumbent.	N. America.	1699.	7. 8.	H. ⊙.	Moris. his. s. 9. t. 11. f. ult.
14	ròseum. M.B.	(ro.)	rose-coloured.	Iberia.	1824.	6. 7.	H. ♂.	Hoff. umb. t. 1. B. f. 33.
15	coloràtum. w.	(st.)	color'd-bract'd.	Illyria.	1806.	7. 8.	H. ♂.	
16	tenuifòlium. Poir.	(wh.)	slender-leaved.	Morocco.	——	——	F. ♂.	Jacq. vind. t. 51.

SPHALLEROCA'RPUS. DC. Sphalleroca'rpus. Pentandria Digynia.
grácilis. DC. (*wh.*) slender. Siberia. 1827. 6. 8. H. ♂. DC. dis. umb. t. 2. f. N.
My'rrhis grácilis. S.S. *Charóphyllum Cy'minum.* F.

MOLOPOSPE'RMUM. K.U. Molopospe'rmum. Pentandria Digynia.
peloponnesìacum. K.U.(*pa.*)Hemlock-l^d. Switzerland. 1596. 5. 7. H. ♃. Jacq. aust. app. t. 13.
Ligústicum peloponesìacum. S.S.

MY'RRHIS. S.S. Myrrh. Pentandria Digynia. S.S.
odoràta. S.S. (*wh.*) sweet-scented. Britain. .... 5. 6. H. ♃. Eng. bot. v. 10. t. 697.

OSMORH'IZA. DC. Osmorh'iza. Pentandria Digynia.
Claytòni. DC. (*wh.*) sweet-rooted. N. America. 1806. 7. 8. H. ♃. Spreng. umb. t. 3. f. 6.
My'rrhis Claytòni. S.S. *Uraspérmum hirsutum.* Bigelow. *Claytòni.* N.

Tribus XIV. Smyrneæ. DC.

LAG'ŒCIA. L. Wild Cumin. Pentandria Monogynia. L.
cuminoídes. S.S.(*gr.ye.*) common. Levant. 1640. 6. 7. H. ☉. Flor. græc. t. 243.

OLIV'ERIA. V. Oliv'eria. Pentandria Digynia. S.S.
decúmbens. V. (*bh.*) Thyme-scented. Bagdad. 1816. 5. 7. H. ☉. Venten. cels. t. 21.

ECHINO'PHORA. S.S. Sea Parsnep. Pentandria Digynia. L.
1 spinòsa. S.S. (*bh.*) prickly. England. .... 7. H. ♃. Eng. bot. v. 34. t. 2413.
2 tenuifòlia. S.S. (*bh.*) fine-leaved. Apulia. 1731. 7. 8. H. ♃. Flor. græc. t. 266.
3 trichophy'lla. S.S. (*bh.*) slender-leaved. Armenia. 1829. —— H. ♃.

ARCTOPUS. S.S. Arct'opus. Polygamia Dicœcia. L.
echinàtus. S.S. (*wh.*) rough. C. B. S. 1774. 6. 9. G. ♃. Bot. reg. t. 705.

CA'CHRYS. L.en. Ca'chrys. Pentandria Digynia. L.
1 odontálgica. S.S. (*ye.*) Pallas's. Siberia. 1824. 7. 8. H. ♃. Pall. reis. ap. 3. t. 9.
2 Morisòni. S.S. (*ye.*) Morison's. S. Europe. 1710. —— H. ♃. Moris. umb. t. 3. f. 1.

PERL'EBIA. DC. Perle'bia. Pentandria Digynia.
triquètra. DC. (*wh.*) winged. Levant. 1816. 6. 7. H. ♃. Vent. cels. t. 79.
Laserpítium triquètrum. V. *Cáchrys triquètra.* S.S.

HIPPOMAR'ATHRUM. Hippomar'athrum. Pentandria Digynia.
sículum. L.en. (*ye.*) hairy-seeded. Sicily. 1640. 7. 8. H. ♃. Moris. umb. t. 3. f. 2.
Cáchrys sícula. S.S.

MAGYD'ARIS. DC. Magyd'aris. Pentandria Digynia.
panacìna. DC. (*wh.*) Parsnep-leav'd. Sicily. 1752. 7. 8. H. ♃. Bocc. sic. 1. t. 1.
Cáchrys panacifólia. W. *Athamánta panacifólia.* B.S.

HE'RMAS. S.S. He'rmas. Polygamia Monœcia. W.
1 gigántea. S.S. (*pu.*) gigantic. C. B. S. 1794. 6. 7. G. ♃. Thunb. act. pet. 14. t. 11.
2 villòsa. S.S. (*bh.*) villous. ——— 1795. —— G. ♃. Burm. afr. t. 71. f. 2
depauperàta. L.
3 ciliàta. S.S. (*wh.*) ciliated. ——— 1816. —— G. ♃. Burm. t. 72. f. 1.
4 capitàta. S.S. (*wh.*) headed. ——— —— 6. 8. G. ♃. Thun. n. act. pet. 14. t. 12.
5 quinquedentàta. S.S.(*wh.*) toothed. ——— 1821. —— G. ♃. ——— 14. p. 533. t. 12.

CONIUM. H.U. Hemlock. Pentandria Digynia. L.
1 maculàtum. S.S. (*wh.*) common. Britain. .... 6. 7. H. ♂. Eng. bot. v. 17. t. 1191.
2 croáticum. W.K. (*wh.*) Hungarian. Hungary. .... —— H. ♂.

ARRAC'ACIA. DC. Arrac'acia. Pentandria Digynia.
esculénta. DC. (*wh.*) esculent. S. America. 1822. 4. 5. F. ♃. Hook. ex. flor. t. 152.
Conium Arracácha. H.E.F.

PLEUROSPE'RMUM. S.S. Pleurospe'rmum. Pentandria Digynia. S.S.
austrìacum. S.S. (*wh.*) Austrian. Austria. 1596. 6. 8. H. ♃. Jacq. aust. 2. t. 151.
Ligústicum austrìacum. W.

SMY'RNIUM. S.S. Alexanders. Pentandria Digynia. L.
1 Olusàtrum. S.S. (*st.*) common. Britain. .... 5. 6. H. ♂. Eng. bot. v. 4. t. 230.
2 perfoliàtum. W. (*st.*) perfoliate. Italy. 1596. 5. H. ♃. Lobel. ic. 709.
Dodon'æi. S.S.
3 Dioscóridis. S.S. (*ye.*) Dioscorides. S. Europe. .... —— H. ♂. Flor. græc. t 289.
4 apiifólium. S.S. (*ye.*) Smallage-leav'd. Candia. 1731. 5. 7. H. ♃.
5 nudicáule. S.S. (*ye.*) naked-stalked. Caucasus. 1820. —— H. ♃. Spreng. umb. t. 4. f. 7.
6 cicutàrium. S.S. (*ye.*) Cicuta-like. ——— 1829. —— H. ♃.
7 cordàtum. S.S. (*ye.*) heart-leaved. N. America. 1759. 6. 7. H. ♄.
8 integérrimum. Ph.(*ye.*) entire-leaved. N. America. 1759. —— H. ♃.

PHYSOSPERMUM. S.S. Physospermum. Pentandria Digynia. S.S.
commutàtum. S.S.(*wh.*) Cornish. England. .... 7. 8. H. ♃. Eng. bot. v. 10. t. 683.
Ligústicum cornubiénse. B.B.

Subordo III. *CÆLOSPERMEÆ.* DC.

Tribus XV. CORIANDREÆ. DC.

BIF'ORIS. S.S. BIF'ORIS. Pentandria Digynia. S.S.
1 flosculòsa. s.s. (*wh.*) flosculose. S. Europe. 1640. 6. 7. H. ⊙. Moris. sect. 9. t. 11.
Còrion testiculàtum. L.en. *Coriándrum testiculàtum.* L.

2 ràdians. s.s. (*wh.*) rayed. Tauria. .... —— H. ⊙. Hoff.umb.ed.2.t.tit.f.2.

ATR'EMA. DC. ATR'EMA. Pentandria Digynia.
americàna. DC. (*wh.*) American. N. America. 1827. 6. 7. H. ⊙. DC. mem. umb. t. 18.
Coriándrum americànum. N.

CORIA'NDRUM. S.S. CORIANDER. Pentandria Digynia. L.
sativum. s.s. (*bh.*) common. England. .... 6. H. ⊙. Eng. bot. v. 1. t. 67.

ORDO CIX.

ARALIACEÆ. *Juss. gen. p.* 217.

P'ANAX. L. P'ANAX. Polygamia Dicœcia. L.
1 quinquefòlium. w. (*gr.*) Ginseng. N. America. 1740. 6. H. ♃. Bot. mag. t. 1333.
2 trifòlium. w. (*wh.*) lesser. ——— 1759. 5. 6. H. ♃. ——— t. 1334.
pusilla. a. B.M.
3 fruticòsum. w. (*gr.*) shrubby. Ternate. 1800. 8. 9. S. ♄. Andr. rep. t. 595.
4 digitàtum. H.B. (*gr.*) fingered. E. Indies. 1818. .... S. ♄.
5 arboreùm. w. (*gr.*) tree. N. Zealand. 1822. .... G. ♄.
6 chrysophyllum. R.S. (*gr.*) golden-leaved. Guiana. —— .... S. ♄. Aub. gui. 2. t. 360.
7 conchifòlium. H.B. (*gr.*) shell-leaved. ——— 1820. .... S. ♄. Rumph. amb. 4. t. 31.
8 attenuàtum. w. (*gr.*) attenuated. W. Indies. 1825. .... S. ♄.
9 aculeatum. w. (*gr.*) prickly. China. 1773. 11. S. ♄. Jacq. ic. 3. t. 634.

CUSS'ONIA. W. CUSS'ONIA. Pentandria Digynia. L.
1 thyrsiflòra. w. (*gr.*) thyrse-flower'd. C. B. S. 1795. 8. 10. G. ♄. Th. nov. act. ups. 3. t. 12.
2 triptera. C.R. (*gr.*) tripterous. ——— 1816. .... G. ♄. Colla hort. rip. t. 26.
3 spicàta. w. (*gr.*) spike-flowered. ——— 1789. 8. 10. G. ♄. Th. nov. act. ups. 3. t. 13.

SCIODAPHY'LLUM. S.S. SCIODAPHY'LLUM. Pentandria Pentagynia. S.S.
1 pentándrum. s.s. (*bh.*) pentandrous. Peru. 1828. .... G. ♄. Flor. peruv. t. 311.
2 acuminàtum. s.s. (*ye.*) acuminate-petal'd. ——— 1818. .... S. ♄.⌣. ——— t. 310.
Actinophy'llum acumindtum. R.P.
3 cònicum. s.s. (*bh.*) conical-flower'd. ——— —— .... S. ♄.⌣. Flor. peruv. p. 75. t. 309.
4 pedicellàtum. s.s. (*bh.*) pedicelled. ——— —— .... S. ♄.⌣. ——— t. 308.
Actinophy'llum pedicellàtum. R.P.
5 angulàtum. s.s. (*ye.*) tree. ——— 1824. .... G. ♄.
6 Brównii. s.s. (*gr.*) upright. W. Indies. 1793. 6. 8. S. ♄. Brown jam. t. 19. f. 1. 2.
Aràlia Sciodaphy'llum. W.

AR'ALIA. D.P. AR'ALIA. Pentandria Pentagynia. L.
1 pentaphy'lla. s.s. (*gr.*) five-l^d prickly. China. 1822. .... G. ♄.
2 spinòsa. s.s. (*wh.*) Angelica-tree. Virginia. 1688. 9. H. ♄. Comm. hort. 1. t. 47.
3 racemòsa. s.s. (*gr.*) berry-bearing. N. America. 1658. 6. 9. H. ♃. Schkuhr. hand. 1. t. 86.
4 nudicaùlis. s.s. (*wh.*) naked-stalked. ——— 1731. 6. 7. H. ♃. Pluk. alm. t. 238. f. 5.
5 hispida. s.s. (*wh.*) hispid. ——— 1799. —— H. ♄. Bot. mag. t. 1065.
6 pubéscens. DC. (*wh.*) pubescent. New Spain. 1819. .... G. ♄. DC. mons. ined. t. 45.

GAST'ONIA. J. GAST'ONIA. Dodecandria Monogynia.
palmàta. H.B. (*wh.*) palmate-leaved. E. Indies. 1818. 3. 4. S. ♄. Bot. reg. t. 894.

H'EDERA. D.P. IVY. Pentandria Mono-Pentagynia.
1 umbraculifera. (*wh.*) large. E. Indies. 1818. 3. 4. S. ♄.
Aràlia umbraculifera. H.B.
2 digitàta. H.B. (*wh.*) fingered. ——— —— —— S. ♄.

3 aculeàta. D.P.	(wh.)	prickly	Nepaul.	Nepaul.	1816.	....	F. ♄.	
4 frágrans. D.P.	(wh.)	fragrant.	———	——	....	F. ♄.		
5 cochleàta.	(wh.)	shell-leaved.	E. Indies.	1820.	....	S. ♄.		Rumph. amb. 4. t. 31.
Arália cochleàta. R.S.								
6 arbòrea. R.S.	(wh.)	tree.	Jamaica.	——	....	S. ♄.		Jacq. schœnb. t. 51.
7 capitàta. R.S.	(gr.)	cluster-flower'd.	W. Indies.	1777.	8.	S. ♄.		Smith ic. pict. 4.
8 canariénsis. R.S.	(gr.)	Irish.	Canaries.	1807.	9. 10.	H. ♄.⌣.		Willd. ber. m. 2. t. 5. f. 1.
9 Hèlix. R.S.	(gr.)	common.	Britain.	....	——	H. ♄.⌣.		Eng. bot. v. 18. t. 1267.
β *poética.* R.S.	(gr.)	*Poet's.*	———	....	——	H. ♄.⌣.		
γ *álbo-variegàta.*	(gr.)	*white-variegated.*	———	....	——	H. ♄.⌣.		
δ *flàvo-variegàta.*	(gr.)	*yellow-variegated.*	———	....	——	H. ♄.⌣.		

ORDO CX.

CAPRIFOLIACEÆ. *Juss. gen. p.* 210.

CO'RNUS. L. Dogwood. Tetrandria Monogynia. L.

1 alternifòlia. R.S.	(wh.)	alternate-leav'd.	N. America.	1760.	9.	H. ♄.		Schm. arb. 2. t. 70.
2 paniculàta. R.S.	(wh.)	panicled.	———	1758.	6. 7.	H. ♄.		——— 2. t. 68.
3 stricta. R.S.	(wh.)	upright.	———	——	——	H. ♄.		——— 2. t. 67.
β *variegàta.*	(wh.)	*variegated-leav'd.*	———	——	——	H. ♄.		
4 oblónga. F.I.	(bh.)	oblong-leaved.	Nepaul.	1818.	7. 8.	H. ♄.		
5 macrophy'lla. F.I.	(wh.)	large-leaved.	———	1827.	——	H. ♄.		
6 circinàta. R.S.	(wh.)	Pensylvanian.	N. America.	1784.	——	H. ♄.		Schm. arb. 2. t. 69.
7 álba. R.S.	(wh.)	white berried.	Siberia.	1741.	6. 9.	H. ♄.		——— 2. t. 65.
8 sibírica. L.C.	(wh.)	Siberian.	———	....	——	H. ♄.		
9 sericea. R.S.	(wh.)	blue-berried.	N. America.	1683.	8.	H. ♄.		Schm. arb. 2. t. 64.
10 sanguínea. R.S.	(wh.)	common.	Britain.	....	6. 7.	H. ♄.		Eng. bot. v. 4. t. 249.
β *variegàta.*	(wh.)	*variegated.*	———	....	——	H. ♄.		
11 mascula. R.S.	(ye.)	Cornelian Cherry.	Europe.	1596.	2. 4.	H. ♄.		Flor. græc. t. 151.
β *variegàta.*	(ye.)	*variegated.*	———	——	——	H. ♄.		
12 flòrida. R.S.	(ye.)	great-flowered.	N. America.	1731.	4. 5.	H. ♄.		Bot. mag. t. 526.
13 capitàta. F.I.	(ye.)	headed.	Nepaul.	1820.	——	H. ♄.		
14 canadénsis. R.S.	(wh.)	Canadian.	Canada.	1774.	6. 8.	H. ♃.		Bot. mag. t. 880.
15 suècica. R.S.	(wh.)	dwarf.	Britain.	....	4.	H. ♃.		Eng. bot. v. 5. t. 310.

SAMBU'CUS. L. Elder. Pentandria Trigynia. L.

1 Ebùlus. R.S.	(fl.)	herbaceous.	Britain.	....	6. 7.	H. ♃.		Eng. bot. v. 7. t. 475.
2 hùmilis. Mill.	(fl.)	dwarf.	.....	....	——	H. ♃.		
3 chinénsis. H.T.	(fl.)	Chinese.	China.	1825.	——	H. ♃.		
4 nigra. R.S.	(wh.)	common.	Britain.	....	5. 7.	H. ♄.		Eng. bot. v. 7. t. 476.
β *variegàta.*	(wh.)	*variegated.*	———	....	——	H. ♄.		
γ *aùrea.*	(wh.)	*golden-leaved.*	———	....	——	H. ♄.		
δ *pulverulénta.*	(wh.)	*powdered-leaved.*	———	....	——	H. ♄.		
ε *monstròsa.*	(wh.)	*deformed.*	———	....	——	H. ♄.		
ζ *virèscens.*	(wh.)	*green-fruited.*	———	....	——	H. ♄.		
η *álbida.*	(wh.)	*white-fruited.*	———	....	——	H. ♄.		
5 laciniàta. L.en.	(wh.)	Parsley-leaved.	.....	....	——	H. ♄.		Schm. arb. t. 144.
6 hy'brida. Jac.	(wh.)	hybrid.	.....	1826.	——	H. ♄.		
7 rotundifòlia. L.C.	(wh.)	round-leaved.	Wiltshire.	....	——	H. ♄.		
8 canadénsis. R.S.	(wh.)	Canadian.	N. America.	1761.	6. 8.	H. ♄.		Schm. arb. t. 142.
9 racemòsa. R.S.	(st.)	red-berried.	S. Europe.	1596.	5. 6.	H. ♄.		Jacq. ic. 1. t. 59.
β *purpùrea.*	(br.)	*purple-flowered.*	———	——	——	H. ♄.		
10 pùbens. R.S.	(st.)	pubescent.	N. America.	1812.	——	H. ♄.		

VIBU'RNUM. L. Viburnum. Pentandria Trigynia. L.

1 mólle. R.S.	(wh.)	soft.	N. America.	1812.	6. 7.	H. ♄.		
2 acerifòlium. R.S.	(wh.)	Maple-leaved.	———	1736.	——	H. ♄.		Wats. dend. brit. t. 118.
3 èdule. R.S.	(wh.)	eatable-fruited.	———	1812.	7.	H. ♄.		
4 Oxycóccos. R.S.	(wh.)	Cranberry-like.	———	....	——	H. ♄.		
5 O'pulus. R.S.	(wh.)	Guelder Rose.	Britain.	....	5. 6.	H. ♄.		Eng. bot. v. 5. t. 332.
β *ròseum.* R.S.	(wh.)	*Snowball tree.*	.....	....	——	H. ♄.		Schm. arb. t. 174.
γ *variegàtum.*	(wh.)	*variegated-leav'd.*	.....	....	——	H. ♄.		
6 davùricum. R.S.	(wh.)	Siberian.	Dahuria.	1785.	6. 7.	H. ♄.		Pall. ross. 1. t. 38.
7 lantanoides. R.S.	(wh.)	Lantana-like.	N. America.	....	5. 6.	H. ♄.		
8 Lantàna. R.S.	(wh.)	wayfaring-tree.	Britain.	....	——	H. ♄.		Eng. bot. v. 5. t. 331.
9 nervòsum. D.P.	(wh.)	nerved-leaved.	Nepaul.	1826.	——	H. ♄.		

10	Lentàgo. R.s.	(*wh.*)	tree.	N. America.	1761.	7.	H.	♄.	Wats. dend. brit. t. 21.
11	squamàtum. R.s.	(*wh.*)	scaly.	———	1812.	6. 7.	H.	♄.	——— t. 24.
12	pyrifòlium. R.s.	(*wh.*)	pear-leaved.	———	....	5. 6.	H.	♄.	——— t. 22.
13	prunifòlium. R.s.	(*wh.*)	plum-leaved.	———	1731.	——	H.	♄.	——— t. 23.
14	pubéscens. R.s.	(*wh.*)	pubescent.	———	1736.	6. 7.	H.	♄.	
15	dentàtum. R.s.	(*wh.*)	tooth-leaved.	———	——	——	H.	♄.	Wats. dend. brit. t. 25.
16	lævigàtum. R.s.	(*wh.*)	Cassioberry bush.	———	1724.	7. 8.	H.	♄.	Mill. ic. 1. t. 83. *f.* 1.
17	nítidum. R.s.	(*wh.*)	shining-leaved.	———	1758.	5. 6.	H.	♄.	
18	cassinoídes. R.s.	(*wh.*)	thick-leaved.	———	1761.	6. 7.	H.	♄.	
19	obovàtum. R.s.	(*wh.*)	obovate-leaved.	———	1812.	5. 6.	H.	♄.	
20	odoratíssimum. B.R. *chinénse.* Zeyh.	(*w.*)	sweet-scented.	China.	1810.	——	G.	♄.	Bot. reg. t. 456.
21	nùdum. R.s.	(*wh.*)	oval-leaved.	N. America.	1752.	——	H.	♄.	Wats. dend. brit. t. 20.
22	cylíndricum. D.P.	(*wh.*)	tube-flowered.	Nepaul.	1826.	6. 8.	H.	♄.	
23	villòsum. R.s.	(*wh.*)	villous.	Jamaica.	1820.	4. 6.	S.	♄.	
24	rugòsum. R.s. *rígidum.* Vent. malm. t. 98.	(*wh.*)	rugged-leaved.	Canaries.	1796.	4. 5.	H.	♄.	Bot. reg. t. 376.
25	stríctum. L.en.	(*wh.*)	upright Laurestine.	S. Europe.	1596.	3. 5.	H.	♄.	
	β virgàtum.	(*wh.*)	*twiggy.*	———	——	——	H.	♄.	
26	Tìnus. R.s.	(*wh.*)	common Laurestine.	——	——	12. 4.	H.	♄.	Bot. mag. t. 38.
27	lùcidum. R.s.	(*bh.*)	shining Laurestine.	———	——	2. 5.	H.	♄.	Clus. hist. 1. 49. ic.

SYMPH'ORIA. S.S. St. Peter's-wort. Pentandria Monogynia.

1	glomeràta. S.S.	(*bh.*)	common.	N. America.	1730.	8. 9.	H.	♄.	Schmidt arb. t. 115.
2	racemòsa. S.S.	(*bh.*)	Snowberry.	———	1812.	7. 9.	H.	♄.	Wats. dend. brit. t. 7.

DIERVI'LLA. J. Diervi'lla. Pentandria Monogynia.

	hùmilis. P.s.	(*ye.*)	yellow-flower'd.	N. America.	1739.	6. 7.	H.	♄.	Bot. mag. t. 1796.

lùtea Ph. *Tournefórtii.* R.s. *canadénsis.* S.S. *Lonícera Diervílla.* L.

LONI'CERA. R.S. Fly-Honeysuckle. Pentandria Monogynia. L.

1	alpigèna. S.S.	(*re.*)	red-berried.	Switzerland.	1596.	4. 5.	H.	♄.	Schmidt arb. t. 112.
2	microphy'lla. S.S.	(*re.*)	small-leaved.	Siberia.	1818.	5. 6.	H.	♄.	
3	sibírica. R.s.	(*re.*)	Siberian.	———	....	——	H.	♄.	
4	orientàlis. R.s. *caucásica.* Pall.	(*wh.*)	oriental.	Levant.	1820.	——	H.	♄.	
5	punícea. B.M.	(*cr.*)	crimson-flower'd.....		——	4. 5.	H.	♄.	Bot. mag. t. 2469.
6	cærùlea. R.s.	(*st.*)	blue-berried.	Switzerland.	1629.	3. 4.	H.	♄.	——— t. 1965.
	β altaíca. F.	(*st.*)	*Altay.*	*Altay.*	1827.	——	H.	♄.	
7	canadénsis. R.s.	(*st.*)	Canadian.	Canada.	1812.	4. 5.	H.	♄.	
8	involucràta. S.S.	(*ye.*)	involucred.	N. America.	1824.	5. 6.	H.	♄.	Bot. reg. t. 1179.
9	ibérica. R.s.	(*br.*)	Iberian.	Iberia.	1818.	5. 6.	H.	♄.	
10	villòsa. R.s. *Xylósteum villòsum.* M.	(*st.*)	villous.	Canada.	——	4. 5.	H.	♄.	
11	Xylósteum. R.s.	(*wh.*)	fly.	England	....	6. 7.	H.	♄.	Eng. bot. v. 13. t. 916.
12	canéscens. R.s. *biflòra.* Desf.	(*wh.*)	canescent.	Barbary.	1820.	——	H.	♄.	Desf. atl. 1. t. 52.
13	ciliàta. R.s.	(*bh.*)	ciliated.	N. America.	1824.	5. 6.	H.	♄.	
	β álba. R.s.	(*wh.*)	*white berried.*	———	——	——	H.	♄.	
14	tatárica. R.s.	(*wh.*)	Tartarian.	Tartary.	1752.	4. 5.	H.	♄.	Pall. ros. 1. t. 36.
	α álba.	(*wh.*)	*white-flowered.*	———	——	——	H.	♄.	
	β rùbra.	(*pi.*)	*red-flowered.*	———	——	——	H.	♄.	Bot. reg. t. 31.
15	nìgra. R.s.	(*pu.*)	black-berried.	Switzerland.	1597.	3. 4.	H.	♄.	Schmidt arb. t. 110.
16	flexuòsa. R.s.	(*wh.*)	flexuose.	China.	1806.	7. 9.	H.	♄.	
17	quadrifòlia. R.s.	(*wh.*)	four-leaved.	Siberia.	1824.	——	H.	♄.	
18	pyrenàica. R.s.	(*wh.*)	Pyrenean.	Pyrenees.	1739.	5.	H.	♄.	Magn. hort. t. 209.
19	hìspida. R.s.	(*wh.*)	hispid-branch'd.	Dahuria.	1821.	——	H.	♄.	
20	ligustrìna. D.P.	(*st.*)	Privet-leaved.	Nepaul.	1825.	4. 5.	H.	♄.	

NINTO'OA. Ninto'oa. Pentandria Monogynia.

1	longiflòra. *Caprifólium longiflòrum.* B.R. *japónicum.* D.P.	(*st.*)	long-flowered.	China.	1816.	5. 10.	F.	♄.⌣.	Bot. reg. t. 1233.
2	confùsa. *Nin-too.* Kæmpf. amœn. 5. p. 785. *Lonícera japónica.* Bot. reg. t. 70. *non Thunb.*	(*st.*)	pale-flowered.	China.	1806.	7. 10.	F.	♄.⌣.	Andr. reposit. t. 583.
3	japónica. Th. *Lonícera chinénsis.* W.D. *Lonícera flexuòsa.* Bot. reg. v. 9. t. 712. *nec aliorum.*	(*re.*)	red-flowered.	China.	1814.	4. 11.	H.	♄.⌣.	Wats. dend. brit. t. 117.

CAPRIF'OLIUM. R.S. Honeysuckle. Pentandria Monogynia.

1	itálicum. R.s.	(*bh.*)	early.	England.	....	4. 6.	H.	♄.⌣.	Eng. bot. v. 12. t. 799.
	álbum.	(*wh.*)	*white-flowered.*	———	....	——	H.	♄.⌣.	Jacq. anst. t. 357.
	Lonícera Caprifólium. E.B.								
	β rùbrum.	(*re.*)	*early red.*	Italy.	....	——	H	♄ ⌣.	Schmidt arb. t. 106.
2	etrúscum. R.s.	(*wh.pu.*)	Italian.	———	1824.	——	H.	♄.	San. Viag. al. m. t. 1.
3	baleàricum. R.s.	(*st.*)	red-barked.	S. Europe.	——	——	H.	♄.⌣.	

4 dioïcum. R.S. (*re.*) small-flowered. N. America. 1766. 6. 7. H. ♄. ⌣. Bot. reg. t. 138.
parviflòrum. Ph? *bracteòsum.* M? *Lonicera mèdia.* Murr. com. got. 1776. t. 3.
5 grätum. R.S. (*re.*) evergreen. N. America. 1730. 6. 8. H. ♄. ⌣. Hort. angl. n. 10. t. 8.
6 flàvum. B.M. (*ye.*) golden-flowered. ——— 1810. 5. 7. H. ♄. ⌣. Bot. mag. t. 1318.
Frasèri. Ph. *Lonicera flava.* B.M.
7 Douglàsii. H.T. (*ye.*) Douglas's. Canada. 1824. 5. 7. H. ♄. ⌣.
8 pubéscens. H.E.F. (*ye.*) pubescent. N. America. 1820. —— H. ♄. ⌣. Hook. ex. flor. t. 27.
Lonicera Góldii. S.S.
9 sempervìrens. R.S. (*sc.*) Trumpet. ——— 1656. 5. 8. H. ♄. Bot. mag. t. 781.
10 oblongifòlium. (*sc.*) oblong-leaved. Carolina. .... —— F. ♄. ——— t. 1753.
Lonicera sempervirens. β *minor.* B.M.
11 ciliòsum. R.S. (*ye.*) fringed. N. America. 1827. —— H. ♄. ⌣.
12 impléxum. R.S. (*pa.*) glaucous-leaved. Minorca. 1772. 6. 9. H. ♄. Bot. mag. t. 640.
13 Pericly'menum. R.S. (*st.*) Woodbine. Britain. .... 5. 7. H. ♄. ⌣. Eng. bot. v. 12. t. 800.
α *vulgàris.* H.K. (*st.*) *common.* ——— .... —— H. ♄. ⌣. Schmidt arb. t. 107.
β *serotìnum.* H.K. (*re.*) *late red.* ——— .... 6. 8. H. ♄. ⌣. ——— t. 108.
γ *bélgicum.* H.K. (*bk.*) *dutch.* ——— .... 5. 7. H. ♄. Hort. angl. n. 5. t. 6.
δ *quercifòlium.* H.K. (*st.*) *Oak-leaved.* Britain. .... —— H. ♄. ⌣.
ε *variegàtum.* H.K. (*st.*) *variegated-leav'd.* ——— ..... —— H. ♄. ⌣.

TRIO'STEUM. R.S. Feverwort. Pentandria Monogynia. L.
1 perfoliàtum. R.S. (*pu.*) perfoliate. N. America. 1730. 6. 7. H. ♃.
2 angustifòlium. R.S. (*ye.*) narrow-leaved. ——— 1699. —— H. ♃. Pluk. alm. t. 104. f. 2.

LINN'ÆA. W. Linn'æa. Didynamia Angiospermia. L.
boreàlis. W. (*bk.*) two-flowered. Britain. .... 5. 8. H. ♃. Eng. bot. v. 7. t. 433.

ORDO CXI.

LORANTHEÆ. *Juss. ann. mus.* 12. *p.* 292.

LORA'NTHUS. L. Lora'nthus. Hexandria Monogynia.
europ'æus. S.S. (*st.*) European. Europe. 1824. .... H. ♄. Jacq. aust. t. 80.
VI'SCUM. L. Misseltoe. Dicœcia Tetrandria. L.
álbum. E.B. (*gr.*) common. England. .... 5. H. ♄. Eng. bot. v. 21. t. 1470.

ORDO CXII.

CHLORANTHEÆ. *R. Brown.*

CHLORA'NTHUS. R.S. Chlora'nthus. Tetrandria Monogynia. R.S.
1 inconspícuus. R.S. (*st.*) trailing. China. 1781. 5. 9. G. ♄. L'Her. sert. angl. t. 2.
2 eréctus. H.S.L. (*wh.*) upright. ——— 1809. 6. 8. G. ♄.
elàtior. L.enum.
3 odoríferus. (*ye.*) sweet-scented. ——— 1820. —— G. ♄.
Creòdus odorífer. Loureiro.
4 monostàchys. S.S. (*st.*) single-spiked. ——— 1819. 2. 6. G. ♃. Bot. mag. t. 2190.
5 monánder. B. (*ye.*) single-stamen'd. ——— 1817. 1. 12. G. ♃.

ORDO CXIII.

LOPHIREÆ. *G. Don.*

LO'PHIRA. S.S. Scrubby Oak. Icosandria Monogynia. S.S.
alàta. S.S. (*gr.*) winged. SierraLeone. 1822. .... S. ♄.

ORDO CXIV.

RUBIACEÆ. *Juss. gen.* 196.

Sect. I. GUETTARDEÆ. *Kunth synops.* 3. *p.* 67.

GUETTA'RDA. S.S.		GUETTA'RDA.	Monœcia Tetr-Pent-Hexandria.					
1 argéntea. S.S.	(*wh.*)	silvery-leaved.	Jamaica.	1826.	....	S. ½.		Brown. jam. t. 20. f. 1.
2 hirsùta. S.S.	(*wh.*)	hairy.	Peru.	1822.	....	S. ½.		Flor. per. 2. t. 145. f.a.
Laugèria hirsùta. R.P.								
3 tomentòsa. S.S.	(*wh.*)	tomentose.	Jamaica.	——	....	S. ½.		
4 lùcida. S.S.	(*wh.*)	glossy.	————	1818.	....	S. ½.		Vahl. symb. 3. t. 57.
Laugèria lùcida. Sw.								
5 odoràta. R.S.	(*br.*)	sweet-scented.	Havannah.	1827.	....	S. ½.		Jacq.am.pic.t.259.f.16.
6 scábra. S.S.	(*wh.*)	rough.	W. Indies.	——	....	S. ½.		Vent. choix. 1. t. 1.
Matthìola scábra. L.								
7 rugòsa. S.S.	(*wh.*)	rough-leaved.	————	1793.	....	S. ½.		
8 elliptica. R.S.	....	elliptic-leaved.	Jamaica.	1825.	....	S. ½.		
9 speciòsa. S.S.	(*wh.*)	great-flowered.	E. Indies.	1771.	....	S. ½.		Rheed. mal. 4. t. 47.48.
NONAT'ELIA. R.S.		NONAT'ELIA.	Pentandria Monogynia.					
1 racemòsa. R.S.	(*wh.*)	racemed.	Trinidad.	1825.	....	S. ½.		Aubl. guian. 1. t. 72.
2 officinàlis. R.S.	(*wh.*)	officinal.	W. Indies.	1824.	....	S. ½.		———— 1. t. 70. f. 1.
Psychòtria involucràta. W.								
VANGU'ERIA. J.		VANGU'ERIA.	Pentandria Monogynia. S.S.					
1 èdulis. S.S.	(*gr.*)	eatable.	E. Indies.	1809.	....	S. ½.		Lam. ill. t. 159.
2 spinòsa. F.I.	(*gr.*)	spiny.	————	1818.	....	S. ½.		
ERI'THALIS. S.S.		ERI'THALIS.	Pentandria Monogynia. L.					
fruticòsa. S.S.	(*wh.*)	shrubby.	Jamaica.	1793.	7. 8.	S. ½.		Jacq.am.p.t.260.f.20.
odorífera. R.S.								

Sect. II. HAMELIACEÆ. *Kth. synops.* 3. *p.* 63.

HAM'ELIA. S.S.		HAM'ELIA.	Pentandria Monogynia. L.					
1 axillàris. S.S.	(*ye.*)	axillary-flower'd.	Jamaica.	1820.	7. 8.	S. ½.		
2 ventricòsa. S.S.	(*ye.*)	large-flowered.	W. Indies.	1778.	9. 11.	S. ½.		Bot. reg. 1195.
grandiflòra. par. lond. t. 55.								
3 chrysántha. S.S.	(*ye.*)	yellow-flower'd.	————	1820.	——	S. ½.		Jacq. ic. 2. t. 335.
4 pátens. S.S.	(*sc.*)	spreading.	————	1752.	7. 8.	S. ½.		Exot. bot. 1. t. 24.
5 sphærocárpa. P.S.	(*or.*)	round-fruited.	Peru.	1811.	——	S. ½.		Flor. per. t. 221. f. b.
ISE'RTIA. S.S.		ISE'RTIA.	Hexandria Monogynia. S.S.					
coccínea. S.S.	(*sc.*)	scarlet-flower'd.	S. America.	1820.	....	S. ½.		Aubl. guian. 1. t. 123.
SABI'CEA. R.S		SABI'CEA.	Pentandria Monogynia.					
1 áspera. R.S.	(*wh.*)	rough.	Guiana.	1824.	....	S. ½.◡.		Aubl. guian. 1. t. 76.
2 hírta. R.S.	(*wh.*)	hairy.	Jamaica.	1825.	....	S. ½.◡.		

Sect. III. GARDENIEÆ. *Sal. par. lond.* 46.

MUSS'ÆNDA. R.S.		MUSS'ÆNDA.	Pentandria Monogynia. L.					
1 corymbòsa. F.I.	(*or.*)	corymbose.	E. Indies.	1827.	5. 8.	S. ½.		
2 frondòsa. R.S.	(*ye.*)	frondose.	————	1815.	5. 10.	S. ½.		Bot. reg. t. 517.
3 glábra. R.S.	(*ye.*)	smooth.	————	1820.	——	S. ½.		
4 macrophy'lla. F.I.	(*or.*)	large-leaved.	Nepaul.	1827.	....	S. ½.		
5 pubéscens. R.S.	(*ye.*)	pubescent.	China.	1805.	5. 9.	G. ½.		Bot. mag. t. 2099.
6 arcuàta. R.S.	(*ye.*)	arched.	Isle France.	1822.	....	S. ½.		
LUC'ULIA. B.F.G.		LUC'ULIA.	Pentandria Monogynia.					
gratíssima. B.F.G.	(*ro.*)	sweet-scented.	Nepaul.	1818.	10. 2.	G. ½.		Swt br. fl. gar. t. 145.
Cinchòna gratíssima. F.I. *Muss'ænda Lucàlia.* D.P.								
RA'NDIA. R.S.		RA'NDIA.	Pentandria Monogynia. R.S.					
1 aculeàta. R.S.	(*wh.*)	prickly.	W. Indies.	1733.	5. 6.	S. ½.		Bot. mag. t. 1841.
Gardènia Rándia. W.								

2 obovàta. R.S. (*wh.*) obovate-leaved. Peru. 1818. 5. 6. S. ½. Flor. per. 2. t. 220. f. b.
3 rotundifòlia. R.S. (*wh.*) round-leaved. ——— —— —— S. ½.
4 parvifòlia. R.S. (*wh.*) small-leaved. Jamaica. 1825. 5. 7. S. ½. Sloan. hist. 2. t. 207. f. 1.
5 macrántha. R.S. (*wh.*) large-flowered. Sierra Leon. 1796. 8. 9. S. ½. Sal. par. lond. t. 93.
longiflòra. P.L. *non* R.S.
6 racemòsa. H.B. (*wh.*) racemed. E. Indies. 1818. .... S. ½.
7 longiflòra. R.S. (*wh.*) long-flowered. ——— —— .... S. ½. Lam. ill. t. 156. f. 3.
Gardènia multiflòra. W.
8 stricta. F.I. (*wh.*) upright. ——— 1824. 5. 7. S. ½.
Macrocnèmum strictum. R.S.
9 hórrida. R.S. (*wh.*) large-spined. China. 1825. —— S. ½.
10 sinénsis. R.S. (*wh.*) Chinese. ——— —— —— S. ½.

POSOQU'ERIA. F.I. Posoqu'eria. Pentandria Monogynia.
1 rígida. F.I. (*wh.*) rigid. Nepaul. 1825. .... S. ½.
2 floribúnda. F.I. (*wh.*) many-flowered. E. Indies. —— .... S. ½.
3 fasciculàta. F.I. (*wh.*) fascicle-flower'd. ——— 1824. 5. 6. S. ½.
4 frágrans. F.I. (*wh.*) fragrant. ——— 1822. 4. 6. S. ½.
5 longispìna. F.I. (*wh.*) long-spined. ——— 1812. —— S. ½.
Gardènia longispìna. S.S.
6 nùtans. F.I. (*wh.*) drooping. ——— 1818. 7. 9. S. ½.
7 dumetòrum. F.I. (*wh.*) bushy. ——— 1779. —— S. ½. Roxb. corom. 2. t. 136.
Gardènia dumetòrum. W. *Cánthium coronàtum*. Lam.
8 uliginòsa. F.I. (*wh.*) marsh. E. Indies. 1802. —— S. ½. Roxb. corom. 2. t. 135.
9 spinòsa. (*wh.*) spiny. China. 1804. —— S. ½. Thunb. gar. n. 7. t. 2. f. 4.
Gardènia spinòsa. Th. *Cánthium chinénse*. P.S.
10 longiflòra. R.S. (*wh.*) long-flowered. Guiana. 1820. .... S. ½. Aubl. guian. 1. t. 51.

GARD'ENIA. R.S. Gard'enia. Pentandria Monogynia. L.
1 am'œna. S.S. (*re.wh.*) crimson-tipped. China. 1810. 6. 8. S. ½. Bot. mag. t. 1904.
2 armàta. S.S. (*wh.*) armed. W. Indies. 1813. .... S. ½. Jacq. amer. pict. t. 71.
Muss'enda spinòsa. Jacq.
3 tetracántha. S.S. (*wh.*) four-thorned. New Spain. 1818. .... S. ½.
4 propínqua. B.R. (*wh.*) strong-spined. ..... 1816. 5. 8. S. ½. Bot. reg. t. 975.
5 montàna. F.I. (*wh.*) mountain. E. Indies. 1818. 6. 8. S. ½.
6 campanulàta. F.I. (*st.*) bell-flowered. ——— 1812. —— S. ½.
7 micrántha. R.S. (*wh.*) small-flowered. China. 1806. —— S. ½. Thunb. gar. n. 8. t. 1. f. 2.
8 flòrida. S.S. (*wh.*) Cape Jasmine. ——— 1754. 7. 10. S. ½. Bot. reg. t. 449.
β *flòre-pléno*. (*wh.*) *double-flowered*. ——— —— —— S. ½. Ehret. pict. t. 15.
9 angustifòlia. B.C. (*wh.*) narrow-leaved. ——— 1820. —— S. ½. Lodd. bot. cab. 512.
10 rádicans. S.S. (*wh.*) rooting. ——— 1804. 3. 6. G. ½. Bot. reg. t. 73.
11 grandiflòra. R.S. (*wh.*) large-flowered. ——— 1816. —— S. ½. Bot. mag. t. 2627.
flòrida var. *ovalifòlia*. Bot. mag. t. 2627.
12 costàta. F.I. (*wh.*) ribbed. E. Indies. 1825. .... S. ½.
13 latifòlia. S.S. (*wh.*) broad-leaved. ——— 1787. .... S. ½. Roxb. cor. 2. t. 134.
14 lùcida. F.I. (*wh.*) glossy-leaved. ——— 1820. .... S. ½.
15 pubéscens. R.S. (*wh.*) pubescent. ——— 1825. 5. 7. S. ½.
16 Thunbérgia. S.S. (*wh.*) starry. C. B. S. 1773. 1. 3. S. ½. Bot. mag. t. 1004.
17 Rothmánnia. S.S. (*sp.*) spotted-flower'd. ——— 1774. 7. G. ½. ——— t. 690.

OXYA'NTHUS. DC. Oxya'nthus. Pentandria Monogynia.
speciòsus. DC. (*wh.*) tube-flowered. Sierra Leon. 1789. 7. 12. S. ½. Bot. mag. t. 1992.
Gardènia tubiflòra. A.R. 183.

GEN'IPA. R.S. Genip-tree. Pentandria Monogynia.
1 oblongifòlia. R.S. (*st.*) oblong-leaved. Peru. 1823. 4. 6. S. ½. Flor. per. 2. t. 220. f. a.
2 americàna. R.S. (*wh.*) American. S. America. 1779. 5. 7. S. ½. Plum. ic. t. 136.
3 Meriànæ. R.S. (*wh.*) hairy. Cayenne. 1800. —— S. ½. Merian. sur. t. 43.
Duroia eriópila. L.
4 èdulis. R.S. (*wh.*) eatable. ——— 1825. —— S. ½.
5 esculénta. R.S. (*wh.*) Cherry-fruited. China. —— —— S. ½.

CA'NTHIUM. F.I. Ca'nthium. Pentandria Monogynia.
1 angustifòlium. F.I. (*st.*) narrow-leaved. E. Indies. 1826. 5. 7. S. ½.
2 parvifòlium. F.I. (*wh.*) small-leaved. ——— 1824. —— S. ½.
3 parviflòrum. F.I. (*ye.*) small-flowered. ——— —— —— S. ½. Roxb. corom. 1. t. 51.
Wébera tetrándra. W.
4 didymum. F.I. (*wh.*) cyme-flowered. ——— 1811. —— S. ½. Gært. carp. 3. t. 196.
Wébera cymòsa. W.

AZ'IMA. Lam. Az'ima. Tetrandria Monogynia.
tetracántha. P.S. (*wh.*) four-spined. E. Indies. 1758. 7. S. ½. Seb. thes. 1. t. 13. f. 1.
Monètia barlerioides. L'Herit. stirp. nov. 1. t. 1.

WE'BERA. S.S. We'bera. Pentandria Monogynia.
1 corymbòsa. S.S. (*wh.*) corymbose. E. Indies. 1759. 4. 6. S. ½. Bot. reg. t. 119.

2 macrophy'lla. F.I.	(*wh.*)	large-leaved.	E. Indies.	1824.	5. 7.	S. ½.		
3 odoràta. F.I.	(*wh.*)	sweet-scented.	———	1826.	——	S. ½.		
BURCHE'LLIA. B.R.		BURCHE'LLIA. Pentandria Monogynia.						
1 capénsis. B.R.	(*sc.*)	broad-leaved.	C. B. S.	1818.	3. 6.	G. ½.	Bot. reg. t. 466.	
2 parviflòra. B.R.	(*or.*)	smaller-flower'd.	———	——	——	G. ½.	——— t. 691.	
bubalìna. B.M. 2339.								
CATESB'ÆA. S.S.		LILY-THORN. Tetrandria Monogynia. L.						
1 spinòsa. S.S.	(*wh.*)	spiny.	Providence I.	1726.	5. 9.	S. ½.	Bot. mag. t. 131.	
2 latifòlia. B.R.	(*wh.*)	broad-leaved.	W. Indies.	1818.	9. 11.	S. ½.	Bot. reg. t. 858.	
3 parviflòra. S.S.	(*wh.*)	small-flowered.	———	1810.	7. 10.	S. ½.	Sloan. h. 2. t. 207. f. 1.	
FERN'ELIA. J.		FERN'ELIA. Tetrandria Monogynia.						
1 obovàta. R S.	(*wh.*)	obovate-leaved.	Isl. France.	1816.	....	S. ½.	Lam. ill. t. 67. f. 1.	
2 biflòra. R.S.	(*wh.*)	two-flowered.	Bourbon.	——	....	S. ½.		
Coccocy'pselum buxifòlium. S.S. *biflòrum.* W								
3 uniflòra. R.S.	(*wh.*)	one-flowered.	Mauritius.	——	....	S. ½.		
buxifòlia. β. Lamarck.								
COCCOCY'PSELUM. S.S.		COCCOCY'PSELUM. Tetrandria Monogynia. S.S.						
rèpens. S.S.	(*li.*)	creeping.	W. Indies.	1793.	5.	S. ¼.	Brown. jam. t. 6. f. 1.	

Sect. IV. CINCHONEÆ. *Kth. synops.* 3. *p.* 47.

PORTLA'NDIA. S.S.		PORTLA'NDIA. Pentandria Monogynia. L.						
1 grandiflòra. R.S.	(*wh.*)	great-flowered.	Jamaica.	1775.	6. 8.	S. ½.	Sm. ic. pict. 1. t. 6.	
2 coccínea. R.S.	(*sc.*)	scarlet-flowered.	———	1812.	....	S. ½.		
COUT'AREA. S.S.		COUT'AREA. Hexandria Monogynia. S.S.						
speciòsa. S.S.	(*sc.*)	Laurel-leaved.	Guiana.	1803.	....	S. ½.	Aubl. guian. 1. t. 122.	
Portlándia hexándra. Jacq. am. pict. t. 65.								
EXOSTE'MMA. R.S.		EXOSTE'MMA. Pentandria Monogynia. R.S.						
1 carib'æum. R.S.	(*wh.*)	Caribean.	W. Indies.	1780.	6. 9.	S. ½.	Andr. reposit. t. 481.	
Cinchòna carib'æa. W.								
2 floribúndum. R.S.	(*bh.*)	many-flowered.	———	1794.	....	S. ½.	Lamb. cinch. 27. t. 7.	
PINCKN'EYA. M.		PINCKN'EYA. Pentandria Monogynia.						
pùbens. M.	(*bh.*)	pubescent.	Georgia.	1786.	6. 7.	F. ½.	Mich. amer. t. 13.	
HYMENODI'CTYON. F.I.		HYMENODI'CTYON. Pentandria Monogynia.						
1 thyrsiflòrum. Wall.	(*st.*)	thyrse-flower'd.	E. Indies.	1816.	....	S. ½.		
2 excélsum. Wall.	(*wh.*)	tall.	———	——	....	S. ½.	Roxb. cor. 2. t. 106.	
Cinchòna excélsa. R.S.								
HI'LLIA. S.S.		HI'LLIA. Tetr-Hexandria Monogynia. S.S.						
1 longiflòra. S.S.	(*wh.*)	long-flowered.	W. Indies.	1789.	2. 3.	S. ½.	Bot. mag. t. 721.	
2 tetrándra. S.S.	(*wh.*)	mountain.	Jamaica.	1793.	6. 7.	S. ½.		
MACROCN'EMUM. L.		MACROCN'EMUM. Pentandria Monogynia. L.						
1 jamaicénse. R.S.	(*wh.*)	Jamaica.	Jamaica.	1806.	....	S. ½.	Swartz obs. t. 3. f. 1.	
2 speciòsum. S.S.	(*li.*)	handsome.	Caracas.	1828.	....	S. ½.	Jacq. schœnb. 1. t. 43.	
Muss'ænda speciòsa. R.S.								
3 coccíneum. S.S.	(*sc.*)	scarlet.	Trinidad.	1825.	....	S. ½.		
Muss'ænda coccínea. R.S.								
RONDEL'ETIA. R.S.		RONDEL'ETIA. Pentandria Monogynia. L.						
1 americàna. R.S.	(*wh.*)	American.	W. Indies.	1752.	8.	S. ½.	Plum. ic. t. 242. f. 1.	
2 lævigàta. R.S.	(*wh.*)	smooth-leaved.	———	1790.	7. 8.	S. ½.		
3 trifoliàta. R.S.	(*re.*)	three-leaved.	Jamaica.	....	——	S. ½.	Jacq. amer. pict t. 62.	
4 paniculàta. F.I.	(*wh.*)	panicled.	E. Indies.	1820.	——	S. ½.		
5 tinctòria. F.I.	(*wh.*)	dyer's.	———	1825.	....	S. ½.		
6 racemòsa. R.S.	(*wh.*)	racemed.	W. Indies.	1818.	——	S. ½.	Brown. jam. 143. t. 2. f. 3.	
7 tomentòsa. R.S.	(*wh.*)	downy-leaved.	———	——	——	S. ½.		
8 hírta. R.S.	(*br. ye.*)	hairy.	———	1776.	6. 8.	S. ½.	Lodd. bot. cab. t. 350.	

Sect. V. HEDYOTIDEÆ. *Kth. synops.* 3. *p.* 40.

HEDY'OTIS. R.S.		HEDY'OTIS. Tetrandria Monogynia. L.						
1 diffùsa. R.S.	(*wh.*)	spreading.	E. Indies.	1818.	7. 9.	S. ☉.		
2 herbàcea. R.S.	(*wh.*)	herbaceous.	———	1816.	6. 9.	S. ☉.	Rheed. mal. 10. t. 35.	
3 capénsis. R.S.	(*wh.*)	Cape.	C. B. S.	1824.	7. 10.	H. ☉.		
4 umbellàta. R.S	(*wh.*)	Indian Madder.	E. Indies.	1792.	7. 8.	S. ¼.	Roxb. cor. 1. t. 3.	
Oldenlándia corymbòsa L.								

5 cymòsa. R.S. (*wh.*) Hyssop leaved. Jamaica. 1739. 6. 10. S. ⊙. Ehret pic. t. 2. f. 1. et t. 4.
Oldenlándia corymbòsa. W.
6 ramosíssima. B.S. (*wh.*) branching. .... 1816. —— S. ⊙.
7 biflòra. R.S. (*pu.*) two-flowered. E. Indies. —— —— S. ⊙.
8 láctea. R.S. (*st.*) milk-coloured. ———— —— —— S. ⊙.
9 campanulifiòra. B.M. (*pu.*) bell-flow'r'd. Brazil. 1825. 2. 10. S. ♃.

MANE'TTIA. R.S. MANE'TTIA. Tetrandria Monogynia. L.
1 Lygístum. R.S. (*re.*) veined-leaved. W. Indies. 1822. 2. 4. S. ♄. ⌣. Brown. jam. t. 3. f. 2.
2 coccínea. R.S. (*sc.*) scarlet. Trinidad. 1806. 12. 4. S. ♄. ⌣. Bot. reg. t. 693.

BOUVA'RDIA. R.S. BOUVA'RDIA. Tetrandria Monogynia.
1 triphy'lla. R.S. (*sc.*) blunt-leaved. Mexico. 1794. 4. 11. G. ♄. Sal. par. lond. t. 88.
2 Jacquínii. K.S. sharp-leaved. ———— —— —— G. ♄. Jacq. schœnb. 1. t. 257.
Ixòra americàna. Jacq. *Bouvárdia triphy'lla.* Bot. reg. t. 107.
3 versícolor. S.S. (*re. ye.*) various-color'd. S. America. 1814. 7. 1. S. ♄. Bot. reg. t. 245.

DENTE'LLA. W. DENTE'LLA. Pentandria Monogynia. W.
rèpens. W. (*wh.*) creeping. N. Holland. 1802. 7. H. ⊙. Rumph. am. 6. t. 170. f. 4.

SPERMADI'CTYON. B.R. SPERMADI'CTYON. Pentandria Monogynia.
1 suavèolens. B.R. (*wh.*) sweet-scented. E. Indies. 1816. 8. 12. S. ♄. Bot. reg. t. 348.
Hamiltònia suavèolens. F.I.
2 azùreum. B.R. (*bl.*) blue-flowered. Nepaul. 1827. 1. 8. S. ♄. Bot. reg. t. 1235.

Sect. VI. CEPHALANTHEÆ. *Kth. synops.* 3. *p.* 37.

NA'UCLEA. R.S. NA'UCLEA. Pentandria Monogynia. L.
1 Adina. Sm. (*wh.*) Myrtle-leaved. China. 1804. 7. 8. G. ♄. Bot. reg. t. 895.
Adina globiflòra. Sal. par. lond. t. 115.
2 adinoídes. S.S. (*wh.*) Adina-like. ———— 1825. —— G. ♄.
3 orientàlis. R.S. (*ye.*) oriental. E. Indies. 1800. .... S. ♄.
4 Cadámba. F.I. (*or.*) broad-leaved. ———— 1823. .... S. ♄. Rheed. mal. 3. t. 83.
5 undulàta. F.I. (*ye.*) wave-leaved. ———— —— .... S. ♄.
6 parvifòlia. F.I. (*ye.*) small-leaved. ———— 1825. —— S. ♄. Roxb. corm. 1. t. 52.
7 cordifòlia. R.S. (*st.*) heart-leaved. ———— —— .... S. ♄. ———— 1. t. 53.
8 purpùrea. F.I. (*pu.*) purple-flowered. ———— 1827. .... S. ♄. ———— 1. t. 54.

UNC'ARIA. F.I. UNC'ARIA. Pentandria Monogynia.
Gámbier. F.I. (*pi.*) Gambier-tree. E. Indies. 1826. .... S. ♄. ⌣. Linn. trans. v. 9. t. 22.

SARCOCE'PHALUS. Afz. SARCOCE'PHALUS. Pentandria Monogynia.
esculéntus. Afz. (*wh.*) eatable-fruited. Sierra Leone. 1822. 6. 8. S. ♄. Hort. trans. 5. t. 18.

CEPHALA'NTHUS. L. BUTTON-WOOD. Tetrandria Monogynia. L.
occidentàlis. L. (*wh.*) American. N. America. 1735. 8. S. ♄. Schmidt arb. 1. t. 45.

MORI'NDA. L. MORI'NDA. Pentandria Monogynia. L.
1 umbellàta. R.S. (*wh.*) umbelled. E. Indies. 1809. 6. 8. S. ♄.
2 citrifòlia. R.S. (*wh.*) broad-leaved. Otaheite. 1793. —— S. ♄. Rheed. mal. 1. t. 52.
3 tinctòria. F.I. (*wh.*) dyer's. ———— 1826. .... S. ♄.
4 bracteàta. F.I. (*wh.*) bracted. E. Indies. 1816. 5. 7. S. ♄.
5 angustifòlia. F.I. (*wh.*) narrow-leaved. ———— —— —— S. ♄. Roxb. corom. 3. t. 237.
6 Róyoc. R.S. (*wh.*) Laurel-leaved. W. Indies. 1793. 7. 10. S. ♄. Jacq vind. 1. t. 16.

Sect. VII. COFFEACEÆ. *Kth. synops.* 3. *p.* 20.

MITCHE'LLA. L. MITCHE'LLA. Tetrandria Monogynia. L.
rèpens. L. (*wh.*) creeping. N. America. 1761. 6. H. ♄. Cat. car. 1. t. 20.

PAVE'TTA. R.S. PAVE'TTA. Tetrandria Monogynia. L.
1 índica. R.S. (*wh.*) Indian. E. Indies. 1791. 8. 10. S. ♄. Burm. ind. t. 13. f. 3.
2 tomentòsa. R.S. (*wh.*) woolly. ———— 1824. —— S. ♄.
3 cáffra. R.S. (*wh.*) Cape. C. B. S. 1816. —— G. ♄.
4 pentándra. R.S. (*wh.*) pentandrous. W. Indies. 1823. —— S. ♄. Plum. ic. t. 156. f. 1.
5 arenòsa. R.S. (*wh.*) tubercled. China. .... 3. 10. S. ♄. Bot. reg. t. 198.
índica. B.R. *nec aliorum.*

IX'ORA. L. IX'ORA. Tetrandria Monogynia. L.
1 grandiflòra. B.R. (*sc.*) great-flowered. E. Indies. 1814. 7. 9. S. ♄. Bot. reg. t. 154.
coccínea. L. *non* B.M.

2 Bandhùca F.I.	(*sc.*) stem-clasping.	E. Indies.	1814.	1. 4.	S. ♄.	Bot. reg. t. 513.
3 fúlgens. F.I.	(*sc.*) glossy.	———	1820.	....	S. ♄.	Rumph. amb. 4. t. 46.
longifòlia. Sm. *lanceolàta.* Lam.						
4 flámmea. S.P.	(*or.*) flame-coloured.	China.	1690.	4. 8.	S. ♄.	Bot. mag. t. 169.
coccínea. B.M. *stricta.* F.I. *speciòsa.* W. enum.						
5 crocàta. B.R.	(*sn.*) saffron-colour'd.	———	1820.	——	S. ♄.	Bot. reg. t. 782.
6 incarnàta. B.C.	(*fl.*) flesh-coloured.	———	——	——	S. ♄.	Lodd. bot. cab. 1048.
7 blánda. B.R.	(*bl.*) charming.	———	1812.	——	S. ♄.	Bot. reg. t. 100.
8 álba. W.	(*wh.*) white.	E. Indies.	1768.	6.	S. ♄.	Rheed. mal. 2. t. 14.
9 cuneifòlia. F.I.	(*wh.*) wedge-leaved.	———	1820.	——	S. ♄.	Bot. reg. t. 648.
10 brachiàta. F.I.	(*wh.*) brachiate-panicled.	———	——	——	S. ♄.	
11 Pavétta. A.R.	(*wh.*) fragrant.	———	....	——	S. ♄.	Andrews's reposit. t. 78.
12 acumi: àta. F.I.	(*wh.*) tapering-leaved.	———	1824.	3. 5.	S. ♄.	
13 parviflòra. F.I.	(*wh.*) small-flowered.	———	1800.	8. 10	S. ♄.	Vahl symb. 3. t. 52.
14 barbàta. F.I.	(*wh.*) bearded.	———	1822.	6. 8.	S. ♄.	Bot. mag. t. 2505.
15 undulàta. F.I.	(*wh.*) wave-leaved.	———	1818.	——	S. ♄.	
16 ròsea. F.I.	(*ro.*) rose-coloured.	———	1820.	4. 8.	S. ♄.	Bot. reg. t 549.
17 obovàta. R.S.	(*cr.*) obovate-leaved.	———	1810.	——	S. ♄.	
purpùrea. F. ?						

CHOM'ELIA. R.S. CHOM'ELIA. Tetrandria Monogynia. W.

1 spinòsa. R.S.	(*wh.*) spiny.	W. Indies.	1793.	....	S. ♄.	Jacq. amer. 18. t. 13.
2 fasciculàta. R.S.	(*wh.*) fascicled.	Jamaica.	1824.	4. 6.	S. ♄.	

SIDERODE'NDRON. S.S. IRON-TREE. Tetrandria Monogynia. W.

trifiòrum. S.S.	(*ro.wh.*) three-flowered.	W. Indies.	1793.	....	S. ♄.	Jacq.amer.19.t.175.f.9.

TETRAM'ERIUM. G. TETRAM'ERIUM. Tetrandria Monogynia. S.S.

1 odoratíssimum. S.S.	(*wh.*) sweet-scented.	W. Indies.	1793.	4. 6.	S. ♄.	Jacq. amer. t. 47.
Coffèa occidentàlis. W. *Ixòra americàna.* Sw.						
2 paniculàtum. S.S.	(*wh.*) panicled.	Guiana.	1822.	....	S. ♄.	Aub. guian. t. 58.

COFF'EA. L. COFFEE-TREE. Pentandria Monogynia. L.

arábica. W.	(*wh.*) Arabian.	Yemen.	1696.	8. 11.	S. ♄.	Bot. mag. t. 1303.

CEPHA'ELIS. S.S. CEPHA'ELIS. Pentandria Monogynia. L.

1 elàta. S.S.	(*pu.*) tall.	Jamaica.	1793.	....	S. ♄.	
2 tomentòsa. R.S.	(*pu.*) tomentose.	Trinidad.	1820.	4. 6.	S. ♄.	
3 punícea. R.S.	(*pu.*) puniceous.	Jamaica.	1825.	——	S. ♄.	
4 violàcea. R.S.	(*vi.*) violet-coloured.	W. Indies.	1824.	——	S. ♄.	Aubl. guian. 1. t. 60.
Tapogòmea violàcea. Aubl.						
5 axillàris. S.S.	(*pu.*) axillary-flow'r'd.	Brazil.	1816.	4. 5.	S. ♄.	Lind. coll. t. 21.
calycìna. L. col.						
6 glábra. R.S.	(*bl.*) smooth.	Trinidad.	1820.	5. 8.	S. ♄.	Aubl. guian. 1. t. 63.
7 álba. R.S.	(*bh.*) white.	Guiana.	1824.	——	S. ♄.	——— 1. t. 62 f. 1.
8 involucràta. R.S.	(*wh.*) involucred.	———	——	....	S. ♄.	——— 1. t. 64.
Carapichea guianénsis. Aubl.						
9 pedunculàta. P.L.	(*wh.*) long-peduncled.	Sierra Leon.	....	2. 4.	S. ♄.	Sal. par. lond. t. 103.

PSYCH'OTRIA. R.S. PSYCH'OTRIA. Pentandria Monogynia. L.

1 asiática. R.S.	(*wh.*) Indian.	E. Indies.	1806.	4. 5.	S. ♄.	Jacq.amer.p t.260.f.19.
2 glabràta. R.S.	(*wh.*) smooth.	Jamaica.	1822.	——	S. ♄.	
3 laurifòlia. R.S.	(*wh.*) Laurel-leaved.	W. Indies.	1825.	5. 8.	S. ♄.	
4 f'œtens. R.S.	(*wh.*) strong-scented.	Jamaica.	——	——	S. ♄.	
5 citrifòlia. R.S.	(*wh.*) Citron-leaved.	W. Indies.	1793.	1. 12.	S. ♄.	
6 elliptica. B.R.	(*wh.*) elliptic-leaved.	Brazil.	1820.	2. 6.	S. ♄.	Bot. reg. t. 607.
7 myrtiphy'llum. R.S.	(*wh.*) Myrtle-leaved.	Jamaica.	1823.	2. 5.	S. ♄.	Sloan. his. 2. t. 209. f. 2.
8 parasítica. R.S.	(*wh.*) parasitic.	W. Indies.	1802.	5. 8.	S. ♄.	Jacq. amer. t. 51. f. 1.
9 brachiàta. R.S.	(*wh.*) cross-branched.	———	1793.	....	S. ♄.	
10 pubéscens. R.S.	(*wh.*) pubescent.	Jamaica.	1812.	....	S. ♄.	
11 corymbòsa. R.S.	(*pu.*) corymbose.	———	——	3. 4.	S. ♄.	
12 pedunculàta. R.S.	(*st.*) pedunculate.	———	1824.	5. 6.	S. ♄.	
13 undàta. R.S.	(*wh.*) wave-leaved.	Bahama.	1818.	4. 6.	S. ♄.	Jacq. schœnb. 3. t. 260.
14 Reèvesii. F.I.	(*gr.*) Reeves's.	China.	1823.	——	G. ♄.	

GEO'PHILA. D.P. GEO'PHILA. Pentandria Monogynia.

reniformis. D.P.	(*wh.*) kidney-leaved.	W. Indies.	1793.	4. 6.	S. ♃.	Jacq. amer. t. 46.
Psychòtria herbàcea. W.						

CHIOCO'CCA. W. SNOWBERRY. Pentandria Monogynia. L.

racemòsa. W.	(*wh.*) cluster-flower'd.	Jamaica.	1729.	2.	S. ♄.	Andr. reposit. t. 284.

ERN'ODEA. S.S. ERN'ODEA. Tetrandria Monogynia. W.

montàna. S.S.	(*pu.*) mountain.	Sicily.	1820.	6. 7.	H. ♄.	Flor. græc. t. 143.
Aspérula calábrica. L.						

SERI'SSA. S.S. SERI'SSA. Pentandria Monogynia. W.

f'œtida. S.S.	(*wh.*) Japanese.	Japan.	1787.	5. 9.	G. ♄.	Bot. mag. t. 361.
β *multiplex.*	(*wh.*) *double-flowered.*	———	——	——	G. ♄.	

PLOC'AMA. W.		PLOC'AMA.	Pentandria Monogynia. W.					
pèndula. W.	(wh.)	pendulous.	Canaries.	1779.	....	G. ♄.		
PÆD'ERIA. W.		PÆD'ERIA.	Pentandria Monogynia. L.					
1 fœtida. W.	(pu.)	stinking.	China.	1806.	....	G. ♄.⌣.	Icon. Kæmpf. 9.	
2 Lingun. Boj.	....	tongue.	Madagascar.	1823.	....	S. ♄.⌣.		

Sect. VIII. SPERMACOCEÆ. *Kth. synops.* 3. *p.* 14.

RICHARDS'ONIA. Kth.		RICHARDS'ONIA.	Hexandria Monogynia. L.				
1 scábra. B.F.G.	(wh.)	rough.	S. America.	1812.	9. 10.	H. ⊙.	Swt. br. fl. gar. t. 91.
2 pilòsa. K.S.	(wh.)	hairy.	Lima.	1824.	7. 9.	H. ⊙.	Flor. peruv. 3. t. 279. f. b.
PHY'LLIS, W.		BASTARD HARE'S-EAR.	Pentandria Digynia. L.				
Nòbla. W.	(br.)	Canary.	Canaries.	1699.	6. 7.	G. ♄.	Dill. elth. t. 299. f. 386.
DI'ODIA. S.S.		DI'ODIA.	Tetrandria Monogynia. W.				
1 virgínica. S.S.	(wh.)	Virginian.	Virginia.	1820.	6. 8.	H. ↓.	Jacq. ic. 1. t. 29.
2 sarmentòsa. S.S.	(wh.)	sarmentose.	W. Indies.	1821.	——	S. ♄.	
3 verticillàta. S.S.	(wh.)	whorl-leaved.	Santa Cruz.	——	....	S. ↓.	
BIGEL'OVIA. S.S.		BIGEL'OVIA.	Tetrandria Monogynia. S.S.				
1 verticillàta. S.S.	(wh.)	whorl-flowered.	Africa.	1732.	6. 8.	S. ♄.	Dill. elth. t. 277. f. 358.
Spermacòce verticillàta. L.							
2 commutàta. S.S.	(wh.)	starry-headed.	W. Indies.	1818.	——	S. ↓.	
3 stricta. S.S.	(wh.)	upright.	E. Indies.	1821.	——	S. ⊙.	
Spermacòce stricta. L.							
SPERMAC'OCE. S.S.		BUTTON-WEED.	Tetrandria Monogynia. L.				
1 glábra. S.S.	(wh.)	smooth.	N. America.	1823.	7. 8.	H. ⊙.	
2 diodìna. S.S.	(wh.)	Diodia-like.	————	1820.	——	H. ⊙.	
3 híspida. S.S.	(vi.)	bristly.	E. Indies.	1781.	8. 9.	S. ⊙.	Burm. zeyl. t. 20. f. 3.
4 spinòsa. S.S.	(wh.)	spiny.	W. Indies.	1825.	——	S. ⊙.	Brown. jam. p. 141. 1.
5 latifòlia. S.S.	(wh.)	broad-leaved.	Guiana.	1803.	7.	S. ♂.	Aub. gui. t. 19. f. 1.
6 cornifòlia. S.S.	(wh.)	Dogwood-leav'd.	Brazil.	1820.	8. 9.	S. ⊙.	
7 stylòsa. S.S.	(wh.)	long-styled.	Manila.	——	——	S. ⊙.	
8 suffruticòsa. S.S.	(bi.)	suffruticose.	.....	1823.	7. 8.	S. ♄.	Jacq. schœn. t. 322.
9 rádicans. S.S.	(wh.)	rooting.	Guiana.	1803.	——	S. ↓.	Aub. gui. 1. t. 20. f. 4.
10 áspera. S.S.	(wh.)	rough.	W. Indies.	1822.	——	S. ⊙.	———— t. 22. f. 6.
11 ténuior. S.S.	(bi.)	slender.	————	1732.	6. 8.	H. ⊙.	Sch. hand. 1. t. 22.
12 lanceolàta. L.en.	(wh.)	spear-leaved.	————	1818.	——	H. ⊙.	
13 hírta. S.S.	(wh.)	hairy.	Jamaica.	1822.	7. 9.	H. ⊙.	Jacq. ic. t. 308.
14 villòsa. S.S.	(wh.)	villous.	————	1823.	——	S. ⊙.	
15 scábra. S.S.	(wh.)	rough.	E. Indies.	1816.	——	S. ⊙.	Rheed. mal. 9. t. 76?
16 capitàta. S.S.	(wh.)	headed.	Peru.	1826.	6. 8.	G. ↓.	Flor. peruv. 1. t. 91. f. B.
17 rùbra. S.S.	(pi.)	Cross-wort.	S. America.	1760.	7. 8.	S. ♂.	Jacq. schœn. 3. t. 256.
strigòsa. B.M. 1558.							
18 Fischèri. S.S.	(wh.)	Fischer's.	Jamaica.	1820.	——	S. ⊙.	
19 sexangulàris. S.S.	(bl.)	six-angled.	W. Indies.	1822.	——	S. ⊙.	Aubl. guian. 1. t. 20. f. 3.
20 involucràta. R.S.	(wh.)	involucred.	Carolina.	1812.	——	H. ⊙.	
21 Roxbúrghii. S.S.	(wh.)	Roxburgh's.	E. Indies.	1818.	——	S. ♂.	
lævis. F.I. *non* Lam.							
KNO'XIA. S.S.		KNO'XIA.	Tetrandria Monogynia. W.				
1 corymbòsa. S.S.	(wh.)	Sumatra.	E. Indies.	1818.	4. 6.	S. ♄.	
Spermacòce sumatrénsis. F.I.							
2 umbellàta. S.S.	(wh.)	umbel-flower'd.	Nepaul.	1820.	——	S. ♄.	
Spermacòce tènes. F.I.							

Sect. IX. GALEÆ. *Kth. synops.* 3. *p.* 10.

ANTHOSPE'RMUM. W.		AMBER-TREE.	Dioecia Tetrandria. L.				
æthiópicum. S.S.	(gr.)	Ethiopian.	C. B. S.	1692.	6. 7.	G. ♄.	Pluk. alm. t. 183. f. 1.
CRUCIANE'LLA. R.S.		CROSS-WORT.	Tetrandria Monogynia. L.				
1 angustifòlia. R.S.	(st.)	narrow-leaved.	S. Europe.	1658.	6. 7.	H. ⊙.	Sm. exot. bot. 2. t. 109.
2 ciliàta. R.S.	(st.)	ciliated.	Levant.	1805.	7. 8.	H. ⊙.	
3 pátula. R.S.	(ye.)	spreading.	Spain.	1798.	6. 7.	H. ⊙.	
4 latifòlia. R.S.	(gr.)	broad-leaved.	S. Europe.	1633.	——	H. ⊙.	Flor. græc. t. 139.
5 ægyptíaca. R.S.	(st.)	Egyptian.	Egypt.	1800.	——	H. ⊙.	
6 monspeliaca. R.S.	(st.)	Montpelier.	S. France.	1791.	7. 8.	H. ⊙.	Flor. græc. t. 140.

7	marítima. R.S.	(*ye.*)	sea-side.	S. France.	1640.	7. 8.	G. ♄.	Sabb. hort. 2. t. 18.
8	americàna. R.S.	(*bl.*)	American.	Vera Cruz.	....	——	S. ♄.	
9	pubéscens. R.S.	(*pu.*)	pubescent.	Candia.	1799.	7. 8.	G. ♃.	
10	áspera. M.B.	(*st.*)	rough.	Iberia.	1827.	6. 8.	H. ♃.	
11	glomeràta. M.B.	(*st.*)	clustered.	————	1828.	——	H. ♃.	
12	molluginoídes. R.S.	(*wh.*)	Mollugo-like.	Caucasus.	1800.	——	H. ♃.	Buxb. cent. 2. t. 30. f. 1.
13	híspida. R.S.	(*pu.*)	hispid.	Vera Cruz.	....	——	S. ♃.	

SHERA'RDIA. R.S. SHERA'RDIA. Tetrandria Monogynia. L.

	arvénsis. R.S.	(*li.*)	little.	Britain.	....	4. 9.	H. ☉.	Eng. bot. v. 13. t. 891.

R'UBIA. R.S. MADDER. Tetrandria Monogynia. L.

1	tinctòrum. R.S.	(*gr.*)	dyer's.	S. Europe.	1596.	6.	H. ♃.	Flor. græc. t. 141.
2	spléndens. R.S.	(*ye.*)	glossy.	Portugal.	1812.	6. 8.	H. ♄.	
3	galioídes. R.S.	(*gr.*)	Galium-like.	Canaries.	1816.	——	F. ♄.	
4	peregrìna. R.S.	(*ye.*)	wild.	England.	....	7.	H. ♃.	Eng. bot. v. 12. t. 851.
5	lùcida. R.S.	(*ye.*)	shining.	Majorca.	1762.	——	F. ♄.	Flor. græc. t. 142.
6	fruticòsa. R.S.	(*ye.*)	prickly-leaved.	Canaries.	1779.	9.	F. ♄.	Jacq. ic. 1. t. 25.
7	Boccòni. R.S.	(*bl.*)	Boccone's.	Italy.	1823.	——	H. ♃.	Bocc. mus. t. 75. f. 2-3.
8	angustifòlia. R.S.	(*st.*)	narrow-leaved.	S. Europe.	1772.	7. 8.	F. ♄.	Lam. ill. t. 60. f. 2.
9	cordifòlia. R.S.	(*wh.*)	heart-leaved.	Siberia.	1788.	7.	H. ♃.	Pall. it. 3. ap. t. L. f. 1.

ASPE'RULA. R.S. WOODRUFF. Tetrandria Monogynia. L.

1	lævigàta. R.S.	(*wh.*)	shining.	S. Europe.	1775.	6.	H. ♃.	Moris. his. 3. t. 21. f. 4.
2	taurìna. R.S.	(*li.*)	broad-leaved.	Italy.	1739.	4. 6.	H. ♃.	Lob. ic. 800. f. 1.
3	longiflòra. R.S.	(*li.*)	long-flowered.	Hungary.	1818.	——	H. ♃.	W. et K. hung. 2 t. 150.
4	aristàta. R.S.	(*st.*)	awned.	S. Europe.	1823.	——	H. ♃.	
5	supìna. R.S.	(*bl.*)	trailing.	Caucasus.	——	6. 7.	H. ♃.	
6	brevifòlia. R.S.	(*li.*)	short-leaved.	Levant.	1818.	——	H. ♄.	
7	cynánchica. R.S.	(*bl.*)	small.	England.	....	7.	H. ♃.	Eng. bot. v. 1. t. 33.
8	alpìna. S.S.	(*bl.*)	Alpine.	Caucasus.	1825.	——	H. ♃.	
9	crassifòlia. R.S.	(*wh.*)	thick-leaved.	Levant.	1775.	6.	H. ♃.	
10	scábra. S.S.	(*wh.*)	rough.	Italy.	1824.	——	H. ♃.	
11	tinctòria. R.S.	(*bl.*)	narrow-leaved.	Europe.	1764.	6. 7.	H. ♃.	Tabern. ic. 151.
12	montàna. R.S.	(*bl.*)	mountain.	Hungary.	1801.	——	H. ♃.	
13	arvénsis. R.S.	(*bl.*)	field.	Europe.	1596.	7.	H. ☉.	Lobel. ic. t. 801. f. 2.
14	arcadiénsis. S.S.	(*ro.*)	Arcadian.	Arcadia.	1819.	5.	H. ♃.	Bot. mag. t. 2146.
15	tomentòsa. T.N.	(*pu.*)	woolly.	Italy.	1826.	——	H. ♃.	Ten. fl. nap. 1. t. 9.
16	hírta. R.S.	(*pu.*)	thick-rooted.	Pyrenees.	——	5. 6.	H. ♃.	Ram. phil. t. 9. f. 1. 2.
17	hirsùta. R.S. *rèpens.* Brot.	(*ro.*)	hairy creeping.	S. Europe.	1820.	——	H. ♃.	
18	incàna. R.S.	(*pu.*)	hoary.	Crete.	1823.	6. 7.	H. ♃.	Flor. græc. t. 119.
19	galioídes. S.S. *Gàlium glaùcum.* L.	(*wh.*)	glaucous.	S. Europe.	1710.	6. 9.	H. ♃.	Bocc. mus. 2. t. 116.
20	humifùsa. S.S.	(*wh.*)	spreading.	Caucasus.	1825.	——	H. ♃.	
21	longifòlia. R.S.	(*wh.*)	long-leaved.	Greece.	1823.	——	H. ♃.	Flor. græc. t. 118.
22	Aparìne. R.S. *rivàlis.* Sm. *Gálium uliginòsum.* Pall.	(*wh.*)	marsh.	Crete.	——	——	H. ♃.	———— t. 117.
23	odoràta. R.S.	(*wh.*)	sweet-scented.	Britain.	....	5. 6.	H. ♃.	Eng. bot. 755.
24	tyràica. Bes.	(*wh.*)	Tyraican.	Levant.	1826.	——	H. ♃.	

VALA'NTIA. S.S. VALA'NTIA. Tetrandria Monogynia. S.S.

1	muràlis. S.S.	(*st.*)	wall.	S. Europe.	1739.	5. 7.	H. ☉.	Colum. Ecphr. t. 297.
2	híspida. S.S.	(*wh.*)	bristly.	————	1768.	——	H. ☉.	Gært. fr. C. 2. t. 24. f. 1.
3	filifórmis. S.S.	(*wh.*)	least.	Canaries.	1780.	7. 9.	H. ☉.	

GA'LIUM. S.S. BEDSTRAW. Tetrandria Monogynia. L.

1	cruciàtum. S.S. *Valántia cruciàta.* W.	(*ye.*)	Crosswort.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 2. t. 148.
2	chersonénse. R.S.	(*ye.*)	fringed.	Tauria.	1829.	5. 7.	H. ♃.	
3	taùricum. R.S. *Valántia taùrica.* B.M.	(*ye.*)	fragrant.	————	1820.	——	H. ♃.	Bot. mag. t. 2670.
4	pedemontànum. S.S.	(*ye.*)	Piedmont.	Hungary.	1799.	7.	H. ☉.	W. et K. hung. 1. t. 33.
5	Bauhìni. S.S. *Valántia glábra.* W.	(*ye.*)	Bauhin's.	Europe.	1731.	7. 8.	H. ♃.	———— 1. t. 32.
6	Scopolìanum. R.S. *vérnum.* Scop.	(*ye.*)	Scopoli's.	————	——	——	H. ♃.	Scop. c. e. 2. 1. n. 144. t. 2.
7	Hallèri. R.S.	(*st.*)	Haller's.	Switzerland.	1823.	5. 6.	H. ♃.	
8	articulàtum. S.S.	(*ye.*)	jointed.	Egypt.	1752.	7. 8.	H. ☉.	Lam. ill. t. 843. f. 3.
9	rubioídes. S.S.	(*st.*)	Madder-leaved.	S. Europe.	1775.	7.	H. ♃.	Buxb. cent. 2. t. 29.
10	diffùsum. S.S.	(*st.*)	spreading.	————	1820.	——	H. ♃.	
11	tatáricum. S.S.	(*wh.*)	Tartarian.	Tartary.	——	6. 8.	H. ♃.	
12	valantioídes. S.S.	(*wh.*)	Valantia-like.	Caucasus.	1823.	——	H. ♃.	
13	palústre. S.S.	(*wh.*)	water.	Britain.	....	——	H. *w.* ♃.	Eng. bot. v. 26. t. 1857.

14	satureiæfòlium. s.s.	(*wh.*)	Savory-leaved.	Caucasus.	1818.	7.	H. *w.* ♃.	
15	trífidum. s.s.	(*wh.*)	3-fid-flowered.	N. Europe.	——	——	H. *w.* ♃.	Flor. dan. t. 48.
16	fruticòsum. s.s.	(*wh.*)	frutescent.	Crete.	1823.	7. 8.	F. ♄.	
17	helòdes. R.s.	(*wh.*)	weak-branched.	Portugal.	1827.	——	H. *w.* ♃.	
18	Claytòni. R.s.	(*wh.*)	Clayton's.	N. America.	——	——	H. *w.* ♃.	
19	Witheringii. s.s.	(*wh.*)	rough.	England.	....	6. 7.	H. ♃.	Eng. bot. v. 31. t. 2206.
20	glábrum. s.s.	(*wh.*)	smooth.	C. B. S.	1816.	——	G. ♃.	
21	uliginòsum. s.s.	(*wh.*)	marsh.	Britain.	....	7. 8.	H. *w.* ♃.	Eng. bot. v. 28. t. 1972.
22	divaricàtum. s.s.	(*wh.*)	divaricate.	S. France.	1820.	——	H. ⊙.	DC. ic. gal. rar. t. 24.
23	campéstre. s.s.	(*st.*)	field.	Barbary.	1818.	8. 9.	H. ⊙.	
24	austriacum. R.s.	(*wh.*)	Austrian.	Europe.	1804.	6. 7.	H. ♃.	Jacq. aust. t. 80.
25	Boccòni. R.s.	(*bh.*)	Boccone's.	———	1801.	5. 6.	H. ♃.	Bocc. mus. t. 101.
26	oblíquum. R.s.	(*wh.*)	oblique-leaved.	S. France.	....	——	H. ♃.	Vill. delph. 2. n. 9. t. 8.
27	pusillum. E.B.	(*wh.*)	least.	England.	....	7. 8.	H. ♃.	Eng. bot. v. 2. t. 74.
28	alpéstre. R.s.	(*wh.*)	smooth-leaved.	S. Europe.	1824.	——	H. ♃.	Vill. delph. 2. t. 7. bis.
29	tenuifòlium. R.s.	(*wh.*)	slender-leaved.	———	1820.	6. 7.	H. ♃.	
30	rùbrum. s.s.	(*re.*)	red.	Italy.	1597.	——	H. ♃.	Ger. herb. 967. f. 3.
31	tenuissimum. s.s.	(*br.*)	slenderest.	Caucasus.	1818.	7. 9.	H. ⊙.	
32	vèrum. s.s.	(*ye.*)	cheese-rennet.	Britain.	....	——	H. ♃.	Eng. bot. v. 10. t. 660.
33	mutábile. R.s.	(*st.*)	changeable-color'd.	Poland.	1828.	7. 10.	H. ♃.	
34	vèro-símile. R.s.	(*ye.*)	large yellow.	.....	1825.	7. 9.	H. ♃.	
35	caucásicum. R.s.	(*ye.*)	Caucasean.	Caucasus.	1820.	——	H. ♃.	
36	tyrolénse. R.s.	(*wh.*)	Tyrolese.	Tyrol.	1801.	7.	H. ♃.	
37	Mollùgo. R.s.	(*wh.*)	great hedge.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 24. t. 1673.
38	elàtum. P.s.	(*wh.*)	tall.	France.	1827.	——	H. ♃.	
39	campanulàtum. s.s.	(*wh.*)	bell-flowered.	Europe.	1710.	6. 9.	H. ♃.	Jacq. aust. 1. t. 81.
	glaùcum. Jacq. *non* L.							
40	eréctum. s.s.	(*wh.*)	upright.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 29. t. 2067.
41	lùcidum. R.s.	(*wh.*)	glossy.	S. Europe.	1820.	——	H. ♃.	All. ped. 1. t. 77. f. 2.
42	linifòlium. s.s.	(*wh.*)	Flax-leaved.	———	1759.	——	H. ♃.	Barr. ic. t. 356 et 583.
43	rígidum. s.s.	(*wh.*)	rigid.	Azores.	1778.	——	H. ♃.	
44	sylváticum. s.s.	(*wh.*)	wood.	S. Europe.	1658.	7. 8.	H. ♃.	
45	cinèreum. s.s.	(*wh.*)	cinereous.	Scotland.	....	8.	H. ♃.	All. ped. t. 77. f. 4.
46	aristàtum. s.s.	(*wh.*)	awned.	———	....	7. 8.	H. ♃.	Barr. ic. t. 356.
47	purpùreum. s.s.	(*pu.*)	purple.	Switzerland.	1731.	6. 7.	H. ♃.	Noc. et B. fl. tic. 1. t. 3.
48	saxátile. s.s.	(*bh.*)	smooth heath.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 12. t. 815.
49	helvéticum. s.s.	(*wh.*)	Swiss.	Switzerland.	1823.	——	H. ♃.	J.m.ac.p.1714.t.15.f.1.
50	baldénse. s.s.	(*wh.*)	tufted.	Mount Baldo.	1825.	——	H. ♃.	
51	tricórne. E.B.	(*st.*)	three-flowered.	Britain.	....	7.	H. ⊙.	Eng. bot. v. 23. t. 1641.
52	spùrium. E.B.	(*gr.*)	spurious.	—— ——	....	6. 7	H. ♃.	——— v. 26. t. 1871.
53	verrucòsum. E.B.	(*st.*)	warted.	———	....	6. 8.	H. ⊙.	——— v. 31. t. 2173.
	saccharàtum. R.s. *Valántia Aparine.* W.							
54	Cucullària. s.s.	(*ye.*)	hooded.	Levant.	1780.	5. 6.	H. ⊙.	Buxb. cent. 1. t. 19. f. 2.
55	boreàle. E.B.	(*wh.*)	cross-leaved.	Britain.	....	7.	H. ♃.	Eng. bot. v. 2. t. 105.
56	septentrionàle. R.s.	(*wh.*)	northern.	N. America.	1827.	——	H. ♃.	
57	brachyphyllum. R.s.	(*wh.*)	short-leaved.	Caucasus.	——	——	H. ♃.	
58	rotundifòlium. s.s.	(*wh.*)	round-leaved.	Europe.	....	6. 7.	H. ♃.	Jacq. aust. t. 94.
59	ellípticum. s.s.	(*wh.*)	elliptic-leaved.	Sicily.	1820.	——	H. ♃.	Barr. ic. t. 21. f. 4.
60	pilósum. H.s.	(*wh.*)	hairy.	N. America.	1778.	——	H. ♃.	
61	suavèoleus. R.s.	(*wh.*)	sweet-scented.	N. Europe.	1827.	——	H. ♃.	
62	reflèxum. R.s.	(*wh.*)	reflexed.	Tauria.	1818.	——	H. ♃.	
63	humifúsum. R.s.	(*wh.*)	trailing.	———	1820.	——	H. ♃.	
64	maritimum. s.s.	(*pu.*)	sea-side.	S. Europe.	——	7. 8.	H. ♃.	
65	triflòrum. R.s.	(*wh.*)	three-flowered.	N. America.	1827.	——	H. ♃.	Willd. hort. ber. t. 66.
66	ánglicum. E.B.	(*st.*)	English.	England.	....	6. 7.	H. ⊙.	Eng. bot. v. 6. t. 384.
67	parvifòlium. R.s.	(*wh.*)	small-leaved.	Switzerland.	1825.	——	H. ⊙.	
68	parisiénse. R.s.	(*st.*)	Paris.	France.	1818.	——	H. ⊙.	
69	muràle. s.s.	(*st.*)	wall.	Italy.	1805.	6. 8.	H. ⊙.	All. ped. 34. t. 77. f. 1.
	Sherárdia murális. W.							
70	verticillàtum. R.s.	(*wh.*)	whorled.	France.	1829.	——	H. ⊙.	Flor. græc. t. 116.
71	græcum. s.s.	(*pu.*)	Candian.	Candia.	1798.	6. 7.	H. ♃.	——— t. 136.
72	capillàre. R.s.	(*wh.*)	woolly-fruited.	Spain.	1828.	——	H. ⊙.	Cavan. icon. 2. t. 191. f. 1.
73	Aparine. E.B.	(*wh.*)	Cleavers.	Britain.	....	5. 9.	H. ⊙.	Eng. bot. v. 12. t. 816.
74	inféstum. R.s.	(*st.*)	infesting.	Europe.	1818.	——	H. ⊙.	W. et K. hung. 3. t. 202.
75	scabérrimum. R.s.	(*st.*)	roughest.	Egypt.	——	6. 9.	H. ⊙.	

ORDO CXVI.

OPERCULARIEÆ. *Juss. ann. mus.* 4. *p.* 418.

OPERCUL'ARIA. G.		OPERCUL'ARIA.	Tetrandria Monogynia. W.						
1 umbellàta. G.	(*wh.*)	umbel-flower'd.	N. Holland.	1818.	6. 7.	G. ♃.	Gært. fr. 1. t. 24. f. 4.
2 Lamarckiàna. R.S.	(*wh.*)	Lamarck's.	N. S. W.	1825.	7. 9.	H. ☉.	Lam. ill. t. 58. f. 1.
3 áspera. S.S.	(*wh.*)	rough.	N. Zealand.	1790.	6. 7.	G. ♃.	Gært. fr. 1. t. 24. f. 4.
4 híspida. S.S. *áspera.* J.	(*wh.*)	hispid.	N. S. W.	——	——	G. ♃.	Juss.an.mus.4.t.70.f.1.
5 sessiliflòra. R.S.	(*wh.*)	sessile-flow'r'd.	————	1816.	——	G. ♃.	Juss.an.mus 4.t.70. f.2.
6 ocymifòlia. R.S.	(*wh.*)	Basil-leaved.	————	1820.	——	G. ♃.	
CRYPTOSPE'RMUM. P.S.		CRYPTOSPE'RMUM.	Tetrandria Monogynia. P.S.				
Youngii. P.S.	(*gr.re.*)	Young's.	N. S. W.	1793.	7. 8.	G. ♃	Linn. trans. 3. t. 5.
Operculària paleàta. R.S.							

ORDO CXVII.

VALERIANEÆ. *DC. fl. fr. ed.* 3. *v.* 4. *p.* 418.

CENTRA'NTHUS. DC.		CENTRA'NTHUS.	Monandria Monogynia. R.S.						
1 rùber. DC.	(*re.*)	common.	England.	....	6. 10.	H. ♃.	Eng. bot. v. 22. t. 1531.
Valeriàna rùbra. E.B.							
α coccíneus.	(*sc.*)	*scarlet.*	————	....	——	H. ♃.	
β cárneus.	(*fl.*)	*flesh-coloured.*	————	....	——	H. ♃.	
γ álbus.	(*wh.*)	*white-flowered.*	————	....	——	H. ♃.	
2 intermèdius.	(*re.*)	spear-leaved.	Europe.	....	——	H. ♃.	
3 angustifòlius. DC.	(*re.*)	narrow-leaved.	————	1731.	5. 7.	H. ♃.	Flor. græc. 1. t. 29.
4 Calcítrapa. R.S.	(*pi.*)	cut-leaved.	Portugal.	1570.	——	H. ☉.	———— 1. t. 30.
VALERI'ANA. DC.		VALERIAN.	Triandria Monogynia. L.				
1 dioíca. E.B.	(*bl.*)	dicœcious.	Britain.	....	5. 7.	H. ♃.	Eng. bot. v. 9. t. 628.
2 Phù. R.S.	(*wh.*)	garden.	Germany.	1597.	——	H. ♃.	Plenck. t. 28.
3 officinàlis. E.B.	(*bl.*)	great wild.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 10. t. 698.
4 tenuifòlia. Vahl.	(*bl.*)	linear-leaved.	Germany.	....	——	H. ♃.	Sturm. fl. germ. fas. 9.
5 sambucifòlia. R.S.	(*bl.*)	Elder-leaved.	Sweden.	1818.	——	H. ♃.	
6 cardámines. M.B.	(*bl.*)	Ladies smock-ld.	Caucasus.	1823.	6. 7.	H. ♃.	
7 sisymbriifòlia. R.S.	(*pi.*)	water-rocket-ld.	Levant.	1820.	——	H. ♃.	
8 montàna. R.S.	(*bl.*)	mountain.	Switzerland.	1748.	——	H. ♃.	Lodd. bot. cab. 317.
9 trípteris. R.S.	(*bl.*)	three-leaved.	————	1752.	3. 5.	H. ♃.	Jacq. aust. 3. t. 268.
10 pyrenàica. E.B.	(*ro.*)	heart-leaved.	Scotland.	....	5. 6.	H. ♃.	Eng. bot. v. 23. t. 1591.
11 alliariæfòlia. R.S.	(*wh.*)	Alliaria-leaved.	Levant.	1825.	5. 8.	H. ♃.	Buxb. cent. 2. t. 11.
12 tuberòsa. R.S.	(*ro.*)	tuberous-root'd.	S. Europe.	1629.	——	H. ♃.	Lapeyr. pyr. t. 53.
13 elongàta. R.S.	(*st.*)	elongated.	Austria.	1812.	6. 7.	H. ♃.	Jacq. ic. 3. t. 219.
14 supìna. R.S.	(*ro.*)	creeping-root'd.	Germany.	1818.	——	H. ♃.	Jacq. misc. 2. t. 17. f.2.
15 saxátilis. R.S.	(*wh.*)	rock.	————	1748.	7.	H. ♃.	Jacq. aust. 3. t. 267.
16 saliúnca. R.S.	(*bl.*)	headed-flower'd.	Italy.	1824.	6. 7.	H. ♃.	All. ped. 1. t. 70. f. 1.
17 céltica. R.S.	(*st.*)	raceme-flower'd.	Switzerland.	1748.	——	H ♃.	Jacq. coll. 1. t. 1.
18 capénsis. R.S.	(*bl.*)	Cape.	C. B. S.	1816.	——	F. ♃.	
PATRI'NIA. J.		PATRI'NIA.	Tetrandria Monogynia. R.S.				
1 sibírica. J.	(*ye.*)	Siberian.	Siberia.	1759.	5. 6.	H. ♂.	Bot. mag. t. 2325.
Valeriàna sibírica. L. *ruthènica.* B.M.							
2 coronàta. S.S.	(*ye.*)	crowned.	Altay.	1826.	5. 7.	H. ♂.	
3 rupéstris. J.	(*re.*)	rock.	Siberia.	1801.	——	H. ♂.	Bot. mag. t. 714.
Valeriàna sibírica. B.M.							
4 intermèdia. R.S.	(*ye.*)	intermediate.	————	1823.	——	H. ♂.	
5 nudiúscula. S.S.	(*ye.*)	naked-stemm'd.	Altay.	1826.	6. 8.	H. ♂.	
6 scabiosæfòlia. S.S.	(*ye.*)	Scabious-leav'd.	Dahuria.	——	——	H. ♃.	Swt. br. fl. gar. t. 154.
7 serratulæfòlia. F.	(*ye.*)	Serratula-leav'd.	————	1826.	——	H. ♃.	
F'EDIA. DC.		F'EDIA.	Diandria Monogynia.				
Cornucòpiæ. R.S.	(*pu.*)	purple.	S. Europe.	1596.	5. 8.	H. ☉.	Bot. reg. t. 155.
Valeriàna cornucòpiæ. B.R.							

VALERIANE'LLA. DC. Valeriane'lla. Triandria Monogynia.								
1 **echinàta.** DC.	(*li.*)	prickly-capsul'd.	S. Europe.	1807.	7. 8.	H. ☉.	Reich. ic. C. 1. t. 68.
2 **olitòria.** DC.	(*bh.*)	Lamb's Lettuce.	Britain.	....	4. 8.	H. ☉.	Eng. bot. v. 12. t. 811.
Valeriàna locùsta. E B. *Fèdia olitòria.* R.S. *Fèdia locùsta.* Reich. ic. t. 60.							
3 **carinàta.** DC.	(*bh.*)	keeled.	France.	....	——	H. ☉.	Reich. ic. C. 1. t. 61.
4 **dentàta.** DC.	(*bh.*)	oval-fruited.	Britain.	....	——	H. ☉.	Eng. bot. v. 20. t. 1370.
Valeriàna dentàta. E.B.. *Fèdia dentàta.* Reich. ic. 1. t. 62.							
5 **discoídea.** DF.	(*bh.*)	discoid.	Italy.	1731.	4. 7.	H. ☉.	Reich. ic. C. 2. t. 116.
6 **rotàta.** R.S.	(*bh.*)	rotate.	———	1828.	——	H. ☉.	——— 1. t. 67.
7 **vesicària.** DF.	(*bh.*)	bladdered.	Candia.	1739.	——	H. ☉.	Flor. græc. 1. t. 34.
8 **hamàta.** DC.	(*bh.*)	hooked.	France.	1825.	——	H. ☉.	
9 **coronàta.** DC.	(*bh.*)	prickly seeded.	Portugal.	1731.	——	H. ☉.	Dufres. val. t. 3. f. 2.
10 **radiàta.** DF.	(*bh.*)	rayed.	N. America.	1818.	——	H. ☉.	——— t. 3. n. 7.
11 **aurícula.** DC.	(*bh.*)	eared.	Montpelier.	——	——	H. ☉.	Reich. ic. C. 1. t. 63.
12 **pùmila.** DC.	(*re.*)	small.	S. Europe.	1823.	——	H. ☉.	——— 2. t. 113.
13 **míxta.** DF.	(*bh.*)	mixed.	———	1828.	——	H. ☉.	Dufr. val. t. 3. n. 6.
14 **campanulàta.** Biv.	(*bh.*)	bell-flowered.	Italy.	1829.	——	H. ☉.	
15 **eriocárpa** DC.	(*bh.*)	woolly-capsul'd.	France.	1823.	——	H. ☉.	Reich. ic. C. 1. t. 65.
16 **truncàta.** S.S.	(*bh.*)	truncate.	Crete.	1829.	——	H. ☉.	—— - —— 2. t. 115.
17 **microcárpa.** S.S.	(*bh.*)	small-capsuled	S. Europe.	1828.	——	H. ☉.	——— 2. t. 114.
18 **chenopodiifòlia.** R.S.	(*bh.*)	Goosefoot-l^d.	N. America.	....	——	H. ☉.	
19 **uncinàta.** DF.	(*bh.*)	uncinate.	Tauria.	1818.	——	H. ☉.	Reich. ic. C. 1. t. 69.
20 **dasycárpa.** L.en.	(*bh.*)	thick-capsuled.	———	——	——	H. ☉.	
21 **muricàta.** M.B.	(*bh.*)	muricate.	Caucasus.	1828.	——	H. ☉.	
22 **tridentàta.** L.en.	(*bh.*)	three-toothed.	Tauria.	1823.	——	H. ☉.	Reich. ic. C. 1. t. 64.
23 **angulòsa.** DC.	(*bh.*)	angular.	.....	1826.	——	H. ☉.	
24 **congésta.** B.R.	(*ro.*)	close-headed.	N. America.	——	5. 6.	H. ☉.	Bot. reg. t. 1094.

ORDO CXVIII.

DIPSACEÆ. *Juss. gen.* 194.

MOR'INA. R.S.		Mor'ina. Diandria Monogynia. L.						
pérsica. R.S.	(*re.*)	Persian.	Persia.	1740.	7. 8.	G. ♃.	Flor. græc. 1. t. 28.
DI'PSACUS. S.S.		Teasel. Tetrandria Monogynia. L.						
1 **fullònum.** S.S.	(*li.*)	manured.	Britain.	....	7.	H. ♂.	Eng. bot. v. 29. t. 2080.
2 **sylvéstris.** S.S.	(*li.*)	wild.	———	....	——	H. ♂.	——— v. 15. t. 1032.
3 **laciniàtus.** S.S.	(*li.*)	cut-leaved.	Germany.	1683.	7. 8.	H. ♂.	Jacq. aust. 5. t. 403.
4 **divaricàtus.** S.	(*li.*)	spreading-leav'd.	Sicily.	1827.	——	H. ♂.	
5 **Gmelìni.** S.S.	(*bl.*)	Gmelin's.	Caucasus.	1820.	——	H. ♂.	Jacq. f. ecl. t. 106.
6 **fèrox.** S.S.	(*bh.*)	fierce.	Corsica.	——	——	H. ♂.	——— t. 107.
7 **pìlòsus.** S.S.	(*wh.*)	small.	Britain.	....	8.	H. ♂.	Eng. bot. v. 13. t. 877.
8 **inérmis.** F.I.	(*st.*)	spineless.	Nepaul.	1820.	8. 10.	H. ♂.	
SCABI'OSA. S.S.		Scabious. Tetrandria Monogynia. L.						
1 **arvénsis.** S.S.	(*li.*)	field.	Britain.	....	7. 10.	H. ♃.	Eng. bot. v. 10. t. 659.
Trichèra arvénsis. R.S.							
2 **campéstris.** Bes.	(*li.*)	pasture.	Poland.	1824.	——	H. ♃.	
3 **sylvática.** S.S.	(*re.*)	broad-leaved.	Austria.	1633.	7.	H. ♃.	Jacq. aust. 4. t. 362.
4 **montàna.** S.S.	(*bl.*)	mountain.	Caucasus.	1823.	——	H. ♃.	Jacq. f. eclog. t. 60.
5 **longifòlia.** S.S.	(*li.*)	long-leaved.	Hungary.	1802.	7. 8.	H. ♃.	W. et K. hung. 1. t. 5.
6 **pubéscens.** S.S.	(*st.*)	pubescent.	———	1820.	——	H. ♃.	
7 **revérsa.** S.S.	(*li.*)	reversed.	Siberia.	1829.	——	H. ♃.	
8 **ciliàta.** S.S.	(*st.*)	ciliated.	Hungary.	1820.	——	H. ♃.	
9 **hy'brida.** S.S.	(*li.*)	hybrid.	S. Europe.	——	6. 9.	H. ☉.	
10 **integrifòlia.** S.S.	(*pu.*)	entire-leaved.	———	1748.	6. 8.	H. ☉.	
11 **Hornemánni.** S.S.	(*li.*)	Horneman's.	.....	1825.	——	H. ♃.	
12 **austràlis.** S.S.	(*ye.*)	creeping-root'd.	Italy.	1823.	——	H. ♃.	
SUCC'ISA. S.S.		Succ'isa. Tetrandria Monogynia. S.S.						
1 **praténsis.** S.S.	(*bl.*)	Devil's-bit.	Britain.	....	8. 10.	H. ♃.	Eng. bot. v. 13. t. 878.
Scabiòsa Succìsa. L.							
2 **glabràta.**	(*bl.*)	smooth-leaved.	Austria.	1823.	7. 9.	H. ♃.	
Scabiòsa glabràta. R.S.							
3 **syríaca.** S.S.	(*wh.*)	Syrian.	Syria.	1633.	7.	H. ♃.	Flor. græc. t. 105.
4 **Vaillánti.** R.S.	(*bl.*)	Vaillant's.	Levant.	1826.	——	H. ☉.	
5 **transylvànica.** S.S.	(*li.*)	Transylvanian.	Hungary.	1699.	——	H. ☉.	Jacq. vind. 2. t. 111.

6	jóppica. s.s.	(*st.*)	Joppa.	Joppa.	1828.	7.	H. ☉.	Reich. H. bot. t. 15.
7	uralénsis. s.s.	(*st.*)	Uralian.	Siberia.	1789.	7. 8.	H. ☉.	Murr. c. got. 1782. t. 4.
8	tatárica. s.s.	(*ye.*)	Tartarian.	Russia.	1759.	6. 8.	H. ♃.	Lin. act. ups. 1744. t. 1.
9	alpìna. s.s.	(*st.*)	Alpine.	Switzerland.	1570.	6. 7.	H. ♃.	Moris. s. 6. t. 13. f. 10.
	Cephalària alpìna. R.S. *Scabiòsa alpìna.* W.							
10	leucántha. s.s.	(*wh.*)	white flowered.	S. Europe.	1633.	9. 10.	H. ♃.	Ger. emac. f. 8.
11	centauroídes. s.s.	(*st.*)	Centaury-like.	———	1816.	7. 8.	H. ♃.	
12	lævigàta. s.s.	(*st.*)	smooth.	Hungary.	1823.	——	H. ♃.	W. et K. hung. 3. t. 230.
13	corniculàta.	(*st.*)	horned.	———	1801.	——	H. ♃.	——— 1. t. 13.
	Cephalària corniculàta. R.S. *Scabiòsa corniculàta.* W.K.							
14	cretàcea. M.B.	(*st.*)	leathery-leaved.	Tauria.	1828.	——	H. ♃.	
15	rígida. s.s.	(*wh.*)	rough-leaved.	C. B. S.	1731.	7.	G. ♄.	
16	attenuàta.	(*wh.*)	narrow-leaved.	———	1774.	7. 9.	G. ♄.	
	trífida. s.s. *Scabiòsa attenuàta.* L.							
ASTEROCE'PHALUS. S.S. ASTEROCE'PHALUS. Tetrandria Monogynia. S.S.								
1	prolífer. s.s.	(*st.*)	prolific.	Egypt.	1683.	7. 9.	H. ☉.	Flor. græc. t. 107.
	Scabiòsa prolífera. L.							
2	graminifòlius. s.s.	(*bl.*)	grass-leaved.	Switzerland.	——	6.	H. ♃.	Bot. reg. t. 835.
	Scabiòsa graminifòlia. B.R.							
3	créticus. s.s.	(*li.*)	Cretan.	Crete.	1596.	6. 10.	G. ♄.	Moris. s. 6. t. 15. f. 31.
4	limoniifòlius. s.s.	(*li.*)	Limonium-leav'd.	Sicily.	....	6. 8.	H. ♄.	
5	Massòni.	(*li.*)	Masson's.	Azores.	1779.	——	H. ♃.	
	lùcidus. s.s. *Scabiòsa lùcida.* H.K. *Massòni.* H.S.L. *nítens.* R.S.							
6	dichótomus. s.s.	(*re.*)	forked.	Sicily.	1804.	6. 8.	H. ☉.	Bocc. mus. t. 120.
7	africànus. s.s.	(*wh.*)	African.	Africa.	1690.	7. 10.	G. ♄.	Herm. parad. t. 219.
8	palæstìnus. s.s.	(*st.*)	Palestine.	Palestine.	1771.	7. 8.	H. ☉.	Jacq. vind. 1. t. 96.
9	lùcidus.	(*li.*)	shining.	France.	1800.	6. 9.	H. ♃.	
	Scabiòsa lùcida. R.S.							
10	nòricus. R.S.	(*li.*)	simple-stalked.	Caucasus.	1822.	——	H. ♃.	
11	stríctus. s.s.	(*li.*)	upright.	Hungary.	1827.	——	H. ♃.	W. et K. hung. 2. t. 138.
12	silenifòlius. s.s.	(*li.*)	Silene-leaved.	———	1823.	7. 8.	H. ♃.	——— 2. t. 157.
13	canéscens. s.s.	(*li.*)	canescent.	———	1802.	——	H. ♃.	——— 1. t. 53.
14	suavèolens. s.	(*li.*)	sweet-scented.	France.	1827.	——	H. ♃.	
15	setífer. s.s.	(*wh.*)	setiferous.	———	1820.	——	H. ♃.	
16	lyràtus. s.s.	(*li.*)	lyrate-leaved.	Turkey.	1799.	——	G. ♂.	
17	micránthus. s.s.	(*ro.*)	small-flowered.	Armenia.	1823.	——	H. ♃.	Desf. an. mus. 11. t. 25.
18	Biebersteínii.	(*li.*)	Bieberstein's.	Cancasus.	——	——	H. ☉.	
	Scabiòsa Biebersteínii. R.S. *sícula.* M.B.							
19	sículus. s.s.	(*li.*)	Sicilian.	Sicily.	1783.	——	H. ☉.	Jacq. vind. 1. t. 15.
20	am'œnus. s.s.	(*ro.*)	glossy.	.....	1823.	——	H. ♃.	
21	stellàtus. s.s.	(*li.*)	starry.	Spain.	1596.	——	H. ☉.	Moris. s. 6. t. 15. f. 29.
22	ceratophy'llus. R.S.	(*li.*)	stag's-horn-leav'd.	Naples.	1825.	——	H. ♂.	Ten. fl. nap. 1. t. 8.
23	rotàtus. s.s.	(*li.*)	rotate.	Iberia.	1827.	——	H. ☉.	
24	diffùsus. s.s.	(*li.*)	diffuse.	Teneriffe.	1825.	6. 8.	F. ♃.	Reich. hort. t. 16.
25	atropurpùreus s.s.	(*pu.*)	sweet.	E. Indies.	1629.	7. 9.	H. ♂.	Bot. mag. t. 247.
	Scabiòsa atropurpùrea. B.M.							
	β cárneus.	(*fl.*)	*flesh-coloured.*	———	——	——	H. ♂.	
	γ ròseus.	(*ro.*)	*rose-coloured.*	———	——	——	H. ♂.	
	δ variegàtus.	(*v.*)	*variegated.*	———	——	——	H. ♂.	
	ε álbus.	(*wh.*)	*white-flowered.*	———	——	——	H. ♂.	
	ζ prolífer.	(*d.pu.*)	*large-flowered.*	———	1814.	——	H. ♂.	Moris. s. 6. t. 14. f. 2.
26	caucásicus. s.s.	(*wh.*)	Caucasean.	Cancasus.	1803.	7. 8.	H. ♃.	Jacq. fragm. t. 125. f. 1.
27	connàtus. H.H.	(*bk.*)	connate-leaved.	———	1823.	——	H. ♃.	
28	élegans. R.S.	(*vi.*)	elegant.	———	1803.	7. 8.	H. ♃.	Bot. mag. t. 886.
	Scabiòsa caucásica. B.M. *élegans.* R.S.							
29	holosericeus. s.s.	(*bl.*)	silky.	Pyrenees.	——	——	H. ♃.	
30	pyrenàicus. R.S.	(*li.*)	Pyrenean.	———	1823.	——	H. ♃.	
31	tomentòsus. s.s.	(*vi.*)	woolly.	Spain.	1826.	——	H. ♃.	Cavan. icon. 2. t. 183.
32	Webbiànus. s.s.	(*wh.*)	Webb's.	Levant.	1820.	——	H. ♃.	Bot. reg. t. 717.
	Scabiòsa Webbiàna. B.R.							
33	crenàtus. s.s.	(*fl.*)	crenated.	Sicily.	1824.	7. 8.	H. ♃.	Cyril. pl. rar. 1. t. 3.
34	rutæfòlius. R.S.	(*fl.*)	Rue-leaved.	———	1804.	6. 8.	H. ♃.	Bocc. sic. t. 40. f. 3.
35	urceolàtus. s.s.	(*st.*)	jagged.	Barbary.	——	7. 8.	H. ♃.	——— t. 52.
36	argénteus. s.s.	(*wh. li.*)	silvery.	Levant.	1713.	6. 10.	H. ♃.	Flor. græc. t. 108.
37	marítimus. s.s.	(*li.*)	sea-side.	S. Enrope.	1818.	7. 9.	H. ☉.	Bauh. hist. 3. p. 7. f. 2.
38	ucrànicus. s.s.	(*wh.*)	Ukraine.	Ukraine.	1795.	9.	H. ♃.	Gmel. sib. 2. t. 87.
39	Columbària. s.s.	(*li.*)	fine-leaved.	Britain.	....	7. 8	H. ♃.	Eng. bot. v. 19. t. 1311.
40	grandiflòrus. R.S.	(*st.*)	great-flowered.	Barbary.	1804.	6. 9.	H. ♃.	Scop. del. ins 3. t. 14.
41	módlis. L.en.	(*li.*)	soft.	.....	1827.	——	H. ♃.	
	Scabiòsa capillàta. R.S.							

42 altíssimus. s.s.	(*li.*)	tall.	C. B. S.	1816.	6. 9.	G. ♄.		Jacq. vind. 2. t. 185.
43 mollíssimus. s.s.	(*bl.*)	soft.	S. Europe.	——	7. 8.	H. ♃.		
44 pilòsus. s.s.	(*bh.*)	hairy.	Spain.	1826.	——	H. ♃.		
45 ochroleùcus. s.s.	(*st.*)	pale-flowered.	Germany.	1597.	——	H. ♃.		Jacq. aust. 5. t. 439.
46 graminifolius. s.s.	(*wh. li.*)	cut-leaved.	S. Europe.	——	——	H. ♃.		Gerard herb. 582. f. 2.
47 iseténsis. s.s.	(*wh. li.*)	Siberian.	Siberia.	1801.	——	H. ♃.		Gmel. sib. 2. t. 88. f. 1.
48 bannáticus. s.s.	(*fl.*)	Hungarian.	Hungary.	1800.	——	H. ♃.		W. et K. hung. 1. t. 12.
49 Colúmnæ. Ten.	(*li.*)	Columna's.	Italy.	1828.	——	H. ♃.		Ten. fl. nap. 1. t. 7.
50 Scopòlii. R.S.	(*st.*)	Scopoli's.	S. Europe.	1822.	——	H. ♃.		
51 comòsus. R.S.	(*vi.*)	tufted.	Dahuria.	1828.	——	H. ♃.		
52 agréstis. s.s.	(*li.*)	field.	Hungary.	——	——	H. ♃.		W. et K. hung. 3. t. 204.
53 simplex. s.s.	(*wh.*)	simple-stalked.	Barbary.	....	——	H. ♃.		Desf. atl. 1. t. 39. f. 1.
54 incànus. R.S.	(*li.*)	hoary.	.....	——	——	H. ♃.		
55 dahùricus. F.	(*li.*)	Dahurian.	Dahuria.	1824.	——	H. ♃.		

PTEROCE'PHALUS. S.S. Pterocephalus. Tetrandria Monogynia. S.S.

1 plumòsus. s.s.	(*li.*)	feathered.	Greece.	1824.	7. 8.	H. ⊙.		Flor. græc. 1. t. 3.
Scabiòsa plumòsa. Sm. *Knaàtia plumòsa.* L.								
2 Vaillántii. s.s.	(*wh.*)	Vaillant's.	S. Europe.	1739.	——	H. ⊙.		
Scabiòsa pappòsa. L.								

KNA'UTIA. R.S. Kna'utia. Tetrandria Monogynia. L.

1 orientàlis. R.S.	(*re.*)	red-flowered.	Levant.	1713.	6. 9.	H. ⊙.		Schk. handb. 1. t. 22.
2 propóntica. R.S.	(*pu.*)	purple-flowered.	————	1768.	——	H. ♂.		Lam. ill. t. 58.

ORDO CXIX.

CALYCEREÆ. *Brown in Linn. trans. v. 12. p. 132.*

ACICA'RPHA. L.T. Acica'rpha. Syngenesia Necessaria. P.S.

spathulàta. L.T.	(*ye.*)	spathulate-leav'd.	Brazil.	1816.	6. 9.	G. ♃.		

ORDO CXX.

COMPOSITÆ. *Adanson fam. 2. 103.*

Subordo I. *CICHORACEÆ.* Kth. synops. 2. p. 352.

Tribus I. Hieracæ. *D. Don in Edinb. philos. journ.*

HIER'ACIUM. W. Hawkweed. Syngenesia Polygamia Æqualis.

1 alpéstre. W.	(*ye.*)	smooth-leaved.	Austria.	1823.	5. 7.	H. ♃.		Jacq. aust. 2. t. 191.
2 rupéstre. W.	(*ye.*)	rock.	Switzerland.	——	——	H. ♃.		All. auct. t. 1. f. 2.
3 alpìnum. W.	(*ye.*)	Alpine.	Britain.	....	7. 8.	H. ♃.		Eng. bot. v. 16. t. 1110.
4 pùmilum. W.	(*ye.*)	small.	Germany.	1804.	——	H. ♃.		
5 glabràtum. W.	(*ye.*)	smooth.	Switzerland.	1823.	6. 8.	H. ♃.		
6 bulbòsum. W.	(*ye.*)	bulbous-rooted.	S. Europe.	——	——	H. ♃.		
7 Pilosélla. W.	(*st.*)	Mouse-ear.	Britain.	....	5. 7.	H. ♃.		Eng. bot. v. 16. t. 1093.
8 dùbium. W.	(*st.*)	branching.	————	....	7. 8.	H. ♃.		———— v. 33. t. 2332.
9 Auricula. W.	(*go.*)	umbell'd mouse-ear.	England.	....	——	H. ♃.		———— v. 33. t. 2368.
10 fállax. W.en.	(*go.*)	hairy spear-leav'd.	.....	1816.	——	H. ♃.		
11 angustifòlium. W.	(*ye.*)	narrow-leaved.	Mt. Cenis.	1822.	——	H. ♃.		
12 florentìnum. W.	(*ye.*)	Florentine.	Germany.	1796.	——	H. ♃.		Bauhin pin. t. 67.
13 præàltum. s.s.	(*ye.*)	tall.	Europe.	1824.	——	H. ♃.		
14 cymòsum. W.	(*ye.*)	small-flowered.	————	1739.	5. 6.	H. ♃.		Moris. s. 7. t. 8. f. 10.
15 piloselloides. P.S.	(*ye.*)	Mouse-ear like.	France.	1823.	5. 7.	H. ♃.		Vill. delph. 3. p. 100. t. 27.
16 staticifòlium. W.	(*ye.*)	thrift-leaved.	Europe.	1804.	6. 7.	H. ♃.		——— 3. p. 116. t. 27.
17 præmórsum. W.	(*ye.*)	præmorse.	Siberia.	1820.	——	H. ♃.		Gmel. sib. 2. t. 13.
18 succisæfòlium. P.S.	(*ye.*)	Succisa-leaved.	Piedmont.	1822.	——	H. ♃.		
19 flagellàre. W.en.	(*ye.*)	creeping.	.....	1816.	5. 7.	H. ♃.		
20 bifúrcum. M.B.	(*ye.*)	two-forked.	S. Europe.	1822.	——	H. ♃.		
21 bífidum. W.en.	(*ye.*)	bifid.	Hungary.	——	6. 7.	H. ♃.		

22	incarnàtum. w.	(*fl.*)	flesh-coloured.	Carniola.	1815.	6. 7.	H. 4.	Jacq. ic. t. 578.
23	aurantìacum. w.	(*or.*)	orange-colour'd.	Scotland.	....	——	H. 4.	Eng. bot. v. 21. t. 1469.
24	venòsum. w.	(*ye.*)	red-veined.	N. America.	1790.	——	H. 4.	
25	Gronòvii. w.	(*ye.*)	Gronovius's.	———	1798.	——	H. 4.	
26	Gmelìni. w.	(*ye.*)	Gmelin's.	Siberia.	——	——	H. 4.	Gmel. sib. 2. t. 8. f. 2.
27	Bauhìni. s.s.	(*ye.*)	Bauhin's.	Switzerland.	1820.	——	H. 4.	
28	Lawsòni. w.	(*st.*)	Lawson's.	Britain.	....	——	H. 4.	Eng. bot. v. 29. t. 2083.
29	collìnum. w.	(*ye.*)	hill.	Europe.	1824.	6. 8.	H. 4.	
30	Gochnàti. s.s.	(*ye.*)	Gochnat's.	———	——	——	H. 4.	
31	paniculàtum. w.	(*ye.*)	panicled.	Canada.	1800.	——	H. 4.	
32	chondrilloídes. w.	(*ye.*)	Gum-succory.	Austria.	1640.	——	H. 4.	Jacq. aust. 5. t. 429.
33	hùmile. w.	(*ye.*)	low.	S. Europe.	1816.	——	H. 4.	——— t. 189.
	pùmilum. Jacq. *Jacquìni.* Vill. delph. 3. t. 28.							
34	calcàreum. H.H.	(*ye.*)	spurred.	S. Europe.	1823.	7. 8.	H. 4.	
35	sonchifòlium. M.B.	(*ye.*)	Sonchus-leaved.	Caucasus.	1828.	——	H. 4.	
36	pìctum. P.S.	(*ye.*)	painted-leaved.	Switzerland.	1823.	——	H. 4.	
37	nigréscens. w.	(*ye.*)	dark-coloured.	.....	1801.	7. 8.	H. 4.	Willd. hort. ber. t. 10.
38	prunellæfòlium. w.	(*ye.*)	Prunella-leav'd.	Switzerland.	1823.	6. 7.	H. 4.	All. ped. t. 15. f. 2.
39	montànum. w.	(*ye.*)	mountain.	S. Europe.	1775.	——	H. 4.	Jacq. aust. 2. t. 190.
40	hy'bridum. s.s.	(*ye.*)	hybrid.	Switzerland.	1825.	——	H. 4.	
41	porrifòlium. w.	(*ye.*)	Leek-leaved.	Austria.	1640.	7. 8.	H. 4.	Jacq. aust. 3. t. 286.
42	saxátile. w.	(*ye.*)	rock.	———	1801.	——	H. 4.	Jacq. ic. 1. t. 163.
43	glaùcum. w.	(*ye.*)	glaucous.	S. Europe.	1807.	6. 7.	H. 4.	All. ped. t. 81. f. 1.
44	mólle. w.	(*go.*)	soft-leaved.	Scotland.	....	7. 8.	H. 4.	Eng. bot. v. 31. t. 2210.
45	croáticum. w.K.	(*ye.*)	Hungarian.	Hungary.	1820.	——	H. 4.	
46	Sternbérgii. L.en.	(*ye.*)	Sternberg's.	———	——	——	H. 4.	
47	palléscens. s.s.	(*st.*)	pale.	———	1815.	6. 7.	H. 4.	W. et K. hung. 3. t. 217.
48	murórum. E.B.	(*go.*)	wall.	Britain.	....	7.	H. 4.	Eng. bot. v. 29. t. 2082.
49	maculàtum. E.B.	(*ye.*)	stained-leaved.	England.	....	7. 8.	H. 4.	——— v. 30. t. 2121.
50	ramòsum. w.	(*ye.*)	branching.	Hungary.	1805.	——	H. 4.	
51	incísum. s.s.	(*ye.*)	cut-leaved.	———	1823.	——	H. 4.	
52	parvifòlium. w.	(*ye.*)	small-leaved.	Austria.	——	——	H. 4.	
53	cydoniæfòlium. s.s.	(*ye.*)	Quince-leaved.	France.	1816.	——	H. 4.	
54	denudàtum. s.s.	(*ye.*)	half-naked.	Pyrenees.	1828.	——	H. 4.	
55	sylváticum. E.B.	(*ye.*)	wood.	Britain.	....	8.	H. 4.	Eng. bot. v. 29. t. 2031.
56	pulmonàrium. E.B.	(*go*)	lungwort.	Scotland.	....	7. 8.	H. 4.	——— v. 33. t. 2307.
57	lapsanoídes. w.	(*ye.*)	Lapsana-like.	Pyrenees.	1812.	——	H. 4.	Gouan. ill. t. 21. f. 3.
58	lyràtum. w.	(*ye.*)	lyre-leaved.	Siberia.	1777.	——	H. 4.	Gmel. sib. 2. t. 9.
59	cerinthoídes. E.B.	(*ye.*)	honeywort.	Scotland.	....	8.	H. 4.	Eng. bot. v. 34. t. 2378.
60	flexuòsum. w.	(*ye.*)	bending-stalk'd.	Hungary.	1804.	7. 8.	H. 4.	
61	amplexicaùle. w.	(*ye.*)	heart-leaved.	Pyrenees.	1739.	——	H. 4.	All. ped. 1. t. 15. f. 1.
62	grandiflòrum. w.	(*ye.*)	great-flowered.	Europe.	1791.	——	H. 4.	W. et K. hung. 1. t. 99.
63	intybàceum. w.	(*ye.*)	endive-leaved.	———	1794.	——	H. 4.	Jacq. aust. ap. t. 43.
64	Hallèri. w.	(*ye.*)	Haller's.	———	1802.	——	H. 4.	Vill. dauph. 3. t. 26.
65	eriophy'llum. L.en.	(*ye.*)	villous.	———	1816.	——	H. 4.	
66	villòsum. E.B.	(*st.*)	shaggy alpine.	Scotland.	....	——	H. 4.	Eng. bot. v. 34. t. 2379.
67	Schradèri. DC.	(*ye.*)	Schrader's.	Switzerland.	1823.	——	H. 4.	
68	elongàtum. Lap.	(*ye.*)	elongated.	———	1824.	——	H. 4.	
69	pilocéphalum. L.en.	(*ye.*)	hairy-headed.	Europe.	1816.	——	H. 4.	
70	trichocéphalum. w.	(*ye.*)	bristly-headed.	———	1823.	——	H. 4.	
71	prostràtum. s.s.	(*ye.*)	prostrate.	S. Europe.	——	——	H. 4.	
72	calyculàtum. H.H.	(*ye.*)	long-scaled.	———	1826.	——	H. 4.	
73	longifòlium. H.H.	(*ye.*)	long-leaved.	.....	1823.	——	H. 4.	
74	speciosíssimum. s.s.	(*ye.*)	handsome.	S. Europe.	——	——	H. 4.	
	speciòsum. H.H.							
75	ciliàtum. w.	(*ye.*)	fringed.	Crete.	1823.	——	H. 4.	
76	Millèri. L.en.	(*ye.*)	Miller's.	.....	....	——	H. 4.	
77	lanàtum. w.	(*ye.*)	woolly.	Hungary.	——	——	H. 4.	W. et K. hung. 2. t. 127.
78	andryaloídes. P.S.	(*ye.*)	Andryala-like.	France.	1818.	——	H. 4.	Vill. delph. 3. t. 29.
79	echioídes. w.	(*ye.*)	viper's-bugloss.	Hungary.	1802.	——	H. 4.	W. et K. hung. 1. t. 85.
80	verruculàtum. L.en.	(*ye.*)	warted.	.....	1823.	——	H. 4.	
81	undulàtum. w.	(*ye.*)	wave-leaved.	Spain.	1778.	——	H. 4.	
82	glutinòsum. w.	(*ye.*)	clammy.	S. Europe.	1796.	——	H. ⊙.	
83	Kalmii. w.	(*ye.*)	Kalm's.	Pensylvania.	1794.	8.	H. 4.	
84	fasciculàtum. Ph.	(*ye.*)	bundled.	Canada.	....	7. 8.	H. 4.	
85	racemòsum. w.	(*ye.*)	racemed.	Hungary.	1818.	——	H. 4.	W. et K. hung. 2. t. 193.
86	foliòsum. w.	(*ye.*)	leafy.	———	1805.	——	H. 4.	——— 2. t. 145.
87	corymbòsum. P.S.	(*ye.*)	corymbose.	.....	1820.	——	H. 4	
88	sabaùdum. w.	(*go.*)	frutescent.	Britain.	....	——	H. 4.	Eng. bot. v. 5. t. 349.

89	umbellàtum. w.	(ye.)	umbel-flowered.	Britain.	....	8. 9.	H. ¼.	Eng. bot. v. 25. t. 1771.
90	prenanthoïdes. E.B.	(ye.)	rough-bordered.	Scotland.	....	6. 9.	H. ¼.	——— v. 32. t. 2235.
91	latifòlium. S.S.	(ye.)	broad-leaved.	Pyrenees.	1823.	——	H. ¼.	
92	denticulàtum. E.B.	(ye.)	small-toothed.	Scotland.	....	7. 8.	H. ¼.	Eng. bot. v. 30. t. 2122.
93	lævigàtum. w.	(ye.)	smooth.	.....	1804.	8. 9.	H. ¼.	Willd. hort. ber. t. 16.
94	canéscens. L.en.	(ye.)	canescent.	.....	1820.	7. 8.	H. ¼.	
95	auriculàtum. S.S.	(ye.)	ear-leaved.	.....	1826.	——	H. ¼.	
96	boreàle. S.S.	(ye.)	northern.	N. Europe.	1828.	——	H. ¼.	
97	bracteolàtum. L.en.	(ye.)	bracted.	S. Europe.	1823.	——	H. ¼.	
98	coronopifòlium. L.en.	(ye.)	Buckshorn-l^d.	.....	——	——	H. ¼.	
99	parviflòrum. Schl.	(ye.)	small-flowered.	Switzerland.	——	——	H. ¼.	
100	ochroleùcum. Schl.	(st.)	sulphur-color'd.	———	1821.	——	H. ¼.	
101	ovàtum. Schl.	(ye.)	oval-leaved.	———	1820.	——	H. ¼.	
102	compòsitum. S.S.	(ye.)	compound.	Pyrenees.	1823.	——	H. ¼.	
103	crassifòlium. S.	(ye.)	thick-leaved.	.....	——	——	H. ¼.	
104	rotundàtum. S.S.	(ye.)	round-leaved.	Hungary.	——	——	H. ¼.	
105	sudéticum. St.	(ye.)	Swedish.	Sweden.	——	——	H. ¼.	
106	virgàtum. Ph.	(ye.)	twiggy.	N. America.	1816.	——	H. ¼.	
107	virescens. Schl.	(gr.)	greenish.	Switzerland.	1820.	——	H. ¼.	
108	stoloníferum. Viv.	(ye.)	stoloniferous.	Levant.	1823.	——	H. ¼.	
109	verbascifòlium. P.S.	(ye.)	Mullein-leav'd.	S. Europe.	1732.	5. 6.	H. ¼.	Mill. ic. 1. t. 146. f. 1.
	Andr'yala landta. S.S.							

HAPALOST'EPHIUM. D.P. HAPALOST'EPHIUM. Syngenesia Polygamia Æqualis.

1	paludòsum. D.P.	(ye.)	Succory-leaved.	Britain.	....	7. 8.	H. ¼.	Eng. bot. t. 1094.
	Hieràcium paludòsum. E.B.							
2	pyrenàicum. D.P.	(ye.)	Pyrenean.	Pyrenees.	1723.	——	H. ¼.	
	Hieràcium blattarioïdes. P.S.							
3	pilòsum. D.P.	(ye.)	hairy.	———	——	——	H. ¼.	Herm. parad. t. 184.
4	austrìacum.	(ye.)	Austrian.	Austria.	——	——	H. ¼.	Jacq. aust. t. 441.
5	sibíricum. D.P.	(ye.)	Siberian.	Siberia.	1755.	——	H. ¼.	Gmel. sib. 2. t. 10.
	Crèpis sibírica. L. *Hieràcium sibíricum.* w.							
6	grandiflòrum.	(ye.)	large-flowered.	Idria.	1824.	6. 8.	H. ¼.	
	Crèpis grandiflòra. L.							

LAGO'SERIS. L.en. LAGO'SERIS. Syngenesia Polygamia Æqualis.

1	bursifòlia. L.en.	(ye.)	pinnatifid.	Sicily.	1823.	7. 8.	H. ¼.	Bocc. m. 2. t. 106 et 112.
	Crèpis bursifòlia. L.							
2	versícolor. L.en.	(ye.)	various-color'd.	Dauria.	——	——	H. ¼.	
3	cérnua. L.en.	(ye.)	nodding.	Calabria.	——	6. 8.	H. ☉.	
4	nemausénsis.	(ye.)	Palestine.	S. Europe.	1794.	6. 7.	H. ☉.	Vill. delph. 3. t. 26.
	Crepis nemausénsis. w.							
5	leontodontoïdes. L.en.	(ye.)	Dandelion-like.	Italy.	1804.	7. 8.	H. ♂.	
6	raphanifòlia. L.en.	(ye.)	Radish-leaved.	.....	1816.	6. 7.	H. ¼.	
7	taurinénsis. L.en	(ye.)	bladdered.	S. Europe.	1823.	5. 7.	H. ☉.	
8	intybàcea. L.en.	(ye.)	Succory-leaved.	Portugal.	1816.	6. 7.	H. ♂.	

CR'EPIS. S.S. CR'EPIS. Syngenesia Polygamia Æqualis. L.

1	nudicaùlis. S.S.	(ye.)	naked-stalked.	Crete.	1828.	6. 8.	H. ¼.	
2	rigens. S.S.	(ye.)	bristle-leaved.	Azores.	1778.	7. 8.	F. ¼.	
3	ramosíssima. S.S.	(ye.)	branched.	Archipelago.	1828.	——	F. ¼.	
4	vìrens. w.	(ye.)	green.	Switzerland.	1796.	6. 7.	H. ☉.	Lobel. ic. 229. f. 2.
5	bannática. S.S.	(ye.)	Hungarian.	Hungary.	1823.	7. 8.	H. ☉.	
6	parviflòra. S.S.	(ye.)	small-flowered.	Levant.	1829.	——	H. ☉.	
7	rhagadioloïdes. S.S.	(ye.)	Spanish.	Spain.	1818.	6. 7.	H. ☉.	Jacq. schœnb. 2. t. 144.
	Pìcris Rhagadiolus. P.S.							
8	áspera. S.S.	(ye.)	rough.	Sicily.	1797.	7. 8.	H. ☉.	Flor. græc. t. 804.
9	Sprengeriàna. S.S.	(ye.)	Portugal.	Portugal.	1783.	6. 7.	H. ☉.	Moris. his. 7. t. 5. f. 17.
	Pìcris Sprengeriàna. P.S. *Hieràcium Sprengeriànum.* L.							
10	hieracioïdes. S.S.	(ye.)	hawkweed-like.	Hungary.	1816.	7. 8.	H. ¼.	W. et K. hung. 1. t. 17.
11	rígida. S.S.	(ye.)	rigid.	———	1805.	5. 7.	H. ¼.	——— 1. t. 19.
12	púlchra. S.S.	(ye.)	hawkweed-leav'd.	Scotland.	....	6. 9.	H. ☉.	Eng. bot. v. 33. t. 2325.
13	nàna. S.S.	(ye.)	dwarf.	N. America.	1827.	——	H. ¼.	
14	heterospérma. S.S.	(ye.)	various-seeded.	Germany.	1824.	——	H. ☉.	
15	Dioscóridis. S.S.	(ye.)	Dioscorides'.	France.	1772.	6. 7.	H. ☉.	Flor. græc. t. 808.
16	lodomiriénsis. S.S.	(ye.)	rough-headed.	Germany.	1827.	6. 9.	H. ☉.	
	Gmelìni. S.							
17	neglécta. S.S.	(ye.)	neglected.	———	....	——	H. ☉.	
18	scábra. S.S.	(ye.)	rough.	S. Europe.	1829.	——	H. ♂.	
19	agréstis. S.S.	(ye.)	field.	Hungary.	1801.	7. 8.	H. ☉.	
20	corymbòsa. S.S.	(ye.)	corymbose.	Italy.	1828.	——	H. ♂.	
21	cérnua. S.S.	(ye.)	nodding-flower'd.	Naples.	1824.	——	H. ♂.	

22	tectòrum. B.B.	(ye.)	smooth.	Britain.	....	6. 9.	H. ⊙.		Eng. bot. v. 16. t. 1111.
23	Lachenàlii. DC.	(ye.)	entire-leaved.	Europe.	....	6. 9.	H. ⊙.		
24	cinèrea. P.S.	(ye.)	red-stalked.	Britain.	....	——	H. ⊙.		
25	taurinénsis. W.	(ye.)	early-flowered.	Europe.	....	5. 6.	H. ⊙.		Balb. misc. p. 37. t. 9.
26	biénnis. S.S.	(ye.)	biennial.	Britain.	....	6. 7.	H. ♂.		Eng. bot. v. 3. t. 149.
27	f'œtida. E.B.	(st.)	strong-scented.	————	....	——	H. ♂.		———— v. 6. t. 406.
28	gravèolens.	(ye.)	strong-smelling.	.....	1824.	7. 9.	H. ⊙.		
29	pulcherrima. F.	(ye.)	elegant.	Siberia.	1823.	6. 8.	H. ⊙.		
30	latifòlia. P.S.	(ye.)	broad-leaved.	Italy.	1816.	——	H. ⊙.		
31	pinnatífida. S.S.	(ye.)	pinnatifid.	S. Europe.	1820.	4. 6.	H. ⊙.		
32	lácera. S.S.	(ye.)	torn-leaved.	Naples.	1826.	6. 7.	H. ⊙.		
BEHRI'NIA. Sieb.			BEHRI'NIA. Syngenesia Polygamia Æqualis.						
chondrilloídes. Sie.		(ye.)	Chondrilla-like.	Carniola.	1829.	6. 7.	H. ⊙.		
Crèpis chondrilloídes. S.S. *Wibèlia chondrilloídes.* Hoppe.									
PRENA'NTHES. D.D.			PRENA'NTHES. Syngenesia Polygamia Æqualis. L.						
1	purpùrea. W.	(pu.)	purple-flower'd.	Germany.	1658.	7. 9.	H. ♃.		Jacq. aust. 4. t. 317.
2	híspida. S.S.	(ye.)	hispid.	Siberia.	1823.	6. 8.	H. ♃.		
3	diversifòlia. S.S.	(ye.)	various-leaved.	————	1827.	——	H. ♂.		
HARPAL'YCE. D.D.			HARPAL'YCE. Syngenesia Polygamia Æqualis.						
1	altíssima. D.D.	(ye.)	tallest.	N. America.	1696.	7. 8.	H. ♃.		Pluk. alm. t. 317. f. 2.
Prenánthes altíssima. W.									
2	cordàta. D.D.	(ye.)	heart-leaved.	————	1816.	——	H. ♃.		
3	virgàta. D.D.	(li.)	tall slender.	————	1823.	8. 9.	H. ♃.		
4	álba. D.D.	(wh.)	white-flowered.	N. America.	1762.	7. 8.	H. ♃.		Bot. mag. t. 1079.
Prenánthes álba. B.M. *suávis.* Sal. par. lond. t. 85.									
5	rubicúnda. D.D.	(fl.)	rubicund.	————	1823.	8. 10.	H. ♃.		
6	serpentària. D.D.	(pu.)	Lion's-foot.	————	——	——	H. ♃.		Pursh am. sept. 2. t. 24.
7	racemòsa. D.D.	(pu.)	racemed.	Canada.	1822.	——	H. ♃.		
CHORI'SMA. D.D.			CHORI'SMA. Syngenesia Polygamia Æqualis.						
	rèpens. D.D.	(ye.)	creeping.	Siberia.	1828.	7. 9.	H. ♃.		Linn. am. ac. 2. t. 4. f. 23.
Prenánthes rèpens. L.									
ANDR'YALA. W.			ANDR'YALA. Syngenesia Polygamia Æqualis.						
1	cheiranthifòlia. W.	(ye.)	various-leaved.	Madeira.	1777.	5. 10.	F. ♃.		L'Herit. stirp. 35. t. 18.
2	nígricans. W.	(ye.)	dark-headed.	Barbary.	1804.	6. 8.	H. ⊙.		
3	pinnatífida. W.	(ye.)	wing-leaved.	Madeira.	1778.	7. 8.	F. ♂.		
4	crithmifòlia. W.	(ye.)	Samphire-leav'd.	————	——	6. 8.	F. ♂.		
5	ragusìna. W.	(ye.)	downy.	Archipelago.	1753.	——	F. ♃.		Mill. ic. 1. t. 146. f. 1.
6	incàna. DC.	(ye.)	hoary.	Pyrenees.	1826.	——	H. ♃.		
RO'THIA. W.			RO'THIA. Syngenesia Polygamia Æqualis.						
1	runcinàta. W.	(ye.)	hoary.	S. Europe.	1711.	7. 8.	H. ♂.		
2	cheiranthifòlia. W.	(ye.)	Stock-leaved.	Spain.	1768.	——	H. ⊙.		
3	andryaloídes. W.	(ye.)	Spanish.	————	1810.	8.	H. ⊙.		Gært. sem. 2. t. 174.
Andr'yala Róthia. P.S.									
LAPS'ANA. D.D.			NIPPLE-WORT. Syngenesia Polygamia Æqualis.						
1	commùnis. W.	(ye.)	common.	Britain.	....	6. 9.	H. ⊙.		Eng. bot. v. 12. t. 844.
2	lyràta. W.en.	(ye.)	lyrate.	Caucasus.	1816.	7. 8.	H. ♃.		
grandiflòra. M.B.									
3	intermèdia. M.B.	(ye.)	intermediate.	————	1823.	——	H. ⊙.		
4	pubéscens. Zey.	(ye.)	pubescent.	Europe.	1820.	——	H. ⊙.		
5	crispa. W.en.	(ye.)	curled.	.....	1799.	——	H. ⊙.		

Tribus II. TARAXACEÆ. *D.Don.*

LEO'NTODON. W.			DANDELION. Syngenesia Polygamia Æqualis. L.						
1	Taráxacum. W.	(ye.)	common.	Britain.	....	4. 7.	H. ♃.		Eng. bot. v. 8. t. 510.
2	corniculàtus. H.H.	(ye.)	horned.	Europe.	1827.	——	H. ♃.		
3	bessarábicus. F.	(ye.)	small-flowered.	S. Europe.	1823.	6. 8.	H. ♃.		
4	alpìnus. S.S.	(ye.)	Alpine.	————	1827.	——	H. ♃.		
5	caucásicus. M.B.	(ye.)	Caucasean.	Caucasus.	——	——	H. ♃.		
6	serotìnus. W.	(ye.)	late-flowered.	Hungary	1816.	7. 9.	H. ♃.		W. et K. hung. 2. t. 114.
7	glaucéscens. S.S.	(ye.)	glaucescent.	Caucasus.	1820.	4. 7.	H. ♃.		
8	obovàtus. S.S.	(ye.)	obovate-leaved.	Spain.	1805.	7.	H. ♃.		
9	palùstris. E.B.	(ye.)	marsh.	Britain.	....	6. 7.	H. ♃.		Eng. bot. v. 8. t. 553.
10	nígricans. W.K.	(ye.)	dark-leaved.	Hungary.	1823.	7.	H. ♃.		
11	lævigàtus. S.S.	(ye.)	smooth.	Spain.	——	——	H. ♃.		
APA'RGIA. W.			APA'RGIA. Syngenesia Polygamia Æqualis.						
1	áspera. S.S.	(ye.)	hairy.	Hungary.	1805.	6. 7.	H. ♃.		W. et K. hung. 2. t. 110.
2	saxátilis. S.S.	(ye.)	rock.	Naples.	1827.	——	H. ♃.		

3 hìspida. s.s.	(*ye.*)	rough.	Britain.	....	7.	H. ♃.	Eng. bot. v. 8. t. 554.
Hedy'pnois hìspida. E. B. *Leóntodon hìspidum.* L.							
4 dùbia. W.	(*ye.*)	tooth-leaved.	Germany.	——	——	H. ♃.	
5 crìspa. s.s.	(*ye.*)	curled.	France.	1803.	7. 8.	H. ♃.	Vill. dauph. 3. t. 25.
6 fasciculàta. s.s.	(*ye.*)	bunch-rooted.	Naples.	1828.	——	H. ♃.	
7 hispánica. s.s.	(*ye.*)	Spanish.	Spain.	1825.	——	H. ♃.	Cavan. icon. t. 149.
8 strigòsa. M.B.	(*ye.*)	strigose.	Caucasus.	1828.	——	H. ♃.	
9 caucásica. M.B.	(*ye.*)	Caucasean.	————	1823.	——	H. ♃.	
10 coronopifòlia. s.s.	(*ye.*)	buck's-horn-l^d.	Barbary.	1820.	——	H. ♃.	Desf. atl. 2. t. 214.
11 incàna. s.s.	(*ye.*)	hoary.	Europe.	1784.	5. 6.	H. ♃.	Jacq. aust. 3. t. 287.
12 alpìna. s.s.	(*ye.*)	alpine.	Austria.	1816.	6. 8.	H. ♃.	———— 1. t. 93.
13 Villársii. s.s.	(*ye.*)	Villars's.	France.	1818.	——	H. ♃.	Vill.dauph.3.p.82. t.25.
14 Taráxaci. s.s.	(*ye.*)	Dandelion-like.	Britain.	....	7. 9.	H. ♃.	Eng. bot. v. 16. t. 1109.
Hedy'pnois Taráxaci. E.B. *Hieràcium Taráxaci.* L. *Pìcris Taráxaci.* All.							
15 aurantìaca. W.	(*or.*)	orange-colored.	Hungary.	1816.	5. 6.	H. ♃.	
16 cròcea. W.	(*sn.*)	saffron-colored.	————	1820.	——	H. ♃.	
17 hástilis. s.s.	(*ye.*)	shining-leaved.	S. Europe.	1796.	7. 8.	H. ♃.	Jacq. aust. 2. t. 164.
OPORI'NIA. D.D.		Opori'nia. Syngenesia Polygamia Æqualis.					
autumnàlis. D.D.	(*ye.*)	autumnal.	Britain.	....	8. 9.	H. ♃.	Eng. bot. v. 12. t. 830.
Hedy'pnois autumnàlis. E.B. *Apárgia autumnàlis.* W.							
THRI'NCIA. W.		Thri'ncia. Syngenesia Polygamia Æqualis.					
1 tuberòsa. DC.	(*ye.*)	tuberous-rooted.	France.	1683.	5. 7.	H. ♃.	Flor. græc. t. 707.
Apárgia tuberòsa. W. *Leóntodon tuberòsum.* L.							
2 glábra. Schl.	(*ye.*)	smooth.	Switzerland.	1823.	7. 8.	H. ♃.	
3 hírta. W.	(*ye.*)	simple-haired.	Britain.	....	——	H. ♃.	Eng. bot. v. 8. t. 555.
pilocályx. Lag ? *Hedy'pnois hírta.* E.B.							
4 nudicályx. Lag.	(*ye.*)	naked-calyxed.	Spain.	1823.	——	H. ♃.	
5 hìspida. s.s.	(*ye.*)	hispid.	S. Europe.	1815.	6. 8.	H. ⊙.	Vill. dauph. 3. t. 25.
6 maroccàna. P.S.	(*ye.*)	Morocco.	Morocco.	1799.	7. 8.	H. ⊙.	
7 pygm'æa. P.S.	(*ye.*)	small.	Madeira.	....	——	H. ⊙.	
Hyóseris pygm'æa. W.							
CALLI'OPEA. D.D.		Calli'opea. Syngenesia Polygamia Æqualis.					
aùrea. D.D.	(*go.*)	golden-flower'd.	Italy.	1769.	5. 7.	H. ♃.	Jacq. aust. 3. t. 297.
Leóntodon aùreum. Jacq. *Hieràcium aùreum.* W.							
ÆTH'ONIA. D.D.		Æth'onia. Syngenesia Polygamia Æqualis.					
1 fruticòsa. D.D.	(*ye.*)	shrubby.	Madeira.	1785.	6. 7.	G. ♄.	
Hieràcium fruticosum. H.K.							
2 filifórmis. D.D.	(*ye.*)	fine-leaved.	————	1777.	——	G. ♂.	
Crèpis filifórmis. W.							
3 lagopòda. D.D.		hare's-foot.	Canaries.	1817.	——	G. ♂.	
TO'LPIS. S.S.		To'lpis. Syngenesia Polygamia Æqualis.					
1 barbàta. s.s.	(*ye.*)	purple-eyed.	France.	1620.	6. 9.	H. ⊙.	Bot. mag. t. 35.
Crèpis barbàta. B.M. *Drepània barbàta.* DC.							
2 umbellàta. s.s.	(*ye.*)	umbelled.	Italy.	1818.	6. 7.	H. ⊙.	
3 quadriaristàta. Biv.	(*ye.*)	four-awned.	————	1824.	——	H. ⊙.	
4 virgàta. s.s.	(*ye.*)	twiggy.	S. Europe.	1826.	——	H. ⊙.	
5 altìssima. s.s.	(*ye.*)	tall.	————	1818.	——	H. ⊙.	
Drepània ambígua. DC. *Crèpis ambígua.* Balbis.							
6 coronopifòlia. s.s.	(*ye.*)	fleshy-leaved.	Madeira.	1777.	8. 9.	H. ⊙.	Desf. act. par. 38. t. 9.
Crèpis coronopifòlia. W. *succulénta.* H.K.							
HEDY'PNOIS. W.		Hedy'pnois. Syngenesia Polygamia Æqualis.					
1 monspeliénsis. W.	(*ye.*)	branching.	S. Europe.	1683.	6. 7.	H. ⊙.	
2 crètica. W.	(*ye.*)	Cretan.	Crete.	1731.	——	H. ⊙.	Flor. græc. t. 813.
3 coronopifòlia. T.C.	(*ye.*)	buck's-horn-l^d.	Italy.	1823.	——	H. ⊙.	
4 tubæfórmis. T.C.	(*ye.*)	thick-tubed.	————	——	——	H. ⊙.	
5 mauritánica. W.	(*ye.*)	Barbary.	Barbary.	——	——	H. ⊙.	
6 rhagadioloídes. W.	(*ye.*)	Nipple-wort.	S. Europe.	1773.	7. 8.	H. ⊙.	
7 pérsica. M.B.	(*ye.*)	Persian.	.....	1822.	6. 9.	H. ⊙.	
8 péndula. W.	(*ye.*)	pendulous.	Barbary.	1818.	——	H. ⊙.	
9 aculeàta. Jac.	(*ye.*)	prickly.	.....	1829.	——	H. ⊙.	
RHAGADI'OLUS. W.		Rhagadi'olus. Syngenesia Polygamia Æqualis.					
1 stellàtus. W.	(*ye.*)	starry.	S. Europe.	1633.	6. 7.	H. ⊙.	Flor. græc. t. 817.
2 èdulis. W.	(*ye.*)	heart-leaved.	Levant.	——	——	H. ⊙.	———— t. 818.
Lapsàna Rhagadìolus. L.							
KŒLPI'NIA. Pall.		Kœlpi'nia. Syngenesia Polygamia Æqualis.					
linearis. Pall.	(*ye.*)	linear-leaved.	Levant.	1788.	7. 8.	H. ⊙	Flor. græc. t. 819.
Lapsàna Kœlpínia. L. *Rhagadìolus Kœlpínia.* W.							
ARNO'SERIS. G.		Arno'seris. Syngenesia Polygamia Æqualis.					
1 fœ'tida. L.en.	(*ye.*)	stinking.	Italy.	1722.	7. 8.	H. ♃.	W. et K. hung. 1. t. 49.
Lapsàna fœ'tida. W. *Hyóseris fœ'tida.* P.S.							

2 mínima. L.en.	(*st.*)	least.	Britain.	....	5. 7.	H. ☉.	Eng. bot. v. 2. t. 96.
Hyóseris mínima. E.B. *Lapsàna pusílla.* W.							
HYO'SERIS. W.		Hyo'seris. Syngenesia Polygamia Æqualis.					
1 arenària. W.	(*ye.*)	sand.	Morocco.	1800.	7. 8.	H. ☉.	
2 híspida. W.	(*ye.*)	hispid.	———	1779.	——	H. ☉.	
3 scábra. W.	(*ye.*)	rugged.	Sicily.	1789.	——	H. ☉.	Lam. ill. t. 654. f. 1.
4 lùcida. W.	(*ye.*)	shining.	Levant.	1770.	6. 8.	H. ♃.	Schm. ic. t. 39. 41.
5 radiàta. W.	(*ye.*)	starry.	S. Europe.	1640.	——	H. ♃.	Pluk. alm. t. 37. f. 2.
ZACI'NTHA. W.		Zaci'ntha. Syngenesia Polygamia Æqualis.					
verrucòsa. W.	(*ye.*)	warted.	S. Europe.	1633.	6. 7.	H. ☉.	Gært. sem. 2. t. 157. f. 7.
Lapsàna Zacy'ntha. L.							
TRO'XIMON. D.D.		Tro'ximon. Syngenesia Polygamia Æqualis.					
1 glaùcum. Ph.	(*ye.*)	glaucous-leaved.	N. America.	1811.	7. 8.	H. ♃.	Bot. mag. t. 1667.
2 cuspidàtum. Ph.	(*ye.*)	cuspidate.	———	——	4. 6.	H. ♃.	
marginàtum. N.							
CY'NTHIA. D.D.		Cy'nthia. Syngenesia Polygamia Æqualis.					
amplexicaùlis. D.D. (*go.*)		stem-clasping.	N. America.	1799.	7. 8.	H. ♃.	
Hyóseris amplexicaùlis. M. *Krígia amplexicaùlis.* N. *Tróximon virgínicum.* Ph.							
KRI'GIA. W.		Kri'gia. Syngenesia Polygamia Æqualis.					
virgínica. W.	(*ye.*)	Virginian.	N. America.	1811.	5. 7.	H. ☉.	
P'ICRIS. W.		P'icris. Syngenesia Polygamia Æqualis.					
1 hieracioídes. W.	(*ye.*)	hawkweed-like.	England.	....	7. 8.	H. ☉.	Eng. bot. v. 3. t. 196.
2 strigòsa. M.B.	(*ye.*)	strigose.	Caucasus.	1823.	——	H. ♃.	
3 rígida. S.S.	(*ye.*)	rigid.	Tauria.	1829.	——	H. ♃.	
4 híspida. H.K.	(*ye.*)	hispid.	Levant.	1789.	——	H. ♃.	
5 altíssima. S.S.	(*ye.*)	tall.	Egypt.	1825.	——	H. ☉.	
6 pauciflòra. W.	(*ye.*)	few-flowered	S. France.	1818.	6. 8.	H. ☉.	Gært. fr. 2. t. 158. f. 2.
7 pilòsa. S.S.	(*ye.*)	hairy.	Egypt.	1829.	——	H. ☉.	
8 asplenioídes. W.	(*ye.*)	Spleenwort-l^d.	Barbary.	1803.	7. 8.	H. ☉.	L'Herit. stirp. t. 82.
9 dahùrica. F.	(*ye.*)	Dahurian.	Dahuria.	1820.	——	H. ☉.	
10 kamtschática. Led.	(*ye.*)	Kamtschatka.	Kamtschatka.	1823.	——	H. ☉.	
HELMI'NTHIA. J.		Ox-tongue. Syngenesia Polygamia Æqualis.					
echioídes. W.	(*ye.*)	bristly.	Britain.	....	6. 7.	H. ☉.	Eng. bot. v. 14. t. 972.
Pìcris echioídes. E.B.							

Tribus III. Hypochœrideæ. *D. Don in Edinb. phil. journ.*

HYPOCH'ŒRIS. S.S.		Cat's-ear. Syngenesia Polygamia Æqualis. L.					
1 helvética. S.S.	(*ye.*)	one-flowered.	Switzerland.	1799.	6. 7.	H. ♃.	Jacq. ic. 1. t. 165.
2 híspida. S.S.	(*ye.*)	bristly.	S. Europe.	1804.	7. 8.	H. ♃.	Willd. hort. ber. 1. t. 46.
3 arachnòides. Biv.	(*ye.*)	Cobweb.	Italy.	——	——	H. ☉.	
4 mínima. S.S.	(*ye.*)	least.	Barbary.	1797.	——	H. ☉.	Flor. græc. t. 816.
5 glábra. S.S.	(*st.*)	smooth.	Britain.	....	——	H. ☉.	Eng. bot. v. 8. t. 575.
ACHYRO'PHORUS. G.		Achyro'phorus. Syngenesia Polygamia Æqualis.					
1 maculàtus. D.D.	(*ye.*)	spotted.	England.	....	6. 7.	H. ♃.	Eng. bot. v. 4. t. 225.
2 radicàtus. D.D.	(*ye.*)	long-rooted.	Britain.	....	6. 9.	H. ♃.	——— v. 12. t. 831.
Hypoch'æris radicàta. E.B.							
3 Balbísii. W.en.	(*ye.*)	Balbis's.	S. Europe.	1822.	——	H. ♃.	
ROBE'RTIA. DC.		Robe'rtia. Syngenesia Polygamia Æqualis.					
1 taraxacoídes. DC.	(*ye.*)	Dandelion-like.	Corsica.	1824.	7. 8.	H. ♃.	Lois. gal. 530. t. 28.
2 pinnatífida. S.S.	(*ye.*)	pinnatifid.	Naples.	1827.	——	H. ♃.	
Hypoch'æris pinnatífida. Tenore.							
SER'ÍOLA. S.S.		Ser'iola. Syngenesia Polygamia Æqualis. L.					
1 ùrens. S.S.	(*ye.*)	stinging.	S. Europe.	1778.	7. 8.	H. ☉.	Schmid. ic. t. 32.
2 æthnénsis. W.	(*ye.*)	rough.	Italy.	1763.	——	H. ☉.	Jacq. obs. 4. t. 79.
3 glaùca. S.S.	(*ye.*)	glaucous.	Sicily.	1829.	——	H. ☉.	
4 rubéscens. S.S.	(*li.*)	reddish.	———	——	——	H. ☉.	
5 álbicans. S.S.	(*ye.*)	whitish.	———	——	——	H. ☉.	
6 creténsis. S.S.	(*ye.*)	Cretan.	Crete.	1820.	——	H. ☉.	
7 Alliàtæ. L.en.	(*ye.*)	wood.	Sicily.	1823.	——	H. ☉.	Biv. cent. pl. 2. t. 7.
8 apargioídes. Trev.	(*ye.*)	Apargia-like.	S. Europe.	1829.	——	H. ☉.	
AGE'NORA. D.D.		Age'nora. Syngenesia Polygamia Æqualis.					
lævigàta. D.D.	(*ye.*)	smooth.	Candia.	1772.	7 8.	H. ☉.	Desf. atl. 2. t. 216.
Seríola lævigàta. W. *Rodígia lævigàta.* S.S.							
RODI'GIA. S.S.		Rodi'gia. Syngenesia Polygamia Æqualis.					
commutàta. S.S.	(*ye.*)	Poppy-leaved.	Caucasus.	1823.	6. 7.	H. ☉.	
Crèpis rhœadifólia. M.B.							
SOLDEVI'LLA. S.S.		Soldevi'lla. Syngenesia Polygamia Æqualis.					
setòsa. S.S.	(*ye.*)	bristly.	Spain.	1826.	7. 8.	H. ☉.	

Tribus IV. LACTUCEÆ. *D. Don in Edinb. phil. journ.*

LACTUCA. S.S. LETTUCE. Syngenesia Polygamia Æqualis. L.

1 sativa. W.	(*ye.*) garden.	.....	1562.	6. 9.	H. ☉.	Rob. ic. pl. c. ic.
2 crispa. W.	(*ye.*) curled.	.....	1570.	6. 8.	H. ☉.	
3 palmàta. W. *laciniàta.* Roth.	(*ye.*) jagged-leaved.	.....	1683.	——	H. ☉.	
4 intybàcea. W.	(*ye.*) Endive-leaved.	S. America.	1781.	——	H. ☉.	Jacq. ic. 1. t. 162.
5 quercìna. W.	(*ye.*) Oak-leaved.	Europe.	1686.	5. 7.	H. ☉.	
6 stricta. W.	(*ye.*) upright.	Hungary.	1805.	6. 7.	H. ♂.	W. et K. hung. 1. t. 48.
7 elongàta. W.	(*st.*) elongated.	Pensylvania.	——	——	H. ♂.	
8 cichoriifòlia. DC.	(*ye.*) Succory-leaved.	France.	1818.	——	H. ♃.	
9 Scariola. W.	(*st.*) prickly.	Britain.	....	7. 8.	H. ♂.	Eng. bot. v. 4. t. 268.
10 maculàta. L.en.	(*st.*) spot-leaved.	Europe.	....	——	H. ♂.	
11 viròsa. E.B.	(*st.*) strong-scented.	Britain.	....	7. 9.	H. ♂.	Eng. bot. v. 28. t. 1957.
12 augustàna. W.	(*st.*) entire-leaved.	Italy.	1791.	7. 8.	H. ☉.	All. ped. 1. t. 52. f. 1.
13 altissima. M.B.	(*ye.*) tall.	Caucasus.	1818.	——	H. ♃.	
14 sagittàta. W.E.	(*ye.*) arrow-leaved.	Hungary.	1805.	——	H. ♂.	W. et K. hung. 1. t. 1.
15 saligna. W.	(*ye.*) least.	England.	....	7. 8.	H. ♂.	Eng. bot. v. 10. t. 707.
16 muràlis. D.D.	(*st.*) wall.	Britain.	....	——	H. ♃.	——— v. 7. t. 457.
Prenánthes muràlis. E.B.						
17 viminea. L.en.	(*st.*) rushy-twigged.	Austria.	1789.	——	H. ♂.	Jacq. aust. 1. t. 9.
Prenánthes viminea. Jacq.						
18 villòsa. S.S.	(*bl.*) villous.	.....	1825.	——	H. ♂.	Jacq. schœnb. 3. t. 367.
19 tuberòsa. S.S.	(*ye.*) tuberous.	.....	1820.	——	H. ♃.	Jacq. vind. 1. t. 57.
20 indica. S.S.	(*ye.*) Indian.	E. Indies.	1784.	8. 10.	H. ☉.	
21 ? spectábilis. F.	.... showy.	Persia.	1829.	....	H. ♂?	
22 pállida. D.P.	(*st.*) pale-flowered.	Canada.	1704.	7. 9.	H. ♃.	Rob. ic. 148 et 151.
Sónchus pállidus. W.						
23 segusiàna. S.S.	(*pu.*) various-leaved.	Italy.	1823.	7. 8.	H. ☉.	
24 tenérrima. S.S.	(*pu.*) purple-flower'd.	S. Europe.	1815.	——	H. ♃.	
25 perénnis. S.S.	(*bl.*) perennial.	Germany.	1596.	6. 8.	H. ♃.	Mill. ic. 2. t. 157.

CHONDRI'LLA. W. GUM SUCCORY. Syngenesia Polygamia Æqualis. L.

1 júncea. W.	(*ye.*) common.	France.	1633.	9. 10.	H. ♃.	Jacq aust. 5. t. 427.
2 gramínea. M.B.	(*ye.*) grass-leaved.	Caucasus.	1824.	7. 9.	H. ♃.	
3 latifòlia. M.B.	(*ye.*) broad-leaved.	———	——	——	H. ♂.	

AGATHY'RSUS. D.D. AGATHY'RSUS. Syngenesia Polygamia Æqualis.

1 alpinus. D.D.	(*bl.*) Lapland.	Lapland.	1804.	7. 8.	H. ♃.	Smith ic. ined. t. 21.
Sónchus lappónicus. W.						
2 cerùleus. D.D.	(*bl.*) blue-flowered.	Scotland.	....	——	H. ♃.	Eng. bot. v. 34. t. 2425.
Sónchus alpinus. W. *non* L.						
3 Plumíeri. D.D.	(*bl.*) Plumier's.	Pyrenees.	1794.	——	H. ♃.	
4 floridànus. D.D.	(*bl.*) small-flowered.	N. America.	1713.	——	H. ♂.	
5 acuminàtus.	(*bl.*) taper-pointed.	———	1812.	8. 9.	H. ♂.	
Sónchus acuminàtus. Ph.						
6 macrophy'llus.	(*bl.*) large-leaved.	N. America.	1820.	7. 8.	H. ♃.	
Sónchus macrophy'llus. Ph.						
7 spicàtus. D.D.	(*pa.*) whitish-flower'd.	———	——	——	H. ♂.	
Sónchus leucoph'æus. W. *Prenánthes autumnàlis.* Walter.						
8 prenanthoídes. D.D.	(*bl.*) Prenanthes-like.	Caucasus.	1827.	——	H. ♃.	
9 cacaliæfòlius. D.D.	(*bl.*) Cacalia-leaved.	Iberia.	1826.	——	H. ♃.	
10 sibíricus. D.D.	(*bl.*) Siberian.	Siberia.	1759.	7. 9.	H. ♃.	Gmel. sib. 2. f. 3.
Sónchus sibíricus. W. *Lactùca sibírica.* D.P.						
11 tatáricus. D.D.	(*bl.*) Tartarian.	Tartary,	1784.	6. 7.	H. ♃.	
12 pulchéllus. D.D.	(*bl.*) entire-leaved.	Missouri.	1812.	——	H. ♃.	
Sónchus pulchéllus. Ph. *Lactùca integrifòlia.* N.						
13 sonchifòlia.	(*bl.*) Sonchus-leaved.	Levant.	1824.	——	H. ♂.	
Lactùca sonchifòlia. W.						

LYGODE'SMIA. D.D. LYGODE'SMIA. Syngenesia Polygamia Æqualis.

júncea. D.D.	(*ro.*) rush-like.	Missouri.	1827.	5. 6.	H. ♃.	
Prenánthes júncea. Ph.						

ATALA'NTHUS. D.D. ATALA'NTHUS. Syngenesia Polygamia Æqualis.

1 pinnàtus. D.D.	(*ye.*) pinnated.	Canaries.	1823.	6. 7.	F. ♄.	
Prenánthes pinnàta. W.						
2 arbòreus.	(*ye.*) arborescent.	———	——	6. 8.	F. ♄.	
Prenánthes arbòrea. W. enum.						
3 spinòsus. D.D.	(*ye.*) prickly.	Barbary.	1640.	3. 5.	F. ♄.	Park. theatr. 804. f. 7.

SO'NCHUS. W.		**Sow Thistle.**	**Syngenesia Polygamia Æqualis. L.**				
1 squarròsus. DC. *fruticòsus. L. non* Jacq.	(*ye.*)	shrubby.	Madeira.	1777.	4. 7.	G. ♄.	
2 Jacquíni. DC. *fruticòsus.* Jacq. *non* L.	(*ye.*)	Jacquin's.	———	——	——	G. ♄.	Jacq. ic. 1. t. 161.
3 lævigàtus. L.en.	(*ye.*)	smooth.	———	1816.	——	G. ♄.	
4 lyràtus. L.en.	(*ye.*)	lyre-leaved.	———	——	——	G. ♄.	
5 hyoserifòlius. H.H.	(*ye.*)	Hyoseris-leaved.	———	1818.	——	G. ♄.	
6 radicàtus. S.S.	(*ye.*)	long-rooted.	Canaries.	1780.	7. 8.	G. ♄.	
7 gummífer. S.S.	(*ye.*)	gummy.	———	1816.	——	G. ♄.	
8 divaricàtus. L.en.	(*ye.*)	spiny-leaved.	.....	1828.	4. 6.	G. ♄.	
9 pinnàtus. S.S.	(*ye.*)	wing-leaved.	Madeira.	1777.	4. 7.	G. ♄.	
10 marítimus. S.S.	(*ye.*)	sea-side.	Canaries.	1748.	7. 9.	H. ♃.	All. ped. 1. t. 16. f. 2.
11 oleràceus. S.S. *l'ævis.* L.enum.	(*ye.*)	common-smooth.	Britain.	....	6. 12.	H. ☉.	Eng. bot. v. 12. t. 843.
oleràceus α. lævis. W.enum.							
12 lácerus. W.en.	(*ye.*)	torn-leaved.	Britain.	....	——	H. ☉.	
13 ásper. S.S. *oleràceus γ. asper. L.*	(*ye.*)	rough-leaved.	———	....	——	H. ☉.	Blackw. ic. t. 30.
14 uliginòsus. S.S.	(*ye.*)	marsh.	Caucasus.	1823.	7. 9.	H. ♃.	
15 palústris. S.S.	(*ye.*)	tall marsh.	Britain.	....	——	H. ♃.	Eng. bot. v. 13. t. 935.
16 arvénsis. S.S.	(*ye.*)	corn-field.	———	....	——	H. ♃.	——— v. 10. t. 674.
17 hantoniénsis.	(*ye.*)	smooth-headed.	Hampshire.	....	——	H. ♃.	
18 tenérrimus. S.S.	(*ye.*)	clammy.	S. Europe.	1691.	7. 8.	H. ☉.	Flor. græc. t. 700.
19 chondrilloídes. S.S.	(*ye.*)	Chondrilla-like.	Sicily.	1826.	——	H. ♃.	
20 caucásicus. F.	(*ye.*)	Caucasean.	Caucasus.	1820.	——	H. ♃.	
21 flexuòsus. Led.	(*ye.*)	flexuose.	———	1822.	——	H. ♃.	
22 chinénsis. F.	(*ye.*)	Chinese.	China.	1820.	——	H. ♃.	
23 tènax. F.	(*ye.*)	tough.	Siberia.	1824.	——	H. ♃.	
24 longifòlius. Trev.	(*ye.*)	long-leaved.	.....	——	——	H. ♃.	
BARKHA'USIA. DC.		**Barkha'usia.**	**Syngenesia Polygamia Æqualis.**				
1 muricàta. S.S.	(*ye.*)	bristly-headed.	S. Europe.	1825.	6. 8.	H. ♂.	
2 bellidifòlia. DC.	(*ye.*)	Daisy leaved.	Corsica.	1826.	——	H. ☉.	
3 Suffreniàna. DC.	(*ye.*)	mealy-headed.	France.	1825.	——	H. ☉.	
4 spathulàta. S.S.	(*ye.*)	spathulate.	Sicily.	1829.	——	H. ☉.	
5 alpìna. S.S. *Crèpis alpìna.* W.	(*ye.*)	alpine.	Italy.	1739.	7. 8.	H. ☉.	Gmel. sib. 2. t. 5.
6 apargioídes. S.S.	(*ye.*)	Apargia-like.	Germany.	1826.	——	H. ♃.	Jacq. aust. 3. t. 293.
7 vesicària. S.S.	(*ye.*)	bladdered.	Crete.	1828.	——	H. ♃.	
8 hyemàlis. S.S.	(*ye.*)	winter.	Sicily.	1829.	8. 11.	H. ♃.	
9 purpùrea. S.S.	(*pu.*)	purple.	———	1827.	7. 9.	H. ♃.	
10 rùbra. S.S.	(*li.*)	lilac.	Italy.	1632.	6. 8.	H. ☉.	Flor. græc. t. 801.
11 nicæénsis. S.S.	(*ye.*)	gland-headed.	S. Europe.	1824.	——	H. ☉.	
12 híspida. S.S.	(*ye.*)	hispid.	———	1798.	——	H. ☉.	W. et K. hung. 1. t. 43.
13 setòsa. DC.	(*ye.*)	setose.	Switzerland.	1824.	——	H. ☉.	
14 púngens. P.S.	(*ye.*)	pungent.	.....	1826.	——	H. ☉.	
MYO'SERIS. L.en.		**Myo'seris.**	**Syngenesia Polygamia Æqualis.**				
purpùrea. L.en. *Lagòsci. s taùrica.* M.B. *Crèpis purpùrea.* M.B.	(*pu.*)	purple.	Tauria.	1823.	6. 7.	H. ☉.	

Tribus V. **Scorzonereæ.** *D. Don in Edinb. phil. journ.*

SCORZON'ERA. W.		**Viper's-grass.**	**Syngenesia Polygamia Æqualis.**				
1 tomentòsa. W.	(*ye.*)	white.	Armenia.	1789.	6. 7.	H. ♃.	
2 villòsa. S.S.	(*ye.*)	villous.	Levant.	1821.	6. 8.	H. ♃.	Scop. carn. t. 46.
3 hirsùta. S.S.	(*ye.*)	hairy.	S. Europe.	1823.	——	H. ♃.	All. ped. t. 31. f. 33.
4 hùmilis. W. *hùmilis.* Jacq. *non* W.	(*ye.*)	dwarf.	Europe.	1597.	8.	H. ♃.	
5 austriaca. W.en.	(*ye.*)	Austrian.	Austria.	....	——	H. ♃.	Jacq. aust. 1. t. 36.
6 plantaginifòlia. Sch.	(*ye.*)	Plantain-leav'd.	Switzerland.	1816.	——	H. ♃.	
7 hispánica. W.	(*ye.*)	garden.	Spain.	1576.	6. 9.	H. ♃.	Lam. ill. t. 647. f. 5.
8 glastifòlia. W.	(*ye.*)	Woad-leaved.	Germany.	1816.	——	H. ♃.	
9 taùrica. M.B.	(*ye.*)	Taurian.	Tauria.	1820.	——	H. ♃.	
10 rumicifòlia. L.en.	(*ye.*)	Dock-leaved.	.....	1822.	——	H. ♃.	
11 caricifòlia. W.	(*ye.*)	Carex-leaved.	Siberia.	1805.	——	H. ♃.	Pall. it. 3. ap. t. J. 1. f. 1.
12 parviflòra. W.	(*ye.*)	small-flowered.	Austria.	1816.	——	H. ♃.	Jacq. aust. 4. t. 305.
13 móllis. M.B.	(*ye.*)	soft.	Volga.	1829.	——	H. ♃.	
14 stricta. S.S. *villòsa.* M.B. *nec* Scop.	(*ye.*)	upright.	———	1821.	——	H. ♃.	

15 lanàta. M.B.	(*ye.*) woolly.	Iberia.	1823.	6. 7	H. ♃.	
16 purpàrea. W.	(*pu.*) purple-flower'd.	Austria.	1759.	5. 6.	H. ♃.	Jacq. aust. 1. t. 35.
17 angustifòlia. W.	(*ye.*) narrow-leaved.	S. Europe.	——	6. 8.	H. ♃.	W. et K. hung. 2. t. 122.
18 ensifòlia. M.B.	(*ye.*) sword-leaved.	Caucasus.	1823.	——	H. ♃.	
19 pusilla. S.S.	(*st.*) small.	Volga.	1827.	——	H. ♃.	Pall. it. 2. ap. t. L.
20 tuberòsa. S.S.	(*ye.*) tuberous-rooted.	———	1825.	——	H. ♃.	Pall. it. 3. ap. t. Y. f. 3.
21 crispa. S.S.	(*ye.*) curled.	Tauria.	1821.	——	H. ♃.	

PODOSPE'RMUM. DC. PODOSPE'RMUM. Syngenesia Polygamia Æqualis.

1 calcitrapifòlium. DC.	(*y.*) Calcitrapa-leav'd.	Levant.	1823.	6. 8.	H. ♃.	Barr. ic. 800.
2 resedifòlium. DC.	(*ye.*) spreading.	Spain.	1729.	6. 7.	H. ♂.	Bocc. sic. 13. t. 7.
3 laciniàtum. DC.	(*ye.*) cut-leaved.	S. Europe.	1640.	——	H. ♂.	Jacq. aust. 4. t. 356.
4 octangulàre. DC.	(*ye.*) 8-angled.	———	1820.	——	H. ♂.	
5 pùmilum. *Scorzonèra pùmila.* W.	(*ye.*) small.	Spain.	1822.	7. 9.	H. ☉.	Cav. ic. 2. t. 121. f. 2.
6 aspérrimum. *Scorzònera aspérrima.* W.	(*ye.*) roughest.	Galatia.	——	8. 9.	H. ♃.	
7 àsperum. *Scorzonèra àspera.* Desf. *stylòsa.* P.S.	(*ye.*) rough.	Levant.	——	7. 8.	H. ♃.	Desf. an. mus. 1. t. 9.
8 subulàtum. DC. *Scorzonèra graminifòlia.* F.G. 784.	(*ye.*) grass-leaved.	Portugal.	1759.	——	H. ♃.	Jacq. obs. 4. t. 100.
9 muricàtum. DC.	(*ye.*) bristly.	Piedmont.	1818.	——	H. ♃.	
10 taraxacifòlium. *Scorzonèra taraxacifòlia.* W.	(*ye.*) Dandelion-leav'd.	Bohemia.	1801.	6. 8.	H. ♃.	Jacq. ic. 1. t. 106.

LASIOSPE'RMUM. F. LASIOSPE'RMUM. Syngenesia Polygamia Æqualis.

angustifòlium. *Scorzonèra eriospérma.* M.B. F.	(*ye.*) narrow-leaved.	Caucasus.	1825.	6. 8.	H. ♃.	

PICRI'DIUM. P.S. PICRI'DIUM. Syngenesia Polygamia Æqualis.

1 vulgàre. P.S. *Scorzonèra picroides.* L. *Sònchus picroides.* W.	(*ye.*) various-leaved.	France.	1778.	6. 8.	H. ☉.	All. ped. 1. t. 16. f. 1.
2 tingitànum. P.S. *Scorzonèra tingitàna.* B.M. *Sónchus tingitànus.* W.	(*ye.*) Tangier.	Barbary.	1713.	6. 9.	H. ☉.	Bot. mag. t. 142.
3 hispánicum. V.	(*ye.*) Spanish.	Spain.	1816.	——	H. ☉.	Jacq. schœnb. 2. t. 143.
4 àlbidum. P.S. *Crèpis àlbida.* W.	(*ye.*) pale-flowered.	France.	1781.	7. 10.	H. ♃.	Jacq. ic. 1. t. 164.

ARNOPO'GON. W. SHEEP'S-BEARD. Syngenesia Polygamia Æqualis.

1 Dalechámpii. W.	(*ye.*) great-flowered.	S. Europe.	1739.	6. 10.	H. ♃.	Bot. mag. t. 1623.
2 picroides. W.	(*ye.*) prickly-cupp'd.	———	1683.	7. 8.	H. ☉.	Flor. græc. t. 781.
3 àsper. W.	(*ye.*) rough.	Montpelier.	1774.	——	H. ☉.	——— t. 782.
4 capénse. W.	(*ye.*) Cape.	C. B. S.	1824.	6. 8.	G. ♂.	Jacq. ic. 3. t. 577.

TRAGOPO'GON. W. GOAT'S-BEARD. Syngenesia Polygamia Æqualis.

1 praténsis. W.	(*ye.*) yellow.	Britain.	....	5. 6.	H. ♂.	Eng. bot. v. 7. t. 434.
2 mutábilis. W.	(*va.*) changeable.	Siberia.	1816.	——	H. ♂.	Jacq. ic. 1. t. 157.
3 undulàtus. W.	(*st.*) wave-leaved.	Crimea.	1790.	——	H. ♂.	——— 1. t. 158.
4 parviflòrus. L.en.	(*ye.*) small-flowered.	.....	1822.	——	H. ♂.	
5 orientàlis. W.	(*ye.*) oriental.	Levant.	1787.	6. 7.	H. ♂.	
6 cànus. W.K.	(*ye.*) hoary	Hungary.	1822.	——	H. ♂.	
7 màjor. W.	(*ye.*) great.	Austria.	1788.	5. 6.	H. ♂.	Jacq. aust. 1. t. 29.
8 campéstris. S.S.	(*ye.*) field.	Poland.	1828.	——	H. ♂.	
9 ròseus. S.S.	(*ro.*) red-flowered.	Volga.	1827.	——	H. ♂.	
10 porrifòlius. W.	(*pu.*) purple.	England.	....	——	H. ♂.	Eng. bot. v. 9. p. 638.
11 floccòsus. W.K.	(*ye.*) woolly.	Hungary.	1816.	——	H. ♂.	W. et K. hung. 2. t. 112.
12 dùbius. L.en.	(*ye.*) doubtful.	.....	1822.	——	H. ♂.	
13 crocifòlius. W.	(*vi.*) Crocus-leaved.	Italy.	1739.	6. 7.	H. ♂.	Flor. græc. t. 779.
14 angustifòlius. W.	(*vi.*) narrow-leaved.	———	1816.	——	H. ♂.	
15 villòsus. W.	(*ye.*) hairy.	Spain.	1794.	5. 6.	H. ♂.	
16 rhodánthus. *Scorzonèra ròsea.* W.K.	(*ro.*) rose-coloured.	Hungary.	1807.	7.	H ♃.	W. et K. hung. 2. t. 121.
17 hùmilis. F.	.... dwarf.	Caucasus.	1829.	....	H. ♂.	
18 phæopáppus. F.	.... glossy-chaff'd.	Persia.	——	....	H. ♂.	

GEROP'OGON. W. OLD MAN'S-BEARD. Syngenesia Polygamia Æqualis.

1 gláber. W.	(*pi.*) smooth.	Italy.	1704.	7. 8.	H. ☉.	Bot. mag. t. 479.
2 hirsùtus. W.	(*pi.*) hirsute.	———	1759.	——	H. ☉.	Col. ecphr. 1. t. 231.
3 calyculàtus. W.	(*pi.*) perennial.	———	1774.	6. 8.	H. ♃.	Jacq. vind. 2. t. 106.

Tribus VI. CICHOREÆ. *D. Don in Edinb. phil. journ.*

CICH'ORIUM. S.S. SUCCORY. Syngenesia Polygamia Æqualis. L.

1 I'ntybus. S.S.	(*bl.*) common.	Britain.	....	6. 10.	H. ♃.	Eng. bot. v. 8. t. 589.

2 divaricàtum. s.s.	(bl.)	branching.	Barbary.	1798.	7. 9.	H. ☉.		
3 spindsum. s.s.	(bl.)	prickly.	Candia.	1633.	7. 8.	F. ♄.	Flor. græc. t. 823.	
4 pùmilum. s.s.	(bl.)	dwarf.	Levant.	1790.	——	H. ☉.	—— t. 821.	
5 Endívia. s.s.	(bl.)	Endive.	E. Indies.	1548.	——	H. ☉.		
α latifòlia.	(bl.)	*broad-leaved.*	——	——	——	H. ☉.		
β crispa.	(bl.)	*curled-leaved.*	——	——	——	H. ☉.		
γ leucophy'lla.	(bl.)	*white-leaved.*	——	——	——	H. ☉.		
SCO'LYMUS. S.S.		GOLDEN THISTLE. Syngenesia Polygamia Æqualis. L.						
1 maculàtus. s.s.	(ye.)	annual.	S. Europe.	1633.	7. 8.	H. ☉.	Flor. græc. t. 824.	
2 hispánicus. s.s.	(ye.)	Spanish.	——	1658.	7. 9.	H. ♃.	—— t. 825.	
3 grandiflòrus. s.s.	(ye.)	great-flowered.	Barbary.	1820.	——	H. ♃.	Desf. atl. 2. t. 218.	
CATANA'NCHE. S.S.		CATANA'NCHE. Syngenesia Polygamia Æqualis. L.						
1 lùtea. s.s.	(ye.)	yellow.	Candia.	1640.	6. 7.	H. ☉.	Flor. græc. t. 821.	
2 cærùlea. s.s.	(bl.)	blue-flowered.	S. Europe.	1596.	7. 10.	H. ♃.	Bot. mag. t. 293.	

SUBORDO II. *LABIATIFLORÆ. Lagasca et DC. in ann. mus.*

L'ERIA. DC.		L'ERIA. Syngenesia Polygamia Superflua.						
1 nùtans. DC.	(wh.)	drooping-flower'd.	W. Indies.	1793.	6. 7.	S. ♂.	Plum. ic. t. 41. f. 1.	
Tussilàgo nùtans. W.								
2 álbicans. DC.	(wh.)	woolly-leaved.	Jamaica.	1821.	——	S. ☉.		
CHAPT'ALIA. V.		CHAPT'ALIA. Syngenesia Polygamia Necessaria.						
tomentòsa. V.	(bh.)	woolly.	N. America.	1806.	5. 6.	H. ♃.	Bot. mag. t. 2257.	
Tussilàgo integrifòlia. M.								
ONO'SERIS. DC.		ONO'SERIS. Syngenesia Polygamia Æqualis.						
1 purpùrea. K.S.	(pu.)	purple.	S. America.	1827.	7. 9.	F. ♃.	Smith. ic. ined. t. 65.	
Atráctylis purpuràta. Smith.								
2 mexicàna. K.S.	(wh.)	Mexican.	Mexico.	1828.	....	F. ♄.	Smith. ic. ined. 3. t. 66.	
CHÆTANTH'ERA. R.P.		CHÆTANTH'ERA. Syngenesia Polygamia Superflua.						
ciliàta. R.P.	(ye.)	ciliated.	Chile.	1822.	7. 8.	F. ♃.		
MUTI'SIA. L.		MUTI'SIA. Syngenesia Polygamia Æqualis. L.						
speciòsa. B.M.	(pu.)	handsome.	Brazil.	1825.	9. 11.	G. ♄. ⌒.	Bot. mag. t. 2705.	
arachnoídea. Martius.								
CHUQUIR'AGA. J.		CHUQUIR'AGA. Syngenesia Polygamia Æqualis.						
insígnis. K.S.	(ye.)	large-flowered.	S. America.	1824.	....	G. ♄.	Lam. ill. t. 691.	
Johánnia insígnis. W.								
DUMERI'LIA. DC.		DUMERI'LIA. Syngenesia Polygamia Æqualis.						
paniculàta. DC.	(pu.)	panicled.	Chile.	1825.	7. 9.	H. ♃.	DC. ann. mus. 19. t. 7.	
BAC'AZIA. R.P.		BAC'AZIA. Syngenesia Polygamia Æqualis.						
spinòsa. R.P.	(pi.)	spiny.	Peru.	1825.	4. 5.	F. ♄.		
TRIPTI'LION. R.P.		TRIPTI'LION. Syngenesia Polygamia Æqualis.						
cordifòlium. B.R.	(wh.)	heart-leaved.	Peru.	1823.	6. 8.	H. ☉.	Bot. reg. t. 853.	
LEUC'ERIA. Lag.		LEUC'ERIA. Syngenesia Polygamia Superflua.						
senecioídes. D.D.	(wh.)	Ragwort-like.	Chile.	1822.	8. 10.	F. ♃.	Hook. ex. flor. t. 101.	
Trixis senecioídes. Hooker.								
GASTROCA'RPHA. D.D.		GASTROCA'RPHA. Syngenesia Polygamia Æqualis.						
runcinàta. D.D.	(wh.)	Turnep-leaved.	Chile.	1826.	8. 10.	F. ♂.	Swt. br. fl. gar. t. 239.	
PERDICIUM. DC.		PERDICIUM. Syngenesia Polygamia Superflua.						
1 Anándria. DC.	(wh.)	Siberian.	Siberia.	1759.	8.	H. ♃.	Gmel. sib. 2. t. 68. f. 1.	
2 lyràtum.	(wh.)	lyrate.	——	1825.	6. 8.	H. ♃.	—— t. 67. f. 2.	
Tussilàgo lyràta. W. *Chaptàlia lyràta.* S.S.								
TRI'XIS. DC.		TRI'XIS. Syngenesia Polygamia Superflua.						
1 frutéscens. S.S.	(wh.)	frutescent.	Jamaica.	1826.	2. 4.	S. ♄.	Lam. ill. t. 677. f. 2.	
Perdícium radiàle. L.								
2 divaricàta. D.D.	(wh.)	divaricate.	Brazil.	1824.	4. 6.	S. ♄.	Bot. mag. t. 2765.	
auriculàta. B.M. *Perdícium brasiliénse.* Gr.								

SUBORDO III. *CARDUACEÆ. Don prodr. p.* 166.

Div. I. CARDUACEÆ VERÆ. *Kth. synops.* 2. *p.* 363.

A'RCTIUM. L.		BURDOCK. Syngenesia Polygamia Æqualis.						
1 Láppa. W.	(pu.)	smooth-headed.	Britain.	....	7. 8.	H. ♂.	Eng. bot. v. 18. t. 1288.	

2	minus. M.B.	(*pu.*)	smaller.	Europe.	....	7. 8.	H. ♂.	
	Lappa minor. DC.							
3	Bardana. W.	(*pu.*)	woolly-headed.	Britain.	....	——	H. ♂.	Eng. bot. v. 35. t. 2478.
	tomentòsum. P.S.							
SERRA'TULA. D.P.			Sawwort.	Syngenesia Polygamia Æqualis.				
1	pulchélla. B.M.	(*pu.*)	purple-scaled.	Siberia.	1823.	6. 7.	H. ♃.	Bot. mag. t. 2589.
2	deprèssa. L.T.	(*pu.wh.*)	depressed.	Caucasus.	1820.	——	H. ♃.	Linn. trans. v. 11. t. 38.
3	élegans. L.T.	(*ro.*)	elegant.	————	——	——	H. ♃.	———— v. 11. t. 37.
4	alpina. E.B.	(*pu.*)	Alpine.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 9. t. 599.
	Saussùrea alpìna. DC.							
5	angustifòlia. W.	(*pu.*)	narrow-leaved.	Siberia.	1816.	——	H. ♃.	Gmel. sib. 2. t. 33.
6	discolor. W.	(*pu.wh.*)	two-coloured.	Europe.	——	——	H. ♃.	
	Saussùrea discolor. DC.							
	β lapathifòlia. DC.		*Dock-leaved.*	————	——	——	H. ♃.	Moris. s. 7. t. 22. f. 1.
7	serràta.	(*pu.*)	saw-leaved.	————	——	——	H. ♃.	
	Saussùrea serràta. DC.							
8	salicifòlia. W.	(*re.*)	Willow-leaved.	Siberia.	1796.	——	H. ♃.	Gmel. sib. 2. t. 27.
9	alàta.	(*pu.*)	winged.	————	1823.	——	H. ♃.	
	Saussùrea alàta. DC. *non Serrátula alàta.* W.en.							
10	sálsa. M.B.	(*pu.*)	salt.	Caucasus.	1824.	——	H. ♃.	
	Heterotrìchum sálsum. M.B. *Saussùrea sálsa.* S.S.							
11	lyràta. F.	(*pu.*)	lyrate-leaved.	Dahuria.	1827.	——	H. ♃.	
12	Gmelìni. Led.	(*pu.*)	Gmelin's.	Siberia.	——	——	H. ♃.	
13	elongàta. DC.	(*pu.*)	elongated.	————	1820.	——	H. ♃.	
14	nitídula. Led.	(*pu.*)	glossy.	————	1827.	——	H. ♃.	
15	pycnocéphala. Led.	(*pu.*)	large-headed.	————	——	——	H. ♃.	
16	rígida. Led.	(*pu.*)	rigid.	————	——	——	H. ♃.	
17	pygmæa. Jac.	(*pu.*)	pigmy.	Austria.	1816.	——	H. ♃.	Jacq. aust. t. 440.
SYNCA'RPHA. DC.			Synca'rpha.	Syngenesia Polygamia Æqualis.				
	gnaphalòdes. DC.	(*or.*)	squarrose.	C. B. S.	1815.	7. 9.	G. ♄.	Pluk. alm. t. 302. f. 3.
	Stœhelìna gnaphaloìdes. L. *Leysèra squarròsa.* Th.							
CA'RDUUS. D.P.			Thistle.	Syngenesia Polygamia Æqualis.				
1	alàtus. B.F.G.	(*pu.*)	winged-stalked.	.....	1812.	6. 8.	H. ♂.	Swt. br. fl. gar. t. 103.
2	tinctòrius. D.P.	(*pu.*)	common.	Britain.	....	7. 10.	H. ♃.	Eng. bot. v. 1. t. 38.
	Serrátula tinctòria. E.B.							
3	quinquefòlius. D.P.	(*pu.*)	five-leaved.	Persia.	1804.	7. 8.	H. ♃.	Bot. mag. t. 1871.
	Serrátula quinquefòlia. B.M.							
4	coronàtus. D.P.	(*pu.*)	lyre-leaved.	Italy.	1739.	——	H. ♃.	Gmel. sib. 2. t. 20.
	Serrátula coronàta. W.							
5	nítidus.	(*pu.*)	glossy.	Siberia.	1821.	——	H. ♃.	
	Serrátula nítida. F.							
6	multifiòrus. L.	(*pu.*)	Volga.	————	——	——	H. ♃	Gmel. sib. 2. t. 28.
7	linearifòlius. DC.	(*pu.*)	linear-leaved.	————	1827.	——	H. ♃.	
8	Pìcris.	(*pu.*)	scariose.	Caucasus.	1822.	——	H. ♃.	
	Centaùrea Pìcris. W. *Serrátula Pìcris.* S.S.							
9	centauroìdes. D.P.	(*pu.*)	Centaury-like.	Siberia.	1804.	——	H. ♃.	Gmel. sib. 2. t. 40.
10	radiàtus. W.K.	(*pu.*)	rayed.	Hungary.	1800.	——	H. ♂.	W. et K. hung. 1. t. 11.
11	polyclònos. W.	(*pu.*)	Siberian.	Siberia.	1823.	——	H. ♃.	
12	argùtus.	(*pu.*)	sharply-tooth'd.	————	——	——	H. ♃.	
	Serrátula argùta. L.en.							
13	cyanoìdes. W.	(*pu.*)	blue-bottle-leav'd.	———	1778.	——	H. ♃.	Gmel. sib. 2. t. 15.
14	simplex.	(*pu.*)	one-flowered.	Caucasus.	1817.	——	H. ♃.	Bot. mag. t. 2482.
	móllis. W. *Serrátula simplex.* DC.							
15	xeranthemoìdes.	(*pu.*)	everlasting-fld.	————	1804.	——	H. ♃.	Gmel. sib. 2. t. 47. f. 1.
	Serrátula xeranthemoìdes. M.B. *Centaùrea radiàta.* W.							
16	lycopifòlius. W.	(*pu.*)	horehound-leaved.	France.	1823.	——	H. ♃.	Vill. delph. 3. t. 19.
17	heterophyllus. S.S.	(*pu.*)	various-leaved.	France.	1824.	——	H. ♃.	
18	stœchadifòlius.	(*pu.*)	woolly-headed.	Tauria.	1820.	——	H. ♃.	
	Serrátula stœchadifòlia. S.S.							
19	leucógraphus. W.	(*pu.*)	white-spotted.	Italy.	1752.	6. 7.	H. ☉.	Jacq. vind. 3. t. 23.
20	arábicus. W.	(*pu.*)	Arabian.	Arabia.	1789.	7. 8.	H. ☉.	Jacq. ic. 1. t. 166.
21	nùtans. W.	(*pu.*)	musk.	Britain.	....	——	H. ☉.	Eng. bot. v. 16. t. 1112.
22	carlinoìdes. W.en.	(*pu.*)	Pyrenean.	Pyrenees.	1784.	——	H. ♂.	Gouan. ill. t. 23.
	Carlìna pyrenàica. L.							
23	carlinæfòlius. W.	(*pu.*)	Carline-leaved.	————	1804.	——	H. ♂.	
24	acanthoìdes. W.	(*li.*)	welted.	Britain.	....	6. 7.	H. ☉.	Eng. bot. v. 14. t. 973.
25	hamulòsus. W.	(*pu.*)	hooked.	Hungary.	1802.	——	H ☉.	
26	tenuifiòrus. E.B.	(*li.*)	slender-flower'd.	Britain.	....	——	H. ☉.	Eng. bot. v. 6. t. 412.
27	crispus. W.	(*li.*)	curled.	Europe.	1804.	7. 8.	H. ♂.	Flor. dan. t. 621.

28	cándicans. W.	(*pu.*)	hoary.	Hungary.	1805.	7. 8.	H. ♂.	W. et K. hung. 1. t. 83.
29	personàtus. W.	(*pu.*)	cut-leaved.	Austria.	1776.	——	H. ♂.	Jacq. aust. 4. t. 348.
30	polyánthemus. W.	(*pu.*)	many-flowered.	Rome.	1739.	6. 7.	H. ♂.	Triumf. obs. t. 103.
31	paniculàtus. W.	(*pu.*)	panicled.	S. Europe.	1781.	——	H. ♃.	
32	pycnocéphalus. W.	(*pu.*)	Italian.	———	1739.	7. 9.	H. ♃.	Jacq. vind. 1. t. 34.
33	onopordioídes. M.B.	(*pu.*)	Onopordum-like.	Iberia.	1824.	7. 8.	H. ♃.	
34	argentàtus. W.	(*pu.*)	white Egyptian.	Egypt.	1789.	6. 8.	H. ☉.	Jacq. vind. 2. t. 122.
35	arctioídes. W.	(*pu.*)	pinnated.	Hungary.	1804.	7. 8.	H. ♃.	
36	dùbius. S.S.	(*pu.*)	doubtful.	.....	1827.	——	H. ♃.	
37	seminùdus. S.S.	(*pu.*)	half-naked.	Caucasus.	——	——	H. ♃.	
38	uncinàtus. S.S.	(*pu.*)	crook-pointed.	Volga.	——	——	H. ♃.	
39	alpéstris. W.	(*pu.*)	alpine.	Hungary.	1805.	7. 8.	H. ♃.	
40	defloràtus. W.	(*pu.*)	different leav'd.	Austria.	1570.	7. 9.	H. ♃.	Jacq. aust. 1. t. 89.
41	corymbòsus. S.S.	(*pu.*)	corymb-flower'd.	Naples.	1827.	——	H. ♃.	
42	cinèreus. S.S.	(*pu.*)	gray.	Caucasus.	——	——	H. ♃.	
43	collìnus. S.S.	(*pu.*)	hill.	Hungary.	1828.	——	H. ♃.	
44	Argemòne. DC.	(*pu.*)	Argemone-leav'd.	Pyrenees.	1816.	——	H. ♃.	
45	parviflòrus. W.	(*pu.*)	small-flowered.	S. Europe.	1781.	6. 7.	H. ♃.	
46	crassifòlius. W.en.	(*pu.*)	thick-leaved.	.....	1805.	7.	H. ♃.	
47	sumànus. L.en.	(*pu.*)	Pollini's.	Italy.	1823.	7. 8.	H. ♃.	
48	nítidus. W.	(*pu.*)	glossy.	Hungary.	1806.	——	H. ♃.	W. et K. hung. 1. t. 52.
49	nudicaùlis. P.S.	(*pu.*)	naked-stalked.	S. Europe.	1739.	——	H. ♃.	Cav. ic. 3. t. 226.
	cerinthoídes. W. *glaùcus.* Cav. *Centaùrea nudicaùlis.* L. *Serrátula nudicaùlis.* DC.							
50	clavulàtus. S.S.	(*pu.*)	clubbed.	Canaries.	1827.	——	F. ♂.	
51	álbidus. S.S.	(*pu.*)	white-leaved.	Caucasus.	1829.	——	H. ♃.	
52	argyròa. S.S.	(*pu.*)	silvery.	Sicily.	1827.	——	H. ♃.	
53	orientàlis. M.B.	(*pu.*)	oriental.	Iberia.	1804.	7.	H. ♃.	
54	salìnus. M.B.	(*pu.*)	narrow-leaved.	Siberia.	——	——	H. ♃.	
55	volgénsis. S.S.	(*pu.*)	Volga.	Volga.	——	——	H. ♃.	
56	leucánthus. S.S.	(*wh.*)	white-flowered.	Spain.	1825.	——	H. ☉.	Cavan. icon. 2. t. 165.
57	atriplicifòlius. S.S.	(*pu.*)	Orach-leaved.	Russia.	1823.	——	H. ♃.	
SI'LYBUM. G.			Si'lybum.	Syngenesia Polygamia Æqualis.				
1	marianum. G.	(*pu.*)	milk-thistle.	Britain.	....	7.	H. ♂.	Eng. bot. v. 14. t. 976.
	Cárduus marianus. E.B.							
2	cérnuum. G.	(*wh.*)	nodding.	Siberia.	1755.	6. 7.	H. ♃.	Mill. ic. 2. t. 248.
	Cnìcus cérnuus. W.							
HALOCHA'RIS. F.			Halocha'ris.	Syngenesia Polygamia Æqualis.				
1	altáica. F.	(*pu.*)	Altay.	Altay.	1827.	7. 8.	H. ♃.	
2	carthamoídes. F.	(*pu.*)	Carthamus-like.	Siberia.	1823.	——	H. ♃.	
	Cnìcus carthamoídes. W. *Leùzea? carthamoídes.* DC. *Cnìcus salìnus.* M.B.							
CI'RSIUM. G.			Horse-thistle.	Syngenesia Polygamia Æqualis.				
1	palústre. DC.	(*li.wh.*)	marsh.	Britain.	....	7. 8.	H. ♂.	Eng. bot. v. 14. t. 974.
	Cárduus palústris. E.B. *Cnìcus palústris.* W.							
2	eliàtum. L.en.	(*pu.*)	tall.	.....	1823.	——	H. ♃.	
3	uliginòsum. M.B.	(*pu.*)	swamp.	Caucasus.	1820.	——	H. ♃.	
4	cànum. M.B.	(*pu.*)	hoary.	Austria.	1633.	——	H. ♃.	Jacq. aust. 1. t. 42-43.
5	Acárna. DC.	(*pu.*)	yellow.	Spain.	1683.	7. 9.	H. ☉	Cavan. ic. 1. t. 53.
6	pyrenàicum. DC.	(*pu.*)	Pyrenean.	Pyrenees.	1818.	7. 8.	H. ♃.	Jacq. obs. 4. t. 95.
7	monspessulànum. DC.	(*pu.*)	Montpelier.	Montpelier.	1596.	6. 7.	H. ♃.	
8	pannònicum. L.en.	(*pu.*)	Hungarian.	Hungary.	1816.	7. 9.	H. ♃.	Jacq. aust. 3. t. 5.
9	stríctum. S.S.	(*pu.*)	straight.	Naples.	1820.	——	H. ♃.	
10	lanceolàtum. DC.	(*pu.*)	common.	Britain.	....	6. 9.	H. ♃.	Eng. bot. v. 2. t. 107.
	Cárduus lanceolàtus. E.B. *Cnìcus lanceolàtus.* W.							
11	desertòrum. L.en.	(*pu.*)	desert.	Siberia.	1823.	7. 8.	H. ♃.	
12	cichoràceum. S.S.	(*pu.*)	Succory-like.	Naples.	1824.	——	H. ♃.	
13	itálicum. S.S.	(*pu.*)	Italian.	Italy.	1826.	——	H. ♃.	
14	sículum. S.S.	(*pu.*)	Sicily.	Sicily.	1828.	——	H. ♃.	
15	negléctum. S.S.	(*pu.*)	neglected.	Siberia.	1829.	——	H. ♃.	
16	púngens. S.S.	(*pu.*)	pungent.	Levant.	——	——	H. ♃.	
17	paniculàtum. S.S.	(*pu.*)	panicled.	Pyrenees.	1827.	——	H. ♃.	
18	créticum. S.S.	(*wh.*)	Cretan.	Crete.	——	——	H. ♃.	
19	ciliàtum. L.en.	(*pu.*)	fringed.	Siberia.	1787.	8.	H. ♃.	Murr. com. got. 6. t. 5.
20	serrulàtum. M.B.	(*pu.*)	serrulate.	Tauria.	1820.	7. 8.	H. ♃.	
21	laniflòrum. M.B.	(*pu.*)	woolly-flowered.	———	1823.	——	H. ♃.	
22	arachnoídeum. M.B.	(*pu.*)	cobweb.	———	——	——	H. ♃.	
23	strigòsum. M.B.	(*pu.*)	strigose.	Caucasus.	1818.	——	H. ♂.	
24	hórridum. M.B.	(*pu.*)	very spiny.	———	1820.	——	H. ♃	
25	mùnitum. M.B.	(*pu.*)	armed.	———	1816.	——	H. ♃.	
26	obvallàtum. M.B.	(*pu.*)	crowded-flower'd.	———	——	——	H. ♃.	

27 scleránthon. M.B. (*wh.*) hard-flowered. Caucasus. 1824. 7. 8. H. ♂.
carlinoides. F. *Carlina Echinus.* M.B.
28 echinàtum. S.S. (*pu.*) hedgehog. Barbary. —— —— H. ♃.
29 erióphorum. DC. (*pu.*) woolly-headed. Britain. .... —— H. ♂. Eng. bot. v. 6. t. 386.
Cárduus erióphorus. E.B. *Cnicus erióphorus.* W.
30 férox. DC. (*wh.*) fierce. S. Europe. 1683. —— H. ♂. All. ped. 1. t. 50.
31 díscolor. S.S. (*pu.*) two-coloured. N. America. 1803. —— H. ♂.
32 inérme. L.en. (*pu.*) unarmed. Pyrenees. 1818. —— H. ♃.
33 cynaroides. S.S. (*pu.*) Artichoke-like. Crete. 1828. —— H. ♃.
34 altíssimum. S.S. (*pu.*) giant. N. America. 1726. 8. 9. H. ♃. Dill. elth. t. 69. f. 80
35 praténse. (*pu.*) meadow. Britain. .... 6. 7. H. ♃. Eng. bot. v. 8. t. 177.
ánglicum. DC. *Cárduus praténsis.* E.B. *Cnicus praténsis.* W.
36 heterophy'llum. DC. (*pu.*) melancholy. —— .... 7. 8. H. ♃. —— v. 10. t. 675.
37 helenioides. L.en. (*pu.*) Elecampane-l^d. Siberia. 1804. —— H. ♃.
38 serratuloides. S.S. (*pu.*) sawwort-like. —— 1752. 6. 10. H. ♃. Jacq. aust. 2. t. 127.
39 heteromállum. (*pu.*) Nepaul. Nepaul. 1820. —— H. ♂.
Cnicus heteromállus. D.P. *Cárduus cándicans.* Wal.
40 arvénse. DC. (*li.*) corn or way. Britain. .... 7. H. ♃. Eng. bot. v. 14. t. 975.
Serrátula arvénsis. W. *Cárduus arvénsis.* E.B. *Cnicus arvénsis.* Ph.
41 rivulàre. S.S. (*pu.*) river. Hungary. 1804. 7. 8. H. ♃. Jacq. aust. 1. t. 91.
tricephalòdes. DC. *Cnicus rivulàris.* W.
β *salisburgénse.* *smaller.* —— —— —— H. ♃.
42 ambíguum. DC. (*pu.*) ambiguous. S. Europe. 1823. —— H. ♃.
43 orgyále. S.S. (*pu.*) tall. ..... —— —— H. ♃.
44 carniòlicum. S.S. (*wh.*) Carniola. Carniola. 1792. —— H. ♃. Scop. carn. 1005. t. 54.
45 pauciflòrum. S.S. (*pu.*) few-flowered. Hungary. 1816. —— H. ♂. W. et K. hung. 2. t. 161.
46 tatáricum. S.S. (*wh.*) Tartarian. Siberia. 1775. 7. 8. H. ♃. Jacq. aust. 1. t. 90.
47 rigens. S.S. (*wh.*) upright alpine. Switzerland. —— —— H. ♃. La Chenal. act. h. 4. t. 16.
48 oleràceum. DC. (*wh.*) pale-flowered. Europe. 1570. —— H. ♃. Flor. dan. 860.
49 Eristhales. L.en. (*st.*) clammy. France. 1752. 6. 8. H. ♃. Jacq. aust. 4. t. 310.
glutinòsum. DC. *Cnicus Eristhales.* W.
50 ochroleùcum. DC. (*st.*) pale yellow. Switzerland. 1801. 7. H. ♃.
51 mite. S.S. (*pu.*) soft. Siberia. 1818. 7. 8. H. ☉.
52 fimbriàtum. S.S. (*pu.*) fringed. Caucasus. 1829. —— H. ♃.
53 mèdium. S.S. (*pu.*) middle. Italy. —— —— H. ♃.
54 níveum. S.S. (*pu.*) snowy-leaved. Sicily. 1828. —— H. ♃.
55 dealbàtum. S.S. (*pu.*) mealy-leaved. Caucasus. —— —— H. ♃.
56 echinocéphalum. S.S. (*pu.*) spiny-headed. —— 1823. —— H. ♃.
57 lappàceum. M.B. (*pu.*) Burdock-like. —— 1826. —— H. ♃.
58 pinnatífidum. S.S. (*pu.*) pinnatifid. Spain. —— —— H. ♃.
59 bulbòsum. DC. (*pu.*) tuberous. England. .... 8. 10. H. ♃. Eng. bot. v. 36. t. 2562.
Cnicus tuberòsus. E.B. *Cárduus tuberòsus.* L.
60 setòsum. M.B. (*pu.*) setose. Tauria. 1823. 7. 8. H. ♃.
61 acaùle. DC. (*pu.*) dwarf. Britain. .... —— H. ♃. Eng. bot. v. 8. t. 161.
Cárduus acaùlis. E.B. *Cnicus acaùlis.* W.
β *cauléscens.* F.S. (*pu.*) *stalked.* —— .... —— H. ♃.
62 Casabònæ. DC. (*pu.*) fish-bone. S. Europe. 1714. 6. 8. F. ♂. Schmidt ic. t. 51-52.
63 stellàtum. DC. (*pu.*) starry. Italy. 1665. 6. 7. H. ☉. Flor. græc. t. 830.
64 Diacánthon. S.S. (*pu.*) two-spined. Barbary. 1800. —— F. ♂. Lob. ic. pl. syr. 1. t. 3.
65 áfrum. S.S. (*pu.*) African. —— 1802. —— F. ♂. Jacq. schœnb. 2. t. 145.
66 squarròsum. S.S. (*pu.*) squarrose. Siberia. 1829. —— H. ♃.
67 incànum. S.S. (*pu.*) hoary. Caucasus. —— —— H. ♃.
68 syriacum. L.en. (*wh.*) Syrian. Levant. 1771. 7. 8. H. ☉. Flor. græc. t. 831.
69 spinosíssimum. S.S. (*wh.*) feathery-headed. Switzerland. 1759. 6. 8. H. ♃. Bot. mag. t. 1366.
70 tatáricum. S.S. (*wh.*) Tartarian. Tartary. 1829. —— H. ♃.
71 Bertolònii. S.S. (*wh.*) Bertoloni's. Italy. 1828. —— H. ♃.
72 b'æticum. S.S. (*wh.*) Baetian. Spain. 1825. —— H. ♃.
73 semipectinàtum. S.S. (*w.*) semipectinate. Siberia. 1828. —— H. ♃.
74 Gmelìni. F. (*pu.*) Gmelin's. Baical. 1829. —— H. ♃.
75 arábicum. F. (*pu.*) Arabian. Arabia. —— —— H. ☉.
76 pygm'æum. DC. (*pu.*) pigmy. Austria. 1816. —— H. ♃. Jacq. aust. t. 440.
Serrátula pygm'æa. W.

ERYTHROL'ÆNA. ERYTHROL'ÆNA. Syngenesia Polygamia Æqualis.
conspícua. B.F.G. (*sc.*) conspicuous. Mexico. 1824. 9. 10. F. ♂. Swt. br. fl. gar. t. 134.

ONOPO'RDUM. DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.
1 Acánthium. E.B. (*pu.*) woolly. Britain. .... 7. 8. H. ♂. Eng. bot. v. 14. t. 977.
2 taùricum. W. (*pu.*) Taurian. Tauria. 1800. —— H. ♂.
3 vìrens. DC. (*pu.*) green. S. Europe. 1822. —— H. ♂.
4 macrocánthum. W. (*pu.*) long-spined. Barbary. 1798. —— H. ♂. Schousb. maroc. t. 5.

5	illy'ricum. w.	(*pu.*)	Illyrian.	S. Europe.	1648.	7. 8.	H. ♂.	Jacq. vind. 2. t. 148.
6	arábicum. w.	(*pu.*)	Arabian.	———	1686.	7.	H. ♂.	——— 2. t. 149.
7	elàtum. Sm.	(*pu.*)	tall.	Greece.	1818.	7. 8.	H. ♂.	
8	deltoídes. w.	(*pu.*)	Siberian.	Siberia.	1784.	8.	H. ♃.	
9	gr'æcum. w.	(*pu.*)	Grecian.	Greece.	1799.	6. 7.	H. ♃.	Gouan. ill. t. 25.
10	cynaroídes. L.en. *Cárthamus cynaroídes.* M.B.	(*pu.*)	Cynara-like.	Caucasus.	1823.	7. 8.	H. ♃.	
11	viscòsum. Schr.	(*pu.*)	viscous.	Europe.	1821.	——	H. ♂.	
12	pyrenàicum. DC.	(*pu.*)	Pyrenean.	Pyrenees.	1818.	——	H. ♃.	
13	acaùlon. w.	(*pu.*)	dwarf.	.....	1739.	——	H. ♂.	Jacq. ic. 1. t. 167.

BERA'RDIA. P.S. BERA'RDIA. Syngenesia Polygamia Æqualis.

	subacaùlis. P.S.	(*pu.*)	round-leaved.	Italy.	1791.	7. 8.	H. ♃.	Vill. dauph. 3. t. 22.
	A'rctium lanuginòsum. DC. *Onopórdum rotundifòlium.* w.							

ACIL'EPIS. D.P. ACIL'EPIS. Syngenesia Polygamia Æqualis.

	squarròsa. D.P.	(*pu.*)	squarrose.	Nepaul.	1821.	7. 8.	H. ♃.	

CYN'ARA. W. ARTICHOKE. Syngenesia Polygamia Æqualis.

1	Cardúnculus. w.	(*bl.*)	Cardoon.	Candia.	1658.	8. 9.	H. ♃.	Tabern. ic. 696.
2	Scólymus. w.	(*bl.*)	common.	S. Europe.	1548.	——	H. ♃.	Blackw. t. 458.
3	spinosíssima. S.S.	(*bl.*)	very spiny.	Sicily.	1824.	——	H. ♃.	
4	hórrida. w.	(*bl.*)	very prickly.	Madeira.	1778.	——	G. ♃.	Flor. græc. t. 834.
5	hùmilis. w.	(*bl.*)	dwarf.	Spain.	1613.	7. 8.	H. ♃.	Pluk. alm. t. 81. f. 2.
6	córsica. Viv.	(*bl.*)	Corsican.	Corsica.	1825.	——	H. ♃.	
7	pygmæa. w.	(*bl.*)	small.	Spain.	1824.	——	H. ♃.	

CESTR'INUS. Cass. CESTR'INUS. Syngenesia Polygamia Æqualis.

	carthamoídes. Cass. *Cynàra acaùlis.* w.	(*bl.*)	Carthamus-like. *Serrátula acaùlis.* DC.	Barbary.	1799.	7.	H. ♃.	Desf. atl. 2. t. 223.

CARL'INA. W. CARLINE-THISTLE. Syngenesia Polygamia Æqualis.

1	acaùlis. w.	(*wh.*)	dwarf.	Italy.	1640.	6.	H. ♃.	Knorr. thes. 2. t. c. 1.
	β *cauléscens.* P.S.	(*wh.*)	*stalked.*	———	——	——	H. ♃.	
2	acanthifòlia. w.	(*wh.*)	Acanthus-leav'd.	Pyrenees.	1818.	6. 7.	H. ♃.	Allion. ped. t. 51.
3	símplex. P.S.	(*wh.*)	single-flowered.	Hungary.	1816.	——	H. ♃.	W. et K. hung. 2. t. 152.
4	aggregàta. w.	(*wh.*)	clustered.	———	1804.	6. 9.	H. ♃.	
5	lyràta. w.	(*wh.*)	lyre-leaved.	C. B. S.	1816.	——	G. ♂.	
6	lanàta. w.	(*ro.*)	woolly.	S. Europe.	1683.	6. 7.	H. ☉.	Garid. aix. t. 21.
7	corymbòsa. w.	(*ye.*)	corymbed.	———	1640.	7. 8.	H. ♃.	Flor. græc. t. 837.
8	vulgàris. w.	(*bh.*)	common.	Britain.	....	5. 9.	H. ♂.	Eng. bot. v. 16. t. 1144.
9	racemòsa. w.	(*ye.*)	racemed.	Spain.	1658.	6. 8.	H. ☉.	
10	sícula. S.S.	(*wh.*)	Sicilian.	Sicily.	1828.	——	H. ♃.	
11	Bieberstеínii. Ot.	(*wh.*)	Bieberstein's.	Caucasus.	1821.	——	H. ♃.	

STOB'ÆA. W. STOB'ÆA. Syngenesia Polygamia Æqualis.

1	pinnàta. w.	(*ye.*)	Carthamus-like.	C. B. S.	1812.	1. 12.	G. ♄.	Bot. mag. t. 1788.
2	glomeràta. S.S. *Cynàra glomeràta.* Thunberg.	(*ye.*)	clustered.	———	1816.	7. 8.	G. ♃.	
3	atractyloides. S.S.	(*ye.*)	Atractylis-like.	———	1823.	——	G. ♃.	

CA'RTHAMUS. S.S. BASTARD SAFFRON. Syngenesia Polygamia Æqualis.

1	tinctòrius. w.	(*or.*)	common.	Egypt.	1551.	6. 7.	H. ☉.	Bot. reg. t. 170.
2	oxyacántha. S.S.	(*ye.*)	sharp-spined.	Caucasus.	1829.	——	H. ☉.	

HERACA'NTHA. L.en. HERACA'NTHA. Syngenesia Polygamia Æqualis.

1	lanàta. L.en. *Cárthamus lanàtus.* B.M. *Centaùrea lanàta.* DC.	(*ye.*)	woolly.	S. Europe.	1596.	7. 8.	H. ☉.	Bot. mag. t. 2143.
2	crética. L.en. *Cárthamus créticus.* w.	(*wh.*)	Cretan.	Candia.	1781.	6. 7.	H. ☉.	
3	taùrica. L.en.	(*ye.*)	Taurian.	Tauria.	1818.	——	H. ☉.	
4	glaùca. *Cárthamus glaùcus.* M.B.	(*pu.*)	glaucous.	Iberia.	——	——	H. ☉.	

ONOBR'OMA. G. ONOBR'OMA. Syngenesia Polygamia Æqualis.

1	tingitàna. *Cárthamus tingitànus.* w.	(*bl.*)	Tangier.	Barbary.	1759.	6. 7.	H. ♃.	Cavan. ic. 2. t. 128.
2	cærùlea. L.en. *Cárthamus cæràleus.* w.	(*bl.*)	blue-flowered.	Spain.	1640.	——	H. ♃.	Bot. mag. t. 2293.
3	arboréscens. S.S. *Cárthamus arboréscens.* w.	(*ye.*)	tree.	Spain.	1731.	7. 8.	F. ♄.	

CARDUNCE'LLUS. DC. CARDUNCE'LLUS. Syngenesia Polygamia Æqualis.

1	vulgàris. DC. *Cárthamus Carduncéllus.* w.	(*bl.*)	common.	France.	1776.	5. 6.	H. ♃.	Lob. ic. 2. p. 20.
2	mitissimus. DC.	(*bl.*)	small.	———	1734.	6. 7.	H. ♃.	

CARLOW'IZIA. DC. CARLOW'IZIA. Syngenesia Polygamia Æqualis.

	salicifòlia. DC. *Cárthamus salicifòlius.* w. *Onobròma salicifòlium.* L.en.	(*st.*)	Willow-leaved.	Madeira.	1784.	8.	G. ♄.	

ATRA'CTYLIS. W.		**Atra'ctylis.** Syngenesia Polygamia Æqualis.						
hùmilis. w.	(*sh.*)	dwarf.	Spain.	1759.	5. 7.	H. ♃.	Cav. ic. 1. t. 54.
ACA'RNA. W.		**Aca'rna.** Syngenesia Polygamia Æqualis.						
1 gummífera. w.	(*pu.*)	gummy-rooted.	S. Europe.	1640.	6. 8.	H. ♃.	Cavan. ic. 3. t. 228.
2 serratuloídes. s.s.	(*pu.*)	Sawwort-like.	Palestine.	1827.	——	H. ♃.	
3 comòsa. s.s.	(*pu.*)	tufted.	———	——	——	H. ♃.	
4 cancellàta. w.	(*bl.*)	netted.	S. Europe.	——	6. 7.	H. ☉.	Lam. ill. t. 662. f. 1.
Atráctylis cancellàta. p.s.							
STOK'ESIA. W.		**Stok'esia.** Syngenesia Polygamia Æqualis.						
cyánea. w.	(*bl.*)	blue-flowered.	Carolina.	1766.	8.	G. ♃.	L'Herit. sert. 27. t. 38.
STÆHEL'INA. W.		**Stæhel'ina.** Syngenesia Polygamia Æqualis.						
1 dùbia. w.	(*pu.*)	Rosemary-leav'd.	S. Europe.	1640.	6. 7.	H. ♄.	Lam. ill. t. 666. f. 4.
2 arboréscens. w.	(*re.*)	Storax-leaved.	Candia.	1739.	7. 9.	F. ♄.	Flor. græc. t. 345.
3 chamæpeùce. w.	(*re.*)	Pine-leaved.	———	1640.	7. 11.	F. ♄.	——— t. 347.
PTER'ONIA. W.		**Pter'onia.** Syngenesia Polygamia Æqualis.						
1 camphoràta. w.	(*ye.*)	aromatic.	C. B. S.	1774.	6. 7.	G. ♄.	Pluk. mant. t. 345. f. 2.
2 stricta. w.	(*ye.*)	cluster-flowered.	———	——	4. 6.	G. ♄.	
3 echinàta. w.	(*ye.*)	prickly-cupped.	———	1820.	——	G. ♄.	
4 flexicaùlis. w.	(*ye.*)	bending-stalk'd.	———	1812.	6. 8.	G. ♄.	
5 fasciculàta. w.	(*ye.*)	cluster-flowered.	———	1816.	——	G. ♄.	
6 pállens. w.	(*pa.*)	pale.	———	——	——	G. ♄.	
7 oppositifólia. w.	(*ye.*)	opposite-leaved.	———	1774.	7.	G. ♄.	Lam. ill. t. 667. f. 2.
8 glomeràta. w.	(*ye.*)	crowded.	———	1823.	6. 8.	G. ♄.	
9 scariòsa. w.	(*ye.*)	window-cupped.	———	1815.	——	G. ♄.	
Z'ŒGEA. W.		**Z'œgea.** Syngenesia Polygamia Frustranea.						
Leptaùrea. w.	(*ye.*)	yellow-flower'd.	Levant.	1779.	7. 8.	H. ☉.	Jacq. ic. 1. t. 177.
LE'UZEA. DC.		**Le'uzea.** Syngenesia Polygamia Frustranea.						
1 conífera. DC.	(*pu.*)	cone.	S. Europe.	1683.	6. 9.	H. ♃.	DC. ann. mus. 16. t. 14.
Centaùrea conífera. w.							
2 altàica. L.en.	(*pu.*)	large-flowered.	Altay.	1818.	——	H. ♃.	
3 dahùrica. F.	(*pu.*)	Dahurian.	Dahuria.	1821.	——	H. ♃.	
4 australis. D.D.	(*pu.*)	New Holland.	N. Holland.	1821.	8. 9.	H. ♃.	
GALA'CTITES. DC.		**Gala'ctites.** Syngenesia Polygamia Frustranea.						
tomentòsa. DC.		woolly.	S. Europe.	1738.	7.	H. ☉.	DC. ann. mus. 16. t. 16.
Centaùrea galáctites. w.							
CRUP'INA. Cas.		**Starry Scabious.** Syngenesia Polygamia Frustranea.						
1 vulgàris. Cas.	(*re.*)	black-seeded.	Italy.	1596.	6. 7.	H. ☉.	Colum. ecph. 1. t. 34.
Centaùrea Crupìna. w.							
2 crupinoídes. p.s.	(*su.*)	saffron-colour'd.	Barbary.	1826.	——	H. ☉.	
3 Lippii. p.s.		Lippi's.	Egypt.	1739.	——	H. ☉.	Isn. act. par. 1719. t. 10.
Centaùrea Lippii. w.							
4 arenària. p.s.	(*pu.*)	sand.	Volga.	1821.	——	H. ☉.	
CENTA'UREA. W.		**Centaury.** Syngenesia Polygamia Frustranea.						
1 moschàta. w.	(*li.*)	sweet sultan.	Persia.	1629.	7. 10.	H. ☉.	Knor. thes. 2. t. C. 4.
2 glaùca. w.	(*pu.*)	glaucous.	Caucasus.	1805.	6. 7.	H. ☉.	
3 suavèolens. w.	(*ye.*)	yellow sultan.	Levant.	1683.	7. 10.	H. ☉.	Swt. brit. fl. gar. 1. t. 51.
4 alpìna. w.	(*ye.*)	Alpine.	Italy.	1640.	7. 8.	H. ♃.	Cornut. can. 69. t. 70.
5 Centaùrium. w.	(*bl.*)	great.	———	1596.	——	H. ♃.	
6 ruthènica. w.	(*st.*)	Russian.	Russia.	1806.	——	H. ♃.	Gmel. sib. 2. t. 41.
7 phrygia. w.	(*pu.*)	feathery-cupp'd.	Switzerland.	1633.	6. 10.	H. ♃.	Flor. dan. t. 520.
8 rivulàris. p.s.	(*br.*)	river-side.	Portugal.	1812.	7. 9.	H. ♃.	
9 salicifólia. w.	(*pu.*)	Willow-leaved.	Caucasus.	1816.	——	H. ♃.	
10 austriaca. w.	(*pu.*)	Austrian.	Austria.	1815.	6. 10.	H. ♃.	
11 pectinàta. w.	(*pu.*)	pectinated.	France.	1727.	7. 10.	H. ♃.	
12 unifiòra. w.	(*pu.*)	one-flowered.	S. Europe.	1824.	6. 8.	H. ♃.	Bocc. mus. 2. t. 2.
13 flosculòsa. w.	(*pu.*)	flosculose.	Italy.	1817.	——	H. ♃.	
14 nervòsa. w.	(*pu.*)	nerved.	S. Europe.	1815.	6. 9.	H. ♃.	
15 linifólia. p.s.	(*pu.*)	Flax-leaved.	———	1826.	——	H. ♃.	
16 capillàta. p.s.	(*pu.*)	hairy-headed.	Volga.	1827.	——	H. ♃.	
17 tricocéphala. w.	(*pu.*)	downy-cupped.	Siberia.	1805.	7. 8.	H. ♃.	Gmel. sib. 2. t. 45. f. 1. 2.
18 hyssopifólia. w.	(*pu.*)	Hyssop-leaved.	Spain.	1812.	——	F. ♄.	Barrel. ic. 306.
19 coronopifólia. w.	(*ye.*)	Buck's-horn-ld.	Levant.	1739.	6. 7.	H. ☉.	
20 procúmbens. p.s.	(*pu.*)	procumbent.	Italy.	1821.	——	H. ♃.	
21 nigra. w.	(*pu.*)	black knapweed.	Britain.	....	5. 8.	H. ♃.	Eng. bot. v. 4. t. 278.
22 praténsis. p.s.	(*pu.*)	field.	France.	1824.	——	H. ♃.	
23 nigréscens. w.	(*pu.*)	dark.	Hungary.	1805.	6. 8.	H. ♃.	
24 decípiens. p.s.	(*pu.*)	deceived.	France.	1826.	——	H. ♃.	
25 Triumfétti. w.	(*re.*)	Cenisian.	Mt. Cenis.	——	——	H. ♃.	
26 montàna. w.	(*bl.*)	mountain.	Austria.	1596.	——	H. ♃.	Bot. mag. t. 77.

27	seusàna. P.S. *axillàris.* W. *variegàta.* Lam.		silvery-fringed.	S. Europe.	1816.	6. 8.	H. ♃.	Barrel. ic. 389.
28	stricta. W.K.	(*bl.*)	upright.	Hungary.	1826.	——	H. ♃.	
29	deprèssa. M.B.	(*bl.*)	depressed.	Caucasus.	——	——	H. ♃.	
30	lingulàta. S.S.	(*bl.*)	tongue-leaved.	Spain.	1825.	——	H. ♃.	
31	spathulàta. S.S.	(*bl.*)	spathulate-leav'd.	Naples.	1827.	——	H. ♃.	
32	Cyánus. W. *Cyánus ségetum.* Mœnch.	(*bl.va.*)	blue-bottle.	Britain.	....	——	H. ☉.	Eng. bot. v. 4. t. 277.
33	americàna. N.	(*li.*)	American.	N. America.	1823.	7. 10.	H. ☉.	Swt. br. fl. gar. ic.
34	ochroleùca. W.	(*st.*)	Caucasean.	Caucasus.	1801.	7. 8.	H. ☉.	Bot. mag. t. 1175.
35	africàna. W.	(*ye.*)	African.	Africa.	1825.	——	F. ♃.	
36	cheiranthifòlia. W.	(*ye.*)	Stock-leaved.	Caucasus.	1829.	——	H. ♃.	
37	ovìna. W.	(*ye.*)	small-flowered.	————	1802.	7. 11.	H. ♃.	
38	paniculàta. W.	(*pu.*)	panicled.	Europe.	1640.	7. 8.	H. ♂.	Jacq. aust. 4. t. 320.
39	intybàcea. P.S.	(*re.*)	Succory-leaved.	S. Europe.	1778.	7. 9.	H. ♃.	
40	leucántha. Lam.	(*wh.*)	white-blossom'd.	————	1826.	——	H. ♃.	Barrel. ic. 359.
41	spinòsa. W.	(*wh.*)	prickly-branch'd.	Candia.	1640.	——	F. ♄.	Bot. mag. t. 2493.
42	ragusìna. W.	(*ye.*)	white-leaved.	————	1710.	6. 7.	G. ♄.	———— t. 494.
43	argéntea. W.	(*ye.*)	silver-leaved.	————	1739.	7. 8.	F. ♄.	Barrel. ic. t. 218.
44	Cinerària. W.	(*pu.*)	hoary-leaved.	Italy.	1710.	——	H. ♃.	Moris. s. 7. t. 26. f. 20.
45	cinèrea. W.	(*pu.*)	gray.	————	——	6. 7.	H. ♃.	Jacq. vind. 1. t. 92.
46	dealbàta. M.B.	(*pu.*)	mealy.	Caucasus.	1804.	7. 8.	H. ♃.	
47	cicutæfòlia. H.H.	(*pu.*)	Cicuta-leaved.	Europe.	1824.	——	H. ♃.	
48	maculòsa. P.S.	(*pu.*)	spotted-cupped.	Siberia.	1816.	——	H. ♃.	Gmel. sib. 2. t. 44. f. 1. 2.
49	Marschalliàna. S.S.	(*pu.*)	Marschall's.	Caucasus.	1829.	——	H. ♃.	
50	declinàta. M.B.	(*pu.*)	declining.	————	1827.	——	H. ♃.	
51	leucophy'lla. M.B.	(*pu.*)	white-leaved.	————	1824.	——	H. ♃.	
52	trinérvia. W.	(*pu.*)	three-nerved.	————	1828.	——	H. ♃.	
53	dissécta. T.N.	(*pu.*)	cut-leaved.	Italy.	1824.	——	H. ♃.	
54	sempervìrens. W.	(*ye.*)	evergreen.	Spain.	1683.	——	H. ♃.	Bocc. sic. t. 39. f. 3.
55	coriàcea. W.	(*re.*)	leathery-leav'd.	Hungary.	1804.	6. 7.	H. ♃.	W. et K. hung. 2. t. 195.
56	Scabiòsa. W.	(*pu.*)	greater-knapweed.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 1. t. 56.
57	tatárica. W.	(*ye.*)	Tartarian.	Tartary.	1801.	7. 8.	H. ♃.	
58	St'œbe. W.	(*pu.*)	wing-leaved.	Austria?	1759.	6. 7.	H. ♃.	
59	Fischèri. W.en.	(*pu.*)	Fischer's.	Siberia.	1816.	——	H. ♃.	
60	macrocéphala. W.	(*st.*)	large-headed.	Caucasus.	1805.	6. 8.	H. ♃.	Bot. mag. t. 1248.
61	atropurpùrea. W.	(*pu.*)	dark purple.	Hungary.	1802.	——	H. ♃.	W. et K. hung. 2. t. 116.
62	calocéphala. W.en.	(*ye.*)	smooth-stalked.	Levant.	1816.	——	H. ♃.	
63	canariénsis. W.en.	(*wh.*)	Canary.	Teneriffe.	1815.	——	G. ♄.	
64	orientàlis. W.	(*ye.*)	oriental.	Levant.	1759.	7. 8.	H. ♃.	
65	pulchérrima. W.	(*pu.*)	beautiful.	Caucasus.	1823.	——	H. ♃.	
66	arachnoídea. P.S.	(*ye.*)	cobweb.	Italy.	——	——	H. ♃.	Viv. fl. it. fr. t. 8.
67	sibírica. W.	(*pu.*)	Siberian.	Siberia.	1782.	——	H. ♃.	Gmel. sib. 2. t. 42. f. 2.
68	dilùta. W.	(*li.*)	pale-flowered.	S. Europe.	1781.	——	H. ♃.	
69	alàta. W.	(*ye.*)	winged-stalked.	Tartary.	——	8. 9.	H. ♃.	Venten. cels. t. 80.
70	elongàta. S.S.	(*li.*)	elongated.	Barbary.	1822.	——	H. ♃.	
71	Bèhen. W.	(*ye.*)	saw-leaved.	Levant.	1797.	7. 8.	H. ☉.	
72	répens. W.	(*ye.*)	creeping.	————	1739.	6. 8.	H. ♃.	
73	Jacea. W.	(*pu.*)	brown knapweed.	England.	....	7. 9.	H. ♃.	Eng. bot. v. 24. t. 1678.
74	decúmbens. P.S.	(*pu.*)	decumbent.	France.	1815.	——	H. ♃.	
75	amára. W.	(*pu.*)	bitter.	Italy.	....	7. 8.	H. ♃.	Bocc. mus. 31. t. 17.
76	álba. W.	(*pu.*)	white.	Spain.	1597.	6. 9.	H. ♃.	
77	spléndens. W.	(*pu.*)	shining.	————	——	7. 8.	H. ♂.	
78	nítens. W.	(*pu.*)	glittering.	Caucasus.	1823.	——	H. ☉.	Buxb. cent. 2. t. 15. f. 1.
79	tagàna. W.	(*pu.*)	Portugal.	Portugal.	1640.	——	H. ♃.	Brot. phyt. lus. t. 3.
80	babylònica. W.	(*pu.*)	Babylonian.	Levant.	1710.	6. 9.	H. ♃.	Alp. exot. t. 282.
81	glastifòlia. W.	(*ye.*)	woad-leaved.	Siberia.	1731.	——	H. ♃.	Bot. mag. t. 62.
82	parvifòra. S.S.	(*pu.*)	small-flowered.	S. Europe.	1823.	——	H. ♃.	
83	multífida. P.S.	(*st.*)	multifid.	————	1824.	——	H. ♃.	
84	sórdida. S.S.	(*pu.ye.*)	sordid.	.....	1817.	——	H. ♃.	
85	rígida. S.S.	(*pu.*)	rigid.	.....	1824.	——	H. ♃.	
86	Barrelíeri. S.S.	(*pu.*)	Barrelier's.	Hungary.	1826.	——	H. ♃.	Barrel. ic. 310.
87	stereophy'lla. S.S.	(*pu.*)	variable-leaved.	Poland.	1828.	——	H. ♃.	
88	spinulòsa. S.S.	(*pu.*)	small-spined.	Hungary.	1825.	——	H. ♃.	
89	tenuifòlia. Leh.	(*pu.*)	slender-leaved.	Siberia.	1829.	——	H. ♃.	
90	subspinòsa. Leh.	(*pu.*)	somewhat spiny.	————	——	——	H. ♃.	
91	jacobeæfòlia. S.S.	(*ye.*)	Jacobea-leaved.	.....	——	——	H. ♃.	
92	reflèxa. S.S.	(*ye.*)	crook-spined.	Iberia.	1801.	7. 8.	H. ♃.	
93	centauroídes. S.S.	(*ye.*)	lyre-leaved.	S. Europe.	1759.	5. 7.	H. ♃.	Column. ecphr. 1. t. 35.

94	collìna. s.s.	(*ye.*)	hill.	S. Europe.	1596.	6. 7.	H. ♃.	
95	pubéscens. s.s.	(*ye.*)	downy.	.....	1804.	7. 8.	H. ♃.	
96	nicæénsis. s.s.	(*ye.*)	Italian.	Italy.	1827.	——	H. ♃.	
97	rupéstris. s.s.	(*ye.*)	rock.	———	1804.	——	H. ♃.	Column.ecph.1.t.et.f.2.
98	hy'brida. s.s.	(*pu.ye.*)	hybrid.	———	1821.	——	H. ♂.	
99	sabulòsa. s.s.	(*wh.*)	gravel.	Siberia.	1828.	——	H. ♃.	
100	Crocody'lium.s.s.	(*bl.*)	blush-flowered.	Levant.	1777.	——	H. ☉.	Barrel. rar. t. 503.
101	aùrea. s.s.	(*go.*)	great golden.	S. Europe.	1758.	7. 9.	H. ♃.	Bot. mag. t. 421.
102	scopària. s.s.	(*pu.*)	broom.	Levant.	1829.	——	H. ♃.	
103	Verùtum. s.s.	(*ye.*)	dwarf.	———	1780.	8. 9.	H. ☉.	Jacq. ic. t. 178.
104	muricàta. s.s.	(*pu.*)	muricated.	Spain.	1621.	7. 8.	H. ☉.	
105	pubígera. P.s.	(*pu.*)	pubescent.	S. Europe.	1828.	——	H. ☉.	
106	peregrìna. s.s.	(*pu.*)	soft-leaved.	———	1749.	——	H. ☉.	
107	cichoràcea. s.s.	(*pu.*)	Succory-like.	Italy.	....	7. 9.	H. ♂.	Till. pis. p. 84. t. 27.
108	salmántica.s.s.	(*wh.pu.*)	ragwort-leaved.	S. Europe.	1596.	7. 8.	H. ♂.	Jacq. vind. 1. t. 64.
109	sonchifòlia. s.s.	(*pu.*)	Sow-thistle-ld.	———	1780.	8. 10.	H. ☉.	Pluk. phyt. 39. f. 1.
110	Séridis. s.s.	(*pu.*)	purple-flower'd.	Spain.	1686.	6. 8.	H. ♃.	Pluk. alm. t. 38. f. 1.
111	napifòlia. s.s.	(*pu.*)	Turnep-leaved.	Candia.	1691.	7. 9.	H. ☉.	Herm. parad. t. 189.
112	Zanònii. s.s.	(*pu.*)	Zanoni's.	———	1822.	——	H. ♂.	
113	Isnárdi. s.s.	(*li.*)	Jersey.	Jersey.	....	7. 8.	H. ♃.	Eng. bot. v. 32. t. 2256.
114	áspera. s.s.	(*pu.*)	rough.	S. Europe.	1772.	6. 10.	H. ☉.	Bocc. mus. 35. t. 26.
115	sphærocéphala.s.s.	(*pu.*)	globe-headed.	———	1683.	6. 8.	H. ☉.	Bot. mag. t. 2551.
116	auriculàta. P.s.	(*pu.*)	eared.	———	1816.	7. 8.	H. ☉.	
117	polyacántha. s.s.	(*pu.*)	many-spined.	Portugal.	1804.	——	H. ☉.	
118	prolífera. P.s.	(*st.*)	proliferous.	Egypt.	1816.	——	H. ☉.	Vent. hort. cels. t. 16.
	stramínea. W. hort. ber. t. 26.							
119	ibérica. s.s.	(*pu.*)	Iberian.	Iberia.	1821.	——	H. ☉.	
120	fèrox. s.s.	(*ye.*)	hedgehog.	Barbary.	1790.	7. 9.	F. ♃.	Desf. atl. 2. t. 242.
121	solstítialis. s.s.	(*ye.*)	St. Barnaby's.	England.	....	7. 8.	H. ☉.	Eng. bot. v. 4. t. 243.
122	melitènsis. s.s.	(*ye.*)	cluster-headed.	Malta.	1710.	——	H. ☉.	Bocc. sic. t. 35.
123	A'dami. s.s.	(*ye.*)	Adam's.	Siberia.	1804.	——	H. ♃.	
124	sulphùrea. W.en.	(*st.*)	straw-coloured.	.....	1815.	——	H. ☉.	
125	sícula. s.s.	(*st.*)	Sicilian.	Sicily	1710.	——	H. ♃.	Bocc. sic. t. 8. f. 1.
126	Stevènii. s.s.	(*ye.*)	Steven's.	Caucasus.	1826.	——	H. ☉.	
127	cruénta. W.en.	(*pu.*)	obovate-leaved.	S. Europe.	1816.	6. 8.	H. ♃.	
128	romàna. L.	(*pu.*)	Roman.	Italy.	1739.	7. 9.	H. ♂.	Barrel. rar. t. 504.
129	benedícta. s.s.	(*st.*)	blessed thistle.	Spain.	1548.	6. 10.	H. ☉.	Zorn. ic. t. 122.
130	pullàta. s.s.	(*br.*)	sad-coloured.	S. Europe.	1714.	6. 7.	H. ♂.	Mill. ic. 2. t. 152. f. 2.
131	erióphora. s.s.	(*ye.*)	woolly-headed.	Portugal.	1714.	6. 10.	H. ☉.	
132	ápula. s.s.	(*ye.*)	Apulian.	Sicily.	1829.	6. 8.	H. ☉.	Column. ecphr. 1. t. 31.
133	Calcítrapa. s.s.	(*li.*)	Star-thistle.	Britain.	....	——	H. ☉.	Eng. bot. v. 2. t. 125.
134	calcitrapoídes.s.s.	(*li.*)	Phœnician.	Levant.	1683.	6. 7.	H. ☉.	
135	ægyptiaca. s.s.	(*wh.*)	Egyptian.	Egypt.	1790.	6. 9.	H. ☉.	
136	balsamìta. W.	(*ye.*)	Balsam-scented.	Armenia.	1824.	7. 8.	H. ♃.	
137	lanàta. DC.	(*ye.*)	hoary.	Switzerland.	1825.	——	H. ☉.	
138	crética. s.s.	(*wh.*)	Cretan.	Candia.	1827.	——	H. ☉.	
139	bullàta. Leh.	....	blistered.	.....	1829.	....	H. ♃?	
140	ucrànica. Ot.	....	Ukraine.	Ukraine.	——	....	H. ♃?	
RHAPO'NTICA. DC.			RHAPO'NTICA.	Syngenesia Polygamia Frustranea.				
1	scariòsa. DC.	(*pu.*)	common.	Switzerland.	1640.	7. 8.	H. ♃.	Bot. mag. t. 1752.
	Centaùrea Rhapóntica. B.M.							
	β lyràta. DC.	(*pu.*)	*lyrate.*	———	....	——	H. ♃.	
2	unifiòra. DC.		one-flowered.	Siberia.	1796.	——	H. ♃.	Gmel. sib. 2. t. 38.
	Cnicus unifiòrus. W.							
3	doronicæfòlia. F.	(*pu.*)	Doronicum-leav'd.	———	1825.	6. 8.	H. ♃.	
4	dahùrica. F.	(*pu.*)	Dahurian.	Dahuria.	1829.	——	H. ♃.	
CARDOP'ATUM. J.			CARDOP'ATUM.	Syngenesia Polygamia Segregata.				
	corymbòsum. P.s.	(*bl.*)	umbelled.	S. Europe.	1640.	6. 7.	H. ♃.	Moris. s. 7. t. 33. f. 17.
	Brótera corymbòsa. W.							

Div. II. ECHINOPSIDEÆ. *Kth. synops.* 2. *p.* 364.

ROLA'NDRA. W.			ROLA'NDRA.	Syngenesia Polygamia Segregata. L.				
	argéntea. W.	(*wh.*)	silver-leaved.	W. Indies.	1714.	7.	S. ♄.	Sloan. jam. 1. t. 7. f. 3.
ECHINO'PS. W.			GLOBE-THISTLE.	Syngenesia Polygamia Segregata. L.				
1	sphærocéphalus.w.	(*wh.*)	great.	Austria.	1596.	7. 8.	H. ♃.	Flor. græc. t. 928.
	*β exaltàtus.*Schr.	(*wh.*)	*tall.*	———	1826.	....	H. ♃.	

2 spinòsus. w.	(wh.)	thorny-headed.	Egypt.	1597.	7. 8.	H. ♃.	Flor. græc. t. 924.
3 paniculàtus. B.R.	(bl.)	panicled.	Spain.	1815.	——	H. ♂.	Bot. reg. t. 356.
4 hórridus. P.S.	(wh.)	horrid.	Persia.	1817.	——	H. ♃.	
5 viscòsus. M.B.	(wh.)	viscous.	Caucasus.	1823.	——	H. ♂.	
6 taùricus. W.en.	(bl.)	Taurian.	Tauria.	1816.	——	H. ♃.	
7 dahùricus. F.	(bl.)	Dahurian.	Dahuria.	1827.	——	H. ♃.	
8 ruthénicus. M.B.	(bl.)	Russian.	Russia.	1819.	——	H. ♃.	
9 Rìtro. w.	(bl.)	small.	Europe.	1570.	7. 9.	H. ♃.	Bot. mag. t. 932.
10 tenuifòlius. F.	(bl.)	slender-leaved.	Russia.	1823.	——	H. ♃.	
11 strictus. B.M.	(bl.)	upright.	————	1822.	8. 10.	H. ♂?	Bot. mag. t. 2457.
12 pérsicus. F.	(wh.)	Persian.	Persia.	1821.	——	H. ♃.	
13 bannáticus. W.K.	(wh.)	Hungarian.	Hungary.	1828.	——	H. ♃.	
14 lanuginòsus. w.	(bl.)	woolly.	Levant.	1736.	6. 7.	H. ♃.	Flor. græc. t. 926.
15 hùmilis. M.B.	(bl.)	low.	Siberia.	1826.	6. 8.	H. ♃.	
16 strigòsus. w.	(wh.)	annual.	Spain.	1729.	7. 9.	H. ☉.	Bot. mag. t. 2109.
GUND'ELIA. W.		GUND'ELIA. Syngenesia Polygamia Segregata. L.					
Tournefórtii. w.	(pu.)	Tournefort's.	Levant.	1739.	6. 8.	H. ♃.	Mill. ic. t. 287.
SPHÆRA'NTHUS. W.		SPHÆRA'NTHUS. Syngenesia Polygamia Segregata. L.					
1 móllis. H.B.	(bl.)	soft.	E. Indies.	1818.	7. 9.	S. ☉.	
2 índicus. w.	(pu.)	Indian.	————	1699.	8. 12.	S. ♃.	Burm. zeyl. t. 94. f. 3.
3 cochinchinénsis. w.	(bl.)	Cochinchina.	Cochinchina.	1826.	7. 8.	H. ☉.	
4 hírtus. w.	(bl.)	hairy.	Manila.	1823.	——	G. ☉.	Lam. ill. t. 718. f. 1.
5 africànus. w.	(bl.)	African.	C. B. S.	1759.	7. 8.	G. ☉.	Pluk. mant. t. 108. f. 7.
ANGIA'NTHUS. W.C.		ANGIA'NTHUS. Syngenesia Polygamia Segregata.					
tomentòsus. w.c.	(ye.)	woolly.	N. Holland.	1803.	7. 8.	G. ♃.	Wendl. coll. 2. t. 48.
Cassínia aùrea. H.K. *non* L.T.							
BROT'ERA. P.S.		BROT'ERA. Syngenesia Polygamia Segregata. P.S.					
trinervàta. P.S.	(ye.)	three-nerved.	S. America.	1799.	7. 8.	H. ☉.	Schr. b. jour. 180. 2. t. 5.
Contrayérva. Spr. *Nauenbúrgia trinervàta.* w.							
ŒD'ERA. W.		ŒD'ERA. Syngenesia Polygamia Segregata. L.					
1 prolífera. w.	(ye.)	proliferous.	C. B. S.	1789.	5. 6.	G. ♄.	Bot. mag. t. 1637.
2 alìena. w.	(ye.)	linear-leaved.	————	1821.	5. 7.	G. ♄.	Jacq. schœnb. 2. t. 154.
ELEPHA'NTOPUS. W.		ELEPHANT'S-FOOT. Syngenesia Polygamia Segregata. L.					
1 scàber. w.	(re.)	rough-leaved.	E. Indies.	1695.	6. 9.	S. ♃.	Rheed. mal. 10. t. 7.
2 caroliniànus. w.	(re.)	Carolina.	America.	1732.	7. 9.	G. ♃.	Dill. elth. t. 106. f. 126.
3 tomentòsus. w.	(re.)	woolly.	W. Indies.	1733.	7. 8.	S. ♃.	
4 móllis. K.S.	(wh.)	soft-leaved.	Caracas.	1825.	——	S. ♃.	
5 nudiflòrus. w.	(re.)	naked-flower'd.	W. Indies.	1822.	——	S. ♄.	
6 spicàtus. w.	(re.)	spiked.	————	1821.	——	S. ♄.	Sloan. hist. 1. t. 150. f. 3. 4.
7 angustifòlius. w.	(re.)	narrow-leaved.	————	1823.	——	S. ♄.	———— t. 148. f. 4.
ST'ŒBE. W.		ST'ŒBE. Syngenesia Polygamia Segregata. L.					
1 æthiòpica. w.	(wh.)	Juniper-leaved.	C. B. S.	1759.	8.	G. ♄.	
Seriphium æthiòpicum. P.S.							
2 ericoídes. w.	(wh.)	Heath-like.	————	1816.	7. 9.	G. ♄.	Moris. s. 7. t. 18. f. 12.
3 gomphrenoídes. w.	(ar.)	Gomphrena-like.	————	——	——	G. ♄.	Houtt. syst. 4. t. 34. f. 1.
4 gnaphaloídes. w.	(wh.)	Gnaphalium-like.	————	1824.	——	G. ♄.	Burm. afr. t. 77. f. 1.
5 cinèrea. w.	(wh.)	Heath-leaved.	————	1774.	——	G. ♄.	Pluk. mant. t. 297. f. 1.
Seriphium cinèreum. P.S.							
6 alopecuroídes. w.	(wh.)	Fox-tail-like.	————	1824.	——	G. ♄.	Pluk. alm. t. 445. f. 2.
7 reflèxa. w.	(wh.)	reflex-leaved.	————	1816.	——	G. ♄.	
CÆS'ULIA. Roxb.		CÆS'ULIA. Syngenesia Polygamia Segregata. L.T.					
1 axillàris. w.	(wh.)	axillary-flower'd.	E. Indies.	1804.	7. 9.	S. ♃.	Andr. reposit. t. 491.
2 lanciflòlia.	(wh.)	spear-leaved.	————	1820.	——	S. ♃.	
LAGA'SCA. Cav.		LAGA'SCA. Syngenesia Polygamia Segregata. L.T.					
móllis. w.	(wh.)	soft.	S. America.	1815.	6. 9.	G. ☉.	Bot. mag. t. 1804.
NO'CCA. W.		NO'CCA. Syngenesia Polygamia Segregata.					
1 rígida. C.I.	(re.)	red-flowered.	Mexico.	1823.	8. 10.	F. ♄.	Swt. br. fl. gar. s. 2. t. 26.
Lagáscea rùbra. H. et B. pl. amer. 4. t. 311.							
2 suavèolens.	(wh.)	sweet-scented.	Mexico.	——	....	F. ♄.	
Lagáscea suavèolens. K.S.							
3 latifòlia. B.F.G.	(wh.)	broad-leaved.	————	——	....	F. ♄.	Swt. br. fl. gar. t. 215.

Div. III. VERNONIACEÆ. *Kth. synops.* 2. *p.* 367. *et* ASTEREÆ. *l. c. p.* 399.

AMPHE'REPHIS. K.S.		AMPHE'REPHIS. Syngenesia Polygamia Æqualis.					
intermèdia. L.en.	(bl.)	intermediate.	Brazil.	1822.	7. 9.	H. ☉.	Swt. br. fl. gar. t. 225.

ASCARI'CIDA. Cass. ASCARI'CIDA. Syngenesia Polygamia Æqualis.

anthelmíntica. (*li.*) Indian. E. Indies. 1770. 8. 9. S. ♂. Rheed. mal. 2. t. 24.
Indica. Cass. *Vernònia anthelmíntica.* W. *Con'yza anthelmíntica.* L.

VERN'ONIA. W. VERN'ONIA. Syngenesia Polygamia Æqualis. W.

1 noveboracénsis. W. (*pu.*) long-leaved. N. America. 1710. 9. 11. H. ♃. Dill. elt. t. 263. f. 342.
2 prælta. W. (*pu.*) tall. ——— 1732. —— H. ♃. ——— t. 264. f. 343.
3 angustifòlia. Ph. (*pu.*) narrow-leaved. ——— 1817. —— H. ♃.
4 glaùca. W. (*pu.*) glaucous-leaved. ——— 1710. —— H. ♃. Dill. elt. t. 262. f. 341.
oligophy'lla. M.
5 altíssima. N. (*pu.*) tallest. ——— 1823. —— H. ♃.
6 panduràta. L.en. (*pu.*) fiddle form. ——— —— —— H. ♃.
7 serratuloídes. K.S. (*pu.*) Sawwort-like. Mexico. 1824. —— H. ♃.
8 axilliflòra. Ot. (*pi.*) axillary-flower'd. ——— 1829. 9. 10. F. ♃.
9 centriflòra. Lk. (*pu.*) centre-flower'd. Brazil. 1826. —— S. ♄.
10 sericea. B.R. (*li.*) silky. ——— 1818. 9. 1. S. ♄. Bot. reg. t. 522.
11 arboréscens. P.S. (*pu.*) tree. Jamaica. 1733. 11. 12. S. ♄. Plum. sp. 10. t. 130. f. 2.
Con'yza arboréscens. W.
12 fruticòsa. P.S. (*pu.*) shrubby. S. America. 1818. —— S. ♄. Plum. ic. 95. f. 1.
Con'yza fruticòsa. L.
13 flexuòsa. B.M. (*pu.*) flexuose-branch'd. Brazil. 1823. 9. 10. S. ♄. Bot. mag. t. 2477.

LI'ATRIS. W. LI'ATRIS. Syngenesia Polygamia Æqualis. W.

1 spicàta. W. (*pu.*) long-spiked. N. America. 1732. 8. 10. H. ♃. Swt. br. fl. gar. t. 49.
β *pùmila.* B.C. (*pu.*) *dwarf.* ——— .... —— H. ♃. Lodd. bot. cab. t. 147.
2 pycnostàchya. M. (*pu.*) pubescent. ——— 1732. —— H. ♃. Dill. elt. t. 72. f. 83.
3 heterophy'lla. Ph. (*pu.*) various-leaved. ——— 1790. 7. 8. H. ♃.
4 intermèdia. B.R. (*pu.*) intermediate. ——— 1823. 8. 9. H. ♃. Bot. reg. t. 948.
5 cylindràcea. M. (*pu.*) cylindrical-cup'd. ——— 1811. 10. H. ♃.
6 pilòsa. Ph. (*pu.*) hairy-leaved. ——— 1783. —— H. ♃. Bot. reg. t. 595.
7 grácilis. Ph. (*pu.*) smooth-leaved. ——— 1812. —— H. ♃.
8 turbinàta. B.F.G. (*pu.*) turbinate-cup'd. ——— 1823. —— H. ♃. Swt. br. fl. gar. ic.
9 élegans. W. (*pu.*) hairy-cup'd. ——— 1787. 9. 10. H. ♃. Bot. reg. t. 267.
10 sphæroídea. M. (*pu.*) globular-cup'd. ——— 1817. 8. 10. H. ♃. Swt. br. fl. gar. t. 87.
11 scariòsa. W. (*pu.*) scariose-cup'd. ——— 1739. 9. 10. H. ♃. Bot. reg. t. 590.
12 squarròsa. W. (*pu.*) rough-cup'd. ——— 1732. —— H. ♃. Swt. br. fl. gar. t. 44.
13 paniculàta. W. (*pu.*) panicled. ——— 1826. 8. 10. H. ♃.
14 odoratíssima. W. (*pu.*) sweet-scented. Carolina. 1786. —— F. ♃. Andr. reposit. t. 633.
15 corymbòsa. W. (*pu.*) corymbose. N. America. 1825. —— F. ♃.

BRACHYL'ÆNA. L.T. BRACHYL'ÆNA. Syngenesia Polygamia Superflua.

neriifòlia. L.T. (*st.*) Oleander-leav'd. C. B S. 1752. 8. 11. G. ♄.
Báccharis neriifòlia. W.

BA'CCHARIS. W. PLOWMAN'S-SPIKENARD. Syngenesia Polygamia Superflua.

1 ivæfòlia. W. (*wh.*) Peruvian. America. 1696. 7. 8. G. ♄. Schk. handb. 3. t. 244.
2 angustifòlia. M. (*wh.*) narrow-leaved. N. America. 1812. 7. 9. G. ♄.
3 glomeruliflòra. M. (*wh.*) close-flowered. ——— 1817. 8. 10. H. ♄.
4 halimifòlia. W. (*wh.*) Groundsel-tree. ——— 1683. 10. 11. H. ♄. Schmidt arb. t. 82.
5 Dioscóridis. W. (*wh.*) Dioscorides', Levant. 1822. 7. 9. G. ♄. Rauw. it. 4. t. 54.
6 scopària. P.S. (*wh.*) broom. Jamaica. —— —— S. ♄. Brown. jam. t. 34. f. 4.
Calea scopària. L.
7 móllis. K.S. (*wh.*) soft. Quito. 1824. 5. 6. F. ♄.
8 genistelloídes. K.S. (*w.*) wing-stemmed. Brazil. 1829. 7. 10. G. ♄.
alàta. Hort. *Pterocladis genistelloídes.* Lamb. herb.
9 parviflòra. P.S. (*wh.*) small-flowered. Peru. 1822. .... S. ♄.
10 lycopodioídes. P.S. (*wh.*) Club-moss-like. Mauritius. 1828. .... S. ♄.
Con'yza lycopodioídes. Lam.

CON'YZA. W. FLEA-BANE. Syngenesia Polygamia Superflua. L.

1 squarròsa. W. (*ye.*) great. Britain. .... 7. 8. H. ♂. Eng. bot. v. 17. t. 1195.
2 marylándica. Ph. (*pu.*) Maryland. N. America. .... 8. 10. H. ☉. Dill. elt. t. 88. f. 104.
3 camphoràta. Ph. (*pu.*) Camphor-scent'd. ——— 1704. —— H. ♃. ——— t. 89. f. 105.
Báccharis f'œtida. W.
4 pátula. W. (*pu. ye.*) spreading. China. 1758. 7. 9. H. ☉. Mill. ic. 2. t. 247.
5 axillàris. W. (*re.*) axillary. Mauritius. 1824. —— H. ☉.
6 bifróns. W. (*st.*) oval-leaved. N. America. 1739. 8. 9. H. ♃. Pluk. alm. t. 87. f. 4.
7 purpurascens. W. (*li.*) purplish. Jamaica. 1822. —— S. ☉. Sloan. hist. 1. t. 159. f. 1.
8 cándida. L. (*ye.*) woolly. Candia. 1714. 6. 7. F. ♄. Flor. græc. t. 865.
verbascifòlia. W.
9 limonifòlia. F.G. (*ye.*) white-leaved. ——— .... —— F. ♄. Barr. ic. t. 217.
cándida. W. *non* L.
10 balsamífera. W. (*re.*) balsamiferous. China. 1818. —— S. ♃. Rumph. amb. 6. t. 24. f. 1.
11 chinénsis. W. (*bl.*) Chinese. ——— 1796. 7. 8. S. ♂. ——— 6. t. 14. f. 2.

12	cinèrea. w.	(*pu.*)	grey.	E. Indies.	....	7. 8.	S. ☉.	Rumph.amb.6.t.14.f.1.
13	fastigiàta. W.en.	(*pu.*)	clustered.	Senegal.	1820.	——	H. ☉.	
14	prolífera. w.	(*wh.*)	proliferous.	Java.	1819.	7. 9.	S. ♄.	Rumph.am.5.t.104.f.1.
15	hirsùta. w.	(*ye.pu.*)	shaggy.	China.	1767.	8. 9.	G. ♂.	
16	ægyptìaca. w.	(*ye.*)	Egyptian.	Egypt.	1778.	7. 9.	H. ☉.	Jacq. vind. 3. t. 19.
17	chilénsis. s.s.	(*ye.*)	Chile.	Chile.	1816.	8. 10.	H. ☉.	
18	mauritiàna. Boj.	(*pu.*)	Mauritius.	Mauritius.	1821.	——	S. ☉.	
19	Hubértii. Boj.	(*pu.*)	Hubert's.	Madagascar.	1824.	7. 10.	S. ☉.	
20	viscòsa. Boj.	(*pu.*)	viscous.	Mauritius.	——	8. 10.	S. ☉.	
21	pùmila. s.s.	(*ye.*)	dwarf.	Crete.	1826.	7. 9.	H. ☉.	
22	pinnatífida. R.	(*pu.*)	pinnatifid.	E. Indies.	1816.	——	S. ♄.	
23	Gouàni. w.	(*ye.*)	Gouan's.	Canaries.	1772.	7. 8.	G. ♂.	Jacq. vind. 3. t. 79.
24	sícula. w.	(*ye.*)	red-stalked.	Sicily.	1779.	8. 9.	H. ☉.	Bocc. sic. t. 31. f. 4.
25	aùrita. w.	(*wh.*)	eared.	E. Indies.	1818.	——	S. ☉.	
26	f˙œtida. w.	(*wh.re.*)	stinking.	Africa.	1724.	——	G. ♃.	Mill. ic. 2. t. 233.
27	am˙œna. L.en.	(*pu.*)	pretty.	————	1816.	——	S. ♃.	
28	glomeràta. L.en.	(*pu.*)	crowded.	.....	1824.	——	S. ♃.	
29	spatulàta. L.en.	(*bl.*)	spatulate.	.....	——	7. 9.	S. ♃.	
30	adnàta. K.s.	(*pu.*)	decurrent.	Mexico.	——	——	S. ♄.	
	Báccharis adnàta. W.en.							
31	thapsoídes. M.B.	(*pu.*)	Thapsus-leav'd.	Caspian Sea.	1806.	——	H. ♃.	
32	sórdida. w.	(*br.*)	small-flowered.	S. Europe.	1570.	——	F. ♄.	Barr. ic. t. 368.
33	saxátilis. w.	(*br.*)	stone.	————	1640.	7. 8.	F. ♄.	Schk. handb. 3. t. 241.
34	rupéstris. w.	(*ye.*)	rock.	Arabia.	1790.	——	G. ♄.	Schmidel ic. t. 36.
35	Tenòrii. L.en.	(*br.*)	Tenore's.	S. Europe.	1824.	....	F. ♄.	
36	sericea. w.	(*ye.*)	snowy.	Canaries.	1779.	....	G. ♄.	
37	geminiflòra. L.en.	(*br.*)	twin-flowered.	S. Europe.	1824.	....	F. ♄.	
38	inuloídes. w.	(*pu.*)	cluster-flower'd.	Teneriffe.	1780.	7. 8.	G. ♄.	Jacq. ic. 1. t. 171.
39	odoràta. w.	(*pu.*)	sweet-scented.	India.	1759.	6. 8.	S. ♄.	Plum. ic. t. 97.
40	incìsa. w.	(*pu.*)	cut-leaved.	C. B. S.	1774.	——	G. ♄.	
41	carolinénsis. w.	(*pu.*)	Carolina.	Carolina.	1823.	——	G. ♄.	Jacq. ic. 3. t. 185.
42	virgàta. w.	(*pu.*)	wing-stalked.	America.	1783.	8. 9.	G. ♃.	Sloan.hist.1.t.152.f.5.
43	rugòsa. H.K.	(*br.*)	St. Helena.	St. Helena.	1772.	11.	G. ♄.	
CARP'ESIUM. W.			CARP'ESIUM.	Syngenesia Polygamia Superflua. L.				
1	cérnuum. w.	(*ye.*)	drooping.	Austria.	1739.	7. 8.	H. ♃.	Jacq. aust. 3. t. 204.
2	abrotanoídes. w.	(*ye.*)	Southernwood like.	China.	1768.	——	H. ♃.	Osbeck it. t. 10.
3	torulòsum. F.	(*ye.*)	twisted.	Siberia.	1823.	6. 8.	H. ♃.	
4	Wulfeniànum. Schreb.	(*ye.*)	Wulfen's.	.....	1829.	——	H. ♂.	
I'NULA. W.			I'NULA.	Syngenesia Polygamia Superflua. L.				
1	Helènium. w.	(*ye.*)	Elecampane.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 22. t. 1546.
2	O'culus-Christi. w.	(*ye.*)	hoary.	Austria.	1759.	7. 9.	H. ♃.	Jacq. aust. 3. t. 228.
3	británnica. w.	(*ye.*)	creeping-rooted.	Germany.	——	——	H. ♃.	Flor. dan. t. 413.
4	undulàta. w.	(*ye.*)	wave-leaved.	Egypt.	1739.	7. 10.	H. ☉.	
5	índica. w.	(*ye.*)	Indian.	E. Indies.	——	——	S. ☉.	Burm. zeyl. t. 55. f. 2.
6	paludòsa. s.s.	(*ye.*)	marsh.	Portugal.	1828.	——	H. ♃.	
7	áspera. s.s.	(*ye.*)	rough.	.....	——	——	H. ♃.	
8	campéstris. s.s.	(*ye.*)	field.	Poland.	1827.	——	H. ♃.	
9	squarròsa. w.	(*ye.*)	net-leaved.	S. Europe.	1768.	7. 9.	H. ♃.	Flor. græc. t. 875.
10	viscòsa. w.	(*ye.*)	clammy.	Barbary.	1633.	7. 8.	G. ♃.	Jacq. vind. 2. t. 165.
	Erígeron viscòsum. Jacq.							
11	tuberòsa. P.s.	(*ye.*)	tuberous-root'd.	S. Europe.	1640.	——	H. ♃.	Moris. s. 7. t. 19. f. 20.
	Erígeron tuberòsum. W.							
12	salicìna. w.	(*ye.*)	willow leaved.	N. Europe.	1648.	8. 9.	H. ♃.	Flor. dan. t. 786.
13	Bubònium. w.	(*ye.*)	Austrian.	Austria.	1801.	7. 9.	H. ♃.	Jacq. aust. 6. ap. t. 19.
14	hírta. w.	(*ye.*)	hairy.	————	1759.	6. 9.	H. ♃.	———— 4. t. 358.
15	glandulòsa. w.	(*ye.*)	glandular.	Georgia.	1804.	7. 8.	H. ♃.	Bot. mag. t. 1907.
16	grandiflòra. w.	(*ye.*)	large-flowered.	Caucasus.	1825.	——	H. ♃.	
17	móllis. L.en.	(*ye.*)	soft.	.....	1823.	——	H. ♃.	
18	suavèolens. w.	(*ye.*)	woolly-leaved.	S. Europe.	1758.	6. 8.	H. ♃.	Jacq. vind. 3. t. 51.
19	Vaillántii. w.	(*ye.*)	Vaillant's.	France.	1739.	——	H. ♃.	Hall. helv. n. 73. t. 2.
20	germánica. w.	(*ye.*)	German.	Germany.	1759.	6. 7.	H. ♃.	Jacq. aust. 2. t. 134.
21	ensifòlia. w.	(*ye.*)	sword-leaved.	Austria.	1793.	7. 9.	H. ♃.	———— 2. t. 162.
22	saxátilis. s.s.	(*ye.*)	rock.	S. Europe.	1825.	——	H. ♃.	
	Erígeron glutinòsum. L.							
23	crithmoídes. L.	(*ye.*)	Samphire-leav'd.	England.	....	8. 9.	H. ♃.	Eng. bot. v. 1. t. 68.
24	provinciàlis. w.	(*ye.*)	oval-leaved.	France.	1778.	7. 8.	H. ♃.	
25	montàna. w.	(*ye.*)	mountain.	S. Europe.	1759.	——	H. ♃.	Garid. aix. t. 10.
26	bifróns. w.	(*ye.*)	Italian.	————	1713.	6. 8.	H. ♃.	Herm. parad. t. 127.
27	thapsoídes. L.en.	(*ye.*)	Mullein-like.	.....	1823.	——	H. ♃.	

28	verbascifòlia. s.s.	(ye.)	Mullein-leaved.	Caucasus.	1828.	6. 8.	H. ♃.	
29	calycina. s.s.	(ye.)	reflex-scaled.	Italy.	1829.	——	H. ♃.	
30	saturejoídes. w.	(ye.)	Savory-leaved.	Vera Cruz.	1733.	....	S. ♃.	Reliq. houst. 8. t. 19.
31	f'œtida. w.	(ye.)	stinking.	Malta.	1688.	6. 8.	H. ☉.	Bocc. sic. 26. t. 13.
32	odòra. w.	(ye.)	sweet-scented.	S. Europe.	1824.	——	H. ♃.	Moris. s. 7. t. 21. f. 6.
33	hy'brida. s.s.	(ye.)	hybrid.	Poland.	1828.	——	H. ♃.	
34	glàbra. M.B.	(ye.)	smooth.	Caucasus.	1826.	——	H. ♃.	
35	cáspica. F.	(ye.)	Caspian.	Volga.	——	——	H. ♃.	
PULIC'ARIA. G.			Fleawort.	Syngenesia Polygamia Superflua.				
1	vulgàris. G.	(ye.)	small.	England.	....	8. 9.	H. ☉.	Gært. sem. 2. t. 179. f. 7.
	Inula Pulicària. Eng. bot. v. 17. t. 1196.							
2	villòsa. L.en.	(ye.)	villous.	.....	1821.	——	H. ☉.	
3	arábica. L.en.	(ye.)	Arabian.	Arabia.	1823.	——	F. ♃.	Pluk. alm. t. 149. f. 4.
4	dysentérica. L.en.	(ye.)	meadow.	England.	....	——	H. ♃.	Eng. bot. v. 16. t. 1115.
	Inula dysentérica. E.B.							
CHRYSO'PSIS. N.			Chryso'psis.	Syngenesia Polygamia Superflua.				
1	gossypìna. N.	(ye.)	cottony.	N. America.	1823.	6. 8.	H. ♃.	
	Inula gossypìna. M.							
2	trichophy'lla. N.	(ye.)	hairy-leaved.	———	1827.	——	H. ♃.	
3	mariàna. N.	(ye.)	American.	———	1742.	7. 8.	H. ♃.	Mill. ic. 1. t. 57. f. 1.
IX'ODIA. H.K.			Ix'odia.	Syngenesia Polygamia Æqualis.				
	achillæoídes. H.K.	(wh.)	Milfoil-like.	N. Holland.	1803.	8. 9.	G. ♄.	Bot. mag. t. 1534.
H'UMEA. Sm.			H'umea.	Syngenesia Polygamia Æqualis.				
	élegans. H.K.	(re.)	elegant.	N. S. W.	1800.	6. 10.	G. ♂.	Exot. bot. 1. t. 1.
CASSI'NIA. L.T.			Cassi'nia.	Syngenesia Polygamia Æqualis.				
1	spectábilis. L.T.	(st.)	Humea-like.	N. Holland.	1821.	5. 10.	G. ♂.	Bot. reg. t. 678.
2	affínis. L.T.	(st.)	related.	N. S. W.	1823.	4. 6.	G. ♄.	
3	aùrea. L.T.	(ye.)	golden.	———	1821.	——	G. ♄.	Bot. reg. t. 764.
4	longifòlia. L.T.	(st.)	long-leaved.	———	——	——	G. ♄.	
5	denticulàta. L.T.	(st.)	tooth-leaved.	———	1826.	6. 8.	G. ♄.	
6	leptophy'lla. L.T.	(wh.)	small-leaved.	N. Zealand.	1821.	4. 6.	G. ♄.	
OZOTHA'MNUS. L.T.			Ozotha'mnus.	Syngenesia Polygamia Æqualis.				
1	cinéreus. L.T.	(ye.)	rusty.	V. Diem. Isl.	1820.	4. 8.	G. ♄.	Lab. nov. hol. v. 2. t. 182.
	Chrysócoma cinèrea. Lab.							
2	rosmarinifòlius. L.T.	(ye.)	Rosemary-leav'd.	———	1822.	——	G. ♄.	Lab. nov. hol. v. 2. t. 181.
	Eupatòrium rosmarinifòlium. Lab.							
3	ferrugìneus. L.T.	(ye.)	ferruginous.	———	——	——	G. ♄.	Lab. nov. hol. v. 2. t. 180.
	Eupatòrium ferrugìneum. Lab.							
AMM'OBIUM. Br.			Amm'obium.	Syngenesia Polygamia Æqualis.				
	alàtum. B.M.	(wh.)	winged-stalk'd.	N. S. W.	1823.	8. 9.	F. ♃.	Swt. br. fl. gar. t. 48.
ANTENN'ARIA. L.T.			Antenn'aria.	Syngenesia Polygamia Superflua. L.				
1	dioíca. L.T.	(ro.)	red-flowered.	Britain.	....	5. 7.	H. ♃.	Eng. bot. v. 4. t. 267.
	Gnaphàlium dioícum. E.B.							
2	alpìna. L.T.	(wh.)	Alpine.	Alps Europe.	1775.	6. 7.	H. ♃.	
3	carpática. L.T.	(wh.)	Carpathian.	Carp. mount.	——	——	H. ♃.	Flor. dan. t. 332.
	Gnaphàlium alpìnum. W. *non* L.							
4	plantaginifòlia. L.T.	(wh.)	Plantain-leav'd.	Virginia.	1759.	6. 7.	H. ♃.	Pluk. alm. t. 348. f. 9.
	Gnaphàlium plantaginifòlium. W.							
5	margaritàcea. L.T.	(wh.)	pearly.	England.	....	7. 9.	H. ♃.	Eng. bot. v. 29. t. 2018.
6	triplinérvis. D.P.	(wh.)	triple nerved.	Nepaul.	1823.	6. 9.	F. ♃.	Bot. mag. t. 2468.
7	contórta. D.P.	(wh.)	twisted-leaved.	———	1818.	——	F. ♃.	Bot. reg. t. 605.
LEONTOP'ODIUM. L.T.			Lion's-foot.	Syngenesia Polygamia Superflua. L.				
1	alpìnum. D.D.	(wh.)	Swiss.	Switzerland.	1776.	6. 7.	H. ♃.	Bot. mag. t. 1958.
	Gnaphàlium Leontopòdium. B.M.							
2	sibíricum. D.D.	(wh.)	Siberian.	Siberia.	1829.	——	H. ♃.	
GNAPH'ALIUM. L.T.			Everlasting.	Syngenesia Polygamia Superflua. L.				
1	lùteo-álbum. W.	(st.)	Jersey.	Jersey.	....	7. 8.	H. ☉.	Eng. bot. v. 14. t. 1002.
2	albéscens. W.	(wh.)	white Jamaica.	Jamaica.	1793.	....	S. ♄.	
3	sanguíneum. W.	(re.)	bloody.	Egypt.	1768.	5. 7.	H. ♃.	Rauw. it. 285. t. 37.
4	undulàtum. W.	(wh.)	wave-leaved.	Africa.	1732.	6. 9.	H. ☉.	Dill. elth. t. 108. f. 130.
5	obtusifòlium. W.	(wh.)	blunt-leaved.	N. America.	1699.	7. 9.	H. ☉.	——— t. 108. f. 131.
6	purpùreum. W.	(pu.)	purple-flower'd.	S. America.	1732.	6. 9.	G. ♂.	——— t. 109. f. 132.
7	involucràtum. W.	(gr.)	involucred.	N. Zealand.	1823.	7. 8.	G. ♃.	Bot. mag. t. 2582.
8	americànum. W.	(br.)	Jamaica.	Jamaica.	1815.	....	S. ♃.	
9	pensylvánicum. W.	(st.)	American.	N. America.	——	7. 9.	H. ☉.	
10	sylváticum. W.	(st.)	highland.	Britain.	....	8. 9.	H. ♃.	Eng. bot v. 13. t. 913.
11	réctum. W.	(br.)	upright wood.	———	....	——	H. ♃.	——— v. 2. t. 124.
12	coarctàtum. W.	(gr.)	crowded.	Chili.	1820.	——	H. ♃.	
13	polycéphalum. M.	(st.)	many-headed.	N. America.	1826.	——	H. ☉.	

14 stachydifòlium. s.s. (*br.*) Stachy's-leaved. Monte Video. 1826. 8. 9. H. ☉.
15 supìnum. w. (*br.*) dwarf. Scotland. .... 6. 7. H. ♃. Eng. bot. v. 17. t. 1198.
16 pusìllum. w. (*br.*) small. Sweden. 1818. —— H. ♃. Krock. siles. t. 41.
17 sph'æricum. W.en. (*br.*) sphærical. S. Europe. —— —— H. ♃.
18 cephaloídeum. w. (*br.*) headed. ———— —— —— H. ☉.
19 uliginòsum. w. (*st.*) marsh. Britain. .... 8. 9. H. ☉. Eng. bot. v. 17. t. 1194.
20 germánicum. w. (*st.*) common. ———— .... 6. 8. H. ☉. ———— v. 14. t. 948.
21 gállicum. w. (*st.*) narrow-leaved. England. .... —— H. ☉. ———— v. 33. t. 2360.
22 montànum. w. (*st.*) mountain. Europe. 1820. —— H. ☉.
23 pyramidàtum. w. (*st.*) pyramidal. S. Europe. 1779. —— H. ☉.
24 mínimum. w. (*st.*) least. Britain. .... 7. 8. H. ☉. Eng. bot. v. 17. t. 1157.
25 arvénse. w. (*st.*) corn. Europe. 1804. —— H. ☉.
26 austràle. f. (*st.*) southern. S. Europe. 1823. —— H. ☉.
27 Sellówii. Lk. (*st.*) Sellow's. BuenosAyres. 1828. —— H. ☉.
28 alàtum. k.s. (*st.*) wing-stalked. Quito. 1829. —— G. ♃.
29 pompeyànum. e. (*st.*) Egyptian. Egypt. —— —— H. ☉.
30 Lágopus. s.s. (*wh.*) Hare's-foot. Siberia. 1820. —— H. ☉.

METAL'ASIA. L.T. METAL'ASIA. Syngenesia Polygamia Superflua.
1 umbellàta. D.D. (*ro.*) umbelled. C. B. S. 1816. 5. 7. G ♄.
2 muricàta. D.D. (*ro.*) muricate. ———— —— 6. 9. G. ♄.
3 divérgens. D.D. (*wh.*) spreading. ———— —— —— G. ♄. Burm. afr. t. 72. f. 3.
Gnaphàlium divérgens. w.
4 fastigiàta. (*wh.*) close-flowered. ———— 1812. 5. 8. G. ♄. Petiv. gaz. 12. t. 7. f. 8.
Gnaphàlium fastigiàtum. w.
5 aùrea. D.D. (*ye.*) golden. ———— 1816. —— G. ♄.
6 seriphioídes. D.D. (*wh.*) Seriphium-like. ———— 1825. —— G. ♄.
7 mucronàta. L.T. (*ye.*) mucronate. ———— 1824. —— G. ♄. Burm. afr. t. 66. f. 3.
8 púngens. D.D. (*wh.*) pungent. ———— 1815. —— G. ♄.
9 unifiòra. D.D. (*wh.*) single-flowered. ———— 1816. —— G. ♄.
10 phylicoídes. D.D. (*wh.*) Phylica-leaved. ———— —— —— G. ♄.

SPIRAL'EPIS. D.D. SPIRAL'EPIS. Syngenesia Polygamia Superflua.
1 squarròsa. D.D. (*pu.wh.*) squarrose. C. B. S. 1816. 7. 10. G. ♃. Jacq. frag. t. 3. f. 4.
Gnaphàlium squarròsum. Jacq.
2 glomeràta. D.D. (*wh.*) cluster-flowered. ———— 1774. 8. 9. G. ♃.
3 tíncta. D.D. (*bk.*) stained. ———— 1816. —— G. ♃.
4 ? declinàta. (*wh.*) creeping. ———— 1787. 7. 9. G. ♃.
Gnaphàlium declinàtum. w.

PETALA'CTE. D.D. PETALA'CTE. Syngenesia Polygamia Superflua.
1 coronàta. D.D. (*wh.*) crowned. C. B. S. 1816. 5. 7. G. ♄. Burm. afr. t. 69. f. 3.
Gnaphàlium coronàtum. w.
2 bícolor. D.D. (*pu.wh.*) two-coloured. ———— —— —— G. ♄.

PENTATA'XIS. D.D. PENTATA'XIS. Syngenesia Polygamia Superflua.
micrántha. D.D. (*wh.*) small-flowered. C. B. S. 1821. 5. 7. G. ♄.

ASTE'LMA. Br. ASTE'LMA. Syngenesia Polygamia Superflua.
1 exímium. B.R. (*re.*) giant. C. B. S. 1793. 6. 9. G. ♄. Bot. reg. t. 532.
Gnaphàlium exímium. A.R. 654.
2 milleflòrum. D.D. (*wh.*) many-flowered. ———— 1802. 6. 9. G. ♄.
Gnaphàlium milleflòrum. w.
3 Stæhelina. D.D. (*ye.*) keel-leaved. ———— 1801. 12. 3. G. ♄. Andr. reposit. t. 428.
4 crassifòlium. D.D. (*ye.*) thick-leaved. ———— 1816. 3. 5. G. ♄.
5 proteoídes. D.D. (*wh.*) Protea-like. ———— 1821. —— G. ♄.
6 speciosíssimum. D.D. (*wh.*) showy. ———— 1691. 7. 9. G. ♄ Andr. reposit. t. 51.
Xeránthemum speciosíssimum. A.R. *Elichr'ysum speciosíssimum.* w.
7 lineàre. D.D. (*wh.*) linear-leaved. C. B. S. 1816. 7. 9. G. ♄.
8 spiràlis. D.D. (*re.wh.*) spiral-leaved. ———— 1801. 7. 10. G. ♄. Andr. reposit. t. 262.
Elichr'ysum spiràle. w.
9 variegàtum. D.D. (*v.*) large globular-fld. ———— —— 5. 6. G. ♄.
10 imbricàtum. D.D. (*ro.*) imbricated. ———— 1816. —— G. ♄.
Elichr'ysum imbricàtum. w. *Xeránthemum imbricàtum.* L.
11 canéscens. D.D. (*ro.*) elegant. C. B. S. 1794. 8. 4. G. ♄. Bot. mag. t. 420.
12 modéstum. Sie. (*fl.*) modest. ———— 1824. 6. 7. G. ♄. Bot. mag. t. 2710.
Gnaphàlium modéstum. B.M.

HELICHR'YSUM. P.S. HELICHR'YSUM. Syngenesia Polygamia Superflua.
1 grandifiòrum. D.D. (*w.*) great-flowered. C. B. S. 1731. 6. 8. G. ♄. Burm. afr. t. 76. f. 1.
Gnaphàlium grandifiòrum. w.
2 frùticans. D.D. (*wh.*) frutescent. ———— 1779. —— G. ♄. Bot. mag. t. 1802.
Astélma frùticans. B.R. 726. *Gnaphàlium frùticans.* B.M. *grandifiòrum.* A.R. 489.
3 crispum. D.D. (*re.*) curled. C. B. S. 1809. —— G. ♄.
4 arbòreum. D.D. (*re.*) shrubby. ———— 1770. 2. 8. G. ♄.

5 congéstum. D.D. (*fl.*) close-headed.	C. B. S.	1791.	5. 6.	G. ♄.	Bot. reg. t. 243.
Gnaphàlium congéstum. B.R.					
6 cárneum. P.S. (*fl.*) flesh-coloured.	———	1816.	4. 6.	G. ♄.	
7 pátulum. D.D. (*wh.*) spreading.	———	1771.	8. 1.	G. ♄.	
8 discolòrum. D.D. (*wh.fl.*) two-coloured.	———	1815.	5. 8.	G. ♄.	Burm. afr. t. 97. f. 4.
9 cephalòtes. D.D. (*wh.re.*) large-headed.	———	1789.	11. 1.	G. ♄.	Pluk. phyt. t. 410. f. 2.
10? diosmæfòlium. (*wh.*) Diosma-leaved.	———	1812.	8. 8.	G. ♄.	Vent. malm. t 74.
Gnaphàlium diosmæfòlium. V.					
11 ericoìdes. D.D. (*pa.*) Heath-leaved.	———	1774.	——	G. ♄.	Bot. mag. t. 435.
Gnaphàlium ericoìdes. B.M. *non Helichr'ysum ericoìdes.* P.S.					
12 teretifòlium. D.D. (*wh.*) round-leaved.	C. B. S.	1812.	——	G. ♄.	Burm. afr. t. 77. f. 2.
13? tephròdes. (*wh.*) slender-leaved.	———	1816.	——	G. ♄.	
Gnaphàlium tephròdes. L.en.					
14 acuminàtum. (*wh.*) taper-pointed.	N. Holland.	——	——	G. ♄.	
Gnaphàlium acuminàtum. L.en.					
15? lasiocaùlon. (*wh.*) woolly-stalked.	C. B. S.	1823.	6. 9.	G. ♄.	
Gnaphàlium lasiocaùlon. L.en.					
16 St'œchas. D.D. (*ye.*) common shrubby.	S. Europe.	1629.	6. 10.	H. ♄.	Barrel. ic. 410.
17 angustifòlium. (*ye.*) narrow-leaved.	———	1818.	——	H. ♄.	
Gnaphàlium angustifòlium. P.S.					
18 còmicum. (*ye.*) conical.	———	1824.	——	H. ♄.	
Gnaphàlium còmicum. L.en.					
19 ignéscens. D.D. (*re.*) red-flowered.	C. B. S.	1731.	6. 10.	G. ♄.	
20 microphy'llum. D.D. (*ye.*) small-leaved.	Crete.	1823.	——	G. ♄.	
21? dasyánthum. (*ye.*) hairy-flowered.	C. B. S.	1812.	——	G. ♄.	
Gnaphàlium dasyánthum. W.en.					
22 crassifòlium. D.D. (*ye.*) thick-leaved.	S. Europe.	1774.	7. 9.	G. ♄.	
23 marítimum. D.D. (*ye.*) sea-side.	C. B. S.	1772.	6. 8.	G. ♄.	Burm. afr. t. 77. f. 2.
24 apiculàtum. D.D. (*ye.*) New Holland.	V. Diem. Isl.	1804.	1. 12.	G. ♄.	Bot. reg. t. 240.
Gnaphàlium apiculàtum. B.R.					
25 f'œtidum. D.D. (*ye.*) strong-scented.	C. B. S.	1692.	6. 9.	G. ♂.	Bot. mag. t. 1987.
Gnaphàlium f'œtidum. B.M.					
26 cylindricum. D.D. (*ye.*) cylindrical.	———	1780.	6. 8.	G. ♃.	Pluk. phyt. 298. f. 4.
27 orientàle. D.D. (*ye.*) eastern.	Africa.	1629.	4. 8.	G. ♄.	Comm. hort. 2. t. 55.
28 arenàrium. D.D. (*ye.*) sand.	Europe.	1739.	7. 9.	H. ♃.	Bot. mag. t. 2159.
29 gravèolens. (*ye.*) strong-smelling.	Tauria.	1819.	——	H. ♃.	
Gnaphàlium gravèolens. M.B.					
30 odoratíssimum. (*ye.*) sweet-scented.	C. B. S.	1691.	4. 8.	G. ♄.	Mill. ic. 1. t. 131. f. 2.
31 candidíssimum. D.D. (*ye.*) white-leaved.	Caucasus.	1819.	7. 9.	H. ♃.	
32 rùtilans. D.D. (*re.*) shining-flower'd.	C. B. S.	1731.	6. 7.	G. ♃.	Dill. elt. t. 107. f. 127.
33 cymòsum. D.D. (*ye.wh.*) branching.	Africa.	——	4 8.	G. ♄.	——— t. 107. f. 128.
34 helianthemifòlium. D. (*wh.*) Sun-rose-leav'd.	C. B. S.	1774.	7. 10.	G ♄.	Volck. norib. t. 194.
35 bracteàtum. D.D. (*ye.*) wave-leaved.	N. Holland.	1799.	——	H. ☉.	Andr. reposit. 375
chrysánthum. P.S. *Xeránthemum bracteàtum.* V. M. t. 2. *làcidum.* Maunde.					
36 fúlgidum. P.S. (*ye.*) great yellow.	C. B. S.	1774.	2. 10.	G. ♃.	Bot. mag. t. 414.
37 dealbàtum. P.S. (*bl.*) herbaceous.	V. Diem. Isl.	1812.	1. 12.	G. ♃.	Lab. nov. hol. 2. t. 190.
38 paniculàtum. P.S. (*wh.*) corymb-flower'd.	C. B. S.	1800.	6. 9.	G. ♄.	Burm. afr. t. 67. f. 1.
argénteum. A.R. 552. *nec aliorum.*					
39 argénteum. P.S. (*wh.*) silvery.	———	——	——	G. ♄.	
40 frágrans. A.R. (*ro.*) fragrant.	———	1803.	7. 9.	G. ♄.	Andr. reposit. t. 313.
Elichr'ysum frágrans. A.R.					
41 retórtum. W. (*wh.*) trailing.	———	1732.	7. 8.	G. ♄.	Dill. elth. t. 322. f. 415.
42? incànum. B.M. (*ro.wh.*) hoary-leaved.	V. Diem. Isl.	1828.	5. 6.	G. ♃.	Bot. mag. t. 2881.
43 rígidum. A.R. (*wh.*) rigid-leaved.	C. B. S.	1801.	——	G. ♄.	Andr. reposit. t. 387.
44 herbàceum. A.R. (*ye.*) shining-flowered.	———	1802.	7. 9.	G. ♃.	——— t. 487.
splèndens. B.M. 1773.					

LEUCOSTE'MMA. D.D. Leucoste'mma. Syngenesia Polygamia Superflua.

1 vestìtum. D.D. (*wh.*) upright.	C. B. S.	1774.	7. 9.	G. ♄.	Burm. afr. t. 66. f. 1.
Elichr'ysum vestìtum. W.					
2 lingulàtum. D.D. (*wh.*) tongue-leaved.	———	1812.	——	G. ♄.	

PHŒNO'COMA. D.D. Phœno'coma. Syngenesia Polygamia Superflua.

prolìfera. D.D. (*pu.*) proliferous.	C. B. S.	1789.	5. 11.	G. ♄.	Bot. reg. t. 21.
Elichr'ysum prolìferum. B.R. *Xeránthemum prolìferum.* L.					

APHELE'XIS. D.D. Aphele'xis. Syngenesia Polygamia Superflua.

1 hùmilis. D.D. (*pu.*) dwarf.	C. B. S.	1812.	6. 9.	G. ♄.	Andr. reposit. t. 664.
Elichr'ysum spectàbile. B.C. 59. *pinifòlium.* P.S.					
2 sesamoìdes. D.D. (*pu.*) superb.	C. B. S.	1739.	4. 6.	G. ♄.	Bot. mag. t. 425.
Elichr'ysum sesamoìdes. W. *Xeránthemum sesamoìdes.* B.M.					

3 fasciculàta. D.D.	(*va.*)	bundle-leaved.	C. B. S.	1799.	3. 9.	G. ♄.	Andr. reposit. t. 242.
α lutéscens.	(*st.*)	*yellowish.*	———	....	——	G. ♄.	
β versicolor.	(*pu.wh.*)	*variegated-flower'd.*	———	....	——	G. ♄.	Breyn. ic. t. 16. f. 2.
γ alba.	(*wh.*)	*white-flowered.*	———	....	——	G. ♄.	Andr. reposit. t. 279.
δ rubra.	(*sc.*)	*red-flowered.*	———	....	——	G. ♄.	——— t. 650.
4 ericoídes.	(*bh.*)	filiform.	———	1796.	——	G. ♄.	Lam. ill. t. 693. f. 2.
filifórmis. D.D.		*Helichr'ysum ericoides.* P.S.					
XERA'NTHEMUM.D.D.		XERA'NTHEMUM. Syngenesia Polygamia Superflua. L.					
1 ánnuum.D.D.	(*pu.wh.*)	common annual.	S. Europe.	1570.	7. 8.	H. ☉.	Jacq. aust. 4. t. 388.
α ròseum.	(*ro.*)	*rose-coloured.*	———	——	——	H. ☉.	
β album.	(*wh.*)	*white-flowered.*	———	——	——	H. ☉.	
2 inapértum. D.D.	(*pu.*)	small-flowered.	———	1620.	——	H. ☉.	Moris. his. s. 6. t. 12. f. 1.
CHARDI'NIA. D.D.		CHARDI'NIA. Syngenesia Polygamia Superflua.					
orientàlis. D.D.	(*wh.*)	oriental.	Levant.	1713.	7. 8.	H. ☉.	
xeranthemoides. Desf.		*Xerànthemum orientàle.* W.					
FIL'AGO. W.		COTTON-ROSE. Syngenesia Polygamia Necessaria. W.					
1 pygmˈœa. W.	(*br.*)	pigmy.	S. Europe.	1629.	7. 8.	H. ☉.	Cavan. ic. 1. t. 36.
Evax pygmˈœa. G.							
2 asteriscifiòra.	(*br.*)	simple-stalked.	Spain.	1824.	——	H. ☉.	Lam. ill. t. 694. f. 2.
Evax asteriscifiòra. P.S.							
MICR'OPUS. W.		MICR'OPUS. Syngenesia Polygamia Necessaria. W.					
1 supìnus. W.	(*pa.*)	trailing.	S. Europe.	1710.	6. 9.	H. ☉.	Schk. hand. 3. t. 267.
2 erèctus. W.	(*pa.*)	upright.	———	1683.	——	H. ☉.	Lœfl. hisp. t 1. f. 3.
ERI'GERON. W.		ERI'GERON. Syngenesia Polygamia Superflua. L.					
1 gravèolens. W.	(*ye.*)	strong-smelling.	S. Europe.	1633.	7. 8.	H. ☉.	Ger. emac. 481. f. 2.
2 compòsitum. Ph.	(*li.*)	daisy-flowered.	N. America.	1811.	——	H. ♃.	
3 carolinianum. W.	(*ye.*)	Hyssop-leaved.	———	1727.	——	H. ♃.	Dill. elt. t. 306. f. 394.
4 canadénse. W.	(*wh.*)	Canada.	England.	....	8. 9.	H. ☉.	Eng. bot. v. 29. t. 2019.
5 bonariénse. W.	(*wh.*)	buck's-horn.	S. America.	1732.	7. 8.	H. ☉.	Dill. elt. t. 257. f. 334.
6 linifòlium. W.	(*wh.*)	flax-leaved.	———	....	——	H. ☉.	
7 lævigàtum.L.en.	(*wh.*)	smooth.	Cayenne.	1823.	——	S. ♂.	
8 delphinifòlium.W.	(*wh.*)	Larkspur-leav'd.	S.America.	1816.	——	S. ♂.	
9 strigòsum. W.	(*wh.*)	strigose.	N. America.	1818.	——	H. ♂.	
10 heterophyˈllum.W.	(*wh.*)	various-leaved.	———	1640.	7. 9.	H. ♂.	Flor. græc. t. 486.
A'ster ánnuus. L.		*Diplopáppus dùbius.* Cas.					
11 chinénse. W.	(*wh.*)	Chinese.	China.	1818.	——	H. ☉.	Jacq. schœnb. 3. t. 303.
12 jamaicénse. W.	(*li.*)	Jamaica.	Jamaica.	1820.	——	S. ☉.	Swartz obs. t. 8. f. 2.
13 pubéscens. K.s.	(*wh.*)	pubescent.	Mexico.	1827.	7. 11.	H. ♃.	
14 involucràtum.Lk.		involucred.	Brazil.	1828.	....	S. ♃.	
15 armerifòlium. F.	(*pu.*)	Thrift-leaved.	Baical.	1829.	6. 8.	H. ♃.	
16 nudicaùle. M.	(*wh.*)	naked-stalked.	N. America.	1812.	7.	H. ♃.	
17 philadélphicum.W.	(*pu.*)	spreading.	———	1778.	7. 8.	H. ♃.	
18 purpùreum. W.	(*pu.*)	purple.	Hudson'sBay.	1776.	——	H. ♃.	
19 bellidifòlium. W.	(*li.*)	Plantain-leav'd.	N. America.	1790.	——	H. ♃.	
serpentàrium. Hort.							
20 glabéllum. N.	(*pu.*)	smoothish.	———	1827.	8. 12.	H. ♃.	Bot. mag. t. 2923.
21 podòlicum. S.s.	(*pu.*)	Polish.	Poland.	——	7. 9.	H. ♃.	
22 Lehmánni. S.s.	(*li.*)	Lehman's.	.....	1828.	——	H. ♃.	
23 glaùcum. B.R.	(*li.*)	glaucous-leav'd.	S. America.	1812.	1. 12.	G. ♄.	Bot. reg. t. 10.
24 chilénse. D.P.	(*wh.*)	Chili.	Chili.	1816.	7. 9.	H. ☉.	
Conˈyza chilénsis. L.en.							
25 rivulàre. S.s.	(*bh.*)	rivulet.	Trinidad.	1821.	——	S. ☉.	
26 Villársii. W.	(*pu.*)	Villars's.	Piedmont.	1804.	7. 8.	H. ♃.	Bot. reg. t. 583.
átticum. Vil.							
27 rupéstre. Schl.	(*li.*)	rock.	Switzerland.	1818.	——	H. ♃.	
28 àcre. W.	(*li.*)	common.	Britain.	....	——	H. ♂.	Eng. bot. v. 17. t. 1158.
29 alpìnum. W.	(*li.*)	Alpine.	Scotland.	....	7.	H. ♃.	——— v. 7. t. 464.
30 unifiòrum. W.	(*li.*)	dwarf.	———	....	8. 9.	H. ♃.	——— v. 34. t. 2416.
31 pùmilum. N.	(*wh.*)	dwarf.	N. America.	1827.	——	H. ♃.	
32 humile. Gr.	(*wh.*)	low.	———	——	9. 10.	H. ♄.	
33 ásperum. N.	(*wh.*)	rough.	———	1828.	8. 9.	H. ♃.	
34 gramíneum. W.	(*pu.*)	grass-leaved.	Siberia.	1824.	——	H. ♃.	Gmel. sib. 2. t. 76. f. 2.
35 caucásicum.M.B.	(*pu.*)	Caucasean.	Caucasus.	——	7. 8.	H. ♃.	
36 asteroídes.L.en.	(*wh.*)	Starwort-like.	.....	1812.	——	H. ♃.	
JAS'ONIA. Cas.		JAS'ONIA. Syngenesia Polygamia Superflua.					
longifòlia. Cas.	(*ye.*)	long-leaved.	N. America.	1818.	7. 8.	H. ♃.	
Erigeron longifòlium. P.S.							
CAL'OTIS. B.R.		CAL'OTIS. Syngenesia Polygamia Superflua.					
cuneifòlia. B.R.	(*bl.*)	wedge-leaved.	N. Holland.	1819.	7. 8.	G. ♄.	Bot. reg. t. 504.

DIPLOSTE'PHIUM. K.S. Diplostéphium. Syngenesia Polygamia Superflua.

1 linariifòlium. (*pu.*) toad-flax-leav'd. N. America. 1699. 9. 10. H. ♄. Lodd. bot. cab. t. 6.
A'ster pulchérrimus. L.B.C. *linàriifolius.* W. *Chrysópsis linariifolia.* N.
2 rigidum. (*vi.*) stiff-leaved. ——— 1759. 8. 10. H. ♃. Pluk. alm. t. 14. f. 7.
A'ster rígidus. Ph. *nemoràlis.* W. *non* H.K.
3 linifòlium. (*wh.*) Flax-leaved. N. America. 1739. 7. 8. H. ♄.
Chrysópsis linifòlia. N. *As'ter linifòlius.* W.
4 álbum. N. (*wh.*) white-flowered. Missouri. 1824. 8. 9. H. ♃.
5 hùmile. (*wh.*) low. N. America. 1699. 8. 10. H. ♃. Willd. hort. ber. t. 67.
A'ster hùmilis. W. *Chrysópsis hùmilis.* N.
6 cornifòlium. W. (*wh.*) Dogwood-leaved. ——— 1811. —— H. ♃.
7 amygdalìnum. (*wh.*) Almond-leaved. ——— 1759. 7. 9. H. ♃. Hoff. phyt. blat. t. 8. f. 2.
A'ster umbellàtus. W. *Chrysópsis umbellàta.* N.

A'STER. W. Starwort. Syngenesia Polygamia Superflua. L.

1 reflexus. W. (*re. wh.*) reflexed-leav'd. C. B. S. 1759. 2. 9. G. ♄. Bot. mag. t. 884.
2 tomentòsus. W. (*wh.*) tooth-leaved. N. S. W. 1793. 5. 7. G. ♄. Wend. s. han. p. 8. t. 24.
dentàtus. Andr. rep. t. 61.
3 stellulàtus. P.S. starry-haired. V. Diem. Isl. 1823. —— G. ♄. Lab. nov. hol. 2. t. 196.
4 phlogopáppus. P.S. (*vi.*) glossy-haired. ——— 1827. —— G. ♄. ——— 2. t. 195.
5 myrsinoídes. P.S. (*wh.*) Myrsine-leaved. ——— 1824. —— G. ♄. ——— p. 53. t. 202.
6 erubéscens. S.S. (*bk.*) blush-flowered. N. S. W. 1826. —— G. ♄.
7 argophy'llus. P.S. (*wh.*) musk-scented. V. Diem. Isl. 1804. —— G. ♄. Bot. mag. t 1563.
8 liràtus. B.M. (*wh.*) fluted-stemm'd. N. S. W. 1812. —— G. ♄. ——— t. 1509.
9 sericeus. W. (*bl.*) silky-leaved. Missouri. 1802. 5. 11. G. ♄. Venten. cels. t. 33.
10 Cymbalàriæ. W. (*wh.*) Ivy-leaved. C. B. S. 1786. —— G. ♄. Venten. malm. t. 95.
11 pappòsus. S.S. (*vi.*) cluster-leaved. ——— 1812. —— G. ♄.
12 taxifòlius. S.S. (*li.*) Yew-leaved. ——— 1824. —— G. ♄.
13 angustifòlius. W. (*bl.*) narrow-leaved. ——— 1804. 5. 7. G. ♄. Jacq. schœnb. 3. t. 370.
14 villòsus. W. (*li.*) villous. ——— 1812. —— G. ♄.
15 obtusàtus. W. (*li.*) obtuse-leaved. ——— 1793. —— G. ♄.
16 fruticulòsus. W. (*li.*) shrubby. ——— 1759. 3. 7. G. ♄. Jacq. frag. 9. t. 5. f. 4.
17 filifòlius. V. (*wh.*) thread-leaved. ——— 1812. —— G. ♄. Venten. malm. t. 82.
18 aculeàtus. P.S. (*wh.*) prickly-leaved. V. Diem. Isl. 1818. —— G. ♄. Lab. nov. hol. 2. t. 200.
exasperàtus. L. enum.
19 tenéllus. W. (*vi.*) slender. C. B. S. 1769. 4. 10. H. ☉. Bot. mag. t. 33.
20 alpinus. W. (*pu.*) Alpine. Alps Europe. 1658. 5. 8. H. ♃. ——— t 199.
21 lusitànus. S.S. (*pu.*) Portugal. Portugal. 1820. 8. 10. H. ♃.
22 salsuginòsus. S.S. (*vi.*) salt plain. N. America. 1827. 5. 6. H. ♃. Bot. mag. t. 2942.
23 pulchéllus. W. (*re.*) narrow-rayed. Armenia. 1818. —— H. ♃.
24 caucásicus. W. (*pu.*) Caucasean. Caucasus. 1804. 7. 8. H. ♃.
25 alwartènsis. B.M. (*pu.*) large-flowered. ——— .... —— H. ♃. Bot. mag. t. 2821.
26 diversifòlius. M. (*li.*) various-leaved. N. America. 1811. 7. 9. H. ♃.
27 macrophy'llus. W. (*bl.*) large-leaved. ——— 1739. —— H. ♃.
28 corymbòsus. W. (*wh.*) corymbed. ——— 1765. 9. H. ♃.
29 cordifòlius. W. (*bk.*) heart-leaved. ——— 1759. 7. 8. H. ♃.
30 paniculàtus. W. (*li.*) panicled. ——— 1640. 9. 10. H. ♃. Corn. canad. t. 65.
31 sagittifòlius. W. (*bl.*) arrow-leaved. ——— 1818. 7. 9. H. ♃.
32 undulàtus. W. (*pu.*) wave-leaved. ——— 1699. 8. 10. H. ♃. Herm. parad. t. 96.
33 præcox. W.en. (*li.*) early-flowering. ——— 1800. 7. 8. H. ♃.
34 pállens. W.en. (*li.*) pale-flowered. ——— .... 9. 10. H. ♃.
35 conyzoídes. W. (*wh.*) Conyza-like. ——— 1778. 8. 9. H. ♃.
36 altàicus. W.en. (*pu.*) dwarf. Siberia. 1804. 5. 8. H. ♃.
pùmilus. F.
37 nemoràlis. H.K. (*li.*) wood. N. America. 1778. 8. 9. H. ♃.
ledifòlius. Ph.
38 hyssopifòlius. W. (*bk.*) Hyssop-leaved. ——— 1683. 9. 10. H. ♃. Dodart. mem. t. 60.
39 punctàtus. W. (*vi.*) dotted. Hungary. 1815. 8. 9. H. ♃. W. et K. hung. 2. t. 109.
40 ácris. W. (*bl.*) acrid. S. Europe. 1731. —— H. ♃. Pluk. alm. t. 271. f. 3.
41 cànus. W. (*bl.*) hoary-leaved. Hungary. 1816. —— H. ♃. W. et K. hung. 1. t. 30.
42 solidaginoídes. W. (*wh.*) Solidago-like. N. America. 1699. —— H. ♃. Pluk. alm. t. 79. f. 2.
43 subulàtus. N. (*li.*) awl-leaved. ——— 1823. 8. 10. H. ☉.
44 pilòsus. W. (*wh.*) hairy. ——— 1812. —— H. ♃.
45 folioldsus. W. (*wh.*) leafy. ——— 1732. 10. H. ♃. Dill. elth. t. 35. f. 39.
46 tenuifòlius. W. (*wh.*) slender-leaved. ——— 1725. 9. 10. H. ♃. Pluk. alm. t. 78. f. 5.
47 dumòsus. W. (*wh.*) bushy. ——— 1734. —— H. ♃. Herm. parad. 95.
a violàceus. H.K. (*vi.*) *violet-flowered.* ——— —— —— H. ♃.
β álbus. H.K. (*wh.*) *white-flowered.* ——— —— —— H. ♃.
48 ericoídes. W. (*wh.*) heath-leaved. ——— 1758. 9. H. ♃.
49 multiflòrus. W. (*wh.*) many-flowered. ——— 1732. 9. 10. H. ♃. Dill. elth. t. 36. f. 40.
50 ciliàtus. W. (*wh.*) ciliated. ——— .... —— H. ♃.

51	canéscens. Ph. *biénnis.* N.	(*li.*) canescent.	N. America.	1812.	——	H. ♂.	
52	pauciflòrus. N.	(*wh.*) few-flowered.	N. America.	1825.	8. 9.	H. ♃.	
53	sparsiflòrus. w.	(*wh.*) scattered-flower'd.	——	1798.	9. 11.	H. ♃.	
54	coridifòlius. w.	(*bl.*) Coris leaved.	——	....	8. 11.	H. ♃.	
55	squarròsus. w.	(*bl.*) ragged.	——	1801.	——	H. ♃.	
56	argénteus. H.K.	(*bl.*) silver-leaved.	——	——	7. 9.	H. ♃.	
57	cóncolor. w.	(*pu.*) self-coloured.	——	1759.	8. 11.	H. ♃.	
58	reticulàtus. Ph.	(*wh.*) netted-leaved.	——	1812.	——	H. ♃.	
59	salicifòlius. w.	(*pu.*) Willow-leaved.	——	1760.	9. 10.	H. ♃.	Rob. ic. 807.
60	æstìvus. w.	(*bl.*) summer.	——	1776.	7. 8.	H. ♃.	
61	pannònicus. w.	(*vi.*) Hungarian.	Hungary.	1815.	——	H. ♃.	Jacq. vind. 1. t. 8.
62	Amèllus. w.	(*bl.*) Italian.	Italy.	1596.	7. 9.	H. ♃.	Bot. reg. t. 340.
	α latifòlius.	(*bl.*) *broad-leaved.*	——	——	——	H. ♃.	
	β angustifòlius.	(*bl.*) *narrow-leaved.*	——	——	——	H. ♃.	
63	ibèricus. M.B.	(*bl.*) Iberian.	Iberia.	1827.	7. 9.	H. ♃.	
64	nòvæ ángliæ. w.	(*bl.*) New England.	N. America.	1710.	9. 10.	H. ♃.	Herm. parad. 98.
	β rùbra.	(*re.*) *red-flowered.*	——	1812.	——	H. ♃.	Bot. reg. 183. *f. inf.*
65	cyáneus. N.	(*bl.*) bright-blue.	——	1789.	——	H. ♃.	Hoff. phyt. 1. t. B. f. 1.
66	glaùcus. N.A.	(*bl.*) glaucous-leaved.	.....	1823.	8. 10.	H. ♃.	
67	paludòsus. w.	(*bl.*) marsh.	N. America.	1784.	——	H. ♃.	
68	grandiflòrus. w.	(*bl.*) great-flowered.	——	1720.	10. 11.	H. ♃.	Bot. reg. t. 273.
69	caroliniànus. w.	(*pu.*) tall.	Carolina.	....	8. 9.	H. ♄.	
70	oblongifòlius. N.	(*li.*) oblong-leaved.	Missouri.	1823.	——	H. ♃.	
71	phlogifòlius. w.	(*vi.*) Phlox-leaved.	N. America.	1797.	7. 10.	H. ♃.	
72	pátens. w.	(*bl.*) spreading.	——	1773.	9. 11.	H. ♃.	Swt. brit. fl. gar. t. 234.
73	Tripòlium. w.	(*bl.*) sea-side.	Britain.	....	8. 9.	H. ♃.	Eng. bot. v. 2. t. 87.
74	Schrebèri. N.A.	(*wh.*) Schreber's.	.....	1827.	8. 10.	H. ♃.	
75	salígnus. w.	(*wh.*) Sallow-leaved.	Germany.	1815.	——	H. ♃.	
76	gravèolens. N.	(*bl.*) strong-scented.	Arkansa.	1825.	10. 11.	H. ♃.	
77	puníceus. w.	(*re.*) red-stalked.	N. America.	1710.	7. 10.	H. ♃.	Herm. lugd. t. 651.
78	híspidus. w.	(*wh.*) rough-stalked.	China.	1804.	9. 10.	H. ♃.	Kæmpf. ic. t. 29.
79	dentàtus. Th.	(*bl.*) tooth-leaved.	C. B. S.	1825.	7. 9.	G. ♃.	
80	serràtus. Th.	(*bl.*) saw-leaved.	——	——	——	G. ♃.	
81	tatáricus. w.	(*bl.*) Tartarian.	Siberia.	1818.	——	H. ♃.	
82	pyren'æus. s.s.	(*vi.*) Pyrenean.	Pyrenees.	1768.	6. 9.	H. ♃.	
83	sibíricus. w.	(*pu.*) Siberian.	Siberia.	1768.	——	H. ♃.	Gmel. sib. 2. t. 80. f. 1.
84	incísus. F.	(*li.*) cut-leaved.	——	1816.	6. 9.	H. ♃.	
85	amelloídes. Bes.	(*vi.*) Amellus-like.	Poland.	1827.	7. 9.	H. ♃.	
86	élegans. w.	(*bl.*) elegant.	.....	1790.	8. 10.	H. ♃.	
87	amplexicaùlis. w.	(*bl.*) stem-clasping.	N. America.	....	9. 11.	H. ♃.	
88	adulterìnus. w.	(*re.*) bastard.	——	....	8. 10.	H. ♃.	
89	lævigàtus. w.	(*li.*) smooth-stem'd.	——	1794.	9. 11.	H. ♃.	
90	longifòlius. P.S.	(*bl.*) long-leaved.	——	1798.	10.	H. ♃.	Moris. s. 7. t. 22. f. 26.
91	versícolor. w.	(*wh.re.*) various-color'd.	——	1790.	8. 9.	H. ♃.	
92	mutábilis. w.	(*pu.*) changeable.	——	1710.	9. 10.	H. ♃.	Herm. lugd. t. 67.
93	l'ævis. w.	(*li.*) smooth.	——	1753.	——	H. ♃.	
94	concínnus. W.en.	(*li.*) neat.	——	1800.	——	H. ♃.	
95	floribúndus. w.	(*li.*) abundant-flower'd.	——	....	——	H. ♃.	
96	nòvi bélgii. w.	(*li.*) New-York.	——	1710.	——	H. ♃.	Herm. lugd. t. 69.
97	fi'rmus. L.en.	(*li.*) firm.	——	1818.	——	H. ♃.	
98	bellidiflòrus. W.en.	(*li.*) daisy-flowered.	——	....	——	H. ♃.	
99	spectábilis. w.	(*bl.*) showy.	——	1777.	8. 9.	H. ♃.	
100	serotìnus. w.	(*bl.*) late-flowering.	——	....	9. 11.	H. ♃.	
101	tardiflòrus. w.	(*li.*) spear-leaved.	——	1775.	7. 9.	H. ♃.	
102	blándus. Ph.	(*bh.*) charming.	——	1800.	10. 11.	H. ♃.	
103	acuminatus. Ph.	(*wh.*) acuminate.	——	1806.	8. 10.	H. ♃.	Bot. mag. t. 2707.
104	éminens. W.en.	(*re.*) eminent.	——	....	9. 11.	H. ♃.	
105	pubéscens. N.A.	(*re.*) pubescent.	——	1827.	——	H. ♃.	
106	Rádula. w.	(*wh.*) rasp-leaved.	——	1785.	——	H. ♃.	
107	prenanthoídes. w.	(*bl.*) hairy-branch'd.	——	1817.	——	H. ♃.	
108	stríctus. Ph.	(*vi.*) upright dwarf.	——	1806.	——	H. ♃.	
109	Tradescánti. w.	(*wh.*) Michaelmas daisy.	——	1633.	7. 9.	H. ♃.	Moris. s. 7. t. 21. f. 42.
110	vimíneus. w.	(*bl.*) slender.	——	1818.	——	H. ♃.	
111	recurvàtus. w.	(*li.*) recurved.	——	1800.	8. 9.	H. ♃.	
112	expánsus. N.A.	(*bl.*) expanded.	——	1827.	——	H. ♃.	
113	fastigiàtus. Led.	(*bl.*) clustered.	Siberia.	——	——	H. ♃.	
114	láxus. W.en.	(*wh.*) loose-stalked.	N. America.	....	9. 11.	H. ♃.	
115	símplex. W.en.	(*wh.*) simple-stalked.	——	....	8. 10.	H. ♃.	

116	virgíneus. N.A.	(wh.)	virgin.	N. America.	1826.	8. 10.	H. ♃.	
117	polyphyllus. W.en.	(w.)	many-leaved.	———	....	——	H. ♃.	
118	júnceus. w.	(fl.)	slender-stalked.	———	1758.	9. 10.	H. ♃.	
119	lanceolàtus. w.	(wh.)	lanceolate.	———	1811.	8. 11.	H. ♃.	
120	dracunculoides. w.	(w.)	Tarragon-like.	———	——	9. 11.	H. ♃.	
121	frágilis. w.	(wh.)	brittle.	———	1800.	9.	H. ♃.	
122	cárneus. N.A.	(fl.)	flesh-coloured.	———	1827.	——	H. ♃.	
123	pinifòlius. L.en.	(wh.)	Pine-leaved.	———	1823.	——	H. ♃.	
124	laxiflòrus. L.en.	(li.)	loose-flowered.	———	....	8. 10.	H. ♃.	
125	miser. w.	(wh.)	meagre-flower'd.	———	1759.	9. 10.	H. ♃.	
126	divérgens. w.	(wh.)	spreading downy.	———	1758.	——	H. ♃.	
127	diffùsus. w.	(wh.)	diffuse.	———	1777.	——	H. ♃.	
128	scopàrius. N.A.	(wh.)	broom-like.	———	1827.	——	H. ♃.	
129	péndulus. w.	(wh.)	pendulous.	———	1758.	——	H. ♃.	
130	parviflòrus. L.en.	(w.)	small-flowered.	———	1822.	——	H. ♃.	
131	rigídulus. L.en.	(re.)	stiffish.	———	——	——	H. ♃.	
132	myrtifòlius. L.en.	(w.)	Myrtle-leaved.	———	1819.	8. 9.	H. ♃.	
133	abbreviàtus. N.A.	(bl.)	short-rayed.	———	1827.	——	H. ♃.	
134	robústus. N.A.	(bl.)	robust.	.....	——	——	H. ♃.	

CALLISTEMA. Cas. CHINA ASTER. Syngenesia Polygamia Superflua.

	hortènsis. Cas.	(va.)	garden.	China.	1731.	7. 9.	H. ☉.	Dill. elth. t. 84. f. 88.
	α cærùlea.	(bl.)	*blue-flowered.*	———	——	——	H. ☉.	
	β rùbra.	(re.)	*red-flowered.*	———	——	——	H. ☉.	
	γ álba.	(wh.)	*white-flowered.*	———	——	——	H. ☉.	
	δ variegàta.	(bl.wh.)	*variegated.*	———	——	——	H. ☉.	
	ε versicolor.	(re.wh.)	*red and white.*	———	——	——	H. ☉.	
	ζ multiplex.	(va.)	*double-flowered.*	———	——	——	H. ☉.	
	η brachyántha.	(va.)	*bonnet.*	———	——	——	H. ☉.	

SOLIDAGO. W. GOLDEN-ROD. Syngenesia Polygamia Superflua. L.

1	canadénsis. w.	(ye.)	Canadian.	N. America.	1648.	7. 9.	H. ♃.	Schk. hand. 3. f. 246.
2	pròcera. w.	(ye.)	great.	———	1758.	9. 10.	H. ♃.	
3	serotìna. w.	(ye.)	upright smooth.	———	——	7. 8.	H. ♃.	
4	gigántea. w.	(ye.)	gigantic.	———	——	8. 9.	H. ♃.	
5	ciliàris. w.	(ye.)	ciliated.	———	1811.	——	H. ♃.	
6	refléxa. w.	(ye.)	hanging-leaved.	———	1758.	8 9.	H. ♃.	
7	frágrans. W.en.	(ye.)	fragrant.	———	....	7. 9.	H. ♃	
8	laterifòra. w.	(ye.)	lateral-flowered.	———	1758.	8. 9.	H. ♃.	
9	glábra. s.s.	(ye.)	smooth.	———	....	——	H. ♃.	
10	áspera. w.	(ye.)	rough-leaved.	———	1732.	9.	H. ♃.	Dill. elth. t. 305. f. 392.
11	altíssima. w.	(ye.)	tall.	———	1686.	8. 9.	H. ♃.	Mart. cent. 14.
12	recurvàta. W.en.	(ye.)	recurved.	———	1814.	——	H. ♃.	
13	rugòsa. Ph.	(ye.)	wrinkle-leaved.	———	1732.	——	H. ♃.	Dill. elth. t. 306. f. 396.
14	villòsa. Ph.	(ye.)	villous.	———	——	——	H. ♃.	
15	scábra. w.	(ye.)	rough.	———	1811.	——	H. ♃.	
16	pyramidàta. Ph.	(ye.)	pyramidal.	———	1812.	8. 9.	H. ♃.	
17	nemoràlis. w.	(ye.)	woolly-stalked.	———	1769.	9.	H. ♃.	
18	pátula. w.	(ye.)	spreading.	———	1805.	9. 10.	H. ♃.	
19	ulmifòlia. w.	(ye.)	Elm-leaved.	———	——	8. 10.	H. ♃.	
20	argùta. w.	(ye.)	sharp-notched.	———	1758.	7. 8.	H. ♃.	
21	júncea. w.	(ye.)	rush-stalked.	———	1769.	8. 9.	H. ♃.	
22	ellíptica. w.	(ye.)	oval-leaved.	———	1759.	——	H. ♃.	
23	asperàta. Ph.	(ye.)	roughish-leaved.	Canada.	1825.	——	H. ♃.	
24	odòra. w.	(ye.)	sweet-smelling.	N. America.	1699.	8. 10.	H. ♃.	Pluk. alm. t. 116. f. 6.
25	retrórsa. M.	(ye.)	reflex-leaved.	———	1824.	——	H. ♃.	
26	lævigàta. N.	(ye.)	fleshy-leaved.	———	——	10. 11.	H. ♃.	
27	mexicàna. w.	(ye.)	Mexican.	America.	1683.	7. 10.	H. ♃.	Dodart. act 4. t. 219.
28	sempervìrens. N.	(ye.)	evergreen.	N. America.	1699.	9. 10.	H. ♃.	Corn. canad. t. 169.
29	speciòsa. N.	(ye.)	handsome.	———	1812.	——	H. ♃.	
30	multiflòra. P.s.	(ye.)	many-flowered.	———	....	——	H. ♃.	
31	pauciflosculòsa. M.	(ye.)	slender-flower'd.	———	1811.	8. 10.	H. ♃.	
32	bícolor. w.	(wh.ye.)	two-coloured.	———	1759.	8. 9.	H. ♃.	Pluk. alm. t. 114. f. 8.
	A'ster bícolor. Nees.							
33	petiolàris. w.	(ye.)	late-flowered.	———	1758.	10. 12.	H. ♃.	
34	stricta. w.	(ye.)	Willow-leaved.	———	——	9.	H. ♃.	
35	hùmilis. Ph.	(ye.)	dwarf.	———	1811.	7. 8.	H. ♃.	
36	virgàta. M.	(ye.)	slender.	———	1827.	——	H. ♃.	
37	lívida. W.en.	(ye.)	purple-stemmed.	———	1812.	——	H. ♃.	
38	hírta. W.en.	(ye.)	hairy.	———	....	9. 10.	H. ♃.	
39	lithospermifòlia. Ph.	(ye.)	Gromwell-leav'd.	———	1811.	8. 10.	H. ♃.	

40	hispida. w.	(ye.)	hispid.	N. America.	1820.	8. 10.	H. 4.	
41	c'æsia. w.	(ye.)	Maryland.	———	1732.	9. 10.	H. 4.	
42	flexicaùlis. w.	(ye.)	crook-stalked.	———	1725.	9.	H. 4.	Pluk. alm. t. 235. f. 3.
43	latifòlia. L.	(ye.)	broad-leaved.	———	——	——	H. 4.	——— t. 235. f. 4.
44	ambígua. w.	(ye.)	angular-stalked.	.....	1759.	7. 8.	H. 4.	
45	macrophy'lla. Ph.	(ye.)	large-leaved.	N. America.	....	8. 10.	H. 4.	
46	glomeràta. M.	(ye.)	close-flowered.	———	1820.	——	H. 4.	
47	squarròsa. N.	(ye.)	squarrose-cup'd.	———	1827.	——	H. 4.	
48	alpéstris. W.K.	(ye.)	Alpine.	Europe.	——	7. 9.	H. 4.	
49	Virgaùrea. w.	(ye.)	common.	Britain.	....	——	H. 4.	Eng. bot. v. 5. t. 301.
50	cámbrica. w.	(ye.)	Welsh.	Wales.	....	7. 8.	H. 4.	Dill. elth. t. 306. f. 393.
51	asiática. F.	(ye.)	Asiatic.	N. Asia.	1824.	——	H. 4.	
52	axillàris. Ph.	(ye.)	axillary.	N. America.	1811.	8. 10.	H. 4.	
53	erécta. Ph.	(ye.)	upright.	———	....	——	H. 4.	
54	vimínea. w.	(ye.)	twiggy.	———	1759.	9.	H. 4.	
55	angustifòlia. N.	(ye.)	narrow-leaved.	———	1824.	——	H. 4.	
56	littoràlis. S.S.	(ye.)	sea-side.	Italy.	1827.	7. 9.	H. 4.	
57	decúrrens. S.S.	(ye.)	decurrent.	China.	1823.	8. 10.	H. 4.	
58	pubérula. N.	(ye.)	pubescent.	N. America.	——	——	H. 4.	
59	minùta. w.	(ye.)	least.	Pyrenees.	1772.	7. 8.	H. 4.	Lodd. bot. cab. t. 189.
60	multiradiàta. w.	(ye.)	Labrador.	Labrador.	1776.	——	H. 4.	
61	elàta. Ph.	(ye.)	tall hairy.	N. America.	1811.	8. 10.	H. 4.	
62	rígida. w.	(ye.)	hard-leaved.	———	1710.	9.	H. 4.	Herm. parad. 243.

EUTH'AMIA. N. EUTH'AMIA. Syngenesia Polygamia Superflua.

1	graminifòlia. N.	(ye.)	grass-leaved.	N. America.	1758.	8. 10.	H. 4.	Bot. mag. t. 2546.

Chrysócoma graminifòlia. L. *Solidàgo lanceolàta.* w.

2	tenuifòlia. N.	(ye.)	slender-leaved.	N. America.	——	9. 10.	H. 4.	

BRACH'YRIS. N. BRACH'YRIS. Syngenesia Polygamia Superflua.

	Euthàmiæ. N.	(ye.)	strong-scented.	Missouri.	1827.	8. 10.	H. 4.	

Solidàgo Sarothræ. Ph. *Brachyach'yris Euthàmiæ.* S.S.

CHRYSO'COMA. W. GOLDY-LOCKS. Syngenesia Polygamia Æqualis. L.

1	comaùrea. w.	(ye.)	great shrubby.	C. B. S.	1731.	6. 8.	G. h.	Bot. mag. t. 1972.
2	pátula. w.	(ye.)	spreading.	———	1816.	——	G. h.	
3	cérnua. w.	(ye.)	small shrubby.	———	1712.	5. 9.	G. h.	Comm. hort. 2. t. 45.
4	ciliàris. w.	(ye.)	Heath-leaved.	———	1759.	7. 10.	G. h.	——— 2. t. 48.
5	nívea. w.	(ye.)	woolly-leaved.	———	1820.	5. 9.	G. h.	Jacq. schœn. 2. t. 147.

tomentòsa. Jacq. *non* L.

6	scábra. w.	(ye.)	rugged.	———	1732.	8. 9.	G. h.	Dill. elth. t. 88. f. 103.
7	denticulàta. w.	(ye.)	toothed.	.....	....	——	G. h.	Jacq. schœn. 3. t. 368.
8	Linos'yris. w.	(ye.)	flax-leaved.	Europe.	....	9. 10.	H. 4.	Eng. bot. v. 35. t. 2505.
9	dracunculoídes. w.	(ye.)	Siberian.	Siberia.	....	——	H. 4.	
10	biflòra. w.	(ye.)	two-flowered.	———	1741.	8. 9.	H. 4.	Gmel. sib. 2. t. 82. f. 1.
11	gravèolens. N.	(ye.)	Rue-scented.	Missouri.	1822.	——	H. 4.	
12	nudàta. M.	(ye.)	naked.	N. America.	1819.	——	H. 4.	
13	virgàta. N.	(ye.)	slender.	———	——	——	H. 4.	
14	villòsa. w.	(ye.)	villous.	Hungary.	1799.	——	H. 4.	W. et K. hung. 1. t. 58.

BOLT'ONIA. W. BOLT'ONIA. Syngenesia Polygamia Superflua. L.

1	asteroídes. w.	(wh.)	Starwort-flower'd.	N. America.	1758.	8. 10.	H. 4.	Bot. mag. t. 2554.
2	glastifòlia. w.	(pu.)	glaucous-leaved.	———	——	9.	H. 4.	——— t. 2381.

AME'LLUS. W. AME'LLUS. Syngenesia Polygamia Superflua.

	Lychnìtis. w.	(bl.)	Cape.	C. B. S.	1768.	6. 7.	G. h.	Bot. reg. t. 586.

SIDÉRA NTHUS. Fras. SIDERA'NTHUS. Syngenesia Polygamia Superflua.

1	villòsus.	(ye.)	villous.	Missouri.	1811.	8. 9.	H. 4.	

Sideránthus integrifòlius. Fras. *Améllus villòsus.* Ph.

2	spinulòsus.	(ye.)	spiny.	———	——	——	H. 4.	

Améllus spinulòsus. Ph. *Sideránthus pinnatifidus.* Fras.

STA'RKEA. W. STA'RKEA. Syngenesia Polygamia Superflua.

1	umbellàta. w.	(ye.)	umbel-flower'd.	Jamaica.	1768.	6. 7.	S. 4.	Lam. ill. t. 682. f. 2.
2	igniària. D.D.	(ye.)	close-flowered.	S. America.	1823.	6. 8.	F. 4.	H. et B. pl. æq. 2. t. 112.

Hierba de Santa Maria. incolarum. *Andromáchia igniària.* K.S.

GRIND'ELIA. W.en. GRIND'ELIA. Syngenesia Polygamia Superflua. W.

1	glutinòsa. Dun.	(ye.)	glutinous.	Mexico.	1803.	1. 12.	F. h.	Bot. reg. t. 187.

Dónia glutinòsa. B.R. *Dorónicum glutinòsum.* w.

2	inuloídes. W.en.	(ye.)	Inula-like.	Mexico.	1815.	6. 9.	F. h.	Bot. reg. t. 248.
3	pulchélla. S.S.	(ye.)	pretty.	Chile.	1827.	——	F. h.	
4	nítida. Bern.	(ye.)	glossy.	Mexico.	1825.	——	F. h.	
5	coronopifòlia. Leh.	(ye.)	Buckshorn-leav'd.	———	1826.	——	F. h.	
6	angustifòlia. B.R.	(ye.)	narrow-leaved.	———	1822.	——	F. h.	Bot. reg. t. 781.
7	spatulàta. L.en.	(ye.)	spatulate-leav'd.	———	——	——	F. h.	

8 squarròsa. Dun.	(*ye.*)	Snake-headed.	Missouri.	1811.	7. 9.	F. ♃.	Bot. mag. t. 1706.
9 ciliàta. s.s.	(*ye.*)	ciliated.	Arkansa.	1821.	9. 10.	H. ♃.	Hook. ex. flor. t. 45.
Dónia ciliàta. H.E.F.							
10 villòsa. D.	(*ye.*)	villous.	Columbia.	1827.	8. 10.	H. ♃.	
PODOL'EPIS. Lab.		PODOL'EPIS. Syngenesia Polygamia Superflua.					
1 rugàta. H.K.	(*ye.*)	wrinkle-scaled.	N. Holland.	1803.	7. 8.	G. ♃.	Lab. nov. holl. 2. t. 208.
2 acuminàta. H.K.	(*ye.*)	sharp-scaled.	N. S. W.	——	5. 8.	G. ♃.	Bot. mag. t. 956.
Scàlia jaceoides. B.M.							
3 grácilis. B.F.G.	(*li.*)	slender.	N. Holland.	1827.	8. 10.	H. ♃.	Swt. br. fl. gar. t. 285.
GERB'ERIA. Cass.		GERB'ERIA. Syngenesia Polygamia Superflua.					
1 crenàta. B.R.	(*li.*)	crenated.	C. B. S.	1820.	4. 8.	G. ♃.	Bot. reg. t. 855.
2 asplenifòlia. s.s.	(*ye.pu.*)	Spleenwort-leaved.	——	1822.	4. 6.	G. ♃.	Burm. afr. 155. t. 26. f. 1.
A'rnica Gerbèra. L. *Dorónicum asplenifòlium.* Lam.							
A'RNICA. W.		A'RNICA. Syngenesia Polygamia Superflua.					
1 montàna. w.	(*ye.*)	mountain.	Europe.	1731.	7. 8.	H. ♃.	Bot. mag. t. 1749.
2 angustifòlia. s.s.	(*ye.*)	narrow-leaved.	Greenland.	1827.	6. 8.	H. ♃.	
3 fúlgens. Ph.	(*ye.*)	glossy-flowered.	Missouri.	1826.	——	H. ♃.	
4 scorpioídes. w.	(*ye.*)	alternate-leaved.	Austria.	1710.	——	H. ♃.	Jacq. aust. 4. t. 349.
5 glaciàlis. w.	(*ye.*)	alpine.	Germany.	1816.	7. 8.	H. ♃.	Jacq. ic. 3. t. 586.
6 Dorónicum. w.	(*ye.*)	Clusius's.	Austria.	——	——	H. ♃.	Jacq. aust. 1. t. 92.
Clùsii. All. t. 17. f. 1. 2.							
7 lanígera. T.N.	(*ye.*)	woolly.	Italy.	1827.	——	H. ♃.	
8 maritima. L.	(*ye.*)	sea-side.	Kamtschatka.	1821.	——	H. ♃.	
BELLIDIA'STRUM. Cass.		BELLIDIA'STRUM. Syngenesia Polygamia Superflua.					
Michèlii. Cass.	(*wh.ro.*)	Micheli's.	Austria.	1570.	6. 8.	H. ♃.	Bot. mag. t. 1196.
A'rnica Bellidiástrum. B.M. *Dorónicum Bellidiástrum.* L.							
DIPLO'COMA. D.D.		DIPLO'COMA. Syngenesia Polygamia Superflua.					
villòsa. D.D.	(*ye.*)	villous.	Mexico.	1827.	8. 10.	F. ♃.	Swt. br. fl. gar. t. 246.
N'EJA. D.D.		N'EJA. Syngenesia Polygamia Superflua.					
grácilis. D.D.	(*ye.*)	slender.	Mexico.	1828.	9. 10.	F. ♄.	Swt. br. fl. gar. ser. 2.
DORO'NICUM. W.		LEOPARD'S-BANE. Syngenesia Polygamia Superflua.					W.
1 Pardaliánches. w.	(*ye.*)	great.	Britain.	....	5.	H. ♃.	Eng. bot. v. 9. t. 630.
2 macrophy'llum. s.s.	(*ye.*)	large-leaved.	Europe.	1821.	——	H. ♃.	
3 scorpioídes. w.	(*ye.*)	mountain.	Germany.	——	4. 6.	H. ♃.	
4 Columnæ. T.S.	(*ye.*)	Columna's.	Naples.	1826.	——	H. ♃.	Column. ecphr. 2. t. 46.
5 cancásicum. M.B.	(*ye.*)	Caucasean.	Caucasus.	1815.	——	H. ♃.	
orientàle. W.en.							
6 altàicum. w.	(*ye.*)	Siberian.	Siberia.	1783.	6. 8.	H. ♃.	Pall. a. pet. 1779. t. 16.
7 dentàtum. L.en.	(*ye.*)	toothed.	.....	1825.	5. 6.	H. ♃.	
8 plantagíneum. w.	(*ye*)	Plantain-leav'd.	S. Europe.	1570.	——	H. ♃.	
9 austriacum. w.	(*ye.*)	Austrian.	Austria.	1816.	——	H. ♃.	Jacq. aust. t. 180.
LEPTOSTE'LMA. D.D.		LEPTOSTE'LMA. Syngenesia Polygamia Superflua.					
máxima. D.D.	(*wh.*)	gigantic.	Mexico.	1828.	8. 9.	H. ♃	Swt. br. fl. gar. s.2. t.38.
BE'LLIS. W.		DAISY. Syngenesia Polygamia Superflua. L.					
1 sylvéstris. w.	(*wh.*)	large Portugal.	Portugal.	1797.	5. 7.	H. ♃.	Bot. mag. t. 2511.
2 perénnis. w.	(*wh.*)	common.	Britain.	....	3. 8.	H. ♃.	Eng. bot. v. 6. t. 424.
β *horténsis.*	(*wh.*)	*large double.*	.....	....	——	H. ♃.	Bot. mag. t. 228.
γ *fistulòsa.*	(*re.*)	*red quilled.*	.....	....	——	H. ♃.	
δ *tubulòsa.*	(*wh.*)	*white quilled.*	.....	....	——	H. ♃.	
ε *prolífera.*	(*wh.re.*)	*Hen & Chicken.*	.....	....	——	H. ♃.	
3 hy'brida. Ten.	(*wh.*)	Italian.	Italy.	1824.	4. 8.	H. ♃.	
4 ánnua. w.	(*wh.*)	annual.	S. Europe.	1759.	3. 7.	H. ☉.	Bot. mag. t. 2174.
BE'LLIUM. W.		BE'LLIUM. Syngenesia Polygamia Superflua. L.					
1 bellidioídes. w.	(*wh.*)	small.	Italy.	1796.	6. 9.	H. ☉.	Lam. ill. t. 684.
2 minùtum. w.	(*wh.*)	dwarf.	Levant.	1772.	6. 10.	H. ♃.	Schreb. a. ups. 1. t. 5. f. 2.
PSI'ADIA. W.		PSI'ADIA. Syngenesia Polygamia Necessaria. W.					
glutinòsa. w.	(*ye.*)	glutinous.	Mauritius.	1796.	6. 8.	S. ♄.	Jacq. schœn. 2. t. 152.

Subordo IV. *EUPATOREÆ. Kth. synops.* 2. *p.* 408.

K'UHNIA. W.		K'UHNIA. Syngenesia Polygamia Æqualis.					
1 eupatorioídes. w.	(*wh.*)	Eupatorium-like.	N. America.	1812.	6. 8.	H. ♃.	Linn. fil. dec. t. 11.
Critònia eupatorioídes. G.							
2 Critònia. w.	(*st.*)	glandular-leaved.	——	1816.	——	H. ♃.	Gært. carp. 2. t. 174. f. 7.
Critònia Kùhnia. G.							
3 rosmarinifòlia. s.s.	....	Rosemary-leaved.	Cuba.	1827.	....	S. ♃.	

EUPATORIUM. W.		EUPATORIUM.	Syngenesia Polygamia Æqualis. L.					
1 Dàlea. w.	(wh.)	shrubby.	Jamaica.	1773.	8.	S. ♄.	Jacq. schœn. 2. t. 146.
2 parviflòrum. w.	(wh.)	small-flowered.	———	1823.	——	S. ♄.	
3 triflòrum. w.	(wh.)	three-flowered.	Trinidad.	1821.	7. 8.	S. ♄.◡.	Aub. gui. 2. t. 314.
4 macrophyllum.w.	(li.)	large-leaved.	S. America.	1824.	....	S. ♃.	Plum. spec. 10. t. 129.
5 populifòlium.K.S.	(wh.)	Poplar-leaved.	Mexico.	——	....	S. ♄.	
6 canéscens. w.	(wh.)	canescent.	S. America.	1822.	6. 8.	S. ♄.	Vahl symb. 3. t. 73.
7 veronicæfòlium.K.S.	(w.)	Speedwell-leav'd.	Mexico.	1825.	....	S. ♄.	H. et B. v. 4. t. 341.
8 fœniculàceum. w.	(st.)	Fennel-leaved.	N. America.	1807.	6. 9.	H ♃.	
9 coronopifòlium.w.	(wh.)	buckshorn-leaved.	———	1819.	8. 9.	H. ♃.	
10 hyssopifòlium.w.	(wh.)	Hyssop-leaved.	———	1699.	——	H. ♃.	Dill. elth. t. 115. f. 140.
11 sessilifòlium. w.	(wh.)	sessile-leaved.	———	1777.	9. 10.	H. ♃.	
12 truncàtum. w.	(wh.)	truncate-leaved.	———	1822.	8. 10.	H. ♃.	
13 álbum. w.	(wh.)	white-flowered.	———	——	——	H. ♃.	
14 lanceolàtum. w.	(wh.)	spear-leaved.	———	1819.	8. 11.	H. ♃.	
15 teucrifòlium. w.	(wh.)	Teucrium-leav'd.	———	1816.	——	H. ♃.	Willd. hort. ber. t. 32.
16 rotundifòlium.w.	(wh.)	round-leaved.	———	1699.	7. 8.	H. ♃.	Pluk. alm. t. 88. f. 4.
17 pubéscens. w.	(wh.)	pubescent.	———	1816.	8. 10.	H. ♃.	
18 ceanothifòlium.w.	(w.)	Ceanothus-like.	———	1812.	8. 11.	H. ♃.	
19 altíssimum. w.	(wh.)	tall.	———	1699.	9. 10.	H. ♃.	Jacq. vind. 2. t. 164.
20 trifoliàtum. w.	(wh.)	three-leaved.	———	1768.	8. 10.	H. ♃.	
21 cannabìnum. w.	(pu.)	Hemp agrimony.	Britain.	....	7. 10.	H. ♃.	Eng. bot. v. 6. t. 428.
22 syriacum. w.	(ro.)	Syrian.	Syria.	1807.	7. 9.	H. ♃.	Jacq. ic. 1. t. 170.
23 diffùsum. S.S.	(wh.)	spreading.	S. America.	1821.	6. 8.	S. ♃.	
24 purpùreum. w.	(pu.)	purple-stalked.	N. America.	1640.	9. 10.	H. ♃.	Corn. canad. t. 72.
25 maculàtum. w.	(pu.)	spotted-stalked.	———	1656.	8. 9.	H. ♃.	Herm. parad. t. 158.
26 punctàtum. Ph.	(pu.)	punctated.	———	1815.	——	H. ♃.	
27 verticillàtum. w.	(pu.)	whorl-leaved.	———	1811.	——	H. ♃.	
28 perfoliàtum. w.	(wh.)	Feverwort.	———	1699.	8. 10.	H. ♃.	Pluk. alm. t. 87. f. 6.
29 salviæfòlium.B.M.	(wh.)	Sage-leaved.	———	1812.	——	H. ♃.	Bot. mag. t. 2010.
30 lamiifòlium.L.en.	(wh.)	Lamium-leaved.	———	1818.	——	H. ♃.	
31 paniculàtum.Mil.	(wh.)	panicled.	———	....	——	H. ♃.	
32 melissoides. w.	(wh.)	Balm-leaved.	———	1821.	8. 10.	H. ♃.	
33 aromáticum. w.	(wh.)	aromatic.	———	1739.	7. 8.	H. ♃.	Pluk. alm. t. 88. f. 3.
34 urticæfòlium. w.	(wh.)	Nettle-leaved.	S. America.	1803.	——	G. ♃.	Smith ined. t. 68.
35 ageratoides. w.	(wh.)	Ageratum-like.	N. America.	1640.	8. 10.	H. ♃.	Corn. canad. t. 21.
36 deltoideum. w.	(pi.)	deltoid-leaved.	.....	1818.	——	S. ♃.	Jacq. schœn. 3. t. 269.
37 scándens. L.en.	(ye.)	climbing.	S. America.	1822.	6. 8.	S. ♄.◡.	
38 squarròsum. w.	(st.)	squarrose.	Mexico.	1824.	——	S. ♃.	Cavan. ic. 1. t. 98.
39 atriplicifòlium. w.	(li.)	Orache-leaved.	W. Indies.	1820.	....	S. ♄.	
40 sinuàtum. P.S.	(wh.)	sinuate.	———	1824.	6. 8.	S. ♄.	Plum. sp. 10. ic. 128. f. 1.
41 odoràtum. w.	(wh.)	sweet-scented.	Jamaica.	1752.	8. 10.	S. ♄.	Pluk. alm. t. 177. f. 3.
42 Ayapàna. v.	(pu.)	medicinal.	Brazil.	1821.	——	S. ♄.	Vent. malm. p. 3. t. 3.
43 triplinérve. P.S.	....	triply-nerved.	Santa Cruz.	——	——	S. ♄.	
44 ivæfòlium. w.	(wh.)	Iva-leaved.	Jamaica.	1794.	6. 7.	S. ♃.	
45 stœchadifòlium.L.	(vi.)	Stœchas-leav'd.	New Granada.	1826.	....	S. ♄.	Sm. ic. ined. t. 69.
46 myosotifòlium. w.	(bl.)	Myosotis-leav'd.	S. America.	1824.	6. 8.	S. ♂.	Jacq. ic. 3. t. 282.
47 iresinoides. K.S.	(wh.)	Iresine-like.	———	——	——	S. ♃.	H. et B. v. 4. t. 340.
48 pulchéllum. K.S.	(vi.)	pretty.	Mexico.	——	——	S. ♄.	——— v. 4. t. 345.
49 xalapénse. K.S.	(wh.)	six-angled.	———	——	——	S. ♄.	
50 repándum. w.	(wh.)	repand-leaved.	Antilles.	1822.	——	S. ♄.	Plum. ic. 130. f. 1.
51 ásperum. H.B.	(wh.)	rough.	E. Indies.	1820.	6. 8.	S. ♄.	
MIKANIA. W.		MIKANIA.	Syngenesia Polygamia Æqualis. W.					
1 Houstòni. w.	(wh.)	Houstoun's.	Jamaica.	1733.	7. 8.	S. ♄.	
2 hastàta. w.	(wh.)	halbert-leaved.	———	....	——	S. ♄.	Brown jam. t. 34. f. 3.
3 scándens. w.	(wh.)	climbing.	N. America.	1714.	8. 9.	H. ♃.◡.	Jacq. ic. 1. t. 169.
4 Guáco. K.S.	(wh.)	medicinal.	S. America.	1823.	....	S. ♃.◡.	H. et B. pl. 2. t. 105.
5 amára. w.	(wh.)	bitter.	Trinidad.	1824.	....	S. ♄.◡.	Aubl. gui. 2. t. 315.
6 opifera. Mart.	(wh.)	snakewort.	Brazil.	1822.	....	S. ♄.◡.	
7 nummulària.D.D.	(wh.)	moneywort.	Mexico.	1826.	6. 8.	S. ♃.◡.	
STEVIA. W.		STEVIA.	Syngenesia Polygamia Æqualis. W.					
1 connàta. L.G.	(wh.)	connate-leaved.	New Spain.	1825.	8. 10.	F. ♄.	
2 subpubésoens.L.G.	(w.)	downy-branch'd.	———	——	——	F. ♄.	
3 coriàcea. L.G.	(wh.)	leather-leaved.	Peru.	1826.	——	F. ♄.	
4 lùcida. L.G.	(wh.)	glossy-leaved.	New Spain.	1822.	——	F. ♄.	
5 salicifòlia. w.	(wh.)	Willow-leaved.	Mexico.	1803.	——	F. ♄.	Cavan. ic. 4. t. 354.
6 angustifòlia. K.S.	(wh.)	narrow-leaved.	———	——	——	F. ♄.	
7 trífida. L.G.	(wh.)	trifid-leaved.	New Spain.	1828.	——	F. ♃.	
8 micrántha. L.G.	(wh.)	small-flowered.	———	1825.	8. 10.	F. ♃.	

9	incanéscens. L.G.	(wh.)	villous-stalked.	New Spain.	1825.	8. 10.	F. ♃.	
10	pubéscens. L.G.	(pu.)	pubescent.	Mexico.	1823.	——	F. ♃.	
11	tomentosa. K.S.	(ro.)	tomentose.	———	1825.	——	F. ♃.	
12	monardæfòlia. K.S.	(ro.)	Monarda-leav'd.	———	——	8. 9.	F. ♃.	
13	fastigiàta. K.S.	(wh.)	crowded-flower'd.	New Spain.	1828.	——	F. ♃.	
14	adenóphora. L.G.	(wh.)	glandular.	Chile.	1822.	——	F. ♃.	
15	enarthrotricha. L.G.	(w.)	jointed haired.	New Spain.	1828.	——	F. ♃.	
16	ovata. L.G.	(wh.)	oval-leaved.	Mexico.	1816.	8. 9.	F. ♃.	
17	suboctoaristàta. L.G.	(w.)	8-awned.	Peru.	1824.	——	F. ♃.	
18	paniculàta. L.G.	(wh.)	panicled.	New Spain.	——	——	F. ♃.	
19	suavèolens. L.G.	(wh.)	sweet-scented.	———	1827.	——	F. ♃.	
20	rhombifòlia. K.S.	(wh.)	rhomb-leaved.	Mexico.	1826.	8. 10.	F. ♃.	
21	nepetæfòlia. K.S.	(wh.)	catmint-leaved.	———	——	——	F. ♃.	
22	Eupatòria. W.	(ro.wh.)	entire-leaved.	———	1798.	7. 9.	F. ♃.	Bot. mag. t. 1849.
23	lanceolàta. L.G.	(bl.)	spear-leaved.	———	1824.	——	F. ♃.	
24	hyssopifòlia. B.M.	(wh.)	Hyssop-leaved.	———	....	——	F. ♃.	Bot. mag. t. 1861.
25	ivæfòlia. W.en.	(wh.)	Iva-leaved.	———	1816.	7. 9.	F. ♃.	
26	serràta. W.	(wh.)	saw-leaved.	———	1799.	——	F. ♃.	Jacq. schœn. 3. t. 300
27	virgàta. K.S.	(wh.)	slender.	———	1824.	——	F. ♃.	
28	purpùrea. W.en.	(pu.)	purple-flowered.	———	1812.	8. 9.	H. ♃.	Bot. reg. t. 93.
	Eupatòria. B.R. *nec aliorum.*							
29	víscida. K.S.	(ro.)	rose-coloured.	———	1824.	9. 10.	F. ♃.	
30	pilòsa. L.G.	(ro.)	hairy.	New Spain.	1825.	8. 10.	F. ♃.	
31	microphy'lla. K.S.	(bl.)	small-leaved.	Mexico.	1828.	——	F. ♃.	
PALAFO'XIA. Lag.			PALAFO'XIA.	Syngenesia Polygamia Æqualis.				
1	linearis. L.G.	(wh.)	linear-leaved.	Mexico.	1816.	8. 10.	F. ♃.	Bot. mag. t. 2132.
	Stèvia linearis. W. *Ageràtum lineàre.* Cav. ic. 3. t. 205.							
2	callòsa. D.D.	(wh.)	callous.	Arkansa.	1824.	6. 8.	H. ☉.	
	Stèvia callòsa. N.							
AGER'ATUM. W.			AGER'ATUM.	Syngenesia Polygamia Æqualis. L.				
1	strictum. B.M.	(wh.)	upright.	Nepaul.	1820.	9. 11.	H. ☉.	Bot. mag. t. 2410.
2	conyzoídes. W.	(bl.)	hairy.	America.	1714.	7. 8.	H. ☉.	Schk. hand. 3. t. 238.
3	cœrùleum. P.S.	(bl.)	blue-flowered.	S. America.	1820.	——	H. ☉.	
4	mexicànum. B.M.	(bl.)	Mexican.	Mexico.	1823.	8. 10.	H ☉.	Swt. br. fl. gar. t. 89.
5	latifòlium. W.	(wh.)	broad-leaved.	Peru.	1800.	7. 8.	H. ☉.	Cavan. ic. 4. t. 357.
6	Houstoniànum. Mil.	(bl.)	Houstoun's.	S. America.	....	6. 8.	S. ☉.	
7	paniculàtum. Scr.	(bl.)	panicled.	———	1827.	9. 10.	H. ☉.	
8	álbum. W.	(wh.)	white-flowered.	———	1822.	6. 9.	H. ☉.	
	hirtum. Lam.							
9	marítimum. K.S.	(bl.)	sea-side.	Cuba.	1826.	——	S. ♃.	
10	cordifòlium. H.B.	(wh.)	heart-leaved.	Bengal.	1820.	8. 10.	S. ☉.	
11	aquáticum. H.B.	(wh.)	water.	E. Indies.	——	——	S. ☉.	
CŒLESTI'NA. Cas.			CŒLEST'INA.	Syngenesia Polygamia Æqualis.				
1	suffruticòsa.	(bl.)	suffruticose.	S. America.	....	7. 10.	G. ♄.	Bot. mag. t. 1730.
	Ageràtum cœlestinum. B.M.							
2	ageratoídes. K.S.	(bl.)	Ageratum-like.	New Spain.	1824.	——	G. ♃.	
3	cœrùlea. Cas.	(bl.)	blue-flowered.	N. America.	1732.	7. 11.	H. ♃.	Dill. elth. t. 114. f. 139.
	Eupatòrium cœlestinum. W.							
AL'OMIA. K.S.			AL'OMIA.	Syngenesia Polygamia Æqualis.				
	ageratoídes. K.S.	(wh.)	white-flowered.	New Spain.	1823.	7. 9.	G. ♃.	H. et B. 4. t. 354.
PIQU'ERIA. W.			PIQU'ERIA.	Syngenesia Polygamia Æqualis. W.				
1	trinérvia. W.	(wh.)	three-nerved.	Mexico.	1798.	7. 8.	G. ♃.	Cavan. ic. 3. t. 235.
2	pilòsa. K.S.	(wh.)	hairy.	———	1824.	——	G. ♃.	
3	artemisioídes. K.S.	(wh.)	Wormwood-like.	Quito.	——	8. 12.	G. ♃.	
SELL'OA. Spr.			SELL'OA.	Syngenesia Polygamia Æqualis.				
	glutinòsa. B.R.	(ye.)	clammy.	Brazil.	1815.	1. 5.	G. ♄.	Bot. reg. t. 462.
LEYS'ERA. W.			LEYS'ERA.	Syngenesia Polygamia Superflua. W.				
1	ciliàta. W.	(ye.)	ciliated.	C. B. S.	1816.	7. 8.	G. ♃.	
2	gnaphalòdes. W.	(or.)	woolly.	———	1774.	7. 9.	G. ♄.	Jacq. ic. 3. t. 588.

SUBORDO V. *JACOBEÆ. Kth. synops.* 2. *p.* 440.

KLEI'NIA. W.			KLEI'NIA.	Syngenesia Polygamia Æqualis. W.				
1	ruderàlis. W.	(gr.ye.)	glaucous-leav'd.	S. America.	1824.	7. 10.	S. ☉.	Jacq. amer. t. 127.
2	Porophy'llum. W.	(gr.ye.)	perforated.	———	1699.	6. 10.	S. ☉.	Cavan. ic. 3. t. 222.
3	viridiflòra. K.S.	(gr.)	green-flowered.	Mexico.	1823.	——	S. ♄.	

4	tagetoïdes. K.S.	(*gr.*)	Tagetes-like.	Mexico.	1823.	6. 10.	H. ☉.		
5	suffruticòsa. W.	(*pu.*)	suffruticose.	S. America.	1825.	——	G. ♄.		Cavan. ic. 3. t. 257.
6	coloràta. K.S.	(*vi.*)	violet-colour'd.	Mexico.	——	——	H. ☉.		
CAC'ALIA. W.			CAC'ALIA. Syngenesia Polygamia Æqualis. L.						
1	papillàris. W.	(*wh.*)	rough-stalked.	C. B. S.	1727.	....	G. ♄.		Dill. elth. t. 55. f. 63.
2	Anteuphórbium. W.	(*st.*)	oval-leaved.	——	1596.	2. 3.	G. ♄.		—— t. 55. f. 2. 3.
3	Kleínia. W.	(*wh.*)	Oleander-leaved.	Canaries.	1732.	9. 10.	G. ♄.		DC. plant. gras. t. 12.
4	Ficoïdes. W.	(*st.*)	flat-leaved.	C. B. S.	1710.	6. 11.	G. ♄.		—— t. 90.
5	rèpens. W.	(*st.*)	glaucous-leaved.	——	1759.	6. 10.	G. ♄.		—— t. 42.
6	cylíndrica. DC.	(*ye.*)	cylindrical.	Africa.	1818.	——	G. ♄.		—— t. ic.
7	carnòsa. W.	(*st.*)	narrow-leaved.	C. B. S.	1757.	6.	G. ♄.		
8	canéscens. W.	(*st.*)	woolly-leaved.	——	1795.	....	G. ♄.		
	Hawórthii. H.S.L.		*Kleínia tomentòsa.* H.S. *non* C. *tomentòsa.* L.						
9	longifòlia. H.R.		long-leaved.	.....	1820.	....	S. ♄.		
	pugioniformis. L.en.								
10	articulàta. W.	(*wh.*)	jointed.	C. B. S.	1775.	9. 11.	G. ♄.		DC. plant. gras. t. 18.
	laciniàta. Jacq. ic. 1. t. 168.								
11	tomentòsa. W.	(*ye.*)	tomentose.	——	1795.	——	G. ♄.		
12	reticulàta. W.	(*ye.*)	netted.	Bourbon.	1823.	....	G. ♄.		
13	appendiculàta. W.	(*ye.*)	appendaged.	Teneriffe.	1815.	6. 9.	G. ♄.		
14	salicìna. Lab.	(*ye.*)	willow-leaved.	V. Diem. Isl.	1820.	4. 6.	G. ♄.		Bot. reg. t. 923.
15	bícolor. W.	(*or.*)	two-coloured.	E. Indies.	1804.	9. 5.	S. ♄.		—— t. 110.
16	ovàlis. B.R.	(*ye.*)	oval-leaved.	——	....	——	S. ♄.		—— t. 102.
17	sonchifòlia. W.	(*re.*)	Sonchus-leaved.	——	1768.	7.	S. ☉.		Rheed. mal. 10. t. 68.
18	coccinea. B.M.	(*sc.*)	scarlet-flower'd.	S. America.	1799.	6. 7.	H. ☉.		Bot. mag. t. 564.
19	sarracènica. W.	(*st.*)	creeping-rooted.	France.	1772.	8. 10.	H. ♃.		
20	runcinàta. K.S.	(*ro.*)	runcinate.	Mexico.	1825.	....	H. ♃.		
21	hastàta. W.	(*wh.*)	spear-leaved.	Siberia.	1780.	8. 10.	H. ♃.		Gmel. sib. 2. t. 66.
22	rhombifòlia. W.en.	(*st.*)	rhomb-leaved.	——	1816.	——	H. ♃.		
23	macrophy'lla. M.B.	(*st.*)	large-leaved.	Caucasus.	1828.	——	H. ♃.		
24	suavèolens. W.	(*wh.*)	sweet-scented.	N. America.	1752.	——	H. ♃.		
25	atriplicifòlia. W.	(*wh.*)	Orache-leaved.	——	1699.	8.	H. ♃.		Pluk. alm. t. 101. f. 2.
26	cordifòlia. K.S.	(*ye.*)	heart-leaved.	Mexico.	1825.	7. 9.	F. ♃.		
27	renifórmis. W.	(*wh.*)	kidney-leaved.	N. America.	1801.	7. 8.	H. ♃.		
28	tuberòsa. N.	(*wh.*)	tuberous-rooted.	——	1812.	——	H. ♃.		
29	pinnàta. W.en.	(*ye.*)	pinnate-leaved.	Iberia.	1816.	——	H. ♃.		
30	peltàta. K.S.	(*gr.*)	peltated.	Mexico.	1825.	——	G. ♃.		H. et Bonpl. 4. t. 361.
31	scándens. W.	(*pi.*)	climbing.	C. B. S.	1774.	4.	G. ♃.		
EMI'LEA. Cas.			EMI'LEA. Syngenesia Polygamia Æqualis.						
	flámmea. Cas.	(*or.pu.*)	flame-flowered.	Java.	1823.	6. 9.	S. ☉.		
	Cacàlia sagittàta. W.								
ADENO'STYLES. Cas.			ADENO'STYLES. Syngenesia Polygamia Æqualis.						
1	candidíssima. Cas.	(*pu.*)	hoary.	S. France.	1828.	7. 9.	H. ♃.		
	Cacàlia tomentòsa. Vill. *leucophy'lla.* W.								
2	álbida. Cas.	(*pi.*)	white-leaved.	Austria.	1739.	7. 8.	H. ♃.		Jacq. aust. 3. t. 235.
	Cacàlia álbifrons. Jacq.								
3	víridis. Cas.	(*li.*)	alpine.	——	——	——	H. ♃.		Jacq. aust. 3. t. 234.
	Cacàlia alpìna. Jacq.								
TUSSIL'AGO. W.			COLTSFOOT. Syngenesia Polygamia Superflua. L.						
1	alpìna. W.	(*pu.*)	Alpine.	Austria.	1710.	3. 5.	H. ♃.		Bot. mag. t. 84.
2	díscolor. W.	(*pu.*)	two-coloured.	——	1633.	4. 5.	H. ♃.		Jacq. aust. 3. t. 247.
3	sylvéstris. W.	(*pu.*)	wood.	——	1816.	——	H. ♃.		—— 5. app. t. 12.
4	Fárfara. W.	(*ye.*)	common.	Britain.	....	3. 4.	H. ♃.		Eng. bot. v. 6. t. 429.
	β variegàta.	(*ye.*)	*variegated-leav'd.*	——	....	——	H. ♃.		
5	frígida. W.	(*pa.*)	Lapland.	Lapland.	1710.	5.	H. ♃.		Flor. dan. t. 61.
6	frágrans. W.	(*bl.*)	fragrant.	Italy.	1806.	1. 3.	H. ♃.		Bot. mag. t. 1388.
7	álba. W.	(*wh.*)	white butter-bur.	Europe.	1683.	1. 4.	H. ♃.		Flor. dan. t. 524.
8	corymbòsa. S.S.	(*wh.*)	corymbose.	Arctic regions.	1827.	——	H. ♃.		
9	nívea. W.	(*wh.*)	downy-leaved.	Switzerland.	1713.	4.	H. ♃.		Retz. obs. 2. t. 3.
	paradóxa. Retz.								
10	Petasìtes. E.B.	(*bl.*)	common butter bur.	Britain.	....	3. 4.	H. ♃.		Eng. bot. v. 6. t. 431.
11	hy'brida. E.B.	(*bl.*)	large-leaved.	——	....	——	H. ♃.		—— v. 6. t. 430.
12	spùria. W.	(*wh.*)	lobe-leaved.	Germany.	1790.	——	H. ♃.		Retz. obs. 1. t. 2.
	paradóxa. Roth.								
13	palmàta. W.	(*wh.*)	cut-leaved.	Labrador.	1778.	4.	H. ♃.		Hort. Kew. v. 3. t. 11.
SEN'ECIO. W.			GROUNDSEL. Syngenesia Polygamia Superflua. W.						
1	reclinàtus. W.	(*ye.*)	grass-leaved.	C. B. S.	1774.	6. 8.	G. ♂.		Jacq. ic. 1. t. 174.
2	hieracifòlius. W.	(*ye.*)	hawkweed-leav'd.	N. America.	1699.	8.	H. ☉.		Herm. parad. t. 226.
3	purpùreus. W.	(*pu.*)	purple.	C. B. S.	1774.	7. 9.	G. ♃.		Jacq. ic. 3. t. 580.

4	cérnuus. w.	(*pu.*)	drooping.	E. Indies.	1780.	7. 8.	H. ☉.	Jacq. vind. 3. t. 98.
5	erubéscens. w.	(*bk.*)	blush-coloured.	C. B. S.	1774.	6. 10.	G. ♂.	
6	hæmatophy'llus. W.en.	(*ye.*)	purple leaved.	———	1789.	——	G. ♄.	
7	divaricàtus. w.	(*ye.*)	straddling.	China.	1801.	7.	G. ♂.	
8	croáticus. w.	(*ye.*)	Croatian.	Hungary.	1805.	7. 8.	H. ♃.	W. et K. hung. 2. t. 143.
9	Pseùdo-Chìna. w.	(*or.*)	Chinese.	China.	1732.	6. 8.	G. ♃.	Dill. elth. t. 258. f. 335.
10	japónicus. w.	(*ye.*)	jagged-leaved.	Japan.	1774.	8.	H. ♃.	
11	vulgàris. w.	(*ye.*)	common.	Britain.	....	1. 12.	H. ♃.	Eng. bot. v. 11. t. 747.
12	lanuginòsus. s.s.	(*ye.*)	woolly.	.....	1827.	4. 8.	H. ☉.	
13	valerianæfòlius. s.s.	(*ye.*)	Valerian-leav'd.	Brazil.	1826.	6. 10.	F. ☉.	
14	peucedanifòlius. w.	(*w.*)	Peucedanum-leav'd.	C. B. S.	1816.	6. 8.	G. ♄.	Jacq. ic. 3. t. 581.
	Cacàlia peucedanifòlia. Jacq.							
15	arábicus. w.	(*ye.*)	Arabian.	Egypt.	1804.	7. 8.	H. ♂.	
16	verbenæfòlius. w.	(*ye.*)	Vervain-leav'd.	———	1803.	6. 7.	H. ☉.	Jacq. vind. 1. t. 3.
17	glomeràtus. L.en.	(*ye.*)	close-flowered.	N. Holland.	1816.	8. 10.	H. ☉.	
18	cacalioìdes. L.en.	(*ye.*)	Cacalia-like.	Brazil.	1820.	——	H. ☉.	
19	triflòrus. w.	(*ye.*)	three-flowered.	Egypt.	1776.	7. 9.	H. ☉.	
20	ægy'ptius. w.	(*ye.*)	Egyptian.	———	1771.	7. 8.	H. ☉.	
21	crassifòlius. w.	(*ye.*)	thick-leaved.	S. Europe.	1815.	——	H. ☉.	
22	lìvidus. w.	(*ye.*)	livid.	Britain.	....	——	H. ☉.	Eng. bot. v. 35. t. 2515.
23	telephifòlius. w.	(*ye.*)	Telephium-leav'd.	C. B. S.	1823.	——	H. ☉.	Jacq. frag. 1. t. 1. f. 3.
24	trilòbus. w.	(*ye.*)	three-lobed.	Spain.	1728.	6. 8.	H. ☉.	
25	cinerascens. w.	(*ye.*)	gray.	C. B. S.	1774.	5. 7.	G. ♄.	Jacq. schœn. 2. t. 150.
26	lilacinus. s.s.	(*li.*)	lilac-coloured.	———	1826.	6. 12.	G. ♄.	Link et Ott. abb. ic.
27	viscòsus. w.	(*ye.*)	stinking.	Britain.	....	6. 10.	H. ☉.	Eng. bot. v. 1. t. 32.
28	sylváticus. w.	(*st.*)	mountain.	———	....	7. 8.	H. ☉.	——— v. 11. t. 748.
29	coronopifòlius. w.	(*ye.*)	Buck'shorn-leav'd.	Spain.	1821.	——	H. ☉.	
30	nebrodénsis. w.	(*ye.*)	Nebrodes.	S. Europe.	1704.	6. 8.	H. ☉.	Barrel. rar. 401.
31	glaùcus. w.	(*ye.*)	sea-green.	Egypt.	1739.	——	H. ☉.	
32	Marmòræ. s.s.	(*ye.*)	Sardinian.	Sardinia.	1829.	4. 5.	H. ♂.	
33	hastàtus. w.	(*ye.*)	halbert-leaved.	C. B. S.	1722.	5. 8.	G. ♃.	Dill. elth. t. 152. f. 184.
34	pubígerus. w.	(*ye.*)	runcinate-leav'd.	———	1816.	——	G. ♄.	Moris. s. 7. t. 18. f. 32.
35	vernàlis. w.	(*ye.*)	spring.	Hungary.	1803.	4. 6.	H. ☉.	W. et K. hung. 1. t. 24.
36	montànus. w.	(*ye.*)	smooth mountain.	Germany.	1819.	——	H. ☉.	
37	rupéstris. w.	(*ye.*)	rock.	Hungary.	1805.	6. 7.	H. ♃.	W. et K. hung. 2. t. 128.
38	laciniàta. Bert.	(*ye.*)	jagged.	Italy.	1822.	5. 8.	H. ♂.	
39	dentàtus. w.	(*ye.*)	toothed-leaved.	C. B. S.	1823.	——	G. ♃.	
40	squamòsus. w.	(*ye.*)	scaly.	———	1816.	——	G. ♃.	
41	venústus. w.	(*re.*)	wing-leaved.	———	1774.	5. 11.	G. ♄.	Bot. reg. t. 901.
42	élegans. w.	(*re.wh.*)	elegant.	———	1700.	6. 8.	H. ☉.	
	α ràber.	(*re.*)	*red-flowered.*	———	——	——	H. ☉.	
	β álbus.	(*wh.*)	*white-flowered.*	———	——	——	H. ☉.	
	γ plèno-álbus.	(*wh.*)	*double-white.*	———	——	4. 11.	G. ♄.	
	δ plèno-ràber.	(*re.*)	*double red.*	———	——	——	G. ♄.	Bot. mag. t. 238.
43	speciòsus. w.	(*re.*)	red-flowered.	China.	1789.	7. 8.	G. ♃.	Bot. reg. t. 41.
44	squálidus. w.	(*ye.*)	inelegant.	England.	....	6. 10.	H. ☉.	Eng. bot. v. 9. t. 600.
45	eruciæfòlius. w.	(*ye.*)	Eruca-leaved.	Europe.	1816.	7. 8.	H. ♃.	
46	chrysanthemifòlius.	(*ye.*)	Chrysanthemum-ld.	Sicily.	1823.	7. 9.	H. ♃.	Bocc. sic. t. 67.
47	unifl̀orus. w.	(*ye.*)	one-flowered.	S. Europe.	1799.	7. 8.	H. ♃.	All. ped. t. 17. f. 8.
48	incànus. w.	(*ye.*)	downy.	———	1759.	——	H. ♃.	Pluk. alm. t. 39. f. 6.
49	abrotanifòlius. w.	(*ye.*)	Southernwood-leav'd.	——	1640.	7. 10.	H. ♃.	Jacq. aust. 1. t. 79.
50	artemisiæfòlius. P.s.	(*ye.*)	Wormwood-leav'd.	France.	1820.	——	H. ♃.	
51	prælìtus. s.s.	(*ye.*)	lofty.	Italy.	1827.	7. 8.	H. ♃.	
52	Othónnæ. M.B.	(*ye.*)	Othonna-like.	Caucasus.	1822.	——	H. ♃.	
53	Marschalliànus. s.s.	(*ye.*)	Bieberstein's.	Ukraine.	1826.	——	H. ♃.	
	arenàrius. M.B. *non* Thunb.							
54	grandiflòrus. s.s.	(*ye.*)	large-flowered.	C. B. S.	1824.	6. 8.	G. ♄.	Pluk. mant. t. 422. f. 5.
55	glaucéscens. s.s.	(*ye.*)	glaucescent.	.....	1826.	6. 10.	H. ☉.	
56	carniòlicus. s.s.	(*ye.*)	Carniolian.	Carniola.	1827.	7. 8.	H. ♃.	
57	adonidifòlius. Lois.	(*ye.*)	Adonis-leaved.	.....	1826.	7. 10.	H. ♃.	
58	dahùricus. F.	(*ye.*)	Dahurian.	Dahuria.	1821.	——	H. ♃.	
59	umbellàtus. s.s.	(*ye.pu.*)	umbel-flowered.	C. B. S.	1822.	6. 8.	G. ♄.	
60	canadénsis. w.	(*ye.*)	Canadian.	N. America.	1818.	——	H. ♃.	
61	delphinifòlius. w.	(*ye.*)	Larkspur-leav'd.	Sicily.	1823.	——	H. ♃.	Vahl symb. 2. t. 43.
62	tenuifòlius. w.	(*ye.*)	slender-leaved.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 8. t. 574.
63	Jacob'æa. w.	(*ye.*)	common-ragwort.	———	....	——	H. ♃.	——— v. 16. t. 1130.
64	erráticus. s.s.	(*ye.*)	water.	S. Europe.	1826.	5. 7.	H. ♃.	
65	aquáticus. w.	(*ye.*)	marsh.	———	....	——	H. ♃.	Eng. bot. v. 16. t. 1131.
66	aùreus. w.	(*ye.*)	golden.	N. America.	1758.	7. 8.	H. ♃.	

67	lyratifòlius. s.s.	(*ye.*)	lyrate-leaved.	S. Europe.	1826.	5. 6.	H. ♃.	
68	frágrans. s.s.	(*ye.*)	fragrant.	Siberia.	——	6. 8.	H. ♃.	
69	Balsamìtæ. w.	(*ye.*)	various-leaved.	N. America.	1819.	——	H. ♃.	
70	obovàtus. w.	(*ye.*)	obovate-leaved.	———	——	——	H. ♃.	
71	leucophy'llus. DC.	(*ye.*)	white-leaved.	S. Europe.	1821.	——	H. ♃.	
72	rosmarinifòlius.w.	(*ye.*)	Rosemary-leav'd.	C. B. S.	....	7. 8.	G. ♄.	Jacq. ic. 3. t. 587.
73	ásper. w.	(*ye.*)	rough.	———	1774.	——	G. ♄.	
74	linifòlius. w.	(*ye.*)	Flax-leaved.	Spain.	1817.	——	H. ♃.	Barrel. rar. t. 802.
75	rigéscens. w.	(*ye.*)	stiff-leaved.	C. B. S.	1815.	——	G. ♄.	Jacq. coll. 5. t. 6. f. 1.
76	nervàtus. s.s.	(*pu.*)	nerved-leaved.	———	1824.	7. 8.	G. ♄.	
77	paludòsus. w.	(*ye.*)	Bird's-tongue.	England.	....	6. 8.	H. ♃.	Eng. bot. v. 10. t. 650.
78	persicæfòlius. DC.	(*ye.*)	peach-leaved.	Pyrenees.	1817.	——	H. ♃.	Ram. bul. phil. t. 11. f. 3.
79	nemorénsis. w.	(*ye.*)	branching.	Austria.	1785.	7. 8.	H. ♃.	Jacq. aust. 2. t. 184.
80	sarracènicus. w.	(*ye.*)	creeping-root'd.	Britain.	....	7. 10.	H. ♃.	Eng. bot. v. 31. t. 2211.
81	ovàtus. w.	(*ye.*)	oval-leaved.	Germany.	1817.	——	H. ♃.	
82	coriàceus. w.	(*ye.*)	leathery-leaved.	Levant.	1728.	7. 8.	H. ♃.	Dill. elth. t. 105. f. 125.
83	Dòria. w.	(*ye.*)	broad-leaved.	Austria.	1570.	7. 9.	H. ♃.	Jacq. aust. 2. t. 185.
84	macrophy'llus. M. B.	(*ye.*)	large-leaved.	Caucasus.	1817.	——	H. ♃.	
85	Dorónicum. w.	(*ye.*)	Leopard's-bane.	S. Europe.	1705.	——	H. ♃.	Jacq. aust. 5. t. ap. 45.
86	umbròsus. w.K.	(*ye.*)	ear-leaved.	Hungary.	1815.	——	H. ♃.	
87	Barreliéri. w.	(*ye.*)	Barrelier's.	Pyrenees.	1824.	——	H. ♃.	Barrel. ic. 146.
88	lánceus. w.	(*ye.*)	spear-leaved.	C. B. S.	1774.	7. 10.	G. ♄.	
89	oporìnus. w.	(*ye.*)	Jacquin's.	———	....	——	G. ♃.	Jacq. schœn. 3. t. 304.
90	longifòlius. w.	(*ye.*)	long-leaved.	———	1775.	8. 11.	G. ♄.	Comm. hort. 2. t. 71.
91	halimifòlius. w.	(*ye.*)	succulent-leaved.	———	1723.	7.	G. ♄.	Dill. elth. t. 104. f. 124.
92	ilicifòlius. w.	(*ye.*)	Ilex-leaved.	———	1731.	6. 7.	G. ♄.	Comm. rar. t. 42.
93	rígidus. w.	(*ye.*)	hard-leaved.	———	1704.	6. 9.	G. ♄.	Comm. hort. 2. t. 75.
94	solidaginoídes. w.	(*ye.*)	Golden-rod-like.	———	1819.	——	G. ♄.	Hout. syst. 4. t. 32. f. 1.
95	vérnus. Biv.	(*ye.*)	vernal.	Italy.	——	——	H. ♃.	
96	cordifòlius. s.s.	(*ye.*)	heart-leaved.	C. B. S.	1827.	7. 9.	G. ♃.	
97	arenàrius. s.s.	(*ye.*)	sand.	———	1826.	——	G. ♃.	
98	spicàtus.	(*ye.*)	spike-flowered.	.....	1828.	——	H. ♃.	

ADENOTRI'CHA. B.R. ADENOTRI'CHA. Syngenesia Polygamia Superflua.

	amplexicaùlis. B.R.	(*ye.*)	stem-clasping.	Chile.	1826.	5. 7.	F. ♃.	Bot reg. t. 1190.

SENECI'LLIS. G. SENECI'LLIS. Syngenesia Polygamia Superflua.

	glaùca. G.	(*ye.*)	glaucous.	Siberia.	1790.	6. 7.	H. ♂.	Gmel. sib. 2. t. 74.
	Cinerària glaùca. w.							

CINER'ARIA. W. CINER'ARIA. Syngenesia Polygamia Superflua. L.

1	americàna. w.	(*ye.*)	American.	S. America.	1823.	....	S. ♄.	
2	incàna. P.S.	(*ye.*)	hoary.	Jamaica.	——	6. 8.	S. ♄.	
3	díscolor. P.S.	(*ye.*)	two-coloured.	———	1822.	——	S. ♄.	
4	lùcida. P.S.	(*ye.*)	glossy.	W. Indies.	——	——	S. ♄.	Plum. 2. ic. 154.
5	glabràta. s.s.	(*ye.*)	smooth.	———	1827.	4. 7.	S. ♄.	
6	geifòlia. w.	(*ye.*)	kidney-leaved.	C. B. S.	1710.	4. 8.	G. ♄.	Comm. hort. 2. t. 73.
7	canéscens. L.en.	(*ye.*)	small-flowered.	———	1790.	——	G. ♄.	Bot. mag. t. 1990.
8	aùrita. w.	(*pu.*)	purple-flower'd.	Madeira.	1777.	6. 7.	G. ♄.	——— t. 1786.
9	láctea. W.en.	(*wh.*)	milk-coloured.	.....	1816.	——	G. ♄.	
10	lanàta. w.	(*pu.*)	woolly.	Canaries.	1780.	5. 9.	G. ♄.	Bot. mag. t. 53.
11	hy'brida. W.en.	(*ye.*)	hybrid.	Hybrid.	....	2. 5.	G. ♄.	
12	elàtior. L.en.	(*wh.*)	tall.	.....	....	——	G. ♄.	
13	cruénta. w.	(*pu.*)	purple-leaved.	Canaries.	1777.	——	G. ♃.	Bot. mag. t. 406.
	aùrita. A.R. 24.	*nec aliorum.*						
14	pulchélla.	(*re.*)	bright red-flower'd.	———	1818.	——	G. ♃.	
15	populifòlia. H.K.	(*re.*)	Poplar-leaved.	———	1780.	6. 9.	G. ♄.	Venten. malm. t. 100.
16	hypoleùca. s.s.	(*pu.*)	snowy-leaved.	C. B. S.	1828.	4. 7.	G. ♄.	
17	venústa. s.s.	(*re.*)	charming.	———	——	——	G. ♃.	
18	lobàta. w.	(*ye.*)	lobed.	———	1774.	6. 8.	G. ♄.	
19	malvæfòlia. w.	(*li.*)	Mallow-leaved.	Azores.	1777.	8.	G. ♃.	
20	petasìtes. B.M.	(*ye.*)	butter-bur-leav'd.	Mexico.	1812.	12. 2.	G. ♄.	Bot. mag. t. 1536.
21	præcox. w.	(*ye.*)	early-flowering.	———	1824.	2. 4.	G. ♄.	DC. pl. rar. gen. t. 7.
22	sibírica. w.	(*ye.*)	Siberian.	Siberia.	1784.	6. 8.	H. ♃.	Bot. mag. t. 1869.
23	speciòsa. L.en.	(*ye.*)	large-flowered.	———	1818.	——	H. ♃.	Bot. reg. t. 812.
24	caucásica. M.B.	(*ye.*)	Caucasean.	Caucasus.	1820.	——	H. ♃.	
25	gigántea. H.K.	(*bl.*)	gigantic.	Cape Horn.	1801.	7. 8.	H. ♃.	Sm. exot. bot. 2. t. 65.
26	lævis. s.s.	(*ye.*)	smooth.	C. B. S.	1828.	4. 7.	G. ♃.	
27	crenàta. s.s.	(*st.*)	crenate.	———	——	——	G. ♃.	
28	palústris. w.	(*ye.*)	marsh.	England.	....	——	H. ♃.	Eng. bot. v. 3. t. 1751.
29	aurantiaca. w.	(*or.*)	orange-colour'd.	Switzerland.	1818.	5. 7.	H. ♃.	Swt. br. fl. gar. t. 256.
30	campéstris. w.	(*ye.*)	mountain.	N. Europe.	....	——	H. ♂.	Jacq. aust. t. 180.

31	integrifòlia. R.B.	(ye.)	entire-leaved.	England.	....	5. 7.	H. ♃.	Eng. bot. v. 3. t. 152.
32	longifòlia. W.	(ye.)	long-leaved.	Austria.	1792.	6. 8.	H. ♃.	Jacq. aust. 2. t 181.
33	crìspa. W.	(ye.)	curled.	———	1818.	——	H. ♃.	——— 2. t. 178.
34	cordifòlia. W.	(ye.)	heart-leaved.	———	1739.	7. 8.	H. ♃.	——— 2. t. 176.
35	mèdia. W.K.	(ye.)	intermediate.	Hungary.	1818.	——	H. ♃.	
36	alpìna. W.	(ye.)	Alpine.	Austria.	1683.	6. 8.	H. ♃.	Jacq. aust. 2. t. 177.
37	aùrea. W.	(ye.)	golden.	Siberia.	1825.	——	H. ♃.	
38	rivulàris. S.S.	(ye.)	rivulet.	Hungary.	1822.	——	H. ♃.	
39	crassifòlia. S.S.	(ye.)	thick-leaved.	Carinthia.	1825.	——	H. ♃.	
40	alpéstris. S.S.	(ye.)	rough-leaved.	N. Europe.	1826.	——	H. ♃.	
41	spathulæfòlia. S.S.	(ye.)	spathulate-leav'd.	Germany.	1820.	——	H. ♃.	
42	pappòsa. S.S.	(ye.)	long-chaffed.	Gallicia.	1828.	——	H. ♃.	
43	parviflòra. S.S.	(ye.)	small-flowered.	Caucasus.	1827.	——	H. ♃.	
44	congésta. S.S.	(ye.)	close-headed.	Melville Isl.	——	5. 6.	H. ♃.	
45	taraxacifòlia. S.S.	(ye.)	Dandelion-leav'd.	Caucasus.	1824.	6. 8.	H. ♃.	
46	exsquàmata.	(ye.)	scaleless.	Portugal.	1827.	——	H. ☉.	
	Senècio exsquàmeus. Brot.							
47	frígida. S.S.	(ye.)	frigid.	N. America.	1827.	5. 6.	H. ♃.	
48	scapiflòra. S.S.	(ye.)	long-peduncled.	C. B. S.	1828.	——	G. ♃.	
49	gibbòsa. S.S.	(ye.)	gibbous-headed.	Sicily.	——	6. 8.	H. ♄.	
50	Aitoniàna. S.S.	(ye.)	Aiton's.	.....	....	——	G. ♄.	
51	marítima. W.	(ye.)	sea ragwort.	S. Europe.	1633.	7. 9.	F. ♄.	Flor. græc. t. 871.
52	bícolor. W.	(ye.)	shining-leaved.	.....	1820.	——	F. ♄.	
53	acanthifòlia. S.S.	(ye.)	Acanthus-leav'd.	Levant.	1826.	——	G. ♄.	
54	thyrsoídea. F.	(ye.)	thyrse-flower'd.	Armenia.	1827.	——	H. ♃.	
55	angulàta.	(ye.)	angular-leaved.	Mexico.	——	12. 1.	G. ♃.	
56	canadénsis.	(ye.)	Canadian.	Canada.	1739.	6. 8.	H. ♃.	
57	linifòlia. W.	(ye.)	flax-leaved.	C. B. S.	....	——	G. ♄.	Jacq. schœn. 3. t. 308.
58	angustifòlia. K.S.	(ye.)	narrow-leaved.	Mexico.	1825.	....	G. ♄.	
59	humifùsa. W.	(ye.)	trailing.	C. B. S.	1704.	7. 8.	G. ♃.	
60	viscòsa. W.	(wh.)	clammy.	———	1774.	6. 8.	G. ♂.	Jacq. frag. 12. t. 7. f. 2
61	vestìta. H.R.	(ye.)	clothed.	———	1824.	5. 6.	G. ♃.	
AGATHÆA. Cas.			AGATH'ÆA.	Syngenesia Polygamia Superflua.				
	coelèstis. Cas.	(bl.)	Cape-Aster.	C. B. S.	1753.	2. 9.	G. ♄.	Bot. mag. t. 249.
	Cinerària amelloides. W.							
KAULFU'SSIA. Nees.			KAULFU'SSIA.	Syngenesia Polygamia Superflua.				
1	amelloides. Nees.	(bl.)	blue-flowered.	C. B. S.	1819.	6. 7.	H. ☉.	Bot. reg. t. 490.
2	ciliàta. S.S.	(st.)	fringed.	———	1822.	6. 9.	H. ☉.	
TAG'ETES. W.			TAG'ETES.	Syngenesia Polygamia Superflua. L.				
1	làcida. W.	(ye.)	sweet-scented.	Mexico.	1796.	7. 11.	F. ♃.	Bot. mag. t. 740.
2	flòrida. B.F.G.	(ye.)	gay-flowering.	———	1827.	8. 11.	F. ♃.	Swt. br. fl. gar. s. 2. t. 35.
3	pátula. W.	(pu. ye.)	French Marygold.	———	1573.	7. 10.	H. ☉.	Bot. mag. t. 150.
4	corymbòsa. B.F.G.	(va.	corymbus-flower'd.	———	1825.	9. 11.	H. ☉.	Swt. br. fl. gar. t. 151.
	α purpùrea.	(pu.)	*purple-flowered.*	———	——	——	H. ☉.	
	β lùtea.	(ye.)	*yellow-flowered.*	———	——	——	H. ☉.	
5	erécta. W.	(ye.)	African Marygold.	———	1596.	6. 9.	H. ☉.	Lam. ill. t. 684.
6	tenuifòlia. W.	(ye.)	fine-leaved.	———	1797.	7. 10.	H. ☉.	Swt. br. fl. gar. t. 141.
7	subvillòsa. L.G.	(ye.)	villous-leaved.	———	1825.	8. 11.	H. ☉.	
8	minùta. W.	(ye.)	small-flowered.	Chili.	1738.	8. 10.	H. ☉.	Dill. elth. t. 280. f. 362.
9	clandestìna. L.G.	(ye.)	small-rayed.	Mexico.	1822.	——	H. ☉.	
	coronopifòlia. W.en.							
10	micrántha. W.	(ye.)	solitary-flower'd.	———	——	——	H. ☉.	Cavan. ic. 4. t. 352.
11	glandulòsa. L.en.	(ye.)	glandular.	———	1825.	——	H. ☉.	
12	glandulífera. Sck.	(ye.)	gland-bearing.	———	1826.	9. 11.	H. ☉.	
BŒB'ERA. W.			BŒB'ERA.	Syngenesia Polygamia Superflua.				
1	glandulòsa. N.	(ye.)	glandular.	N. America.	1823.	8. 9.	H. ☉.	Venten. cels. t. 36.
	chrysanthemoides. W.en. *Tagètes pappòsa.* v. *Dysòdia glandulòsa.* Cav.							
2	Porophy'llum. K.S.	(ye.)	Mexican.	Mexico.	——	——	H. ☉.	
	Dysòdia Porophy'llum. W.en.							
3	fastigiàta. K.S.	(ye.)	clustered.	———	1827.	9. 11.	H. ☉.	
4	divaricàta.	(ye.)	spreading.	———	1828.	——	H. ☉.	
	Dysòdia divaricàta. Rich.							
5	pubéscens. S.S.	(ye.)	pubescent.	New Spain.	1826.	8. 10.	H. ☉.	Cavan. icon. 3. t. 212.
	Dysòdia pubéscens. L.G. *A'ster pinnàtus.* Cavan.							
OTHO'NNA. W.			RAGWORT.	Syngenesia Polygamia Necessaria. L.				
1	flabellifòlia. B.C.	(ye.)	fan-leaved.	C. B. S.	1822.	7. 9.	G. ♄.	Lodd. bot. cab. t. 728.
2	pinnatífida. F.S.	(ye.)	pinnatifid.	———	1823.	——	G. ♃.	
3	pinnàta. W.	(ye.)	wing-leaved.	———	1759.	4. 6.	G. ♃.	Bot. mag. t. 768.
4	ciliàta. W.	(ye.)	fringed-leaved.	———	1824.	5. 6.	G. ♃.	
5	Tagètes. W.	(ye.)	slender-stalked.	———	1823.	7. 9.	H. ☉.	

6	pectinàta. w.	(*ye.*)	Wormwood-leav'd.	C. B. S.	1731.	4. 6	G. ♄.	Bot. mag. t. 306.
7	Athanàsiæ. w.	(*ye.*)	Athanasia-like.	———	1795.	11. 12.	G. ♄.	Jacq. schœn. 2. t. 242.
8	abrotanifòlia. w.	(*ye.*)	Southernwood-leav'd.	——	1692.	1. 5.	G. ♄.	Bot. reg. t. 108.
9	digitàta. w.	(*ye.*)	finger-leaved.	———	1822.	6. 9.	G. ♃.	
10	trifurcàta. w.	(*ye.*)	three-forked.	———	——	——	G. ♄.	
11	trifida. w.	(*ye.*)	trifid-leaved.	———	1823.	——	G. ♄.	
12	retrofrácta. w.	(*ye.*)	axillary-flower'd.	———	1812.	——	G. ♄.	Jacq. schœn. 3. t. 376.
13	coronopifòlia. w.	(*ye.*)	Buckshorn-leav'd.	———	1731.	7. 9.	G. ♄.	Comm. hort. 2. t. 70.
14	cheirifòlia. w.	(*ye.*)	Stock-leaved.	Barbary.	1752.	4. 6.	H. ♄.	Bot. reg. t. 266.
15	crassifòlia. w.	(*ye.*)	thick-leaved.	C. B. S.	1710.	9. 10.	G. ♄.	Mill. ic. 2. t. 245. f. 2.
16	denticulàta. w.	(*ye.*)	tooth-leaved.	———	1774.	4. 7.	G. ♄.	Bot. mag. t. 1979.
17	heterophy'lla. w.	(*ye.*)	various-leaved.	———	1812.	——	G. ♃.	
18	Língua. w.	(*ye.*)	tongue-leaved.	———	1787.	5. 9.	G. ♃.	Jacq. schœn. 2. t. 238.
19	filicaùlis. w.	(*ye.*)	Yam-rooted.	———	1791.	4. 5.	G. ♃.	——— 2. t. 241.
20	bulbòsa. w.	(*ye.*)	bulbous.	———	1774.	5. 6.	G. ♃.	Breyn. cent. t. 66.
21	capillàris. w.	(*ye.*)	capillary-stalked.	———	1822.	6. 9.	H. ☉.	
22	parvifòra. w.	(*ye.*)	small-flowered.	———	1704.	7. 8.	G. ♄.	Volk. norib. t. 226.
23	perfoliàta. H.K.	(*ye.*)	perfoliate.	———	1789.	5. 7.	G. ♃.	Jacq. schœn. t. 240.
	amplexicaùlis. B.M. 1312. *non* Thunb.							
24	ericoídes. w.	(*ye.*)	Heath-leaved.	———	1815.	7. 8.	G. ♄.	
25	linifòlia. w.	(*ye.*)	Flax-leaved.	———	1825.	——	G. ♄.	
26	tenuíssima. w.	(*ye.*)	fine-leaved.	———	1759.	4. 7.	G. ♄.	Jacq. schœn. 2. t. 239.
27	frutéscens. w.	(*ye.*)	frutescent.	———	1816.	7. 8.	G. ♄.	Comm. hort. 2. t. 70.
28	arboréscens. w.	(*ye.*)	tree.	———	1723.	——	G. ♄.	Dill. elth. t. 103. f. 123.
29	cacalioídes. w.	(*ye.*)	tuberous.	———	1774.	5. 9.	G. ♄.	
30	amplexicaùlis. w.	(*ye.*)	stem-clasping.	———	1826.	——	G. ♄.	

Subordo VI. *HELIANTHEÆ. Kth. synops.* 2. *p.* 463.

HYMENOPA'PPUS. J. HYMENOPA'PPUS. Syngenesia Polygamia Æqualis.

1	pedàtus. LG.	(*wh.*)	pedate-leaved.	Mexico.	1803.	7. 9.	G. ☉.	Cavan. ic. 4. t. 356.
	Stèvia pedàta. B.M. 2040. *Florestina pedàta.* Cas.							
2	scabiòsæus. Ph.	(*wh.*)	Scabious-like.	Missouri.	1812.	6. 8.	H. ☉.	Jour. de hist. nat. n. 1. ic.
3	tenuifòlius. Ph.	(*wh.*)	slender-leaved.	———	1811.	——	F. ♂.	

SCHK'UHRIA. W. SCHK'UHRIA. Syngenesia Polygamia Superflua. L.

	abrotanoídes. w.	(*wh.*)	Wormwood-leav'd.	Mexico.	1798.	7. 9.	H. ☉.	Schk. hand. 3. t. 250. b.

PE'CTIS. W. PE'CTIS. Syngenesia Polygamia Superflua. L.

1	humifùsa. w.	(*ye.*)	trailing.	W. Indies.	1822.	7. 9.	S. ☉.	Plum. ic. t. 95. f. 2.
2	prostrata. w.	(*ye.*)	prostrate.	New Spain.	1824.	——	H. ☉.	Cavan. ic. 4. t. 324.
3	ciliàris. w.	(*ye.*)	ciliated.	Hispaniola.	1793.	7.	S. ☉.	Plum. ic. 151. f. 2.
4	linifòlia. w.	(*ye.*)	Flax-leaved.	Jamaica.	1732.	7. 8.	S. ☉.	Sloan. hist. 1. t. 149. f. 3.
5	canéscens. K.S.	(*ye.*)	canescent.	Mexico.	1827.	8. 9.	H. ☉.	H. et B. n. gen. 4. t. 393.
6	punctàta. w.	(*ye.*)	dotted.	Hispaniola.	1824.	6. 8.	S. ☉.	Jacq. amer. t. 126.

HETEROSPE'RMUM. HETEROSPE'RMUM. Syngenesia Polygamia Superflua. W.

	pinnàtum. w.	(*ye.*)	wing-leaved.	New Spain.	1799.	8. 9.	H. ☉.	Cavan. ic. 3. t. 267.

MELANANTH'ERA. M. MELANANTH'ERA. Syngenesia Polygamia Æqualis. P.S.

1	Linnæi. K.S.	(*li.*)	Linnæus's.	S. America.	1799.	6. 8.	S. ♂.	Jacq. ic. 3. t. 583.
	Bìdens nívea. L. *Càlea áspera.* Jacq.							
2	hastàta. M.	(*wh.*)	hastate-leaved.	N. America.	1732.	——	G. ♃.	Dill. elth. t. 47. f. 55.
	β panduràta. Ph.	(*wh.*)	*fiddle-leaved.*	———	———	———	G. ♃.	——— t. 46. f. 54.

MARSHA'LLIA. W. MARSHA'LLIA. Syngenesia Polygamia Æqualis. W.

1	lanceolàta. Ph.	(*li.*)	spear-leaved.	Carolina.	1812.	6. 7.	F. ♃.	
2	latifòlia. Ph.	(*li.*)	broad-leaved.	———	1806.	——	F. ♃.	Mich. amer. 2. t. 43.
	Persoònia latifòlia. M. *Trattenickia latifòlia.* P.S.							

PLATY'PTERIS. K.S. PLATY'PTERIS. Syngenesia Polygamia Æqualis.

	crocàta. K.S.	(*sn.*)	saffron-colour'd.	Mexico.	1812.	1. 3.	S. ♃.	Bot. mag. t. 1627.
	Spilánthes crocàta. B.M.							

SPILA'NTHES. W. SPILA'NTHES. Syngenesia Polygamia Æqualis. L.

1	tenélla. K.S.	(*st.*)	slender.	Caracas.	1823.	8. 10.	G. ☉.	
2	Pseùdo-Acmélla. w.	(*ye.*)	spear-leaved.	Ceylon.	1768.	7.	S. ☉.	Pluk. alm. t. 159. f. 4.
3	uliginòsa. w.	(*ye.*)	marsh.	Jamaica.	1820.	7. 9.	S. ☉.	
4	exasperàta. w.	(*wh.*)	rough-stalked.	Caracas.	1825.	——	S. ☉.	Jacq. ic. 3. t. 584.
5	álba. w.	(*wh.*)	white-flowered.	Peru.	1783.	6. 7.	H. ☉.	L'Herit. stirp. 7. t. 4.
6	oleràcea. w.	(*ye.*)	esculent.	E. Indies.	1770.	7. 9.	S. ♂.	Jacq. vind. 2. t. 135.
7	pállida. F.	(*st.*)	pale-flowered.	Jamaica.	1821.	——	S. ☉.	
8	multifìora. Ot.	(*ye.*)	many-flowered.	.....	1829.	——	S. ☉.	

ACME'LLA. P.S. Acme'lla. Syngenesia Polygamia Superflua. P.S.
1 mauritiàna. P.S. (ye.) Balm-leaved. Mauritius. 1768. 7. 8. S. ⊙. Rumph. amb. 6. t. 65.
Spilánthes Acmélla. W.
2 répens. P.S. (ye.) creeping. N. America. 1819. —— H. ⊙.
3 occidentàlis. P.S. (ye.) oval-leaved. S. America. 1825. —— H. ⊙.
4 buphthalmoides. P.S. (ye.) Ox-eye-leaved. —— 1798. 7. 9. H. ⊙. Jacq. schœnb. 2. t. 151.
Anthemis buphthalmoides. Jacq.

LAV'ENIA. W. Lav'enia. Syngenesia Polygamia Æqualis.
erécta. W. (ye.) upright. E. Indies. 1739. 7. 9. S. ⊙. Burm. zeyl. t. 42.

SA'LMEA. DC. Sa'lmea. Syngenesia Polygamia Æqualis.
1 scándens. DC. (wh.) climbing. S. America. 1815. 4. 6. S. ♄.⌣. Bot. mag. t. 2062.
Càlea Amèllus. L.
2 hirsùta. DC. (wh.) hairy. —— —— —— S. ♄.⌣.

PETR'OBIUM. L.T. Petr'obium. Syngenesia Polygamia Æqualis.
arbòreum. (st.) tree. St. Helena. 1816. .... S. ♄.
Spilánthus arbóreus. Forst.

C'ALEA. L.T. C'alea. Syngenesia Polygamia Æqualis. L.
1 jamaicénsis. L.L. (li.) purple-flower'd. W. Indies. 1739. 6. 7. S. ♃. Sloan. jam. 1. t. 151. f. 3.
2 martinicénsis. (li.) Martinico. Martinico. 1821. .... S. ♃.
3 cordifòlia. L.T. (ye. li.) heart-leaved. Jamaica. 1822. 6. 7. S. ♃.

CALEA'CTE. L.T. Calea'cte. Syngenesia Polygamia Æqualis.
1 urticifòlia. L.T. (ye.) Nettle-leaved. Vera Cruz. .... S. ♄.
Solidàgo urticæfòlia. Mill.
2 pinnatífida. L.T. (ye.) pinnatifid. Brazil. 1816. 6. 8. S. ♄.

ISOCA'RPHA. L.T. Isoca'rpha. Syngenesia Polygamia Æqualis.
oppositifòlia. (wh.) opposite-leaved. W. Indies. 1739. 7. 8. S. ♂.
Càlea oppositifòlia. W.

NEUROL'ÆNA. L.T. Neurol'æna. Syngenesia Polygamia Æqualis.
lobàta. (ye.) halberd-weed. W. Indies. 1733. 6. 7. S. ♄. Bot. mag. t. 1734.
Càlea lobàta. B.M.

M'ADIA. W. M'adia. Syngenesia Polygamia Superflua. W.
1 viscòsa. W. (ye.) viscous. Chili. 1794. 7. 8. H. ⊙. Bot. mag. t. 2574.
2 mellòsa. W. (ye.) stem-clasping. —— 1824. —— H. ⊙.

TETRAGONOTH'ECA. Tetragonoth'eca. Syngenesia Polygamia Superflua. W.
helianthoides. W. (ye.) Sunflower-like. Virginia. 1726. 8. 10. H. ♃. Schk. hand. 3. t. 263.

XIMEN'ESIA. W. Ximen'esia. Syngenesia Polygamia Superflua. W.
1 heterophy'lla. K.S. (ye.) various-leaved. Mexico. 1827. 8. 10. F. ♃.
2 encelioides. W. (ye.) oval-leaved. —— 1795. 6. 11. G. ♂. Cavan. ic. 2. t. 178.
3 f'œtida. K.S. (ye.) fœtid. —— 1799. 7. 8. H. ⊙. —— 1. t. 77.
Corépsis f'œtida. Cav. *Simsia ficifòlia.* P.S.
4 cordàta. K.S. (ye.) heart-leaved. Mexico. —— —— F. ♃.

HEL'ENIUM. W. Hel'enium. Syngenesia Polygamia Superflua. W.
1 autumnàle. W. (ye.) smooth. N. America. 1729. 8. 10. H. ♃. Schk. hand. 3. t. 250.
2 pubéscens. W. (ye.) downy. —— 1776. 8. 9. H. ♃.
3 quadripartìtum. L.en. (ye.) four-cleft. ..... 1825. —— G. ♂.
4 quadridentàtum. W.en. (ye.) four-toothed. Louisiana. 1790. 5. 10. H. ♃. Bot. reg. t. 598.
Rudbéckia alàta. Jacq. ic. t. 193.
5 pùmilum. W.en. (ye.) dwarf. N. America. 1819. —— H. ♃.
6 mexicànum. K.S. (ye.) Mexican. Mexico. 1823. 8. 10. H. ♃.

ZI'NNIA. W. Zi'nnia. Syngenesia Polygamia Superflua. W.
1 pauciflòra. W. (ye.) yellow-flower'd. Peru. 1753. 7. 8. H. ⊙. Mill. ic. 1. t. 64.
2 multiflòra. W. (re.) red-flowered. N. America. 1770. 6. 10. H. ⊙. Bot. mag. t. 149.
3 hy'brida. B.M. (sc.) hybrid. Mexico. 1818. 6. 9. H. ⊙. —— t. 2123.
4 verticillàta. W. (re.) whorl-leaved. —— 1789. 7. 8. H. ⊙. Andr. repos. t. 189.
5 violàcea. C.I. (pu.) purple-flowered. —— 1796. 7. 10. H. ⊙. —— t. 55.
élegans. Bot. mag. t. 527.
β *coccínea.* B.R. (sc.) *scarlet-flowered.* —— 1829. —— H. ⊙. Bot. reg. t. 1294.
6 tenuiflòra. W. (re.) slender-flower'd. —— 1799. 7. 8. H. ⊙. Bot. mag. t. 555.
7 angustifòlia. K.S. (re.) narrow-leaved. —— 1825. —— H. ⊙.

RELH'ANIA. W. Relh'ania. Syngenesia Polygamia Superflua. W.
1 squarròsa. W. (ye.) cross-leaved. C. B. S. 1774. 5. 6. G. ♄.
2 genistæfolia. W. (ye.) Genista-leaved. —— 1823. 5. 7. G. ♄.
3 lateriflòra. W. (ye.) side-flowering. —— —— —— G. ♄.
4 púngens. W. (ye.) pungent-leaved. —— 1820. 6. 8. G. ♄. Bot. reg. t. 587.
5 pedunculàta. W. (ye.) dwarf. —— 1824. 5. 8. G. ♄.
6 paleàcea. W. (ye.) chaffy. —— 1825. —— G. ♄. Gært. fruct. 2. t. 173. f. 9.
Leysèra paleàcea. Gært.

ATHRI'XIA. B.R. Athri'xia. Syngenesia Polygamia Superflua.
capénsis. B.R. (li.) Cape. C. B. S. 1823. 6. 8. G. ♃. Bot. reg. t. 681.

MATA'XA. S.S. MATA'XA. Syngenesia Polygamia Superflua.
capénsis. s.s. (*ye.*) fleshy-leaved. C. B. S. 1824. 6. 8. G. ♄.
Lasiospérmum radiàtum. Treviranus.

LONGCHA'MPIA. W. LONGCHA'MPIA. Syngenesia Polygamia Superflua. W.
capillifòlia. w. (*st.*) Leysera-like. Africa. 1824. 6. 8. H. ⊙.
Gnaphàlium leyseroides. Df. *Péctis discoidea.* H.H. *Leysèra capillifòlia.* Spr.

SANVITA'LIA. W. SANVITA'LIA. Syngenesia Polygamia Superflua. W.
procúmbens. w. (*ye.*) trailing. Mexico. 1798. 7. 8. H. ⊙. Bot. reg. t. 707.

TR'IDAX. L. TR'IDAX. Syngenesia Polygamia Superflua. L.
procúmbens. L. (*st.*) procumbent. Mexico. 1804. 7. 8. H. ⊙.
Balbísia elongàta. w.

COLUME'LLIA. W. COLUME'LLIA. Syngenesia Polygamia Superflua. W.
biénnis. w. (*ye.*) biennial. C. B. S. 1820. 7. 9. G. ♂. Jacq. schœn. 3. t. 301.
Nestlèra biénnis. s.s.

MEY'ERA. L.T. MEY'ERA. Syngenesia Polygamia Superflua.
sèssilis. s.s. (*ye.*) sessile-flowered. W. Indies. .... 7. 8. S. ♃.

ECLI'PTA. W. ECLI'PTA. Syngenesia Polygamia Superflua. L.
1 erécta. w. (*wh.*) upright. S. America. 1690. 7. 9. H. ⊙. Dill. elth. t. 113. f. 137.
2 punctàta. w. (*wh.*) dotted. W. Indies. 1822. —— S. ⊙. Jacq. amer. pict. t. 197.
3 prostràta. w. (*wh.*). trailing. E. Indies. 1732. —— S. ⊙. Dill. elth. t. 113. f. 138.
4 procúmbens. M. (*wh.*) procumbent. Carolina. 1819. —— H. ⊙.
5 lineàris. Ot. (*wh.*) linear-leaved. ..... 1825. —— S. ⊙.

CHRYSANTHE'LLUM. CHRYSANTHE'LLUM. Syngenesia Polygamia Superflua. P.S.
procúmbens. P.S. (*ye.*) procumbent. W. Indies. 1768. 6. 7. S. ⊙. Swartz obs. 314. t. 8. f. 1.
Verbesina màtica. w.

SIEGESBE'CKIA. W. SIEGESBE'CKIA. Syngenesia Polygamia Superflua. L.
1 orientàlis. w. (*ye.*) oriental. E. Indies. 1730. 8. 10. H. ⊙. Schk. hand. 3. t. 256.
2 triangulàris. C.I. (*ye.*) triangular-leav'd. Mexico. .... —— H. ⊙. Cav. ic. 3. t. 253.
3 ibérica. w. (*ye.*) Iberian. Iberia. 1823. —— H. ⊙. Buxb. cent. 3. t. 52.
4 droseroides. B.F.G. (*ye.*) Sundew-like. Mexico. 1825. —— F. ♃. Swt. br. fl. gar. t. 208.
5 flosculòsa. w. (*ye.*) small-flowered. Peru. 1784. 6. 7. H. ⊙. L'Herit. stirp. t. 19.

VERBESI'NA. W. VERBESI'NA. Syngenesia Polygamia Superflua. L.
1 alàta. w. (*or.*) wing-stalked. S. America. 1699. 5. 10. G. ♃. Bot. mag. t. 1716.
2 chinénsis. w. (*or.*) Chinese. China. 1814. —— G. ♃.
3 virgínica. w. (*wh.*) white-flowered. N. America. 1812. 7. 9. H. ♃.
4 virgàta. w. (*ye.*) slender. Mexico. 1825. —— H. ♃. Cav. ic. 3. t. 275.
5 gigántea. w. (*wh.*) tree. W. Indies. 1758. —— S. ♄. Jacq. ic. 1. t. 175.
6 Boswéllia. L. (*ye.*) eatable. E. Indies. 1818. —— S. ⊙.
7 salicifòlia. K.S. (*ye.*) Willow-leaved. Mexico. 1824. 10. 11. G. ♃.
8 tridentàta. S.S. (*ye.*) three-toothed. W. Indies. 1759. 6. 8. S. ♄.
9 atriplicifòlia. S.S. (*st.*) Atriplex-leav'd. Trinidad. 1822 9. 11. S. ♄. Colla hort. rip. t. 31.
10 buphthalmoides. S.S. (*ye.*) procumbent. Monte Video. 1827. 6. 8. F. ♄. Link et Ott. abb. t. 49.
11 serràta. w. (*ye.*) saw-leaved. Mexico. 1803. 7. 10. G. ♃. Cav. ic. 3. t. 214.
12 Siegesbéckia. w. (*ye.*) American. Virginia. 1731. 10. 11. H. ♃.
13 dichótoma. w. (*ye.*) forked. E. Indies. 1789. 6. 7. S ⊙. Murr. c. got. 1779. t. 4.
14 satìva. B.M. (*ye.*) oil-seed. ———— 1806. 8. 9. S. ⊙. Bot. mag. t. 1017.
15 biflòra. w. (*ye.*) two-flowered. ———— 1818. 7. 9. S. ⊙. Rheed. mal. 19. t. 40.
16 calendulàcea. w. (*ye.*) Marygold-flower'd. Ceylon. 1739. —— S. ⊙. Burm. zeyl. t. 22. f. 1.
17 fruticòsa. w. (*ye.*) shrubby. W. Indies. 1759. 6. 8. S. ♄. Plum. ic. t. 52.
18 pinnatífida. w. (*st.*) pinnatifid. Mexico. 1824. 8. 10. F. ♃. Jacq. schœn. 3. t. 265.

SYNEDRE'LLA. P.S. SYNEDRE'LLA. Syngenesia Polygamia Superflua. P.S.
nodifòra. P.S. (*ye.*) sessile-flowered. W. Indies. 1726. 6. 7. S. ⊙. Dill. elth. t. 45. f. 53.

ENC'ELIA. J. ENC'ELIA. Syngenesia Polygamia Superflua. P.S.
1 canéscens. P.S. (*ye.*) canescent. Mexico. 1786. 7. 9. G. ♄. Bot. reg. t. 909.
Pallàsia halimifòlia. w. *Corèopsis liménsis.* Jacq. ic. 3. t. 594.
2 halimifòlia. P.S. (*ye.*) great-flowered. Mexico. 1825. —— G. ♄. Cavan. ic. 3. t. 216.
Pallàsia grandifòra. w.

GALINS'OGEA. K.S. GALINS'OGEA. Syngenesia Polygamia Superflua. W.
1 trilobàta. w. (*ye.*) three-lobed. Peru. 1797. 8. 11. H. ⊙. Swt. br. fl. gar. t. 56.
2 balbisioides. K.S. (*ye.*) Mexican. Mexico. 1825. —— H. ⊙. H. et B. 4. t. 386.

PTILOSTE'PHIUM. K.S. PTILOSTE'PHIUM. Syngenesia Polygamia Superflua.
1 coronopifòlium. K.S. (*ye.*) Buckshorn-leav'd. Mexico. 1823. 8. 10. H. ⊙. H. et B. 4. t. 387.
2 trifidum. K.S. (*ye.*) trifid-leaved. ———— —— —— H. ⊙. ———— 4. t. 388.

WIBO'RGIA. K.S. WIBO'RGIA. Syngenesia Polygamia Superflua.
parvifòra. K.S. (*wh.*) small-flowered. S. America. 1796. 6. 8. H. ⊙. Cavan. icon. 3. t. 281.
Galinsòga parvifòra. w. *Wibórgia Acmélla.* Roth.

PASC'ALIA. W. PASC'ALIA. Syngenesia Polygamia Superflua. W.
glaùca. w. (*ye.*) glaucous-leav'd. Chili. 1799. 6. 8. H. ♃. Andr. reposit. t. 549.

HELIO'PSIS. P.S. HELIO'PSIS. Syngenesia Polygamia Superflua. P.S.

1 canéscens. K.s.	(ye.)	hoary-leaved.	S. America.	1820.	8. 10.	H. ¼.	Bot. reg. t. 592.
2 lævis. P.s.	(ye.)	smooth.	Mexico.	1714.	7. 10.	H. ¼.	
3 helianthoides.	(ye.)	roughish.	N. America.	——	——	H. ¼.	L'Herit. stirp. t. 45.
Buphthálmum helianthoides. L.							
4 scábra. s.s.	(ye.)	rough-leaved.	————	....	——	H. ¼.	

DIOMEDE'A. Cas. DIOMEDE'A. Syngenesia Polygamia Superflua.

1 glabràta. K.s.	(ye.)	smooth.	S. America.	1699.	5. 9.	G. ½.	Dill. elth. t. 38. f. 43.
Buphthálmum arborèscens. W.								
2 bidentàta. s.s.	(ye.)	two-toothed.	Carolina.	1696.	6. 8.	G. ½.	Catesb. carol. 1. t. 93.
Buphthálmum frutéscens. Ph.—Dill. elth. t. 28. f. 4.								
3 argéntea. K.s.	(ye.)	silvery-leaved.	Cuba.	1823.	——	G. ½.	

BUPHTHA'LMUM. OX-EYE. Syngenesia Polygamia Superflua. L.

1 stenophy'llum.s.s.	(ye.)	linear-leaved.	Canaries.	1816.	5. 7.	G. ½.	
2 élegans. s.s.	(ye.)	elegant.	————	——	——	G. ½.	
3 lævigàtum. s.s.	(ye.)	smooth-leaved.	Teneriffe.	1824.	——	G. ½.	
4 flosculòsum. s.s.	(ye.)	rayless.	Mesopotamia.	1827.	——	G. ½.	Vent. h. cels. t. 25.
5 sericeum. W.	(ye.)	silky.	Canaries.	1779.	5. 7.	G. ½.	Bot. mag. t. 1836.
6 spinòsum. W.	(ye.)	prickly.	Spain.	1570.	6. 9.	H. ⊙.	Barrel. icon. 551.
7 aquáticum. W.	(ye.)	sweet-scented.	S. Europe.	1731.	7. 8.	H. ⊙.	Breyn. cent. t. 77.
8 maritimum. W.	(ye.)	sea.	Sicily.	1640.	7. 9.	H. ¼.	Bocc. mus. t. 129.
9 salicifòlium. W.	(ye.)	Willow-leaved.	Austria.	1759.	6. 10.	H. ¼.	Jacq. aust. 4. t. 370.
10 grandiflòrum. W.	(ye.)	great-flowered.	————	1722.	——	H. ¼.	Moris. s. 6. t. 7. f. 52.
11 speciosíssimum. s.s.	(ye.)	handsome.	Italy.	1828.	——	H. ¼.	Arduin. spec. 1. t. 12.
12 cordifòlium. W.	(ye.)	heart-leaved.	Hungary.	1739.	6. 8.	H. ¼.	W.et K. hung. 2. t. 118.
13 procúmbens. Df.	(ye.)	procumbent.	.....	1820.	——	H. ¼.	

ZEXME'NIA. D.D. ZEXME'NIA. Syngenesia Necessaria.

tagetiflòra. D.D.	(ye.)	Tagetes-flowered.	Mexico.	1828.	8. 10.	F. ½.	

WED'ELIA. K.S. WED'ELIA. Syngenesia Polygamia Necessaria. W.

1 acapulcénsis. K.s.	(ye.)	Acapulco.	Mexico.	1823.	6. 8.	S. ½.	
2 híspida. K.s.	(ye.)	hispid.	New Spain.	1819.	——	S. ½.	Bot. reg. t. 543.
3 aùrea. D.D.	(ye.)	golden-flower'd.	Mexico.	1828.	8. 10.	F. ½.	
4 radiòsa. B.R.	(ye.)	rayed.	S. America.	1822.	——	S. ½.	Bot. reg. t. 610.

GYMNOL'OMA. K.S. GYMNOL'OMA. Syngenesia Polygamia Necessaria.

1 triplinérve. K.s.	(ye.)	triple-nerved.	S. America.	1825.	6. 9.	S. ½.	
2 maculàtum. B.R.	(ye.)	spotted-stalked.	————	1822.	——	S. ½.	Bot. reg. t. 662.

ACTINOME'RIS. N. ACTINOME'RIS. Syngenesia Polygamia Frustranea.

1 squarròsa. N.	(ye.)	squarrose.	N. America.	1640.	9. 11.	H. ¼.	Jacq. vind. 2. t. 110.
Corépsis alternifòlia. Jacq. *Verbesina Corépsis.* Ph.								
2 pròcera. N.	(ye.)	tall.	N. America.	1765.	9. 10.	H. ¼.	
Corépsis pròcera. H.K.								
β álba. N.	(wh.)	*white-flowered.*	————	——	——	H. ¼.	
3 helianthoides. N.	(ye.)	Sunflower-like.	Louisiana.	1825.	——	H. ¼.	
4 alàta. N.	(ye.)	wing-stalked.	Mexico.	1803.	9. 11.	H. ¼.	Cavan. ic. 3. t. 260.
Corépsis alàta. W.								
5 ovàta. N.	(ye.)	oval-leaved.	————	1829.	——	H. ¼.	Cavan. ic. 3. t. 280.

HELIA'NTHUS. W. SUNFLOWER. Syngenesia Polygamia Frustranea. L.

1 ánnuus. W.	(ye.)	annual.	S. America.	1596.	6. 10.	H. ⊙.	
2 índicus. W.	(ye.)	dwarf annual.	Egypt.	1785.	——	H. ⊙.	Tabern. ic. 764.
3 lenticulàris. B.R.	(ye.)	freckled.	N. America.	1827.	8. 9.	H. ⊙.	Bot. reg. t. 1265.
4 petiolàris. N.	(ye.)	long-petioled.	Arkansa.	1826.	7. 11.	H. ⊙.	Swt. br. fl. gar. ser. 2.
ásper. Roth.								
5 dentàtus. W.	(ye.)	tooth-leaved.	Mexico.	1798.	9. 11.	F. ¼.	Cavan. ic. 3. t. 220.
6 multiflòrus. W.	(ye.)	many-flowered.	N. America.	1597.	8. 10.	H. ¼.	Bot. mag. t. 227.
β plènus.	(ye.)	*double-flowered.*	————	——	——	H. ¼.	
7 tuberòsus. W.	(ye.)	Jerusalem Artichoke.	Brazil.	1617.	9. 10.	H. ¼.	Jacq. vind. 2. t. 161.
8 pubéscens. B.R.	(ye.)	pubescent.	N. America.	1795.	7. 10.	H. ¼.	Bot. reg. t. 524.
9 atrorùbens. W.	(ye.)	dark eyed.	————	1782.	——	H. ¼.	Dill. elth. t. 91. f. 110.
10 diffùsus. B.M.	(ye.)	spreading.	————	1812.	——	H. ¼.	Bot. mag. t. 2020.
11 lætiflòrus. P.s.	(ye.)	pale-flowered.	————	....	——	H. ¼.	
12 divaricàtus. W.	(ye.)	divaricate.	————	1759.	8. 10.	H. ¼.	Moris. s. 6. t. 7. f. 66.
13 trachelifòlius. W.	(ye.)	Trachelium-leav'd.	————	1818.	——	H. ¼.	
14 longifòlius. Ph.	(ye.)	long-leaved.	Georgia.	1812.	——	H. ¼.	
15 pauciflòrus. N.	(ye.)	few-flowered.	Louisiana.	1823.	——	H. ¼.	
16 giganteus. W.	(ye.)	gigantic.	N. America.	1714.	9. 10.	H. ¼.	
17 altíssimus. W.	(ye.)	tallest.	————	1731.	7. 9.	H. ¼.	Jacq. vind. 2. t. 160.
18 strumòsus. W.	(ye.)	Carrot-rooted.	————	1710.	——	H. ¼.	Bocc. sic. t. 27. f. 4.
19 prostràtus. W.	(ye.)	rough.	————	1800.	——	H. ¼.	
20 decapétalus. W.	(ye.)	ten-rayed.	————	1759.	8. 11.	H. ¼.	Rob. ic. 235.

21	móllis. w.	(*ye.*) soft.	N. America.	1805.	7. 10.	H. ♃.	
22	macrophy'llus. w.	(*ye.*) large-leaved.	———	1800.	8. 10.	H. ♃.	Willd. hort. ber. t. 70.
23	angustifólius. w.	(*ye.*) narrow-leaved.	———	1789.	9. 10.	H. ♃.	Bot. mag. t. 2051.
24	excélsus. w.	(*ye.*) lofty.	Mexico.	1824.	——	H. ♃.	Cav. ic. 3. t. 219.
	gigánteus. Cav. *non* w.						
25	linearis. w.	(*ye.*) linear-leaved	———	1818.	8. 10.	H. ♃.	Bot. reg. t. 523.
26	parviflòrus. K.S.	(*ye.*) small-flowered.	———	1824.	——	H. ♃.	H. et B. 4. t. 378.
27	cornifólius. K.S.	(*ye.*) Dogwood-leaved.	———	——	——	H. ♃.	
28	trilobàtus. L.en.	(*ye.*) three-lobed.	———	1823.	——	H. ♃.	
VIGUI'ERA. K.S.		VIGUI'ERA. Syngenesia Polygamia Frustranea.					
	helianthoides. K.S.	(*ye.*) Sunflower-like.	Cuba.	1825.	6. 9.	S. ♃.	H. et B. 4. t. 379.
GAILLA'RDIA. W.		GAILLA'RDIA. Syngenesia Polygamia Frustranea. W.					
1	bícolor. w.	(*ye. re.*) two-coloured.	Carolina.	1787.	7. 10.	H. ♃.	Bot. mag. t. 1602.
2	aristàta. Ph.	(*ye.*) long-awned.	N. America.	1812.	——	H. ♃.	Bot. reg. t. 1186.
RUDBE'CKIA. D.D.		RUDBE'CKIA. Syngenesia Polygamia Frustranea. L.					
1	pinnàta. Ph.	(*ye.*) fragrant.	N. America.	1803.	8. 9.	H. ♃.	Swt. br. fl. gar. t. 146.
2	digitàta. Ph.	(*ye.*) narrow-jagged-leav'd.	——	1759.	——	H. ♃.	Moris. s. 6. t. 6. f. 54.
3	laciniàta. Ph.	(*ye.*) broad jagged-leav'd.	——	1640.	7. 9.	H. ♃.	——— s. 6. t. 6. f. 53.
4	columnàris. Ph.	(*ye.*) high-crowned.	———	1811.	8. 9.	H. ♃.	Bot. mag. t. 1601.
5	lævigàta. Ph.	(*ye.*) smooth.	Georgia.	1812.	7. 8.	H. ♃.	
6	amplexifólia. Ph.	(*ye.*) stem-clasping.	Louisiana.	1793.	7. 9.	H. ☉.	Jacq. icon. 3. t. 592.
CENTROCA'RPHA. D.D.		CENTROCA'RPHA. Syngenesia Polygamia Frustranea.					
1	subtomentòsa. Ph.	(*ye.*) downy-lobed.	N. America.	1802.	8. 9.	H. ♃.	
2	trilòba. D.D.	(*ye.*) three-lobed.	———	1699.	7. 10.	H. ♃.	Bot. reg. t. 525.
	Rudbéckia trilòba. B.R.						
3	hírta. D.D.	(*ye.*) great hairy.	———	1714.	6. 11.	H. ♃.	Swt. br. fl. gar. t. 82.
	Rudbéckia hírta. B.F.G.						
4	fúlgida. D.D.	(*ye.*) small hairy.	———	1760.	7. 8.	H. ♃.	Bot. mag. t. 1996.
5	acutifólia. B.F.G.	(*ye.*) pointed-leaved.	———	1822.	7. 11.	H. ♃.	Swt. br. fl. gar. s. 2.
6	spathulàta. w.	(*ye.*) spathulate-leav'd.	———	1825.	8. 11.	H. ♃.	
7	grácilis. N.	(*ye.*) slender hairy.	———	——	——	H. ♃.	
ECHIN'ACEA. D.D.		ECHIN'ACEA. Syngenesia Polygamia Frustranea.					
1	purpùrea. D.D.	(*pu.*) reflexed-rayed.	N. America.	1699.	7. 10.	H. ♃.	Bot. mag. t. 2.
	Rudbéckia purpùrea. B.M.						
2	serotìna. D.D.	(*li.*) hispid-stalked.	———	1816.	8. 10.	H. ♃.	Swt. br. fl. gar. t. 4.
	Rudbéckia serotìna. B.F.G.						
3	napifólia.	(*ro.*) Rape-leaved.	New Spain.	1824.	7. 10.	F. ♃.	
	Rudbéckia napifólia. K.S.						
4	heterophy'lla. D.D.	(*li.*) various-leaved.	Mexico.	1828.	9. 11.	H. ♃.	Swt. br. fl. gar. s. 2. t. 32.
CO'SMOS. C.I.		Co'SMOS. Syngenesia Polygamia Frustranea. W.					
1	sulphùreus.	(*st.*) Southernwood-leav'd.	Mexico.	1799.	7. 8.	H. ☉.	Jacq. ic. 3. t. 595.
2	tenéllus. K.S.	(*ro.*) slender.	Mexico.	1825.	10. 11.	G. ☉.	
3	bipinnàtus. C.I.	(*pu.*) purple-flower'd.	———	1799.	——	G. ☉.	Bot. mag. t. 1535.
4	crithmifólius. K.S.	(*ro.*) Samphire-leav'd.	———	1825.	——	G. ☉.	
5	parviflòrus. w.	(*wh.*) white-flowered.	———	1800.	——	H. ☉.	Jacq. schœn. 3. t. 274.
GEORG'INA. W.		GEORG'INA. Syngenesia Polygamia Superfluo—Frustranea.					
1	Cervantèsii. LG.	(*sc.*) Cervantes'.	Mexico.	1820.	8. 10.	H. ♃.	Swt. br. fl. gar. s. 2. t. 22.
	β Auròra. S.F.G.	(*sc.*) *double-flowered.*	———	1828.	——	H. ♃.	Swt. flor. guid. t. 117.
2	crocàta. LG.	(*sc.*) saffron-coloured.	———	1818.	——	H. ♃.	Swt. br. fl. gar. t. 262.
3	coccínea. w.	(*sc.*) scarlet-flowered.	———	1803.	——	H. ♃.	Cavan. icon. t. 206.
4	ròsea. C.I.	(*ro.*) bipinnate-leaved.	———	——	7. 10.	H. ♃.	——— t. 265.
5	astrantiæflòra.	(*pu.*) Astrantia-flower'd.	———	1812.	——	H. ♃.	
6	variábilis. w.	(*va.*) variable.	———	1789.	6. 11.	H. ♃.	Cavan. icon. 1. t. 80.
	Dáhlia pinnàta. C.I. *supérflua.* H.K.						
	α purpùrea.	(*pu.*) *purple-flowered.*	———	——	——	H. ♃.	Ann. mus. 3. t. 37. f. 1.
	β lilacina.	(*li.*) *lilac-coloured.*	———	——	——	H. ♃.	Sal. par. lond. t. 16.
	γ pállida.	(*bl.*) *blush-flowered.*	———	——	——	H. ♃.	
	δ álba.	(*wh.*) *white-flowered.*	———	——	——	H. ♃.	
	ε flàva.	(*ye.*) *yellow-flowered.*	———	——	——	H. ♃.	
	ζ cùprea.	(*co.*) *copper-coloured.*	———	——	——	H. ♃.	
	η rùbra.	(*re.*) *red-flowered.*	———	——	——	H. ♃.	Bot. mag. t. 1885. A.
	ϑ coccínea.	(*sc.*) *scarlet-flowered.*	———	——	——	H. ♃.	
	ι punícea.	(*cr.*) *crimson-flowered.*	———	——	——	H. ♃.	Bot. reg. t. 55.
	κ atrosanguínea.	(*d.cr.*) *dark crimson.*	———	——	——	H. ♃.	
	λ atropurpùrea.	(*d.pu.*) *dark purple.*	———	——	——	H. ♃.	
	μ nigra.	(*da.*) *dark-coloured.*	———	——	——	H. ♃.	
	ν variegàta.	(*v.*) *variegated-flower'd.*	———	——	——	H. ♃.	
	ξ nàna.	(*li.*) *double dwarf lilac.*	———	——	——	H. ♃.	Andr. reposit. t. 483.
	ο superba.	(*pu.*) *double purple.*	———	....	——	H. ♃.	Bot. mag. t. 1885. B.

π *Junoniàna.*	(*d.pu.*)	*Juno.*	Mexico.	....	6. 11.	H. ♃.	Swt. flor. guid. t. 102.
ρ *imperiòsa.*	(*d.pu.*)	*Dennis's imperial.*	——	1827.	——	H. ♃.	—— v. 1. t. 71.
σ *stellàris.*	(*sc.*)	*morning star.*	——	1826.	——	H. ♃.	—— v. 1. t. 65.
τ *sphærocéphala.*	(*d.cr.*)	*globe-flowered.*	——	1827.	——	H. ♃.	—— v. 2. t. 115.
υ *Belladónna.*	(*pi.*)	*painted Lady.*	——	——	——	H. ♃.	—— v. 2. t. 110.

The varieties of the present species are almost endless.

CALLIO'PSIS. S.S. CALLIO'PSIS. Syngenesia Polygamia Frustranea.

1 tinctòria. N.	(*ye.pu.*)	two-coloured.	Arkansa.	1823.	6. 10.	H. ☉.	Swt. br. fl. gar. t. 72.
bicolor. S.S. *Coréopsis tinctòria.* N.							
2 palmàta. S.S.	(*ye.*)	palmate-leaved.	Louisiana.	——	8. 10.	H. ☉.	
3 ròsea. S.S.	(*ro.*)	rose-coloured.	N. America.	——	——	H. ♃.	
Coréopsis ròsea. N.							

COREO'PSIS. W. COREO'PSIS. Syngenesia Polygamia Frustranea. L.

1 grandiflòra. N.	(*ye.*)	large-flowered.	N. America.	1826.	8. 9.	H. ♃.	Swt. br. fl. gar. t. 175.
2 verticillàta. W.	(*ye.*)	whorl-leaved.	——	1759.	7. 10.	H. ♃.	Bot. mag. t. 156.
3 tenuifòlia. W.	(*ye.*)	slender-leaved.	——	1780.	7. 8.	H. ♃.	Pluk. man. t. 344. f. 4.
4 trichospérma. M.	(*ye.*)	pinnate leaved.	Carolina.	1822.	8. 10.	G. ♂.	
5 chrysántha. W.	(*ye.*)	Angelica-leav'd.	W. Indies.	1752.	7. 9.	S. ♂.	Plum. ic. 53. f. 1.
6 aùrea. W.	(*ye.*)	Hemp-leaved.	N. America.	1785.	8. 9.	H. ♃.	Bot. reg. t. 1228.
7 trípteris. Ph.	(*ye.*)	three-leaved.	——	1737.	8. 10.	H. ♃.	Moris. s. 6. t. 3. f. 44.
8 discolor. L.en.	(*ye.*)	two-coloured.	——	1818.	——	H. ♃.	
9 senifòlia. Ph.	(*ye.*)	sessile-leaved.	——	1812.	——	H. ♃.	
10 amplexicaùlis. K.S.	(*ye.*)	stem-clasping.	.....	1806.	7. 8.	H. ♃.	
Simsia amplexicaùlis. P.S.							
11 álba. W.	(*wh.*)	climbing.	Jamaica.	1699.	6. 7.	S. ♃.⌣.	Herm. parad. 124.
12 incisa. B.R.	(*ye.*)	jagged-leaved.	W. Indies.	....	9. 12.	S. ♃.⌣.	Bot. reg. t. 7.
13 réptans. W.	(*ye.*)	trailing.	——	1792.	7. 9.	S. ☉.	Smith spic. t. 22.
14 auriculàta. W.	(*ye.*)	ear-leaved.	N. America.	1699.	8. 10.	H. ♃.	Schk. hand. 3. t. 260.
15 latifòlia. W.	(*ye.*)	broad-leaved.	——	1786.	8. 9.	H. ♃.	
16 argùta. Ph.	(*ye.*)	sharp-notched.	Carolina.	....	——	H. ♃.	
17 lanceolàta. W.	(*ye.*)	spear-leaved.	——	1724.	7. 9.	H. ♃.	Swt. br. flr. gar. t. 10.
18 crassifòlia. W.	(*ye.*)	thick-leaved.	——	1786.	8. 10.	H. ♃.	
19 angustifòlia. W.	(*ye.*)	narrow-leaved.	N. America.	1778.	6. 8.	H. ♃.	

B'IDENS. K.S. B'IDENS. Syngenesia Polygamia Frustranea.

1 nodiflòra. W.	(*ye.*)	sessile-flowered.	E. Indies.	1732.	7. 8.	S. ☉.	Dill. elth. t. 44. f. 52.
2 tripartìta. W.	(*ye.*)	trifid.	Britain.	....	7. 9.	H. ☉.	Eng. bot. t. 1113.
3 cérnua. W	(*ye.*)	nodding.	——	....	——	H. ☉.	—— t. 1114.
4 chrysanthemoídes. W.	(*ye.*)	large yellow.	N. America.	1827.	8. 10.	H. ☉.	
5 argùta. K.S.	(*ye.*)	sharp-toothed.	Mexico.	1825.	——	H. ♃.	
6 triplinérvia. K.S.	(*ye.*)	triply-nerved.	——	——	——	H. ♃.	
7 heterophy'lla. W.	(*ye.*)	various-leaved.	——	1803.	8. 9.	F. ♃.	Orteg. dec. 8. t. 12.
8 luxùrians. W.en.	(*ye.*)	luxuriant.	——	1823.	——	F. ♃.	
9 frondòsa. W.	(*ye.*)	smooth-stalked.	N. America.	1710.	7. 8.	H. ☉.	Moris. his. s. 6. t. 5. f. 21.
10 foliòsa. W.en.	(*ye.*)	leafy.	.....	1823.	——	H. ☉.	
11 connàta. W.	(*ye.*)	connate.	N. America.	——	——	H. ☉.	
12 leucántha. W.	(*wh.*)	white-flowered.	S. America.	....	——	H. ☉.	
13 striàta. B.F.G.	(*std.*)	stripe-flowered.	Mexico.	1827.	8. 11.	H. ☉.	Swt. br. fl. gar. t. 237.
14 chinénsis. W.	(*wh.*)	Chinese.	China.	1801.	6. 7.	H. ☉.	Rumph. amb. 6. t. 15. f. 2.
15 diversifòlia. W.	(*ye.*)	different-leav'd.	S. America.	1811.	9. 10.	H. ☉.	Bot. mag. t. 1689.
Cósmea lùtea. B.M. *Coréopsis diversifòlia.* Jacq.							
16 pilòsa. W.	(*wh.*)	hairy.	N. America.	1732.	7.	H. ☉.	Dill. elth. t. 43. f. 51.
17 sambucifòlia. W.	(*sc.*)	Elder-leaved.	S. America.	1801.	7. 8.	H. ♃.	Cavan. ic. 3. t. 229.
18 odoràta. W.	(*wh.*)	sweet-scented.	Mexico.	1823.	——	H. ☉.	—— 1. t. 13.
19 grandiflòra. S.S.	(*wh.*)	large-flowered.	S. America.	1825.	8. 11.	H. ☉.	
20 bipinnàta. W.	(*ye.*)	Hemlock-leav'd.	N. America.	1687.	——	H. ☉.	Herm. parad. t. 123.
21 parviflòra. S.S.	(*ye.*)	small-flowered.	Siberia.	1823.	——	H. ☉.	
22 bullàta. W.	(*ye.*)	rough-leaved.	Italy.	1759.	——	H. ☉.	Arduin. spec. 2. t. 18.
23 refléxa. L.en.	(*ye.*)	reflexed.	Mexico.	1824.	——	G. ♃.	
24 crithmifòlia. K.S.	(*ye.*)	Samphire-leav'd.	Quito.	——	9. 10.	F. ♃.	
25 angustifòlia. K.S.	(*or.*)	narrow-leaved.	New Spain.	——	——	H. ♃.	
26 pròcera. B.R.	(*ye.*)	tall.	S. America.	1818.	——	H. ♃.	Bot. reg. t. 684.
27 ferulæfòlia.	(*ye.*)	Fennel-leaved.	Mexico.	1799.	10. 11.	F. ♃.	Jacq. schœnb. 3. t. 373.
Coréopsis ferulæfòlia. Jacq.							
28 ciliàta.	(*ye.*)	fringed.	Mexico.	1827.	8. 10.	H. ☉.	
29 chrysántha. Ort.	(*ye.*)	golden-flowered.	——	——	——	H. ☉.	
30 coronàta. F.	(*ye.*)	crowned.	.....	1829.	——	H. ☉.	
31 serrulàta. Df.	(*ye.*)	serrulate.	.....	——	——	H. ☉.	

OSM'ITES. W. OSM'ITES. Syngenesia Polygamia Frustranea. W.

1 bellidiástrum. W.	(*wh.*)	Daisy-like.	C. B. S.	1816.	4. 8.	G. ♄.	
2 asteriscoídes. W.	(*wh.*)	starry.	——	1823.	4. 7.	G. ♄.	Burm. afr. t. 58. f. 1.

3	camphorìna. w.	(*wh.*)	Camphor-scent'd.	C. B. S.	1794.	4. 7.	G. ♄.	Seb. mus. 1. t. 90. f. 2.
4	dentàta. w.	(*wh.*)	tooth-leaved.	———	1820.	——	G. ♄.	
SCLEROCA'RPUS. W.			Sclerocа'rpus. Syngenesia Polygamia Frustranea. W.					
	africànus. w.	(*ye.*)	African.	Guinea.	1812.	7. 8.	G. ☉.	Jacq. ic. 1. t. 176.
CULL'UMIA. H.K.			Cull'umia. Syngenesia Polygamia Frustranea. H.K.					
1	ciliàris. H.K.	(*ye.*)	ciliated.	C. B. S.	1774.	5. 6.	G. ♄.	Burm. afr. t. 54. f. 1.
2	setòsa. H.K.	(*ye.*)	recurved smooth-leav'd.	—	1780.	6. 8.	G. ♄.	Comm. hort. 2. t. 28.
3	squarròsa. H.K.	(*ye.*)	recurved-awl-leaved.	——	1786.	——	G. ♄.	Th. act. hafn. 3. t. 5.
BERCKH'EYA. H.K.			Bercke'eya. Syngenesia Polygamia Frustranea. H.K.					
1	cynaroìdes. w.	(*ye.*)	Artichoke-cup'd.	C. B. S.	1789.	6.	G. ♃.	
2	obovàta. w.	(*ye.*)	smooth shrubby.	———	1794.	6. 8.	G. ♄.	Hout. n. h. 6. t. 34. f. 2.
3	incàna. w.	(*ye.*)	hoary.	———	1739.	7. 8.	G. ♄.	Jacq. ic. 3. t. 591.
4	cuneàta. w.	(*ye.*)	wedge-leaved.	———	1812.	6. 8.	G. ♄.	Th. act. hafn. 3. t. 10.
5	palmàta. w.	(*ye.*)	palmated.	———	1800.	——	G. ♄.	——— 3. t. 13.
6	grandiflòra. w.	(*ye.*)	large-flowered.	———	1812.	——	G. ♄.	Bot. mag. t. 1844.
7	unifiòra. w.	(*ye.*)	single-flowered.	———	1815.	——	G. ♄.	Th. act. hafn. 3. t. 7.
8	cérnua. H.K.	(*ye.*)	drooping-flower'd.	———	1774.	5. 7.	G. ♂.	Meerb. ic. 1. t. 40.
DIDE'LTA. H.K.			Dide'lta. Syngenesia Polygamia Frustranea. H.K.					
1	carnòsum. H.K.	(*ye.*)	alternate-leav'd.	C. B. S.	1774.	6. 7.	G. ♄.	L'Her. stirp. t. 28.
2	spindsum. H.K.	(*ye.*)	opposite-leaved.	———	——	——	G. ♄.	Wendl. obs. t. 4. f. 32.
GORTE'RIA. H.K.			Gorte'ria. Syngenesia Polygamia Frustranea. H.K.					
	personàta. H.K.	(*ye.*)	procumbent.	C. B. S.	1774.	7. 8.	G. ☉.	Jacq. coll. 4. t. 21. f. 1.
GAZ'ANIA. H.K.			Gaz'ania. Syngenesia Polygamia Frustranea. H.K.					
1	unifiòra. B.M.	(*ye.*)	golden.	C. B. S.	1816.	7. 8.	G. ♄.	Bot. mag. t. 2270.
2	rìgens. H.K.	(*ye.ve.*)	great-flowered.	———	1755.	5. 9.	G. ♄.	——— t. 90.
3	heterophy'lla. w.	(*ye.ve.*)	various-leaved.	———	1812.	——	G. ♃.	Willd. hort. ber. t. 97.
4	Pavònia. H.K.	(*ye.ve.*)	Peacock.	———	1804.	6. 7.	G. ♃.	Bot. reg. t. 35.
5	subulàta. H.K.	(*ye.*)	awl-leaved.	———	1792.	7. 8.	G. ♃.	
CRYPTOSTE'MMA. H.K.			Cryptoste'mma. Syngenesia Polygamia Frustranea.					
1	calendulàceum. H.K.	(*ye.*)	Marygold-flow'r'd.	C. B. S.	1752.	6. 8.	H. ☉.	Bot. mag. t. 2252.
2	hypochondriacum. H.K.	(*ye.*)	divided-rayed.	——	1731.	7. 8.	H. ☉.	
3	runcinàtum. H.K.	(*ye.*)	Dandelion-leaved.	——	1794.	——	H. ☉.	
ARCTOTH'ECA. W.			Arctoth'eca. Syngenesia Polygamia Frustranea. H.K.					
1	rèpens. w.	(*ye.*)	creeping.	C. B. S.	1793.	7. 8.	G. ♃.	Jacq. schœn. 3. t. 306.
2	hìrta. L.en.	(*ye.*)	hairy.	———	1818.	7. 9.	G. ♃.	
SPHENO'GYNE. H.K.			Spheno'gyne. Syngenesia Polygamia Frustranea. H.K.					
1	anthemoìdes. H.K.	(*ye.*)	white-crowned.	C. B. S.	1774.	7. 9.	H. ☉.	Bot. mag. t. 544.
2	crithmifòlia. H.K.	(*ye.*)	Samphire-leav'd.	———	1768.	4. 8.	G. ♄.	Burm. afr. t. 65. f. 1.
3	scariòsa. H.K.	(*ye.*)	scaly-cupped.	———	1774.	——	G. ♄.	
4	abrotanifòlia. H.K.	(*ye.*)	Southernwood-leav'd.	—	1789.	5. 8.	G. ♄.	
5	dentàta. H.K.	(*ye.*)	small-leaved.	———	1787.	6. 7.	G. ♄.	Burm. afr. t. 64.
6	pilifera. B.R.	(*ye.*)	hair toothed.	———	1820.	——	G. ♄.	Bot. reg. t. 604.
7	serràta. s.s.	(*ye.*)	saw-leaved.	———	1826.	——	G. ♄.	
8	fœniculàcea.	(*ye.*)	Fennel-leaved.	———	1825.	5. 9.	H. ☉.	Jacq. schœn. 2. t. 156.
	Arctòtis fœniculàcea. Jacq.							
9	leucanthemoìdes.	(*ye.*)	Ox-eye Daisy-leav'd.	——	——	——	H. ☉.	——— 2. t. 164.
	Arctòtis leucanthemoìdes. Jacq.							
10	odoràta. H.K.	(*ye.*)	smooth-seeded.	———	1774.	4. 6.	G. ♄.	
TITH'ONIA. W.			Tithe'onia. Syngenesia Polygamia Frustranea. W.					
1	tagetifiòra. w.	(*or.*)	Tagetes-flower'd.	W. Indies.	1821.	8. 9.	S. ♃.	Bot. reg. t. 591.
2	tubæfòrmis. D.D.	(*ye.*)	tube-flowered.	Mexico.	1799.	9. 11.	H. ☉.	Jacq. schœn. 3. t. 375.
	Heliánthus tubæfòrmis. Jacq.							
ARCTOTIS. H.K.			Arctotis. Syngenesia Polygamia Necessaria. L.					
1	acaùlis. w.	(*ye.*)	dwarf.	C. B. S.	1759.	4. 7.	G. ♃.	Bot. reg. t. 122.
2	tricolor. w.	(*pu. wh.*)	three-coloured.	———	1794.	5. 7.	G. ♃.	——— t. 131.
3	undulàta. w.	(*or.*)	wave-leaved.	———	1795.	4. 6.	G. ♃.	Jacq. schœn. 2. t. 160.
4	grandiflòra. w.	(*or. cr.*)	great-flowered.	———	1774.	3. 5.	G. ♄.	——— 3. t. 378.
5	Massoniàna. s.s.	(*st. re.*)	Masson's.	———	——	——	G. ♂.	
	grandiflòra. H.K. *non* Jacq.							
6	speciòsa. w.	(*pu. ye.*)	showy.	———	1812.	6. 8.	G. ♃.	Bot. mag. t. 2182.
7	glaucophy'lla. w.	(*or. pi.*)	Sea-green-leav'd.	———	1794.	5. 8.	G. ♃.	Jacq. schœn. 2. t. 170.
8	plantagìnea. w.	(*ye. pu.*)	Plantain-leaved.	———	1768.	6. 8.	G. ♃.	
9	argéntea. w.	(*v.*)	silver-leaved.	———	1774.	8.	G. ♂.	
10	ròsea. w.	(*ro.*)	Rose.	———	1793.	7. 9.	G. ♃.	Jacq. schœn. 2. t 162.
11	decúmbens. w.	(*wh. pi.*)	decumbent.	———	1790.	——	G. ♃.	——— 3. t. 381.
12	angustifòlia. w.	(*or.*)	narrow-leaved.	———	1739.	——	G. ♃.	
13	flàccida. w.	(*wh. re.*)	bending-stalked.	———	1794.	5. 7.	G. ☉.	Jacq. schœn. 2. t. 163.
14	virgàta. w.	(*ye. pu.*)	slender-twigged.	———	1816.	7. 9.	H. ☉.	——— 3. t. 307.
15	flàmmea. J.F.	(*or.*)	flame-coloured.	———	1822.	——	G. ♃.	Jacq. frag. t. 47. f. 1.

16	am'œna. J.F.	(wh.pu.)	handsome.	C. B. S.	1822.	7. 9.	G. ♃.	Jacq. frag. t. 118.
17	paniculàta. w.	(wh.cr.)	panicled.	———	——	——	G ♄.	Jacq. schœn. 3. t. 380.
18	decúrrens. w.	(wh.pi.)	decurrent.	———	——	6. 7.	G. ♄.	——— 2. t. 165.
19	melanocìcla. w.	(wh.re.)	various-colour'd.	———	1812.	——	G. ♄.	
20	réptans. w.	(st.br.)	creeping.	———	1795.	7. 9.	G. ♃.	Jacq. schœn. 3. t. 382.
21	auriculàta. w.	(ye.pu.)	ear-leaved.	———	——	6. 8.	G. ♄.	——— 2. t. 169.
22	fastuòsa. w.	(or.cr.)	Orange-flower'd.	———	——	5. 7.	G. ♂.	——— 2. t. 166.
23	spinulòsa. w.	(or.bk.)	thorny-leaved.	———	——	5. 8.	G. ☉.	——— 2. t. 167.
24	maculàta. w.	(st.pu.)	spotted.	———	1812.	——	G. ♄.	Bot. reg. t. 130.
25	áspera. B.R.	(wh.ro.)	broad rough-leav'd.	———	1710.	7. 9.	G. ♄.	——— t. 34.
26	elàtior. w.	(ye.pu.)	tall.	———	1816.	——	G. ♄.	Jacq. schœn. 2. t. 172.
27	arborèscens. w.	(wh.pi.)	arborescent.	———	——	——	G. ♄.	——— 2. t. 171.
28	aurèola. B.R.	(or.)	narrow rough-leav'd.	———	1710.	——	G. ♄.	Bot. reg. t. 32.
29	revolùta. w.	(ye.bk.)	revolute-leaved.	———	1824.	8. 10.	H. ☉.	Jacq. schœn. 2. t. 173.
30	cùprea. w.	(co.pu.)	copper-coloured.	———	——	7. 8.	G. ♄.	——— 2. t. 176.
31	squarròsa. w.	(or pu.)	squarrose.	———	1825.	——	G. ♄.	——— 2. t. 177.
32	Cinerària. w.	(ye.or.)	black-eyed.	———	——	——	G. ♃.	——— 2. t. 174.
33	bícolor. W.en.	(wh.re.)	two-coloured.	———	1812.	——	G. ♃.	
34	glabràta. w.	(ye.pu.)	smooth-leaved.	———	1816.	7. 9.	G. ♄.	Jacq. schœn. 2. t. 175.
35	purpùrea. W.en.	(pu.)	purple.	———	1827.	——	G. ♄.	

CALE'NDULA. W. MARYGOLD. Syngenesia Polygamia Necessaria. L.

1	arvénsis. w.	(ye.)	field.	Europe.	1597.	6. 9.	H. ☉.	Ger. herb. 603. f. 10.
2	sícula. W.en.	(ye.)	Sicilian.	Sicily.	1816.	——	H. ☉.	
3	stellàta. w.	(ye.)	starry.	Barbary.	1795.	——	H. ☉.	Schk. hand 3. t. 265.
4	officinàlis. w.	(ye.)	common.	S. Europe.	1573.	——	H. ☉.	
	β plèna.	(ye.)	*double-flowered.*	———	——	——	H. ☉.	
5	ægyptíaca. P.S.	(ye.)	Egyptian.	Egypt.	1820.	——	H. ☉.	
6	suffruticòsa. w.	(ye.)	suffrutescent.	S. Europe.	1823.	——	G. ♄.	
7	denticulàta. S.S.	(ye.)	toothed.	Barbary.	1821.	6. 8.	F. ♄.	
8	síncta. w.	(st.)	pale-flowered.	Levant.	1731.	5. 9.	H. ☉.	
9	incàna. w.	(ye.)	hoary.	Barbary.	1796.	6. 8.	H. ☉.	Desf. atl. 2. t. 245.
	tomentòsa. Df. *non* L.							
10	pluviàlis. w.	(wh.pu.)	small Cape.	C. B. S.	1699.	——	H. ☉.	Mill. ic. t. 75. f. 2.
11	hy'brida. w.	(wh.pu.)	great Cape.	———	1752.	6. 7.	H. ☉.	Swt. br. fl. gar. t. 89.
12	nudicaùlis. w.	(wh.)	naked-stalked.	———	1731.	6. 8.	H. ☉.	Comm. hort. 2. t. 33.
13	graminifòlia. w.	(wh.pu.)	Grass-leaved.	———	——	5. 9.	G. ♃.	Bot. reg. t. 289.
14	Tràgus. w.	(pu.wh.)	bending-stalked.	———	1774.	5. 6.	G. ♄.	Bot. mag. t. 408.
	β flàccida. v.	(or.)	*flaccid.*	———	——	——	G. ♄.	Bot. reg. t. 28.
15	viscòsa. H.K.	(or.)	viscous.	———	1790.	6. 9.	G. ♄.	Andr. reposit. t. 412.
	Arctòtis glutinòsa. B.M. 1343.							
16	dentàta. A.R.	(wh.)	tooth-leaved.	———	1790.	5. 6.	G. ♄.	Andr. reposit. c. ic.
17	oppositifòlia. w.	(ye.)	glaucous-leaved.	———	1774.	8.	G. ♄.	
18	fruticòsa. w.	(wh.)	shrubby.	———	1752.	6. 7.	G. ♄.	Mill. ic. 2. t. 283.
19	chrysanthemifòlia. v.	(ye.)	large-flower'd.	———	1790.	3. 8.	G. ♄.	Bot. reg. t. 40.
20	arborèscens. w.	(ye.)	rough-leaved.	———	1774.	12.	G. ♄.	Jacq. ic. 3. t. 596.
21	muricàta. w.	(ye.)	muricate.	———	1816.	——	G. ♄.	

POLY'MNIA. W. POLY'MNIA. Syngenesia Polygamia Necessaria. L.

1	canadénsis. w.	(ye.)	Canadian.	N. America.	1768.	7. 8.	H. ♃.	Lin. am. ac. 3. t. 1. f. 5.
2	Uvedàlia. w.	(ye.)	broad-leaved.	———	1699.	8. 10.	H. ♃.	Moris. s. 6. t. 7. f. 55.
3	maculàta. C.I.	(ye.)	spotted-stalked.	Mexico.	1823.	9. 11.	H. ♃.	Cav. ic. 3. t. 227.
4	abyssínica. w.	(ye.)	upright.	Africa.	1775.	4. 5.	S. ♂.	

MELAMP'ODIUM. W. MELAMP'ODIUM. Syngenesia Polygamia Necessaria. W.

1	americànum. w.	(ye.)	American.	Vera Cruz.	1733.	8. 10.	S. ☉.	Reliq. Houst. 9. t. 21.
2	hùmile. w.	(ye.)	dwarf.	Jamaica.	1782.	6. 10.	S. ☉.	
3	hispidum. K.S.	(ye.)	hispid.	New Spain.	1825.	9. 11.	H. ☉.	H. et B. 4. t. 399.
4	perfoliàtum. K.S.	(ye.)	perfoliate.	———	1796.	8. 10.	H. ☉.	Cavan. ic. 1. t. 15.
	Alcìna perfoliàta. Cav. *Wedèlia perfoliàta.* w.							
5	longifòlium. W.en.	(ye.)	long-leaved.	———	1820.	——	H. ☉.	
6	ovatifòlium. R.I.	(ye.)	oval-leaved.	S. America.	1828.	——	H. ☉.	
	Wedèlia ovatifòlium. w. *Alcìna ovalifòlia.* LG.							
7	sericeum. S.S.	(ye.)	silky-leaved.	New Spain.	1825.	——	H. ☉.	

MILL'ERIA. L. MILL'ERIA. Syngenesia Polygamia Necessaria. L.

1	quinquefòra. w.	(ye.)	five flowered.	Vera Cruz.	1731.	7. 10.	H. ☉.	Cavan. ic. 1. t. 82.
2	bifòra. w.	(ye.)	two-flowered.	S. America.	1730.	——	H. ☉.	Mart. dec. 47. f. 1.

FLAV'ERIA. J. FLAV'ERIA. Syngenesia Polygamia Necessaria. P.S.

1	repánda. LG.	(ye.)	repand.	S. America.	1790.	7. 9.	H. ☉.	
2	Contrayérba. K.S.	(ye.)	Peruvian.	Peru.	1794.	8. 10.	S. ♂.	Cavan. ic. 1. t. 4.
3	angustifòlia. K.S.	(ye.)	narrow-leaved.	Mexico.	1825.	——	H. ♃.	——— 3. t. 228.

4 lineàris. LG.	(ye.)	linear-leaved.	S. America.	1825.	8. 10.	S. ☉.	
5 marítima. K.S.	(ye.)	sea-side.	Cuba.	1822.	——	S. ☉.	
BALTIM'ORA. W.		BALTIM'ORA.	Syngenesia Polygamia Necessaria. L.				
1 recta. W.	(ye.)	upright.	Vera Cruz.	1699.	6. 7.	H. ☉.	Schk. ha. 3. t. 261. C.
2 álba. P.S.	(wh.)	white.	.....	1824.	——	H. ☉.	
ERIO'COMA. K.S.		ERIO'COMA.	Syngenesia Polygamia Frustranea.				
1 floribúnda. K.S.	(wh.)	many-flowered.	Mexico.	1828.	9. 11.	F. ♄.	H. et B. 4. t. 396.
2 fràgrans. D.D.	(wh.)	sweet-scented.	———	——	——	F. ♄.	Swt. br. fl. gar. s. 2.
SI'LPHIUM. W.		SI'LPHIUM.	Syngenesia Polygamia Necessaria. L.				
1 laciniàtum. W.	(ye.)	jagged-leaved.	N. America.	1781.	7. 9.	H. ☉.	Lin. fil. fas. 1. t. 3.
2 compósitum. W.	(ye.)	scollop-leaved.	———	1789.	——	H. ♃.	
3 therebinthinàceum.	(ye.)	broad-leaved.	———	1765.	8. 9.	H. ♃.	Jacq. vind. 1. t. 43.
4 perfoliàtum. W.	(ye.)	perfoliate.	———	1766.	7. 10.	H. ♃.	
5 conjúnctum. W.en.	(ye.)	conjoined.	———	....	——	H. ♃.	
6 connàtum. W.	(ye.)	round-stalked.	———	1765.	——	H. ♃.	
7 Asteríscus. W.	(ye.)	hairy-stalked.	———	1732.	7. 9.	H. ♃.	Dill. elth. t. 37. f. 42.
8 scábrum. N.	(ye.)	rough-leaved.	———	1823.	——	H. ♃.	
9 pùmilum. W.	(ye.)	dwarf woolly.	———	——	——	H. ♃.	
10 trifoliàtum. W.	(ye.)	three-leaved.	———	1755.	7. 10.	H. ♃.	Moris. s. 6. t. 3. f. 68.
11 ternàtum. W.	(ye.)	various-leaved.	———	1806.	——	H. ♃.	
12 atropurpùreum. W.	(ye.)	purple-stalked.	———	1812.	——	H. ♃.	
OSTEOSPE'RMUM.		OSTEOSPE'RMUM.	Syngenesia Polygamia Necessaria. L.				
1 spinòsum. H.K.	(ye.)	rough-leaved.	C. B. S.	1700.	2. 10.	G. ♄.	Com. hort. 2. t. 43.
2 spinéscens. H.K.	(ye.)	smooth-leaved.	———	1793.	3. 6.	G. ♄.	Jacq. schœn. 3. t. 377.
3 pisíferum. W.	(ye.)	smooth.	———	1757.	3. 5.	G. ♄.	Mill. ic. 2. t. 194. f. 1.
4 monilíferum. W.	(ye.)	Poplar-leaved.	———	1714.	7. 8.	G. ♄.	Dill. elth. t. 68. f. 79.
5 hirsùtum. W.	(ye.)	hairy.	———	1822.	——	G. ♄.	
6 ciliàtum. W.	(ye.)	fringed.	———	1818.	——	G. ♄.	
7 imbricàtum. W.	(ye.)	imbricated.	———	1824.	——	G. ♄.	
8 calendulàceum. W.	(ye.)	Marygold-like.	———	1823.	——	G. ♄.	
9 ilicifólium. W.	(ye.)	Holly-leaved.	———	1816.	——	G. ♄.	Burm. afr. 172. t. 62.
10 rígidum. W.	(ye.)	rigid.	———	1774.	4. 7.	G. ♄.	
11 cœrùleum. W.	(bl.)	blue-flowered.	———	——	6. 9.	G. ♄.	Jacq. ic. 1. t. 179.
12 perfoliàtum. W.	(ye.)	perfoliate.	———	1816.	5. 8.	G. ♄.	
13 níveum. W.	(ye.)	white-leaved.	———	1820.	——	G. ♄.	
14 corymbòsum. W.	(ye.)	corymbed.	———	——	——	G. ♄.	
15 incànum. W.	(ye.)	hoary-leaved.	———	1816.	7. 8.	G. ♄.	
16 polygaloídes. W.	(ye.)	Milkwort-leaved.	———	1759.	——	G. ♄.	Pluk. mant. t. 382.

Subordo VII. *AMBROSIACEÆ. Link enum.* 2. *p.* 366.

PARTH'ENIUM. W.		PARTH'ENIUM.	Syngenesia Polygamia Necessaria. L.				
1 integrifólium. W.	(wh.)	entire-leaved.	Virginia.	1661.	6. 10.	H. ♃.	Willd. hort. ber. t. 4
2 incànum. K.S.	(wh.)	hoary.	Mexico.	1824.	——	H. ☉.	H. et B. 4. t. 391.
3 Hysteróphorus. W.	(wh.)	cut-leaved.	W. Indies.	1728.	7. 10.	H. ☉.	Bot. mag. t. 2275.
Argyrock'ata bipinnatifida. Cavan. icon. 4. t. 378.							
'IVA. W.		'IVA.	Syngenesia Polygamia Necessaria. L.				
1 ciliàta. W.	(ye.)	ciliated.	N. America.	1820.	7. 8.	H. ☉.	
2 ánnua. W.	(ye.)	annual.	S. America.	1768.	——	H. ☉.	Schmidel ic. t. 16.
3 xanthiifólia. N.	(ye.)	Xanthium-leaved.	Missouri.	1827.	——	H. ☉.	
4 axillàris. Ph.	(ye.)	axillary-flowered.	———	——	5. 6.	H. ♃.	
5 frutéscens. W.	(ye.)	shrubby.	N. America.	1711.	8.	H. ♄.	Pluk. alm. t. 27. f. 1.
AMBR'OSIA. W.		AMBR'OSIA.	Monœcia Pentandria. L.				
1 integrifólia. W.	(gr.)	entire-leaved.	N. America.	1816.	7. 9.	H. ☉.	
2 trífida. W.	(gr.)	trifid-leaved.	———	1699.	——	H. ☉.	Moris. s. 6. t. 1. f. 4.
3 elàtior. W.	(gr.)	tall.	———	1696.	7. 8.	H. ☉.	Herm. lugdb. t. 35.
4 artemisiæfólia. W.	(gr.)	Mugwort-leaved.	———	1759.	——	H. ☉.	
5 paniculàta. W.	(gr.)	panicled.	———	1811.	7. 9.	H. ☉.	Pluk. alm. t. 10. f. 5.
6 marítima. W.	(gr.)	sea.	Italy.	1570.	7. 8.	H. ☉.	Schk. hand. 3. t. 292.
7 cumanénsis. K.S.	(gr.)	Cumana.	S. America.	1823.	9. 11.	G. ♃.	
8 peruviàna. W.	(gr.)	Peruvian.	Peru.	1821.	——	G. ♃.	
XA'NTHIUM. W.		XA'NTHIUM.	Monœcia Pentandria. L.				
1 Strumàrium. W.	(gr.)	small burdock.	England.	....	7. 9.	H. ☉.	Eng. bot. v. 26. t. 2544.
2 orientàle. W.	(gr.)	oriental.	China.	1685.	——	H. ☉.	Linn. dec. 33. t. 17.
3 canadénse. S.S.	(gr.)	Canadian.	Canada.	——	——	H. ☉.	
4 echinàtum. W.	(gr.)	hedgehog.	.....	1818.	——	H. ☉.	

5 cathárticum. H.s.	(*gr.*)	divided-leaved.	S. America.	1825.	9. 10.	H. ☉.		
6 spinòsum. w.	(*gr.*)	spiny.	S. Europe.	1713.	7. 9.	H. ☉.		Herm. parad. 246.
FRANSE'RIA. W.		FRANSE'RIA.	Monœcia Pentandria. W.					
1 artemisioídes. w.	(*gr.*)	Mugwort-leaved.	Peru.	1759.	7. 9.	G. ♄.		Willd. hort. ber. t. 2.
2 ambrosioídes. w.	(*gr.*)	Ambrosia-leaved.	Mexico.	1796.	——	G. ♄.		Cavan. ic. 2. t. 200.

Subordo VIII. *ANTHEMIDEÆ. Kth. synops.* 2. *p.* 513.

CEPHALO'PHORA. W.		CEPHALO'PHORA.	Syngenesia Polygamia Æqualis. W.					
glaùca. w.	(*wh.*)	glaucous.	Chili.	1798.	7. 8.	H. ☉.		Cavan. ic. 6. t. 599.
Gr'amia aromática. Hook. ex. flor. 189.								
ETH'ULIA. W.		ETH'ULIA.	Syngenesia Polygamia Æqualis. W.					
1 conyzoídes. w.	(*li.*)	panicled.	India.	1776.	7. 8.	S. ☉.		Linn. fil. dec. t. 1.
2 divaricàta. w.	(*pu.*)	spreading.	———	1815.	——	S. ☉.		Lam. ill. t. 699.
Epálites divaricàta. Cas.								
3 ramòsa. H.B.	(*pu.*)	branching.	———	1818.	——	S. ☉.		
4 brasiliénsis. L.en.	(*pu.*)	Brazilian.	Brazil.	1822.	——	S. ♃.		
SPARGANO'PHORUS. G.		SPARGANO'PHORUS.	Syngenesia Polygamia Æqualis.					
1 Vaillántii. P.s.	(*pu.*)	Vaillant's.	E. Indies.	1824.	6. 8.	S. ♃.		Gært. fr. 2. t. 165. f. 4.
Ethàlia Sparganóphorus. L.								
2 Strùchium. P.s.	(*pu.*)	axillary-flower'd.	W. Indies.	1826.	——	S. ♃.		Brown. jam. t. 34. f. 2.
3 verticillàtus. M.	(*pu.*)	whorl-leaved.	N. America.	1827.	8. 10.	H.w. ♃.		
TARCHONA'NTHUS.		W. AFRICAN FLEABANE.	Syngenesia Polygamia Æqualis. L.					
1 camphoràtus. w.	(*ye.*)	strong-scented.	C. B. S.	1690.	6. 10.	G. ♄.		Lam. ill. t. 671.
2 dentàtus. P.s.	(*ye.*)	scentless.	———	1816.	——	G. ♄.		
3 ellípticus. P.s.	(*ye.*)	elliptic-leaved.	———	1823.	——	G. ♄.		
PODA'NTHUS. L.G.		PODA'NTHUS.	Syngenesia Polygamia Æqualis.					
1 míliqui. H.C.	(*ye.*)	Chilian.	Chile.	1826.	7. 9.	F. ♄.		
2 gràtus. D.D.	(*ye.*)	grateful.	———	1825.	——	F. ♄.		Hor. phys. ber. 75. t. 16.
Euxènia gràta. S.S.								
OTA'NTHUS. L.en.		OTA'NTHUS.	Syngenesia Polygamia Æqualis.					
maritimus. L.en.	(*ye.*)	sea-side.	England.	....	7. 9.	H. ♄.		Eng. bot. v. 2. t. 141.
Santolina maritima. E.B.								
SANTOL'INA. W.		LAVENDER-COTTON.	Syngenesia Polygamia Æqualis. L.					
1 Chámæ-Cyparíssus. w.	(*ye.*)	common.	S. Europe.	1573.	7.	H. ♄.		Lam. ill. t. 671. f. 3.
2 ericoídes. P.s.	(*ye.*)	Heath-like.	———	1827.	7. 9.	H. ♄.		
3 squarròsa. w.	(*ye.*)	hoary.	———	1570.	7. 8.	H. ♄.		Moris. s. 6. t. 3. f. 17.
4 víridis. w.	(*ye.*)	dark-green.	———	1727.	7.	H. ♄.		
5 rosmarinifòlia. w.	(*ye.*)	Rosemary-leaved.	———	1683.	7. 9.	H. ♄.		Sm. exot. bot. 2. t. 62.
6 pectinàta. s.s.	(*ye.*)	pectinate.	Spain.	1825.	——	H. ♄.		
7 viscòsa. s.s.	(*ye.*)	viscous.	———	——	——	H. ♄.		
8 crithmifòlia. W.en.	(*ye.*)	Samphire-leaved.	S. Europe.	1823.	——	H. ♃.		
9 pinnàta. Viv.	(*wh.*)	wing-leaved.	———	1791.	——	F ♄.		
10 anthemoídes. w.	(*ye.*)	Chamomile-leaved.	———	1727.	7. 8.	H. ♃.		Flor. græc. t. 854.
11 alpìna. L.	(*ye.*)	alpine.	———	1798.	7. 9.	H. ♃.		Barr. rar. t. 522.
ATHAN'ASIA. W.		ATHAN'ASIA.	Syngenesia Polygamia Æqualis. L.					
1 crenàta. w.	(*ye.*)	crenated.	C. B. S.	1816.	6. 8.	G. ♄.		
2 punctàta. w.	(*ye.*)	punctated.	———	1822.	5. 7.	G. ♄.		Petiv. gaz. t. 81. f. 6.
3 capitàta. w.	(*ye.*)	hairy.	———	1774.	1. 3.	G. ♄.		Moris. s. 6. t. 3. f. 48.
4 pubéscens. w.	(*ye.*)	villous-leaved.	———	1768.	6. 8.	G. ♄.		Comm. hort. 2. t. 47.
5 canéscens. w.	(*ye.*)	canescent.	———	1822.	——	G. ♄.		Cavan. ic. 1. t. 3.
lanuginòsa. Cav.								
6 cuneifòlia. P.s.	(*ye.*)	wedge-leaved.	———	1816.	7. 9.	G. ♄.		Lam. ill. t. 670. f. 3.
7 ánnua. w.	(*ye.*)	annual.	Barbary.	1686.	7. 8.	H. ☉.		Bot. mag. t. 2276.
8 dentàta. w.	(*ye.*)	tooth-leaved.	C. B. S.	1759.	——	G. ♄.		Comm. rar. t. 41.
9 trifurcàta. w.	(*ye.*)	trifid-leaved.	———	1710.	——	G. ♄.		Comm. hort. 2. t. 49.
10 virgàta. w.	(*ye.*)	twiggy.	———	1815.	——	G. ♄.		Jacq. schœn. 2. t. 148.
11 tomentòsa. w.	(*ye.*)	Lavender-leaved.	———	1774.	5. 6.	G. ♄.		Lam. ill. t. 670. f. 1.
cinèrea. L.								
12 filifórmis. w.	(*ye.*)	fine-leaved.	———	1787.	8.	G. ♄.		
13 crithmifòlia. w.	(*ye.*)	Samphire-leav'd.	———	1723.	7. 8.	G. ♄.		Comm. hort. 2. t. 50.
14 parviflòra. w.	(*ye.*)	small-flowered.	———	1731.	4.	G. ♄.		Jacq. schœn. 2. t. 149.
15 tricúspis. P.s.	(*ye.*)	three-pointed.	———	1816.	——	G. ♄.		
16 pectinàta. w.	(*ye.*)	pectinated.	———	1774.	5. 6.	G. ♄.		
17 pinnàta. w.	(*ye.*)	pinnated.	———	1824.	6. 8.	G. ♄.		Lam. ill. t. 670. f. 4.
BALSAM'ITA. W.		COSTMARY.	Syngenesia Polygamia Æqualis. W.					
1 virgàta. w.	(*ye.*)	twiggy.	Italy.	1791.	6. 7.	H. ♃.		Jacq. obs. 4. t. 81.

2 ageratifòlia. w. (*ye.*) Ageratum-leav'd. Candia. 1605. 6. 10. G. ♄. Alp. exot. t. 326.
3 vulgàris. w. (*ye.*) common. Italy. 1568. 8. 9. H. ♃. Schk. hand. 3. t. 240.
4 ánnua. DC. (*ye.*) annual. S. Europe. 1629. 7. 8. H. ☉. Mill. ic. 2. t. 227. f. 1.
Tanacètum ánnuum. w.

PE'NTZIA. Th. PE'NTZIA. Syngenesia Polygamia Æqualis. W.
flabelliformis. w. (*ye.*) fan-leaved. C. B. S. 1774. 5. 8. G. ♄. Bot. mag. t. 212.
Tanacètum flabelliförme. B.M.

TANAC'ETUM. W. TANSY. Syngenesia Polygamia Superflua. L.
1 vestìtum. w. (*ye.*) imbricated. C. B. S. 1816. 8. 9. G. ♄.
2 linifòlium. w. (*ye.*) Flax-leaved. ——— 1774. 8. G. ♄.
3 suffruticòsum. w. (*ye.*) shrubby. ——— 1751. 5. 9. G. ♄. Comm. hort. 2. t. 100.
4 canariénse. DC. (*ye.*) Canary. Canaries. 1816. —— G. ♄.
5 incànum. s.s. (*ye.*) hoary. Levant. 1827. —— H. ♃.
6 sibíricum. w. (*ye.*) Siberian. Siberia. 1823. —— H. ♃. Gmel. sib. 2. t. 65. f. 2.
7 argénteum. w. (*ye.*) silvery. Levant. 1812. —— H. ♃.
8 grandiflòrum. w. (*ye.*) great-flowered. C. B. S. 1825. —— G. ♃.
9 myriophy'llum. w. (*ye.*) many-leaved. Levant. 1818. —— H. ♃.
Achillèa bipinnàta. L.
10 pauciflòrum. s.s. (*ye.*) few-flowered. N. America. 1827. —— H. ♃.
11 vulgàre. w. (*ye.*) common. Britain. .... —— H. ♃. Eng. bot. v. 18. t. 1239.
β crispum. (*ye.*) *curled.* .... —— H. ♃.

ARTEMI'SIA. W. WORMWOOD. Syngenesia Polygamia Superflua. L.
1 judàica. w. (*ye.*) Judean. Levant. 1688. 8. G. ♄. Pluk. alm. t. 78. f. 2.
2 valentìna. w. (*ye.gr.*) Spanish. Spain. 1739. 7. 8. F. ♄. Barr. ic. t. 485.
3 arragonénsis. w. (*ye.gr.*) snowy-white. ——— 1816. —— F. ♄. Asso arrag. t. 8. f. 1.
4 salsoloides. s.s. (*ye.gr.*) saltwort-like. Siberia. 1827. —— F. ♄.
5 subcanéscens. w. (*ye.gr.*) hoary-leav'd. S. Europe. .... —— F. ♄.
6 Abrotànum. w. (*ye.gr.*) Southernwood. ——— 1548. 8. 10. H. ♄. Blackw. t. 555.
7 viridifòlia. s.s. (*ye.gr.*) green-leaved. Siberia. 1828. —— H. ♄.
8 pròcera. w. (*ye.gr.*) tall. S. Europe. 1816. —— F. ♄. Lobel. ic. 768.
paniculàta. Lam.
9 tenuifòlia. w. (*ye.gr.*) slender-leaved. ..... 1732. 9. 12. G. ♄. Dill. elth. t. 33. f. 37.
10 áfra. w. (*wh.gr.*) Cape. C. B. S. 1816. —— G. ♄.
11 arboréscens. w. (*ye.gr.*) tree. Levant. 1640. 6. 8. H. ♄. Flor. græc. t. 856.
12 argéntea. w. (*ye.*) silvery. Madeira. 1777. 6. 7. G. ♄.
13 lednicénsis. s.s. (*ye gr.*) linear-lobed. Hungary. 1829. —— H. ♄.
14 pauciflòra. s.s. (*ye.*) few-flowered. Siberia. 1824. —— H. ♄.
15 glaciàlis. w. (*ye.gr.*) silky. Switzerland. 1739. 7. 8. H. ♃. Jacq. aust. 5. t. ap. 35.
16 rupéstris. w. (*br.*) stone. N. Europe. .... —— H. ♄. All. ped. t. 9. f. 1.
17 mutellìna. w. (*ye.gr.*) Alpine. Alps of Europ. 1815. —— H. ♃. Vill. daup. 3. t. 35.
18 splèndens. s.s. (*ye.*) glossy. Caucasus. 1827. —— H. ♃.
19 furcàta. s.s. (*br.*) forked. Siberia. 1829. —— H. ♃.
20 lanàta. s.s. (*wh.ye.*) woolly. S. Europe. 1827. —— H. ♃.
21 alpìna. M.B. (*ye.gr.*) alpine. Caucasus. —— —— H. ♃.
22 jeniseénsis. s.s. (*ye.gr.*) leafy-panicled. Siberia. 1824. —— H. ♃.
23 pedemontàna. L.en. (*br.*) Swiss. Switzerland. 1823. —— H. ♃.
24 caucásica. w. (*ye.gr.*) Caucasian. Caucasus. 1804. 6. 7. H. ♃.
25 spicàta. w. (*br.*) spiked. Switzerland. 1790. —— H. ♃. Jacq. aust. 5. t. ap. 34.
26 norvègica. s.s. (*br.*) Norwegian. Norway. 1823. —— H. ♃. Flor. dan. t. 901.
rupéstris. Flor. dan. *nec aliorum.*
27 grœnlándica. s.s. (*br.*) Greenland. Greenland. 1827. —— H. ♃.
28 ludoviciàna. N. (*br.*) St. Louis. Missouri. —— —— H. ♃.
29 desertòrum. s.s. (*br.*) desert. Tartary. 1817. 7. 9. H. ♃.
leucanthemifòlia. Hort.
30 pectinàta. w. (*br.*) comb-leaved. Dauria. 1806. —— H. ☉. Pall. it. 3. t. Hh. f. 2.
31 tanacetifòlia. w. (*br.*) Tansy-leaved. Siberia. 1768. 7. 8. H. ♂. All. ped. 1. t. 10. f. 3.
32 laciniàta. w. (*gr.*) jagged. Dauria. 1823. —— H. ♃.
33 insípida. w. (*br.*) insipid. S. Europe. —— —— H. ♃. Vill. delph. 3. t. 35.
34 mollíssima. D.P. (*ye.*) soft-leaved. Nepaul. —— 8. 11. H. ♃.
35 potentillæfòlia. s.s. (*gr.st.*) Cinquefoil-leav'd. Siberia. 1827. 7. 9. H. ♃.
36 armeniaca. s.s. (*gr.ye.*) Armenian. Armenia. 1828. —— H. ♃.
37 canéscens. s.s. (*gr.ye.*) canescent. ——— —— —— H. ♃.
38 Santònica. w. (*wh.gr.*) Tartarian. Siberia. 1596. 9. 11. H. ♄. Gmel. sib. 2. t. 51.
39 scopària. w. (*wh.gr.*) besom. Hungary. 1796. 7. 9. H. ☉. W. et K. hung. 1. t. 65.
40 campéstris. w. (*br.*) field. England. .... 8. H. ♃. Eng. bot. v. 5. t. 338.
41 herbàcea. w. (*ye.gr.*) herbaceous. Siberia. 1817. —— H. ♃.
42 Marschalliàna. s.s. (*gr.ye.*) M. Bieberstein's. ——— 1800. 8. 9. H. ♃.
inodòra. M.B. *pauciflòra.* w.
43 virgàta. s.s. (*br.*) twiggy. N. America. 1827. 7. 9. H. ♃.

44	palústris. w.	(ye.)	marsh.	Siberia.	1804.	7. 8.	H. ⊙.	Gmel. sib. 2. t. 55.
45	neglécta. W.en.	(gr.ye.)	neglected.	———	1815.	——	H. ↓.	
46	camphoràta. w.	(ye.gr.)	Camphor-scent'd.	S. Europe.	1820.	——	H. ♄.	Lob. ic. t. 769. f. 1.
47	álbida. W.en.	(st.)	white-leaved.	Siberia.	——	——	H. ↓.	
48	húmilis. W.en.	(ye.gr.)	dwarfish.	Carniola.	....	8. 10.	H ♄.	
49	crithmifólia. w.	(br.)	Samphire-leav'd.	Portugal.	1739.	——	H. ♄.	
50	saxátilis. w.	(wh.)	rock.	Hungary.	1816.	6. 8.	H. ↓.	
51	glaùca. w.	(gr.)	glaucous.	Siberia.	1806.	——	H. ↓.	
52	nùtans. w.	(br.gr.)	nodding.	Tartary.	1819.	7. 9.	H. ↓.	
53	monog'yna. w.	(ye.)	one-styled.	Hungary.	1816.	——	H. ↓.	W. et K. hung. 1. t. 75.
54	palmàta. w.	(gr.ye.)	palmated.	S. Europe.	1739.	6. 7.	G. ♄.	
55	nívea. W.en.	(gr.ye.)	snowy.	Siberia.	1815.	——	H. ↓.	
56	marítima. w.	(br.)	drooping-flower'd.	Britain.	....	8. 9.	H. ↓.	Eng. bot. v. 24. t. 1706.
57	gállica. w.	(br.)	upright-flower'd.	———	....	——	H. ↓.	——— t. 1001.
58	salina. w.	(wh.gr.)	sea-side.	Germany.	1817.	——	H. ↓.	Spreng. halens. t. 12.
59	frágrans. w.	(st.)	Lavender-leav'd.	Armenia.	1739.	6. 7.	H. ↓.	
60	austríaca. w.	(br.)	Austrian.	Austria.	1597.	8. 10.	H. ↓.	Jacq. aust. 1. t. 100.
61	frígida. s.s.	(gr.ye.)	frigid.	Siberia.	——	——	H. ↓.	
62	vallesíaca. w.	(st.)	downy.	Italy.	1739.	7. 8.	H. ↓.	
63	taùrica. w.	(wh.gr.)	Taurian.	Tauria.	1824.	——	H. ↓.	
64	orientàlis. w.	(br.)	oriental.	Armenia.	....	8. 10.	H. ↓.	
65	sericea. w.	(wh.)	silky-leaved.	———	1796.	6. 7.	H. ↓.	Gmel. sib. t. 64. f. 1.
66	rèpens. w.	(br.)	creeping.	———	1805.	——	H. ↓.	
67	ramòsa. s.s.	(st.)	branching.	Canaries.	1816.	6. 8.	G. ♄.	
68	balsamíta. W.en.	(ye.)	Balsam-scented.	.....	——	——	H. ↓.	
69	póntica. w.	(ye.)	Roman.	Austria.	1570.	9.	H. ↓.	Jacq. aust. 1. t. 99.
70	chamæmelifólia. w.	(br.)	Chamomile-leav'd.	S. Europe.	1739.	7. 8.	F. ↓.	Vill. dauph. 3. t. 35.
71	ánnua. w.	(wh.gr.)	annual.	Siberia.	1741.	——	H. ⊙.	Am. ruth. t. 196. f. 28.
72	biénnis. Ph.	(ye.gr.)	biennial.	Missouri.	1804.	——	H. ♂.	Bot. mag. t. 2472.
73	Absínthium. w.	(ye.)	common.	Britain.	....	7. 10.	H. ↓.	Eng. bot. v. 18. t. 1230.
74	Sieversiàna. w.	(br.gr.)	Sievers's.	Siberia.	1800.	7. 8.	H. ♂.	
75	vulgàris. w.	(pu.)	Mugwort.	Britain.	....	8. 9.	H. ↓.	Eng. bot. v. 14. t. 978.
76	procúmbens. DC.	(ye.gr.)	procumbent.	Siberia.	1823.	——	H. ↓.	
77	incisa. W.en.	(ye.pu.)	cut-leaved.	.....	——	——	H. ↓.	
78	fasciculàta. M.B.	(ye.pu.)	fascicled.	Iberia.	1820.	——	H. ↓.	
79	élegans. F.	(ye.)	elegant.	China.	——	7. 9.	H. ↓.	
80	camtschática. F.	(gr.st.)	Kamtschatka.	Kamtschatka.	1827.	8. 10.	H. ↓.	
81	sacròrum. Led.	(gr.st.)	sacred.	Siberia.	1828.	7. 9.	H. ↓.	
82	Mertensiàna. Wh.	(gr.st.)	Mertens's.	Hungary.	1826.	——	H. ↓.	
83	índica. w.	(ye.gr.)	Indian.	E. Indies.	1796.	9. 10.	F. ↓.	Rheed. mal. 10. t. 45.
84	integrifólia. w.	(ye.gr.)	entire-leaved.	Siberia.	1759.	7. 8.	H. ↓.	Gm. sib. 2. t. 48. f. 1. 2.
85	japónica. w.	(wh.)	Japanese.	Japan.	1804.	10. 11.	H. ↓.	
86	dracunculoídes. Ph.	(gr.)	Tarragon-like.	N. America.	1811.	8. 10.	H. ↓.	
	cérnua. N.	*nùtans.*	Fraser.					
87	serràta. N.	(gr.)	saw-leaved.	Missouri.	1827.	——	H. ↓.	
88	gnaphalioídes. N.	(br.)	Cudweed-like.	———	——	——	H. ↓.	
89	cærulèscens. w.	(ye.)	blueish.	England.	....	8. 10.	H. ♄.	Eng. bot. v. 34. t. 2426.
90	inodòra. w.	(ye.)	inodorous.	Siberia.	1548.	7. 8.	H. ↓.	Gm. sib. 2. t. 59&60. f. 1.
91	Dracúnculus. w.	(wh.gr.)	Tarragon.	S. Europe.	——	——	H. ↓.	
92	chinénsis. w.	(ye.gr.)	Moxa.	China.	1816.	——	H. ♄.	Gmel. sib. 2. t. 61. f. 1. 2.

ERIOCE'PHALUS. W. WOOLHEAD. Syngenesia Polygamia Necessaria. L.

1	africànus. w.	(ye.)	cluster-leaved.	C. B. S.	1732.	1. 4.	G. ♄.	Bot. mag. t. 833.
	frutéscens. H.K.							
2	decussàtus. B.T.	(ye.)	cross-leaved.	———	1816.	3. 6.	G. ♄.	
3	purpùreus. B.T.	(pu.)	purple.	———	——	——	G. ♄.	
4	racemòsus. w.	(ye.)	silver-leaved.	———	1739.	3. 4.	G. ♄.	
5	spinéscens. B.T.	(ye.)	spiny.	———	1816.	——	G. ♄.	

HI'PPIA. W. HI'PPIA. Syngenesia Polygamia Necessaria. L.

1	frutéscens. w.	(ye.)	shrubby.	C. B. S.	1710.	2. 8.	G. ♄.	Bot. mag. t. 1855.
2	integrifólia. w.	(ye.)	annual.	E. Indies.	1777.	7. 8.	S. ⊙.	Hout. n. hist. t. 67. f. 2.

SOL'IVA. L.T. SOL'IVA. Syngenesia Polygamia Necessaria.

1	anthemifólia.	(gr.)	Chamomile-leav'd.	S. America.	1812.	4. 12.	H. ⊙.	J. ann. mus. t. 61. f. 1.
	Gymnóstyles anthemifólia. P.S.							
2	pterospérma. J.	(gr.)	wing-seeded.	Brazil.	1827.	5. 9.	H. ⊙.	
3	stolonífera. L.T.	(gr.)	stoloniferous.	Portugal?	1818.	4. 12.	H. ⊙.	
	Hippia stolonífera. P.S. *Gymnóstyles lusitánica.* S.S.							
4	minùta.	(ye.)	fringe-leaved.	S. America.	1825.	——	H. ⊙.	
	Hippia minùta. L. *Gymnóstyles minùta.* S.S.							
5	pedicellàta. P.S.	(gr.)	pedicelled.	S. America.	——	——	H. ⊙.	

LIDBE'CKIA. W.		LIDBE'CKIA.	Syngenesia Polygamia Superflua. W.						
1 lobàta. w.	(ye.)	lobe-leaved.	C. B. S.	1816.	5. 6.	G. ♄.	Lam. ill. t. 701. f. 3.
Lancisia lobàta. P.S.		*Còtula quinquelòba.* L.					
2 pectinàta. w.	(ye.)	silver-leaved.	C. B. S.	1774.	5. 6.	G. ♄.	Berg. cap. 306. t. 5. f. 9.
C'ENIA. J.		C'ENIA.	Syngenesia Polygamia Superflua.						
turbinàta. P.S.	(wh.re.)	turbinated.	C. B. S.	1713.	7. 8.	H. ☉.	Lam. ill. t. 701. f. 1.
Lidbéckia turbinàta. W.		*Còtula turbinàta.* L.					
C'OTULA. W.		C'OTULA.	Syngenesia Polygamia Superflua. W.						
1 anthemoídes. w.	(ye.)	Anthemis-like.	St. Helena.	1696.	7. 8.	S. ☉.	Dill. elth. t. 23. f. 25.
2 aùrea. w.	(ye.)	golden.	S. Europe.	1823.	7. 9.	H. ☉.	
3 nudicaùlis. w.	(ye.)	naked-stalked.	C. B. S.	1816.	——	G. ♃.	Houtt. syst. t. 69. f. 4.
4 coronopifòlia. w.	(ye.)	Buck's Horn.	———	1683.	——	G. ☉.	Lam. ill. t. 700. f. 1.
5 umbellàta. w.	(ye.)	umbel-flowered.	———	1822.	——	H. ☉.	
6 viscòsa. w.	(wh.)	clammy.	Vera Cruz.	1739.	8.	S. ♃.	
7 tanacetifòlia. w.	(ye.)	Tansy-leaved.	C. B. S.	1780.	6. 8.	H. ☉.	Pluk. man. t. 430. f. 7.
8 sericea. w.	(ye.)	silky.	———	1816.	——	G. ♃.	
9 sphæránthus. L.en.	(ye.)	round-headed.	Congo.	1820.	——	S. ♃.	
GRA'NGEA. J.		GRA'NGEA.	Syngenesia Polygamia Superflua.						
1 cuneifòlia. Lk.	(br.ye.)	wedge-leaved.	China.	1816.	7. 9.	H. ☉.	Lam. ill. t. 699. f. 2.
2 mínima. w.	(ye.)	least.	———	1768.	——	H. ☉.	Burm. ind. t. 58. f. 3.
3 decúmbens. Df.	(ye.)	decumbent.	N. Holland.	1815.	——	H. ☉.	
4 maderaspatàna. J.	(ye.)	Madras.	E. Indies.	1780.	7. 8.	S. ☉.	Lam. ill. t. 699. f. 3.
Còtula maderaspatàna. W.							
5 bícolor. Df.	(ye.)	two-coloured.	———	1804.	——	S. ☉.	Lam. ill. t. 699. f. 1.
Còtula bícolor. W. *latifòlia.* P.S.							
6 cinèrea. L.en.	(ye.)	grey.	Egypt.	1825.	——	H. ☉.	
ANAC'YCLUS. W.		ANAC'YCLUS.	Syngenesia Polygamia Superflua. W.						
1 créticus. w.	(wh.)	trailing.	Candia.	1759.	6. 8.	H. ☉.	Ann. mus. 11. t. 22.
2 orientàlis. w.	(wh.)	oriental.	Levant.	1731.	——	H. ☉.	Boer. lugd. 1. t. 110.
3 aùreus. w.	(ye.)	golden-flower'd.	———	1570.	——	H. ☉.	Lam. ill. t. 700. f. 2.
4 radiàtus. L.en.	(ye.)	rayed.	———	1823.	——	H. ☉.	
5 alexandrìnus. w.	(wh.)	Egyptian.	Egypt.	1828.	——	H. ☉.	
6 clavàtus. P.S.	(wh.)	clavate.	Barbary.	1823.	——	H. ☉.	
7 Pyrèthrum. L.en.	(w.)	Pellitory of Spain.	S. Europe.	1570.	6. 7.	H. ♃.	Bot. mag. t. 462.
A'nthemis Pyrèthrum. w.							
8 valentìnus. w.	(ye.)	fine-leaved.	Spain.	1656.	——	H. ☉.	Schk. han. 3. t. 254. b.
9 purpurascens. P.S.	(ye.cr.)	two-coloured.	S. Europe.	1829.	——	H. ☉.	
10 officinàrum. Hayn.	(wh.)	officinal.	.....	1828.	——	H. ☉.	
11 inflàtus. Leh.	(wh.)	inflated.	Siberia.	1829.	——	H. ☉.	
12 tomentòsus. Leh.	(wh.)	woolly.	———	——	——	H. ☉.	
13 divaricàtus. Cav.	(wh.)	spreading.	———	1824.	——	H. ☉.	
ZALUZ'ANIA. P.S.		ZALUZ'ANIA.	Syngenesia Polygamia Superflua.						
trilòba. P.S.	(ye.)	three-lobed.	Mexico.	1798.	7. 9.	F. ♄.	
A'nthemis trilòba. W.							
FERDINA'NDIA. LG.		FERDINA'NDIA.	Syngenesia Polygamia Superflua.						
1 augùsta. LG.	(ye.)	august.	Mexico.	1816.	8. 10.	F. ♄.	
2 integrifòlia. D.D.	(ye.)	entire-leaved.	———	1828.	——	F. ♄.	
A'NTHEMIS. W.		CHAMOMILE.	Syngenesia Polygamia Superflua. L.						
1 rigéscens. W.en.	(wh.)	rigid.	Caucasus.	1805.	7. 9.	H. ♃.	W. hort. ber. 1. t. 62.
nígricans. Hort.							
2 Còta. w.	(wh.)	Venetian.	Italy.	1714.	7. 8.	H. ☉.	Pluk. alm. t. 17. f. 5.
3 altíssima. w.	(wh.)	tall.	S. Europe.	1731.	8.	H. ☉.	Flor. græc. t. 881.
4 punctàta. w.	(wh.)	dotted.	Levant.	1825.	7. 9.	G. ♄.	Desf. atl. 2. t. 199.
5 marítima. w.	(wh.)	sea.	England.	....	7. 8.	H. ☉.	Eng. bot. v. 33. t. 2370.
6 tomentòsa. w.	(wh.)	downy.	Levant.	1795.	7. 10.	H. ♃.	
7 ruthénica. M.B.	(wh.)	Russian.	Tauria.	1823.	——	H. ☉.	
8 fruticulòsa. M.B.	(wh.)	frutescent.	———	——	——	H. ♄.	Barrel. ic. t. 451.
9 pubéscens. w.	(wh.)	pubescent.	S. Europe.	1803.	7. 8.	H. ♃.	
10 biaristàta. S.S.	(wh.)	two-awned.	S. France.	1822.	——	H. ♃.	
11 revolùta. S.S.	(wh.)	revolute.	Canaries.	1816.	8. 10.	G. ♄.	
12 secundiràmea. S.S.	(w.)	secund-branch'd.	Sicily.	1824.	7. 9.	H. ☉.	
13 míxta. w.	(wh.)	simple-leaved.	France.	1731.	7. 8.	H. ☉.	Mich. gen. t. 30. f. 1.
14 Kitaibèlii.	(wh.)	Kitaibel's.	Hungary.	1807.	——	H. ♃.	
15 coronopifòlia. w.	(wh.)	Buckshorn-leav'd.	Spain.	——	——	H. ♃.	
16 austràlis. w.	(wh.)	procumbent.	S. France.	1818.	——	H. ♃.	
17 ibèrica. M.B.	(wh.)	Iberian.	Iberia.	1829.	——	H. ♃.	
18 Barrelièri. S.S.	(wh.)	Barrelier's	Naples.	——	8. 10.	H. ☉.	
19 saxátilis. DC.	(wh.)	rock.	S. France.	1807.	7. 8.	H. ♃.	
20 alpìna. w.	(wh.)	Alpine.	Europe.	——	——	H. ♃.	Jacq. aust. 6. ap. t. 39.

21	carpática. w.	(wh.)	Carpathian.	Carpathian-m.	1818.	7. 8.	H. ♃.		
22	corymbòsa. w.	(wh.)	corymbose.	Austria.	1821.	——	H. ♃.		
23	retùsa. s.s.	(wh.)	retuse.	.....	1824.	——	H. ♃.		
24	ramòsa. s.s.	(wh.)	branching.	.....	——	9. 11.	H. ♃.		
25	mucronulàta. s.s.	(wh.)	mucronulate.	Italy.	1829.	8. 10.	H. ☉.		
26	Chamomílla. W.	(wh.)	various-leaved.	S. Europe.	——	——	H. ♃.		
27	chìa. w.	(wh.)	cut-leaved.	Chio.	1731.	6. 10.	H. ☉.		
28	nòbilis. w.	(wh.)	common.	Britain.	....	7. 9.	H. ♃.	Eng. bot. v. 14. t. 908.	
29	arvénsis. w.	(wh.)	corn.	——	....	6. 8.	H. ♂.	—— v. 9. t. 602.	
30	austrìaca. w.	(wh.)	Austrian.	Austria.	1759.	5. 8.	H. ☉.	Jacq. aust. 5. t. 444.	
31	Còtula. w.	(wh.)	stinking.	Britain.	....	6. 9.	H. ☉.	Eng. bot. v. 25. t. 1772.	
32	fállax. W.en.	(wh.)	false Chamomile.	——	——	——	H. ☉.		
33	fuscàta. w.	(wh.)	brown-scaled.	Portugal.	1805.	7. 8.	H. ☉.		
34	peregrìna. w.	(wh.)	close-branched.	Piedmont.	1817.	——	H. ☉.		
35	candidíssima. s.s.	(w.)	silvery-leaved.	Caucasus.	1812.	——	H. ♃.		
36	montàna. w.	(wh.)	mountain.	Italy.	1759.	7. 10.	H. ♃.	Ger. prov. t. 8.	
37	incrassàta. s.s.	(wh.)	thick-stalked.	S. France.	1823.	——	H. ☉.		
38	pedunculàta. s.s.	(wh.)	large-stalked.	Portugal.	——	8. 10.	H. ☉.		
39	petræ'a. L.en.	(wh.)	long-stalked.	Naples.	——	——	H. ☉.		
40	apiifòlia. B.R.	(wh.)	Parsley-leaved.	.....	1764.	8. 9.	H. ♃.	Bot. reg. t. 527.	
41	minuta. Leh.	(wh.)	minute.	.....	1829.	——	H. ☉.		
42	suffruticòsa. Leh.	(wh.)	suffrutescent.	.....	——	6. 9.	H. ♄.		
43	globòsa. w.	(ye.)	globe.	Naples.	——	8. 9.	G. ♃.	Jacq. schœn. 3. t. 371.	
44	valentìna. w.	(ye.)	purple-stalked.	S. Europe.	1596.	7. 8.	H. ☉.	Breyn. cent. t. 75.	
45	tinctòria. w.	(ye.)	Ox Eye.	Britain.	....	6. 11.	H. ♃.	Eng. bot. v. 21. t. 1472.	
46	discoídea. w	(ye.)	saw-leaved.	Italy.	1800.	7. 8.	H. ☉.		
47	Marschalliàna. w.	(ye.)	M. Bieberstein's.	Caucasus.	1828.	——	H. ♃.		
48	Rudolphiàna. M.B.	(ye.)	Rudolph's.	——	——	——	H. ♃.		

CLADA'NTHUS. Cas. CLADA'NTHUS. Syngenesia Polygamia Superflua.

	arábicus. Cas.	(ye.)	Arabian.	Barbary.	1759.	7. 8.	H. ☉.	Smith spic. 9. t. 10.	
	A'nthemis arábica. w.								

MATRIC'ARIA. W. MATRIC'ARIA. Syngenesia Polygamia Superflua. L.

1	suavèolens. w.	(wh.)	sweet.	Europe.	1781.	6. 8.	H. ☉.		
2	Chamomílla. w.	(wh.)	Wild Chamomile.	Britain.	....	5. 7.	H. ☉.	Eng. bot. v. 18. t. 1282.	
3	capénsis. w.	(wh.)	Cape.	C. B. S.	1699.	7. 9.	G. ♂.	Seb. thes. 1. t. 16. f. 2.	
4	pusílla. W.en.	(wh.)	small.	.....	....	——	H. ☉.		

ACHILL'EA. W. MILFOIL. Syngenesia Polygamia Superflua. L.

1	lingulàta. w.	(wh.)	tongue-leaved.	Hungary.	1815.	7. 8.	H. ♃.	W. et K. hung. 1. t. 2.	
2	Hérba-ròta. w.	(wh.)	Herbarota.	France.	1640.	6. 7.	H. ♃.	All. ped. 1. t. 9. f. 3.	
3	grandiflòra. M.B.	(wh.)	great-flowered.	Caucasus.	1815.	7. 8.	H. ♃.		
4	Ptármica. w.	(wh.)	Sneezewort.	Britain.	....	7. 11.	H. ♃.	Eng. bot. v. 11. t. 757.	
	β flòre plèno.	(wh.)	*double-flowered.*	——	....	——	H. ♃.		
5	cristàta. w.	(wh.)	slender-branch'd.	Italy.	1784.	7. 8.	H. ♃.		
6	Ageràtum. w.	(ye.)	Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. ♃.		
7	decolòrans. W.en.	(st.)	pale yellow.	England.	1798.	6. 8.	H. ♃.	Eng. bot. v. 36. t. 2531.	
	serràta. E.B. *nec aliorum.*								
8	speciòsa. W.en.	(wh.)	spear-leaved.	.....	1804.	7. 9.	H. ♃.		
9	biserràta. M.B.	(wh.)	two-toothed.	Iberia.	1825.	——	H. ♃.		
10	salicifòlia. P.	(wh.)	Willow-leaved.	Siberia.	1827.	——	H. ♃.		
11	dentífera. Jac.	(wh.)	tooth-leaved.	.....	1824.	——	H. ♃.		
12	alpìna. w.	(wh.)	Alpine.	Siberia.	1731.	7. 11.	H. ♃.	Bocc. mus. 144. t. 101.	
13	serràta. w.	(wh.)	saw-leaved.	Switzerland.	1686.	8. 9.	H. ♃.		
14	coronopifòlia. w.	(st.)	buckshorn-leav'd.	Levant.	1816.	——	H. ♃.		
15	Clavénnæ. w.	(wh.)	silver-leaved.	Austria.	1656.	6. 7.	H. ♃.	Bot. mag. t. 1287.	
16	Thomasiàna. DC.	(wh.)	Thomas's.	S. France.	1828.	——	H. ♃.		
17	impátiens. w.	(wh.)	impatient.	Siberia.	1759.	6. 9.	H. ♃.	Gmel. sib. 2. t. 83. f. 1.	
18	pectinàta. w.	(st.)	comb-leaved.	Hungary.	1801.	8. 9.	H. ♃.	W. et K. hung. 1. t. 84.	
	ochroleùca. W.K. *non* w.								
19	Gérberi. w.	(ye.)	various-leaved.	Siberia.	1816.	——	H. ♃.	Gmel. sib. 2. t. 83. f. 2.	
20	pilòsa. w.	(ye.)	hairy.	.....	1826.	——	H. ♃.		
21	squarròsa. w.	(wh.)	rough-headed.	.....	1775.	7. 8.	H. ♃.		
22	falcàta. w.	(wh.)	sickle-leaved.	Levant.	1739.	6. 9.	H. ♃.	Lam. ill. t. 683. f. 3.	
23	santolinoídes. LG.	(w.)	Santolina-like.	Spain.	1824.	——	H. ♃.		
24	tenuifòlia. w.	(ye.)	slender-leaved.	Levant.	1738.	6. 8.	H. ♄.		
25	Santolína. w.	(ye.)	Lavender-cotton-leav'd.	—	1759.	——	H. ♃.	Flor. græc. t. 891.	
26	álbida. s.s.	(st.)	white woolly.	.....	1819.	6. 10.	H. ♃.		
27	anthemoídes. w.	(ye.)	Chamomile-like.	.....	....	——	H. ♃.		
28	decúmbens. s.s.	(ye.)	decumbent.	Kamtschatka.	1800.	6. 8.	H. ♃.		
29	atràta. w.	(wh.)	black-cupped.	Austria.	1596.	7. 9.	H. ♃.	Jacq. aust. 1. t. 77.	

30	moschàta. w.	(*wh.*)	musk.	Italy.	1775.	6. 7.	H. ♃.	Jacq. aust. 5. t. ap. 83.
31	nàna. w.	(*wh.*)	dwarf.	———	1759.	6. 8.	H. ♃.	All. ped. 1. t. 9. f. 3.
32	crética. w.	(*wh.*)	Cretan,	Candia.	1739.	7. 8.	H. ♃.	Bocc. mus. t. 34.
33	ægyptiaca. w.	(*ye.*)	Egyptian.	Levant.	1640.	7. 9.	G. ♃.	Flor. græc. t. 892.
34	macrophy'lla.w.	(*wh.*)	large-leaved.	Italy.	1710.	7. 8.	H. ♃.	Triumf. obs. t. 28.
35	holoserícea. F.G.	(*wh.*)	silky-leaved.	Greece.	1823.	7. 9.	H. ♃.	
36	punctàta. T.N.	(*st.*)	dotted.	Naples.	1823.	——	H. ♃.	
37	leptophy'lla. M.B.	(*ye.*)	narrow-leaved.	Tauria.	1823.	——	H. ♃.	
38	taùrica. M.B.	(*st.*)	Taurian.	———	1829.	——	H. ♃.	
39	aùrea. w.	(*go.*)	golden-flower'd.	Levant.	1739.	6. 9.	H. ♃.	
40	Eupatòrium. w.	(*go.*)	Caspian.	CaspianShores.	1803.	7. 8.	H. ♃.	Buxb. cent. 2. t. 19.
41	filipendulìna. s.s.	(*go.*)	short-rayed.	———	1812.	——	H. ♃.	
42	compácta. w.	(*ye.*)	compact.	.....	——	——	H. ♃.	
43	pubéscens. w.	(*st.*)	downy.	Levant.	1739.	6. 9.	H. ♃.	
44	crithmifòlia. w.	(*wh.*)	Samphire-leav'd.	Hungary.	1804.	7. 8.	H. ♃.	W. et K. hung. 1. t. 66.
45	tanacetifòlia. w.	(*ro.*)	Tansy-leaved.	Switzerland.	1658.	——	H. ♃.	Moris. s. 6. t. 11. f. 14.
46	dístans. w.	(*wh.*)	branching.	Italy.	1804.	——	H. ♃.	All. ped. t. 58. f. 1.
47	lanàta. W.en.	(*wh.*)	woolly.	.....	— —	——	H. ♃.	
48	mágna. w.	(*wh.*)	great.	S. Europe.	1683.	6. 11.	H. ♃.	Flor. græc. t. 896.
49	Millefòlium. w.	(*wh.*)	Yarrow.	Britain.	....	6. 10.	H. ♃.	Eng. bot. v. 758.
	β rùbra.	(*re.*)	*red-flowered.*	———	.....	——	H. ♃.	
50	asplenifòlia. P.S.	(*ro.*)	Rose-coloured.	N. America.	1803.	6. 8.	H. ♃.	Vent. cels. t. 98.
51	micrántha w.	(*st.*)	small-flowered.	Levant.	1805.	6. 10.	H. ♃.	
52	tomentòsa. w.	(*ye.*)	tomentose.	S. Europe.	1648.	5. 10.	H. ♃.	Bot. mag. t. 498.
53	ochroleùca. w.	(*st.*)	cream-coloured.	.....	1804.	7. 9.	H. ♃.	
54	montàna. L.en.	(*wh.*)	mountain.	Switzerland.	1796.	——	H. ♃.	
55	bannática. W.K.	(*wh.*)	Hungarian.	Hungary.	1823.	——	H. ♃.	
56	microphy'lla. w.	(*wh.*)	small-leaved.	Spain.	1800.	—	H. ♃.	Barr. ic. 1114.
57	ligústica. w.	(*wh.*)	Ligurian.	Italy.	1791.	6. 8.	H. ♃.	Flor. græc. t. 897.
58	nòbilis. w.	(*wh.*)	showy.	Germany.	1640.	——	H. ♃.	Schk. hand. 3. t. 255.
59	myriophy'lla. s.s.	(*wh.*)	many-leaved.	.....	1796.	7. 9.	H. ♃.	
60	odoràta. w.	(*wh.*)	sweet-scented.	Spain.	1729.	6. 8.	H. ♃.	Jacq. col. 1. t. 21.
61	setàcea. w.	(*wh.*)	bristly.	Hungary.	1805.	5. 6.	H. ♃.	W. et K. hung. 3. t. 90.
62	abrotanifòlia. w.	(*ye.*)	Southernwood-leav'd.	Levant.	1739.	6. 8.	H. ♃.	
63	chamæmelifòlia. DC.	(*wh.*)	Chamomile-ld.	Pyrenees.	1820.	——	H. ♃.	
64	mongòlica. F.	(*wh.*)	Mongolic.	Tartary.	1823.	——	H. ♃.	
65	sibírica. Df.	(*wh.*)	Siberian.	Siberia.	1800.	——	H. ♃.	
66	rùsea. W.K.	(*ro.*)	rosy.	Hungary.	1803.	——	H. ♃.	
67	dùbia. F.	(*wh.*)	doubtful.	Siberia.	1800.	——	H. ♃.	
68	heterophy'lla. s.	(*wh.*)	different-leaved.	.....	1804.	7. 9.	H. ♃.	
69	intermèdia. s.	(*wh.*)	intermediate.	.....	1824.	——	H. ♃.	
70	paradóxa. L.C.	(*wh.*)	uncertain.	.....	1822.	——	H. ♃.	

CHRYSA'NTHEMUM. W. CHRYSA'NTHEMUM. Syngenesia Polygamia Superflua. L.

1	atrátum. w.	(*wh.*)	fleshy-leaved.	Austria.	1731.	7. 8.	H. ♃.	
2	Leucánthemum. w.		Ox-eye Daisy.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 9. t. 601.
3	montànum. w.	(*wh.*)	mountain.	France.	1759.	——	H. ♃.	Jacq. obs. 4. t. 91.
4	heterophy'llum. w.	(*wh.*)	various-leaved.	Switzerland.	1806.	7. 8.	H. ♃.	
5	sylvéstre. W.en.	(*wh.*)	wood.	Portugal.	1804.	6. 7.	H. ♃.	
6	hy'bridum. Gus.	(*st.*)	hybrid.	Sicily.	1827.	——	H. ♃.	
7	paludòsum. w.	(*wh.*)	marsh.	Barbary.	1817.	8. 9.	H. ♃.	Desf. atl. 2. t. 206.
8	rotundifòlium. w.	(*wh.*)	round-leaved.	Hungary.	1819.	7. 8.	H. ♃.	
9	mexicànum. K.S.	(*wh.*)	Mexican.	Mexico.	1827.	8. 11.	H. ♃.	
10	graminifòlium. w.	(*wh.*)	Grass-leaved.	Montpelier.	1739.	5. 7.	H. ♃.	Jacq. obs. 4. t. 92.
11	integrifòlium. s.s.	(*wh.*)	entire-leaved.	N. America.	1827.	6. 8.	H. ♃.	
12	perpusíllum. s.s.	(*wh.*)	small.	Corsica.	——	——	H. ♃.	
13	anómalum. P.S.	(*wh.*)	anomalous.	Spain.	1824.	7. 9.	H. ♃.	
14	daucifòlium. P.S.	(*wh.*)	carrot-leaved.	.....	——	——	H. ♃.	
15	monspelliénse. w.	(*wh. pu.*)	Montpelier.	———	1739.	6. 9.	H. ♃.	Jacq. obs. 4. t. 93.
16	Achille'æ. w.	(*wh.*)	Milfoil-leaved.	Italy.	1775.	6. 8.	H. ♃.	Mich. gen. 34. t. 29.
17	argénteum. w.	(*wh.*)	silver-leaved.	Levant.	1731.	7. 8.	H. ♃.	
18	árcticum. w.	(*bl.*)	northern.	Kamtschatka.	1801.	6. 8.	H. ♃.	Willd. hort. ber. t. 32.
19	carinàtum. w.	(*wh. pu.*)	three-coloured.	Barbary.	1796.	7. 10.	H. ⊙.	Bot. mag. t. 506.
20	pùmilum. W.en.	(*wh.*)	small.	C. B. S.	1806.	——	H. ⊙.	
21	coronàrium. w.	(*wh. ye.*)	garden.	Sicily.	1629.	——	H. ⊙.	Lam. ill. t. 678. f. 6.
	α álbum.	(*wh.*)	*white-flowered.*	———	——	——	H. ⊙.	
	β aùreum.	(*ye.*)	*golden.*	———	——	——	H. ⊙.	
22	ségetum. w.	(*ye.*)	corn.	Britain.	....	6. 8.	H. ⊙.	Eng. bot. v. 8. t. 540.
23	Mycònis. w.	(*ye*)	tongue-leaved.	Italy.	1775.	7. 8.	H. ⊙.	Jacq. obs. 4. t. 94.
24	itálicum. w.	(*ye.*)	Italian.	———	1796.	6. 7.	H. ♃.	

25 tripartìtum. B.F.G. (ye.) three-parted. China. 1820. 10. 12. F.4. Swt. br. fl. gar. t. 198.
26 índicum. P.S. (ye.) Indian. ——— 1819. —— G.ħ. Hort. trans. v. 4. pl. 12.
27 sinénse. L.T. (va.) variable chinese. ——— 1790. —— H.ħ.
A'nthemis artemisiæfòlia. W. *Chrysánthemum índicum.* B.M. non L.
β *purpùreum.* (pu.) *old purple.* ——— —— —— H.ħ. Bot. mag. t. 327.
γ *variábile.* (wh.) *changeable white.* ——— 1802? —— H.ħ. ——— t. 2042.
δ *tubulósum álbum.* (wh.) *quilled white.* ——— 1808. —— H.ħ. Bot. reg. t. 4.
ε *supérbum.* (wh.) *superb white.* ——— 1817. —— H.ħ. ——— t. 455.
ζ *tessellàtum.* (wh.) *tasselled white.* ——— 1816. —— H.ħ.
η *tubulósum làteum.* (ye.) *quilled yellow.* ——— 1802. —— H.ħ.
ϑ *sulphùreum.* (st.) *straw-coloured.* ——— —— —— H.ħ.
ι *aùreum.* (go.) *golden yellow.* ——— —— —— H.ħ. Bot. reg. t. 4. f. sup.
κ *discolor.* (li.) *large lilac.* ——— 1808. —— H.ħ.
λ *lilacìnum.* (pi.) *pink or lilac.* ——— 1798. —— H.ħ.
μ *cùpreum.* (co.) *buff or copper-colour'd.* ——— —— —— H.ħ.
ν *fúlvum.* (br.) *Spanish brown.* ——— 1806. —— H.ħ.
ξ *flámmeum.* (ye.) *quilled flame yellow.* ——— 1819. —— H.ħ. Hort. trans. v. 4. pl. 14.
ο *tubulósum ròseum.* (li.) *quilled pink.* ——— —— —— H.ħ. Bot. reg. t. 616.
π *atropurpùreum.* (cr.) *early crimson.* ——— 1820. —— H.ħ. Hort. trans. v. 5. pl. 3. inf.
ρ *auranfiacum.* (or.) *large quilled orange.* ——— —— —— H.ħ. ——— v. 5. pl. 3. f. sup.
σ *expánsum.* (li.) *expanded light purple.* ——— —— —— H.ħ. Bot. mag. t. 2556.
τ *purpuráscens.* (li.) *quilled light purple.* ——— —— —— H.ħ.
υ *involùtum.* (li.) *curled lilac.* ——— —— —— H.ħ. Swt. br. fl. gar. t. 7.
φ *fasciculàtum.* (ye.) *superb clustered yellow.* ——— —— —— H.ħ. ——— t. 14.
χ *tubulósum cárneum. semidouble quilled pink.* ——— —— —— H.ħ. Hort. tr. v. 5. pl. 17*. inf.
ψ *álbum semidùplex. semidouble quilled white.* ——— —— —— H.ħ.
ω *tubulósum auránfium. semidouble quilled orange.* ——— —— —— H.ħ. Hort. tr. v. 5. pl. 17**. inf.
αα *serotìnum.* (p. pu.) *late pale purple.* ——— —— —— H.ħ.
ββ *salmòneum.* (sa.) *quilled salmon-colour'd.* ——— —— —— H.ħ. Hort. t. v. 5. pl. 17**. sup.
γγ *párvulum.* (ye.) *small yellow.* ——— —— —— H.ħ. Hort. t. 5. pl. 17**. f. sup.
δδ *papyràceum.* (wh.) *paper white.* ——— 1821. —— H.ħ.
εε *pállidum.* (li.) *late pale pink.* ——— 1822. —— H.ħ.
ζζ *chrysocòmum.* (ye.) *tasselled yellow.* ——— 1824. —— H.4.
ηη *Waratáh.* (ye.) *yellow Waratah.* ——— —— —— H.4.
ϑϑ *Sabìni.* (ye.) *golden Lotus.* ——— —— —— H.4.
ιι *chrysoides.* (ye.) *double Indian yellow.* ——— —— —— H.4.
κκ *Párkii.* (ye.) *Park's small yellow.* ——— —— —— H.4.
λλ *pállens.* (p. or.) *semidouble quilled pale orange.* ——— —— —— H.4.
μμ *stramíneum.* (st.) *pale buff.* ——— —— —— H.4.
νν *mutábile.* (st.) *changeable pale buff.* ——— —— —— H.4.
ξξ *bicolor.* (v.) *two-coloured incurved.* ——— —— —— H.4.
οο *versícolor.* (re.) *two-coloured red.* ——— —— —— H.4.
ππ *stellàtum.* (pu.) *starry purple.* ——— —— —— H.4.
ρρ *ornàtum.* (li.) *tasselled lilac.* ——— —— —— H.4.
σσ *fuledscens.* (pu.) *brown purple.* ——— —— —— H.4.
ττ *verecúndum.* (bl.) *early blush.* ——— —— —— H.4.
νν *blándum.* (bl.) *blush.* ——— —— —— H.4.
φφ *leucánthum.* (wh.) *double Indian white.* ——— —— —— H.4.

CENTROSPE'RMIUM. S.S. CENTROSPE'RMUM. Syngenesia Polygamia Superflua.
chrysánthemum. s.s. (ye.) yellow-flower'd. Spain. 1821. 8. 10. H.⊙.
Heteránthemis hírta. Schot.

PYRE'THRUM. W. FEVERFEW. Syngenesia Polygamia Superflua. W.
1 f'œniculàceum. W.en. (wh.) Fennel-leav'd. Teneriffe. 1815. 1. 12. G.ħ. Bot. reg. t. 272.
2 crithmifòlium. W.en. (wh.) Samphire-leav'd. —— —— —— G.ħ.
3 anethifòlium. W.en. (wh.) Dill-leaved. ——— —— —— G.ħ.
4 frutéscens. W.en. (wh.) shrubby. Canaries. 1699. —— G.ħ.
5 coronopifòlium. W.en. (wh.) Buckshorn-leav'd. — .... —— G.ħ.
6 grandiflòrum. W.en. (wh.) great-flowered. ——— 1815. —— G.ħ.
7 speciòsum. W.en. (wh.) large-flowered. ——— —— —— G.ħ.
8 Broussonètii. s.s. (wh.) Broussonet's. ——— 1829. 7. 10. G.ħ.
9 pinnatifidum. L.en. (wh.) cut-leaved. Madeira. 1778. 5. 8. G.ħ.
Chrysánthemum pinnatifidum. s.s.
10 ptarmicæfòlium. W. (wh.) Sneezewort-leav'd. Caucasus. 1803. 7. 8. H.4.
11 serotìnum. W. (wh.) creeping-rooted. N. America. 1731. 9. 10. H.4. Jacq. obs. 4. t. 90.
12 uliginòsum. W. (wh.) marsh. Hungary. 1816. 7. 9. H.4. Bot. mag. t. 2706.
13 alpínum. W. (wh.) Alpine. Switzerland. 1759. 7. 8. H.4.
14 saxátile. B.C. (wh.) rock. ——— 1816. —— H.4. Lodd. bot. cab. t. 126.
15 Barrelièri. Lk. (wh.) Barrelier's. Alps Europe. .... —— H.4.
16 Hallèri. W.en. (wh.) Haller's. Switzerland. 1820. —— H.4. Barrel. ic. 458. f. 2.

17	ceratophylloides. w. (*wh.*)	Stags-horn-ld.	Piedmont.	1808.	6. 7.	H. ♃.	All. ped. t. 37. f. 1.
	Chrysánthemum ceratophylloides. All.						
18	simplicifòlium. w. (*wh.*)	simple-leaved.	S. America.	1825.	8. 10.	H. ☉.	
19	máximum. DC. (*wh.*)	broad-leaved.	Pyrenees.	1816.	5. 8.	H. ♃.	
	latifòlium. w.						
20	Balsamita. w. (*wh.*)	various-leaved.	Levant.	1779.	——	H. ♃.	Jacq. obs. 4. t. 89.
21	oppositifòlium. s.s. (*wh.*)	opposite-leaved.	Portugal.	1828.	7. 9.	H. ♃.	
22	tomentòsum. s.s. (*wh.*)	woolly.	Corsica.	1829.	——	H. ♃.	
23	palústre. w. (*wh.*)	marshy.	Armenia.	1824.	7. 10.	H. ☉.	
24	macrophy'llum. w. (*wh.*)	large-leaved.	Hungary.	1803.	——	H. ♃.	W. et K. hung. 1. t. 94.
25	corymbòsum. w. (*wh.*)	mountain.	Germany.	1596.	6. 8.	H. ♃.	Jacq. aust. 4. t. 379.
26	pulveruléntum. W.en. (*wh.*)	powdered.	Iberia.	1806.	——	H. ♃.	
27	cinerarifòlium. s.s. (*wh.*)	Ragwort-leav'd.	Dalmatia.	1824.	——	H. ♃.	
28	Parthènium. w. (*wh.*)	common.	Britain.	....	6. 9.	H. ♃.	Eng. bot. v. 18. t. 1231.
	β flòre plèno. (*wh.*)	*double-flowered.*	————	....	——	H. ♃.	
29	parthenifòlium. w. (*wh.*)	Parthenium-leav'd.	Caucasus.	1804.	6. 7.	H. ♃.	Vent. cels. t. 43.
30	caucásicum. w. (*wh.*)	Caucasian.	————	——	7. 8.	H. ♃.	
31	tenuifòlium. T.N. (*wh.*)	slender-leaved.	Naples.	1806.	——	H. ♃.	
32	seríceum. M.B. (*wh.*)	silky.	Iberia.	1824.	——	H. ♃.	
33	inodòrum. w. (*wh.*)	scentless.	Britain.	....	8. 9.	H. ☉.	Eng. bot. v. 10. t. 676.
34	marítimum. w. (*wh.*)	sea.	————	....	6. 10.	H. ♃.	———— v. 14. t. 979.
35	parviflòrum. w. (*wh.*)	small-flowered.	Caucasus.	——	6. 7.	H. ☉.	
36	pr'æcox. M.B. (*wh.*)	early-flowered.	————	1827.	5. 7.	H. ♃.	
37	incànum. Led. (*wh.*)	hoary.	Siberia.	——	7. 8.	H. ♃.	
38	glábrum. LG. (*wh.*)	smooth.	Spain.	1825.	——	H. ♃.	
39	leptophy'llum. s.s. (*wh.*)	narrow-leaved.	Caucasus.	1829.	——	H. ♃.	
40	diversifòlium. H.E.F. (*wh.*)	different-leaved.	N. Holland.	1824.	5. 7.	G. ♄.	Hook. ex. flor. t. 215.
41	cárneum. M B. (*pi.*)	flesh-coloured.	Caucasus.	1804.	8. 9.	H. ♃.	Bot. mag. t. 1060.
	Chrysánthemum coccíneum. B.M.						
42	ròseum. M.B. (*ro.*)	rose-coloured.	————	1818.	——	H. ♃.	
	Chrysánthemum coccíneum. w.						
43	achillæfòlium. M.B. (*ye.*)	Milfoil-like.	Cumana.	1824.	6. 7.	H. ☉.	
44	millefoliàtum. w. (*ye.*)	Milfoil-leaved.	Siberia.	1731.	5. 9.	H. ♃.	Mill. ic. 1. t. 9.
45	bipinnàtum. w. (*ye.*)	wing-leaved.	————.	1796.	6. 7.	H. ♃.	Gmel. sib. 2. t. 85. f. 1.
46	índicum. H.K. (*ye.*)	Indian.	E. Indies.	1810.	6. 9.	H. ☉.	Bot. mag. t. 1521.

ERIOPHY'LLUM. LG. ERIOPHY'LLUM. Syngenesia Polygamia Superflua.

1	lanàtum. (*ye.*)	woolly.	N. America.	1827.	6. 8.	H. ♃.	Bot. reg. t. 1167.
	cæspitòsum. B.R.	*Actinélla lanàta.* Ph.	*Trichophy'llum lanàtum.* N.		*Helènium lanàtum.* s.s.		
2	oppositifolium. N. (*ye.*)	opposite-leaved.	N. America.	1826.	——	H. ♃.	
3	trollifòlium. LG. (*ye.*)	Trollius-leaved.	New Spain.	1828.	9. 10.	F. ♃.	

ORDO CXXI.

LOBELIACEÆ. *Juss. ann. mus.* 18. *p.* 1.

LOB'ELIA. R.S. LOB'ELIA. Pentandria Monogynia. R.S.

1	linearis. R.S. (*bl.*)	linear-leaved.	C. B. S.	1791.	5. 8.	G. ♄.	
2	setàcea. R.S. (*bl.*)	bristle-leaved.	————	1816.	——	G. ♃.	Act. Goreank. 1811. f. 11.
3	commutàta. R.S. (*bl.*)	notch-leaved.	————	——	——	G. ♄.	
4	símplex. R.S. (*bl.*)	simple-stalked.	————	1794.	——	G. ♂.	
5	unidentàta. R.S. (*d.pu.*)	single-toothed.	————	——	——	G. ♃.	Bot. mag. t. 1484.
6	pinifòlia. R.S. (*bl.*)	Pine-leaved.	————	1752.	——	G. ♃.	Andr. reposit. t. 240.
7	Dortmánna. R.S. (*bl.*)	water.	Britain.	....	7. 8.	H. *w.* ♃.	Eng. bot. v. 2. t. 140.
8	paludòsa. R.S. (*bl.*)	marsh.	N. America.	1823.	——	H. *w.* ♃.	
9	Tùpa. R.S. (*sc.*)	Mullein-leav'd.	Peru.	1824.	8. 10.	F. ♃.	Swt. br. fl. gar. t. 264.
10	salicifòlia. H.S.L. (*or.*)	Willow-leaved.	Chili.	1794.	6. 8.	G. ♄.	Bot. mag. t. 1325.
	Tùpa. H.K. *non* L.	*gigántea.* B.M. *non.*	Cav. *argùta.* B.R. t. 973.				
11	Kálmii. R.S. (*bl.*)	Kalm's.	N. America.	1820.	7. 9.	H. ♂.	Bot. mag. t. 2238.
12	Nuttálli. R.S. (*bl.*)	Nuttall's.	————	——	——	H. ♃.	
	grácilis. N. *nec aliorum.*						
13	pauciflòra. R.S. (*bl.*)	few-flowered.	Mexico.	1824.	——	F. ♃.	
14	chinénsis. R.S. (*p.bl.*)	Chinese.	China.	1822.	——	H. ☉.	
15	bellidifòlia. R.S. (*bl.*)	Daisy-leaved.	C. B. S.	1790.	5. 8.	G. ♃.	
16	rhizoph'yta. R.S. (*wh.*)	rooting branched.	————	1814.	——	G. ♃.	Bot. mag. t. 2519.

17	decúmbens. B.M.	(*bl.*)	decumbent.	C. B. S.	1820.	5. 8.	G.♃.	Bot. mag t. 2277.
18	triquètra. R.S.	(*bl.*)	triangular.	———	1774.	——	G.♃.	
19	cinèrea. R.S.	(*wh.*)	gray.	———	1824.	6. 10.	H.☉.	
20	fenestràlis. R.S.	(*bl.*)	windowed.	Mexico.	1826.	9. 11.	H.☉.	Cavan. icon. 6. t. 512. f. 1.
21	gigántea. R.S.	(*or.*)	gigantic.	S. America.	1828.	8. 11.	S.♄.	——— 6. t. 513.
22	longiflòra. R.S.	(*wh.*)	long-flowered.	Jamaica.	1752.	5. 8.	S.♃.	Bot. mag. t. 2568.
23	tomentòsa. R.S.	(*bl.*)	tomentose.	C. B. S.	1816.	——	G.♃.	
24	secúnda. R.S.	(*wh.*)	side-flowering.	———	1790.	——	G.♃.	
25	trialàta. D.P. *micrántha.* H.E.F. *non* K.S.	(*bl.*)	three-winged.	Nepaul.	1820.	——	G.♃.	Hook. ex. flor. t. 44.
26	alàta. B.P.	(*bl.*)	winged-stalked.	N. S. W.	1804.	——	G.♃.	Lab. nov. hol. 1. t. 72.
27	acuminàta. R.S.	(*st.*)	taper-pointed.	Jamaica.	1822.	6. 9.	S.♄.	Sloan. his. 1. t. 95. f. 2.
28	nicotianæfòlia. R.S.	(*st.*)	Tobacco-leaved.	E. Indies.	——	——	S.♃.	
29	circiifòlia. R.S.	(*st.*)	Cirsium-leaved.	W. Indies.	1825.	8. 10.	S.♃.	Plum. sp. v. 4. t. 116.
30	persicifòlia. R.S.	(*pu.*)	Peach-leaved.	———	1818.	6. 9.	S.♃.	
31	Cavanillesiàna. R.S. *persicifòlia.* Cav. *non* Lam.	(*re.*)	Cavanilles'.	New Spain.	1825.	——	S.♃.	Cavan. ic. 6. t. 518.
32	Claytoniàna. R.S. *goodenioides.* W. *pállida.* Roth.	(*p.bl.*)	Clayton's.	N. America.	1799.	6. 8.	H.♃.	Willd. hort. ber. t. 30.
33	assúrgens. R.S.	(*pu.*)	purple.	W. Indies.	1787.	6. 10.	S.♄.	Andr. reposit. t. 553.
34	pyramidàlis. D.P.	(*pu.*)	pyramidal.	Nepaul.	1819.	7. 10.	G.♃.	Bot. mag. t. 2387.
35	fúlgens. R.S.	(*cr.*)	fulgent.	Mexico.	1809.	5. 9.	F.♃.	Bot. reg. t. 165.
36	splèndens. R.S.	(*sc.*)	splendid.	———	1814.	——	F.♃.	——— t. 60.
37	cardinàlis. R.S.	(*sc.*)	Cardinal flower.	Virginia.	1629.	——	F.♃.	Bot. mag. t. 320.
38	syphilítica. R.S.	(*bl.*)	blue cardinal.	———	1665.	8. 10.	H.♃.	Bot. reg. t. 537.
39	débilis. R.S.	(*bl.*)	feeble.	C. B. S.	1774.	4. 8.	H.☉.	
40	grácilis. B.P.	(*bl.*)	slender.	N. S. W.	1801.	7. 10.	G.☉.	Bot. mag. t. 741.
41	purpuráscens. B.P.	(*pu.*)	purplish.	———	1809.	6. 8.	G.♃.	
42	surinamènsis. R.S.	(*bh.*)	Surinam.	W. Indies.	1786.	1. 7.	S.♄.	Bot. mag. t. 225.
	β rùbra.	(*re.*)	*red-flowered.*	Brazil.	1820.	12. 4.	S.♄.	Lodd. bot. cab. t. 749.
43	Cliffortiàna. S.S.	(*pu.*)	purple-flowered.	S. America.	1733.	7. 8.	H.☉.	Lin. h. clif. 420. t. 26.
44	Michaùxii. N. *Cliffortiàna.* M. *non* L.	(*pu.*)	Michaux's.	N. America.	....	——	H.☉.	
45	inflàta. R.S.	(*bl.*)	bladder-podded.	———	1759.	——	H.☉.	Swt. br. fl. gar. t. 99.
46	ùrens. R.S.	(*bl.*)	acrid.	England.	....	6. 7.	H.♃.	Eng. bot. v. 14. t. 953.
47	pubérula. R.S.	(*bl.*)	downy.	N. America.	1819.	——	H.♃.	
48	amœna. R.S.	(*bl.*)	bright blue.	———	1812.	6. 8.	H.♃.	Ann. mus. 18. t. 1. n. 1.
49	minùta. R.S.	(*bh.*)	small.	C. B. S.	1772.	6. 9.	G.♃.	Bot. mag. t. 2590.
50	mínima. B.M.	(*wh.*)	least.	———	....	6. 10.	G.♃.	——— t. 2077.
51	Laurèntia. R.S.	(*bl.*)	Italian.	Italy.	1778.	7. 8.	H.☉.	Mich. gen. 18. t. 14.
52	tenélla. R.S.	(*vi.*)	slender-leaved.	Sicily.	1820.	6. 8.	H.☉.	
53	campanuloides. R.S.	(*bl.*)	campanulate.	Japan.	1819.	7. 9.	G.♃.	Bot. reg. t. 733.
54	Erinus. R.S.	(*bl.*)	ascending.	C. B. S.	1752.	6. 9.	H.♃.	Bot. mag. t. 901.
55	Bre'ynii. R.S.	(*bl.*)	Breynius's.	———	1823.	——	G.♃.	Breyn. cent. t 89.
56	erinoides. R.S.	(*bl.*)	trailing.	———	1759.	6. 8.	G.♂.	Herm. lugd. t. 109.
57	bicolor. R.S.	(*bl.wh.*)	spotted.	———	1795.	——	H.☉.	Bot. mag. t. 514.
58	Schránkii.	(*bl.*)	Schrank's.	———	1824.	——	G.♃.	Schrank. h. mon. t. 31.
	secúnda. Sck. *non* Thunb. *decúmbens.* L. enum. *non* B.M.							
59	corymbòsa. B.M.	(*wh.pu.*)	corymbose.	C. B. S.	1825.	——	G.♃.	Bot. mag. t. 2698.
60	ilicifòlia. B.M.	(*wh.pu.*)	Holly-leaved.	———	1815.	5. 9.	G.♃.	——— t. 1896.
61	ánceps. R.S.	(*bl.*)	flat-edged.	———	1824.	7. 10.	H.☉.	
62	pubéscens. R.S.	(*wh.*)	downy-leaved.	———	1780.	6. 8.	G.♃.	Jacq. schœn. 2. t. 178.
63	hirsùta. R.S.	(*bl.*)	blue-flower'd hairy.	———	1759.	5. 9.	G.♃.	Burm. afr. t. 40. f. 2.
64	zeylánica. R.S.	(*pu.*)	Ceylon.	E. Indies.	1820.	——	S.♃.	
65	lùtea. R.S.	(*ye.*)	yellow.	C. B. S.	1774.	6. 7.	G.♃.	Bot. mag. t. 1319.
66	varilifòlia. B.M.	(*ye.*)	various-leaved.	———	1812.	——	G.♃.	——— t. 1692.
67	coronopifòlia. R.S.	(*bl.*)	Buckshorn-leaved.	———	1752.	7. 8.	G.♃.	——— t. 644.
68	cærùlea. B.M.	(*bl.*)	blue-flowered.	———	1823.	5. 8.	G.♄.	——— t. 2701.
69	Thunbérgii. *coronopifòlia.* Th. *non* B.M.	(*bl.*)	upright-raceme-flower'd.		1812.	7. 10.	G.♃.	
70	crenàta. R.S.	(*bl.*)	notched-leaved.	———	1794.	4. 5.	G.♃.	
71	Símsii. *pedunculàta.* B.M. *non* B.P.	(*bl.*)	long-peduncled.	———	1819.	8. 11.	G.♃.	Bot. mag. t. 2251.
72	verbascifòlia. Sm.	(*pu.*)	Mullein-leaved.	Nepaul.	1822.	5. 7.	G.♃.	
73	racemòsa. B.M.	(*gr.*)	racemed.	W. Indies.	1818.	7. 9.	S.♄.	Bot. mag. t. 2137.
74	crispa. Gr.	(*bl.*)	curled-leaved.	Mexico.	1825.	5. 6.	F.♃.	
75	heteromàlla. Jac.	(*bl.*)	woolly-leaved.	.....	1829.	....	G.♃.	
76	móllis. Gr.	(*pu.*)	soft.	Dominica.	1828.	5. 8.	S.♃.	
77	rugulòsa. Gr.	(*wh.*)	rugged.	New Zealand.	——	——	G.♃.	

78	cóncolor. B.P.	(*bl.*)	self-coloured.	N. S. W.	1828.	5. 6.	G.♃.	
79	inundàta. B.P.	(*bl.*)	inundated.	———	1822.	5. 8.	G.*w.*♃.	
80	pedunculàta. B.P.	(*bl.*)	long-stalked.	———	——	——	G.♃.	
81	dentàta. B.P.	(*bl.*)	toothed.	———	1819.	——	G.♃.	Cavan. ic. 6. t. 522.
82	gibbòsa. B.P.	(*bl.*)	gibbous.	———	1824.	——	G.♃.	Lab. nov. hol. 1. t. 71.
83	senecioídes. B.M.	(*bl.*)	Groundsel-like.	———	——	7. 10.	G.♄.	Bot. mag. t. 2702.
	Isotòma axillàris. Bot. reg. t. 964.							
MONO'PSIS. Sal.			Mono'psis.	Pentandria Monogynia.				
1	conspícua. H.T.	(*bl.*)	conspicuous.	C. B. S.	1812.	7. 8.	H.⊙.	Bot. mag. t. 1499.
	Lobèlia spéculum. B.M.							
2	inconspícua. H.T.	(*bl.*)	inconspicuous.	———	....	——	H.⊙.	
CLINT'ONIA. B.R.			Clint'onia.	Pentandria Monogynia.				
	élegans. B.R.	(*bl.*)	elegant.	Columbia.	1827.	6. 9.	H.⊙.	Bot. reg. t. 1241.
C'YPHIA. R.S.			C'yphia.	Pentandria Monogynia. W.				
1	volùbilis. R.S.	(*pi.*)	climbing.	C. B. S.	1795.	6. 8.	S.♃.⌣.	
2	digitàta. R.S.	(*li.*)	finger-leaved.	———	1820.	7. 10.	G.♃.	
3	incisa. R.S.	(*bk.*)	cut-leaved.	———	——	——	G.♃.	
4	bulbòsa. R.S.	(*pi.*)	bulb-bearing.	———	1791.	8. 9.	S.♃.	Burm. afr. t. 38. f. 2.
5	Phyteùma: R.S.	(*pi.*)	Phyteuma-leav'd.	———	1820.	2. 5.	S.♃.	Bot. reg. t. 625.
6	Cardámines. R.S.	(*bk.*)	Cardamine-leaved.	———	——	——	S.♃.	

ORDO CXXII.

STYLIDEÆ. *Brown prodr.* 1. *p.* 565.

STYLI'DIUM. B.P.			Styli'dium.	Gynandria Diandria.				
1	graminifòlium. B.P.	(*ro.*)	grass-leaved.	N. S. W.	1803.	4. 8.	G.♃.	Bot. reg. t. 90.
2	linearе. B.P.	(*li.*)	linear-leaved.	———	1820.	——	G.♃.	Sm. exot. bot. 2. t. 97.
	Ventenàtia minor. Ex. b.							
3	scándens. B.P.	(*wh.*)	climbing.	N. Holland.	1803.	7. 8.	G.♃.⌣.	
4	fruticòsum. B.P.	(*wh.*)	frutescent.	———	——	5. 10.	G.♄.	Sal. par. lond. t. 77.
	glandulòsum. P.L.							
5	laricifòlium. B.R.	(*ro.*)	Larch-leaved.	N. S. W.	1818.	——	G.♄.	Bot. reg. t. 550.
	tenuifòlium. B.M. 2249.							
6	adnàtum. B.P.	(*bk.*)	adnate.	N. Holland.	1824.	——	G.♄.	Bot. reg. t. 914.

ORDO CXXIII.

GOODENOVIÆ. *Brown prodr.* 1. *p.* 573.

GOOD'ENIA. B.P.			Good'enia.	Pentandria Monogynia. W.				
1	bellidifòlia. B.P.	(*ye.*)	Daisy-leaved.	N. S. W.	1823.	6. 9.	G.♃.	
2	stellígera. B.P.	(*ye.*)	starry-haired.	———	1825.	——	G.♃.	
3	paniculàta. B.P.	(*ye.*)	panicled.	———	——	——	G.♃.	Cavan. ic. 6. t. 567.
4	grácilis. B.P.	(*ye.*)	slender.	N. Holland.	1824.	5. 8.	G.♃.	Lodd. bot. cab. t. 1062.
5	decúrrens. B.P.	(*ye.*)	decurrent.	N. S. W.	1825.	——	G.♃.	
6	ovàta. B.P.	(*ye.*)	oval-leaved.	———	1793.	6. 10.	G.♄.	Andr. reposit. t. 68.
7	grandiflòra. B.P.	(*ye.*)	large-flowered.	———	1802.	6. 8.	G.♄.	Bot. mag. t. 899.
8	hederàcea. B.P.	(*ye.*)	Ivy-leaved.	———	1823.	——	G.♃.	
E'UTHALES. B.P.			E'uthales.	Pentandria Monogynia. R.S.				
	trinérvis. B.P.	(*ye.pu.*)	three-nerved.	N. Holland.	1803.	5. 9.	G.♃.	Bot. mag. t. 1137.
	Goodènia tenélla. A.R. 466. *Velleia trinérvis.* Lab. n. hol. t. 77.							
VELLE'IA. B.P.			Velle'ia.	Pentandria Monogynia. R.S.				
1	paradóxa. B.P.	(*ye.*)	paradoxical.	N. S. W.	1823.	6. 8.	G.♃.	Bot. reg. t. 971.
2	lyràta. B.P.	(*ye.*)	lyrate-leaved.	———	1819.	4. 6.	G.♃.	——— t. 551.
3	spathulàta. B.P.	(*ye.*)	spathulate.	———	1823.	——	G.♃.	
LECHENA'ULTIA. B.P.			Lechena'ultia.	Pentandria Monogynia. R.S.				
1	formòsa. B.P.	(*sc.*)	handsome.	N. Holland.	1823.	6. 9.	G.♄.	Swt. flor. aust. t. 26.
2	oblàta. S.F.A.	(*ye.*)	oblate-petaled.	———	——	——	G.♄.	——— t. 46.
SC'ÆVOLA. B.P.			Sc'ævola.	Pentandria Monogynia. R.S.				
1	Kœnígii. R.S.	(*wh.*)	Konig's.	E. Indies.	1818.	8. 10.	S.♄.	Bot. mag. t. 2732.

2	Plumièri. R.S.	(*wh.*)	Plumier's.	W. Indies.	1724.	8. 10.	S. ♄.	Jacq. amer. t. 179. f. 88.
	Lobèlia Plumièri. Jacq.							
3	ivæfòlia. Lht.	(*wh.*)	Iva-leaved.	Trinidad.	1820.	——	S. ♄.	
4	Taccàda. F.I.	(*wh.*)	Indian.	E. Indies.	1818.	——	S. ♄.	Gært. fruct. 1. t. 25.
5	crassifòlia. B.P.	(*bl.*)	thick-leaved.	N. Holland.	1805.	8. 10.	G. ♄.	Lab. nov. hol. 1. t. 79.
6	cuneiformis. B.P.	(*bl.*)	wedge-leaved.	V. Diem. Isl.	1823.	——	G. ♃.	—— 1. t. 80.
7	microcárpa. B.P.	(*bl.*)	small-fruited.	N. S. W.	1790.	5. 9.	G. ♃.	Cavan. ic. 6. t. 509.
	Goodènia lævigàta. B.M. 287.							
8	suavèolens. B.P.	(*bl.*)	sweet-scented.	——	1798.	——	G. ♃.	Andr. reposit. t. 22.
	Goodènia calendulàcea. A.R.							
9	hispida. B.P.	(*li.*)	branching.	N. S. W.	1820.	5. 8.	G. ♃.	Cavan. ic. 6. t. 510.
	Goodènia ramosissima. Sm. new holl. 15. t. 5.							

DAMPI'ERA. B.P. DAMPI'ERA. Pentandria Monogynia. R.S.

1	undulàta. B.P.	(*bl.*)	wave-leaved.	N. S. W.	1824.	5. 8.	G. ♄.	
2	ovalifòlia. B.P.	(*pu.*)	oval leaved.	——	1823.	5. 9.	G. ♄.	
3	purpùrea. B.P.	(*pu.*)	purple-flowered.	——	1825.	——	G. ♄.	
4	stricta. B.P.	(*bl.*)	upright.	N. S. W.	1814.	6. 8.	G. ♃.	

ORDO CXXIV.

CAMPANULACEÆ. *Juss. gen.* 163.

CANAR'INA. W. CANAR'INA. Hexandria Monogynia. W.

	Campánula. W.	(*or.*)	Canary.	Canaries.	1696.	1. 8.	G. ♃.	Bot. mag. t. 444.

MICHA'UXIA. W. MICHA'UXIA. Octandria Monogynia. W.

1	campanuloides. W.	(*li.*)	rough-leaved.	Levant.	1787.	6. 8.	G. ♂.	Bot. mag. t. 219.
2	decándra. F.	.....	decandrous.	Persia.	1829.	....	H. ♂?	

LIGHTFO'OTIA. R.S. LIGHTFO'OTIA. Pentandria Monogynia. R.S.

1	oxycoccoides. R.S.	(*pa.*)	lance-leaved.	C. B. S.	1787.	7.	G. ♄.	Sm. exot. bot. 2. t. 69.
2	tenélla. B.C.	(*pa.*)	slender.	——	1824.	6. 8.	H. ♄.	Lodd bot. cab. t. 1038.
3	lanceolàta. L.en.	(*w.bl.*)	spear-leaved.	——	1826.	——	G. ♃.	
4	muscòsa. L.en.	(*wh.bl.*)	moss-like.	——	——	——	G. ♃.	
5	subulàta. R.S.	(*bl.*)	awl-leaved.	——	——	——	G. ♃.	L'Herit. s. angl. 4. t. 5.

ADENO'PHORA. F. ADENO'PHORA. Pentandria Monogynia.

1	verticillàta. F.	(*bl.*)	whorled.	Dahuria.	1783.	6. 8.	H. ♃.	Pall. it. 3. t. G. f. 1.
2	marsupiflòra. F.	(*bl.*)	bellied.	——	1815.	7. 8.	H. ♃.	Bot. reg. t. 149.
	Campánula coronàta. B.R.							
3	Gmelìni. F.	(*bl.*)	Gmelin's.	——	1823.	5. 8.	H. ♃.	Gmel. sib. 3. t. 33.
4	coronopifòlia. F.	(*bl.*)	buckshorn-leav'd.	——	1822.	——	H. ♃.	Swt. br. fl. gar. t. 104.
5	denticulàta. F.	(*bl.*)	toothed.	——	——	5. 7.	H. ♃.	—— t. 116.
	Campánula tricuspidàta. R.S.							
6	latifòlia. F.	(*bl.*)	broad-leaved.	Siberia.	1827.	——	H. ♃.	
	Campánula pereskiæfòlia. R.S.							
7	Lamárckii. F.	(*bl.*)	Lamarck's.	——	1826.	——	H. ♃.	Gmel. sib. 3. n. 18. t. 26.
8	stylòsa. F.	(*bl.*)	long-styled.	——	1820.	——	H. ♃.	—— 3. n. 20. t. 27.
9	reticulàta. F.	(*bl.*)	netted.	——	1829.	——	H. ♃.	
10	commùnis. F.	(*p.bl.*)	common.	——	1784.	5. 9.	H. ♃.	Jacq. schœnb. 3. t. 335.
	Campánula liliifòlia. B.R.							
	β *suavèolens.* R.S.	(*p.bl.*)	*sweet-scented.*	Hungary.	1818.	——	H. ♃.	Bot. reg. t. 236.
	γ *hybrida.* R.S.	(*p.bl.*)	*upright-flower'd.*		——	——	H. ♃.	
11	intermèdia.	(*p.bl.*)	intermediate.	Siberia.	1820.	——	H. ♃.	
	Campánula intermèdia. R.S.							

WAHLENBE'RGIA. Sc. WAHLENBE'RGIA. Pentandria Monogynia.

1	grandiflòra. Sc.	(*bl.*)	great-flowered.	Siberia.	1782.	6. 8.	H. ♃.	Bot. mag. t. 252.
	Campánula grandiflòra. B.M.							
2	péndula. Sc.	(*bk.*)	pendulous.	Canaries.	1777.	7. 8.	H. ☉.	
	Campánula lobelioides. R.S.							
3	elongàta. Sc.	(*p.bl.*)	elongated.	.....	1816.	——	H. ☉.	

CAMPA'NULA. R.S. BELL-FLOWER. Pentandria Monogynia. L.

1	cenisia. R.S.	(*bl.*)	ciliated.	Switzerland.	1775.	6. 7.	H. ♃.	All. ped. 1. t. 6. f. 2.
2	uniflòra. R.S.	(*bl.*)	single-flowered.	Lapland.	1827.	——	H. ♃.	Linn. fl. lap. t. 9. f. 5. 6.
3	Kitaibeliàna. R.S.	(*bl.*)	Kitaibel's.	Hungary.	1828.	——	H. ♃.	
4	Bellárdi. R.S.	(*bl.*)	Bellardi's.	Italy.	1813.	——	H. ♃.	All. ped. t. 85. f. 5.
5	Stevènii. M.B.	(*bl.*)	Steven's.	Siberia.	1828.	——	H. ♃.	
6	púlla. R.S.	(*d.pu.*)	dark-flowered.	Austria.	1779.	——	H. ♃.	Bot. mag. t. 2492.

7	Zóysii. R.s.	(*bl.*)	blunt-leaved.	Carniola.	1818.	6. 8.	H. ♃.	Jacq. ic. 2. t. 334.
8	diffùsa. R.s.	(*bl.*)	diffuse.	Italy.	1818.	——	H. ♃.	
	β frágilis. L.en.	(*bl.*)	*brittle.*	——	——	——	H. ♃.	Cyr. pl. rar. n. t. 11. f. 2.
9	carpáthica. R.s.	(*bl.*)	Carpathian.	Carp. Alps.	1774.	——	H. ♃.	Bot. mag. t. 117.
10	dasycárpa. R.s.	(*bl.*)	fleshy-podded.	Hungary.	1827.	——	H. ♃.	
11	rotundifòlia. R.s.	(*bl.*)	round-leaved.	Britain.	....	——	H. ♃.	Eng. bot. v. 13. t. 866.
	a cærùlea.	(*bl.*)	*blue-flowered.*	——	....	——	H. ♃.	
	β albiflòra.	(*wh.*)	*white-flowered.*	——	....	——	H. ♃.	
12	excisa. R.s.	(*bl.*)	cut-flowered.	Switzerland.	1816.	——	H. ♃.	Lodd. bot. cab. t. 561.
13	pusílla. R.s.	(*bl.wh.*)	small.	Europe Alps.	....	——	H. ♃.	Scheuch. it. 4. f. 4.
14	pùmila. R.s.	(*bl.wh.*)	dwarf.	Switzerland.	....	——	H. ♃.	Bot. mag. t. 512.
	a cærùlea.	(*bl.*)	*blue-flowered.*	——	....	——	H. ♃.	
	β álba.	(*wh.*)	*white-flowered.*	——	....	——	H. ♃.	
15	cæspitòsa. R.s.	(*bl.*)	tufted.	Carniola.	1818.	——	H. ♃.	Scop. carn. ed. 2. t. 4.
16	pubéscens. R.s.	(*bl.*)	pubescent.	Bohemia.	1818.	——	H. ♃.	
17	grácilis. B.M.	(*bl.*)	slender.	N. S. W.	1794.	4. 8.	G. ♂.	Bot. mag. t. 691.
18	erécta.	(*bl.*)	upright.	——	——	——	G. ♂.	Sm. exot. bot. t. 45.
	stricta. Sm. *non* L.							
19	littoràlis. Lab.	(*bl.*)	sea-side.	V. Diem. Isl.	1820.	——	G. ♂.	Lab. nov. hol. 1. t. 70.
20	capillàris. B.C.	(*bl.*)	capillary.	N. Holland.	1824.	——	G. ♂.	Lodd. bot. cab. t. 1406.
21	quadrífida. B.P.	(*bl.*)	quadrifid.	N. S. W.	1822.	——	G. ♂.	
22	saxícola. B.P.	(*bl.*)	small rock.	V. Diem. Isl.	1825.	5. 10.	G. ♂.	
23	Waldsteiniàna. R.s.	(*vi.*)	Waldstein's.	Hungary.	——	6. 8.	H. ♃.	W. et K. hung. t. 136.
24	lanceolàta. R.s.	(*bl.*)	spear-leaved.	Pyrenees.	1827.	——	H. ♃.	All. ped. t. 47. f. 2.
25	divaricàta. R.s.	(*bl.*)	divaricate.	N. America.	——	——	H. ♃.	
26	virgàta. R.s.	(*bl.*)	twiggy.	——	1823.	——	H. ♃.	
27	linifòlia. R.s.	(*bl.*)	Flax-leaved.	Sweden.	1816.	——	H. ♃.	Vill. delph. 1. t. 10.
28	Scheuchzèri. s.s.	(*bl.*)	Scheuchzer's.	Alps Europe.	1813.	——	H. ♃.	Lodd. bot cab. t. 485.
29	pátula. R.s.	(*bl.*)	spreading.	Britain.	....	7. 8.	H. ♂.	Eng. bot. v. 1. t. 42.
30	neglécta. R.s.	(*bl.*)	neglected.	Europe.	1818.	——	H. ♃.	
	crenàta. L.en. *ucránica.* Hort.							
31	Rapúnculus. R.s.	(*bl.*)	Rampion.	Britain.	....	——	H. ♃.	Eng. bot. v. 4. t. 263.
32	persicifòlia. R.s.	(*va.*)	Peach-leaved.	Europe.	1596.	7. 9.	H. ♃.	Flor. dan. t. 1067.
	a cærùlea.	(*bl.*)	*blue-flowered.*	Scotland.	....	——	H. ♃.	Flor. græc. t. 206.
	β álba.	(*wh.*)	*white-flowered.*	Europe.	....	——	H. ♃.	
	γ máxima. B.M.	(*bl.*)	*large-flowered.*	——	....	——	H. ♃.	Bot. mag. t. 397.
	δ álbo-plèna.	(*wh.*)	*double white.*	——	....	——	H. ♃.	
	ε cærùleo-plèna.	(*bl.*)	*double blue.*	——	....	——	H. ♃.	
33	pyramidàlis. R.s.	(*bl.*)	pyramidal.	Carniola.	1596.	——	H. ♃.	
	a cærùlea.	(*bl.*)	*common blue.*	——	——	——	H. ♃.	
	β albiflòra.	(*wh.*)	*white flowered.*	——	1816.	——	H. ♃.	
34	versícolor. R.s.	(*bl.*)	various-color'd.	Greece.	1788.	——	H. ♃.	Andr. reposit. t. 306.
	planiflòra. W.en. *non* Lam. *Willdenowiàna.* R.s.							
35	oblíqua. R.s.	(*bl.*)	oblique-flower'd.	N. Europe.	1813.	6. 7.	H. ♂.	Jacq. schœn. 3. t. 336.
36	americàna. R.s.	(*bl.*)	American.	N. America.	1763.	7.	H. ♂.	
37	nítida. H.K.	(*bl.wh.*)	glossy.	——	1731.	7. 8.	H. ♃.	Dodart. mem. 4. t. 113.
	a cærùlea.	(*bl.*)	*blue-flowered.*	——	——	——	H. ♃.	
	β álba.	(*wh.*)	*white-flowered.*	——	——	——	H. ♃.	
38	aùrea. R.s.	(*ye.*)	golden-flower'd.	Madeira.	1777.	7. 9.	G. ♄.	Bot. reg. t. 57.
	a latifòlia. R.s.	(*ye.*)	*broad-leaved.*	——	——	——	G. ♄.	Duham. ed. nov. t. 41.
	β angustifòlia. R.s.	(*ye.*)	*narrow-leaved.*	——	——	——	G. ♄.	Jacq. schœn. 4. t. 472.
39	rhomboídea. R.s.	(*bl.*)	Germander-ld.	Switzerland.	1775.	7.	H. ♃.	Barrel. ic. 567.
40	asteroídes. R.s.	(*bl.*)	star-flowered.	.....	1824.	——	H. ♃.	
41	Alpìni. R.s.	(*bl.*)	Alpinus'.	Italy.	1823.	7. 9.	H. ♃.	
42	Ottoniàna. R.s.	(*bl.*)	Otto's.	C. B. S.	1822.	5. 7.	G. ♄.	
43	undulàta. R.s.	(*bl.*)	waved.	——	——	——	G. ♃.	
44	latifòlia. R.s.	(*bl.*)	giant.	Britain.	....	7.	H. ♃.	Eng. bot. v. 5. t. 362.
	a cærùlea.	(*bl.*)	*blue-flowered.*	——	....	——	H. ♃.	
	β álba.	(*wh.*)	*white-flowered.*	——	....	——	H. ♃.	Flor. dan. t. 86.
45	macrántha. L.en.	(*bl.*)	great-flowered.	Russia.	1822.	6. 7.	H. ♃.	Bot. mag. t. 2553.
46	eriocárpa. R.s.	(*bl.*)	woolly-capsul'd.	Caucasus.	1824.	——	H. ♃.	
47	urticifòlia. R.s.	(*bl.*)	Nettle-leaved.	Germany.	1800.	8.	H. ♃.	
	β flòre plèno.	(*wh.*)	*double white.*	——	....	——	H. ♃.	
48	Trachèlium. R.s.	(*bl.*)	throatwort.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 1. t. 12.
	a cærùlea.	(*bl.*)	*blue-flowered.*	——	....	——	H. ♃.	
	β álba.	(*wh.*)	*white-flowered.*	——	....	——	H. ♃.	
	γ múltiplex.	(*bl.wh.*)	*double-flowered.*	——	....	——	H. ♃.	
49	rapunculoídes. R.s.	(*bl.*)	creeping.	England.	....	6. 7.	H. ♃.	Eng. bot. v. 29. t. 1360.
	infundibulifórmis. Bot. mag. t. 2632.							

50	**ucrànica.** R.S.	(*bl.*)	Ukraine.	Ukraine.	1819.	6. 7.	H.4.	
51	**trachelioídes.** R.S.	(*bl.*)	throatwort-like.	Caucasus.	1818.	——	H.4.	
52	**bononiénsis.** R.S.	(*bl.*)	panicled.	Italy.	1778.	8. 9.	H.4.	Moris. s. 5. t. 4. f. 38.
53	**símplex.** DC.	(*bl.*)	simple-stalked.	————	1823.	7. 8.	H.4.	
54	**lychnítis.** H.H.	(*bl.*)	Lychnis-like.	.....	——	——	H.4.	
55	**obliquifólia.** R.S.	(*bl.*)	oblique-leaved.	Italy.	1820.	——	H.4.	Ten. fl. neap. t. 17.
56	**trichocalycína.** R.S.	(*bl.*)	long-pointed-calyx'd.	——	1824.	——	H.4.	———— t. 16.
57	**ruthènica.** R.S.	(*bl.*)	Russian.	Russia.	1815.	6. 8.	H.4.	Bot. mag. t. 2653.
58	**graminifólia.** R.S.	(*vi.*)	grass-leaved.	Hungary.	1823.	——	H.4.	W. et K. hung. 2. t. 154.
59	**tenuifólia.** R.S.	(*vi.*)	slender-leaved.	————	1820.	5. 9.	H.4.	———— —— t. 155.
60	**glomeràta.** R.S.	(*bl.*)	clustered.	Britain.	....	——	H.4.	Eng. bot. v. 2. t. 90.
	β albiflóra.	(*wh.*)	*white-flowered.*	————	....	——	H.4.	
61	**ellíptica.** R.S.	(*bl.*)	elliptic-leaved.	Hungary.	1819.	——	H.4.	Bocc. mus. 70. t. 58.
62	**cephalántha.** F.	(*p.bl.*)	pale-flowered.	Siberia.	1824.	——	H.4.	
63	**farinòsa.** Bes.	(*bl.*)	mealy.	Poland.	——	——	H.4.	
64	**aggregàta.** R.S.	(*bl.*)	crowded-flower'd.	Bavaria.	——	——	H.4.	
65	**speciósa.** R.S.	(*bl.*)	specious.	Siberia.	——	——	H.4.	Bot. mag. t. 2649.
	glomeràta β dahùrica. Bot. reg. 620.							
66	**nicæénsis.** R.S.	(*bl.*)	Nice.	Italy.	1820.	——	H.4.	All. ped. t. 39. f. 1.
67	**foliósa.** R.S.	(*bl.*)	leafy.	————	——	6. 9.	H.4.	Ten. fl. neap. t. 18.
68	**petræa.** R.S.	(*bl.*)	woolly-leaved.	Mt. Baldo.	1818.	——	H.4.	
69	**Rainèri.** R.S.	(*bl.*)	Rainer's.	Italy.	1825.	——	H.4.	
70	**Cervicària.** R.S.	(*bl.*)	wave-leaved.	Germany.	1768.	7.	H.♂.	Flor. dan. t. 787.
71	**cervicarioídes.** R.S.	(*bl.*)	intermediate.	Italy.	1819.	——	H.4.	
72	**multiflòra.** R.S.	(*vi.*)	many-flowered.	Hungary.	1814.	6. 7.	H.♂.	W. et K. hung. t. 263.
	macrostàchya. W.en.							
73	**collína.** R.S.	(*bl.*)	Sage-leaved.	Caucasus.	1803.	7. 8.	H.4.	Bot. mag. t. 927.
74	**azùrea.** R.S.	(*bl.*)	azure.	Switzerland.	1778.	6. 7.	H.4.	—— —— t. 551.
75	**Lòrei.** R.S.	(*bl.*)	Pollini's.	Mt. Baldo.	1819.	6. 9.	H.☉.	———— t. 2581.
76	**lactiflòra.** R.S.	(*st.*)	milk-coloured.	Caucasus.	1814.	7. 9.	H.4.	Bot. reg. t. 241.
77	**thyrsoídea.** R.S.	(*st.*)	long-spiked.	Switzerland.	1785.	6. 8.	H.♂.	Bot. mag. t. 1290.
78	**peregrìna.** R.S.	(*bl.*)	rough-leaved.	C. B. S.	1794.	——	G.♂.	———— t. 1257.
79	**tomentòsa.** R.S.	(*wh.*)	tomentose.	Levant.	1820.	6. 9.	H.4.	
80	**aparinoídes.** R.S.	(*p.bl.*)	Aparine-like.	N. America.	1825.	7. 9.	H.☉.	
81	**cérnua.** R.S.	(*wh.*)	nodding-flower'd.	C. B. S.	1804.	——	G.♂.	
82	**capénsis.** R.S.	(*vi.*)	Cape.	————	1803.	——	G.☉.	Bot. mag. t. 782.
	Roélla decúrrens. And. rep. t. 238.							
83	**paniculàta.** R.S.	(*wh.*)	panicled.	C. B. S.	1822.	6. 8.	G.♄.	
84	**spathulàta.** F.G.	(*bl.*)	spathulate.	Greece.	1824.	——	G.4.	Flor. græc. t. 203.
85	**velutína.** R.S.	(*p.bl.*)	velvetty.	Gibraltar.	——	——	F.4.	Desf. atl. 1. t. 51.
86	**microphýlla.** R.S.	(*p.bl.*)	small-leaved.	Spain.	1820.	——	H.4.	
87	**Allióni.** R.S.	(*p.bl.*)	Allioni's.	S. Europe.	1818.	——	H.4.	All. ped. n. 418. t. 6. f. 3.
88	**ligulària.** R.S.	(*bl.*)	strap-leaved.	Alps.	1825.	——	H.4.	
89	**barbàta.** R.S.	(*p.bl.*)	bearded.	Italy.	1752.	——	H.4.	Bot. mag. t. 1258.
90	**punctàta.** R.S.	(*wh.*)	dotted-flower'd.	Siberia.	1813.	5. 6.	H.4.	———— t. 1723.
91	**Mèdium.** R.S.	(*bl.*)	Canterbury-bell.	Germany.	1597.	6. 9.	H.♂.	Knor. delic. 1. t. 9.
	β álbida.	(*wh.*)	*white-flowered.*	————	....	——	H.♂.	Garid. aix. p. 76. t. 18.
92	**longifólia.** R.S.	(*bl.*)	long-leaved.	Pyrenees.	1824.	——	H.♂.	Lapeyr. pyren. t. 6.
93	**betonicifólia.** R.S.	(*bl.*)	Betony-leaved.	Olympus.	1823.	——	H.♂.	Flor. græc. t. 210.
94	**dichótoma.** R.S.	(*bl.*)	forked.	Levant.	1827.	7. 10.	H.☉.	Swt. br. fl. gar. t. 280.
95	**spicàta.** R.S.	(*bl.*)	spiked.	Switzerland.	1786.	7.	H.♂.	All. ped. 1. t. 46. f. 2.
96	**alpína.** R.S.	(*pa.bl.*)	Alpine.	————	1779.	——	H.4.	Bot. mag. t. 957.
97	**móllis.** R.S.	(*bl.*)	soft.	Syria.	1788.	5. 8.	G.4.	———— t. 404.
98	**saxátilis.** R.S.	(*bl.*)	rock.	Candia.	1768.	——	G.4.	Barrel. ic. t. 813.
99	**alliariæfólia.** R.S.	(*wh.*)	Alliaria-leaved.	Caucasus.	1803.	8. 9.	H.4.	Sal. par. lond. t. 26.
	macrophýlla. B.M. t. 912.							
100	**sarmática.** B.R.	(*pa.bl.*)	gum-bearing.	Siberia.	——	6. 8.	H.4.	Bot. reg. t. 237.
	gummífera. R.S. *betonicæfólia.* M.B.							
101	**lamiifólia.** R.S.	(*st.*)	Lamium-leaved.	Caucasus.	1818.	——	H.4.	Buxb. cent. 5. t. 18.
102	**péndula.** R.S.	(*st.*)	pendulous.	————	1824.	——	H.4.	
103	**sibírica.** R.S.	(*bl.*)	Siberian.	Siberia.	1783.	7. 9.	H.4.	Bot. mag. t. 659.
104	**divérgens.** R.S.	(*bl.*)	divergent.	Hungary.	1814.	6. 7.	H.♂.	W. et K. hung. t. 258.
	spathulàta. W.K.							
105	**violæfólia.** R.S.	(*wh.*)	Violet-leaved.	Siberia.	1827.	6. 8.	H.4.	
106	**A'dami.** R.S.	(*bl.*)	Adam's.	Caucasus.	1829.	——	H.4.	
107	**Pallasiána.** R.S.	(*bl.*)	Pallas's.	Siberia.	1827.	——	H.4.	
108	**lingulàta.** R.S.	(*vi.*)	tongue-leaved.	Hungary.	1804.	7. 8.	H.4.	W. et K. hung. 1. t. 64.
109	**caucásica.** R.S.	(*bl.*)	Caucasian.	Caucasus.	——	——	H.4.	
110	**laciniàta.** R.S.	(*bl.*)	jagged-leaved.	Greece.	1788.	5. 8.	G.4.	Andr. reposit. t. 385.

111	lyràta. R.S.	(*bl.*)	lyre-leaved.	Levant.	....	6. 8.	H.♃.	Moris. 2. v. 5. t. 3. f. 51.
112	rupéstris. R.S.	(*bl.*)	various-leaved.	———	1827.	——	H.♂.	Flor. græc. t. 213.
113	stricta. R.S.	(*bl.*)	straight.	Egypt.	——	——	H.♃.	Tour.an.mu.p.137.t.13.
114	cichoràcea. R.S.	(*bl.*)	Succory-leaved.	Greece.	1824.	——	F.♂.	Flor. græc. t. 209.
115	capitàta. R.S.	(*bl.*)	headed.	———	1768.	6. 7.	H.♃.	Bot. mag. t. 811.
116	lanuginòsa. R.S.	(*bl.*)	woolly.	.....	1824.	——	H.♂.	
117	Erìnus. R.S.	(*pa.bl.*)	forked.	S. Europe.	1768.	7. 8.	H.☉.	Moris. s. 5. t. 3. f. 25.
118	drabifòlia. R.S.	(*bl.*)	Draba-leaved.	Athens.	1823.	——	H.☉.	Flor. græc. t. 215.
119	erinoìdes. R.S.	(*bl.*)	Erinus-like.	Africa.	——	——	H.☉.	Herm. lugd. t. 111?
120	Elátines. R.S.	(*pa.pu.*)	trailing-stalked.	S. Europe.	——	7. 9.	H.♃.	All. ped. n. 423. t. 7. f. 1.
121	hederàcea. R.S.	(*pa.bl.*)	Ivy-leaved.	England.	....	5. 6.	H.♃.	Eng. bot. v. 2. t. 73.
122	arvática. R.S.	(*bl.*)	Spanish.	Spain.	1825.	——	H.♃.	Pluk. phyt. t. 23. f. 1.
123	hispídula. R.S.	(*bl.wh.*)	hispid-calyxed.	C. B. S.	1816.	7. 9.	H.☉.	Comm. hort. 2. t. 37.

PRISMATOCA'RPUS. L'H. Venus-looking-glass. Pentandria Monogynia.

1	fruticòsus. L'H.	(*bl.*)	shrubby.	C. B. S.	1787.	8.	G.♄.	
2	Hookèri.	(*wh.*)	Hooker's.	———	1823.	——	G.♄.	Bot mag. t. 2788.
	Campánula Prismatocárpus. B.M. *nec* L'Her.							
3	nítidus. L'H.	(*bl.*)	shining.	———	——	6. 8.	H.☉.	L'Her. sert. ang. 2. t. 3.
	Campánula Prismatocárpus. W.							
4	hispídula. R.S.	(*bl.wh.*)	bristly.	———	1822.	——	G.☉.	Comm. hort. 2. t. 37.
5	interrúptus. L'H.	(*bl.*)	interrupted.	———	1820.	——	G.☉.	
6	Spéculum. L'H.	(*bl.*)	common.	S. Europe.	1596.	5. 8.	H.☉.	Bot. mag. t. 102.
	β álbus.	(*wh.*)	*white-flowered.*	———	——	——	H.☉.	
7	hirsùtus. T.N.	(*bl.*)	hairy.	Italy.	1822.	——	H.☉.	Ten. fl. neap. t. 19.
8	falcàtus. T.N.	(*bl.*)	falcate.	———	——	——	H.☉.	——— t. 20.
9	hy'bridus. L'H.	(*bl.*)	corn.	England.	....	——	H.☉.	Eng. bot. v. 6. t. 375.
10	pentagònius. L'H.	(*bl.*)	five-angled.	Turkey.	1686.	——	H.☉.	Bot. reg. t. 56.
11	perfoliàtus.	(*bl.*)	perfoliate.	N. America.	1680.	——	H.☉.	Moris. s. 5. t. 2. f. 23.
	Campánula perfoliàta. R.S. *amplexicaùlis.* M.							

ROE'LLA. R.S. Roe'lla. Pentandria Monogynia. L.

1	ciliàta. R.S.	(*bl.wh.*)	ciliate.	C. B. S.	1774.	6. 9.	G.♄.	Bot. mag. t. 378.
2	pedunculàta. R.S.	(*bl.*)	peduncled.	———	1827.	——	G.♄.	
3	filifórmis. R.S.	(*bl.*)	filiform.	———	1816.	——	G.♄.	Lam. ill. t. 123. f. 2.
4	decúrrens. R.S.	(*bl.*)	decurrent.	———	1787.	7. 9.	H.☉.	L'Her. sert. ang. 4. t. 6.
5	squarròsa. R.S.	(*bl.*)	trailing.	———	——	7. 8.	G.♃.	
6	muscòsa. R.S.	(*bl.*)	moss-like.	———	1802.	8. 10.	H.☉.	
7	spicàta. R.S.	(*wh.*)	spiked.	———	1824.	——	G.♄.	

PHYTE'UMA. R.S. Phyte'uma. Pentandria Monogynia. L.

1	pauciflòrum. R.S.	(*bl.*)	few-flowered.	Germany.	1823.	6. 8.	H.♃.	
2	globulariæfòlium. R.S.	(*bl.*)	Globularia-leav'd.	S. Europe.	——	——	H.♃.	
3	Scheuchzèri. R.S.	(*bl.*)	Scheuchzer's.	Switzerland.	1813.	5. 6.	H.♃.	Bot. mag. t. 1797.
4	scorzonerifòlium. R.S.	(*bl.*)	Scorzonera-leav'd.	Europe.	1817.	——	H.♃.	——— t. 2271.
5	Michèlii. R.S.	(*bl.*)	Micheli's.	Pyrenees.	1822.	6. 7.	H.♃.	All. ped. n. 427. t. 7. f. 3.
6	hemisph'æricum. R.S.	(*bl.*)	linear-leaved.	Switzerland.	1752.	7.	H.♃.	Jacq. ic. 2. t. 338.
7	comòsum. R.S.	(*da.bl.*)	tufted.	Austria.	——	6. 7.	H.♃.	Jacq. aust. ap. t. 50.
8	orbiculàre. R.S.	(*bl.*)	round-headed.	England.	....	6. 8.	H.♃.	Eng. bot. v. 2. t. 142.
9	Charmèlii. R.S.	(*bl.*)	long-bracted.	Pyrenees.	1819.	——	H.♃.	Vill. delph. 2. t. 11. f. 3. A.
10	Siebèrii. R.S.	(*bl.*)	Sieber's.	Levant.	1827.	7. 8.	H.♃.	
11	inæquàtum. R.S.	(*bl.*)	unequal-leaved.	Hungary.	1826.	6. 7.	H.♃.	
12	cordàtum. B.M.	(*bl.*)	heart-leaved.	S. Europe.	1804.	7. 8.	H.♃.	Bot. mag. t. 1466.
13	ellipticum. R.S.	(*bl.*)	elliptic-leaved.	Switzerland.	1820.	——	H.♃.	Vill. delph. 2. t. 11. f. 2.
14	nigrum. R.S.	(*da.pu.*)	black-flowered.	Bohemia.	——	——	H.♃.	
15	betonicifòlium. R.S.	(*pa.*)	Betony-leaved.	Switzerland.	1816.	6. 8.	H.♃.	Bot. mag. t. 2066.
16	spicàtum. R.S.	(*st.*)	spiked.	Europe.	1597.	——	H.♃.	Flor. dan. t. 302.
17	Hallèri. R.S.	(*pa.vi.*)	Haller's.	Switzerland.	1819.	——	H.♃.	
	β ovàtum.	(*pa.*)	*oval-spiked.*	———	1814.	——	H.♃.	
18	stylòsum. Bes.	(*bl.*)	long-styled.	Poland.	1827.	——	H.♃.	
19	stríctum. B.M.	(*bl.*)	upright.	S. Europe.	1819.	——	H.♃.	Bot. mag. t. 2145.
20	virgàtum. R.S.	(*bl.*)	slender-branched.	Levant.	1823.	7. 9.	H.♃.	Lab. syr. 2. p. 11. t. 6.
21	campanuloìdes. R.S.	(*bl.*)	Campanula-like.	Caucasus.	1804.	6. 8.	H.♃.	Bot. mag. t. 1015.
22	canéscens. R.S.	(*li.*)	canescent.	Hungary.	——	——	H.♃.	W. et K. hung. 1. t. 14.
23	pinnàtum. R.S.	(*bl.*)	winged-leaved.	Candia.	1640.	——	G.♃.	Venten. cels. t. 52.

TRACH'ELIUM. R.S. Throatwort. Pentandria Monogynia. L.

1	cœrùleum. R.S.	(*bl.*)	blue.	Italy.	1640.	7. 9.	H.♂.	Bot. reg. t. 72.
2	diffùsum. R.S.	(*bl.*)	shrubby.	C. B.S.	1787.	——	G.♄.	

JASIONE. R.S. Sheep's Scabious. Pentandria Monogynia. W.

1	montàna. R.S.	(*bl.*)	mountain.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 13. t. 883.
2	perénnis. R.S.	(*bl.*)	perennial.	France.	1787.	——	H.♃.	Bot. reg. t. 505.
3	foliòsa. S.S.	(*bl.*)	leafy.	S. Spain.	1826.	——	H.♃.	

ORDO CXXV.

GESNEREÆ. *Rich. et Juss. ann. mus.* 5. *p.* 428.

GLOXI'NIA. S.S.		GLOXI'NIA.	Didynamia Angiospermia. L.					
1 hirsùta. B.R.	(*bl.*)	hairy.	Brazil.	1825.	6. 8.	S. ♃.	Bot. reg. t. 1004.	
2 speciòsa. B.R.	(*bl.*)	many-flowered.	———	1815.	6. 11.	S. ♃.	——— t. 213.	
β álba.	(*wh.*)	*white-flowered.*	———	1822.	——	S. ♃.		
3 cauléscens. B.R.	(*vi.*)	caulescent.	Pernambuca.	1820.	8. 10.	S. ♃.	Bot. reg. t. 1127.	
4 maculàta. S.S.	(*pu.*)	spotted-stalked.	S. America.	1789.	7. 10.	S. ♃.	Bot. mag. t. 1191.	
SINNI'NGIA. Nees.		SINNI'NGIA.	Didynamia Angiospermia.					
1 guttàta. B.R.	(*gr.ye.*)	spotted-throated.	Brazil.	1825.	6. 8.	S. ♄.	Bot. reg. t. 1134.	
2 Hellèri. B.R.	(*gr.ye.*)	Heller's.	———	1824.	——	S. ♄.	——— t. 997.	
3 velutìna. B.R.	(*gr.ye.*)	velvetty.	———	——	——	S. ♄.	Lodd. bot. cab. t. 1806.	
4 villòsa. B.R.	(*gr.ye.*)	shaggy.	———	1826.	——	S. ♄.	Bot. reg. t. 1134.	
CODONO'PHORA. B.R.		CODONO'PHORA.	Didynamia Angiospermia.					
1 grandiflòra. B.R.	(*gr.*)	large-flowered.	Brazil.	1816.	5. 6.	S. ♄.	Bot. reg. t. 428.	
Gesnèria prasinàta. Bot. reg.								
2 lanceolàta. B.R.	(*gr.*)	spear-leaved.	———	1826.	——	S. ♄.		
GESNE'RIA. L.		GESN'ERIA.	Didynamia Angiospermia. L.					
1 tomentòsa. S.S.	(*gr.pu.*)	woolly.	S. America.	1752.	11. 6.	S. ♄.	Bot. mag. t. 1023.	
2 scábra. S.S.	(*pu.*)	rough.	Jamaica.	1822.	6. 8.	S. ♄.		
3 corymbòsa. S.S.	(*ye.*)	corymbose.	———	——	——	S. ♄.		
4 Douglásii. B.R.	(*sp.*)	Douglas's.	Brazil.	1825.	5. 8.	S. ♄.	Bot. reg. t. 1110.	
verticillàta. Bot. mag. t. 2776. *non* Cavan.								
5 aggregàta. S.S.	(*sc.*)	clustered.	———	1816.	6. 10.	S. ♃.	Bot. reg. t. 329.	
6 pendulìna. B.R.	(*sc.*)	drooping-flowered.	———	1825.	6. 9.	S. ♃.	——— t. 1032.	
7 rùtila. B.R.	(*sc.*)	brilliant.	———	1826.	6. 10.	S. ♃.	——— t. 1158.	
β atrosang-ùinea. B.R.	(*cr.*)	*dark-crimson.*	———	——	——	S. ♃.	——— t. 1279.	
8 latifòlia. M.N.	(*sc.*)	long-spiked.	———	1825.	7. 10.	S. ♃.	——— t. 1202.	
macrostáchya. B.R.								
9 tubiflòra. C.I.	(*sc.*)	tube-flowered.	S. America.	1815.	2. 6.	S. ♃.	Cavan. ic. 6. t. 584.	
10 bulbòsa. S.S.	(*sc.*)	bulbous-rooted.	Brazil.	1816.	5. 8.	S. ♃.	Bot. reg. t. 343.	
11 acaùlis. S.S.	(*sc.*)	stemless.	Jamaica.	1793.	——	S. ♃.	Sloan. jam. 1. t. 102. f. 1.	
BESL'ERIA. L.		BESL'ERIA.	Didynamia Angiospermia. L.					
1 cristàta. S.S.	(*ye.*)	crested.	W. Indies.	1739.	6. 8.	S. ♄.	Jacq. amer. t. 119.	
2 coccìnea. S.S.	(*ye.*)	scarlet-calyxed.	Guiana.	1824.	5. 8.	S. ♄.	Aub. gui. 2. t. 255.	
3 dichrus. S.S.	(*ye.re.*)	two-coloured.	Brazil.	1823.	——	S. ♄.		
4 pulchélla. S.S.	(*or.*)	large-flowered.	W. Indies.	1806.	——	S. ♄.	Bot. mag. t. 1146.	
5 melittifòlia. S.S.	(*pu.*)	Balm-leaved.	Guiana.	1739.	6. 7.	S. ♄.	Sm. exot. bot. 1. t. 54.	
6 serrulàta. S.S.	(*st.*)	saw-leaved.	W. Indies.	1806.	——	S. ♄.	Jacq. schœn. 3. t. 290.	
7 lùtea. S.S.	(*ye.*)	yellow-flowered.	Guiana.	1739.	7. 8.	S. ♄.	Plum. ic. 49. f. 1.	
8 grandifòlia. S.S.	(*ye.*)	large-leaved.	Brazil.	1823.	——	S. ♄.		
9 hirtélla. S.S.	(*ye.*)	hairy-leaved.	———	——	——	S. ♄.		
10 incarnàta. S.S.	(*fl.*)	flesh-coloured.	Guiana.	——	——	S. ♄.	Aub. gui. 2. t. 256.	

ORDO CXXVI.

VACCINIEÆ. *DC. theor. ed.* 1. *p.* 216.

VACCI'NIUM. W.		WHORTLE-BERRY.	Oct-Decandria Monogynia.					
1 Myrtíllus. W.	(*bk.*)	Blea-berry.	Britain.	....	4. 6.	H. ♄.	Eng. bot. 7. t. 456.	
2 stamíneum. Ph.	(*wh.*)	long-stamened.	N. America.	1772.	5. 6.	H. ♄.	Pluk. alm. t. 339. f. 3.	
3 álbum. Ph.	(*wh.*)	white-flowered.	———	——	——	H. ♄.	Andr. reposit. t. 263.	
staminéum. A.R. *non* Ph.								
4 pállidum. W.	(*wh.*)	pale.	———	——	——	H. ♄.		
5 uliginòsum. W.	(*re.*)	great Bilberry.	Britain.	....	4. 5.	H. ♄.	Eng. bot. v. 9. t. 581.	
6 diffùsum. W.	(*bk.*)	tree.	N. America.	1765.	5. 11.	H. ♄.	Bot. mag. t. 1007.	
arbòreum. M.								
7 dumòsum. B.M.	(*bk.*)	bushy.	———	1774.	5. 6.	H. ♄.	Bot. mag. t. 1106.	
hirtéllum. H.K.								
β hùmile. W.D.	(*wh.*)	*dwarf.*	———	——	——	H. ♄.	Wats. dend. brit. t. 32.	

8	frondòsum. w.	(*wk.*)	blunt-leaved.	N. America.	1761.	5. 6.	H. ♄.	Andr. reposit. t. 140.
9	venústum. H.K.	(*wk.*)	red-twigged.	———	1770.	——	H. ♄.	
10	resinòsum. w.	(*st.*)	clammy.	———	1772.	——	H. ♄.	Wang. am. t. 30. f. 60.
	β rubéscens.	(*re.*)	*red-flowered.*	———	——	——	H. ♄.	Bot. mag. t. 1288.
11	parviflòrum. A.R.	(*re.*)	small-flowered.	———	1804.	——	H. ♄.	Andr. reposit. t. 125.
12	corymbòsum. w.	(*wk.*)	corymbose.	———	1806.	6. 7.	H. ♄.	Wats. dend. brit. t. 128.
13	amœnum. w.	(*wk.*)	broad-leaved.	———	1765.	5. 6.	H. ♄.	Bot. reg. t. 400.
14	canadénse. s.s.	(*wk.*)	Canadian.	———	1827.	5. 7.	H. ♄.	
15	virgàtum. w.	(*pa.re.*)	twiggy.	———	1767.	4. 5.	H. ♄.	Andr. reposit. t. 181.
16	Watsòni.	(*bk.*)	Watson's.	———	1812.	——	H. ♄.	Wats. dend. brit. t. 34.
	virgàtum β angustifòlium. w.D.							
17	mariànum. w.D.	(*wk.*)	Maryland.	———	——	5. 6.	H. ♄.	Wats. dend. brit. t. 134.
18	grandiflòrum. w.D.	(*wk.*)	great-flowered.	———	——	7. 8.	H. ♄.	——— t. 125. A.
19	elongàtum. w.D.	(*bk.*)	elongated.	———	——	——	H. ♄.	——— t. 125. B.
20	minutiflòrum. w.D.	(*bk.*)	minute-flowered.	———	——	——	H. ♄.	——— t. 125. C.
21	glábrum. w.D.	(*re.*)	smooth.	———	——	——	H. ♄.	——— t. 125. D.
22	mucronàtum. L.	(*wk.*)	mucronate.	———	....	5. 6.	H. ♄.	
23	fuscàtum. w.	(*re.*)	cluster-flowered.	———	1770.	——	H. ♄.	Bot. reg. t. 302.
	formòsum. A.R. 97.							
	β angustifòlium. Ph.	(*re.*)	*narrow-leaved.*	———	——	——	H. ♄.	
24	galèzans. M.	(*st.*)	Gale-leaved.	———	1806.	——	H. ♄.	
25	ligustrìnum. w.	(*pu.re.*)	Privet-leaved.	———	....	——	H. ♄.	
26	tenéllum. w.	(*ro.*)	Pensylvanian.	———	1772.	——	H. ♄.	Wats. dend. brit. t. 35.
	pensylvánicum. M.							
27	angustifòllum. w.	(*wk.*)	narrow-leaved.	———	1776.	4. 5.	H. ♄.	
	myrtilloides. M.							
28	Arctostáphylos. w.	(*re.*)	oriental.	Levant.	1777.	6. 8.	H. ♄.	Bot. mag. t. 974.
29	maderénse. s.s.	(*re.*)	Madeira.	Madeira.	1810.	7. 2.	H. ♄.	Andr. reposit. t. 30.
	Arctostáphylos. A.R.							
30	meridionàle. w.	(*re.*)	Jamaica.	Jamaica.	1778.	3. 6.	G. ♄.	
31	salicìnum. s.s.	(*bk.*)	Willow-like.	N. America.	1827.	6. 8.	H. ♄.	
32	crassifòlium. s.s.	(*pi.*)	thick-leaved.	Carolina.	1787.	6. 7.	F. ♄.	Bot. mag. t. 1152.
33	myrtifòlium. M.	(*pi.*)	Myrtle-leaved.	———	1812.	5. 7.	F. ♄.	
34	nítidum. s.s.	(*pi.*)	glossy-leaved.	———	1794.	5. 6.	F. ♄.	Andr. rep. t. 480.
35	decúmbens. B.M.	(*pi.*)	decumbent.	———	——	——	F. ♄.	Bot. mag. t. 1550.
36	myrsinites. M.	(*pu.*)	Myrsine-leaved.	———	....	——	F. ♄.	
37	buxifòlium. s.s.	(*bk.*)	Box-leaved.	N. America.	1794.	——	H. ♄.	Bot. mag. t. 928.
38	Vitis Id'æa. w.	(*bk.*)	Cow-berry.	Britain.	....	4. 6.	H. ♄.	Eng. bot. v. 9. t. 598.
	α mìnor.	(*bk.*)	*smaller.*	———	....	——	H. ♄.	Lodd. bot. cab. t. 1023.
	β màjor.	(*ro.*)	*larger.*	N. America.	....	——	H. ♄.	——— t. 616.
39	ovàtum. Ph.	(*bk.*)	oval-leaved.	———	1827.	5. 7.	H. ♄.	
40	obtùsum. Ph.	(*bk.*)	blunt-creeping.	———	——	——	H. ♄.	
41	halleriæfòlium. L.C.	(*wk.*)	Halleria-leaved.	———	....	5. 6.	H. ♄.	

OXYCO'CCUS. P.S. CRANBERRY. Octandria Monogynia.

1	palústris. P.S.	(*pi.*)	common.	Britain.	....	5. 6.	H. ♄.	Eng. bot. v. 5. t. 319.
	Vaccínium Oxycóccos. E.B. *Schóllera Oxycóccos.* Roth.							
2	macrocárpus. Ph.	(*pi.*)	large-fruited.	N. America.	1760.	5. 8.	H. ♄.	Wats. dend. brit. t. 122.
3	eréctus. Ph.	(*ro.*)	upright.	———	1806.	6. 8.	H. ♄.	——— t. 31.
	Vaccínium erythrocárpum. M.							
4	hispídulus. P.S.	(*pi.*)	Thyme-leaved.	———	1776.	5. 7.	H. ♄.	Mich. amer. 1. t. 23.

Vaccínium hispídulum. w. *Arbùtus thymifòlia.* Ait. *Gaultheria serpyllifòlia.* Ph.

ORDO CXXVII.

ERICEÆ. *Don Prodr. p.* 148.

Sect. I. *ERICEÆ VERÆ.*

ARCTOSTA'PHYLOS. K.S. ARCTOSTA'PHYLOS. Decandria Monogynia.

1	'Uva-úrsi. s.s.	(*bk.*)	Bear-berry.	Britain.	....	4. 6.	H. ♄.	Eng. bot. v. 10. t. 714.
	A'rbutus 'Uva-úrsi. E.B. *Mairània 'Uva-úrsi.* Desv.							
2	alpìna. s.s.	(*pi.*)	Alpine.	Scotland.	....	4. 5.	H. ♄.	Eng. bot. v. 29. t. 2039.

ARBUTUS. K.S.		STRAWBERRY-TREE.	Decandria Monogynia. L.					
1 Unèdo. s.s.	(wk.re.)	common.	Ireland.	....	9. 12.	H. ħ.		Eng. bot. v. 34. t. 2377.
β *ràbra.*	(re.)	*red-flowered.*	———	....	——	H. ħ.		Lodd. bot. cab. t. 123.
γ *flòre plèno.*	(wk.)	*double-flowered.*	———	....	——	H. ħ.		
δ *schizopétala.*	(wk.)	*jagged-petaled.*	———	....	——	H. ħ.		
ε *integrifòlia.*	(wk.)	*entire-leaved.*	———	....	——	H. ħ.		
ζ *crispa.*	(wk.)	*curled-leaved.*	———	....	——	H. ħ.		
η *salicifòlia.*	(wk.)	*Willow-leaved.*	———	....	——	H. ħ.		
2 canariénsis. s.s.	(ro.)	long-leaved.	Canaries.	1796.	5. 6.	G. ħ.		Bot. mag. t. 1577.
3 hy'brida. s.s.	(wk.)	hybrid.	Hybrid.	....	——	H. ħ.		Bot. reg. t. 619.
serratifòlia. B.C. 580.		*andrachnoides.* L.en.						
4 Millèri.	....	Miller's.	———	1825.	....	H. ħ.		
5 Andráchne. s.s.	(wk.)	oriental.	Levant.	1724.	3. 4.	F. ħ.		Bot. reg. t. 113.
6 pròcera. D.	(wk.)	tall.	N. America.	1827.	....	H. ħ.		
7 Menzièsii. Ph.	(wk.)	Mr. Menzies's.	———	——	....	H. ħ.		
8 tomentòsa. Ph.	(wk.)	woolly.	———	——	....	H. ħ.		
9 laurifòlia. s.s.	(wk.)	Laurel-leaved.	Mexico.	1825.	....	F. ħ.		
10 phillyreæfòlia. s.s.	(wk.)	Phillyrea-leaved.	Peru.	1812.	....	G. ħ.		
11 ? pùmila. s.s.	(wk.)	dwarf.	Magellan.	1824.	....	G. ħ.		
GAULTHE'RIA. S.S.		GAULTHE'RIA.	Decandria Monogynia. L.					
1 procúmbens. s.s.	(bk.)	trailing.	N. America.	1762.	7. 9.	H. ħ.		Andr. reposit. t. 116.
2 frágrantíssima. s.s.	(wk.)	fragrant.	Nepaul.	1824.	....	H. ħ.		Wal.as.res.13.p.297.ic.
3 Shállon. Ph.	(bk.)	Shallon.	N. America.	1827.	5. 6.	H. ħ.		Lodd. bot. cab. t. 1732.
ENKIA'NTHUS. B.M.		ENKIA'NTHUS.	Decandria Monogynia.					
1 quinqueflòrus. B.R.	(pi.)	Canton.	China.	1812.	10. 2.	G. ħ.		Bot. reg. t. 884.
2 reticulàtus. B.R.	(bk.)	netted-leaved.	———	1820.	——	G. ħ.		——— t. 885.
ANDRO'MEDA. N.		ANDRO'MEDA.	Decandria Monogynia. L.					
1 hypnoides. W.	(wk.)	Moss-like.	Lapland.	1798.	6. 7.	H. ħ.		Bot. mag. t. 2936.
2 polifòlia. W.	(ro.)	wild rosemary.	Britain.	....	——	H. ħ.		Eng. bot. v. 10. t. 713.
3 glaucophy'lla. L.en.	(wk.)	glaucous-leaved.	N. America.	....	5. 9.	H. ħ.		
4 rosmarinifòlia. Ph.	(bk.)	Rosemary-leaved.	———	....	——	H. ħ.		Pall. ross. 2. t. 70. f. B.
5 subulàta. P.S.	(ro.)	awl-leaved.	Europe.	....	——	H. ħ.		
6 angustifòlia. Ph.	(wk.)	narrow-leaved.	N. America.	....	2. 4.	H. ħ.		
crispa. Link enum.								
7 calyculàta. W.	(wk.)	various-leaved.	Russia.	1748.	2. 4.	H. ħ.		Pall. ross. 2. t. 72. f. 1.
α *ventricòsa.* H.K.	(wk.)	*globe-flowered.*	———	——	——	H. ħ.		Bot. mag. t. 1286.
β *nàna.* B.C.	(wk.)	*dwarf.*	.....	....	——	H. ħ.		Lodd. bot cab. t. 862.
γ *latifòlia.* H.K.	(wk.)	*broad-leaved.*	Newfoundland.	....	——	H. ħ.		——— ——— t. 530.
8 japónica. W.	(wk.)	Japan.	Japan.	1806.	5. 6.	H. ħ.		Thunb. jap. 181. t. 22.
9 ovalifòlia. D.P.	(bk.)	oval-leaved.	Nepaul.	1823.	——	G. ħ.		Wall. as. res. 13. p. 39. ic.
10 buxifòlia. P.S.	(cr.)	Box-leaved.	Mauritius.	1822.	4. 6.	G. ħ.		Bot. mag. t. 2660.
11 fasciculàta. W.	(wk.)	bundle-flower'd.	Jamaica.	——	——	G. ħ.		
12 jamaicénsis. W.	(wk.)	Jamaica.	———	1793.	——	G. ħ.		
13 mariàna. W.	(bk.)	Maryland.	N. America.	1736.	6. 7.	H. ħ.		Pluk. mant. t. 448. f. 6.
α *ovàlis.*	(bk.)	*oval-leaved.*	———	——	——	H. ħ.		Bot. mag. t. 1579.
β *oblónga.*	(bk.)	*oblong-leaved.*	———	——	——	H. ħ.		
14 speciòsa. Ph.	(wk.)	large-flowered.	Carolina.	1800.	6. 9.	H. ħ.		
α *nítida.* Ph.	(wk.)	*smooth-leaved.*	———	——	——	H. ħ.		Bot. mag. t. 970.
cassinæfòlia. B.M.								
β *glaùca.* W.D.	(wk.)	*glaucous-leaved.*	———	——	——	H. ħ.		Wats. dend. brit. t. 26.
Andrómeda dealbàta. Bot. reg. t. 1010.								
γ *pulveruléuta.* Ph.	(wk.)	*mealy-leaved.*	———	——	——	H. ħ.		Bot. mag. t. 667.
15 coriàcea. W.	(pi.)	thick-leaved.	N. America.	1765.	6. 8.	H. ħ.		——— t. 1095.
nítida. M. *lùcida.* Lam. *mariána.* Jacq. ic. 3. t. 79. *nec aliorum.*								
16 acuminàta. W.	(wk.)	acute-leaved.	N. America.	——	8.	H. ħ.		Sm. exot. bot. 2. t. 89.
17 Catesb'æi. W.	(wk.)	spiny-leaved.	———	1793.	6. 7.	H. ħ.		Bot. mag. t. 1955.
spinulòsa. Ph.								
18 axillàris. W.	(wk.)	axil-flowering.	———	1765.	5. 8.	H. ħ.		Duham. ar. ed. nov. t. 39.
β *longifòlia.*	(wk.)	*long-leaved.*	———	——	——	H. ħ.		Bot. mag. t. 2357.
19 floribúnda. Ph.	(wk.)	many-flowered.	Georgia.	1812.	5. 6.	H. ħ.		——— t. 1566.
20 racemòsa. W.	(wk.)	branching.	N. America.	1736.	7.	H. ħ.		
21 spicàta. W.D.	(wk.)	spiked.	———	....	6. 7.	H. ħ.		Wats. dend. brit. t. 36.
22 arbòrea. W.	(wk.)	Sorrel-tree.	———	1752.	7. 9.	H. ħ.		Bot. mag. t. 905.
LY'ONIA. N.		LY'ONIA.	Decandria Monogynia. N.					
1 ferruginea. N.	(wk.)	rusty-leaved.	Georgia.	1784.	6. 7.	G. ħ.		Venten. malm. t. 80.
Andrómeda ferruginea. W.								
2 rígida. N.	(wk.)	rigid.	———	1774.	4. 5.	G. ħ.		Lodd. bot. cab. t. 430.
3 salicifòlia. W.D.	(wk.)	Willow-leaved.	N. America.	....	6. 7.	H. ħ.		Wats. dend. brit. t. 38.
4 paniculàta. N.	(wk.)	panicled.	———	1748.	5. 6.	H. ħ.		——— ——— t. 37.

5	capreæfòlia. W.D.	(*wk.*)	tendril-leaved.	N. America.	1812.	7.	H. ½.	Wats. dend. brit. t. 127
6	multiflòra. W.D.	(*wk.*)	many-flowered.	———	——	——	H. ½.	——— t. 128.
7	frondòsa. N.	(*wk.*)	bristly-flowered.	———	1806.	5. 6.	H. ½.	
MYLOC'ARYUM. W.en. BUCKWHEAT-TREE. Decandria Monogynia. W.								
	ligustrìnum. Ph. *Cliftònia ligustrìna.* S.S.	(*wk.*)	Privet-leaved.	Georgia.	1786.	5. 6.	G. ½.	Bot. mag. t. 1625.
CLE'THRA. W.			CLE'THRA.	Decandria Monogynia. W.				
1	alnifòlia. S.S.	(*wk.*)	Alder-leaved.	N. America.	1731.	8. 10.	H. ½.	Lam. ill. t. 369.
2	tomentòsa. S.S.	(*wk.*)	woolly-leaved.	———	——	——	H. ½.	Wats. dend. brit. t. 39.
3	scábra. S.S.	(*wk.*)	rough-leaved.	Georgia.	1806.	——	H. ½.	
4	acuminàta. S.S.	(*wk.*)	acute-leaved.	Carolina.	——	——	H. ½.	
5	paniculàta. S.S.	(*wk.*)	panicled.	N. America.	1770.	——	H. ½.	
6	arbòrea. S.S.	(*wk.*)	tree.	Madeira.	1784.	——	G. ½.	Bot. mag. t. 1057.
	β *variegàta.*	(*wk.*)	*variegated.*	———	——	——	G. ½.	
	γ *minor.*	(*wk.*)	*dwarf.*	———	....	——	G. ½.	
7	ferruginea. L.en.	(*wk.*)	ferruginous.	S. America.	1818.	——	G. ½.	
CYRI'LLA. L.			CYRI'LLA.	Pentandria Monogynia. L.				
	racemiflòra. L. *carolinìana.* P.S.	(*wk.*)	Carolina. *Itea Cyrílla.* W.	Carolina.	1765.	6. 8.	F. ½.	Bot. mag. t. 2456.
BROSS'ÆA. L.			BROSS'ÆA.	Pentandria Monogynia. L.				
	coccínea. L.	(*sc.*)	scarlet.	S. America.	....	....	S. ½.	Lam. ill. t. 111. f. 3.
BL'ÆRIA. W.			BL'ÆRIA.	Tetrandria Monogynia. W.				
1	ericoides. S.S.	(*pu.*)	heath-leaved.	C. B. S.	1774.	8. 10.	G. ½.	Wendl. coll. 1. t. 25.
2	muscòsa. S.S.	(*wk.*)	Moss-leaved.	———	——	6. 8.	G. ½.	
3	fasciculàta. S.S.	(*wk.*)	close-headed.	———	1812.	——	G. ½.	
4	paucifòlia. S.S.	(*fl.*)	few-leaved.	———	——	——	G. ½.	Wendl. coll. 2. t. 42.
5	articulàta. S.S.	(*bh.*)	jointed.	———	1795.	5. 6.	G. ½.	——— 2. t. 44.
6	scábra. S.S.	(*wk.*)	rough.	———	1806.	——	G. ½.	——— 1. t. 31.
7	deprèssa. R.S.	(*pu.*)	depressed.	———	1816.	——	G. ½.	
8	purpùrea. S.S.	(*pu.*)	purple-flowered.	———	1791.	——	G. ½.	
9	dumòsa. S.S.	(*ro.*)	bushy.	———	1806.	6. 8.	G. ½.	Wendl. coll. 2. t. 38.
10	glabélla. S.S.	(*wk.*)	smooth.	———	1816.	——	G. ½.	Seb. thes. 1. t. 20. f. 2.
11	ciliàris. S.S.	(*wk.*)	fringed.	———	1795.	——	G. ½.	Wendl. coll. 2. t. 49.
SYMPI'EZA. R.S.			SYMPI'EZA.	Tetrandria Monogynia. R.S.				
	capitellàta. R.S. *Blæria bracteàta.* Wend.	(*pu.*)	headed.	C. B. S.	1812.	6. 8.	G. ½.	Wendl. coll. 2. t. 37.
CALL'UNA. Sal.			CALL'UNA.	Octandria Monogynia.				
	vulgàris. W.en. *Erìca vulgàris.* E.B.	(*pi.*)	common.	Britain.	....	6. 8.	H. ½.	Eng. bot. v. 15. t. 1013.
	α *cárnea.*	(*pi.*)	*flesh-coloured.*	———	....	——	H. ½.	
	β *álba.*	(*wk.*)	*white-flowered.*	———	....	——	H. ½.	
	γ *múltiplex.*	(*pi.*)	*double-flowered.*	———	....	——	H. ½.	
ERI'CA. W.			HEATH.	Octandria Monogynia. L.				
1	absinthoides. H.K.	(*pu.*)	Wormwood-like.	C. B. S.	1792.	3. 6.	G. ½.	
2	act'æa. L.en.	(*wk.*)	cluster-leaved.	———	1810.	——	G. ½.	
3	acuminàta. A.H.	(*pi.*)	pointed-leaved.	———	1798.	5. 6.	G. ½.	Andr. heath. v. 3.
	β *pállida.*	(*pa.*)	*pale-flowered.*	———	——	——	G. ½.	
4	acùta. A.H.	(*re.*)	pointed-cupped.	———	1799.	5. 8.	G. ½.	Andr. heath. v. 2.
5	acutangulàris. L.C.	(*re.*)	acute-angled.	———	1823.	——	G. ½.	
6	adenóphora. S.S.	(*wk.*)	gland-haired.	———	1810.	——	G. ½.	
7	aggregàta. S.S.	(*li.*)	clustered.	———	——	——	G. ½.	Wendl. er. f. 13. n. 5.
8	Aitoniàna. H.K.	(*wk. re.*)	Aiton's.	———	1790.	6. 9.	G. ½.	Bot. mag. t. 429.
9	álbens. H.K.	(*wk.*)	pallid.	———	1789.	3. 8.	G. ½.	——— t. 440.
10	álbida. L.C.	(*wk.*)	white-flowered.	———	1823.	5. 8.	G. ½.	
11	alopecuroides. S.S.	(*li.*)	fox-tail.	———	1812.	——	G. ½.	Lodd. bot. cab. t. 874.
12	ambígua. S.S. *cylíndrica.* A.H.	(*pi.*)	ambiguous. *non* Thunb. *hybrida.* Hort.	———	1798.	——	G. ½.	Andr. heath. v. 1.
13	am'œna. H.K. *plumòsa.* A.H.	(*pu.*)	feathery.	C. B. S.	1795.	3. 7.	G. ½.	Wend. eric. 17. p. 73. ic.
14	ampullàcea. H.K.	(*bh.*)	flask.	———	1790.	6. 8.	G. ½.	Bot. mag. t. 303.
15	andromedæflòra. H.K.	(*pi.*)	Andromeda-fld.	———	1803.	3. 6.	G. ½.	——— t. 1250.
16	anthìna. S.S. *flòrida.* Hort. *non* W.	(*pu.*)	full-flowering.	———	1811.	——	G. ½.	
17	apérta. S.S.	(*re.*)	open-flowered.	———	——	——	G. ½.	
18	Aphànes. S.S.	(*wk.*)	Parsley-piert.	———	1820.	——	G. ½.	
19	arbòrea. S.S.	(*wk.*)	tree.	S. Europe.	1658.	2. 6.	G. ½.	
	β *stylòsa.* P.S.	(*wk.*)	*long-styled.*	———	——	——	G. ½.	
20	arbúscula. B.C.	(*re.*)	little-tree.	C. B. S.	1818.	4. 8.	G. ½.	Lodd. bot. cab. t. 843.
21	arctàta. L.C.	(*wk.*)	arched.	———	——	——	G. ½.	

22	Archeriàna. H.K.	(*re.*)	Lady Archer's.	C. B. S.	1796.	8. 11.	G. h.	Andr. heath. v. 2.
23	árdens. H.K.	(*sc.*)	ardent.	———	1800.	4. 6.	G. h.	Bot. reg. t. 115.
24	argentiflòra. S.S.	(*wh.*)	silvery-flowered.	———	1816.	——	G. h.	Andr. heath. v. 4.
25	aristàta. H.K.	(*cr.*)	awned.	———	1801.	3. 8.	G. h.	Bot. mag. t. 1249.
26	assúrgens. L.en.	(*wh.*)	assurgent.	———	1810.	5. 8.	G. h.	
27	aùrea. H.K.	(*ye.*)	golden.	———	1799.	7. 9.	G. h.	Andr. heath. v. 2.
28	auriculàris. L.T.	(*re.*)	eared.	———	1810.	3. 7.	G. h.	
29	austràlis. H.K.	(*re.*)	Spanish.	Spain.	1769.	4. 7.	H. h.	Andr. heath. v. 3.
30	axillàris. W.	(*pu.*)	axillary.	C. B. S.	1798.	5. 7.	G. h.	
31	azaleæfòlia. L.T.	(*li.*)	Azalea-leaved.	———	——	5. 8.	G. h.	
32	báccans. H.K.	(*li.*)	Arbutus-flower'd.	———	1774.	4. 7.	G. h.	Bot. mag. t. 358.
33	Bandoniàna. L.C.	(*bl.*)	Lord Bandon's.	———	1816.	5. 8.	G. h.	Andr. heath. v. 4.
34	Bánksii. H.K.	(*st.*)	Banks's.	———	1787.	2. 7.	G. h.	——— v. 1.
35	barbàta. H.K.	(*wh.*)	bearded.	———	1799.	5. 8.	G. h.	——— v. 2.
36	Beaumóntiæ. A.H.	(*wh.*)	Mrs. Beaumont's.	———	1820.	6. 8.	G. h.	——— v. 4.
37	bélla. S.S.	(*pu.*)	pretty.	———	——	——	G. h.	
38	Bergiàna. H.K.	(*re.*)	Bergius's.	———	1787.	4. 8.	G. h.	Lodd. bot. cab. t. 939.
	quadriflòra. A.H. v. 2.							
39	bícolor. W.	(*re.gr.*)	two-coloured.	———	1790.	8. 8.	G. h.	
	calathiflòra. L.T.							
40	biflòra. B.C.	(*wh.*)	two-flowered.	———	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 683.
41	blánda. H.K.	(*pi.*)	charming.	———	1800.	4. 9.	G. h.	Andr. heath. v. 3.
42	Blandfordiàna. H.K.	(*ye.*)	Blandford's.	———	1803.	3. 6.	G. h.	Bot. mag. t. 1793.
43	Bonplandiàna. B.M.	(*wh.*)	Bonpland's.	———	1816.	——	G. h.	——— t. 2126.
44	borboniæfòlia. L.T.	(*wh.*)	Borbonia-leaved.	———	——	——	G. h.	
45	Bowieàna. B.C.	(*wh.*)	Bowie's.	———	——	3. 9.	G. h.	Lodd. bot. cab. t. 842.
	Baubria. Andr. heath. v. 4.							
46	brachiàlis. L.T.	(*re.*)	armed.	———	1792.	——	G. h.	
47	bracteàta. W.	(*re.*)	red-bracted.	———	1800.	5. 7.	G. h.	
48	bracteolàris. P.S.	(*wh.*)	bracteate.	———	——	3. 7.	G. h.	
49	brevifòlia. L.T.	(*wh.*)	short-leaved.	———	....	8. 1.	G. h.	
50	Broadleyàna. A.H.	(*pi.*)	Broadley's.	———	1810.	5. 7.	G. h.	Andr. heath. v. 3.
51	bruniádes. W.	(*wh.*)	Brunia-like.	———	1790.	4. 7.	G. h.	
52	buccinifòra. B.M.	(*li.wh.*)	trumpet-flowered.	———	1816.	5. 9.	G. h.	Bot. mag. t. 2465.
53	c'æsia. L.T.	(*wh.*)	grey.	———	1795.	2. 5.	G. h.	
54	cáffra. A.H.	(*wh.*)	sweet-scented.	———	1774.	8. 10.	G. h.	Lodd. bot. cab. t. 196.
55	caledònica. S.S.	(*ro.*)	Caledonian.	———	1816.	5. 9.	G. h.	
56	callòsa. S.S.	(*li.*)	callous-leaved.	———	1799.	6. 9.	G. h.	Andr. heath. v. 3.
	canaliculàta β minor. A.H.							
57	calycìna. W.	(*pi.*)	calycine.	———	——	——	G. h.	
58	calyculàta. P.S.	(*br.*)	rusty-flowered.	———	1800.	5. 7.	G. h.	
59	campanulàta. H.K.	(*ye.*)	bell-flowered.	———	1791.	4. 8.	G. h.	Andr. heath. v. 1.
60	campylophy'lla. S.S.	(*li.*)	hook-leaved.	———	1802.	3. 5.	G. h.	
	incárva. A.H.							
61	canaliculàta. H.K.	(*li.*)	channelled.	———	1799.	8. 2.	G. h.	Andr. heath. v. 3.
62	canéscens. H.K.	(*li.*)	canescent.	———	1790.	5. 8.	G. h.	——— v. 2.
	eriocéphala. A.H. *non* Lam.							
63	càpax. L.T.	(*re.wh.*)	capacious.	———	1806.	——	G. h.	
64	capitàta. H.K.	(*st.*)	downy-headed.	———	1774.	3. 7.	G. h.	Andr. heath. v. 1.
65	carduifòlia. L.T.	(*li.*)	Carduus-leaved.	———	1806.	5. 7.	G. h.	
66	carinàta. B.C.	(*pi.*)	keeled.	———	——	6. 9.	G. h.	Lodd. bot. cab. t. 1071.
67	cárnea. L.	(*pi.*)	early dwarf.	Germany.	1763.	1. 8.	G. h.	Jacq. aust. t. 32.
68	carnìula. B.C.	(*fl.*)	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 926.
69	catervæfòlia. L.T.	(*li.*)	huddled-leaved.	———	1790.	4. 7.	G. h.	
70	Celsiàna. L.C.	(*re.*)	Cels's.	———	....	——	G. h.	
71	cephalòtes. W.	(*pu.*)	purple-headed.	———	1812.	3. 7.	G. h.	
72	cerinthoides. H.K.	(*sc.*)	honeywort-flower'd.	———	1774.	5. 9.	G. h.	Bot. mag. t. 220.
	α glabriúscula.	(*sc.*)	*smoothish.*	———	——	——	G. h.	
	β hispida.	(*sc.*)	*bristly.*	———	——	——	G. h.	
73	cérnua. H.K.	(*bl.*)	drooping-flowered.	———	1791.	8. 12.	G. h.	Mont. ac. ups. 2. t. 9. f. 3.
74	cervicifòra. L.T.	(*ye.*)	Stag's-horn-flower'd.	———	....	3. 7.	G. h.	
	inaperta. Hort.							
75	chlamydiflòra. L.T.	(*re.*)	cloaked-flower'd.	———	1801.	5. 9.	G. h.	
76	ciliàris. W.	(*pi.*)	ciliated.	Portugal.	1759.	7. 9.	H. h.	Bot. mag. t. 484.
77	ciliciiflòra. L.T.	(*wh.*)	fringe-flower'd.	C. B. S.	....	5. 8.	G. h.	
78	cinerásces. W.	(*pu.*)	greyish.	———	....	——	G. h.	
79	cinèrea. W.	(*pu.*)	fine-leaved.	Britain.	....	6. 9.	H. h.	Eng. bot. v. 15. t. 1015.
	α atropurpùrea.	(*d.pu.*)	*dark-purple.*	———	....	——	H. h.	Lodd. bot. cab. t. 1409.
	β rùbra.	(*re.*)	*red-flowered.*	———	....	——	H. h.	

	γ cárnea.	(*fl.*) *flesh-coloured.*	Britain.	....	6. 9.	H. ♄.	
	δ álba.	(*wh.*) *white-flowered.*	———	....	——	H. ♄.	
80	cistifòlia. L.en.	(*wh.*) Cistus-leaved.	C. B. S.	1799.	5. 8.	G. ♄.	Andr. heath. v. 2.
	barbàta β minor. A.H.						
81	clavæflòra. H.K.	(*gr.*) club-flowered.	———	1779.	8. 10.	G. ♄.	Andr. heath. v. 2.
	sessiliflòra. A.H. *non* L.						
82	clavàta. S.S.	(*gr.*) clubbed.	———	1812.	——	G. ♄.	Andr. heath. ic.
83	Clintòniæ. Lee.	(*ro.*) Lady Clinton's.	———	1816.	5. 8.	G. ♄.	
84	coarctàta. S.S.	(*li.*) close.	———	....	——	G. ♄.	Wendl. eric. f. 19. n. 1.
85	coccìnea. H.K.	(*sc.*) scarlet-flowered.	———	1783.	1. 12.	G. ♄.	Andr. heath. v. 1.
86	cólorans. B.R.	(*wh.*) changing-coloured.	———	1812.	1. 6.	G. ♄.	Bot. reg. t. 601.
87	comòsa. H.K.	(*re.wh.*) tufted.	———	1787.	4. 8.	G. ♄.	Ic. hort. kew. t. 18.
	α ròbra.	(*re.*) *red-flowered.*	———	——	——	G. ♄.	Wendl. eric. 12. p. 7. ic.
	β álba.	(*wh.*) *white-flowered.*	———	——	——	G. ♄.	Andr. heath. v. 2.
88	complanàta. S.S.	(*re.*) flattened.	———	....	——	G. ♄.	
89	Comptoniàna. S.S.	(*re.*) Lady Northampton's.	——	1820.	——	G. ♄.	Andr. heath. v. 4.
90	concàva. B.C.	(*pu.*) concave-flowered.	———	1808.	2. 5.	G. ♄.	Lodd. bot. cab. t. 194.
91	concínna. H.K.	(*bh.*) blush.	———	1773.	7. 10.	G. ♄.	Andr. heath. v. 2.
92	cóncolor. L.C.	(*wh.*) self-coloured.	———	....	3. 6.	G. ♄.	
93	confèrta. H.K.	(*wh.*) crowded-flowered.	———	1800.	10. 2.	G. ♄.	Andr. heath. v. 2.
94	confertifòlia. S.S.	(*re.*) crowded-leaved.	———	....	5. 8.	G. ♄.	
95	congésta. S.S.	(*wh.*) close-headed.	———	1812.	——	G. ♄.	Wendl. eric. f. 17. n. 5.
96	cònica. L.C.	(*re.*) conical.	———	1820.	——	G. ♄.	Lodd. bot. cab. t. 1179.
97	conspícua. H.K.	(*ye.*) conspicuous.	———	1774.	——	G. ♄.	Andr. heath. v. 2.
98	constántia. Lee.	(*re.*) constant-flowered.	———	1810.	——	G. ♄.	
99	cordàta. H.K.	(*wh.*) heart-leaved.	———	1799.	4. 7.	G. ♄.	Andr. heath. v. 3.
100	corifòlia. H.K.	(*bh.*) Coris-leaved.	———	1774.	8. 12.	G. ♄.	Bot. mag. t. 422.
	articulàris. B.M. *calycìna.* A.H.						
101	cory'dalis. L.T.	(*re.*) winged anthered.	———	1812.	2. 5.	G. ♄.	
102	costàta. H.K.	(*re.*) ribbed-flowered.	———	1795.	2. 6.	G. ♄.	Andr. heath. v. 1.
	β supérba. A.H.	(*bh.*) *superb.*		1820.	4. 5.	G. ♄.	——— v. 4.
103	Coventryàna. B.C.	(*ro.*) Lord Coventry's.	———	1808.	5. 6.	G. ♄.	Lodd. bot. cab. t. 428.
104	crassifòlia. A.H.	(*li.*) thick-leaved.	———	1826.	——	G. ♄.	Andr. heath. v. 4.
105	crinìta. B.C.	(*wh.*) long-haired.	———	1825.	——	G. ♄.	Bot. cab. t. 1432.
106	cristæflòra. L.T.	(*li.*) crested.	———	1803.	——	G. ♄.	
107	crossòta. S.S.	(*wh.*) fringed-calyxed.	———	1820.	——	G. ♄.	
108	cruciformis. S.S.	(*ye.*) cross-like.	———	1818.	——	G. ♄.	Andr. heath. v. 4.
109	cruénta. H.K.	(*cr.*) bloody-flowered.	———	1774.	9. 5.	G. ♄.	——— v. 1.
110	cùbica. H.K.	(*pu.*) cube-flowered.	———	1790.	4. 7.	G. ♄.	——— v. 1.
	β minor. B.C.	(*pu.*) *lesser cube-flowered.*	———	——	——	G. ♄.	Lodd. bot. cab. t. 972.
111	cumulifòra. L.T.	(*wh.*) heap-flowered.	———	1801.	5. 9.	G. ♄.	
112	curvifòra. H.K.	(*ye.*) curve-flowered.	———	1774.	7. 10.	G. ♄.	Andr. heath. v. 1.
113	curvirostris. L.T.	(*li.*) curve-styled.	———	1790.	——	G. ♄.	
	declinàta. Hort.						
114	Cushiniàna. Lee.	(*re.*) Cushin's.	———	1816.	——	G. ♄.	
115	cuspidígera. L.T.	(*li.*) cuspidate.	———	——	2. 5.	G. ♄.	
116	cylíndrica. Th.	(*wh.*) white cylindrical.	———	1810.	3. 5.	G. ♄.	
117	cyrillæflòra. L.T.	(*li.*) Cyrilla-flowered.	———	1800.	2. 8.	G. ♄.	
118	daphnæflòra. B.C.	(*bh.*) Daphne-flowered.	———	1791.	4. 5.	G. ♄.	Lodd. bot. cab. t. 643.
119	daphnoídes. B.C.	(*ro.*) Daphne-like.	———	——	——	G. ♄.	——— t. 154.
120	decípiens. S.S.	(*fl.*) slender woolly.	———	1822.	——	G. ♄.	
121	decólorans. W.	(*ro.wh.*) discoloured.	———	1812.	——	G. ♄.	
122	decòra. H.K.	(*li.*) graceful.	———	1790.	11. 1.	G. ♄.	Andr. heath. v. 3.
123	defléxa. L.C.	(*wh.*) deflexed.	———	1812.	5. 8.	G. ♄.	
124	demíssa. L.C.	(*re.*) low.	———	1810.	——	G. ♄.	
125	dénsa. S.S.	(*bh.*) dense.	———	——	——	G. ♄.	Andr. heath. ic.
126	densifòlia. W.	(*re.*) dense-leaved.	———	1811.	3. 8.	G. ♄.	
127	denticulàta. W.	(*wh.*) tooth-calyxed.	———	——	——	G. ♄.	Lodd. bot. cab. t. 1000.
	fastigiàta. A.H. *nec aliorum.*						
128	deprèssa. H.K.	(*wh.*) depressed.	———	1789.	6. 8.	G. ♄.	Andr. heath. v. 2.
	rupéstris. A.H.						
129	dianthifòlia. L.T.	(*re.*) pink-leaved.	———	1796.	3. 8.	G. ♄.	
130	diaphàna. S.S.	(*fl.*) transparent.	———	1800.	5. 8.	G. ♄.	Andr. heath. v. 4.
	transpàrens. B.C. 177. *non* Th.						
131	dìchrus. S.S.	(*re.gr.*) Andrew's 2-color'd.	———	1790.	8. 5.	G. ♄.	Andr. heath. v. 4.
	bícolor. A.H. *non* W.						
132	Dickensoniàna. L.C.	(*va.*) Mr. Dickenson's.	——	1809.	——	G. ♄.	
	α álba.	(*wh.*) *white-flowered.*	———	——	——	G. ♄.	
	β ròbra.	(*re.*) *red-flowered.*	———	——	——	G. ♄.	

133	diosmæfòlia. L.T.	(*li.*)	Diosma-leaved. C. B. S.	1792.	3. 7.	G. h.		
134	diotæflòra. L.T.	(*wh.*)	Diotis-flowered. ———	1795.	3. 8.	G. h.		
135	díscolor. H.K.	(*bh.*)	different-coloured. ———	1788.	10. 3.	G. h.	Andr. heath. v. 1.	
136	dístans. s.s.	(*vi.*)	distant. ———	1816.	——	G. h.		
137	Donniàna. Lee.	(*re.*)	Donn's. ———	1812.	5. 9.	G. h.		
138	droseroídes. A.H.	(*pu.*)	Sundew-like. ———	——	7. 10.	G. h.	Andr. heath. v. 4.	
	droseroídes β minor. A.H.							
139	dumòsa. A.H.	(*re.*)	bushy. ———	——	——	G. h.	Andr. heath. v. 4.	
140	echiiflòra. H.K.	(*pi.*)	Echium-flowered. ———	1798.	2. 7.	G. h.	——— v. 3.	
	β purpùrea. A.H.	(*pu.*)	*purple-flowered.* ———	1812.	——	G. h.	——— v. 4.	
141	elàta. H.K.	(*ye.*)	tall. ———	1790.	7. 9.	G. h.	——— v. 2.	
142	élegans. H.K.	(*pi.*)	elegant. ———	1799.	11. 5.	G. h.	Bot. mag. t. 960.	
143	elongàta. B.C.	(*wh.*)	elongated. ———	1820.	3. 6.	G. h.	Lodd. bot. cab. t. 738.	
144	emarginàta. A.H.	(*wh.*)	hairy cupped. ———	1800.	6. 10.	G. h.	Andr. heath. ic.	
145	embothriifòlia. L.T.	(*re.*)	Embothrium-leav'd. ——	——	2. 5.	G. h.		
146	empetrifòlia. H.K.	(*re.*)	crowberry-leaved. ———	1774.	4. 7.	G. h.	Bot. mag. t. 447.	
147	empetroídes. H.K.	(*pu.*)	close-flowered. ———	1788.	5. 8.	G. h.	Andr. heath. v. 2.	
148	epistòmia. L.C.	(*wh.*)	spiggot. ———	1800.	——	G. h.	Lodd. bot. cab. t. 1186.	
149	equisetifòlia. L.T.	(*re.*)	Equisetum-leaved. ———	——	——	G. h.		
	articulàris. Hort.							
150	eriocéphala. B.C.	(*wh.*)	woolly-headed. ———	1816.	6. 8.	G. h.	Lodd. bot. cab. t. 1270.	
151	eròsa. B.C.	(*bh.*)	gnawed-petal'd. ———	——	——	G. h.	——— t. 135.	
152	erubéscens. H.K.	(*bh.*)	reddish-flowered. ———	1800.	3. 8.	G. h.	Andr. heath. v. 3.	
153	Eweràna. H.K.	(*cr.*)	Ewer's. ———	1793.	7. 11.	G. h.	——— v. 2.	
	α glàbra.	(*cr.*)	*smooth-leaved.* ———	——	——	G. h.		
	β longiflòra.	(*cr.*)	*long-flowered.* ———	——	——	G. h.		
	γ pìlosa.	(*cr.*)	*hairy-leaved.* ———	——	——	G. h.		
154	exígua. L.T.	(*pu.*)	small downy. ———	1790.	3. 9.	G. h.		
155	exímia. L.C.	(*ro.*)	choice. ———	1811.	——	G. h.	Lodd. bot. cab. t. 1105.	
156	exsérta. L.C.	(*wh.*)	exserted. ———	1820.	——	G. h.		
157	expánsa. L.C.	(*re.*)	expanded. ———	1811.	——	G. h.		
158	exprómta. s.s.	(*re.*)	woolly-branched. ——	——	——	G. h.		
159	exsùdans. B.C.	(*pi.*)	sweating. ———	1810.	8. 10.	G. h.	Lodd. bot. cab. t. 287.	
160	exsúrgens. H.K.	(*or.re.*)	quiver-formed. ———	1792.	1. 12.	G. h.	Andr. heath. v. 1.	
161	fàbrilis. L.T.	(*re.*)	tiled-leaved. ———	1791.	4. 8.	G. h.		
162	fàllax. L.T.	(*wh.*)	viscous-flower'd. ———	——	11. 3.	G. h.		
163	fasciculàris. H.K.	(*ro.gr.*)	cluster-flower'd. ———	1787.	2. 7.	G. h.	Andr. heath. v. 1.	
	coronàta. A.H. *radiiflòra.* L.T.							
164	fastigiàta. W.	(*bh.*)	crowded. ———	1792.	2. 7.	G. h.	Andr. heath. v. 1.	
	Walkèri. A.H. v. 1. *nec* v. 4.							
165	fasta. L.T.	(*re.*)	bristly-leaved. ———	1795.	4. 6.	G. h.		
166	ferruginea. H.K.	(*cr.bh.*)	rusty. ———	1798.	5. 7.	G. h.	Andr. heath. v. 3.	
167	fèsta. L.T.	(*bh.*)	angular-stalked. ———	....	3. 5.	G. h.		
168	fibula. L.en.	(*li.*)	button. ———	1812.	5. 6.	G. h.		
169	filamentòsa. H.K.	(*re.*)	long-peduncled. ———	1800.	1. 12.	G. h.	Bot. reg. t. 6.	
170	filifórmis. L.T.	(*re.*)	filiform. ———	....	2. 5.	G. h.		
171	fimbriàta. A.H.	(*re.*)	fringed. ———	1800.	3. 7.	G. h.	Andr. heath. ic.	
172	finitìma. L.C.	(*pu.*)	related. ———	....	——	G. h.		
173	fistulæflòra. L.T.	(*wh.*)	white slender-flower'd. —	1800.	7. 11.	G. h.	Andr. heath. v. 3.	
	tenuiflòra β álba. A.H. *Cliffordiàna.* B.C. 34.							
174	fláccida. L.en.	(*wh.*)	flaccid. ———	1810.	——	G. h.		
175	flagellàris. L.en.	(*st.*)	whipcord. ———	——	——	G. h.		
176	flagelliformis. A.H.	(*re.*)	whipcord-like. ———	1812.	——	G. h.	Andr. heath. v. 4.	
177	flámmea. H.K.	(*ye.*)	flame-flowered. ———	1798.	10. 5.	G. h.	——— v. 2.	
	bìbax. L.T.							
178	flàva. H.K.	(*ye.*)	3-leaved yellow. ———	1795.	9. 4.	G. h.	Andr. heath. v. 2.	
	β imbricàta. B.M.	(*ye.*)	*imbricated.* ———	——	——	G. h.	Bot. mag. t. 1815.	
179	flexicaùlis. H.K.	(*re.*)	crook-stalked. ———	1800.	5. 1.	G. h.	Andr. heath. v. 2.	
	glandulòsa. A.H. *nec aliorum.*							
180	flexuòsa. H.K.	(*wh.*)	zigzag. ———	1792.	4. 7.	G. h.	Andr. heath. v. 1.	
181	floribúnda. B.C.	(*li.*)	many-flowered. ———	1800.	11. 3.	G. h.	Lodd. bot. cab. t. 176.	
182	flòrida. H.K.	(*pu.*)	florid. ———	1803.	5. 8.	G. h.	Thunb. eric. n. 64. t. 6.	
183	foliàcea. A.H.	(*ye.*)	foliaceous. ———	1822.	5. 7.	G. h.	Andr. heath. v. 4.	
184	folliculàris. H.K.	(*ye.*)	yellow pencilled. ———	1794.	2. 7.	G. h.	——— v. 1.	
	Petiveriàna. A.H.							
185	formòsa. W.	(*va.*)	handsome. ———	1795.	3. 8.	G. h.	Thunb. eric. n. 82. t. 3.	
	α álba.	(*wh.*)	*white-flowered. reflexa alba.* Hort. —	——	——	G. h.	Andr. heath. v. 4.	
	β rùbra.	(*re.*)	*red-flowered. reflexa rubra.* Hort. —	——	——	G. h.	——— v. 4.	
186	frágrans. H.K.	(*pu.*)	fragrant. C. B. S.	1803.	3. 7.	G. h.	Bot. mag. t. 2181.	

187	fúgax. L.T.	(*pu.*) fugacious. C. B. S.		1800.	3. 5.	G. ħ.	
188	furfurósa. H.K.	(*re.*) columnar-threaded. ——		1789.	8. 12.	G. ħ.	Andr. heath. v. 1.
	monadélpha. A.H. *non* B.M.						
189	gélida. H.K.	(*gr.*) green verticillate. ——		1790.	4. 7.	G. ħ.	Andr. heath. v. 2.
	gilva. W. *alveiflóra.* L.T.						
190	gemmífera. B.M.	(*or.*) jewel. ——		1802.	7. 10.	G. ħ.	Bot. mag. t 2266.
191	genistæfólia. L.T.	(*re.*) Genista-leaved. ——		....	10. 5.	G. ħ.	
192	glábra. L.en.	(*wh.*) glabrous. ——		1802.	5. 8.	G. ħ.	
193	glandulósa. Th.	(*cr.*) glandular-haired. ——		1801.	——	G. ħ.	
194	glaúca. H.K.	(*pu.*) glaucous-leaved. ——		1792.	——	G. ħ.	Bot. mag. t. 580.
195	globósa. W.	(*bl.*) globular-flowered. ——		1789.	7. 9.	G. ħ.	Andr. heath. v. 4.
196	glomeràta. S.S.	(*li.*) glomerate. ——		1812.	——	G. ħ.	—— v. 4.
197	glomiflóra. L.T.	(*wh.*) round-flowered. ——		....	4. 9.	G. ħ.	
198	glutinósa. H.K.	(*pu.*) glutinous. ——		1787.	7. 10.	G. ħ.	Icon. hort. kew. t. 17.
	droseroides. A.H.						
199	gnaphalódes. W.	(*wh.*) cudweed-like. ——		1812.	2. 4.	G. ħ.	Pluk. m. 68. t. 346. f. 11.
200	grácilis. H.K.	(*re.*) gracile. ——		1794.	2. 6.	G. ħ.	Wend. eric. 8. p. 9. ic.
201	grandiflóra. H.K.	(*ye.*) great-flowered. ——		1775.	5. 9.	G. ħ.	Bot. mag. t. 189.
202	grandinósa. B.C.	(*wh.*) hail-flowered. ——		1820.	——	G. ħ.	Lodd. bot. cab. t. 627.
203	halicácaba. H.K.	(*wh.*) bladder-flowered. ——		1780.	5. 8.	G. ħ.	Andr. heath. v. 2.
204	helianthemifólia. L.T.	plain-leaved. ——		1796.	6. 9.	G. ħ.	
205	herbàcea. L.	(*fl.*) trailing. S. Europe.		1768.	1. 8.	H. ħ.	Bot. mag. t. 471.
206	Hibbertiàna. H.K.	(*cr.gr.*) Hibbert's. C. B. S.		1800.	6. 9.	G. ħ.	Andr. heath. v. 3.
207	hirsùta. B.C.	(*wh.pu.*) hairy. ——		1812.	5. 8.	G. ħ.	Lodd. bot. cab. t. 754.
208	hírta. W.	(*re.*) hairy-leaved. ——		1795.	4. 7.	G. ħ.	Thunb. eric. n. 56. t. 2.
209	hirtiflóra. B.M.	(*li.*) hairy-flowered. ——		1790.	——	G. ħ.	Bot. mag. t. 481.
210	híspida. S.S.	(*re.*) hispid. ——		1791.	7. 9.	G. ħ.	Andr. heath. ic.
211	hispídula. W.	(*pu.*) bristly-stemmed. ——		——	6. 8.	G. ħ.	
212	holoserícea. L.T.	(*wh.*) velvetty. ——		....	2. 7.	G. ħ.	
213	horizontàlis. H.K.	(*wh.*) horizontal-leaved. ——		1800.	7. 9.	G. ħ.	Andr. heath. v. 2.
214	Humeàna. B.C.	(*pi.*) Sir A. Hume's. ——		1808.	5. 7.	G. ħ.	Lodd. bot. cab. t. 389.
215	humifúsa. L.T.	(*pi.*) low. ——		....	6. 7.	G. ħ.	
216	hyacinthoides. H.K.	(*pi.*) Hyacinth-flower'd. ——		1798.	6. 8.	G. ħ.	Andr. heath. v. 3.
217	hyssopifólia. L.T.	(*re.*) Hyssop-leaved. ——		1800.	5. 9.	G. ħ.	
218	ignéscens. H.K.	(*or.sc.*) fiery. ——		1792.	3. 7.	G. ħ.	Andr. heath. v. 2.
219	imbecílla.	(*re.*) feeble. ——		1793.	6. 7.	G. ħ.	
	grácilis. L.T. *nec aliorum.*						
220	imbricàta. W.	(*pu.*) imbricated. ——		1786.	5. 8.	G. ħ.	Lodd. bot. cab. t. 1243.
221	imperiàlis. S.S.	(*ro.*) imperial. ——		1816.	——	G. ħ.	Andr. heath. v. 4.
222	incàna. S.S.	(*wh.re.*) hoary. ——		——	——	G. ħ.	Wend. er. f. 18. n. 4. ic.
223	incarnàta. W.	(*fl.*) flesh-coloured. ——		1791.	——	G. ħ.	Andr. heath. v. 1.
224	incúrva. W.	(*wh.*) incurved. ——		——	——	G. ħ.	
225	inflàta. W.	(*ro.*) inflated. ——		1800.	5. 9.	G. ħ.	Thunb. dis. n. 67. t. 2. f. 2.
226	infundibulifórmis.	(*ro.wh.*) funnel-flower'd. ——		1812.	——	G. ħ.	Lodd. bot. cab. t. 589.
227	intertéxta. B.C.	(*wh.*) interwoven. ——		1810.	——	G. ħ.	—— t. 1034.
228	intervallàris. L.T.	(*bl.*) distant-leaved. ——		——	5. 11.	G. ħ.	
229	Irbyàna. A.H.	(*bl.*) Irby's. ——		1800.	6. 10.	G. ħ.	Andr. heath. v. 3.
230	jasminiflóra. H.K.	(*wh.*) Jasmine-flower'd. ——		1794.	——	G. ħ.	—— v. 1.
231	jubàta. S.S.	(*re.*) crest-flowered. ——		1816.	——	G. ħ.	
232	Juliàna. S.S.	(*re.*) Julian's. ——		1812.	5. 10.	G. ħ.	Lodd. bot. cab. t. 799.
233	labiàlis. L.T.	(*pi.*) lipped. ——		——	——	G. ħ.	
234	lachneæfólia. H.K.	(*pu.*) Lachnea-leaved. ——		1793.	5. 7.	G. ħ.	Andr. heath. v. 3.
235	lactiflóra. B.C.	(*st.*) milk-coloured. ——		1816.	——	G. ħ.	Lodd. bot. cab. t. 991.
	tricolor. S.S.						
236	l'ævis. A.H.	(*wh.*) smooth. ——		1790.	3. 6.	G. ħ.	Andr. heath. v. 3.
237	Lambertiàna. H.K.	(*wh.*) Lambert's. ——		1800.	5. 8.	G. ħ.	—— v. 2.
238	lanàta. W.	(*sn.*) woolly. ——		1775.	2. 5.	G. ħ.	Wend. eric. f. 5. n. 2.
239	lanceolàta. P.S.	(*wh.*) spear-leaved. ——		1791.	6. 12.	G. ħ.	—— fasc. 8. p. 13. ic.
240	lanuginósa. H.K.	(*br.*) large brown-flower'd. ——		1803.	9. 1.	G. ħ.	Andr. heath. v. 3.
241	laricina. S.S.	(*pi.*) Larch-leaved. ——		1824.	6. 8.	G. ħ.	
242	lasiophýlla. S.S.	(*li.*) downy-leaved. ——		1816.	5. 8.	G. ħ.	
243	lateràlis. H.K.	(*fl.*) side-flowered. ——		1791.	3. 7.	G. ħ.	Andr. heath. v. 1.
244	latifólia. H.K.	(*re.*) broad-leaved. ——		1800.	5. 8.	G. ħ.	—— v. 2.
245	lavandulæfólia. L.T.	(*re.*) Lavender-leaved. ——		1795.	——	G. ħ.	
246	Lawsòni. B.M.	(*re.*) red slender-flower'd. ——		1802.	4. 7.	G. ħ.	Bot. mag. t. 1720.
247	láxa. H.K.	(*li.*) loose-flowered. ——		1800.	9. 2.	G. ħ.	Andr. heath. v. 3.
248	Leeàna. H.K.	(*ye.*) Lee's. ——		1788.	8. 1.	G. ħ.	—— v. 1.
249	leptocárpha. S.S.	(*re.*) slender chaffed. ——		1824.	4. 7.	G. ħ.	
250	leucántha. L.en.	(*wh.*) white-blossomed. ——		1803.	1. 5.	G. ħ.	Andr. heath. v. 2.
	leucanthèra. A.H. *non* L.						

251	leucanthèra. w.	(*wh.*)	white-tipped.	C. B.S.	1803.	2. 6.	G. ħ.	
252	Linnæàna. H.K.	(*pu.wh.*)	Linnæus's.	———	1790.	1. 5.	G. ħ.	Andr. heath. v. 2.
	Linnæoides. A.H.							
	β superba. A.H.	(*pu.wh.*)	*superb.*	———	1822.	——	G. ħ.	Andr. heath. v. 4.
253	longiflora. B.C.	(*ye.*)	long-flowered.	———	....	4. 8.	G. ħ.	Lodd. bot. cab. t. 969.
254	longifòlia. w.	(*re.*)	long-leaved.	———	1787.	2. 7.	G. ħ.	Wend. eric. t. 3.
	pinea. Wend.							
255	longipedunculàta.	(*li.*)	long-stalked.	———	1818.	3. 8.	G. ħ.	Lodd. bot. cab. t. 103.
256	lùcida. H.K.	(*pi.*)	lucid.	———	1800.	4. 1.	G. ħ.	Andr. heath. v. 2.
257	lùtea. H.K.	(*ye.*)	yellow.	———	1774.	2. 5.	G. ħ.	——— v. 1.
258	lyrígera. L.T.	(*re.*)	lyre-bearing.	———	1790.	——	G. ħ.	
259	magnífica. S.S.	(*ro.*)	magnificent.	———	1816.	4. 8.	G. ħ.	Andr. heath. v. 4.
260	mammòsa. w.	(*pu.*)	nipple.	———	1762.	7. 10.	G. ħ.	— ——— v. 1.
	α purpùrea.	(*pu.*)	*purple-flowered.*	———	——	——	G. ħ.	Lodd. bot. cab. t. 125.
	β pállida.	(*li.*)	*pale-flowered.*	———	——	——	G. ħ.	——— t. 951.
261	margaritàcea. H.K.	(*wh.*)	pearl-flowered.	———	1775.	5. 9.	G. ħ.	Andr. heath. v. 1.
262	marifòlia. H.K.	(*wh.*)	Marum-leaved.	———	1773.	5. 7.	G. ħ.	——— v. 1.
263	Massòni. H.K.	(*or.gr.*)	Masson's.	———	1787.	7. 10.	G. ħ.	Bot. mag. t. 336.
264	mediterrànea. w.	(*re.*)	Mediterranean.	Portugal.	1048.	3. 5.	H. ħ.	——— t. 471.
265	melanthèra. w.	(*li.*)	dark-anthered.	C. B. S.	1803.	6. 8.	G. ħ.	Lodd. bot. cab. t. 867.
266	melástoma. A.H.	(*ye.*)	black-anthered.	———	1795.	4. 7.	G. ħ.	——— t. 333.
267	mellífera. S.S.	(*pu.*)	honey-bearing.	———	1816.	——	G. ħ.	
268	metulæflòra. H.K.	(*re.*)	nine-pin.	———	1798.	6. 8.	G. ħ.	Bot. mag. t. 612.
269	microphýlla. L.C.	(*re.*)	small-leaved.	———	....	——	G. ħ.	
270	micróstoma. S.S.	(*re.*)	aggregate-flower'd.	———	1816.	——	G. ħ.	
271	minutæflòra. A.R.	(*pu.*)	minute-flowered.	———	1822.	5. 7.	G. ħ.	Andr. heath. v. 4.
272	mirábilis. A.H.	(*pu.*)	wonderful.	———	——	3. 8.	G. ħ.	——— v. 4.
273	modésta. L.T.	(*bh.*)	modest.	———	....	——	G. ħ.	
274	molleàris. P.S.	(*pu.*)	soft-leaved.	———	1803.	4. 10.	G. ħ.	
275	móllis. S.S.	(*pu.*)	soft.	———	1816.	——	G. ħ.	Andr. heath. v. 4.
276	mollíssima. L.C.	(*wh.*)	softest.	———	....	——	G. ħ.	
277	monadélpha. B.M.	(*wh..*)	monadelphous.	———	1789.	5. 7.	G. ħ.	Bot. mag. t. 1370.
	Bánksia β purpùrea. A.H.							
278	Monsòniæ. H.K.	(*wh.*)	Lady Monson's.	———	1787.	4. 9.	G. ħ.	Bot. mag. t. 1915.
279	montàna. L.C.	(*li.*)	mountain.	———	1816.	——	G. ħ.	
280	moschàta. A.H.	(*li.*)	musky.	———	1805.	5. 7.	G. ħ.	Andr. heath. v. 4.
281	mucòsa. H.K.	(*pu.*)	mucous.	———	1787.	2. 4.	G. ħ.	——— v. 1.
282	mùcosoides. L.C.	(*li.*)	mucous-like.	———	1800.	3. 4.	G. ħ.	Lodd. bot. cab. t. 1212.
283	mucronàta. S.S.	(*re.*)	mucronate.	———	1812.	4. 8.	G. ħ.	Andr. heath. v. 4.
284	multiflòra. H.K.	(*bh.*)	many-flowered.	France.	1731.	6. 11.	G. ħ.	——— v. 2.
285	múnda. L.T.	(*bh.*)	neat-flowered.	C. B. S.	....	5. 7.	G. ħ.	
286	múndula. B.C.	(*pi.*)	neat.	———	1816.	3. 8.	G. ħ.	Lodd. bot. cab. t. 114.
287	Muscàri. H.K.	(*st.*)	musk.	———	1790.	——	G. ħ.	Andr. heath. v. 1.
288	mutábilis. H.K.	(*pu.*)	mutable.	———	1798.	2. 10.	G. ħ.	— ——— v. 3.
289	nàna. L.T.	(*ye.*)	dwarf.	———	1792.	5. 8.	G. ħ.	——— v. 2.
	deprèssa. A.H.							
290	nidiflòra. L.T.	(*bh.*)	nest-flowered.	———	....	10. 5.	G. ħ.	
291	nidulària. B.C.	(*pi.*)	nest-like.	———	1816.	5. 8.	G. ħ.	Lodd. bot. cab. t. 764.
292	nigricans. S.S.	(*wh.*)	black-stamened.	———	——	——	G. ħ.	
293	nigrita. H.K.	(*wh.*)	black-tipped.	———	1790.	3. 7.	G. ħ.	Andr. heath. v. 1.
294	nítida. H.K.	(*wh.*)	shining.	———	1800.	7. 10.	G. ħ.	——— v. 3.
295	nivàlis. A.H.	(*wh.*)	snowy-flowered.	———	1820.	5. 6.	G. ħ.	——— v. 4.
296	nívea. S.S.	(*wh.*)	snowy.	———	1816.	5. 9.	G. ħ.	
297	Nivèni. H.K.	(*re.*)	Niven's.	———	1799.	2. 7.	G. ħ.	Andr. heath. v. 2.
298	nolæflòra. L.T.	(*re.*)	bell-shaped.	———	....	2. 5.	G. ħ.	
299	notábilis. S.S.	(*re.*)	notable.	———	1816.	3. 8.	G. ħ.	
300	nudiflòra. w.	(*ye.*)	small-bracted.	———	1783.	7. 8.	G. ħ.	
301	obbàta. H.K.	(*re.wh.*)	bottle.	———	1796.	4. 7.	G. ħ.	Andr. heath. v. 2.
302	obcordàta. S.S.	(*wh.*)	obcordate.	———	1812.	——	G. ħ.	
303	oblíqua. H.K.	(*pu.*)	oblique-leaved.	———	1789.	8. 10.	G. ħ.	Andr. heath. v. 1.
304	obtùsa. B.C.	(*re.*)	obtuse.	———	1816.	5. 8.	G. ħ.	Lodd. bot. cab. t. 1027.
305	octogòna. L.C.	(*re.*)	eight-angled.	———	——	——	G. ħ.	
306	odoràta. H.K.	(*wh.*)	perfumed.	———	1804.	4. 7.	G. ħ.	Andr. heath. v. 3.
307	ollùla. S.S.	(*ro.*)	close smooth-leav'd.	———	1812.	——	G. ħ.	——— v. 4.
308	onosmæflòra. L.T.	(*ye.*)	Onosma-flowered.	———	1789.	9. 5.	G. ħ.	——— v. 1.
	glutinòsa. A.H.	*viscòsa.* Wend.						
309	oppositifòlia. A.H.	(*wh.*)	opposite-leaved.	———	1804.	3. 5.	G. ħ.	Andr. heath. c. ic.
	α álba.	(*wh.*)	*white-flowered.*	———	——	——	G. ħ.	Lodd. bot. cab. t. 1343.
	β rùbra. B.C.	(*re.*)	*red-flowered.*	———	——	——	G. ħ.	——— t. 1060.

310	ostrìna. B.C.	(*sc.*)	scarlet-flowered.	C. B. S.	1824.	3. 6. G. ♄.	Lodd. bot. cab. t. 1218.
311	ovàta. B.C.	(*re.*)	oyate.	———	1791.	2. 5. G. ♄.	——— t. 417.
312	oxycoccifòlia. L.T.	(*bk.*)	Cranberry-leaved.	———	——	—— G. ♄.	
313	pállens. S.S.	(*st.*)	pale.	———	1812.	3. 8. G. ♄.	Andr. heath. v. 4.
314	pállida. B.C.	(*pu.*)	pallid.	———	——	—— G. ♄.	Lodd. bot. cab. t. 1355.
315	pallidiflòra. L.T.	(*pa.*)	pale-flowered.	———	....	2. 8. G. ♄.	
316	palústris. H.K.	(*bk.*)	marsh.	———	1799.	5. 10. G. ♄.	Andr. heath. v. 2.
317	paniculàta. W.	(*pu.*)	panicled.	———	1774.	2. 8. G. ♄.	Lodd. bot. cab. t. 1194.
318	pannòsa. L.T.	(*wh.*)	cloth-flowered.	———	....	2. 6. G. ♄.	
319	párilis. L.T.	(*re.*)	matched.	———	1789.	5. 8. G. ♄.	
320	Parmentièri. B.C.	(*wh.*)	Parmentier's.	———	1816.	—— G. ♄.	Lodd. bot. cab. t. 197.
	β ròsea. L.C.	(*ro.*)	*rose-coloured.*	———	——	—— G. ♄.	
321	parviflòra. L.T.	(*pu.*)	small-fid. downy.	———	1790.	3. 9. G. ♄.	
322	Passerìna. W.	(*wh.*)	sparrow-wort.	———	1800.	11. 5. G. ♄.	Petiv. gaz. t. 3. f. 7.
323	pátens. A.H.	(*pu.*)	spreading.	———	——	3. 6. G. ♄.	Andr. heath. v. 3.
324	Patersòni. H.K.	(*ye.*)	Paterson's.	———	1791.	3. 8. G. ♄.	——— v. 1.
325	pavettæflòra. L.T.	(*wh.*)	Pavetta-flowered.	———	....	5. 8. G. ♄.	
326	pectinifòlia. L.T.	(*bk.*)	pectinated.	———	1800.	11. 6. G. ♄.	
327	pedunculàta. S.S.	(*re.*)	peduncled.	———	1810.	5. 9. G. ♄.	
328	pellùcida. A.H.	(*wh.*)	pellucid.	———	1800.	10. 6. G. ♄.	Andr. heath. v. 3.
	β rùbra. A.H.	(*re.*)	*red-flowered.*	———	1806.	—— G. ♄.	——— v. 4.
329	peltàta. A.H.	(*gr.pu.*)	peltate-stigma'd.	———	1804.	4. 8. G. ♄.	——— v. 4.
330	péndula. W.	(*pu.*)	pendulous.	———	1791.	7. 8. G. ♄.	Lodd. bot. cab. t. 902.
331	penicillàta. A.H.	(*re.*)	pencilled.	———	1774.	4. 7. G. ♄.	Andr. heath. v. 2.
332	penicilliflòra. L.T.	(*wh.*)	white-pencilled.	———	1792.	5. 8. G. ♄.	Wend. eric. 4. p. 5. ic.
333	periplocæfòlia. L.T.	(*li.*)	Periploca-leaved.	———	——	8. 12. G. ♄.	
334	persolùta. H.K.	(*re.*)	garland.	———	1774.	2. 5. G. ♄.	Bot. mag. t. 342.
335	perspícua. H.K.	(*wh.*)	clear-flowered.	———	1790.	3. 6. G. ♄.	Wend. eric. 1. p. 7. ic.
	β Linn'æa. A.H. v. 2.						
336	petiolàta. H.K.	(*wh.*)	rosemary-leaved.	———	1774.	3. 7. G. ♄.	Andr. heath. v. 3.
337	Petiveriàna. H.K.	(*ye.*)	Petiver's.	———	——	—— G. ♄.	Lam. ill. t. 288. f. 3.
338	Peziza. B.C.	(*wh.*)	button-flowered.	———	....	5. 8. G. ♄.	Lodd. bot. cab. t. 265.
339	phylicoídes. W.	(*pu.*)	Phylica-like.	———	1800.	4. 7. G. ♄.	
340	physòdes. H.K.	(*wh.*)	sticky.	———	1788.	3. 7. G. ♄.	Bot. mag. t. 443.
341	pícta. L.C.	(*wh.ye.*)	painted.	———	1800.	—— G. ♄.	
342	pilòsa. S.S.	(*gr.*)	pilose.	———	——	—— G. ♄.	Lodd. bot. cab. t. 606.
343	pilulífera. W.	(*pu.*)	ball-bearing.	———	1789.	4. 5. G. ♄.	
344	pìnea. S.S.	(*wh.*)	Pine-like.	———	1790.	8. 12. G. ♄.	
	β purpùrea. L.C.	(*pu.*)	*purple.*	———	——	—— G. ♄.	Lodd. bot. cab. t. 1259.
345	pinifòlia. A.H.	(*re.*)	Pine-leaved.	———	1790.	6. 12. G. ♄.	Andr. heath. v. 1.
	pityophy'lla. S.S.						
	a coccínea. A.H.	(*sc.*)	*scarlet.*	———	——	—— G. ♄.	Andr. heath. v. 1.
	β discolor. A.H.	(*wh.pu.*)	*two-coloured.*	———	1820.	—— G. ♄.	——— v. 4.
346	planifòlia. A.H.	(*re.*)	flat-leaved.	———	——	—— G. ♄.	——— v. 3.
347	Plukenetiàna. H.K.	(*sc.*)	Plukenet's.	———	1774.	4. 7. G. ♄.	——— v. 1.
	β pállida. L.C.	(*pa.*)	*pale-flowered.*	———	——	—— G. ♄.	
	γ álbens. A.H.	(*wh.*)	*white-flowered.*	———	——	—— G. ♄.	Andr. heath. v. 4.
348	poly'tricha.	(*sc.gr.*)	many-haired.	———	1804.	7. 10. G. ♄.	Lodd. bot. cab. t. 1116.
	hírta. Lod. bot. cab. *nec aliorum pilòsa.* Hort.						
349	pr'æcox. L.C.	(*li.*)	early-dwarf.	———	1805.	2. 5. G. ♄.	Lodd. bot. cab. t. 1413.
350	præ'gnans. A.H.	(*bk.*)	swelled.	———	1796.	5. 7. G. ♄.	Andr. heath. v. 3.
	β coccínea.	(*sc.*)	*scarlet-flowered.*	———	——	—— G. ♄.	——— v. 4.
351	præ'stans. S.S.	(*bk.*)	excelling.	———	——	—— G. ♄.	——— v. 4.
352	primuloídes. A.H.	(*re.wh.*)	Cowslip-flower'd.	———	1802.	4. 7. G. ♄.	Bot. mag. t. 1548.
353	prínceps. H.K.	(*pi.*)	fine red.	———	1800.	—— G. ♄.	Andr. heath. v. 2.
354	pròcera. S.S.	(*ye.*)	lofty.	———	1791.	—— G. ♄.	
355	procúmbens. S.S.	(*re.*)	procumbent.	———	1816.	—— G. ♄.	
356	propéndens. H.K.	(*pu.*)	pendent.	———	1800.	7. 8. G. ♄.	Bot. mag. t. 2140.
357	protrùdens. L.en.	(*wh.*)	protruding.	———	1816.	5. 8. G. ♄.	
358	pubéscens. H.K.	(*li.*)	pale downy.	———	1790.	2. 12. G. ♄.	
359	pubígera. L.T.	(*li.*)	pubescent-flowered.	———	1792.	1. 5. G. ♄.	
360	pudibúnda. L.T.	(*bk.*)	nodding.	———	1812.	3. 8. G. ♄.	Wend. eric. f. 3. p. 5. ic.
	nùtans. Wendland.						
361	pulchélla. W.	(*re.*)	neat.	———	——	—— G. ♄.	Thunb. dis. n. 24. t. 4. f. 2.
362	pulchérrima.	(*ro.wh.*)	beautiful.	———	1820.	7. 10. G. ♄.	Andr. heath. v. 4.
	jasminiflòra β minor. A.H. v. 4. *Irbydna.* Hort. *non* Andr.						
363	pulverulénta. L.C.	(*wh.*)	powdered.	———	——	3. 8. G. ♄.	
364	pulviniformis. L.T.	(*bk.*)	cushion.	———	....	2. 5. G. ♄.	
365	pùmila. S.S.	(*li.*)	short.	———	1812.	3. 8. G. ♄.	Andr. heath. v. 4.

366	pùra. B.C.	(*wh.*) clear.	C. B. S.	1812.	5. 8.	G. ♄.	Lodd. bot. cab. t. 72.
367	purpùrea. H.K.	(*pu.*) purple-flowered.	———	1789.	1. 12.	G. ♄.	Andr. heath. v. 2.
368	pusílla. L.T.	(*bh.*) low.	———	....	6. 7.	G. ♄.	
369	pyramidàlis. H.K.	(*bh.*) pyramidal.	———	1787.	2. 5.	G. ♄.	Bot. mag. t. 366.
370	pyramidiformis. S.S.	(*bh.*) pyramid-formed.	———	1818.	——	G. ♄.	
371	pyrolæflòra. L.T.	(*wh.*) Pyrola-flowered.	———	1790.	5. 7.	G. ♄.	Andr. heath. v. 4.
	andromedæflòra β *álba*. A.H. v. 4.						
372	quadræflòra. L.T.	(*re.*) four-flowered.	———	——	3. 8.	G. ♄.	
373	quadrangulàris. A.H.	(*fl.wh.*) square-tubed.	———	1812.	5. 8.	G. ♄.	Andr. heath. v. 4.
374	radiàta. H.K.	(*re.*) rayed.	———	1798.	8. 11.	G. ♄.	——— v. 1.
	β *discolor*. A.H.	(*re.wh.*) *two-coloured.*	———	1820.	——	G. ♄.	——— v. 4.
375	racemòsa. W.	(*fl.*) racemed.	———	1795.	4. 5.	G. ♄.	
376	racemífera. H.K.	(*re.*) compact-flowered.	———	1803.	4. 6.	G. ♄.	Andr. heath. v. 2.
377	ramentàcea. H.K.	(*pu.*) slender-branched.	———	1786.	7. 12.	G. ♄.	——— v. 1.
378	ramulòsa. Viv.	(*li.*) Italian.	Italy.	1826.	5. 8.	H. ♄.	
379	recurvàta. B.C.	(*wh.*) recurved.	C. B. S.	1812.	——	G. ♄.	Lodd. bot. cab. t. 1093.
380	reflèxa. S.S.	(*pu.wh.*) reflexed.	———	....	——	G. ♄.	
381	refúlgens. A.H.	(*ro.gr.*) refulgent.	———	1816.	5. 9.	G. ♄.	Andr. heath. v. 4.
382	regérminans. W.	(*li.*) clustered-flower'd.	———	1791.	5. 8.	G. ♄.	
383	resinòsa. H.K.	(*or.*) varnished.	———	1803.	——	G. ♄.	Bot. mag. t. 1139.
	vèrnix. A.H. v. 3.						
384	retórta. H.K.	(*ro.*) recurved-leaved.	———	1787.	——	G. ♄.	Bot. mag. t. 362.
385	retroflèxa. H.K.	(*re.*) jointed.	———	——	7. 9.	G. ♄.	Andr. heath. v. 1.
	pulchélla. A.H. *non* Th. *articulàris*. Th. *non* L.						
386	rígida. B.C.	(*re.*) rigid.	———	1820.	5. 8.	G. ♄.	Lodd. bot. cab. t. 1286.
387	rigidifòlia. S.S.	(*re.*) rigid-leaved.	———	1816.	6. 8.	G. ♄.	
388	Rollisòni.	(*bh.*) Rollison's.	———	1823.	5. 8.	G. ♄.	Andr. heath. v. 4.
	exsúrgens β *hybrida*. A.H. v. 4.						
389	ròsea. H.K.	(*ro.*) rose-coloured.	———	1798.	6. 10.	G. ♄.	Andr. heath. v. 2.
390	rubélla. B.M.	(*re.*) reddish.	———	1812.	5. 8.	G. ♄.	Bot. mag. t. 2165.
391	rùbens. H.K.	(*re.*) red-flowered.	———	1798.	6. 9.	G. ♄.	
392	rùbida. B.C.	(*re.*) ruby.	———	1820.	——	G. ♄.	Lodd. bot. cab. t. 1166.
393	rubrosépala. (*re.wh.*)	red-calyxed.	———	1825.	——	G. ♄.	Andr. heath. v. 4.
	ràber-cályx. A.H. v. 4.						
394	rugòsa. S.S.	(*ye.pi.*) wrinkled.	———	1812.	——	G. ♄.	Andr. heath. v. 4.
395	Russeliàna. B.C.	(*ro.*) Duke of Bedford's.	———	1824.	——	G. ♄.	Lodd. bot. cab. t. 1013.
396	Sainsburyàna. S.S.	(*ro.*) Sainsbury's.	———	1804.	7. 9.	G. ♄.	Andr. heath. v. 4.
397	sálax. L.T.	(*re.*) broad-stigma'd.	———	1796.	5. 9.	G. ♄.	
398	Salisburyàna. S.S.	(*ro.*) Salisbury's.	———	1815.	——	G. ♄.	Andr. heath. v. 4.
399	sanguínea. B.C.	(*cr.*) bloody.	———	....	3. 8.	G. ♄.	Lodd. bot. cab. t. 86.
400	sanguinolénta. B.M.	(*pu.*) dark-flowered.	———	1810.	——	G. ♄.	Bot. mag. t. 2263.
	pygmæa. Andr. heath. v. 4.						
401	Savileàna.	(*re.*) Savile's.	———	1800.	6. 7.	G. ♄.	Lodd. bot. cab. t. 96.
402	scabriúscula. B.C.	(*wh.*) roughish.	———	——	——	G. ♄.	——— t. 517.
403	scariòsa. B.C.	(*li.*) scariose.	———	——	——	G. ♄.	——— t. 477.
404	Schóllii. B.C.	(*pu.*) Scholl's.	———	1790.	5. 9.	G. ♄.	——— t. 538.
405	scopària. W.	(*gr.*) small green-fld.	S. Europe.	1770.	4. 5.	F. ♄.	Linn. eric. n. 14. f. fl.
406	Sebàna. H.K.	(*re.*) Seba's.	C. B. S.	1774.	3. 6.	G. ♄.	Andr. heath. v. 1.
	a fúsca. Lod.	(*br.*) *brown-flowered.*	———	——	——	G. ♄.	
	β *làtea*. Lod.	(*ye.*) *yellow-flowered.*	———	——	——	G. ♄.	Lodd. bot. cab. t. 266.
	γ *minor*. Lod.	(*or.*) *smaller.*	———	——	——	G. ♄.	
407	selaginifòlia. L.T.	(*re.*) Selago-leaved.	———	1801.	2. 6.	G. ♄.	
408	serpyllifòlia. B.C.	(*li.*) Serpyllum-leaved.	———	1812.	5. 8.	G. ♄.	Lodd. bot. cab. t. 744.
409	serratifòlia. H.K.	(*ye.*) saw-leaved.	———	1790.	8. 12.	G. ♄.	Andr. heath. v. 1.
410	serrulàta. L.C.	(*ye.*) sawed.	———	1814.	6. 8.	G. ♄.	
411	setácea. A.H.	(*bh.*) bristly-leaved.	———	1796.	2. 8.	G. ♄.	Andr. heath. v. 1.
412	sexfària. H.K.	(*wh.*) six-angled.	———	1774.	5. 8.	G. ♄.	——— v. 2.
413	Shannoniàna. A.H.	(*bh.*) Earl Shannon's.	———	1800.	6. 7.	G. ♄.	Lodd. bot. cab. t. 168.
414	sicæfòlia. L.T.	(*re.*) dagger-leaved.	———	1791.	2. 7.	G. ♄.	
415	simplicifòlia. H.K.	(*y.re.*) single-flowered.	———	1774.	3. 7.	G. ♄.	Wend. eric. 17. p. 69. ic.
416	Smithiàna. L.C.	(*re.*) Smith's.	———	1810.	——	G. ♄.	
417	soccifòlia. L.T.	(*gr.*) green-pencilled.	———	1799.	4. 5.	G. ♄.	Andr. heath. v. 1.
	Sebàna viridis. A.H.						
418	Solándri. H.K.	(*re.*) Solander's.	———	1800.	3. 9.	G. ♄.	Andr. heath. v. 2.
419	sórdida. H.K.	(*br.*) sordid.	———	1790.	8. 5.	G. ♄.	——— v. 1.
	laxiflòra. Wend.						
420	Sparrmánni. H.K.	(*ye.*) Sparrman's.	———	1794.	9. 3.	G. ♄.	Andr. heath. v. 3.
	áspera. A.H. *hystriciflòra*. L.T.						
421	spársa. L.C.	(*li.*) scattered.	———	1800.	3. 8.	G. ♄.	Lodd. bot. cab. t. 1467.

2 maculàta. s.s.	(*wh.*)	spotted-leaved.	N. America.	1752.	6. 8.	H. ♄.	Bot. mag. t. 897.
DIAPE'NSIA. W.		DIAPE'NSIA. Pentandria Monogynia. L.					
lappónica. W.	(*wh.*)	obtuse-leaved.	Lapland.	1801.	2. 3.	H. ♄.	Bot. mag. t. 1108.
PYXIDANTH'ERA. M.		PYXIDANTH'ERA. Pentandria Monogynia.					
barbulàta. M.	(*wh.*)	barbed.	Carolina.	1806.	7.	G. ♄.	Mich. amer. t. 17.
Diapénsia cuneifòlia. Sal. par. lond. t. 104.							

Sect. II. *MONOTROPEÆ. Don prodr. p.* 151.

MONO'TROPA. N.		YELLOW BIRD'S-NEST. Decandria Monogynia. L.					
1 unifiòra. N.	(*st.*)	one-flowered.	N. America.	1822.	6. 8.	H. ♄.	Hook. ex. flor. t. 85.
2 Hypopitys. E.B.	(*st.*)	common.	Britain.	....	6. 7.	H. ♄.	Eng. bot. v. 1. t. 69.
Hypopithys europ'æa. N.							

Sect. III. *RHODORACEÆ. Don prodr. p.* 152.

KA'LMIA. W.		KA'LMIA. Decandria Monogynia. L.					
1 latifòlia. W.	(*pi.wh.*)	broad-leaved.	N. America.	1734.	5. 7.	H. ♄.	Bot. mag. t. 175.
2 angustifòlia. W.	(*re.*)	narrow-leaved.	———	1736.	——	H. ♄.	——— t. 331.
β variegàta.	(*li.*)	*variegated.*	———	——	——	H. ♄.	
γ minima.	(*re.*)	*least.*	———	....	——	H. ♄.	
δ nàna.	(*re.*)	*dwarf.*	———	....	——	H. ♄.	
ε pùmila.	(*re.*)	*small.*	———	....	——	H. ♄.	
ζ ròsea.	(*ro.*)	*rose-coloured.*	———	....	——	H. ♄.	
η rùbra. B.C.	(*re.*)	*red-flowered.*	———	....	——	H. ♄.	Lodd. bot. cab. t. 502.
9 ovàta. Ph.	(*re.*)	*oval-leaved.*	New Jersey.	....	——	H. ♄.	
3 glàuca. W.	(*re.*)	glaucous.	N. America.	1767.	4. 5.	H. ♄.	Bot. mag. t. 177.
4 rosmarinifòlia. Ph.	(*re.*)	Rosemary-leaved.	———	1812.	——	H. ♄.	
5 hirsùta. W.	(*ro.*)	hairy.	———	1786.	8. 9.	H. ♄.	Bot. mag. t. 138.
EPIG'ÆA. W.		EPIG'ÆA. Decandria Monogynia. L.					
rèpens. W.	(*wh.*)	creeping.	N. America.	1736.	7. 8.	H. ♄.	Bot. reg. t. 201.
RHODODE'NDRON. W.		RHODODE'NDRON. Pent-Decandria Monogynia. L.					
1 máximum. W.	(*bl.*)	large.	N. America.	1736.	6. 8.	H. ♄.	Bot. mag. t. 951.
2 álbum. Ph.	(*wh.*)	white-flowered.	———	1811.	——	H. ♄.	
3 purpùreum. Ph.	(*pu.*)	purple-flowered.	———	....	——	H. ♄.	
4 pónticum. W.	(*ve.*)	common.	Gibraltar.	1763.	5. 6.	H. ♄.	Bot. mag. t. 650.
α purpùreum.	(*pu.*)	*purple.*	———	——	——	H. ♄.	
β rùbrum.	(*ro.*)	*rose-coloured.*	———	....	——	H. ♄.	
γ álbum.	(*wh.*)	*white.*	———	....	——	H. ♄.	
δ variegàtum.	(*li.*)	*variegated.*	———	....	——	H. ♄.	
ε marginàtum.	(*li.*)	*silver-edged.*	———	....	——	H. ♄.	
ζ múltiplex.	(*pu.*)	*double-blossom'd.*	———	....	——	H. ♄.	
5 punctàtum. W.	(*li.*)	dotted-leaved.	N. America.	1786.	6. 8.	H. ♄.	Andr. reposit. t. 36.
α minus. W.D.	(*li.*)	*smallest.*	———	——	——	H. ♄.	Wats. dend. brit. t. 162.
β májor. B.R.	(*li.*)	*larger.*	———	1812.	——	H. ♄.	Bot. reg. t. 37.
6 obtùsum. W.D.	(*li.*)	blunt-leaved.	Hybrid.	....	——	H. ♄.	Wats. dend. brit. t. 162.
7 azaleoídes. S.S.	(*li.*)	Azalea-like.	———	....	——	H. ♄.	Andr. reposit. t. 379.
póntico β subdecíduum. A.R.							
8 hy'bridum. B.R.	(*li.*)	Herbert's hybrid.	———	....	——	H. ♄.	Bot. reg. t. 195.
9 Gowenianum. B.F.G.	(*pu.*)	Mr. Gowen's.	———	1825.	——	H. ♄.	Swt. br. fl. gar. t. 263.
10 Smíthii.		Smith's.	Arboreo-pont.	1826.	....	H. ♄.	
11 Carnarvòni		Lord Carnarvon's.	Arb-catawb.	——	....	H. ♄.	
12 catawbiénse. M.	(*ro.*)	Catawba.	N. America.	1809.	6. 8.	H. ♄.	Bot. mag. t. 1071.
13 arbòreum. Sm.	(*sc.*)	tree.	India.	1817.	4. 6.	F. ♄.	Swt. br. fl. gar. t. 250.
β rùbrum.	(*ro.*)	*rose-coloured.*	———	——	——	F. ♄.	Bot. reg. t. 1240.
γ níveum.	(*wh.*)	*snowy white.*	———	——	——	F. ♄.	
14 campanulàtum. D.P.	(*ro.*)	bell-flowered.	Nepaul.	1824.	....	F. ♄.	
15 anthopògon. D.P.	(*ro.*)	bearded-flower'd.	———	——	....	G. ♄.	
16 cinnamómeum. Wal.	(*ro.*)	cinnamon-color'd.	———	1826.	....	G. ♄.	
17 setòsum. D.P.	(*pu.*)	bristly.	———	1820.	....	G. ♄.	
18 daùricum. W.	(*pu.*)	Daurian.	Siberia.	1780.	2. 4.	H. ♄.	Bot. mag. t. 636.
β altaícum. F.	(*li.*)	*Altay.*	———	1824.	——	H. ♄.	
γ atrovírens. B.R.	(*d.pu.*)	*dark green.*	———	....	——	H. ♄.	Bot. reg. t. 194.

19	myrtifòlium. B.C.	(pu.)	Myrtle-leaved.	Hybrid.	....	6. 8.	H. ♄.	Lodd. bot. cab. t. 908.
20	ferrugíneum. W.	(ro.)	rusty-leaved.	Switzerland.	1752.	5. 7.	H. ♄.	Jacq. aust. 3. t. 255.
21	hirsùtum. W.	(ro.)	hairy-leaved.	———	1656.	——	H. ♄.	Bot. mag. t. 1853.
22	chrysánthum. W.	(ye.)	yellow.	Siberia.	1796.	6. 7.	H. ♄.	Sal. par. lond. t. 80.
	officinàle. P.L.							
23	caucásicum. W.	(ro.wh.)	Caucasean.	Caucasus.	1803.	5. 7.	H. ♄.	Bot. mag. t. 1145.
24	Catesb'æi. L.C.	(ro.)	Catesby's.	N. America.	....	——	H. ♄.	
25	camtscháticum. W.	(pi.)	Kamtschatka.	Kamtschatka.	1802.	....	H. ♄.	Pall. ros. 1. t. 33.
26	chamæcístus. W.	(pi.)	Thyme-leaved.	Siberia.	1786.	5. 6.	H. ♄.	Bot. mag. t. 488.
27	lappónicum. S.S.	(ro.)	Lapland.	Lapland.	1827.	....	H. ♄.	Flor. dan. t. 966.
	Azàlea lappónica. L.							
28	Rhodòra.	(pi.)	Canadian.	Canada.	1767.	4. 5.	H. ♄.	Bot. mag. t. 474.
	Rhodòra canadénsis. W.							
29	índicum.	(va.)	Indian.	China.	1808.	3. 5.	G. ♄.	
	Azàlea índica. B.M.							
	α *puniceum.*	(pi.)	*red-flowered.*	———	———	——	G. ♄.	Bot. mag. t. 1480.
	β *phœniceum.*	(pu.)	*purple-flowered.*	———	1824.	——	G. ♄.	——— t. 2667.
	γ *Smithii.*	(li.)	*Smith's.*	Hybrid.	1826.	4. 7.	G. ♄.	
	δ *purpùreum.*	(pu.)	*double-purple.*	China.	1819.	3. 5.	G. ♄.	Bot. mag. t. 2509.
	ε *lùteum.*	(ye.)	*double yellow.*	———	1826.	——	G. ♄.	
	ζ *álbum.*	(wh.)	*white-flowered.*	———	1819.	3. 6.	G. ♄.	Bot. reg. t. 811.
	Azàlea lediflòlia.	Bot. mag. t. 2901.						
30	sinénse. B.F.G.	(ye.)	Chinese.	———	1824.	——	H. ♄.	
	α *flámmeum.* B.F.G.	(or.)	*flame-coloured.*	———	———	——	H. ♄.	Lodd. bot. cab. t. 885.
	β *flavéscens.* B.F.G.	(ye.)	*pale yellow.*	———	1826.	——	H. ♄.	Swt. br. fl. gar. t. 290.
31	lùteum.	(ye.)	yellow.	Turkey.	1793.	5. 6.	H. ♄.	Bot. mag. t. 433.
	Azàlea póntica. B.M.							
	β *cùpreum.*	(co.)	*copper-coloured.*	———	....	——	H. ♄.	
	γ *glaùcum.*	(pa.)	*glaucous.*	———	....	——	H. ♄.	
	δ *pállidum.*	(pa.)	*pale.*	———	....	——	H. ♄.	
	ε *albiflòrum.*	(wh.)	*white-flowered.*	———	....	——	H. ♄.	Bot. mag. t. 2383.
32	tricolor.	(ye.ro.wh.)	three-coloured.	Hybrid.	1816.	——	H. ♄.	
33	Mortèrii. B.F.G.	(fl.ye.)	Morter's.	———	1828.	——	H. ♄.	Swt. br. fl. gar. s. 2. t. 10.
	α *cárneum.*	(fl.)	*flesh-coloured.*	———	———	——	H. ♄.	
	β *præ'stans.*	(co.bl.)	*handsome.*	———	———	——	H. ♄.	
34	calendulàceum.	(ye.)	yellow American.	N. America.	1806.	——	H. ♄.	
	Azàlea calendulàcea. M.							
	α *cròceum.*	(sa.)	*saffron-coloured.*	———	———	——	H. ♄.	Bot. mag. t. 1721.
	β *chrysoléctum.*	(go.)	*golden.*	———	....	——	H. ♄.	
	γ *grandiflòrum.*	(or.)	*large-flowered.*	———	....	——	H. ♄.	
	δ *cùpreum.*	(co.)	*copper-coloured.*	———	....	——	H. ♄.	
	ε *splèndens.*	(co.ye.)	*shining.*	———	....	——	H. ♄.	
	ζ *flámmeum.*	(co.ye.)	*flame-coloured.*	———	1812.	——	H. ♄.	Bot. reg. t. 145.
	η *triúmphans.*	(co.ye.)	*triumphant.*	———	———	——	H. ♄.	
	ϑ *ignéscens.*	(co.ye.)	*fiery-flowered.*	———	———	——	H. ♄.	
35	canéscens. M.	(ro.)	canescent.	———	1812.	——	H. ♄.	Wats. dend. brit. t. 116.
36	speciòsum.	(va.)	large-calyxed.	———	....	——	H. ♄.	Lodd. bot. cab. 624.
	α *màjor.*	(sc.)	*large scarlet.*	———	....	——	H. ♄.	
	β *crìspum.*	(sc.)	*curled.*	———	....	——	H. ♄.	
	γ *aurántium.*	(or.)	*orange.*	———	....	——	H. ♄.	
	δ *obliquum.*	(re.)	*oblique-leaved.*	———	....	——	H. ♄.	
	ε *prunifòlium.*	(re.)	*Plum-leaved.*	———	....	——	H. ♄.	
	ζ *cucullàtum.*	(re.)	*hollow-leaved.*	———	....	——	H. ♄.	
	η *revolùtum.*	(re.)	*revolute.*	———	....	——	H. ♄.	
	ϑ *ciliàtum.*	(re.)	*fringed.*	———	....	——	H. ♄.	
	ι *acutifòlium.*	(re.)	*acute-leaved.*	———	....	——	H. ♄.	
	κ *undulàtum.*	(re.)	*wave-leaved.*	———	....	——	H. ♄.	
	λ *tortulifòlium.*	(re.)	*twisted-leaved.*	———	....	——	H. ♄.	
37	nudiflòrum.	(va.)	small calyxed.	———	1734.	——	H. ♄.	
	Azàlea nudiflòra. W.							
	α *álbum.*	(wh.)	*early white.*	———	———	——	H. ♄.	
	β *álbo-plènum.*	(wh.)	*double white.*	———	....	——	H. ♄.	
	γ *blándum.*	(bl.)	*blush-flowered.*	———	....	——	H. ♄.	
	δ *cárneum.*	(fl.)	*pale red.*	———	1734.	——	H. ♄.	Bot. reg. t. 120.
	ε *carolinianum.*	(fl.)	*Carolina.*	———	....	——	H. ♄.	
	ζ *coccíneum.*	(sc.)	*scarlet.*	———	....	——	H. ♄.	Bot. mag. t. 180.
	η *corymbòsum.*	(wh.)	*corymb-flowered.*	———	....	——	H. ♄.	
	ϑ *crìspum.*	(bl.)	*curled.*	———	....	——	H. ♄.	

	ι *cumulàtum.*	(*wh.*) *bundled.*	N.America.	....	5. 6.	H. ♄.		
	κ *discolor.*	(*re.wh.*) *two-coloured.*	———	....	——	H. ♄.		
	λ *fastigiàtum.*	(*bh.*) *crowded.*	———	....	——	H. ♄.		
	μ *flòridum.*	(*bh.*) *abundant-flower'd.*	———	....	——	H. ♄.		
	ν *globòsum.*	(*bh.*) *globose.*	———	....	——	H. ♄.		
	ξ *glomeràtum.*	(*bh.*) *clustered.*	———	....	——	H. ♄.		
	ο *incànum.*	(*wh.*) *hoary-leaved.*	———	....	——	H. ♄.		
	π *incarnàtum.*	(*fl.*) *flesh-coloured.*	———	....	——	H. ♄.		
	ρ *mirábile.*	(*re.*) *wonderful.*	———	....	——	H. ♄.		
	σ *montànum.*	(*fl.*) *mountain.*	———	....	——	H. ♄.		
	τ *pállidum.*	(*li.wh.*) *pale-flowered.*	———	....	——	H. ♄.		
	υ *paludòsum.*	(*li.wh.*) *marsh.*	———	....	——	H. ♄.		
	φ *papilionàceum.*	(*fl.*) *Butterfly.*	———	....	——	H. ♄.		
	χ *partìtum.*	(*fl.wh.*) *five-parted.*	———	....	——	H. ♄.		
	ψ *parviflòrum.*	(*bh.*) *small-flowered.*	———	....	——	H. ♄.		
	ω *prolíferum.*	(*bh.*) *proliferous.*	———	....	——	H. ♄.		
	αα *pùmilum.*	(*bh.*) *dwarf.*	———	....	——	H. ♄.		
	ββ *purpuráscens.*	(*fl.*) *purplish.*	———	....	——	H. ♄.		
	γγ *purpùreum.*	(*pu.*) *purple.*	———	....	——	H. ♄.		
	δδ *purpùreo-plènum.*	(*pu.*) *double purple.*	———	....	——	H. ♄.		
	εε *ròseum.*	(*ro.*) *rosy.*	———	....	——	H. ♄.		
	ζζ *rubérrimum.*	(*re.*) *dark-red.*	———	....	——	H. ♄.		
	ηη *rubéscens.*	(*pi.*) *reddish.*	———	....	——	H. ♄.		
	θθ *rubicúndum.*	(*re.*) *rubicund.*	———	....	——	H. ♄.		
	ιι *ròbrum.* B.C.	(*re.*) *red-flowered.*	———	....	——	H. ♄.		Lodd. bot. cab. t. 51.
	κκ *ròbro-plènum.*	(*re.*) *double-red.*	———	....	——	H. ♄.		
	λλ *rùfum.*	(*re.*) *rufous.*	———	....	——	H. ♄.		
	μμ *rùtilans.*	(*re.*) *deep red.*	———	....	——	H. ♄.		
	νν *semidòplex.*	(*wh.*) *semidouble.*	———	....	——	H. ♄.		
	ξξ *stamíneum.*	(*wh.*) *long-stamened.*	———	....	——	H. ♄.		
	οο *stellàtum.*	(*wh.*) *starry.*	———	....	——	H. ♄.		
	ππ *tricolor.*	(*wh.re.*) *three-coloured.*	———	....	——	H. ♄.		
	ρρ *variábile.*	(*re.wh.*) *variable.*	———	....	——	H. ♄.		
	σσ *variegàtum.*	(*std.*) *variegated.*	———	....	——	H. ♄.		
	ττ *versícolor.*	(*re.wh.*) *various-coloured.*	———	....	——	H. ♄.		
	νν *violàceum.*	(*vi.*) *violet.*	———	....	——	H. ♄.		
38	bícolor.	(*wh.re.*) two-coloured.	———	1734.	——	H. ♄.		Trew. ehret. t. 48.
	Azàlea bícolor. Ph.							
39	viscòsum.	(*wh.*) viscid.	—— ——	——	7. 8.	H. ♄.		Meerb. ic. 2. t. 9.
	Azàlea viscòsa. Ph.							
	α *odoràtum.*	(*wh.*) *common white.*	———	——	——	H. ♄.		
	β *crispum.*	(*wh.*) *curled.*	———	——	——	H. ♄.		
	γ *dealbàtum.*	(*wh.*) *powdered.*	———	——	——	H. ♄.		
	δ *vittàtum.*	(*re.wh.*) *striped-flowered.*	———	——	——	H. ♄.		
	ε *penicillàtum.*	(*re.wh.*) *pencilled.*	———	——	——	H. ♄.		
	ζ *variegàtum.*	(*re.wh.*) *variegated.*	———	——	——	H. ♄.		
	η *rubéscens.*	(*re.*) *reddish-flowered.*	———	——	——	H. ♄.		
	θ *pubéscens.*	(*re.wh.*) *pubescent.*	———	——	——	H. ♄.		Lodd. bot. cab. t. 441.
	ι *fi'ssum.*	(*re.wh.*) *narrow-petaled.*	———	——	——	H. ♄.		
40	arboréscens.	(*re.*) arborescent.	———	1818.	5. 7.	H. ♄.		
	Azàlea arboréscens. Ph.							
41	nítidum.	(*re.wh.*) glossy-leaved.	———	1812.	6. 8.	H. ♄.		Bot. reg. t. 414.
	Azàlea nítida. B.R.							
42	glaùcum.	(*wh.*) glaucous dwarf.	———	1784.	6.	H. ♄.		Wats. dend. brit. t. 5.
	Azàlea glaùca. Ph.							
43	híspidum.	(*wh.*) tall glaucous.	———	——	6. 8.	H. ♄.		Wats. dend. brit. t. 6.
	Azàlea híspida. Ph.							
AZ'ALEA. D.P.		Az'alea.	Pentandria Monogynia. R.S.					
	procúmbens. E.B.	(*ro.*) trailing.	Britain.	....	4. 5.	H. ♄.		Eng. bot. v. 13. t. 865.
	Loiseleùria procúmbens. R.S. *Chamælèdon procúmbens.* L.en.							
AMMYRS'INE. Ph.		Ammyrs'ine.	Decandria Monogynia. Ph.					
1	buxifòlia. Ph.	(*wh.*) upright.	N. America.	1736	4. 5.	H. ♄.		Bot. reg. t. 531.
	Lèdum buxifòlium. W. *Leiophy'llum thymifòlium.* S.S.							
2	Lyòni.	(*wh.*) spreading.	Carolina.	1812.	——	H. ♄.		
L'EDUM. Ph.		L'edum.	Decandria Monogynia. L.					
1	palústre. W.	(*wh.*) marsh.	Europe.	1762.	4. 5.	H. ♄.		Flor. dan. t. 1031.
2	decúmbens. L.C.	(*wh.*) decumbent.	Hudson'sBay.	——	——	H. ♄.		
3	canadénse. L.C.	(*wh.*) dwarf.	Canada.	1824.	——	H. ♄.		Lodd. bot. cab. t. 1069.
4	latifòlium. W.	(*wh.*) broad-leaved.	N. America.	1763.	——	H. ♄.		Jacq. ic. 3. t. 464.

BEF'ARIA. L. BEF'ARIA. Dodecandria Monogynia. L.
racemòsa. S.S. (*bk.*) sweet-scented. Florida. 1810. 6. 7. G. ħ. Vent. cels. t. 51.
paniculàta. M. *Bejària racemòsa.* Ph.
'ITEA. L. 'ITEA. Pentandria Monogynia. L.
virgínica. L. (*wk.*) Virginian. N. America. 1744. 6. 8. H. ħ. Wats. dend. brit. t. 12.

ORDO CXXVIII.

GALACINEÆ. *D. Don in Edinb. phil. journ. Dec.* 1828. *p.* 53.

G'ALAX. W. G'ALAX. Pentandria Monogynia. W.
aphyl'la. W. (*bk.*) heart-leaved. N. America. 1786. 6. 7. H. ¼. Bot. mag. t. 754.
cordifòlia. H.K. *Blandfòrdia cordàta.* Andr. rep. t. 343.

ORDO CXXIX.

EPACRIDEÆ. *Brown prodr.* 1. *p.* 535.

Sect I. *EPACRIDEÆ VERÆ.*

DRACOPHY'LLUM. B.P. DRACOPHY'LLUM. Pentandria Monogynia.
1 secúndum. B.P. (*wk.*) side-flowering. N. S. W. 1824. 4. 6. G. ħ.
2 longifòlium. R.S. (*wk.*) long-leaved. N. Zealand. —— —— G. ħ. Fors. ch. gen. t. 10. f. i-m.
SPHENO'TOMA. S.F.A. SPHENO'TOMA. Pentandria Monogynia.
grácilis. S.F.A. (*wk.*) slender. N. Holland. 1825. 5. 10. G. ħ. Swt. flor. aust. t. 44.
SPRENG'ELIA. Sm. SPRENG'ELIA. Pentandria Monogynia.
incarnàta. B.P. (*pi.*) flesh-coloured. N. S. W. 1793. 4. 6. G. ħ. Bot. mag. t. 1719.
PONCEL'ETIA. B.P. PONCEL'ETIA. Pentandria Monogynia.
sprengelioídes. B.P. (*w.*) marsh. N. S. W. 1826. 4. 6. G. ħ.
ANDERS'ONIA. B.P. ANDERS'ONIA. Pentandria Monogynia.
sprengelioídes. B.P. (*w.*) Sprengelia-like. N. Holland. 1803. 3. 7. G. ħ. Bot. mag. t. 1645.
COSM'ELIA. B.P. COSM'ELIA. Pentandria Monogynia.
rùbra. B.P. (*re.*) red-flowered. N. Holland. 1826. 4. 6. G. ħ.
LYSIN'EMA. B.P. LYSIN'EMA. Pentandria Monogynia.
1 pentapétalum. B.P. (*w.*) five-petaled. N. Holland. 1826. 4. 6. G. ħ.
2 conspícuum. B.P. (*wk.*) conspicuous. ———— 1824. .... G. ħ.
3 púngens. B.P. (*wk.*) pungent. N. S. W. 1804. 3. 6. G. ħ. Cav. ic. 4. t. 346.
Epácris attenuàta. Lodd. bot. cab. t. 38.
4 ròseum. B.C. (*ro.*) rose-coloured. ———— 1804. —— G. ħ. Lodd. bot. cab. t. 863.
Epácris rósea. B.C. *púngens.* Bot. mag. t. 1199.
EPA'CRIS. B.P. EPA'CRIS. Pentandria Monogynia.
1 purpuráscens. B.P. (*li.*) rigid-leaved. N. S. W. 1803. 2. 6. G. ħ. Bot. mag. t. 844.
púngens. B.M.
α lilacina. (*li.*) *pale-flowered.* ———— —— —— G. ħ. Lodd. bot. cab. t. 237.
β rùbra. (*re.*) *red-flowered.* ———— —— —— G. ħ. ———— t. 876.
2 pulchélla. B.P. (*wk.*) sweet-scented. ———— 1804. 3. 6. G. ħ. ———— t. 170.
3 microphy'lla. B.P. (*wk.*) small-leaved. ———— 1817. —— G. ħ.
4 grandiflòra. B.P. (*cr.*) crimson. ———— 1803. 1. 6. G. ħ. Bot. mag. t. 982.
5 ruscifòlia. B.P. (*wk.*) Ruscus-leaved. V. Diem. Isl. 1824. 3. 5. G. ħ.
6 impréssa. B.P. (*ro.*) impressed. ———— —— 2. 5. G. ħ. Swt. flor. aust. t. 4.
7 spársa. B.P. (*wk.*) scattered-flower'd. N. S. W. 1825. 3. 5. G. ħ.
8 obtusifòlia. B.P. (*wk.*) blunt-leaved. ———— 1804. 4. 6. G. ħ. Sm. exot. bot. 1. t. 40.
9 heteronèma. B.P. (*wk.*) hairy-branched. V. Diem. Isl. 1824. —— G. ħ. Labill. n. hol. 1. t. 56.
10 paludòsa. B.P. (*wk.*) marsh. N. S. W. —— —— G. ħ. Lodd. bot. cab. t. 1226.
11 apiculàta. F.T. (*wk.*) pointed. ———— 1823. 5. 8. G. ħ.
12 onosmæflòra. F.T. (*re.*) Onosma-flowered. ———— —— —— G. ħ.
13 exsérta. B.P. (*wk.*) exserted. V. Diem. Isl. 1812. 4. 6. G. ħ.
14 mucronulàta. B.P. (*wk.*) short-pointed. ———— 1824. —— G. ħ.

Sect. II. *STYPHELIÆ.*

TROCHOCA'RPA. B.P. Trochoca'rpa. Pentandria Monogynia.
laurìna. B.P. (*wh.*) Laurel-leaved. N. S. W. 1820. .... G. ½. Linn. trans. 8. t. 9.
Styphèlia cornifòlia. L.T.

ACRO'TRICHE. B.P. Acro'triche. Pentandria Monogynia.
1 cordàta. B.P. (*wh.*) heart-leaved. N. Holland. 1825. 4. 6. G. ½. Labill. n. hol. 1. t. 63.
2 ovalifòlia. B.P. (*wh.*) oval-leaved. ——— 1824. —— G. ½.
3 serrulàta. B.P. (*wh.*) saw-leaved. V. Diem. Isl. 1816. —— G. ½. Labill. n. hol. 1. t. 62.
Styphèlia serrulàta. Labil.
4 divaricàta. B.P. (*wh.*) divaricate. N. S. W. 1822. —— G. ½.

MONO'TOCA. B.P. Mono'toca. Pentandria Monogynia.
1 scopària. B.P. (*wh.*) broom. N. S. W. 1823. 4. 7. G. ½. Smith new holl. 43.
Styphèlia scopària. Smith.
2 lineàta. B.P. (*wh.*) lineated. V. Diem. Isl. 1804. 5. 8. G. ½. Lab. nov. hol. 1. t. 61.
Styphèlia glaùca. Labill.
3 álbens. B.P. (*wh.*) white-leaved. N. S. W. 1823. —— G. ½.
4 ellíptica. B.P. (*wh.*) elliptic-leaved. ——— 1802. —— G. ½. Smith new holl. 49.

LEUCOP'OGON. B.P. Leucop'ogon. Pentandria Monogynia.
1 lanceolàtus. B.P. (*wh.*) small-flowered. N. S. W. 1790. 5. 8. G. ½. Swt. flor. aust. t. 47.
Styphèlia parviflòra. Andr. reposit. t. 287. *guidium.* Vent. malm. t. 23.
2 Richèi. B.P. (*wh.*) oblong-leaved. N. S. W. 1824. —— G. ½. Lab. nov. hol. 1. t. 60.
3 mùticus. B.P. (*wh.*) awnless. ——— 1826. —— G. ½.
4 ericoídes. B.P. (*wh.*) heath-leaved. ——— 1815. 4. 7. G. ½. Smith new holl. 48.
Epácris spùria. Cavan. ic. 4. t. 347. f. 1.
5 virgàtus. B.P. (*wh.*) twiggy. ——— —— —— G. ½. Lab. nov. hol. 1. t. 64.
6 collínus. B.P. (*wh.*) hill. V. Diem. Isl. 1822. 5. 6. G. ½. ——— 1. t. 65.
7 amplexicaùlis. B.P. (*w.*) stem-clasping. N. S. W. 1815. 4. 8. G. ½. Linn. trans. 8. t. 8.
8 microphy'llus. B.P. (*w.*) small-leaved. ——— 1818. —— G. ½. Cavan. ic. 4. t. 349. f. 2.
Perojòa microphy'lla. Cav.
9 striàtus. B.P. (*wh.*) striated. N. Holland. 1824. —— G. ½.
10 attenuàtus. F.T. (*wh.*) attenuated. N. S. W. —— —— G. ½.
11 bifiòrus. B.P. (*wh.*) two-flowered. ——— 1826. —— G. ½.
12 setíger. B.P. (*wh.*) bristle-pointed. ——— 1824. —— G. ½.
13 appréssus. B.P. (*wh.*) pressed-leaved. ——— —— 4. 6. G. ½.
14 juniperìnus. B.P. (*wh.*) Juniper-leaved. ——— 1804. —— G. ½. Lodd. bot. cab. t. 447.
15 interrúptus. B.P. (*wh.*) interrupted. N. Holland. 1825. 3. 6. G. ½. ——— t. 1451.
16 polystàchyus. B.P. (*wh.*) many-spiked. ——— —— 6. 7. G. ½. ——— t. 1436.

LISSA'NTHE. B.P. Lissa'nthe. Pentandria Monogynia.
1 sápida. B.P. (*wh.*) recurved-flowered. N. S. W. 1823. 11. 1. G. ½. Bot. reg. t. 1275.
2 subulàta. B.P. (*wh.*) awl-leaved. ——— —— 4. 7. G. ½.
3 strigòsa. B.P. (*wh.*) strigose. ——— —— —— G. ½. Sm. new holl. 48.
4 daphnoídes. B.P. (*wh.*) Daphne-leaved. V. Diem. Isl. 1818. 6. 7. G. ½. Lodd. bot. cab. t. 466.
5 ciliàta. B.P. (*wh.*) fringed. ——— 1823. —— G. ½.

CYATH'ODES. B.P. Cyath'odes. Pentandria Monogynia.
1 glaùca. B.P. (*wh.*) glaucous. V. Diem. Isl. 1818. 4. 6. G. ½. Lab. nov. holl. 1. t. 81.
2 oxycèdrus. B.P. (*wh.*) linear-leaved. ——— 1822. 5. 8. G. ½. ——— 1. t. 69.
3 abietìna. B.P. (*wh.*) Fir-like. ——— 1824. 8. 12. G. ½. ——— 1. t. 68.

MELI'CHRUS. B.P. Meli'chrus. Pentandria Monogynia.
1 rotàtus. B.P. (*re.*) rotate-flowered. N. S. W. 1822. 5. 8. G. ½. Cavan. ic. 4. t. 349. f. 1.
Ventenàtia procúmbens. Cav.
2 mèdius. F.T. (*re.*) intermediate. ——— 1823. —— G. ½.

STENANTH'ERA. B.P. Stenanth'era. Pentandria Monogynia.
pinifòlia. B.P. (*sc.*) Pine-leaved. N. S. W. 1811. 5. 7. G. ½. Bot. reg. t. 218.

ASTROL'OMA. B.P. Astrol'oma. Pentandria Monogynia.
1 humifùsum. B.P. (*sc.*) Juniper-leaved. N. S. W. 1807. 5. 10. G. ½. Bot. mag. t. 1439.
2 denticulàtum. B.P. (*re.*) toothed. ——— 1825. —— G. ½.

STYPH'ELIA. B.P. Styph'elia. Pentandria Monogynia.
1 tubiflòra. B.P. (*cr.*) crimson. N. S. W. 1802. 5. 8. G. ½. Sm. new holl. 45. t. 14.
2 triflòra. B.P. (*cr. gr.*) three-flowered. ——— 1796. —— G. ½. Bot. mag. t. 1297.
3 viridiflòra. B.P. (*gr.*) green-flowered. ——— 1791. 4. 6. G. ½. Swt. flor. aust. t. 50.
4 latifòlia. B.P. (*gr.*) broad-leaved. ——— 1823. —— G. ½.
5 adscéndens. B.P. (*gr.*) ascending. V. Diem. Isl. 1822. —— G. ½.
6 fœta. B.P. (*gr.*) fruitful. N. S. W. —— —— G. ½.
7 longifòlia. B.P. (*gr.*) long-leaved. ——— 1807. —— G. ½. Bot. reg. t. 24.

ORDO CXXX.

PENÆACEÆ.

PEN'ÆA. R.S.		**PEN'ÆA. Tetrandria Monogynia. R.S.**						
1 myrtoídes. W.	(*ye.*)	Myrtle-like.	C. B. S.	1816.	5. 7.	G. ½.		
2 fruticulòsa. R.S.	(*re.*)	blunt-leaved.	———	1822.	——	G. ½.		
3 mucronàta. R.S.	(*re.*)	sharp-pointed.	———	1787.	——	G. ½.		Vent. malm. t. 87.
4 squamòsa. R.S.	(*re.*)	scaly.	———	——	——	G. ½.		Bot. reg. t. 106.
5 imbricàta. R.M.	(*re.*)	imbricate.	———	1823.	4. 6.	G. ½.		Bot. mag. t. 2809.
6 acùta. R.S.	(*re.*)	acute-leaved.	———	1824.	——	G. ½.		
7 Sarcocólla. R.S.	(*ye.*)	rhomb-leaved.	———	1816.	5. 7.	G. ½.		Th.m.n.c.ber.1.t.3.f.1.
8 marginàta. R.S.	(*wh.*)	thick-edged.	———	——	——	G. ½.		

SUBCLASSIS III. *COROLLIFLORÆ.* DC.

ORDO CXXXI.

SYMPLOCINEÆ. *Don Prodr. p.* 144.

SY'MPLOCOS. L'H.		**SY'MPLOCOS. Polyadelphia Polyandria. L.**						
1 coccínea. K.S.	(*sc.*)	scarlet.	Mexico.	1825.	....	S. ½.		H. et B. pl. æq. 1. t. 52.
2 tinctòria. W.	(*ye.*)	Laurel-leaved.	Carolina.	1780.	4. 6.	F. ½.		Catesb. car. 1. t. 54.
Hòpea tinctòria. Ph.								
3 sínica. B.R.	(*wh.*)	Chinese.	China.	1822.	4. 6.	F. ½.		Bot. reg. t. 710.
4 cratægoídes. D.P.	(*wh.*)	Hawthorn-like.	Nepaul.	1824.	....	G. ½.		
SCHO'EPFIA. D.P.		**SCHO'EPFIA. Pentandria Monogynia.**						
frágrans. D.P.	(*ye.*)	fragrant.	Nepaul.	1827.	....	G. ½.		

ORDO CXXXII.

STYRACINEÆ. *Kth. synops.* 2. *p.* 315.

ST'YRAX. W.		**STORAX. Decandria Monogynia. L.**						
1 officinàle. W.	(*wh.*)	officinal.	Italy.	1597.	7.	H. ½.		Andr. reposit. t. 631.
2 grandifòlium. W.	(*wh.*)	great-leaved.	N. America.	1765.	——	H. ½.		Wats. dend. brit. t. 129.
3 pulveruléntum. M.	(*wh.*)	powdered.	———	1794.	6. 7.	H. ½.		——— t. 41.
4 glábrum. N.	(*wh.*)	smooth.	———	1765.	7. 8.	H. ½.		——— t. 40.
lævigàtum. Bot. mag. t. 921.								
HAL'ESIA. W.		**SNOWDROP-TREE. Dodecandria Monogynia. L.**						
1 tetráptera. W.	(*wh.*)	four-winged.	Carolina.	1756.	4. 5.	H. ½.		Bot. mag. t. 910.
2 parvifòra. B.R.	(*wh.*)	small-flowered.	———	1812.	5.	H. ½.		Bot. reg. t. 952.
3 díptera. W.	(*wh.*)	two-winged.	N. America.	1758.	4. 5.	H. ½.		Lodd. bot. cab. t. 1172.

ORDO CXXXIII.

MYRSINEÆ. *Brown prodr.* 532.

M'ÆSA. J.		**M'ÆSA. Pentandria Monogynia.**						
1 índica. D.P.	(*wh.*)	Indian.	E. Indies.	1812.	2. 6.	S. ½.		Bot. mag. t. 2052.
Bæobòtrys índica. F.I.								
2 tomentòsa. D.P.	(*wh.*)	tomentose.	Nepaul.	1818.	——	S. ½.		
3 argéntea. F.I.	(*wh.*)	silvery-leaved.	E. Indies.	——	——	S. ½.		
4 macrophýlla. F.I.	(*wh.*)	large-leaved.	———	1823.	——	S. ½.		

JACQUI'NIA. W.		Jacqui'nia.	Pentandria Monogynia. W.					
1 arbòrea. W.	(*wh.*)	blunt-leaved.	W. Indies.	1820.	....	S. ½.		
2 armillàris. W.	(*wh.*)	armed-leaved.	———	1768.	4. 6.	S. ½.		Jacq. amer. pict. t. 56.
3 aurantiaca. H.K.	(*or.*)	orange-color'd.	Sandwich Isl.	1796.	4. 9.	S. ½.		Bot. mag. t. 1639.
4 ruscifòlia. W.	(*or.*)	Ruscus-leaved.	S. America.	1729.	——	S. ½.		Jacq. amer. pict. t. 57.
5 macrocárpa. C.I.	(*or.*)	large capsuled.	———	1820.	——	S. ½.		Cavan. ic. 5. t. 483.
ARDI'SIA. W.		Ardi'sia.	Pentandria Monogynia. W.					
1 acuminàta. W.	(*pi.*)	acuminate.	Guiana.	1803.	7. 8.	S. ½.		Bot. mag. t. 1678.
Myrsine Icacòrea. R.S.								
2 tinifòlia. R.S.	(*pi.*)	Tinus-leaved.	Jamaica.	1824.	——	S. ½.		Sloan. hist. 2. t. 195.
3 solanàcea. W.	(*ro.*)	Nightshade-like.	E. Indies.	1798.	6. 9.	S. ½.		Bot. mag. t. 1677.
4 paniculàta. F.I.	(*ro.*)	panicled.	———	1818.	8. 8.	S. ½.		Bot. reg. t. 638.
5 coloràta. F.I.	(*ro.*)	red-flowered.	———	1816.	——	S. ½.		Lodd. bot. cab. t. 465.
6 umbellàta. F.I.	(*pi.*)	umbel-flowered.	———	1809.	6. 9.	S. ½.		——— t. 531.
littorâlis. Andr. repos. t. 630.								
7 lanceolàta. F.I.	(*pi.*)	leathery-leaved.	———	1818.	——	S. ½.		
8 élegans. A.R.	(*pi.*)	elegant.	———	1809.	7. 9.	S. ½.		Andr. reposit. t. 623.
crenàta. F.I.								
9 punctàta. B.R.	(*pi.*)	spotted-flowered.	China.	1823.	6. 9.	S. ½.		Bot. reg. t. 827.
10 lentiginòsa. B.R.	(*wh.*)	freckled.	———	1809.	8. 12.	G. ½.		——— t. 533.
crenulàta. B.C. 2. *non* Vent. *crenàta.* Bot. mag. t. 1950.								
11 glandulòsa. F.I.	(*wh.*)	glandular.	E. Indies.	1827.	——	S. ½.		
12 macrocárpa. F.I.	(*pi.*)	large-fruited.	Nepaul.	1824.	5. 9.	S. ½.		
13 complanàta. F.I.	(*pi.*)	pubescent.	Pinang.	——	——	S. ½.		
14 thyrsiflòra. D.P.	(*pi.*)	thyrse-flower'd.	Nepaul.	——	4. 8.	S. ½.		
15 pyramidàlis. Cav.	(*pi.*)	pyramidal.	Santa Cruz.	1818.	4. 9.	S. ½.		Lodd. bot. cab. t. 448.
16 excélsa. W.	(*gr.*)	Laurel-leaved.	Madeira.	1784.	7. 8.	G. ½.		Gært. sem. 1. t. 77. f. 1.
My'rsine Heberdènia. R.S.								
17 coriàcea. R.S.	(*ro.*)	leathery-leaved.	W. Indies.	1822.	4. 8.	S. ½.		
18 serrulàta. W.	(*pi.*)	saw-leaved.	———	1820.	7. 8.	S. ½.		Plum. ic. 80.
19 crenulàta. W.	(*re.*)	crenulated.	———	1809.	6. 9.	S. ½.		Venten. choix. t. 5.
20 laterifiòra. W.	(*pi.*)	side-flowering.	———	1793.	——	S. ½.		
21 canaliculàta. W.	(*pi.*)	channelled.	NewGranada.	1824.	4. 8.	S. ½.		Lodd. bot. cab. t. 1063.
EMB'ELIA. L.		Emb'elia.	Pentandria Monogynia. L.					
1 robústa. F.I.	(*gr.wh.*)	robust.	E. Indies.	1823.	....	S. ½.		
2 floribúnda. F.I.	(*ye.gr.*)	sweet-scented.	Nepaul.	1826.	....	S. ½.		
MYRS'INE. B.P.		Myrs'ine.	Polygamia Dicœcia. L.					
1 africàna. S.S.	(*gr.pu.*)	African.	C. B. S.	1691.	3. 5.	G. ½.		Comm. hort. 1. t. 64.
2 retùsa. S.S.	(*gr.pu.*)	retuse-leaved.	Azores.	1778.	6.	G. ½.		Venten. cels. t. 86.
3 rotundifòlia. R.S.	(*w.pu.*)	round-leaved.	C. B. S.	1816.	——	G. ½.		Pluk. alm. t. 18. f. 5.
4 semiserràta. F.I.	(*bk.*)	semiserrate.	Nepaul.	1822.	....	G. ½.		
5 capitellàta. F.I.	(*gr.*)	axillary headed.	———	——	....	G. ½.		
6 bifària. F.I.	(*bk.*)	bifarious.	———	——	....	G. ½.		
7 subspindsa. D.P.	(*wh.*)	spiny-leaved.	———	1823.	....	G. ½.		
8 coriácea. B.P.	(*wh.*)	leathery-leaved.	Jamaica.	1822.	....	S. ½.		
Samára coriàcea. Sw.								
9 Samára. S.S.	(*wh.*)	oval-leaved.	C. B. S.	1770.	11. 2.	G. ½.		
Samára pentándra. W.								
10 melanóphleos. S.S.	(*wh.*)	Laurel-leaved.	———	1783.	3. 6.	G. ½.		Jacq. vind. 1. t. 71.
Sideróxylon melanóphleum. W.								
11 mìtis. S.S.	(*wh.*)	pointed-leaved.	———	....	6. 9.	G. ½.		Bot. mag. t. 1858.
Sideróxylon mite. B.M. *Sclerόxylum mite.* W. en. *Manglilla Millerìana.* P.S.								
12 venulòsa. S.S.	(*wh.*)	veined-leaved.	———	1816.	——	G. ½.		
13 canariénse. S.S.	(*wh.*)	Canary.	Canaries.	——	——	G. ½.		
14 variábilis. B.P.	(*wh.*)	variable.	N. S. W.	1820.	——	G. ½.		
ÆGIC'ERAS. G.		Ægic'eras.	Pentandria Monogynia.					
fràgrans. B.P.	(*wh.*)	fragrant.	N. Holland.	1824.	....	G. ½.		Kon. an. bot. 1. p. 129. ic.

ORDO CXXXIV.

SAPOTEÆ. *Brown prodr.* 1. *p.* 528.

INOCA'RPUS. W.		Otaheite-chesnut.	Decandria Monogynia. W.					
èdulis. W.	(*wh.*)	eatable.	South-sea Isl.	1793.	....	S. ½.		Roxb. corom. 3. t. 263.
BUM'ELIA. S.S.		Bum'elia.	Pentandria Monogynia. W.					
1 lycioides. S.S.	(*wh.*)	Boxthorn-leav'd.	N. America.	1758.	8.	H. ½.		Duham. arb. 2. t. 66.

2 oblongifòlia. N.	(wh.)	oblong-leaved.	Missisippi.	1818.	7. 8.	H. ♄.	
3 tènax. R.S.	(wh.)	silvery-leaved.	Carolina.	1765.	——	H. ♄.	Wats. dend. brit. t. 10.
chrysophylloides. W.D. *Sideróxylon tènax.* L.							
4 lanuginòsa. R.S.	(wh.)	woolly-leaved.	————	——	——	H. ♄.	
5 reclinàta. S.S.	(wh.)	reclined.	————	1806.	——	H. ♄.	Venten. choix. t. 22.
6 strigòsa. S.S.	(wh.)	strigose.	.....	....	——	G. ♄.	
Sideróxylon strigòsum. W.en.							
7 nìgra. S.S.	(wh.)	black.	W. Indies.	1806.	6. 8.	S. ♄.	
8 salicifòlia. S.S.	(wh.)	Willow-leaved.	S. America.	1758.	——	S. ♄.	Sloan. hist. 2. t. 206. f. 2.
9 fœtidíssima. S.S.	(wh.)	fœtid.	W. Indies.	....	5. 7.	S. ♄.	
10 rotundifòlia. S.S.	(wh.)	round-leaved.	————	1816.	——	S. ♄.	
SERSALI'SIA. B.P.		SERSALI'SIA.	Pentandria Monogynia.				
sericea. B.P.	(wh.)	silky-leaved.	N. Holland.	1772.	5. 6.	G. ♄.	
Sideróxylon sericeum. W.							
SIDERO'XYLON. W.		IRON-WOOD.	Pentandria Monogynia. L.				
1 inérme. W.	(wh.)	smooth.	C. B. S.	1692.	7. 8.	G. ♄.	Lam. ill. 2. t. 120. f. 1.
2 tomentòsum. W.	(wh.)	tomentose.	E. Indies.	1818.	....	S. ♄.	Roxb. corom. 1. t. 28.
ARG'ANIA. R.S.		ARG'ANIA.	Pentandria Monogynia.				
Sideróxylum. R.S.	(ye.)	spiny.	Morocco.	1711.	7. 8.	H ♄.	Comm. hort. 1. t. 83.
Sideróxylum spinòsum. L. *Elæodéndron A'rgan.* W.							
CHRYSOPHY'LLUM. W.		STAR-APPLE.	Pentandria Monogynia. L.				
1 Cainito. W.	(wh.)	broad-leaved.	W. Indies.	1737.	5. 6.	S. ♄.	Jacq. amer. t. 37. f. 1.
β *jamaicénse.*	(wh.)	*purple-fruited.*	————	——	——	S. ♄.	Jacq. am. pict. t. 52.
γ *cærùleum.*	(wh.)	*blue-fruited.*	————	——	——	S. ♄.	Jacq. amer. t. 37.
δ *microphy'llum.*	(wh.)	*small-leaved.*	————	——	——	S. ♄.	Jacq. amer. pict. t. 53.
2 monopyrènum. W.	(wh.)	acute-leaved.	————	1816.	——	S. ♄.	Burm. amer. t. 69.
3 argénteum. W.	(wh.)	silvery.	Martinico.	1758.	——	S. ♄.	Jacq. amer. pict. t. 51.
4 macrophy'llum. G.D.	(wh.)	large-leaved.	Sierra Leone.	1822.	....	S. ♄.	
5 obovàtum. G.D.	(wh.)	obovate.	————	——	....	S. ♄.	
6 glàbrum. W.	(wh.)	smooth-leaved.	Martinico.	1818.	4. 6.	S. ♄.	Jacq. amer. pict. t. 55.
NYCTERISITION. R.P.		NYCTERISI'TION.	Pentandria Monogynia.				
ferrugíneum. R.P.	(wh.)	ferruginous.	S. America.	1823.	....	S. ♄.	Flor. peruv. 2. t. 187.
A'CHRAS. J.		SAPOTA.	Hexandria Monogynia. S.S.				
1 Sapòta. W.	(wh.)	common.	S. America.	1731.	4. 6.	S. ♄.	Jacq. amer. 57. t. 41.
β *Zapotilla.* Jacq.	(wh.)	*Naseberry-tree.*	————	——	——	S. ♄.	———— 57. t. 41. b.
2 australis. B.P.	(wh.)	New Holland.	N. S. W.	1823.	....	G. ♄.	
LUC'UMA. J.		LUC'UMA.	Pentandria Monogynia.				
1 mammòsum. K.S.	(wh.)	Mammee.	S. America.	1739.	5. 8.	S. ♄.	Jacq. amer. t. 182. f. 19.
2 Bonplándii. K.S.	(wh.)	Bonpland's.	Havannah.	1822.	....	S. ♄.	
3 obovàtum. K.S.	(wh.)	obovate-leaved.	Peru.	——	....	S. ♄.	Flor. peruv. 3. t. 239.
4 salicifòlium. K.S.	(wh.)	Willow-leaved.	Mexico.	1823.	....	S. ♄.	
MI'MUSOPS. W.		MI'MUSOPS.	Octandria Monogynia. L.				
1 Elèngi. S.S.	(wh.)	pointed-leaved.	E. Indies.	1796.	5. 7.	S. ♄.	Roxb. cor. 1. t. 14.
2 dissécta. S.S.	(wh.)	oval-leaved.	South-sea Isl.	1804.	——	S. ♄.	
3 hexándra. S.S.	(wh.)	hexandrous.	E. Indies.	1816.	——	S. ♄.	Roxb. cor. 1. t. 15.
4 Kauki. S.S.	(wh.)	obtuse-leaved.	————	1796.	5. 8.	S. ♄.	Rumph. amb. 3. t. 8.
IMBRIC'ARIA. J.		IMBRIC'ARIA.	Octandria Monogynia.				
borbònica. G.	(wh.)	Bourbon.	Bourbon.	1820.	....	S. ♄.	
BA'SSIA. L.		BA'SSIA.	Dodecandria Monogynia. L.				
1 longifòlia. W.	(wh.)	long-leaved.	E. Indies.	1811.	....	S. ♄.	Lam. ill. t. 398.
2 latifòlia. W.	(wh.)	broad-leaved.	————	1799.	....	S. ♄.	Roxb. cor. 1. t. 19.
3 butyràcea. D.P.	(wh.)	butter-tree.	Nepaul.	1823.	....	S. ♄.	

ORDO CXXXV.

EBENACEÆ. *Brown prodr.* 1. *p.* 524.

M'ABA. J.		M'ABA.	Dicœcia Hexandria. W.				
buxifòlia. P.S.	(wh.)	Box-leaved.	E. Indies.	1810.	....	S. ♄.	Roxb. cor. 1. t. 45.
Ferrèola buxifòlia. Roxb.							
CARGI'LLIA. B.P.		CARGI'LLIA.	Polygamia Dicœcia.				
australis. B.P.	(gr.)	southern.	N. S. W.	1816.	....	G. ♄.	
DIO'SPYROS. S.S.		DATE PLUM.	Polygamia Dicœcia. W.				
1 virginiàna. S.S.	(p.ye.)	Persimon.	N. America.	1629.	6. 7.	H. ♄.	Wats. dend. brit. t. 146.
2 pubéscens. S.S.	(pa.ye.)	pubescent.	————	1812.	4. 5.	H. ♄.	

3	reticulàta. s.s.	(wh.)	netted.	Mauritius.	1823.	4. 5.	S. ½.	
4	Ebenáster. s.s.	(wh.)	Ebenus-like.	E. Indies.	1792.	6. 8.	S. ½.	Rumph. amb. 1. t. 6.
5	melanóxylon. s.s.	(wh.)	black-wooded.	———	1817.	——	S. ½.	Roxb. cor. 1. t. 46.
6	E'benum. s.s.	(wh.)	smooth.	———	1792.	——	S. ½.	Rotb. act. hafn. 2. t. 5.
7	montàna. s.s.	(wh.)	mountain.	———	1819.	——	S. ½.	Roxb. cor. 1. t. 48.
8	obovàta. s.s.	(wh.)	four-seeded.	W. Indies.	1796.	5. 7.	S. ½.	Jacq. schœn. 3. t. 312.
9	sylvática. s.s.	(wh.)	wood.	E. Indies.	1812.	——	S. ½.	Roxb. cor. 1. t. 47.
10	Embryópteris. s.s.	(gr.)	glutiniferous.	———	1796.	5. 8.	S. ½.	Bot. reg. t. 499.
	Embryópteris glutinífera. B.C. 1. t. 70.							
11	lobàta. s.s.	(wh.)	lobed-fruited.	China.	1822.	——	G. ½.	
12	vaccinioídes. L.C.	(wh.)	Vaccinium-like.	———	——	——	G. ½.	Hook. ex. flor. t. 139.
13	èdulis. L.C.	(wh.)	eatable.	E. Indies.	——	——	S. ½.	
14	Lòtus. s.s.	(pa.ye.)	European.	Italy.	1596.	6. 7.	H. ½.	Mill. ic. t. 116.
15	Kàki. s.s.	(wh.)	Japan.	Japan.	1789.	——	G. ½.	Kæmp. amœn. t. 806.
16	hirsùta. s.s.	(wh.)	hairy.	Ceylon.	1816.	——	S. ½.	
17	chloróxylon. s.s.	(wh.)	cluster-flowered.	E. Indies.	1822.	....	S. ½.	Roxb. cor. 1. t. 49.
18	cordifòlia. s.s.	(wh.)	heart-leaved.	———	1794.	5. 7.	S. ½.	——— 1. t. 50.
ROY'ENA. W.			Roy'ena. Decandria Digynia. L.					
1	lùcida. w.	(wh.)	shining-leaved.	C. B. S.	1690.	5. 6.	G. ½.	Lam. ill. t. 370. f. 1.
2	villòsa. w.	(wh.)	heart-leaved.	———	1774.	6. 7.	G. ½.	
3	pállens. w.	(wh.)	pale.	———	1789.	——	G. ½.	
4	myrtifòlia. W.en.	(wh.)	Myrtle-leaved.	———	1812.	——	G. ½.	
5	glábra. w.	(wh.)	smooth.	———	1731.	7. 9.	G. ½.	Comm. hort. 1. t. 65.
6	pubéscens. W.en.	(wh.)	pubescent.	———	1752.	——	G. ½.	Bot. reg. t. 500.
7	hirsùta. W.en.	(wh.)	hairy-leaved.	———	——	——	G. ½.	Lam. ill. t. 370. f. 2.
8	angustifòlia. w.	(wh.)	willow-leaved.	———	1789.	6. 7.	G. ½.	
9	latifòlia. W.en.	(wh.)	broad-leaved.	———	1816.	——	G. ½.	
10	ambígua. v.	(wh.)	obovate-leaved.	———	1815.	6. 7.	G. ½.	Vent. malm. t. 17.
11	polyándra. w.	(wh.)	oval-leaved.	———	1774.	....	G. ½.	
VI'SNEA. W.			Vi'snea. Dodecandria Trigynia. W.					
	Mocanèra. w.	(wh.)	Canary.	Canaries.	1815.	8. 12.	G. ½.	

ORDO CXXXVI.

OLEINÆ. *Brown prodr.* 1. *p.* 522.

FRA'XINUS. W.			Ash-tree. Polygamia Dicœcia. L.					
1	excélsior. w.	(gr.)	common.	Britain.	....	4. 5.	H. 5.	Eng. bot. v. 24. t. 1692.
	β *argéntea.*	(gr.)	*silver-striped.*	———	....	——	H. 5.	
	γ *péndula.*	(gr.)	*weeping.*	———	....	——	H. 5.	
	δ *horizontàlis.*	(gr.)	*horizontal.*	———	....	——	H. 5.	
	ε *jáspidea.*	(gr.)	*coloured branch'd.*	———	....	——	H. 5.	
	ζ *erósa.*	(gr.)	*erose-leaved.*	———	....	——	H. 5.	
2	aùrea. W.en.	(gr.)	yellow barked.	.....	....	....	H. 5.	
3	atrovírens. P.S.	(gr.)	green curled-leav'd.	.....	....	....	H. 5.	
4	nàna. W.en.	(gr.)	dwarf.	.....	....	....	H. ½.	
5	verrucòsa. L.en.	(gr.)	warted.	.....	....	4. 5.	H. 5.	
6	heterophy'lla. s.s.	(gr.)	various-leaved.	England.	....	——	H. 5.	Eng. bot. v. 35. t. 2476.
	simplicifòlia. E.B.							
7	polemonifòlia. R.S.	(gr.)	Polemonium-ld.	N. America.	....	——	H. 5.	
8	parvifòlia. s.s.	(gr.)	small-leaved.	Levant.	1816.	——	H. 5.	
9	lentiscifòlia. s.s.	(gr.)	Lentiscus-leaved.	Aleppo.	1710.	5. 6.	H. 5.	Pluk. alm. t. 182. f. 4.
10	argéntea. s.s.	(gr.)	silver-leaved.	Corsica.	1825.	....	H. 5.	
11	sambucifòlia. s.s.	(gr.)	Elder-leaved.	N. America.	1800.	....	H. 5.	
12	oxycárpa. s.s.	(gr.)	sharp-leaved.	Tauria.	1815.	5. 6.	H. 5.	
	oxyphy'lla. M.B.							
13	pállida. s.s.	(gr.)	pale.	N. America.	1818.	....	H. 5.	
14	rùfa. s.s.	(gr.)	rufous.	———	1822.	....	H. 5.	
15	fúsca. s.s.	(gr.)	brown branched.	———	——	....	H. 5.	
16	nigra. s.s.	(gr.)	black-twigged.	———	1818.	4. 6.	H. 5.	
17	elliptica. s.s.	(gr.)	elliptic-leaved.	———	1824.	....	H. 5.	
18	ovàta. s.s.	(gr.)	oval-leaved.	———	——	....	H. 5.	
19	Richárdi. s.s.	(gr.)	Richard's.	———	——	....	H. 5.	
20	álba. s.s.	(gr.)	grey branched.	———	1825.	....	H. 5.	
21	cinèrea. s.s.	(gr.)	cinereous.	———	1818.	....	H. 5.	

22	viridis. S.S.	(gr.)	green-branched.	N. America.	1816.	....	H.5.	
23	longifólia. S.S.	(gr.)	long-leaved.	———	1825.	....	H.5.	
24	tamariscifólia. R.S.	(gr.)	Tamarisk-leaved.	Levant.	....	——	H.5.	
25	mexicàna.	(gr.)	Mexican.	Mexico.	1825.	....	H.5.	
26	rubicúnda. S.S.	(gr.)	red-veined.	N. America.	——	....	H.5.	
27	pulveruléntа. S.S.	(gr.)	powdered.	———	——	....	H.5.	
28	mixta. S.S.	(gr.)	mixed.	———	——	....	H.5.	
29	expánsa. S.S.	(gr.)	expanded	———	——	....	H.5.	
30	platycárpa. S.S.	(gr.)	flat-seeded.	———	1816.	4. 6.	H.5.	Catesb. car. t. 80.
31	quadrangulàta. S.S.	(gr.)	four-sided.	———	1811.	——	H.5.	Mich. f. arb. ic.
32	epíptera. S.S.	(gr.)	dotted-stalked.	———	——	——	H.5.	——— t. 83.
	discolor. M.							
33	láncea. Bosc.	(gr.)	lance-leaved.	———	1823.	——	H.5.	
34	pannòsa. S.S.	(gr.)	cloth-leaved.	———	1818.	——	H.5.	
35	pubéscens. S.S.	(gr.)	pubescent.	———	1783.	5.	H.5.	Du Roi. ed. 2. t. 1.
36	cúrvidens. R.S.	(gr.)	curved-toothed.	Carolina.	1811.	4. 5.	H.5.	
37	carolinìana. S.S.	(gr.)	Carolina.	N. America.	——	4. 6.	H.5.	
38	juglandifólia. S.S.	(gr.)	Walnut-leaved.	———	1783.	——	H.5.	
39	acuminàta. S.S.	(gr.)	taper-pointed.	———	1723.	——	H.5.	
40	americàna. S.S.	(gr.)	white.	———	——	——	H.5.	
ORNUS. P.S.			Flowering Ash.	Diandria Monogynia. P.S.				
1	americàna. Ph.	(wh.)	American.	N. America.	1812.	5. 6.	H.5.	
2	europ'æa. P.S.	(wh.)	European.	Italy.	1710.	——	H.5.	Flor. græc. 1. t. 4.
	Fráxinus Ornus. W.							
3	rotundifólia. P.S.	(wh.)	manna.	———	1697.	4. 5.	H.5.	
4	striàta.	(wh.)	streak-barked.	.....	1818.	——	H.5.	
	Fràxinus striàta. S.S.							
5	floribúnda.	(wh.)	many-flowered.	Nepaul.	——	....	G.5.	
	Fráxinus floribúnda. P.I.							
CHIONA'NTHUS. S.S.			Fringe-tree.	Diandria Monogynia. L.				
1	virgínica. W.	(wh.)	smooth-leaved.	N. America.	1736.	5. 7.	H.5.	Catesb. car. 1. t. 68.
2	maritima.	(wh.)	pubescent-leaved.	———	——	——	H.5.	Wats. dend. brit. t. 1.
	virgínica β maritima.	Ph.	*virgínica β angustifólia*. W.D.					
3	axillàris. B.P.	(wh.)	axil-flowering.	N. Holland.	1810.	....	G. ½.	
LINOCI'ERA. S.S.			Linoci'era.	Diandria Monogynia. S.S.				
1	ligustrina. S.S.	(wh.)	Privet-like.	W. Indies.	1820.	....	S. ½.	
2	cotinifólia. S.S.	(wh.)	Cotinus-leaved.	Ceylon.	1818.	....	S. ½.	
3	compácta. S.S.	(wh.)	Caribean.	W. Indies.	1793.	....	S. ½.	Jacq. coll. 2. t. 6. f. 1.
FONTAN'ESIA. S.S.			Fontan'esia.	Diandria Monogynia. W.				
	phillyræoídes. S.S.	(wh.)	Phillyrea-leaved.	Syria.	1787.	6. 8.	H. ½.	Wats. dend. brit. t. 2.
NOTEL'ÆA. B.P.			Notel'æa.	Diandria Monogynia. S.S.				
1	longifólia. B.P.	(wh.)	long-leaved.	N. S. W.	1790.	3. 6.	G. ½.	Venten. choix. t. 25.
	'Olea apetàla. A.R. 316.							
2	ovàta. B.P.	(wh.)	oval-leaved.	———	1818.	——	G. ½.	
3	ligustrina. B.P.	(wh.)	Privet-leaved.	V. Diem. Isl.	1807.	7. 8.	G. ½.	
4	rigida. R.S.	(wh.)	rigid-leaved.	———	1820.	——	G. ½.	
'OLEA. B.P.			Olive.	Diandria Monogynia. L.				
1	europ'æa. S.S.	(wh.)	European.	S. Europe.	1570.	6. 8.	G. ½.	
	α Oleáster. R.S.	(wh.)	*spiny-branched*.	Portugal.	....	——	G. ½.	Flor. græc. 1. t. 3.
	β longifólia. R.S.	(wh.)	*long-leaved*.	S. Europe.	....	——	G. ½.	Lodd. bot. cab. t. 456.
	γ ferruginea. R.S.	(wh.)	*ferruginous*.	———	....	——	G. ½.	
	δ latifólia. R.S.	(wh.)	*broad-leaved*.	———	....	——	G. ½.	
	ε oblíqua. R.S.	(wh.)	*oblique-leaved*.	———	....	——	G. ½.	
	ζ buxifólia. R.S.	(wh.)	*Box-leaved*.	———	....	——	G. ½.	
2	verrucòsa. S.S.	(wh.)	warted.	C. B. S.	1814.	——	G. ½.	
3	americàna. S.S.	(wh.)	American.	N. America.	1758.	6.	G. ½.	Catesb. car. 1. t. 61.
4	frágrans. S.S.	(wh.)	fragrant.	China.	1771.	6. 8.	G. ½.	Bot. mag. t. 1552.
5	láncea. S.S.	(wh.)	lance-leaved.	Mauritius.	1818.	——	S. ½.	
6	dioíca. P.I.	(wh.)	diœcious.	E. Indies.	——	....	S. ½.	
7	capénsis. S.S.	(wh.)	Cape.	C. B. S.	1730.	6. 9.	G. ½.	Bot. reg. t. 613.
8	undulàta. S.S.	(wh.)	wave-leaved.	———	——	——	G. ½.	Lodd. bot. cab. t. 379.
9	emarginàta. R.S.	(wh.)	emarginate.	Mauritius.	1816.	....	S. ½.	
10	excélsa. S.S.	(wh.)	Laurel-leaved.	Madeira.	1784.	5. 6.	G. ½.	Jacq. schœn. 3. t. 251.
11	cérnua. S.S.	(wh.)	drooping-flower'd.	Mauritius.	1816.	....	S. ½.	
12	paniculàta. B.P.	(wh.)	panicled.	N. S. W.	1823.	4. 6.	G. ½.	
13	Roxbúrghii.	(wh.)	Roxburgh's.	E. Indies.	1823.	....	S. ½.	
	paniculàta. P.I. non B.P.							
14	robústa.	(wh.)	large Phillyrea.	———	1816.	....	S. ½.	
	Phillyrèa robústa. P.I.							

15	chinénsis.	(wh.)	Chinese.	China.	1820.	4. 6.	H.ħ.	
	Phillyrèa paniculàta. F.I.							
16	angustifòlia.	(wh.)	narrow-ld. Phillyrea.	S. Europe.	1597.	5. 6.	H.ħ.	Lam. ill. t. 8. f. 3.
	Phillyrèa angustifòlia. S.S.							
	α lanceolàta.	(wh.)	*spear-leaved.*	———	——	——	H.ħ.	
	β rosmarinifòlia.	(wh.)	*Rosemary-leaved.*	———	——	——	H.ħ.	
	γ brachiàta.	(wh.)	*cross-branched.*	———	——	——	H.ħ.	
17	mèdia. R.S.	(wh.)	twiggy Phillyrea.	———	——	——	H.ħ.	
	β buxifòlia. R.S.	(wh.)	*Box-leaved.*	———	——	——	H.ħ.	
18	ligustrifòlia. R.S.	(wh.)	Privet-leaved.	———	——	——	H.ħ.	
19	péndula. R.S.	(wh.)	pendulous.	———	——	——	H.ħ.	
20	oleæfòlia. R.S.	(wh.)	Olive-leaved Phillyrea.	—	——	——	H.ħ.	Pluk. alm. t. 310. f. 5.
21	l'ævis. R.S.	(wh.)	smooth-leaved.	———	——	——	H.ħ.	Duham. arb. t. 125.
22	latifòlia. R.S.	(wh.)	broad-leaved	———	——	——	H.ħ.	Flor. græc. t. 2.
23	oblíqua. R.S.	(wh.)	oblique-leaved.	———	——	——	H.ħ.	
24	spinósa. R.S.	(wh.)	Holly-leaved.	———	——	——	H.ħ.	
	Phillyrèa ilicifòlia. W.en.							
LIGU'STRUM. W.			Privet. Diandria Monogynia. L.					
1	vulgàre. R.S.	(wh.)	common.	Britain.	....	6. 7.	H.ħ.	Eng. bot. v. 11. t. 764.
	β variegàtum.	(wh.)	*striped-leaved.*	———	....	——	H.ħ.	
	γ angustifòlium.	(wh.)	*narrow-leaved.*	———	....	——	H.ħ.	
	δ leucocárpum.	(wh.)	*white-berried.*	———	....	——	H.ħ.	
	ε itálicum. Mill.	(wh.)	*evergreen.*	Italy.	....	——	H.ħ.	
2	lùcidum. R.S.	(wh.)	Wax-tree.	China.	1794.	6. 9.	F.ħ.	Wats. dend. brit. t. 137.
SYRI'NGA. R.S.			Lilac. Diandria Monogynia. L.					
1	vulgàris. W.	(va.)	common.	Persia.	1597.	5.	H.ħ.	Schk. hand. 1. t. 2.
	α lilacina.	(li.)	*pale-flowered.*	———	——	——	H.ħ.	Bot. mag. t. 183.
	β purpùrea.	(pu.)	*purple-flowered.*	———	——	——	H.ħ.	
	γ violàcea.	(vi.)	*violet.*	———	——	——	H.ħ.	
	δ álba.	(wh.)	*white-flowered.*	———	——	——	H.ħ.	
	ε variegàta.	(li.)	*variegated-leaved.*	———	——	——	H.ħ.	
2	chinénsis. W.	(pu.)	Siberian.	China.	1795.	——	H.ħ.	
3	pérsica. W.	(li.)	Persian.	Persia.	1640.	——	H.ħ.	Bot. mag. t. 486.
	α lilacina.	(li.)	*pale-flowered.*	———	——	——	H.ħ.	
	β álba.	(wh.)	*white-flowered.*	———	——	——	H.ħ.	
	γ laciniàta.	(wh.)	*cut-leaved.*	———	——	——	H.ħ.	Schmidt arb. 2. t. 79.

ORDO CXXXVII.

JASMINEÆ. *Brown prodr.* 1. *p.* 520.

NYCTA'NTHES. W.			Nycta'nthes. Diandria Monogynia. L.					
	árbor tristis. w.	(wh.ye.)	square-stalked.	E. Indies.	1781.	6. 9.	S.ħ.	Bot. reg. t. 399.
JASMINUM. W.			Jasmine. Diandria Monogynia. L.					
1	Sámbac. S.S.	(wh.)	single Arabian.	E. Indies.	1665.	1. 12.	S.ħ.⌣.	Bot. reg. t. 1.
	β múltiplex.	(wh.)	*semidouble.*	———	1700.	——	S.ħ.⌣.	Andr. reposit. t. 497.
	γ trifoliàtum.	(wh.)	*Tuscan.*	———	1730.	——	S.ħ.	Bot. mag. t. 1785.
2	undulàtum. S.S.	(wh.)	wave-leaved.	———	1812.	2. 6.	S.ħ.⌣.	Bot. reg. t. 436.
3	hirsùtum. S.S.	(wh.)	hairy Indian.	———	1759.	5. 12.	S.ħ.	Sm. ex. bot. 2. t. 118.
	multiflòrum. And. rep. t. 436.							
4	angustifòlium. F.I.	(wh.)	narrow-leaved.	———	1816.	1. 12.	S.ħ.⌣.	Rheed. mal. 6. t. 53.
5	laurifòlium. F.I.	(wh.)	Laurel-leaved.	———	——	——	S.ħ.⌣.	Bot. reg. t. 521.
6	trinérve. S.S.	(wh.)	three-nerved.	Java.	1804.	4. 6.	S.ħ.⌣.	——— t. 918.
7	glaùcum. S.S.	(wh.)	glaucous.	C. B. S.	1774.	6. 8.	S.ħ.⌣.	Sal. stirp. rar. t. 8.
8	bracteàtum. S.S.	(wh.)	bracteate.	Sumatra.	1820.	——	S.ħ.⌣.	
9	latifòlium. S.S.	(wh.)	broad-leaved.	E. Indies.	1817.	——	S.ħ.⌣.	
10	arborésccns. S.S.	(wh.)	arborescent.	———	1824.	....	S.ħ.	
11	scándens. S.S.	(wh.)	scandent.	———	——	....	S.ħ.⌣.	
12	simplicifòlium. S.S.	(wh.)	simple-leaved.	Society Isl.	....	3. 6.	S.ħ.⌣.	Bot. mag. t. 960.
13	elongàtum. S.S.	(wh.)	long-branched.	E. Indies.	1823.	....	S.ħ.⌣.	Berg. act. an. 1772. t. 11.
14	grácile. S.S.	(wh.)	slender.	Norfolk Isl.	1791.	1. 12.	G.ħ.⌣.	Andr. reposit. t. 127.
15	acuminàtum. S.S.	(wh.)	acuminate.	N. Holland.	1820.	6. 9.	G.ħ.⌣.	Bot. reg. t. 1296?
16	volùbile. R.S.	(wh.)	twisting.	C. B. S.	1816.	4. 7.	G.ħ.⌣.	Jacq. schœn. 3. t. 321.
17	auriculàtum. S.S.	(wh.)	auriculate.	E. Indies.	1790.	5. 9.	S.ħ.⌣.	Bot. reg. t. 264.
18	paniculàtum. S.S.	(wh.)	variable-leaved.	China.	1812.	2. 12.	S.ħ.⌣.	——— t. 690.

19 flexile. s.s. (wh.) acute 3-leaved. E. Indies. 1820. 4. 8. S. ♄. ⌣.
20 tortuòsum. s.s. (wh.) twisting. C. B. S. —— —— S. ♄. ⌣. Jacq. schœn. 4. t. 490.
flexile. Jacq. *non* W.
21 campanulàtum. s.s. (wh.) bell-shaped calyx'd. .... —— —— S. ♄. ⌣.
22 capénse. s.s. (wh.) Cape. C. B. S. 1816. —— G. ♄.
23 azoricum. s.s. (wh.) white Azorian. Madeira. 1724. 4. 11. G. ♄. Bot. reg. t. 80.
24 dispérmum. s.s. (wh.) two-seeded. Nepaul. 1825. .... G. ♄. ⌣.
25 frùticans. s.s. (ye.) common yellow. S. Europe. 1570. 4. 10. H. ♄. Bot. mag. t. 461.
26 hùmile. s.s. (ye.) Italian. ——— 1656. 6. 9. H. ♄. Bot. reg. t. 350.
27 odoratìssimum. s.s. (ye.) yellow Azorian. Madeira. —— 5. 11. G. ♄. Bot. mag. t. 285.
28 revolùtum. s.s. (ye.) yellow Nepaul. Nepaul. 1812. 3. 10. H. ♄. Bot. reg. t. 178.
chrysánthemum. F.I.
29 pubígerum. D.P. (ye.) pubescent. ——— 1828. —— H. ♄. ⌣.
30 officinàle. s.s. (wh.) common white. E. Indies. 1548. 6. 10. H. ♄. ⌣. Bot. mag. t. 31.
β *leucophy'llum*. (wh.) *white-edged*. ——— .... —— H. ♄. ⌣.
γ *chrysophy'llum*. (wh.) *yellow-edged*. ——— .... —— H. ♄. ⌣.
δ *múltiplex*. (wh.) *double-blossomed*. ——— 1823. —— H. ♄. ⌣.
31 grandiflòrum. s.s. (wh.) Catalonian. ——— 1629. —— G. ♄. ⌣. Bot. reg. t. 91.

ORDO CXXXVIII.

APOCINEÆ. *Brown prodr.* 1. *p.* 465.

ALY'XIA. B.P. ALY'XIA. Pentandria Monogynia.
Richardsòni. (wh.) Richardson's. N. Holland. 1823. 4. 6. S. ♄.
RAUWO'LFIA. S.S. RAUWO'LFIA. Pentandria Monogynia. W.
1 nítida. s.s. (wh.) shining.. S. America. 1752. 6. 9. S. ♄. Lodd. bot. cab. t. 339.
2 ternifòlia. s.s. (wh.) three-leaved. ——— 1822. —— S. ♄. Bot. mag. t. 2440.
3 canéscens. s.s. (fl.) hoary. Jamaica. 1739. —— S. ♄. Jacq. amer. pict. f. 17.
4 tomentòsa. s.s. (wh.) woolly. S. America. 1823. —— S. ♄. ——— ——— t. 46.
5 spinòsa. R.S. (st.) spiny. Peru. 1827. —— S. ♄. Cavan. icon. 6. t. 526.
VALLE'SIA. R.P. VALLE'SIA. Pentandria Monogynia.
cymbæfòlia. R.S. (wh.) boat-leaved. S. America. 1816. 6. 8. S. ♄. Cavan. ic. 3. t. 297.
Rauwólfia glábra. W.
OPHIO'XYLON. W. OPHIO'XYLON. Polygamia Monœcia. W.
serpentinum. W. (wh.) serpent-wood. E. Indies. 1690. 5. 6. S. ♄. Bot. mag. t. 784.
STRY'CHNOS. S.S. STRY'CHNOS. Pentandria Monogynia. W.
1 Núx vómica. s.s. (wh.) Poison-nut. E. Indies. 1778. .... S. ♄. Roxb. cor. 1. t. 4.
2 colubrìna. s.s. (gr.ye.) muricate-fruited. ——— 1818. 5. 8. S. ♄. Rheed. mal. 8. t. 24.
3 potatòrum. s.s. (wh.) clearing-nut. ——— 1794. 4. 6. S. ♄. Roxb. cor. 1. t. 5.
4 madagascariénsis. s.s. (wh.) Madagascar. Madagascar. 1818. .... S. ♄.
5 spinòsa. s.s. (gr.ye.) spiny. ——— 1824. .... S. ♄.
6 axillàris. s.s. (wh.) axillary-flowered. E. Indies. 1818. 5. 7. S. ♄. Linn. trans. v. 12. t. 15.
THEOPHRA'STA. S.S. THEOPHRA'STA. Pentandria Monogynia.
1 longifòlia. R.S. (or.) long-leaved. Caracas. 1827. .... S. ♄. Jacq. schœn. 1. t. 116.
2 macrophy'lla. R.S. .... large-leaved. Brazil. —— .... S. ♄.
3 americàna. R.S. .... American. S. America. —— .... S. ♄. Plum. icon. 126.
4 Jussi'æi. s.s. (wh.) Jussieu's. ——— 1818. 1. 4. S. ♄. Lindl. coll. t. 26.
CLAVI'JA. R.P. CLAVI'JA. Pentandria Monogynia.
macrophy'lla. R.P. (wh.) long-leaved. S. America. 1816. .... S. ♄. Flor. peruv. gen. t. 30.
FAGRÆ'A. W. FAGRÆ'A. Pentandria Monogynia.
1 zeylánica. W. (wh.) Ceylon. Ceylon. 1824. 4. 7. S. ♄. Thunb. ac. hol. 1782. t. 4.
2 frágrans. F.I. (wh.) fragrant. China. 1826. 5. 7. S. ♄.
CARI'SSA. L. CARI'SSA. Pentandria Monogynia. L.
1 Carándas. s.s. (wh.) Jasmine-flower'd. E. Indies. 1790. 7. 8. S. ♄. Roxb. cor. 1. t. 77.
2 spinàrum. s.s. (wh.) Box-leaved. ——— 1809. 8. 12. S. ♄. Lodd. bot. cab. t. 162.
3 ovàta. B.P. (wh.) oval-leaved. N. Holland. 1817. 6. 9. G. ♄.
4 Xylopicron. s.s. (wh.) nerved-leaved. Mauritius. 1820. —— S. ♄. Aub. Thou. obs. p. 24. ic.
ARDU'INA. L. ARDU'INA. Pentandria Monogynia. L.
bispinòsa. s.s. (wh.) two-spined. C. B. S. 1760. 3. 8. G. ♄. Mill. ic. 2. t. 300.
Carissa Ardúina. P.S.
GELS'EMIUM. J. GELS'EMIUM. Pentandria Monogynia.
sempervìrens. P.S. (ye.) evergreen. N. America. 1640. 6. 7. G. ♄. ⌣. Catesb. car. 1. t. 58.
nítidum. R.S. *Bignònia sempervìrens*. W.

CERBERA. W.		CERBERA.	Pentandria Monogynia. L.					
1 Ahoùai. S.S.	(*ye.*)	oval-leaved.	Brazil.	1739.	6. 7.	S. ½.	Bot. mag. t. 737.
2 ovàta. S.S.	(*ye.*)	ovate-leaved.	N. Spain.	....	——	S. ½.	Cavan. ic. 3. t. 270.
3 fruticòsa. S.S.	(*re.*)	purple-flowered.	Pegu.	1817.	3. 9.	S. ½.	Bot. reg. t. 391.
4 Mánghas. L.T.	(*wh.*)	blunt-leaved.	E. Indies.	1759.	4. 8.	S. ½.	Burm. zeyl. t. 70. f. 1.
5 Odállam. L.T.	(*wh.re.*)	spear-leaved.	————	——	6. 9.	S. ½.	Bot. mag. t. 1845.
Mánghas. B.M. *non* L.T.							
6 lactària. L.T.	(*wh.*)	Milk-tree.	————	....	——	S. ½.	Rumph. amb. 2. t. 81.
Mánghas. G. 2. t. 123 et 124. f. 1. *non* L.T.							
7 Tánghin. B.M.	(*bl.re.*)	poison-nut.	Madagascar.	1826.	....	S. ½.	Bot. mag. t. 2968.
8 laurifòlia. B.C.	(*wh.*)	Laurel-leaved.	E. Indies.	1819.	6. 9.	S. ½.	Lodd. bot. cab. t. 989.
9 maculàta. S.S.	(*wh.re.*)	wave-leaved.	Bourbon.	1782.	6. 7.	S. ½.	Andr. reposit. t. 130.
10 dichótoma. B.C.	(*wh.*)	forked.	E. Indies.	1827.	——	S. ½.	Lodd. bot. cab. t. 1516.
11 thevetioídes. S.S.	(*ye.*)	revolute-margin'd.	N. Spain.	1820.	....	S. ½.	
12 Thevètia. S.S.	(*ye.*)	linear-leaved.	S. America.	1735.	....	S. ½.	Jacq. amer. 48. t. 34.
13 cuneifòlia. K.S.	(*ye.*)	wedge-leaved.	Mexico.	1826.	4. 6.	S. ½.	
OCHR'OSIA. J.		OCHR'OSIA.	Pentandria Monogynia. R.S.				
borbònica. R.S.	(*st.*)	Bourbon.	Bourbon.	1823.	....	S. ½.	
Cérbera borbònica. S.S. *Ophióxylon Ochròsia.* P.S.							
DISSOL'ENA. R.S.		DISSOL'ENA.	Pentandria Monogynia. R.S.				
verticillàta. R.S.	(*wh.*)	whorl-leaved.	China.	1812.	....	S. ½.	
ALLAMA'NDA. S.S.		ALLAMA'NDA.	Pentandria Monogynia. L.				
1 cathártica. S.S.	(*ye.*)	Willow-leaved.	Guiana.	1785.	6. 7.	S. ½.	Bot. mag. t. 338.
2? verticillàta. S.S.	....	whorl-leaved.	E. Indies.	1812.	....	S. ½.	
Nèrium tinctòrium. Hort.							
VI'NCA. R.S.		PERIWINKLE.	Pentandria Monogynia. L.				
1 herbàcea. R.S.	(*bl.*)	herbaceous.	Hungary.	1816.	6. 7.	H. ½.	Bot. reg. t. 301.
2 minor. R.S.	(*bl.*)	lesser.	Britain.	....	3. 9.	H. ½.	Eng. bot. v. 13. t. 917.
a cærùlea.	(*bl.*)	*blue-flowered.*	————	....	——	H. ½.	
β álba.	(*wh.*)	*white-flowered.*	————	....	——	H. ½.	
γ atropurpùrea.	(*pu.*)	*dark-purple.*	————	....	——	H. ½.	
δ múltiplex.	(*pu.*)	*double-flowered.*	————	....	——	H. ½.	
ε variegàta.	(*wh.*)	*variegated.*	————	....	——	H. ½.	
3 màjor. R.S.	(*bl.*)	greater.	England.	....	——	H. ½.	Eng. bot. v. 8. t. 514.
β múltiplex.	(*bl.*)	*double-blue.*	————	....	——	H. ½.	
4 pusílla. R.S.	(*st.*)	small-flowered.	E. Indies.	1778.	8.	S. ☉.	Rheed. mal. 9. t. 33.
parvifòra. W.							
5 rósea. R.S.	(*ro.*)	Madagascar.	————	1756.	3. 10.	S. ½.	Bot. mag. t. 248.
β álba.	(*wh.*)	*white-flowered.*	————	——	——	S. ½.	
γ ocellàta.	(*wh.re.*)	*red-eyed.*	————	——	——	S. ½.	
WRI'GHTIA. S.S.		WRI'GHTIA.	Pentandria Monogynia. S.S.				
1 antidysentérica. S.S.	(*wh.*)	oval-leaved.	E. Indies.	1778.	....	S. ½.	Burm. zeyl. t. 77.
2 zeylánica. S.S.	(*wh.*)	spear-leaved.	————	....	....	S. ½.	———— t. 12. f. 2.
3 dùbia. S.S.	(*sc.*)	doubtful.	————	....	5. 8.	S. ½.	Bot. mag. t. 1646.
Camerària dùbia. B.M.							
4 coccínea. B.M.	(*sc.*)	scarlet.	————	1820.	6. 8.	S. ½.	Bot. mag. t. 2696.
Nèrium coccíneum. Bot. cab. t. 894.							
5 tinctòria. S.S.	(*wh.*)	dyer's.	————	1812.	——	S. ½.	Bot. reg. t. 933.
STROPHA'NTHUS. DC.		STROPHA'NTHUS.	Pentandria Monogynia. P.S.				
1 dichótomus. DC.	(*ro.*)	forked.	E. Indies.	1816.	2. 10.	S. ½.	Burm. ind. 68. t. 26.
2 divérgens. Gr.	(*ye.*)	spreading.	China.	——	——	S. ½.	Bot. reg. t. 469.
dichótomus. B.R. *non* DC.							
3 sarmentòsus. DC.	(*re.*)	sarmentose.	Sierra Leon.	1822.	....	S. ½.	Deaf. an. mus. 1. t. 27.
N'ERIUM. R.S.		OLEANDER.	Pentandria Monogynia. L.				
1 Oleánder. R.S.	(*ro.*)	common.	S. Europe.	1596.	6. 10.	G. ½.	Flor. græc. t. 248.
β álba.	(*wh.*)	*white-flowered.*	————	——	——	G. ½.	Lodd. bot. cab. t. 700.
γ spléndens.	(*ro.*)	*double-hybrid.*	Hybrid.	1815.	——	G. ½.	Bot. reg. t. 74.
2 odòrum. R.S.	(*ro.*)	sweet-scented.	E. Indies.	1683.	6. 8.	S. ½.	Rheed. mal. 9. t. 2.
β cárneum.	(*fl.*)	*flesh-coloured.*	————	1816.	——	S. ½.	Bot. mag. t. 2682.
γ flòre plèno.	(*ro.*)	*double-flowered.*	————	....	——	S. ½.	Rheed. mal. 9. t. 1.
3 flavéscens. R.S.	(*st.*)	yellowish.	.....	1816.	——	S. ½.	
TABERNÆMONTA'NA.		TABERNÆMONTA'NA.	Pentandria Monogynia. L.				
1 citrifòlia. R.S.	(*st.*)	Citron-leaved.	Jamaica.	1734.	5. 8.	S. ½.	Plum. ic. t. 248. f. 2.
2 álba. R.S.	(*wh.*)	white-flowered.	W. Indies.	1780.	——	S. ½.	Jacq. amer. t. 175. f. 13.
citrifòlia. Jacq. *non* L.							
3 laurifòlia. R.S.	(*st.*)	Laurel-leaved.	————	1768.	——	S. ½.	Bot. reg. t. 716.
4 cymòsa. R.S.	(*wh.*)	cyme-flowered.	S. America.	1820.	——	S. ½.	Jacq. amer. t. 181. f. 14.
5 amygdalifòlia. R.S.	(*wh.*)	Peach-leaved.	————	1780.	4. 8.	S. ½.	Bot. reg. t. 338.
6 discolor. R.S.	(*st.*)	two-coloured.	Jamaica.	1822.	——	S. ½.	

7	persicariæfòlia. R.s.	(*st.*)	Persicaria-leav'd.	Mauritius.	1826.	4. 8.	S. ♄.	Jacq. icon. rar. t. 320.
8	arcuàta. R.s.	(*st.*)	arch'd follicled.	Peru.	1820.	——	S. ♄.	Flor. peruv. 2. t. 143.
9	crìspa. L.T.	(*wh.*)	wave-leaved.	E. Indies.	1818.	5. 10.	S. ♄.	Rheed. mal. 1. t. 46.
10	coronària. L.T.	(*wh.*)	broad-leaved.	————	1710.	6. 10.	S. ♄.	Lodd. bot. cab. t. 406.
	β flòre plèno.	(*wh.*)	*double-flowered.*	————	——	——	S. ♄.	Bot. mag. t. 1865.
	Nèrium coronàrium. B.M.							
11	densiflòra. B.R.	(*wh.*)	close-flowered.	Ceylon.	1824.	6. 7.	S. ♄.	Bot. reg. t. 1273.
12	undulàta. R.s.	(*st.*)	waved.	Trinidad.	——	——	S. ♄.	
13	odoràta. s.s.	(*ye.*)	yellow-flowered.	Cayenne.	1793.	10. 11.	S. ♄.	Aub. guian. 1. t. 102.
	Camerària lùtea. W. *Camerària Tamaquarina.* Aublet.							

CAMER'ARIA. S.S. BASTARD MANGENEEL. Pentandria Monogynia. L.

1	latifòlia. s.s.	(*wh.*)	broad-leaved.	Havannah.	1733.	8.	S. ♄.	Andr. reposit. t. 261.
2	angustifòlia. s.s.	(*wh.*)	narrow-leaved.	S. America.	1752.	9.	S. ♄.	Plum. ic. t. 72. f. 2.

AMS'ONIA. R.S. AMS'ONIA. Pentandria Monogynia. P.S.

1	latifòlia. R.s.	(*bl.*)	broad-leaved.	N. America.	1759.	5. 6.	H. ♃.	Bot. reg. t. 151.
2	salicifòlia. R.s.	(*pa.bl.*)	Willow-leaved.	————	1812.	——	H. ♃.	Bot. mag. t. 1873.
3	angustifòlia. R.s.	(*bl.*)	hairy-stalked.	————	1774.	——	H. ♃.	Venten. choix. t. 29.

PLUM'ERIA. S.S. PLUM'ERIA. Pentandria Monogynia. L.

1	rùbra. R.s.	(*re.*)	red-flowered.	Jamaica.	1690.	7. 8.	S. ♄.	Bot. reg. t. 780.
2	purpùrea. R.s.	(*pu.*)	purple.	Peru.	1820.	——	S. ♄.	Flor. peruv. 2. t. 137.
3	acuminàta. H.K.	(*wh.*)	acute-leaved.	E. Indies.	1790.	6. 9.	S. ♄.	Bot. reg. t. 114.
	acutifòlia. R.s.							
4	obtùsa. R.s.	(*wh.*)	blunt-leaved.	W. Indies.	1733.	7. 8.	S. ♄.	Catesb. car. 1. t. 93.
5	álba. R.s.	(*wh.*)	white.	Jamaica.	——	——	S. ♄.	Jacq. amer. t. 174. f. 2.
6	incarnàta. R.P.	(*fl.*)	flesh-coloured.	Peru.	....	——	S. ♄.	Flor. peruv. t. 138.
7	carinàta. R.P.	(*wh.re.*)	keel-leaved.	————	1824.	——	S. ♄.	
8	bícolor. R.P.	(*ye.wh.*)	two-coloured.	S. America.	1815.	6. 9.	S. ♄.	Bot. reg. t. 480.
9	tricolor. R.P.	(*wh.re.*)	three-coloured.	————	——	——	S. ♄.	———— t. 510.
10	lùtea. R.P.	(*ye.*)	yellow-flowered.	————	——	——	S. ♄.	Flor. peruv. 2. t. 142.
11	aurántia. H.s.s.	(*or.*)	orange-flowered.	————	1816.	——	S. ♄.	
12	pùdica. R.s.	(*st.*)	wax-flowered.	————	——	7. 8.	S. ♄.	
13	longifòlia. R.s.	....	long-leaved.	Madagascar.	1816.	....	S. ♄.	
14	tuberculàta. B.C.	(*wh.*)	tubercled.	S. America.	1820.	6. 8.	S. ♄.	Lodd. bot. cab. t. 681.
15	tenuifòlia. L.C.	....	slender-leaved.	————	....	....	S. ♄.	
16	Northiàna. L.C.	....	North's.	————	....	....	S. ♄.	
17	mexicàna. B.C.	(*wh.*)	Mexican.	Mexico.	....	6. 9.	S. ♄.	Lodd. bot. cab. t. 1024.
18	Cowàni. D.D.	(*wh.*)	Cowan's.	————	1824.	——	S. ♄.	
19	Blandfordiàna. L.C.	....	Blandford's.	S. America.	....	....	S. ♄.	
20	nívea. L.C.	(*wh.*)	snowy white.	————	....	6. 8.	S. ♄.	
21	conspícua. L.C.	....	conspicuous.	————	....	....	S. ♄.	
22	macrophy'lla. L.C.	....	large-leaved.	————	....	....	S. ♄.	
23	leucántha. L.C.	(*wh.*)	white-blossomed.	————	....	....	S. ♄.	
24	parvifòlia. H.s.s.	(*wh.*)	small-leaved.	W. Indies.	1813.	7. 8.	S. ♄.	

PREST'ONIA. S.S. PREST'ONIA. Pentandria Monogynia. S.S.

1	tomentòsa. s.s.	(*ye.*)	tomentose.	Brazil.	1820.	5. 8.	S. ♄. ⌣.	
2	glabràta. s.s.	(*ye.*)	smooth.	S. America.	1823.	——	S. ♄ ⌣.	

CRYPTOL'EPIS. B. CRYPTOL'EPIS. Pentandria Monogynia.

	élegans. L.C.	....	elegant.	E. Indies.	1823.	....	S. ♄. ⌣.	

ALST'ONIA. S.S. ALST'ONIA. Pentandria Monogynia. S.S.

1	scholàris. s.s.	(*wh.*)	whorl-leaved.	E. Indies.	1816.	....	S. ♄.	Rheed. mal. 1. t. 45.
2	venenàta. s.s.	(*wh.*)	poisonous.	————	1823.	....	S. ♄.	

THENA'RDIA. K.S. THENA'RDIA. Pentandria Monogynia.

	floribúnda. K.s.	(*gr.*)	abundant-flowered.	Mexico.	1823.	....	S. ♄. ⌣	H. et B. 3. t. 240.

ECH'ITES. R.S. ECH'ITES. Pentandria Monogynia. L.

1	longiflòra. s.s.	(*wh.*)	long-flowered.	Brasil.	1816.	5. 8.	S. ♄. ⌣.	
2	bispinòsa. s.s.	(*fl.*)	two-spined.	C. B. S.	1795.	7. 11.	S. ♄.	
3	succulénta. s.s.	(*re.wh.*)	succulent.	————	1820.	4. 6.	S. ♄.	Jacq. fragm. t. 117.
	tuberòsa. H.s.s.							
4	rèpens. R.s.	(*re.*)	creeping.	St. Domingo.	1824.	6. 8.	S. ♄.	Jacq. am. pict. t. 35.
5	biflòra. s.s.	(*wh.*)	twin-flowered.	W. Indies.	1793.	7. 8.	S. ♄. ⌣.	Jacq. amer. 30. t. 21.
6	umbellàta. s.s.	(*wh.*)	umbelled.	Jamaica.	1733.	7.	S. ♄. ⌣.	———— 30. t. 22.
7	toròsa. s.s.	(*ye.*)	climbing.	————	1778.	6. 8.	S. ♄. ⌣.	———— 33. t. 27.
8	antidysentérica. s.s.	(*pi.*)	medicinal.	E. Indies.	1821.	....	S. ♄.	
9	pubéscens. L.T.	(*wh.*)	pubescent.	————	1822.	....	S. ♄.	Rheed. mal. 1. t. 49.?
10	suberécta. s.s.	(*ye.*)	Savanna-flower.	W. Indies.	1759.	6. 8.	S. ♄. ⌣.	Bot. mag. t. 1064.
11	caryophyllàta. s.s.	(*st.*)	Clove-scented.	E. Indies.	1812.	9. 11.	S. ♄. ⌣.	———— t. 1919.
12	diffórmis. s.s.	(*ye.*)	deformed.	Carolina.	1806.	6. 8.	S. ♄. ⌣.	
13	grandifòlia. R.s.	(*pi.*)	large-flowered.	E. Indies.	1823.	....	S. ♄.	
	macrántha. s.s.							

14 reticulàta. s.s. (*wh.*) netted-leaved. E. Indies. 1818. 6. 7. G. ♄. ⌣.
15 Héynii. s.s. (*wh.*) Heyne's. ——— —— —— S. ♄. ⌣.
16 frutéscens. H.B. (*wh.*) frutescent. ——— 1816. —— S. ♄. ⌣.
17 paniculàta. H.B. (*wh.*) panicled. ——— —— —— S. ♄. ⌣.

BEAUMO'NTIA. B.R. BEAUMO'NTIA. Pentandria Monogynia.
1 grandiflòra. B.R. (*wh.*) oval-leaved. E. Indies. 1812. 5. 7. S. ♄. ⌣. Bot. reg. t. 911.
2 longifòlia. L.C. (*wh.*) long-leaved. ——— 1818. .... S. ♄. ⌣.

HÆMADI'CTYON. H.T. HÆMADI'CTYON. Pentandria Monogynia.
venòsum. H.T. (*ye.*) red-veined. W. Indies. 1820. 4. 8. S. ♄. ⌣. Bot. mag. t. 2473.
Echìtes nàtans. B.M.

VALL'ARIS. S.S. VALL'ARIS. Pentandria Monogynia. S.S.
Pergulànus. S.S. (*wh.*) smooth-leaved. E. Indies. 1818. .... S. ♄. ⌣. Rumph. am. 5. t. 29.
Pergulària glàbra. W. *Emericia Pergulària.* R.S.

ICHNOCA'RPUS. S.S. ICHNOCA'RPUS. Pentandria Monogynia. S.S.
frutéscens. S.S. (*pu.*) shrubby. E. Indies. 1759. 7. 8. S. ♄. Burm. zeyl. t. 12. f. 1.

PARSO'NSIA. R.S. PARSO'NSIA. Pentandria Monogynia. R.S.
1 corymbòsa. R.S. (*re.*) corymb-flowered. W. Indies. 1820. 6. 8. S. ♄. ⌣. Jacq. amer. pict. t. 87.
Echìtes corymbòsa. Jacq.
2 floribúnda. R.S. (*wh.*) many-flowered. Jamaica. —— —— S. ♄.
Echìtes floribúnda. W.

WILLUGHBE'IA. S.S. WILLUGHBE'IA. PentandriaMonogynia. S.S.
èdulis. S.S. (*bl.*) eatable. E. Indies. 1818. 6. 8. S. ♄. ⌣. Roxb. corom. 3. t. 289.

LYO'NSIA. B.P. LYO'NSIA. Pentandria Monogynia. S.S.
stramínea. B.P. (*st.*) climbing. N. S. W. 1820. 6. 8. S. ♄. ⌣.

MELOD'INUS. R.S. MELOD'INUS. Pentandria Mono-Digynia.
1 scándens. R.S. (*wh.*) climbing. N. Caledonia. 1775. .... S. ♄. ⌣. Lam. ill. t. 179.
2 parvifòlius. L.C. (*wh.*) small-leaved. E. Indies. .... S. ♄.
3 undulàtus. L.C. (*wh.*) wave-leaved. ——— .... S. ♄.
4 monog'ynus. B.R. (*wh.*) one-styled. ——— 1816. 4. 8. S. ♄. ⌣. Bot. reg. t. 834.

CARPOD'INUS. D.D. PISHAMIN. Pentandria Digynia.
1 dúlcis. D.D. (*wh.*) sweet. Sierra Leone. 1823. .... S. ♄. ⌣.
2 ácidus. D.D. (*wh.*) sour. ——— — — .... S. ♄. ⌣.

APO'CYNUM. S.S. DOG'S-BANE. Pentandria Monogynia. R.S.
1 androsæmifòlium. L.C. (*bl.*) Tutsan-leaved. N. America. 1688. 7. 9. H. ♃. Bot. mag. t. 280.
2 cannabìnum. S.S. (*gr.*) Hemp-like. ——— 1699. —— H. ♃. Moris. s. 15. t. 3. f. 14.
3 hypericifòlium. S.S. (*wh.*) Hypericum-leav'd. ——— 1758. 6. 7. H. ♃. Jacq. vind. 3. t. 66.
4 venètum. S.S. (*re.*) Venetian. Adriatic Isl. 1690. —— H. ♃. Lob. ic. 372. f. 1. 2.
β álbum. (*wh.*) *white-flowered.* ——— .... —— H. ♃.

ORDO CXXXIX.

ASCLEPIADEÆ. *Brown prodr.* 1. *p.* 458.

PERIPL'OCA. R.S. PERIPL'OCA. Pentandria Digynia. L.
1 gr'æca. R.S. (*pu.*) Virginian-silk. Syria. 1597. 7. 8. H. ♄. ⌣. Bot. reg. t. 803.
2 mauritiàna. R.S. (*pu.*) long-leaved. Mauritius. 1823. .... S. ♄. ⌣. Rheed. mal. 9. t. 11.
3 lævigàta. R.S. (*ye.*) smooth. Canaries. 1779. 6. 8. G. ♄. Cavan. ic. 3. t. 217.
punicæfòlia. Cav. icon.

HEMIDE'SMUS. R.S. HEMIDE'SMUS. Pentandria Digynia. R.S.
índicus. R.S. (*gr.*) Indian. Ceylon. 1796. .... S. ♄. Burm. zeyl. t. 83. f. 1.

CRYPTOST'EGIA. B.R. CRYPTOST'EGIA. Pentandria Digynia. S.S.
grandiflòra. B.R. (*ro.*) large-flowered. E. Indies. 1812. 6. 8. S. ♄. ⌣. Bot. reg. t. 895.

SECAM'ONE. R.S. SECAM'ONE. Pentandria Digynia. R.S.
1 emética. R.S. (*wh.*) narrow-leaved. India. 1816. .... S. ♄. Willd. phyt. 1. t. 5. f. 2.
2 ægyptiaca. H.K. (*wh.*) Egyptian. Egypt. 1752. 7. G. ♄. ⌣. Alp. ægyp. t. 134.
Alpìni. R.S. *Periplòca Secamòne.* W.

DUVA'LIA. H.S. DUVA'LIA. Pentandria Digynia. H.S.
1 reclinàta. H.S. (*pu. ye.*) reclined. C. B. S. 1795. 8. 10. D.S. ♄. Bot. mag. t. 1397.
2 élegans. H.S. (*d. pu.*) elegant. ——— —— —— D.S. ♄. ——— t. 1184.
Stapèlia élegans. B.M.
3 hirtèlla. S.S. (*d. pu.*) hairy. —— —— —— —— D.S. ♄. Jacq. stap. c. ic.
Stapèlia hirtèlla. Jacq.
4 cæspitòsa. H.S. (*d. pu.*) tufted. ——— 1790. 8. 11. D.S. ♄. Mass. stap. 20. t. 29.

5 radiàta. H.s. (*d.pu.*) radiated. C. B. S. 1795. 9. 11. D.S.♄. Bot. mag. t. 619.
6 replicàta. s.s. (*br.pu.*) replicate. ——— 1806. 8. 10. D.S.♄. Jacq. stap. c. ic.
Stapèlia replicàta. Jacq.
7 mastòdes. s.s. (*d.pu.*) teat. ——— 1821. —— D.S.♄. Jacq. stap. c. ic.
8 Jacquiniàna. R.s.(*d.pu.*)Jacquin's. ——— 1802. 7. 9. D.S.♄. ——— t. 37.
Stapèlia radiàta. Jacq. *non* B.M.
9 tuberculàta. H.s.s.(*d.p.*)tubercled. ——— 1774. 7. 11. D.S.♄.
10 lævigàta. H.s.s. (*d.p.*) smooth. ——— 1808. —— D.S.♄.
11 glomeràta. H.s.s. (*d.p.*) clustered. ——— —— —— D.S.♄.
12 compácta. H.s.s. (*d.p.*) compact. ——— 1800. 8. 11. D.S.♄.

PECTIN'ARIA. H.S.S. PECTIN'ARIA. Pentandria Digynia. H.S.
1 mammillàris. (*br.re.*) prickly. C. B. S. 1774. 6. 8. D.S.♄. Burm. afr. p. 27. t. 11.
Stapèlia mammillàris. W.
2 articulàta. H.s.s. (*d.r.*) jointed. ——— —— 8. 9. D.S.♄. Mass. stap. 20. t. 30.
Stapèlia articulàta. Mas.

O'RBEA. H.S. O'RBEA. Pentandria Digynia. H.S.
1 maculòsa. H.s. (*y.r.*) spotted. C. B. S. 1804. 6. 9. D.S.♄. Bot. mag. t. 1833.
2 mixta. H.s. (*vi.ye.*) mixed. ——— 1795. —— D.S.♄. Mass. stap. 28. t. 38.
Stapèlia mixta. Mas.
3 quinquenérvia. H.s.(*s.p.*)five-nerved. ——— 1810. 10. 12. D.S.♄.
4 trisúlca. J.s. (*ye.pu.*) trisulcate. ——— 1806. —— D.S.♄. Jacq. stap. c. ic.
5 bisúlca. H.s. (*s.p.*) bisulcate. ——— —— —— D.S.♄.
6 variegàta. H.s. (*s.p.*) variegated. ——— 1727. 6. 10. D.S.♄. Moris. s. 15. t. 3. f. 4.
Stapèlia variegàta. L. *non* B.M.
7 Curtísii. H.s. (*s.p.*) Curtis's. ——— 1787. —— D.S.♄. Bot. mag. t. 26.
Stapèlia variegàta. B.M. *non* L.
8 lépida. H.s.s. (*st.cr.*) pretty. ——— 1805. 7. 8. D.S.♄. Jacq. stap. c. ic.
9 orbiculàris. H.s.s. (*br.*) large orbed. ——— 1799. 7. 11. D.S.♄. Andr. reposit. t. 448.
10 bufònia. H.s. (*y.bk.*) toad-like. ——— 1806. 8. 10. D.S.♄. Bot. mag. t. 1676.
Stapèlia Bufònis. B.M.
11 clypeàta. H.s.s. (*y.p.*) shield-flowered. ——— 1799. 6. 11. D.S.♄. Jacq. stap. c. ic.
12 planiflòra. H.s.s.(*ye.bk.*)flat-flowered. ——— 1805. 7. 11. D.S.♄. Lodd. bot. cab. t. 191.
13 inodòra. H.s.s. (*s.p.*) scentless. ——— 1788. 6. 8. D.S.♄.
14 rugòsa. s.s. (*gr.br.*) rugged. ——— 1805. 5. 8. D.S.♄. Jacq. stap. c. ic.
15 Wendlandiàna. R.s.(*s.br.*)Wendland's. ——— —— 6. 9. D.S.♄. Wendl. coll. 2. t. 52.
Stapèlia rugòsa. Wend. *non* Jacq.
16 marginàta. R.s. (*s.vi.*) margined. ——— 1805. —— D.S.♄.
17 conspurcàta. R.s.(*s.vi.*) dirtied. ——— 1795. 6. 10. D.S.♄. Jacq. stap. c. ic.
18 normàlis. R.s. (*s.p.*) sulphur-coloured. ——— 1821. —— D.S.♄. Bot. reg. t. 755.
19 marmoràta. R.s. (*s.da.*) marbled. ——— —— —— D.S.♄.
20 retùsa. H.s. (*s.da.*) retuse. ——— 1808. 9. 10. D.S.♄.
21 anguínea. H.s. (*y.da.*) snake. ——— 1806. 8. 9. D.S.♄. Lodd. bot. cab. t. 828.
22 pícta. H.s. (*st.d.p.*) painted. ——— 1799. 6. 9. D.S.♄. Bot. mag. t. 1169.
23 Woodfordiàna. H.s.(*s.p.*)Woodford's. ——— 1805. —— D.S.♄.

STAP'ELIA. H.S. CARRION-FLOWER. Pentandria Digynia. L.
1 grandiflòra. R.s. (*d.p.*) great-flowered. C. B. S. 1795. 9. 12. D.S.♄. Mass. stap. 13. t. 11.
2 spectábilis. H.s. (*d.p.*) showy. ——— 1802. —— D.S.♄. Bot. mag. t. 585.
grandiflòra. B.M. *non* Mas.
3 ambígua. R.s. (*re.pu.*) ambiguous. ——— 1795. 6. 11. D.S.♄. Mass. stap. 18. t. 12.
β fúlva. (*br.*) *brown-flowered.* ——— —— —— D.S.♄. Jacq. stap. c. ic.
ambígua varietas. Jacq.
4 soròria. R.s. (*re.pu.*) sister. ——— 1797. 6. 8. D.S.♄. Mass. stap. 23. t. 39.
5 elongàta. (*br.*) long-branched. ——— —— —— D.S.♄. Jacq. stap. c. ic.
sorória varietas. Jacq.
6 lunàta. (*pu.*) lunate-spotted. ——— —— —— D.S.♄. Jacq. stap. c. ic.
sorória varietas alia. Jacq.
7 pátula. R.s. (*d.p.*) spreading. ——— .... —— D.S.♄. Jacq. stap. c. ic.
sorória. Jacq. *non* Mas.
8 deflèxa. B.M. (*ye.re.*) reflexed. ——— 1806. —— D.S.♄. Bot. mag. t. 1890.
reflèxa. H.s. *Gonostèmon deflèxum.* s.s.
9 lùcida. R.s. (*pu.*) glossy. ——— 1821. —— D.S.♄.
10 breviróstris. W.en.(*br.*)short-beaked. ——— .... —— D.S.♄.
11 Massòni. H.s. (*d.p.*) Masson's. ——— 1808. —— D.S.♄.
12 Astèrias. R.s. (*d.p.ye.*) Starfish. ——— 1795. 5. 11. D.S.♄. Bot. mag. t. 536.
13 stellàris. H.s.s. (*br.p.*) starry. ——— 1804. 8. 10. D.S.♄. Jacq. stap. c. ic.
14 hirsùta. R.s (*s.d.vi.*) hairy. ——— 1710. 6. 8. D.S.♄. Jacq. misc. 1. t. 3.
β atra. B.R. (*da.pu.*) *dark-flowered.* ——— —— —— D.S.♄. Bot. reg. t. 756.
15 lanífera. H.s.s. (*d.br.*) woolly-flowered. ——— 1814. 6. 9. D.S.♄.

16 flavicomàta. H.s.s. (*br.*) yellow-haired. C. B. S. 1814. 6. 9. D.S. ♄.
17 hamàta. R.s. (*pu.re.*) hooked. ——— 1805. —— D.S. ♄. Lodd. bot. cab. t. 242.
18 comàta. R.s. (*d.p.ye.*) very-hairy. ——— 1821. —— D.S. ♄.
19 multiflòra. DC. (*pu.re.*) many-flowered. ——— —— —— D.S. ♄.
20 rùfa. R.s. (*bl.re.*) rusty brown. ——— 1795. 6. 11. D.S. ♄. Lodd. bot. cab. t. 239.
21 pulvinàta. R.s. (*r.p.*) cushioned. ——— —— —— D.S. ♄. Bot. mag. t. 1240.
22 fissiróstris. R.s. (*gr.pu.*) cloven-beaked. ——— 1821. —— D.S. ♄. Jacq. stap. c. ic.
23 concínna. R.s. (*br.*) spruce. ——— 1795. 6. 8. D.S. ♄. Mass. stap. 15. t. 18.
24 glandulífera. R.s. (*y.br.*) hairy-glanded. ——— —— —— D.S. ♄.
25 hispídula. R.s. (*br.*) hispid. ——— 1821. —— D.S. ♄.
26 glandulifiòra. R.s. (*st.*) gland-flowered. ——— 1795. 8. 11. D.S. ♄. Mass. stap. 16. t. 19.
27 acuminàta. R.s. (*d.p.*) acuminated. ——— —— 7. 9. D.S. ♄. ——— 15. t. 17.
28? cordàta. H.s. .... heart-shaped. ——— 1805. 6. 8. D.S. ♄.
29? canéscens. H.s. .... canescent. ——— 1795. —— D.S. ♄.
30? ophiúncula. H.s. .... serpent-like. ——— 1805. —— D.S. ♄.

TRIDE'NTEA. H.S. TRIDE'NTEA. Pentandria Digynia. H.S.
1 gemmiflòra. H.s. (*bk.*) gem-flowered. C. B. S. 1795. 10. 11. D.S. ♄. Mass. stap. 14. t. 15.
2 st'ygia. H.s. (*bk.*) Stygian. ——— 1800. 8. 10. D.S. ♄. Bot. mag. t. 1839.
Stapèlia gemmiflòra. β. B.M.
3 moschàta. H.s.s. (*d.p.*) musk-scented. ——— 1799. 9. 11. D.S. ♄. Lodd. bot. cab. t. 1051.
Stapèlia hircòsa. Jacq. stap. c. ic.
4 vétula. H.s. (*d.p.*) purple smooth. ——— 1793. 5. 11. D.S. ♄. Mass. stap. 15. t. 16.
5 Símsii. H.s. (*d.p.*) Sims's. ——— 1800. —— D.S. ♄. Bot. mag. t. 1234.
Stapèlia vétula. B.M. *non* Mass.
6 paniculàta. R.s. (*re.*) panicled. ——— 1805. 6. 9. D.S. ♄.
7 juvéncula. s.s. (*d.br.*) short-flowered. ——— .... —— D.S. ♄. Jacq. stap. c. ic.
8 deprèssa. R.s. (*re.p.*) depressed. ——— .... —— D.S. ♄. ——— c. ic.

TROMO'TRICHE. H.S. TROMO'TRICHE. Pentandria Digynia. H.S.
1 fuscàta. H.s.s. (*br.*) brown-flowered. C. B. S. 1814. 6. 10. D.S. ♄. Jacq. stap. c. ic.
Stapèlia fuscàta. Jacq.
2 glaùca. H.s.s. (*cr.*) large-glaucous. ——— 1799. 6. 11. D.S. ♄. Jacq. stap. c. ic.
3 revolùta. H.s. (*cr.*) revolute-flowered. ——— 1790. 6. 9. D.S. ♄. Bot. mag. t. 724.
Stapèlia revolùta. B.M.
4 pruínòsa. H.s. (*bk.*) frosted. ——— 1795. 6. 8. D.S. ♄. Mass. stap. 24. t. 41.
5 obliqua. R.s. (*ye.vi.*) oblique-flowered. ——— 1805. 6. 9. D.S. ♄.
6 mutábilis. (*gr.br.*) changeable. ——— 1823. —— D.S. ♄. Jacq. stap. c. ic.
β *variábilis.* (*st.re.*) *variable.* ——— —— —— D.S. ♄. ——— c. ic.
Stapèlia mutábilis varietas. Jacq.
7 ciliàta. (*ye.*) fringed. ——— 1795. 10. 12. D.S. ♄. Mass. stap. 9. t. 1.
Stapèlia ciliàta. Mass.

PODA'NTHES. H.S. PODA'NTHES. Pentandria Digynia. H.S.
1 púlchra. H.s. (*st.*) beautiful sulphur. C. B. S. 1800. 8. 10. D.S. ♄.
β *màjor.* (*st.d.p.*) *larger.* ——— —— —— D.S. ♄. Bot. mag. t. 786.
Stapèlia verrucòsa. B.M. *nec aliorum.*
2 irroràta. H.s. (*st.cr.*) dewy. ——— 1795. 7. 9. D.S. ♄. Mass. stap. 12. t. 9.
3 verrucòsa. H.s. (*st.br.*) warted. ——— —— 8. 10. D.S. ♄. ——— 11. t. 8.
4 rorifiùa. R.s. (*st.cr.*) dew-bearing. ——— 1802. —— D.S. ♄. Jacq. stap. c. ic.
Stapèlia rorifiùa. Jacq.
5 pulchélla. H.s. (*st.cr.*) beautiful. ——— 1795. 5. 11. D.S. ♄. Mass. stap. 22. t. 36.
6 incarnàta. s.s. (*fl.*) flesh-coloured. ——— 1793. 4. 8. D.S. ♄. ——— 22. t. 34.

OB'ESIA. H.S. OB'ESIA. Pentandria Digynia. H.S.
1 serrulàta. s.s. (*st.br.*) sawed. C. B. S. 1805. 6. 8. D.S. ♄. Jacq. stap. c. ic.
Stapèlia serrulàta. Jacq.
2 geminàta. H.s. (*ye.br.*) twin-flowered. ——— 1795. 5. 11. D.S. ♄. Bot. mag. t. 1326.
Stapèlia geminàta. B.M.
3 decòra. H.s. (*ye.pu.*) neat. ——— —— —— D.S. ♄. Mass. stap. 19. t. 26.
4? árida. (*ye.br.*) dry. ——— 1795. 8. D.S. ♄. ——— 21. t. 33.
Stapèlia árida. Mass.

GONOST'EMON. H.S. GONOST'EMON. Pentandria Digynia. H.S.
1 divaricàtum. H.s. (*fl.*) divaricated. C. B. S. 1793. 6. 11. D.S. ♄. Bot. mag. t. 1007.
Stapèlia divaricàta. B.M.
2 strictum. H.s.s. (*fl.*) upright. ——— 1819. 10. 12. D.S. ♄. Bot. mag. t. 2037.
Stapèlia stricta. B.M.
3 pállidum. R.s. (*pa.*) pale-flowered. ——— —— —— D.S. ♄. Wendl. coll. 2. t. 51.
Stapèlia pállida. Wendl.

CARUNCUL'ARIA. H.S. CARUNCUL'ARIA. Pentandria Digynia. H.S.
1 Símsii. (*re.bk.*) Sims's. C. B. S. 1790. 6. 11. D.S. ♄. Sims bot. mag. t. 793.
Stapèlia pedunculàta. B.M. *pedunculàta Símsii.* Jacq. stap. c. ic.

2 Massòni. (*br.*) Masson's. C. B. S. 1790. 6. 11. D.S.♄. Mass. stap. p. 17. t. 21.
Stapèlia pedunculàta. Mass. *pedunculàta Massòni.* Jacq. stap. c. ic.
3 Jacquíni. (*co.*) Jacquin's. ——— —— —— D.S.♄. Jacq. stap. c. ic.
Stapèlia pedunculàta. Jacq.
4 penduliflòra. (*br.*) pendulous-flower'd. —— —— —— D.S.♄. Jacq. stap. c. ic.
Stapèlia pedunculàta alia. Jacq.
5 apérta. (*p.pu.*) open-flowered. ——— 1795. 7. 8. D.S.♄. Mass. stap. 23. t. 37.
Stapèlia apérta. Mass.

PIARA'NTHUS. B. PIARA'NTHUS. Pentandria Digynia. H.S.
1 punctàtus. R.S. (*fl.*) purple dotted. C. B. S. 1795. 7. 11. D.S.♄. Mass. stap. 18. t. 24.
2 púllus. R.S. (*d.p.*) many-flowered. ——— 1774. 8. 9. D.S.♄. Bot. mag. t. 1648.
3 ramòsus. (*bk.*) branched. ——— 1795. 6. 8. D.S.♄. Mass. stap. 21. t. 32.
Stapèlia ramòsa. Mass.
4 parviflòrus. S.S. (*pu.*) small-flowered. ——— —— —— D.S.♄. Mass. stap. 22. t. 35.
5 piliferus. (*bk.*) hairy-tubercled. ——— 1799. —— D.S.♄. ——— 17. t. 23.

HO'ODIA. HO'ODIA. Pentandria Digynia.
Gordòni. (*br.*) Gordon's. C. B. S. 1796. .... D.S.♄. Mass. stap. 24. t. 40.
Stapèlia Gordòni. Mass.

HUE'RNIA. B. HUE'RNIA. Pentandria Digynia. R.S.
1 reticulàta. H.S. (*d.pu.*) netted. C. B. S. 1793. 7. 8. D.S.♄. Bot. mag. t. 1662.
Stapèlia reticulàta. B.M.
β *deformis.* J.S.(*wh.pu.*)*deformed.* ——— —— —— D.S.♄. Jacq. stap. c. ic.
2 campanulàta. H.S.(*st.pu.*)bell-shaped. ——— 1795. 7. 10. D.S.♄. Bot. mag. t. 1227.
3 clavigera. H.S.S.(*st.cr.*) club-haired. ——— —— —— D.S.♄. ——— t. 1661.
Stapèlia campanulàta. B.M. *nec aliorum.*
4 venústa. H.S. (*st.re.*) showy. ——— —— 6. 7. D.S.♄. Mass. stap. 10. t. 3.
5 lentiginòsa. H.S.(*st.pu.*) freckled. ——— —— 7. 11. D.S.♄. Bot. mag. t. 506.
6 guttàta. H.S. (*st.cr.*) red-spotted. ——— —— 8. 11. D.S.♄. Mass. stap. 10. t. 4.
7 hùmilis. H.S. (*st.pu.*) humble. ——— —— —— D.S.♄. ——— 10. t. 5.
8 tubàta. H.S. (*st.re.*) tube-flowered. ——— 1805. —— D.S.♄. Jacq. stap. c. ic.
9 duodecimfida. J.S.(*st.re.*)eleven-cleft. ——— —— —— D.S.♄. ——— ç. ic.
10 crispa. H.S. (*st.pu.*) curled. ——— —— —— D.S.♄.
11 barbàta. H.S. (*st.pu.*) bearded. ——— 1795. —— D.S.♄. Mass. stap. 11. t. 7.
12 ocellàta. R.S. (*st.pu.*) eyed. ——— 1816. —— D.S.♄.

BRACHYSTE'LMA. B.R. BRACHYSTE'LMA. Pentandria Digynia. S.S.
tuberòsum. B.R. (*pu.*) tuberous-rooted. C. B. S. 1820. 4. 10. S.♃.◡. Bot. reg. t. 722.

CARALL'UMA. H.S. CARALL'UMA. Pentandria Digynia. S.S.
1 adscéndens. H.S.S. (*pu.*) ascending. E. Indies. 1804. 7. 11. D.S.♄. Roxb. cor. 1. t. 30.
2 umbellàta. H.S. (*fl.*) umbelled. ——— —— —— D.S.♄. ——— 3. t. 241.
3 crenulàta. Wa. (*ye.pu.*) crenulate. ——— 1824. 6. 9. D.S.♄. Wall pl. as. rar. t. 7.
4 fimbriàta. Wa. (*pu.*) fringed. ——— —— —— D.S.♄. ——— ——— t. 8.

HO'YA. B.P. HO'YA. Pentandria Digynia. R.S.
1 crassifòlia. H.S. (*wh.*) large-leaved. China. 1817. 10. 1. D.S.♄.◡.
2 carnòsa. H.K. (*bk.*) fleshy-leaved. ——— 1802. 7. 10. D.G.♄.◡. Bot. mag. t. 788.
3 pállida. B.R. (*bk.*) pale. ——— 1820. —— D.S.♄.◡. Bot. reg. t. 951.
acùta. H.R.
4 Póttsii. H.T. (*bk.*) Potts's. ——— 1822. —— D.S.♄.◡.
5 trinérvis. H.T. (*bk.*) three-nerved. ——— 1824. —— D.S.♄.◡.
6 lanceolàta. D.P. (*bk.*) spear-leaved. Nepaul. 1825. —— D.G.♄.◡.
7 viridiflòra. B.P. (*gr.*) green-flowered. E. Indies. —— .... S.♄.◡. Rheed. mal. 9. t. 15.

FISCH'ERIA. DC. FISCH'ERIA. Pentandria Digynia.
scándens. DC. (*gr.ye.*) climbing. S. America. 1826. .... S.♄.◡. DC.hort.mon.ined.t.67.

TYLO'PHORA. B.P. TYLO'PHORA. Pentandria Digynia. R.S.
1 grandiflòra. B.P.(*br.gr.*)great-flowered. N. S. W. 1822. 6. 8. G.♄.◡.
2 barbàta. B.P. (*gr.br.*) bearded. ——— —— —— G.♄.◡.
3 exílis. L.T. (*pu.*) slender. E. Indies. 1823. —— S.♄.◡. Linn. trans. 12. t. 16.

CEROP'EGIA. R.S. CEROP'EGIA. Pentandria Digynia. R.S.
1 aphy'lla. H.S. (*st.*) leafless. Canaries. 1808. .... S.♄.
2 stapeliæfórmis. H.P.(*br.*)Stapelia-like. C. B. S. 1826. 7. 8. D.S.♄.
3 torulòsa. H.R. .... straddling. ——— 1821. .... D.S.♄.
4 dichótoma. H.R. (*st.*) forked. E. Indies. 1806. 8. D.S.♄.
5 júncea. R.S. (*st.pu.*) rushy. ——— 1820. 4. 6. D.S.♃.◡. Roxb. cor. 1. t. 10.
6 africàna. B.R. (*br.*) African. C. B. S. 1821. 4. 11. D.S.♃.◡. Bot. reg. t. 626.
7 bulbòsa. R.S. (*pu.*) bulbous-rooted. E. Indies. —— —— D.S.♃.◡. Roxb. cor. 1. t. 7.
8 tuberòsa. R.S. (*pu.*) tuberous-rooted. ——— —— —— D.S.♃.◡. ——— 1. t. 9.

PERGUL'ARIA. R.S. PERGUL'ARIA. Pentandria Digynia. R.S.
1 odoratíssima. R.S. (*st.*) large. E. Indies. 1784. 6. 7. S.♄.◡. Bot. reg. t. 412.
2 minor. R.S. (*st.*) smaller. ——— 1790. 5. 8. S.♄.◡. Bot. mag. t. 755.
3 sanguinolénta. B.M.(*st.*)bloody-juiced. Sierra Leon. 1822. 8. 9. S.♄.◡. ——— t. 2532.

MARSD'ENIA. B.P.		**Marsd'enia.**	**Pentandria Digynia. R.S.**					
1 suavèolens. B.P.	(*wh.*)	sweet-scented.	N. S. W.	1816.	2. 8.	G. ♄. ⌣.	Bot. reg. t. 489.	
2 erécta. R.S.	(*wh.*)	upright.	Syria.	1597.	7. 8.	G. ♄.	Jacq. vind. 1. t. 35.	
DISCHI'DIA. B.P.		**Dischi'dia.**	**Pentandria Digynia. S.S.**					
bengalénsis. L.T.	(*st.*)	Bengal.	E. Indies.	1818.	6. 10.	S. ♄. ⌣.	Bot. mag. t. 2916.	
GYMN'EMA. B.P.		**Gymn'ema.**	**Pentandria Digynia. R.S.**					
1 sylvéstre. R.S.	(*wh.*)	netted-leaved.	Ceylon.	1816.	6. 8.	S. ♄. ⌣.	Willd. phyt. 1. t. 5. f. 3.	
2 tingens. S.S.	(*ye.*)	pointed-leaved.	E. Indies.	1823.	——	S. ♄. ⌣.	Roxb. corom. 3. t. 239.	
Asclèpias tingens. R.C.								
3 tenacíssimum. S.S.	(*ye.*)	tough.	——	1806.	....	S. ♄. ⌣.	Roxb. corom. 3. t. 240.	
SARCO'LOBUS. R.S.		**Sarco'lobus.**	**Pentandria Digynia. R.S.**					
1 globòsus. R.S.	(*wh.*)	globular-fruit'd.	E. Indies.	1823.	....	S. ♄. ⌣.	Wall. as. res. 12. t. 4.	
2 carinàtus. R.S.	(*gr.ye.*)	keeled-fruited.	——	——	....	S. ♄. ⌣.	—— 12. t. 5.	
GONO'LOBUS. R.S.		**Gono'lobus.**	**Pentandria Digynia. R.S.**					
1 marítimus. R.S.	(*gr.p.*)	sea-side.	Caracas.	1823.	6. 10.	S. ♄. ⌣.	Bot. reg. t. 931.	
2 suberòsus. R.S.	(*pu.*)	cork-barked.	America.	1732.	7. 9.	S. ♄. ⌣.	Dill. elt. t. 229. f. 296.	
3 crispiflòrus. R.S.	(*wh.gr.*)	curled-flower'd.	S. America.	1741.	7. 8.	S. ♄. ⌣.	Plum. ic. t. 216. f. 1.	
4 guianénsis. S.S.	(*gr.*)	green-flowered.	Guiana.	1826.	7. 9.	S. ♄. ⌣.		
viridiflòrus. R.S. *non* Nutt. *Cynánchum viridiflòrum.* Meyr.								
5 grandiflòrus. R.S.	(*ye.*)	large-flowered.	S. America.	1825.	8. 10.	S. ♄. ⌣.	Bot. reg. t. 1053.	
6 rostràtus. R.S.	(*gr.*)	beaked-petal'd.	Trinidad.	1823.	——	S. ♄. ⌣.		
7 nìger. R.S.	(*bk.*)	black-flowered.	Mexico.	1825.	9. 11.	G. ♃. ⌣.	Bot. mag. t. 2799.	
Cynánchum nigrum. Cav. ic. 2. t. 159.								
8 uniflòrus. R.S.	(*pu.*)	solitary-flowered.	——	——	——	S. ♄. ⌣.	H. et B. 3. t. 238.	
9 carolinénsis. R.S.	(*d.p.*)	blunt-flowered.	N. America.	1820.	7. 9.	H. ♃. ⌣.	Jacq. ic. 2. t. 342.	
10 hirsùtus. R.S.	(*d.pu.*)	hairy.	——	1806.	6. 9.	H. ♃. ⌣.	Swt. br. fl. gar. t. 1.	
11 macrophy'llus. N.	(*p.pu.*)	large-leaved.	——	1822.	——	H. ♃. ⌣.		
12 díscolor. R.S.	(*d.pu.*)	Virginian.	——	1809.	7. 9.	H. ♃. ⌣.	Bot. mag. t. 1273.	
Cynánchum díscolor. B.M.								
13 oblíquus. R.S.	(*pu.*)	oblique-flower'd.	Carolina.	1818.	——	H. ♃. ⌣.	Jacq. ic. 2. t. 341.	
14 Baldwyniànus.	(*st.*)	Baldwyn's.	Savannah.	1823.	7. 9.	H. ♃. ⌣.	Lodd. bot. cab. t. 865?	
hirsùtus. L. bot. cab. ? *nec aliorum. carolinianus.* N. *non* Jacq.								
15 hírtus. R.S.	(*pu.*)	hairy-leaved.	America.	....	——	S. ♄. ⌣.	Moris. his. 3. s. 15. t. 3. f. 61	
16 undulàtus. R.S.	(*br.pu.*)	wave-leaved.	S. America.	1814.	——	S. ♄. ⌣.	Jacq. amer. 86. t. 56.	
17 viridiflòrus. N.	(*gr.*)	Nuttall's.	Mississippi.	1822.	——	H. ♃. ⌣.		
Nuttallianus. S.S.								
18 l'ævis. R.S.	(*d.pu.*)	smooth.	——	1806.	6. 7.	H. ♃. ⌣.		
19 diademàtus. B.R.	(*st.*)	red-crowned.	Mexico.	1812.	9. 10.	S. ♄. ⌣.	Bot. reg. t. 252.	
20 barbàtus. R.S.	(*ye.*)	bearded.	——	1826.	——	G. ♄. ⌣.	H. et B. n. gen. 3. t. 239.	
21 mucronàtus.	(*br.re.*)	sharp-pointed.	Trinidad.	1804.	7. 8.	S. ♄. ⌣.	Andr. reposit. t. 515.	
Cynánchum mucronàtum. A.R. *non* R.S.								
ENSL'ENIA. N.		**Ensl'enia.**	**Pentandria Digynia.**					
álbida. N.	(*st.*)	straw-coloured.	Virginia.	1828.	7. 9.	H. ♃. ⌣.		
ASCL'EPIAS. R.S.		**Swallow-wort.**	**Pentandria Digynia. R.S.**					
1 syrìaca. Lam.	(*li.*)	Syrian.	Astracan.	1629.	7. 8.	H. ♃.		Blackw. t. 521.
Beid el Ossar. Veslingius. Linn. trans. v. 14. p. 239.								
2 obovàta. E.C.	(*pu.*)	obovate-leaved.	Carolina.	1826.	——	H. ♃.		
3 tomentòsa. E.C.	(*pu.*)	woolly.	——	——	——	H. ♃.		
4 exaltàta. L.en.	(*pu.*)	tall.	N. America.	....	——	H. ♃.		
5 phytolaccoídes. R.S.	(*pu.*)	Phytolacca-like.	——	1812.	——	H. ♃.		
6 parviflòra. R.S.	(*wh.*)	small flowered.	——	1774.	7. 10.	H. ♃.		Jacq. f. ecl. t. 28.
7 salicifòlia. B.C.	(*wh.*)	Willow-leaved.	S. America.	1816.	6. 9.	G. ♃.		Lodd. bot. cab. t. 272.
8 angustifòlia. R.S.	(*fl.*)	narrow-leaved.	Mexico.	1824.	——	F. ♃.		
9 curassávica. R.S.	(*or.*)	Curassavian.	S. America.	1692.	6. 10.	S. ♃.		Bot. reg. t. 81.
10 nívea. R.S.	(*wh.*)	Almond-leaved.	N. America.	1730.	7. 9.	H. ♃.		Bot. mag. t. 1181.
11 virgàta. R.S.	(*li.*)	slender.	Mexico.	1825.	——	F. ♃.		
12 incarnàta. R.S.	(*pu.*)	flesh-coloured.	N. America.	1710.	7. 8.	H. ♃.		Bot. reg. t. 250.
13 púlchra. R.S.	(*pu.*)	hairy.	——	——	——	H. ♃.		Swt. br. fl. gar. s. 2. t. 18.
14 am'œna. R.S.	(*pu.*)	oval-leaved.	——	1732.	——	H. ♃.		Dill. elt. t. 27. f. 30.
15 purpuráscens. R.S.	(*pu.*)	purple.	——	——	——	H. ♃.		—— t. 28. f. 31.
16 citrifòlia. R.S.	(*wh.*)	Citron-leaved.	Florida.	1812.	——	F. ♃.		Jacq. icon. t. 345.
17 variegàta. R.S.	(*wh.re.*)	variegated.	——	1597.	——	H. ♃.		Bot. mag. t. 1182.
18 obtusifòlia. R.S.	(*pu.*)	blunt-leaved.	——	1823.	——	H. ♃.		
19 amplexicaùlis. R.S.	(*re.*)	stem-clasping.	——	1812.	——	H. ♃.		
20 laurifòlia. M.	(*pu.*)	Laurel-leaved.	——	1823.	——	H. ♃.		Pluk. amal. t. 358. f. 2.
periplocæfòlia. N.								
21 acuminàta. R.S.	(*wh pu.*)	taper-pointed.	——	1812.	——	H. ♃.		
22 paupércula. R.S.	(*re.*)	remote-leaved.	——	——	6. 7.	H. ♃.		
23 pedicellàta. R.S.	(*gr.ye.*)	dwarf.	——	——	——	H. ♃.		

24 quadrifòlia. R.S. (*bh.*) four-leaved. N. America. 1823. 8. 9. H. ¼. Jacq. obs. 2. t. 33.
25 verticillàta. R.S. (*bh.*) whorl-leaved. ——— 1759. 8. 10. H. ¼. Swt. br. fl. gar. t. 144.
26 mexicàna. R.S. (*wh.*) Mexican. Mexico. 1823. 7. 9. G. ½. Cavan. ic. 1. t. 58.
27 ròsea. R.S. (*ro.*) rose-coloured. ——— 1824. —— G. ¼.
28 linifòlia. R.S. (*wh.*) Flax-leaved. ——— —— —— G. ½.
29 Linària. R.S. (*wh.*) toadflax-leaved. ——— 1802. —— G. ¼. Cavan. ic. 1. t. 57.
30 rùbra. R.S. (*re.*) red-flowered. N. America. —— —— H. ¼.
31 tuberòsa. R.S. (*or.*) tuberous-rooted. ——— 1690. 7. 9. H. ¼. Bot. reg. t. 76.
32 decúmbens. W. (*or.*) decumbent. ——— 1731. —— H. ¼. Swt. br. fl. gar. s. 2. t. 24.

ACER'ATES. E.C. ACER'ATES. Pentandria Digynia.
longifòlia. E.C. (*p.pu.*) long-leaved. N. America. 1816. 7. 8. H. ¼.
Asclèpias longifòlia. R.S. *Gomphocárpus longifòlius.* S.S.

ANANTH'ERIX. N. ANANTH'ERIX. Pentandria Digynia. N.
víridis. N. (*gr.*) green-flowered. N. America. 1812. 8. 10. H. ¼.

STYLA'NDRA. N. STYLA'NDRA. Pentandria Digynia. N.
pùmila. N. (*st.*) dwarf. Carolina. 1812. 7. 8. G. ¼.
Podostigma pubéscens. S.S. *Asclèpias pedicellàta.* Ph.

GOMPHOCA'RPUS. R.S. GOMPHOCA'RPUS. Pentandria Digynia. R.S.
1 arboréscens. R.S. (*wh.*) broad-leaved. C. B. S. 1714. 12. G. ½. Jacq. schœnb. 1. t. 50.
2 crìspus. R.S. (*pu.*) curled-leaved. ——— 1774. 7. G. ½. Comm. rar. t. 17.
3 fruticòsus. R.S. (*wh.*) Willow-leaved. ——— 1714. 6. 9. G. ½. Bot. mag. t. 1628.
Asclèpias fruticòsa. W.

OXYSTE'LMA. R.S. OXYSTE'LMA. Pentandria Digynia. R.S.
esculéntum. R.S. (*wh. re.*) esculent. E. Indies. 1816. .... S. ¼. ⌣. Roxb. corom. 1. t. 11.

XYSMAL'OBIUM. R.S. XYSMAL'OBIUM. Pentandria Digynia. R.S.
1 undulàtum. R.S. (*gr.*) waved-leaved. C. B. S. 1783. 7. 8. G. ½. Comm. rar. t. 16.
2 grandiflòrum. R.S. (*pu.*) large-flowered. ——— 1823. —— G. ½.

CALO'TROPIS. R.S. CALO'TROPIS. Pentandria Digynia. R.S.
1 pròcera. R.S. (*wh.*) bell-flowered. Persia. 1714. 7. 9. S. ½. Andr. reposit. t. 271.
Asclèpias gigántea. A.R.
2 gigántea. R.S. (*p.pu.*) curled-flower'd. E. Indies. 1690. —— S. ½. Bot. reg. t. 58.

OXYPE'TALUM. R.S. OXYPE'TALUM. Pentandria Digynia.
1 appendiculàtum. M.N. appendaged. Brazil. 1824. 6. 8. S. ½. ⌣. Mart. n. pl. bras. t. 30.
2 Bánksii. R.S. Banks's. ——— 1826. —— S. ½. ⌣. ——— t. 29.

CYNA'NCHUM. R.S. CYNA'NCHUM. Pentandria Digynia. L.
1 acùtum. R.S. (*wh.*) acute-leaved. Europe. 1596. 7. H. ¼. ⌣. Flor. græc. t. 250.
2 monspeliacum. R.S. (*bh.*) Montpelier. S. Europe. —— 8. 9. H. ¼. ⌣. ——— t. 251.
3 pauciflòrum. R.S. (*gr. w.*) few-flowered. E. Indies. 1822. 5. 8. S. ½. ⌣. Will. phy. 1. n. 23. t. 5. f. 3.
Periplòca tunicàta. W.
4 pilòsum. R.S. (*wh.*) hairy. C. B. S. 1726. 6. 9. G. ½. ⌣. Bot. reg. t. 111.
Periplòca africàna. A.R. 557.
5 crassifòlium. R.S. (*gr. w.*) thick-leaved. ——— 1816. .... G. ½. ⌣.
6 capénse. R.S. (*wh.*) Cape. ——— 1820. .... G. ½. ⌣.
7 ròseum. R.S. (*ro.*) rosy. Dahuria. 1816. 7. 8. H. ¼. Gmel. sib. 4. t. 42.
Asclèpias davàrica. W.
8 nigrum. R.S. (*bk.*) black. S. Europe. 1596. 5. 8. H. ¼. ⌣. Bot. mag. t. 2390.
9 médium. R.S. (*br.*) middle. .... —— H. ¼. ⌣.
10 Vincetóxicum. R.S. (*w.*) officinal. Europe. 1596. —— H. ¼. Flor. dan. t. 849.
Asclèpias Vincetóxicum. W.
11 fuscàtum. S.S. (*st.*) yellow-flowered. ——— —— —— H. ¼.
12 sibíricum. R.S. (*st.*) Siberian. Siberia. 1775. 7. 8. H. ¼. Murr. gott. 2. t. 7.
13 fœtidum. R.S. (*st.*) fetid. Mexico. 1823. —— G. ½. ⌣. Cavan. ic. 2. t. 158.
14 viridiflòrum. B.M. (*gr. re.*) green-flowered. E. Indies. 1814. 10. 12. S. ½. ⌣. Bot. mag. t. 1929.
15 undàtum. A.R. (*gr.*) wave-leaved. ——— 1803. 7. 8. S. ½. ⌣. Andr. reposit. t. 410.

HARRIS'ONIA. B.M. HARRIS'ONIA. Pentandria Digynia.
loniceroides. B.M. (*cr.*) Honeysuckle. Brazil. 1824. 9. 10. S. ½. Bot. mag. t. 2699.

D'ÆMIA. R.S. D'ÆMIA. Pentandria Digynia. R.S.
1 exténsa. R.S. (*st.*) smooth-leaved. E. Indies. 1778. 7. 8. S. ½. ⌣. Jacq. ic. 1. t. 54.
2 bícolor. (*gr. pu.*) two-coloured. ——— 1806. —— S. ½. ⌣. Andr. reposit. t. 562.
Cynánchum bícolor. A.R.

DIPLOL'EPIS. R.S. DIPLOL'EPIS. Pentandria Digynia.
1 vomitòria. H.T. (*st.*) dull-leaved. China. 1820. 6. 9. S. ½. ⌣.
2 apiculàta. H.T. (*st.*) glossy-leaved. ——— —— —— S. ½. ⌣.

SARCOSTE'MMA. R.S. SARCOSTE'MMA. Pentandria Digynia. R.S.
1 viminàle. R.S. (*wh.*) twisting. E. Indies. 1731. 7. S. ½. ⌣.
2 Swartziànum. R.S. (*wh.*) Swartz's. W. Indies. .... S. ½. ⌣. Sloan. hist. 1. t. 131. f. 1.

EUSTE'GIA. R.S. EUSTE'GIA. Pentandria Digynia. R.S.
hastàta. R.S. (*gr. wh.*) halberd-leaved. C. B. S. 1816. 6. 8. G. ½. Spr. n. ent. t. 1. f. 5-10.
Apócynum hastàtum. W.

METASTE'LMA. R.S.		METASTE'LMA.	Pentandria Digynia.					
parviflòrum. R.S.	(wh.)	small-flowered.	W. Indies.	1826.	5. 6.	S. ♄ .◡.	Plum. ic. 215. f. 1.
MICROL'OMA. R.S.		MICROL'OMA.	Pentandria Digynia. R.S.					
1 sagittàtum. R.S.	(sc.)	arrow-leaved.	C. B. S.	1775.	7. 8.	G. ♄ .◡.	Jacq. schœn. 1. t. 88.
2 lineàre. R.S.	(cr.)	linear-leaved.	———	1816.	——	G. ♄ .◡.	Plnk.man.17.t.835.f.5.
ASTEPHA'NUS. R.S.		ASTEPHA'NUS.	Pentandria Digynia. R.S.					
1 triflòrus. R.S.	(wh.)	three-flowered.	C. B. S.	1816.	7. 9.	G. ♃ .◡.	
2 lineàris. R.S.	(wh.)	panicled.	———	——	——	G. ♃ .◡.	
3 lanceolàtus. R.S.	(wh.)	spear-leaved.	———	1822.	——	G. ♃ .◡.	

ORDO CXL.

GENTIANEÆ. *Brown prodr.* 1. *p.* 449.

GENTIA'NA. R.S.		GENTIAN.	Tetr-Pentandria Digynia.				
1 lùtea. R.S.	(ye.)	yellow.	Alps Europe.	1596.	6. 7.	H. ♃.	Mill. ic. t. 139.
2 hy'brida. R.S.	(ye.re.)	hybrid.	Switzerland.	1825.	——	H. ♃.	
3 purpùrea. R.S.	(pu.)	purple.	———	1768.	——	H. ♃.	Andr. reposit. t. 117.
4 pannònica. R.S.	(pa.pu.)	round-petaled.	———	....	——	H. ♃.	Jacq. aust. 2. t. 136.
β albiflòra.	(wh.)	*white-flowered.*	———	1826.	——	H. ♃.	
5 punctàta. R.S.	(st.pu.)	dotted-flowered.	———	1775.	——	H. ♃.	Jacq. aust. 5. t. ap. 28.
6 campanulàta. R.S.	(ye.)	bell-flowered.	———	1824.	——	H. ♃.	——— ap. t. 29.
7 septèmfida. R.S.	(bl.)	crested.	Levant.	1804.	——	H. ♃.	Bot. mag. t. 1229.
β guttàta.	(bl.wh.)	*spotted.*	———	——	——	H. ♃.	——— t. 1410.
8 asclepiadèa. R.S.	(bl.)	swallowwort-ld.	Austria.	1629.	7. 8.	H. ♃.	——— t. 1078.
9 cruciàta. R.S.	(bl.)	Crosswort.	———	1596.	6. 7.	H. ♃.	Jacq. aust. 4. t. 372.
10 macrophy'lla. R.S.	(bl.)	long-leaved.	Siberia.	1796.	7. 8.	H. ♃.	Bot. mag. t. 1414.
11 adscéndens. S.S.	(bl.)	ascending.	———	1799.	6. 7.	H. ♃.	——— t. 795.
β decúmbens. R.S.	(bl.)	*decumbent.*	———	——	——	H. ♃.	——— t. 723.
12 frígida. R.S.	(wh.)	frigid.	Carpathian m.	1816.	——	H. ♃.	Fræl. gent. n. 18. ic.
13 álgida. R.S.	(st.bl.)	narrow-leaved.	Siberia.	1808.	——	H. ♃.	Pall. ros. 2. t. 96.
14 gèlida. R.S.	(st.)	cream-coloured.	Caucasus.	1816.	——	H. ♃.	
15 Pneumonánthe. R.S.	(bl.)	Calathian violet.	England.	....	8. 9.	H. ♃.	Eng. bot. v. 1. t. 20.
β guttàta. B.M.	(bh.wh.)	*spotted-flowered.*		....	——	H. ♃.	Bot. mag. t. 1101.
16 pseudo-pneumonanthe. *Pneumonánthe.* Ph.	R.S. (bl.)	Canadian.	N. America.	1828.	——	H. ♃.	
17 lineàris. R.S.	(bl.)	linear-leaved.	———	1816.	——	H. ♃.	
18 triflòra. R.S.	(p.bl.)	three-flowered.	Siberia.	1807.	6. 7.	H. ♃.	Pall. ross. 1. t. 93. f. 1.
19 Saponària. B.M.	(bl.)	barrel-flower'd.	N. America.	1776.	8. 9.	H. ♃.	Bot. mag. t. 1039.
20 Catesb'æi. N.	(bl.)	Catesby's.	———	——	6. 8.	H. ♃.	Andr. reposit. t. 418.
21 intermèdia. B.M.	(pu.)	intermediate.	———	1820.	8. 9.	H. ♃.	Bot. mag. t. 2368.
22 incarnàta. B.M.	(ß.)	flesh-coloured.	———	1812.	9. 11.	H. ♃.	——— t. 1856.
23 ochroleùca. R.S.	(st.)	pale-flowered.	———	1803.	8. 9.	H. ♃.	——— t. 1551.
24 quinquefiòra. *amarelloides.* M.	R.S. (pu.)	five-flowered.	———	1823.	7. 9.	H. ♂.	
25 aùrea. R.S.	(wh.ye.)	large involucred.	Norway.	——	——	H. ♂.	Flor. dan. t. 344.
quinquefòlia. F.D. *involucràta.* Rottb. ac. havn. 10. p. 434. t. 1. f. 2. A.B.							
26 umbellàta. M.B.	(pa.bl.)	umbel-flowered.	Caucasus.	1823.	8. 10.	H. ☉.	
27 acaùlis. R.S.	(bl.)	dwarf.	Wales.	....	3. 6.	H. ♃.	Eng. bot. v. 23. t. 1594.
28 alpìna. R.S.	(bl.)	Alpine.	Switzerland.	1818.	——	H. ♃.	Lodd. bot. cab. t. 476.
29 altàica. R.S.	(bl.)	Altay.	Siberia.	1826.	——	H. ♃.	Pall. ross. 2. t. 97. f. 1.
30 pyrenàica. R.S.	(bl.)	Pyrenean.	Pyrenees.	1825.	——	H. ♃.	W. et K. hung. t. 207.
31 pùmila. R.S.	(bl.)	small.	Switzerland.	——	——	H. ♃.	Jacq. obs. 2. t. 49.
32 vérna. R.S.	(bl.)	spring.	England.	....	——	H. ♃.	Eng. bot. v. 7. t. 493.
33 æstìva. R.S.	(bl.)	summer.	Germany.	1826.	——	H. ♃.	Rœm. arch. 1. t. 3. f. 8.
34 bavàrica. R.S.	(bl.)	Bavarian.	———	1775.	7.	H. ♃.	Vill. delph. 2. t. 10.
35 imbricàta. R.S.	(bl.)	imbricated	Switzerland.	1825.	——	H. ♃.	Barrel. ic. 101. f. 2.
36 angulòsa. R.S.	(bl.)	angular-calyx'd.	Caucasus.	1826.	4. 6.	H. ♃.	Marsch.cent.rar.1.t.47.
37 utriculòsa. R.S.	(bl.)	bladdered.	———	——	7. 9.	H. ♂.	W. et K. hung. t. 206.
38 nivàlis. R.S.	(bl.)	small alpine.	Scotland.	....	8. 9.	H. ☉.	Eng. bot. v. 13. t. 896.
39 aquática. R.S.	(bl.)	water-side.	Dahuria.	1827.	7. 9.	H. ♂.	

40	hùmilis. R.S.	(*pa.bl.*)	dwarf.	Caucasus.	1827.	7. 9.	H.♂.	Pall. ross. 2. t. 97. f. 2.
41	uniflòra. R.S.	(*vi.*)	one-flowered.	M.Carpathian.	1828.	——	H.♂.	Rœm.ar.1.p.23.t.2.f.4.
42	germánica. R.S.	(*vi.*)	German.	Germany.	1825.	8. 9.	H.♂.	Mayrh. fl. mon. t. 278.
43	Amarélla. R.S.	(*vi.*)	autumnal.	Britain.	....	8. 10.	H.♂.	Eng. bot. v. 4. t. 236.
44	uliginòsa. R.S.	(*bl.*)	marsh.	Germany.	1827.	——	H.♂.	
45	obtusifòlia. R.S.	(*bl.st.*)	blunt-leaved.	Switzerland.	1828.	——	H.♂.	Rœm.ar.1.p.22.t.2.f.3.
46	praténsis. R.S.	(*vi.*)	field.	Siberia.	1824.	——	H.♂.	
47	caucásica. R.S.	(*bl.*)	Caucasean.	Caucasus.	1804.	7. 8.	H.♂.	Bot. mag. t. 1038.
48	campéstris. R.S.	(*vi.*)	field.	Britain.	....	8. 10.	H.♂.	Eng. bot. v. 4. t. 237.
49	angustifòlia. R.S.	(*bl.*)	slender-leaved.	N. America.	1820.	8. 9.	H.♃.	
50	glaciàlis. R.S.	(*bl.*)	northern.	N. Europe.	1826.	....	H.♂.	Sch.rom.arc.1.t.2.f.5.
51	conférta. F.	(*bl.*)	crowded.	Altay.	1827.	——	H.♂.	
52	Geblèri. F.	(*bl.*)	Gebler's.	———	——	——	H.♂.	Reich. ic. t. 271.
53	rotàta. R.S.	(*bl.*)	rotate.	Siberia.	——	——	H.♂.	Pall. ross. 2. t. 89. f. 3.
54	ciliàta. R.S.	(*bl.*)	fringe-flowered.	S. Europe.	1759.	——	H.♃.	Jacq. aust. t. 113.
55	fimbriàta. R.S.	(*bl.*)	fimbriate.	Caucasus.	1824.	7. 9.	H.♃.	
56	crinita. R.S.	(*bl.*)	jagged-flower'd.	N. America.	1804.	7. 10.	H.♂.	Swt. br. fl. gar. t. 139.
	fimbriàta. Andr. rep. t. 509. *non* W.							
57	barbàta. R.S.	(*bl.*)	bearded.	Siberia.	....	8. 9.	H.♂.	Bot. mag. t. 639.
	ciliàta. B.M. *nec aliorum.*							
SWE'RTIA. R.S.			Felwort.	Tetr-Pentandria Digynia.				
1	perénnis. R.S.	(*br.pu.*)	marsh.	England.	....	7. 8.	H.♃.	Eng. bot. v. 21. t. 1441.
2	Michauxiàna. R.S.	(*st.*)	American.	N. America.	1824.	——	H.♂.	
3	dichótoma. R.S.	(*gr.re.*)	forked.	Siberia.	1827.	7. 9.	H.♂.	Pall. ross. 2. t. 91.
CHL'ORA. S.S.			Yellow-wort.	Octandria Monogynia. L.				
1	imperfoliàta. S.S.	(*ye.*)	sessile-leaved.	Italy.	1826.	6. 7.	H.☉.	
2	perfoliàta. S.S.	(*ye.*)	perfoliate.	Britain.	....	——	H.☉.	Eng. bot. v. 1. t. 60.
FRAS'ERA. M.			Fras'era.	Tetrandria Monogynia. R.S.				
	Waltèri. M.	(*ye.*)	Walter's.	N. America.	1795.	7. 8.	H.♂.	
	carolinénsis. Walt.							
ERYTHR'ÆA. R.S.			Erythr'æa.	Pentandria Monogynia. P.S.				
1	Centaùrium. R.S.	(*ro.*)	common.	Britain.	....	7. 8.	H.☉.	Eng. bot. v. 6. t. 417.
2	latifòlia. S.S.	(*ro.*)	broad-leaved.	Lancashire.	....	——	H.☉.	
3	pulchélla. R.S.	(*ro.*)	dwarf branching.	England.	....	8. 9.	H.☉.	Eng. bot. v. 7. t. 458.
4	littoràlis. R.S.	(*ro.*)	simple dwarf.	Britain.	....	6. 8.	H.☉.	——— v. 33. t. 2305.
5	conférta. R.S.	(*ro.*)	close-flowered.	Spain.	1818.	5. 11.	H.♃.	
6	spicàta. R.S.	(*ro.*)	spiked.	S. Europe.	....	——	H.♂.	Flor. græc. t. 238.
	β albiflòra.	(*wh.*)	*white-flowered.*	———	....	——	H.♂.	Matth. comm.p.488.f.2.
7	austrális. B.P.	(*ro.*)	New Holland.	New Holland.	1823.	5. 8.	G.♂.	
8	uliginòsa. R.S.	(*ro.*)	marsh.	Hungary.	1825.	6. 8.	H.♂.	W. et K. pl. hung. t. 238.
9	aggregàta. B.F.G.	(*ro.*)	cluster-branch'd.	Nepaul.	1824.	3. 11.	H.♃.	Swt. br. fl. gar. t. 137.
10	maritima. F.G.	(*ye.*)	sea-side.	S. Europe.	1777.	7. 8.	H.☉.	Flor. græc. t. 237.
11	Massòni.	(*ye.*)	Masson's.	Azores.	——	——	F.♃.	
	maritima. H.K. *nec aliorum.* vid. obs. in Flor. Græc.							
12	lùtea. R.S.	(*ye.*)	yellow-flowered.	S. Europe.	....	——	H.☉.	Barrel. ic. 468.
SABB'ATIA. R.S.			Sabb'atia.	Pentandria Monogynia. R.S.				
1	grácilis. R.S.	(*ro.*)	slender.	N. America.	....	7. 9.	H.♂.	Sal. par. lond. t. 32.
2	stellàris. R.S.	(*ro.ye.*)	starry.	———	1827.	6. 8.	H.♂.	Bartr. ic. ined. t. 13.
3	angulàris. R.S.	(*pu.*)	angular-stalked.	———	1823.	7. 8.	H.♂.	
4	calycòsa. R.S.	(*ro.*)	dichotomous.	———	1812.	6. 8.	H.♂.	Bot. mag. t. 1600.
5	chloroídes. R.S.	(*ro.*)	Chlora-like.	———	1817.	8. 9.	H.♂.	
6	paniculàta. R.S.	(*wh.*)	panicled.	———	——	——	H.♃.	
VOHI'RIA. R.S.			Vohi'ria.	Pentandria Monogynia.				
1	rósea. R.S.	(*ro.*)	rose-coloured.	Trinidad.	1822.	6. 8.	S.♃.	Aubl. guian. 1. t. 83. f. 1.
	Lùta rósea. W.							
2	cœrùlea. R.S.	(*bl.*)	blue-flowered.	———	1824.	——	S.♃.	Aubl. guian. 1. t. 83. f. 2.
3	uniflòra. R.S.	(*ye.*)	one-flowered.	W. Indies.	——	——	S.♃.	Jacq. amer. 87. t. 60. f. 3.
CHIR'ONIA. R.S.			Chir'onia.	Pentandria Monogynia. L.				
1	jasminoídes. R.S.	(*ro.*)	Jasmine-like.	C. B. S.	1812.	4. 7.	G.♄.	Bot. reg. t. 197.
2	lychnoídes. R.S.	(*pu.*)	Lychnis-flowered.	———	1816.	——	G.♄.	
3	nudicaùlis. R.S.	(*pu.*)	naked-stalked.	———	——	——	G.♄.	Linn. trans. 7. t. 12. f. 3.
4	linoídes. R.S.	(*pi.*)	flax-leaved.	———	1787.	7. 9.	G.♄.	Bot. mag. t. 511.
5	tetragòna. R.S.	(*pu.*)	four-sided.	———	1822.	——	G.♄.	Linn. trans. 7. t. 12. f. 2.
6	baccífera. R.S.	(*pi.*)	berry-bearing.	———	1759.	6. 7.	G.♄.	Bot. mag. t. 233.
7	angustifòlia. B.M.	(*ro.*)	narrow-leaved.	———	1800.	6. 8.	G.♄.	——— t. 818.
8	frutéscens. R.S.	(*ro.*)	frutescent.	———	1756.	6. 9.	G.♄.	——— t. 37.
	β albiflòra.	(*wh.*)	*white-flowered.*	———	....	——	G.♄.	
9	decussàta. R.S.	(*ro.*)	cross-leaved.	———	1789.	——	G.♄.	Bot. mag. t. 707.

HI'PPION. S.S. Hi'ppion. Pentandria Monogynia. S.S.
viscòsum. s.s. (ye.) clammy. Canaries. 1781. 6. 7. G. ♂. Sm. ic. fas. 3. t. 18.
Exàcum viscòsum. Sm. *Gentiàna viscòsa.* Bot. mag. t. 2135.

SEB'ÆA. B.P. Seb'æa. Tetr-Pentandria Monogynia. S.S.
1 ovàta. B.P. (st.) oval-leaved. N. S. W. 1820. 8. 10. G.⊙. Lab. nov. hol. 1. t. 52.
2 álbens. B.P. (wh.) white-flowered. C. B. S. —— —— G.⊙. Burm. afr. t. 74. f. 4.
3 cordàta. B.P. (ye.) heart-leaved. ——— 1815. 7. 8. H.⊙. ——— t. 74. f. 5.

CICE'NDIA. Adans. Cice'ndia. Tetrandria Monogynia.
filifórme. (ye.) slender-stalk'd. Britain. .... —— H.⊙. Eng. bot. v. 4. t. 235.
Exàcum filifórme. E.B. *Microcàle filifórme.* Lk.

EX'ACUM. B.P. Ex'acum. Tetrandria Monogynia. L.
tetragònum. D.P. (ye.) square-stalked. Nepaul. 1820. 8. 10. H.⊙.

COUTOUB'EA. P.S. Coutoub'ea. Tetrandria Monogynia.
1 ternifólia. P.S. (wh.) three-leaved. Trinidad. 1820. 6. 10. S.⊙. Cavan. icon. 4. t. 338.
2 ramòsa. Aub. (pu.) purple-flowered. ——— 1823. —— S.⊙. Aubl. guian. 1. t. 28.
purpùrea. Lam. ill. t. 79. *Exàcum ramòsum.* R.S.

MITRASA'CME. B.P. Mitrasa'cme. Tetrandria Monogynia. R.S.
1 polymórpha. B.P. (wh.) variable. N. S. W. 1822. 6. 8. G.♃.
2 canéscens. B.P. (wh.) canescent. ——— 1820. —— G.♃.
3 serpyllifólia. B.P. (wh.) creeping. ——— 1826. —— G.♃.

HOUST'ONIA. R.S. Houst'onia. Tetrandria Monogynia. L.
1 cærùlea. R.S. (pa.bl.) blue-flowered. N. America. 1785. 5. 8. H.♃. Bot. mag. t. 370.
2 serpyllifólia. R.S. (wh.) Thyme-leaved. ——— 1827. —— H.♃. ——— t. 2622.
3 tenélla. R.S. (pu.) slender. Carolina. 1812. —— H.♃.
4 albiflòra. N. (wh.) white-flowered. N. America. 1828. —— H.♃.
5 purpùrea. R.S. (li.) purple-flowered. ——— 1800. —— H.♃.

SPIG'ELIA. R.S. Worm-grass. Pentandria Monogynia. L.
1 Anthélmia. R.S. (bl.) annual. W. Indies. 1759. 7. S.⊙. Bot. mag. t. 2359.
2 marylándica. R.S. (sc.) perennial. N. America. 1694. 7. 8. H.♃. ——— t. 80.

EUST'OMA. P.L. Eust'oma. Pentandria Monogynia.
silenifólium. P.L. (pu.) Silene-leaved. ProvidenceIsl. 1804. 7. S.♃. Sal. par. lond. t. 241.
Lisiánthus glaucifólius. Jacq. ic. 1. t. 33.

LISIA'NTHUS. R.S. Lisia'nthus. Pentandria Monogynia. L.
1 longifólius. R.S. (ye.) long-leaved. Jamaica. 1793. 7. 9. S.♄. Bot. reg. t. 880.
2 grandiflòrus. R.S. (st.) large-flowered. Trinidad. 1820. —— S.⊙. Aubl. guian. 1. t. 79.
3 exsértus. R.S. (st.) oval-leaved. W. Indies. 1793. —— S.♄.
4 latifólius. R.S. (ye.) broad-leaved. ——— 1822. .... S.♄.
5 umbellàtus. R.S. (ye.) umbel-flowered. ——— —— .... S.♄.
6 cordifólius. R.S. (ye.) heart-leaved. ——— 1816. 6. 8. S.♄. Brown. jam. 2. t. 9. f. 2.
7 acutángulus. R.S. (ye.) acute-angled. Peru. 1820. —— S.♃. Flor. per. 2. t. 122. f. a.
8 angustifólius. R.S. (gr.) narrow-leaved. S. America. 1824. 7. 10. S.⊙.

LOG'ANIA. B.P. Log'ania. Pentandria Monogynia. R.S.
1 latifólia. B.P. (wh.) broad-leaved. N. Holland. 1816. 4. 6. G.♄. Lab. nov. hol. 1. t. 61.
Exàcum vaginàle. Lab.
2 floribúnda. B.P. (wh.) many-flowered. N. S. W. 1797. 4. 5. G.♄. Andr. reposit. t. 530.
Eúosma albiflòra. A.R.
3 revolùta. B.P. (wh.) revolute-leaved. ——— 1823. 4. 6. G.♄.

VILLA'RSIA. R.S. Villa'rsia. Pentandria Monogynia. R.S.
1 nymphoides. R.S. (ye.) common. England. .... 6. 7. H.w.♃. Eng. bot. v. 4. t. 217.
Menyánthes nymphoides. E.B.
2 índica. R.S. (ye.) Indian. E. Indies. 1790. 6. 8. S.w.♃. Bot. mag. t. 658.
3 sarmentòsa. R.S. (ye.) sarmentose. N. S. W. 1806. —— G.w.♃. ——— t. 1323.
Menyánthes sarmentòsa. B.M.
4 lacunòsa. V. (wh.) smooth-flowered. N. America. 1812. 6. 7. G.w.♃. Venten. choix. 9.
5 renifórmis. B.P. (ye.) kidney-leaved. N. S. W. 1820. —— G.w.♃.
6 parnassiifólia. B.P. (ye.) tall. ——— 1805. 6. 10. G.w.♃. Bot. mag. t. 1029.
Menyánthes exaltàta. B.M. n. hol. t. 97. *Swértia parnassifólia.* Lab. n. hol. t. 97.
7 ovàta. R.S. (ye.) oval-leaved. C. B. S. 1786. 5. 7. G.w.♃. Bot. mag. t. 1909.

MENYA'NTHES. R.S. Buck-bean. Pentandria Monogynia. L.
1 trifoliàta. E.B. (li.) common. Britain. .... 6. 7. H.w.♃. Eng. bot. v. 7. t. 496.
2 americàna. (li.) American. N. America. .... 4. 6. H.w.♃.
trifoliàta β minor. P.S.

ORDO CXLI.

BIGNONIACEÆ. *Brown prodr.* 1. *p.* 470.

CHILO'PSIS. D.D. CHILO'PSIS. Didynamia Angiospermia.

	linearis.	(*ro.*)	linear-leaved.	Mexico.	1825.	....	S. ♄.	Cavan. ic. 3. t. 269.
	Bignònia? linearis. Cav.							

CATA'LPA. J. CATA'LPA. Diandria Monogynia. S.S.

1	**syringifòlia.** S.S.	(*wh.*)	common.	N. America.	1726.	6. 8.	H. ♄.	Bot. mag. t. 1094.
	Bignònia Catálpa. L.							
2	**longíssima.** S.S.	(*wh.pu.*)	wave-leaved.	W. Indies.	1777.	....	S. ♄.	Plum. ic. t. 57.
3	**microphy'lla.** S.S.	(*bl.*)	small-leaved.	Hispaniola.	1820.	....	S. ♄.	——— t. 55.

BIGN'ONIA. S.S. TRUMPET-FLOWER. Didynamia Angiospermia. L.

1	**U'nguis.** S.S.	(*ye.*)	Barbadoes.	W. Indies.	1759.	....	S. ♄. ⌣.	Plum. amer. t. 94.
2	**stamínea.** S.S.	(*ye.pu.*)	long-stamened.	Hispaniola.	1820.	6. 9.	S. ♄. ⌣.	Plum. ic. 56. f. 2.
3	**capreolàta.** S.S.	(*ye.pu.*)	four-leaved.	N. America.	1710.	6. 8.	H. ♄. ⌣.	Bot. mag. t. 864.
4	**pubéscens.** S.S.	(*ye.*)	downy.	New Spain.	1759.	6. 7.	S. ♄. ⌣.	
5	**æquinoctiàlis.** S.S.	(*ye.*)	equinoctial.	W. Indies.	1768.	6. 8.	S. ♄. ⌣.	Plum. ic. t. 55. f. 1.
6	**Chamberla'nii.** B.M.	(*ye.*)	Chamberlayne's.	S. America.	1818.	——	S. ♄. ⌣.	Bot. mag. t. 2148.
7	**chrysoleùca.** S.S.	(*ye.wh.*)	yellow & white.	———	1824.	——	S. ♄. ⌣.	
8	**alliàcea.** S.S.	.....	garlick-scented.	W. Indies.	1790.	....	S. ♄. ⌣.	
9	**spectábilis.** S.S.	(*pu.*)	showy.	S. America.	1820.	....	S. ♄. ⌣.	
10	**picta.** K.S.	(*wh.*)	flat-stemmed.	———	——	....	S. ♄. ⌣.	
11	**obliqua.** K.S.	(*re.*)	oblique-leaved.	Caracas.	1828.	——	S. ♄. ⌣.	
12	**laurifòlia.** S.S.	(*li.*)	Laurel-leaved.	Guiana.	1804.	....	S. ♄. ⌣.	
13	**lactifòra.** S.S.	(*wh.*)	milk-coloured.	Trinidad.	1822.	4. 6.	S. ♄. ⌣.	Vahl. symb. 3. t. 66.
14	**villòsa.** S.S.	(*pu.*)	villous.	S. America.	1820.	....	S. ♄. ⌣.	
15	**ophthálmica.** A.	(*ye.*)	Anderson's.	St. Vincent.	1812.	....	S. ♄. ⌣.	
16	**rigéscens.** S.S.	(*ft.ye.*)	rigid-leaved.	S. America.	1816.	6. 8.	S. ♄. ⌣.	Jacq. schœn. 2. t. 210.
17	**grandifòlia.** B.R.	(*ye.*)	large-leaved.	———	——	4. 7.	S. ♄. ⌣.	Bot. reg. t. 418.
18	**latifòlia.** S.S.	(*ye.*)	broad-leaved.	Cayenne.	1824.	....	S. ♄. ⌣.	
19	**elongàta.** S.S.	(*ye.*)	long-racemed.	S. America.	1820.	....	S. ♄. ⌣.	Vahl. ecl. 2. t. 16.
20	**mollíssima.** K.S.	(*pu.*)	soft-leaved.	Caracas.	1812.	....	S. ♄. ⌣.	
21	**diversifòlia.** K.S.	.....	different-leav'd.	Mexico.	1824.	....	S. ♄. ⌣.	
22	**floribúnda.** K.S.	.....	abundant-flower'd.	———	——	....	S. ♄. ⌣.	
23	**cándicans.** S.S.	(*pu.*)	white-leaved.	Trinidad.	1822.	9. 12.	S. ♄. ⌣.	
24	**quadrangulàris.** D.L.	...	square-stalked.	———	——	....	S. ♄. ⌣.	
25	**coloràta.** S.S.	(*ye.*)	coloured calyxed.	———	1824.	....	S. ♄. ⌣.	
26	**crucígera.** S.S.	(*or.*)	cross-bearing.	S. America.	1759.	6. 8.	S. ♄. ⌣.	Plum. ic. t. 58.
27	**Cherère.** B.R.	(*or.*)	various-leaved.	Guiana.	1820.	6. 10.	S. ♄. ⌣.	Bot. reg. t. 1301.
	heterophy'lla. W.							
28	**venústa.** S.S.	(*or.*)	comely.	S. America.	1816.	9. 12.	S. ♄. ⌣.	Bot. reg. t. 249.
29	**incarnàta.** S.S.	(*ro.*)	flesh-coloured.	Guiana.	1818.	6. 9.	S. ♄. ⌣.	Aub. gui. 3. t. 261.
30	**móllis.** S.S.	(*ye.*)	soft.	———	——	....	S. ♄. ⌣.	Vahl. ecl. 2. t. 10.
	tomentòsa: Rich. *non* Th.							
31	**littoràlis.** K.S.	(*re.*)	sea-side.	Mexico.	1824.	....	S. ♄. ⌣.	
32	**viridifòra.** B.C.	(*gr.*)	green-flowered.	S. America.	1820.	6. 9.	S. ♄.	Lodd. bot. cab. t. 1026.
33	**triphy'lla.** S.S.	(*wh.*)	three-leaved.	Mexico.	1733.	——	S. ♄.	
34	**pállida.** B.R.	(*li.*)	pale.	S. America.	1823.	7. 8.	S. ♄.	Bot. reg. t. 965.
35	**fluviátilis.** S.S.	(*wh.*)	marsh.	———	1818.	——	S. ♄.	Aub. gui. 2. t. 267.
36	**Leucóxylon.** S.S.	(*pi.*)	white-wooded.	W. Indies.	1759.	6. 7.	S. ♄.	Andr. reposit. t. 43.
37	**chrysántha.** S.S.	(*ye.*)	golden-flower'd.	Caracas.	1822.	....	S. ♄.	Jacq. schœnb. 2. t. 211.
38	**lepidòta.** K.S.	(*ro.*)	silver-spotted.	Cuba.	1828.	....	S. ♄.	
39	**æsculifòlia.** K.S.	(*or.*)	Æsculus-leaved.	Mexico.	1824.	....	S. ♄.	
40	**serratifòlia.** S.S.	(*ye.*)	saw-leaved.	Trinidad.	1822.	....	S. ♄.	
41	**bijùga.** S.S.	.....	Madagascar.	Madagascar.	——	....	S. ♄.	
42	**Clématis.** K.S.	(*wh.ye.*)	Clematis-leaved.	Caracas.	——	....	S. ♄. ⌣.	
43	**chelonoides.** S.S.	(*ye.*)	tree.	E. Indies.	1808.	....	S. ♄.	Rheed. mal. 6. t. 26.
44	**variábilis.** S.S.	(*gr.ye.*)	variable-leaved.	Caracas.	1820.	6. 8.	S. ♄. ⌣.	Jacq. schœnb. 2. t. 212.
45	**índica.** W.	(*wh.std.*)	Indian.	E. Indies.	1775.	....	S. ♄.	Rheed. mal. 1. t. 43.
46	**jasminifòlia.** K.S.	....	Jasmine-leaved.	S. America.	1824.	....	S. ♄. ⌣.	
47	**crenàta.** L.C.	.....	crenated.	.....	1825.	....	S. ♄. ⌣.	
48	**decípiens.** L.C.	.....	doubtful.	.....	——	....	S. ♄.	
49	**lùcida.** L.C.	.....	glossy.	S. America.	1824.	....	S. ♄. ⌣.	
50	**álba.** W.	(*wh.*)	white-flowered.	Guiana.	1823.	....	S. ♄. ⌣.	Aub. gui. 2. t. 266.

51 echinàta. W. (*bk.*) bristly-fruited. Guiana. 1804. .... S. ♄. ⌣. Aub. gui. 2. t. 264.
52 purpùrea. L.C. (*pu.*) purple. S. America. 1822. .... S. ♄.
53 tomentòsa. Th. .... tomentose. Japan. 1823. .... S. ♄. Kæmpf. amœn. t. 809.
54 stipulàta. H.B. ..... stipuled. E. Indies. 1825. .... S. ♄.
55 undulàta. H.B..... wave-leaved. ——— 1827. .... S. ♄.
56 suavèolens. H.B. .... sweet-scented. ——— 1825. .... S. ♄.
57 crìspa. H.B. ..... curled. ——— 1822. .... S. ♄.
58 xylocárpa. H.B. .... woody-podded. ——— 1825. .... S. ♄.
59 am'œna..... handsome. ——— 1823. .... S. ♄.
60 spicàta. D.L. ..... spiked-flowered. Trinidad. 1822. .... S. ♄. ⌣.
61 multijùga. R..... many-leaved. E. Indies. 1826. .... S. ♄.

MILLINGT'ONIA. L. MILLINGT'ONIA. Didynamia Angiospermia. L.
horténsis. L. (*wk.*) cork-barked. E. Indies. 1818. .... S. ♄. Roxb. corom. 3. t. 214.
Bignònia suberòsa. Roxb.

TEC'OMA. J. TEC'OMA. Didynamia Angiospermia. S.S.
1 splèndida. S.S. (*or.*) splendid. Brazil. 1826. .... S. ♄.
2 pentaphy'lla. S.S. (*wk.*) five-leaved. Jamaica. 1733. .... S. ♄. Marc. bras. t. 118.
3 digitàta. K.S..... digitate-leaved. S. America. 1818. .... S. ♄.
4 austràlis. B.P. (*bk.*) broad-leaved. N. S. W. 1793. 4. 7. G. ♄. ⌣. Bot. mag. t. 865.
Bignònia Pandòræ. B.M.
5 meonántha. (*bk.*) narrow-leaved. ——— 1815. —— G. ♄. ⌣.
Bignònia meonántha. L.en.
6 móllis. K.S. (*ye.*) soft-leaved. Mexico. 1824. .... S. ♄.
7 rádicans. S.S. (*or.*) Ash-leaved. N. America. 1640. 7. 8. H. ♄. ⌣.
a màjor. H.K. (*or.*) *great.* ——— —— —— H. ♄. ⌣. Bot. mag. t. 485.
β minor. H.K. (*or.*) *smaller.* ——— —— —— H. ♄. ⌣. Catesb. car. 1. t. 65.
8 grandiflòra. (*or.*) large-flowered. China. 1800. 6. 9. G. ♄. ⌣. Bot. mag. t. 1398.
Bignònia grandiflòra. B.M. *Incarvillea grandiflòra.* S.S.
9 stàns. S.S. (*ye.*) upright-ash-ld. S. America. 1730. 7. 9. S. ♄. Plum. ic. t. 54.
10 incìsa. D.L. (*ye.*) cut-leaved. Trinidad. 1824. —— S. ♄.
11 capénsis. B.R. (*or.*) Cape. C. B. S. —— 4. 8. G. ♄. ⌣. Bot. reg. t. 1117.

JACARA'NDA. S.S. JACARA'NDA. Didynamia Angiospermia. S.S.
1 tomentòsa. D.D. (*pu.*) tomentose. Brazil. 1824. .... S. ♄.
2 mimosifòlia. B.R. (*bl.*) Mimosa-leaved. ——— 1818. 4. 5. S. ♄. Bot. reg. t. 631.
ovalifòlia. Bot. mag. t. 2327.
3 bahamènsis. B.M. (*bl.*) Bahama. Bahama Isl. 1724. 7. 8. S. ♄. Catesb. car. 1. t. 42.
Bignònia cærùlea. W.
4 Copaia. D.D. (*bl.*) Box-leaved. Guiana. 1793. .... S. ♄. Aub. gui. 2. t. 265.
Bignònia pròcera. W.
5 rhombifòlia. S.S. (*pu.*) rhomb-leaved. Surinam. 1823. .... S. ♄.
flicifòlia. D.D.

SPATH'ODEA. S.S. SPATH'ODEA. Didynamia Angiospermia. S.S.
1 uncàta. S.S. (*ye.*) hooked. Guiana. 1804. 6. 9. S. ♄. ⌣. Bot. mag. t. 1511.
Bignònia uncàta. B.M.
2 corymbòsa. S.S. (*ye.*) corymb-flower'd. Trinidad. 1823. .... S. ♄.
3 Rheèdii. S.S. (*wk.*) Rheede's. E. Indies. 1794. .... S. ♄. Roxb. cor. 2. t. 144.
Bignònia spathàcea. R.C.
4 Roxbúrghii. S.S. (*ro.*) Roxburgh's. ——— 1820. .... S. ♄. Roxb. cor. v. 2. t. 145.
Bignònia quadriloculàris. Roxb.
5 fraxinifòlia. K.S. (*ye.*) Ash-leaved. Caracas. 1821. .... S. ♄. ⌣.
Bignònia fraxinifòlia. S.S.

AMPHIL'OPHIUM. K.S. AMPHIL'OPHIUM. Didynamia Angiospermia. S.S.
paniculàtum. K.S. (*pu.*) panicled. S. America. 1788. .... S. ♄. ⌣. Jacq. amer. t. 116.
Bignònia paniculàta. Jacq.

CALA'MPELIS. D.D. CALA'MPELIS. Didynamia Angiospermia.
scábra. B.F.G. (*or.*) rough-podded. Chile. 1823. 7. 11. H. ♄. ⌣. Swt. br. fl. gar. s. 2. t. 80.
Eccremocárpus scáber. Bot. reg. t. 939.

ECCREMOCA'RPUS. ECCREMOCA'RPUS. Didynamia Angiospermia. S.S.
longiflòrus. K.S. (*ye.*) long-flowered. Peru. 1824. .... G. ♄. ⌣. H. et B. pl. æq. 1. t. 66.

FI'ELDIA. Cun. FI'ELDIA. Didynamia Angiospermia.
austràlis. Cun. (*gr.st.*) New Holland. N. Holland. 1824. .... G. ♄. Hook. ex. flor. t. 222.

ORDO CXLII.

COBŒACEÆ. *D. Don in Edinb. phil. journ.*

COB'ŒA. Cav. COB'ŒA. Pentandria Monogynia.
scándens. Cav. (*bl.*) climbing. Mexico. 1792. 5. 10. G. ♄.⌣. Bot. mag. t. 851.

ORDO CXLIII.

PEDALINÆ. *Brown prodr.* 519.

PED'ALIUM. S.S. PED'ALIUM. Didynamia Angiospermia. S.S.
Mùrex. s.s. (*ye.*) prickly-fruited. E. Indies. 1778. 8. 9. S.⊙. Lam. ill. t. 538.

ORDO CXLIV.

DIDYMOCARPEÆ. *D. Don.*

STREPTOCA'RPUS. B.R. STREPTOCA'RPUS. Diandria Monogynia.
Réxii. B.R. (*bl.*) Cape. C. B. S. 1824. 2. 10. S.♃. Bot. reg. t. 1173.
Didymocárpus Réxii. Hook. ex flor. t. 227.

ORDO CXLV.

SESAMEÆ. *Brown.*

TOURR'ETIA. S.S. TOURR'ETIA. Didynamia Angiospermia. S.S.
lappàcea. s.s. (*sc.*) scarlet-flowered. Peru. 1788. 6. 8. S.⊙.⌣. Sal. stirp. rar. 5. t. 3.
Dombèya lappàcea. Sal.
MARTY'NIA. J. MARTY'NIA. Didynamia Angiospermia. L.
1 **diándra.** s.s. (*re.*) two-stamened. New Spain. 1731. 7. 8. S.⊙. Andr. reposit. t. 575.
2 **proboscídea.** s.s. (*li.*) horn-capsuled. America. 1738. 6. 8. G.⊙. Bot. mag. t. 1056.
ánnua. L.
3 **lùtea.** B.R. (*ye.*) yellow. S. America. 1824. 7. 9. H.⊙. Bot. reg. t. 934.
4 **longiflòra.** s.s. (*pu.*) long-flowered. C. B. S. 1781. 7. 8. G.⊙. Meerb. ic. 1. t. 7.
CRANIOL'ARIA. J. CRANIOL'ARIA. Didynamia Angiospermia. L.
ánnua. H.S. (*wh.sp.*) annual. S. America. 1733. 7. 8. S.⊙. Jacq. amer. t. 110.
Marty'nia Craniolària. W.
SES'AMUM. S.S. OILY-GRAIN. Didynamia Angiospermia. L.
1 **orientàle.** s.s. (*bk.*) oriental. E. Indies. 1731. 7. 8. S.⊙. Rheed. mal. 9. t. 54.
2 **índicum.** s.s. (*bk.*) Indian. ——— —— —— S.⊙. Bot. mag. t. 1788.
3 **lùteum.** s.s. (*ye.*) yellow. ——— 1825. —— S.⊙.

ORDO CXLVI.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEM'ONIUM. S.S. GREEK VALERIAN. Pentandria Monogynia. L.
1 **cœrùleum.** s.s. (*bl.*) common. Britain. .... 6. H.♃. Eng. bot. t. 14.
β *álbum.* (*wh.*) *white-flowered.* ——— .... —— H.♃.
γ *maculàtum.* s.s. (*sp.*) *spot-flowered.* ——— .... —— H.♃.

2	grácile. W.en.	(*wh.*)	slender.	Dahuria.	1818.	6. 7.	H.♃.	
3	mexicànum. s.s.	(*bl.*)	Mexican.	Mexico.	1817.	4. 6.	H.♃.	Bot. reg. t. 460.
4	réptans. s.s.	(*bl.*)	creeping.	N. America.	1758.	4. 5.	H.♃.	Bot. mag. t. 1887.
	cærùleum β pilíferum. Bot. reg. t. 1303.							
5	villòsum. G.R.	(*bl.*)	dwarf hairy.	Siberia.	1827.	6. 9.	H.♃.	Swt. br. fl. gar. t. 266.
6	Richardsòni. B.M.	(*bl.*)	Richardson's.	N. America.	——	——	H.♃.	Bot. mag. t. 2800.
7	hùmile. B.M.	(*bl.*)	dwarf.	——	——	——	H.♃.	Bot. reg. t. 1304.
8	sibíricum. D.D.	(*wh.*)	bipinnate.	Siberia.	1800.	6.	H.♃.	Swt. br. fl. gar. t. 182.
PHLO'X. R.S.			LYCHNIDEA.	Pentandria Monogynia. L.				
1	paniculàta. R.S.	(*pu.*)	panicled.	N. America.	1732.	8. 9.	H.♃.	Dill. elth. t. 166. f. 202.
	β álba.	(*wh.*)	*white-flowered.*	——	1813.	——	H.♃.	
2	undulàta. R.S.	(*pu.*)	wave-leaved.	——	1759.	7. 8.	H.♃.	
3	acuminàta. R.S.	(*pu.*)	cross-leaved.	——	1812.	6. 8.	H.♃.	Bot. mag. t. 1880.
	decussàta. Lyon. *latifòlia.* Hort. *non* M.							
4	virgínica. L.C.	(*pu.*)	Virginian.	——	——	——	H.♃.	
5	intermèdia. L.C.	(*pu.*)	intermediate.	——	....	7. 9.	H.♃.	
6	penduliflòra. B.F.G.	(*pu.*)	drooping-flower'd.	——	1824.	——	H.♃.	Swt. br. fl. gar. s. 2.
7	corymbòsa. B.F.G.	(*li.*)	corymb-flower'd.	——	——	——	H.♃.	
8	acutifòlia. B.F.G.	(*pu.*)	sharp-leaved.	——	1825.	——	H.♃.	
9	odoràta. B.F.G.	(*re.*)	sweet-scented.	——	1824.	——	H.♃.	Swt. br. fl. gar. t. 224.
10	scábra. B.F.G.	(*li.*)	rough-leaved.	——	1812.	——	H.♃.	—— t. 248.
	Sickmánni. Lehman.							
11	maculàta. R.S.	(*pu.*)	spotted-stalked.	——	1740.	7. 8.	H.♃.	Jacq. vind. 2. t. 147.
12	pyramidàlis. R.S.	(*li.*)	pyramidal.	——	1800.	6. 8.	H.♃.	Swt. br. fl. gar. t. 233.
13	latifòlia. R.S.	(*pu.*)	broad-leaved.	——	1812.	——	H.♃.	
14	carolìna. R.S.	(*re.pu.*)	rough-stemmed.	——	1728.	7. 9.	H.♃.	Bot. mag. t. 1344.
15	cordàta. E.C.	(*li.*)	heart-leaved.	Carolina.	1826.	6. 9.	H.♃.	Swt. br. fl. gar. s. 2. t. 13.
16	excélsa. H.E.	(*pu.*)	tall upright.	N. America.	1824.	——	H.♃.	
17	Wheeleriàna. B.F.G.	(*pi.*)	Wheeler's.	Hybrid.	——	——	H.♃.	
18	Shephérdii. H.E.	(*pu.*)	Shepherd's.	——	——	——	H.♃.	
19	glabérrima. R.S.	(*pu.*)	smooth-stalked.	N. America.	1725.	6. 8.	H.♃.	Swt. br. fl. gar. s. 2 t. 36.
20	triflòra. R.S.	(*bh.*)	flesh-coloured.	——	1816.	7. 9.	H.♃.	Swt. brit. fl. gar. t. 29.
	cárnea. Bot. mag. t. 2155.							
21	suavèolens. R.S.	(*wh.*)	white-flowered.	——	1766.	7. 8.	H.♃.	
22	longiflòra. B.F.G.	(*wh.*)	long-flowered.	——	1827.	7. 10.	H.♃.	Swt. br. fl. gar. s. 2. t. 31.
23	reflèxa. B.F.G.	(*d.pu.*)	reflexed-leaved.	——	1824.	6. 9.	H.♃.	Swt. br. fl. gar. t. 232.
24	suffruticòsa. B.R.	(*d.pu.*)	glossy-leaved.	——	1790.	7. 9.	H.♃.	Bot. reg. t. 68.
25	Listoniàna. H.E.	(*pu.*)	Liston's.	——	1816.	5. 7.	H.♃.	
26	ovàta. W.	(*pu.*)	ovate-leaved.	——	1759.	——	H.♃.	Bot. mag. t. 528.
27	stolonífera. B.M.	(*bl.*)	creeping.	——	1800.	6. 9.	H.♃.	—— t. 563.
	prostràta. H.K. *réptans.* M. *stolonífera* has the right of priority.							
28	pilòsa. B.M.	(*p.bl.*)	hairy-leaved.	N. America.	1759.	5. 6.	H.♃.	Bot. mag. t. 1307.
	aristàta. M.							
29	amœna. B.M.	(*ro.*)	Fraser's hairy.	——	1809.	6. 7.	H.♃.	Bot. mag. t. 1366.
	pilòsa. β. R.S.							
30	canadénsis. B.F.G.	(*pa.bl.*)	Canadian.	Canada.	1826.	5. 7.	H.♃.	Swt. br. fl. gar. t. 221.
31	divaricàta. R.S.	(*pa.bl.*)	early-flowering.	N. America.	1746.	4. 6.	H.♃.	Bot. mag. t. 163.
32	procúmbens. B.F.G.	(*bl.*)	procumbent.	——	1829.	5. 6.	H.♃.	Swt. br. fl. gar. s. 2. t. 7.
33	subulàta. R.S.	(*li.pu.*)	awl-leaved.	——	1786.	4. 6.	H.♄.	Bot. mag. t. 411.
34	nivális. B.C.	(*wh.*)	snowy white.	——	1820.	——	H.♄.	Swt. br. fl. gar. t. 185.
35	setàcea. R.S.	(*pi.*)	bristle-leaved.	——	1786.	4. 5.	H.♄.	Bot. mag. t. 415.
COLL'OMIA. N.			COLL'OMIA.	Pentandria Monogynia.				
1	grandiflòra. D.	(*bf.*)	large-flowered.	N. America.	1827.	6. 7.	H.⊙.	Bot. reg. t. 1174.
2	lineàris. D.	(*fl.*)	linear-leaved.	——	——	——	H.⊙.	—— t. 1156.
3	grácilis. D.	(*ro.*)	slender.	——	——	5. 7.	H.⊙.	Bot. mag. t. 2024.
	Gília gracilis. B.M.							
4	heterophýlla. B.M.	(*ro.*)	various-leaved.	——	——	5. 8.	H.⊙.	Bot. mag. t. 2695.
GI'LIA. R.P.			GI'LIA.	Pentandria Monogynia. S.S.				
1	inconspícua. B.M.	(*bl.*)	small blue.	America.	1793.	9. 11.	H.⊙.	Bot. mag. t. 2883.
	Ipomópsis inconspícua. Sm. exot. bot. 1. t. 14.							
2	capitàta. D.	(*bl.*)	cluster-flowered.	——	1826.	5. 9.	H.⊙.	Swt. br. fl. gar. t. 267.
IPOMO'PSIS. M.			IPOMO'PSIS.	Pentandria Monogynia.				
1	élegans. Ex.B.	(*sc.*)	elegant.	Carolina.	1726.	8. 9.	G.♂.	Sm. exot. bot. 1. t. 13.
	Cántua coronopifòlia. Andr. rep. t.							
2	pulchélla. D.	(*sc.*)	pretty.	N. America.	1827.	——	G.♂.	Bot. reg. t. 1281.
	élegans. Bot. reg. *non* M.							
HOI'TZIA. J.			HOI'TZIA.	Pentandria Monogynia. S.S.				
1	coccínea. K.s.	(*sc.*)	scarlet.	Mexico.	1826.	5. 7.	G.♄.	Cavan. ic. 4. t. 365.
2	cærùlea. K.s.	(*bl.*)	blue-flowered.	——	1827.	——	G.♄.	—— 4. t. 366.

CALD'ASIA S.S. CALD'ASIA. Pentandria Monogynia.
heterophy'lla. s.s. (*bl.*) various-leaved. New Spain. 1813. 5. 12. S.☉. Bot. reg. t. 92.
Bonplándia geminiflòra. Cav. ic. 6. t. 532.

ORDO CXLVII.

HYDROLEACEÆ. *Kth. synops.* 2. *p.* 234.

HYDR'OLEA. S.S. HYDR'OLEA. Pentandria Digynia. L.
1 spinòsa. s.s. (*bl.*) thorny. S. America. 1791. 7. 8. S.♄. Bot. reg. t. 566.
2 quadrivàlvis. s.s. (*bl.*) four-valved. Carolina. 1824. —— G.♃.
WIGA'NDIA. K.S. WIGA'NDIA. Pentandria Digynia.
1 ùrens. K.S. (*vi.*) stinging. Mexico. 1827. 4. 6. G.♃. Flor. peruv. 3. t. 243.
2 caracasàna. K.S. (*vi.*) Caracas. Caracas. 1825. —— S.♄.
N'AMA. S.S. N'AMA. Pentandria Digynia. L.
1 jamaicénsis. s.s. (*wh. bl.*) Jamaica. Jamaica. 1812. 6. 9. S.☉. Lam. ill. t. 184.
2 undulàta. K.S. (*vi.*) wave-leaved. Mexico. 1826. —— G.♃.

ORDO CXLVIII.

CONVOLVULACEÆ. *Brown prodr.* 1. *p.* 481.

? RE'TZIA. R.S. RE'TZIA. Pentandria Monogynia. R.S.
spicàta. R.S. (*br.*) spiked. C. B. S. .... 5. 6. G.♄. Lam. ill. t. 108.
CONVO'LVULUS. B.P. BINDWEED. Pentandria Monogynia. L.
1 arvénsis. R.S. (*pi. wh.*) small. Britain. .... 6. 9. H.♃.◡. Eng. bot. v. 5. t. 312.
2 chinénsis. B.R. (*pi.*) Chinese. China. 1816. —— H.♃.◡. Bot. reg. t. 322.
3 Malcólmi. F.I. (*wh.*) Malcolm's. Persia. 1824. 7. 10. H.♃.◡.
4 emarginàtus. S.S. (*re.*) emarginate. ..... —— 6. 9. H.♃.◡.
5 bicuspidàtus. S.S. (*bh.*) two-pointed. Davuria. —— —— H.♃.◡.
6 Scammònia. R.S. (*st. bh.*) Scammony. Levant. 1596. 7. 8. H.♃.◡. Flor. græc. t. 192.
7 erubéscens. R.S. (*bh.*) maiden blush. N. S. W. 1803. 7. 9. G.♂.◡. Bot. mag. t. 1067.
8 quinqueflòrus. R.S. (*bh.*) five-flowered. Mauritius. 1826. —— S.♄.◡.
9 pannifòlius. R.S. (*bl.*) cloth-leaved. Canaries. 1805. 6. 9. G.♄.◡. Bot. reg. t. 222.
10 canariénsis. R.S. (*pi.*) Canary. ——— 1690. —— G.♄.◡. Bot. mag. t. 1228.
11 Massòni. R.S. (*wh.*) Masson's. ——— 1788. —— G.♄.◡. Bot. reg. t. 133.
Dryándri. S.S. *suffruticòsus.* B.R.
12 cándicans. R.S. .... hoary. E. Indies. 1818. .... S.♄.◡.
13 bonariénsis. R.S. (*std.*) stripe-flowered. BuenosAyres. 1827. 6. 8. G.♃.◡. Cavan. icon. 5. t. 48. f. 2.
14 tiliàceus. R.S. (*wh.*) Lime-tree-leaved. Brazil. 1820. —— S.♃.◡.
15 guianénsis. R.S. (*bh.*) Guiana. Guiana. —— —— S.♃.◡. Aub. gui. 1. t. 52.
16 ciliàtus. R.S. (*bh.*) fringed-leaved. Cayenne. —— —— S.♄.◡.
17 pentánthus. R.S. (*bl.*) five-flowered. W. Indies. 1808. 4. 10. S.♄.◡. Bot. reg. t. 439.
18 farinòsus. R.S. (*bh.*) mealy-stalked. Madeira. 1777. 5. 6. G.♆.◡. Sal. par. lond. t. 45.
19 Hermánniæ. S.S. (*wh.*) Peruvian. Peru. 1799. 8. 9. G.♃.◡. L'Herit. stirp. t. 33.
20 tenuissimus. R.S. (*li.*) slender-leaved. Levant. .... 6. 10. G.♃.◡. Flor. græc. t. 195.
21 althæoides. R.S. (*li.*) Althæa-leaved. ——— 1597. 6. 9. F.♃.◡. ——— t. 194.
22 bryoniæfòlius. R.S. (*pu.*) Bryony-leaved. China. 1802. 7. 8. G.♃.◡. Bot. mag. t. 943.
23 itálicus. R.S. (*pi.*) Italian. Italy. .... —— F.♃.◡. Ten. fl. neap. 1. t. 15.
hirsùtus. T.N. *non* M.B.
24 hirsùtus. M.B. (*pu. ye.*) hairy. Tauria. 1824. —— H.♃.◡.
25 alceifòlius. R.S. (*st. pu.*) Hollyhock-leav'd. C. B. S. 1823. —— G.♃.◡.
26 macrocárpus. R.S. (*pu.*) long-fruited. S. America. 1752. —— S.☉.◡. Burm. amer. t. 91. f. 1.
27 quinquefòlius. R.S. (*w. pu.*) five-leaved. Vera Cruz. .... —— S.☉.◡. Pluk. alm. t. 167. f. 6.
28 gláber. R.S. (*wh.*) smooth. Cayenne. 1806. .... S.♄.◡. Aub. gui. 1. t. 53.
29 tenéllus. R.S. (*wh.*) slender. N. America. 1812. 6. 8. H.☉.◡. Pluk. alm. t. 166. f. 4.
30 aquáticus. N. (*wh.*) water-side. ——— —— —— H.☉.
31 sículus. R.S. (*bl.*) small-flowered. S. Europe. 1640. —— H.☉. Bot. reg. t. 445.
32 pseudosículus. R.S. (*wh.*) long-peduncl'd. Canaries. 1815. 7. 8. H.☉. ——— t. 498.
elongàtus. W.enum.
33 Impèrati. R.S. (*st.*) trailing. Naples. 1824. 6. 9. H.♃. Cyr. pl. rar. fasc. 1. t. 5.

34	sagittifòlius. F.G.	(*bk.*)	Sibthorp's.	Samos.	1823.	7. 8.	H.♃.	Flor. græc. t. 198.
35	hírtus. R.S.	(*bl.*)	hairy-stalked.	E. Indies.	1806.	6. 8.	S.☉.	
36	platycárpos. R.S.	(*li.*)	flat-podded.	Mexico.	1827.	8. 10.	F.♃.	Cavan. ic. 5. t. 482.
37	multífidus. R.S.	(*bk.*)	multifid.	C. B. S.	1822.	6. 8.	G.♃.	
38	pérsicus. M.B.	(*wk.*)	Persian.	Persia.	1829.	——	H.♃.	Gmel. iter. 3. t. 7.
39	trícolor. R.S.	(*bl.ye.*)	three-coloured.	S. Europe.	1629.	7. 9.	H.☉.	Bot. mag. t. 27.
	β albiflòrus.	(*wk.*)	*white-flowered.*	——	——	——	H.☉.	
40	meonanthus. R.S.	(*bl.ye.*)	pale blue.	Portugal.	1827.	——	H.☉.	
41	pentapetaloídes. R.S.	(*bl.*)	Majorca.	Majorca.	1789.	6. 7.	H.☉.	Flor. græc. t. 197,
42	lineàtus. R.S.	(*bk.*)	dwarf.	S. Europe.	1714.	——	H.♃.	—— t. 199.
43	Gerárdi. R.S.	(*bk.*)	Gerard's.	——	....	——	H.♃.	Barrel. ic. t. 311.
44	undulàtus. R.S.	(*wk.re.*)	waved.	——	1816.	6. 10.	H.☉.	Cavan. ic. 3. t. 277. f. 1.
	hùmilis. Jacq. col. 4. t. 22. f. 3. *evolvuloídes.* F.G. t. 198. *ciliàtus.* P.S.							
45	lanàtus. R.S.	(*wk.*)	woolly-leaved.	Levant.	1829.	5. 6.	G.♄.	Flor. græc. t. 202.
46	intermèdius. R.S.	(*bk.*)	intermediate.	S. Europe.	1825.	6. 7.	H.♃.	
47	Cneòrum. R.S.	(*bk.*)	silvery-leaved.	Levant.	1640.	5. 9.	G.♄.	Bot. mag. t. 459.
48	saxátilis. R.S.	(*bk.*)	rock.	S. Europe.	1796.	6. 8.	F.♃.	Bocc. mus. 138. t. 96.
49	flòridus. R.S.	(*bk.*)	many-flowered.	Teneriffe.	1779.	8. 9.	G.♄.	Jacq. ic. 1. t. 34.
50	Cantábrica. R.S.	(*fl.*)	flax-leaved.	S. Europe.	1680.	5. 9.	H.♃.	Jacq. anst. 3. t. 296.
51	salvifòlius. L.en.	(*bk.*)	Sage-leaved.	Palestine.	1825.	——	H.♃.	
52	lineàris. R.S.	(*wk.re.*)	narrow-leaved.	S. Europe.	1770.	——	G.♄.	Bot. mag. t. 289.
53	suffruticòsus. R.S.	(*bk.*)	suffrutescent.	Levant.	1827.	6. 8.	F.♄.	Desf. atl. 1. t. 48.
54	Dory'cnium. R.S.	(*ro.*)	silky-leaved.	——	1806.	6. 7.	H.♄.	Flor. græc. t. 201.
55	holosericeus. R.S.	(*st.*)	silky.	Tauria.	1824.	——	H.♃.	
56	scopàrius. R.S.	(*wk.*)	broom.	Canaries.	1733.	8. 9.	G.♄.	Venten. choix. t. 24.
57	terréstris. F.	(*wk.*)	small.	Altay.	1828.	7. 9.	H.♃.	

CALYSTE'GIA. B.P. Bearbind. Pentandria Monogynia. R.S.

1	sèpium. R.S.	(*wk.*)	great hedge.	Britain.	....	6. 9.	H.♃.◡.	Eng. bot. v. 5. t. 313.
2	sylvéstris. R.S.	(*wk.*)	wood.	Hungary.	1815.	——	H.♃.◡.	W. et K. hung. t. 261.
	Convólvulus sylvéstris. W.en.							
3	inflàta. Df.	(*re.*)	inflated.	N. America.	....	——	H.♃.◡.	Bot. mag. t. 732.
	sèpium. Ph. *Convólvulus sèpium β incarnàta.* B.M.							
4	dahùrica. B.M.	(*pi.*)	Dahurian.	Dahuria.	1820.	7. 8.	H.♃.◡.	Bot. mag. t. 2069.
5	Catesbiàna. R.S.	(*ro.*)	Catesby's.	Carolina.	1816.	7. 9.	H.♃.◡.	
6	marginàta. B.P.	(*wk.*)	margined.	N. S. W.	1824.	7. 8.	F.♃.◡.	
7	stáns. M.	(*wk.*)	woolly.	N. America.	1818.	6. 7.	H.♃.	
	tomentòsa. Ph. *Convólvulus stáns.* M.							
8	spitham'æa. R.S.	(*wk.*)	small upright.	——	1696.	7. 8.	H.♃.	Hook. ex. flor. t. 97.
9	Soldanélla. R.S.	(*pi.*)	sea-side.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 5. t. 314.
	Convólvulus Soldanélla. E.B.							
10	renifórmis. B.P.	(*pi.*)	kidney-leaved.	N. S. W.	1822.	6. 8.	F.♃.	Swt. br. fl. gar. v. 2. t. 161.
11	hederàcea. F.I.	(*ro.*)	Ivy-leaved.	Nepaul.	1826.	——	F.♃.◡.	
12	Keriàna.	(*bl.*)	Mr. Ker's.	Mauritius.	1818.	——	S.☉.	Bot. reg. t. 318.
	Convólvulus involucràtus. B.R. *non* Beau. *Convólvulus bicolor.* B.M. 2205. *nec aliorum.*							

IPOM'ŒA. B.P. Ipom'œa. Pentandria Monogynia. R.S.

1	Quamóclit. R.S.	(*sc.*)	wing-leaved.	E. Indies.	1629.	7. 9.	S.☉.◡.	Bot. mag. t. 244.
	β albiflòra.	(*wk.*)	*white-flowered.*	——	....	——	S.☉.◡.	
2	dissécta. R.S.	(*wk.*)	cut-leaved.	Tropic's.	1813.	6. 9.	S.♃.◡.	Willd. phyt. 1. t. 2. f. 1.
3	tuberòsa. R.S.	(*st.pu.*)	tuberous-rooted.	W. Indies.	1731.	8. 10.	S.♃.◡.	Bot. reg. t. 766.
4	digitàta. R.S.	(*sc.*)	fingered.	S. America.	....	——	S.♃.◡.	Plum. ic. 92. f. 1.
5	sinuàta. R.S.	(*wk.*)	sinuated.	N. America.	1813.	6. 9.	G.♃.◡.	Jacq. vind. t. 159.
	dissécta. Ph. *non.* W. *Convólvulus disséctus.* M.							
6	tuberculàta. R.S.	(*li.*)	tubercled.	Bourbon.	1818.	——	S.♄.◡.	Jacq. schœn. 2. t. 198.
	stipulàcea. Jacq.							
7	caírica.	(*pu.*)	jagged-leaved.	Egypt.	1680.	——	S.♄.◡.	Bot. mag. t. 699.
	Convólvulus caíricus. B.M. *Ipom'œa palmàta.* R.S.							
8	péndula. B.P.	(*pu.*)	pendulous-flower'd.	N. S. W.	1808.	5. 10.	G.♄.◡.	Bot. reg. t. 632.
9	dasyspérma. J.E.	(*ye.pu.*)	warted.	E. Indies.	1815.	8. 9.	G.☉.◡.	—— t. 86.
	tuberculàta. B.R. *non* R.S. *Convólvulus pedàtus.* F.I.							
10	cóptica. R.S.	(*wk.*)	palmate-leaved.	E. Indies.	1824.	8. 10.	S.☉.◡.	
11	pés-tigridis. R.S.	(*bk.*)	palmated.	——	1732.	——	S.☉.◡.	Dill. elth. t. 318. f. 411.
12	platénsis. B.R.	(*pu.*)	Plata.	S. America.	1817.	6. 9.	S.♃.◡.	Bot. reg. t. 383.
13	setòsa. B.R.	(*pu.*)	bristly-stalked.	Brazil.	——	8. 10.	S.♄.◡.	—— t. 385.
14	paniculàta. R.S.	(*pu.*)	panicled.	E. Indies.	1799.	6. 9.	S.♄.◡.	—— t. 62.
15	insígnis. A.R.	(*pu.*)	large purple.	——	1814.	——	S.♄.◡.	—— t. 75.
	gossypifòlia. R.S.							
16	senegalénsis. R.S.	(*pu.*)	Senegal.	Senegal.	1822.	6. 10.	S.♄.◡.	
17	spléndens. G.D.	(*pu.*)	splendid.	Sierra Leon.	——	6. 9.	S.♄.◡.	
18	parviflòra. R.S.	(*pu.*)	small-flowered.	Santa Cruz.	——	7. 10.	S.☉.◡.	Sloan. hist. 1. t. 97. f. 1.

19 heterophy'lla. R.S. (*bl.*) various-leaved. S. America. 1817. 7. 10. S. ♃. Jacq. frag. t. 42. f. 4.
20 macrorhizos. R.S. (*sc.*) large-rooted. W. Indies. —— —— S. ♃. Plum. cat.mss.v.2.t.58.
21 umbellàta. R.S. (*sc.*) umbelled. S. America. 1739. 6. 7. S. ♃. Burm. amer. t. 92. f. 2.
22 carolina. R.S. (*pu.*) Carolina. Carolina. 1732. 7. 8. G. ♃. ◡. Dill. elth. t. 84. f. 98.
23 pulchélla. R.S. (*vi.*) neat. E. Indies. 1824. 5. 8. S. ♃. ◡.
24 venòsa. R.S. (*pu.*) veined-leaved. Mauritius. 1820. 7. 8. S. ♄. ◡.
25 pentaphy'lla. R.S. (*wh.*) five-leaved. W. Indies. 1739. 8. 9. S. ☉. ◡ Jacq. ic. 2. t. 319.
26 Cavanillèsii. R.S. (*bl.*) Cavanille's. S. America. 1815. —— S. ♄. ◡. Cavan. ic. 3. t. 256.
pentaphy'lla. Cav. *non* Jacq.
27 armàta. R.S. (*re.vi.*) armed-calyxed. Mexico. 1824. 7. 10. S. ☉. ◡. Cavan. ic. 5. t. 478. f. 2.
muricàta. Cav. *non* Jacq.
28 ternàta. R.S. (*wh.*) ternate-leaved. S. America. —— 6. 8. S. ♄. ◡. Jacq. schœnb. 1. t. 37.
29 coccínea. R.S. (*sc.*) bright-scarlet. W. Indies. 1713. 6. 9. S. ☉. ◡. Andr. reposit. t. 99.
30 lutèola. R.S. (*or.*) common scarlet. Guatimala. 1759. —— H. ☉. ◡. Bot. mag. t. 221.
coccínea. B.M. *nec aliorum.*
31 angulàris. R.S. (*cr.*) angular-leaved. E. Indies. 1806. —— S. ☉. ◡.
phœnícea. F.I.
32 hastígera. K.S. (*fl.*) halbert-bearing. Mexico. 1824. 6. 8. S. ♃. ◡.
33 longiflòra. K.S. (*wh.*) long-flowered. Cuba. 1803. —— S. ♃. ◡.
34 sagittàta. R.S. (*ro.*) sagittate. S. Europe. 1826. 7. 9. H. ♃. ◡. Cavan. icon. 2. t. 107.
35 bòna nòx. R.S. (*wh.*) large white. America. 1773. 6. 9. G. ☉. ◡. Bot. mag. t. 752.
36 lacunòsa. R.S. (*wh.pu.*) starry. N. America. 1640. 7. 8. H. ☉. ◡. Dill. elth. t. 87. f. 102.
37 Batàtas. R.S. (*wh.pu.*) sweet potatoe. India. 1597. .... S. ♃. Rheed. mal. 7. t. 50.
Convólvulus Batàtas. W.
38 Turpèthum. R.S. (*wh.*) square-stalked. Ceylon. 1752. 8. 6. S. ♃. ◡. Bot. reg. t. 279.
39 chryseïdes. B.R. (*ye.*) golden. China. 1817. 6. 10. S. ♃. ◡. ——— t. 270.
40 ochràcea. B.R. (*ye.*) pale yellow. Benin. 1826. 8. 10. S. ☉. ◡. ——— t. 1060.
41 Jálapa. (*ro.*) true Jalap. S. America. 1733. 8. 11. S. ♄. ◡. Bot. mag. t. 1572.
Jálapa. β *rósea.* B.R. 621. *Convólvulus Jálapa.* B.M.
42 Michàuxii. (*wh.bl.*) Michaux's. Georgia. 1815. —— G. ♃. ◡. Bot. reg. t. 342.
Jálapa. α. B.R. *macrorhìza.* M. *non* R.S.
43 sanguínea. R.S. (*sc.*) blood-flowered. W. Indies. 1812. 2. 11. S. ♄. ◡. Bot. reg. t. 9.
44 repánda. R.S. (*sc.*) scolloped. ——— 1793. 5. 10. S. ♄. ◡. Sal. par. lond. t. 81.
45 vària. R.S. (*bl.*) variable-leaved. S. America. 1816. —— S. ♃. ◡.
Convólvulus pubéscens. S.S.
46 scábra. R.S. (*wh.*) rough. Egypt. 1804. —— H. ☉. ◡.
47 scábrida. R.S. (*wh.*) roughish. S. America. 1824. —— H. ☉. ◡.
48 hederàcea. B.R. (*bl.*) deep-lobed. N. America. 1729. 8. 10. H. ☉. ◡. Bot. reg. t. 85.
barbàta. Roth.
49 cuspidàta. R.S. (*pu.*) sharp-pointed. Peru. 1732. 6. 7. H. ☉. ◡. Flor. per. 2. t. 119. f. a.
50 Dillènii. R.S. (*bl.*) Dillenius's. Guinea. .... —— S. ☉. ◡. Dill. elth. t. 81. f. 93.
51 Nil. P.S. (*bl.*) blue. S. America. 1597. 7. 9. S. ☉. ◡. Bot. mag. t. 188.
52 cærùlea. B.R. (*bl.*) East Indian. E. Indies. 1815. —— S. ☉. ◡. Bot. reg. t. 276.
53 cæruléscens. F.I. (*bl.*) light blue. ——— 1820. 6. 8. S. ♃. ◡.
54 pudibúnda. B.R. (*ro.*) modest. W. Indies. 1825. 7. 10. S. ☉. ◡. Bot. reg. t. 999.
55 triloba. R.S. (*vi.*) three-lobed. ——— 1752. 6. 7. S. ☉. ◡.
56 hederifólia. R.S. (*vi.*) Ivy-leaved. S. America. 1773. 7. H. ☉. ◡. Plum. ic. t. 93. f. 2.
57 hepaticifólia. R.S. (*bl.*) Hepatica-leav'd. E. Indies. 1759. 8. 9. S. ☉. ◡. Burm. ind. t. 20. f. 2.
58 punctàta. R.S. (*wi.*) spotted-calyx'd. S. America. .... 7. 11. S. ☉. ◡. Dill. elth. t. 83. f. 96.
59 mutábilis. B.R. (*bl.*) changeable. ——— 1812. 5. 9. S. ♄. ◡. Bot. reg. t. 39.
60 acuminàta. R.S. (*pu.*) taper-pointed. ——— .... —— S. ♃. ◡.
61 commutàta. R.S. (*li.*) hairy-capsuled. N. America. .... —— H. ☉. ◡. Dill. elth. t. 84. f. 98.
carolínus. Ph. *Convólvulus carolínus.* M. *non* L.
62 gemélla. R.S. (*wh.*) twin-flowered. E. Indies. 1827. 7. 9. S. ♃. ◡. Burm. ind. t. 21. f. 1.
63 gangética. (*pi.*) Ganges. ——— 1812. 5. 9. S. ♄. ◡.
Convólvulus gangéticus. F.I.
64 semidig'yna. F.I. (*wh.*) cleft-styled. ——— 1826. .... S. ♄. ◡.
65 muricàta. R.S. (*pu.*) rough. ——— 1777. 7. 8. S. ☉. ◡. Jacq. schœn. 3. t. 323.
bòna nòx β *purpuráscens.* B.R. 290. *Convólvulus muricàtus.* W.
66 pseudomuricàta. L.en. (*pu.*) rough-stem'd. ——— 1827. 7. 9. S. ♄. ◡.
67 cárnea. R.S. (*fl.*) flesh-coloured. S. America. 1790. 8. 9. S. ☉. ◡. Jacq. amer. 26. t. 18.
68 involucràta. R.S. (*pu.*) involucred. Sierra Leon. 1822. 8. 10. S. ☉. ◡. Beauv. fl. d'ow. 2. t. 89.
69 barbígera. B.F.G. (*bl.*) bearded-calyx'd. America. 1824. 7. 10. H. ☉. ◡. Swt. br. fl. gar. t. 86.
70 purpúrea. R.S. (*pu.*) purple. ——— 1629. 6. 9. H. ☉. ◡. Bot. mag. t. 113.
β *incarnàta.* (*fl.*) *flesh-coloured.* ——— —— —— H. ☉. ◡.
γ *leucántha.* (*wh.*) *white-flowered.* ——— —— —— H. ☉. ◡.
δ *vària.* B.M. (*std.*) *striped-flowered.* ——— —— —— H. ☉. ◡. Bot. mag. t. 1682.
ε *elàtior.* B.M. (*wh.bl.*) *spotted-flowered.* ——— —— —— H. ☉. ◡. ——— t. 1005.
discolor. Jacq.

71 violàcea. R.S. (*vi.*) purple-flower'd. S.America. 1732. 8. 9. S.⊙.⌣. Plum. ic. t. 93. f. 1.
72 corymbòsa. R.S. (*wh.*) corymbose. India. 1823. —— S.ɦ. ——— t. 89. f. 2.
73 campanulàta. R.S.(*pu.w.*)bell-flowered. E. Indies. 1800. —— S.⊙. Rheed. mal. 2. t. 56.
74 polyánthes. R.S.(*ye.gr.*)umbel-flowered. W. Indies. 1739. 6. 7. S.♃.⌣. Plum. amer. 88. t. 102.
Convólvulus umbellàtus. W.
75 multiflòra. R.S. (*pu.*) many-flowered. Jamaica. .... —— S.♃.⌣. Pluk. phyt. t. 167. f. 1.
76 malabárica. R.S.(*pu.st.*) Malabar. E. Indies. 1823. .... S.ɦ.⌣. Rheed. mal. 2. t. 51.
77 solanifòlia. R.S. (*ro.*) Nightshade-ld. America. 1759. 7. 8. S.♂.⌣. Plum. ic. 94. f. 1.
78 leucántha. R.S. (*wh.*) white-flowered. S. America. 1823. 8. 10. H.⊙.⌣. Jacq. ic. 2. t. 318.
79 obscùra. R.S. (*wh.pu.*) hairy. E. Indies. 1732. 6. 8. S.⊙.⌣. Bot. reg. t. 239.
80 fastigiàta. (*pu.*) crowded. ——— 1816. —— S.♃.⌣.
Convólvulus fastigiàtus. F.I.
81 máxima. (*pu.re.*) great Ceylon. Ceylon. 1799. 7. 8. S.ɦ.⌣. Rheed. mal. 2. t. 53.
82 hirsùtula. J.E. (*wh.*) hairy-stemmed. S. America. 1828. —— S.⊙. Jacq. f. eclog. t. 44.
83 blánda. (*wh.*) fair-flowered. ——— 1820. .... S.ɦ.⌣.
Convólvulus blándus. F.I.
84 laurifòlia. (*ro.*) Laurel-leaved. ——— 1822. 5. 8. S.ɦ.⌣.
Convólvulus laurifòlius. F.I.
85 sphærocéphala. (*ro.*) round-headed. ——— 1816. 8. 10. S.⊙.⌣.
Convólvulus sphærocéphalus. F.I.
86 sibírica. R.S. (*wh.*) Siberian. Siberia. 1779. 7. 8. H.⊙.⌣. Pall. it. 3. p. 723. t. K.
87 Hardwickii. S.S. (*wh.*) fringe-calyxed. E. Indies. 1816. 5. 8. S.♃.⌣.
Convólvulus calycínus. F.I. *non* Kth.
88 tamnifòlia. R.S. (*bl.*) Tamus-leaved. Carolina. 1732. 7. H.⊙.⌣. Dill. elth. t. 319. f. 410.
89 capitàta. R.S. (*bl.*) headed. E. Indies. 1823. 7. 10. S.♃.⌣.
90 triquètra. R.S. (*pu.*) triquetrous. Santa Cruz. .... —— S.ɦ.
91 pilòsa. (*pi.*) various-ld. hairy. E. Indies. 1815. —— S.⊙.⌣.
Convólvulus pilòsus. F.I.
92 denticulàta. B.P. (*ye.*) denticulate. ——— 1778. 7. 8. S.⊙.⌣. Bot. reg. t. 317.
Convólvulus Mèdium. W. *non* L.
93 bícolor. (*ye.pu.*) two-coloured. ——— 1815. —— S.♃.⌣.
Convólvulus bícolor. F.I.
94 atropurpùrea. F.I.(*d.pu.*)dark purple. Nepaul. 1824. 7. 9. H.⊙.⌣.
95 dentàta. F.I. (*ye.*) toothed-lobed. E. Indies. 1820. —— S.♃.⌣.
96 digitifòlia. (*pu.*) finger-leaved. ——— 1815. 6. 8. S.♄.⌣.
Convólvulus digitàtus. F.I.
97 poly'tricha. (*wh.*) many-haired. ——— 1826. 6. 10. S.⊙.⌣.
Convólvulus hirsùtus. F.I.
98 heptaphy'lla. F.I. (*pi.*) seven-leaved. ——— 1827. .... S.ɦ.⌣.
99 bogoténsis. K.S. (*pu.*) Bogota. S. America. 1820. 5. 8. S.ɦ.⌣.
100 sidæfòlia. K.S. (*wh.*) Sida-leaved. ——— 1812. —— S.ɦ.⌣.
101 albivènia. (*wh.*) white-veined. Algoa Bay. 1825. 9. 10. S.ɦ.⌣. Bot. reg. t. 1116.
Convólvulus albivènius. B.R.
102 scrobiculàta. B.R.(*wh.pu.*)furrowed. Trinidad. 1822. 3. 6. S.ɦ.⌣. Bot. reg. t. 1076.
103 grandiflòra. R.S. (*wh.*) great-flowered. E. Indies. 1802. 9. S.ɦ.⌣. Andr. reposit. t. 188.
104 noctilùca. B.R. (*wh.*) night-flowered. ——— 1811. 9. 10. S.ɦ.⌣. Bot. reg. t. 889.
105 latiflòra. R.S. (*wh.*) broad-flowered. W. Indies. .... —— S.ɦ.⌣. Jacq. vind. 3. t. 69.
106 filifórmis. R.S. (*pu.*) filiform. ——— 1823. —— S.ɦ.⌣. Jacq. amer. pict. t. 26.
107 salicifòlia. F.I. (*wh.*) Willow-leaved. E. Indies. 1816. 5. 7. S.♂.⌣.
108 Roxbúrghii. (*ro.*) Roxburgh's. ——— 1817. —— S.ɦ.⌣.
multiflòra. F.I. *nec aliorum.*
109 septària. F.I. (*ro.*) hedge. ——— —— —— S.ɦ.⌣. Rheed. mal. 11. t. 53.
110 panduràta. B.R.(*w.re.*)Virginian. N. America. 1732. 6. 9. G.♃.⌣. Bot. reg. t. 588.
Convólvulus panduràtus. B.M. 1939.
111 cándicans. (*wh.*) hoary. ——— .... 6. 8. G.♃.⌣. Bot. mag. t. 1603.
Convólvulus cándicans. B.M.
112 glaucifòlia. R.S. (*fl.*) glaucous-leaved. Mexico. 1732. 5. 7. G.♃.⌣. Dill. elth. t. 87. f. 101.
113 réptans, R.S. (*li.*) creeping. E. Indies. 1806. —— S.♃. Rumph. am. 5. t. 165. f. 1.
114 angustifòlia. R.S.(*ye.*) narrow-leaved. ——— 1800. 7. 8. S.⊙.⌣. Jacq. ic. rar. t. 317.
115 tridentàta. R.S.(*pu.st.*)trifid. ——— 1778. —— S.⊙.⌣. Rheed. mal. 2. t. 65.
116 stáns. R.S. (*ci.*) Mexican. Mexico. 1824. —— S.♃.⌣. Cavan. icon. 3. t. 250.
117 bignonioídes. B.M.(*d.pu.*)trumpet-flower'd. Cayenne. 1823. —— S.♃.⌣. Bot. mag. t. 2645.
118 sagittifòlia. B.R. (*ro.*) arrow-leaved. Carolina. 1819. 6. 9. G.♃.⌣. Bot. reg. t. 437.
Convólvulus sagittifòlius. R.S.
119 vitifòlia. (*ye.*) Vine-leaved. E. Indies. 1820. —— S.ɦ.⌣. Burm. ind. t. 18. f. 1.
Convólvulus vitifòlius. R.S.
120 stipulàcea. (*wh.*) stipuled. ——— 1805. 8. 10. S.♃.⌣.
Convólvulus stipulàceus. F.I.
121 pentagòna. F.I. (*wh.*) five-angled. ——— 1824. 5. 8. S.♃.
122 cæspitòsa. F.I. (*st.*) tufted. ——— 1827. —— S.♂.

123	Beladámboe. R.s.	(*wh.*)	whipcord.	E. Indies.	1809.	7. 9.	S. ♃.	Rheed. mal. 11. t. 58.
	Convólvulus flagelliformis. F.I.							
124	reniformis. F.I.	(*ye.*)	kidney-leaved.	———	1825.	——	S. ♃.	
125	bilobàta. F.I.	(*pu.*)	two-lobed.	———	1809.	6. 7.	S. ♃.	Rumph.amb.5.t.159.f.1
126	brasiliénsis.	(*pu.*)	three-flowered.	Brazil.	1726.	——	S. ♃.	Plum. amer. 89. t. 104.
	Convólvulus brasiliénsis. W.							
127	pés-càpræ.	(*pu.*)	single-flowered.	E. Indies.	1770.	——	S. ♃.	Bot. reg. t. 319.
	maritima. B.R. *Convólvulus pés-càpræ.* F.I.							
128	arboréscens.	(*wh.pu.*)	tree.	Mexico.	1818.	....	S. ♄.	
ARGYR'EIA. S.S.			ARGYR'EIA.	Pentandria Monogynia. S.S.				
1	spléndens.	(*ro.*)	glossy-leaved.	E. Indies.	1814.	11. 1.	S. ♄. ⌣.	Bot. mag. t. 2628.
	Ipom'œa splèndens. B.M. *Lettsòmia splèndens.* F.I.							
2	speciòsa.	(*pu.*)	broad-leaved.	E. Indies.	1778.	7. 9.	S. ♄. ⌣	Bot. mag. t. 2446.
	Ipom'œa speciòsa. B.M. *Convólvulus speciòsus.* W. *Lettsòmia nervòsa.* F.I.							
3	argéntea.	(*pi.*)	silvery-leaved.	E. Indies.	1820.	....	S. ♄. ⌣.	
	Lettsòmia argéntea. F.I.							
4	setòsa. F.I.	(*pi.*)	bristly-stemmed.	———	——	....	S. ♄. ⌣.	
5	cuneàta. B.R.	(*d.pu.*)	wedge-leaved.	———	1817.	6. 9.	S. ♄. ⌣.	Bot. reg. t. 661.
	Lettsòmia cuneàta. F.I. *Ipom'œa atrosanguínea.* B.M. 2170.							
6	cymòsa.	(*li.*)	cyme-flowered.	E. Indies.	1823.	....	S. ♄. ⌣.	
	Lettsòmia cymòsa. F.I.							
7	pomàcea. F.I.	(*pi.*)	Apple-fruited.	———	1828.	....	S. ♄. ⌣.	
8	bòna-nóx. F.I.	(*wh.*)	night-flowering.	———	1799.	6. 9.	S. ♄. ⌣.	
9	uniflòra. F.I.	(*wh.*)	kidney-leaved.	———	1817.	....	S. ♄. ⌣.	
10	ornàta. F.I.	(*wh.*)	large white-flower'd.	——	1824.	....	S. ♄.	
11	virgàta.		slender-twigged.	———	1825.	....	S. ♄. ⌣.	
DIN'ETUS. B.F.G.			DIN'ETUS.	Pentandria Monogynia.				
1	racemòsus. B.F.G.	(*wh.*)	cluster-flower'd.	Nepaul.	1823.	7. 11.	H. ⊙. ⌣.	Swt. br. fl. gar. t. 127.
	Poràna racemòsa. F.I.							
2	paniculàtus.	(*wh.*)	panicled.	E. Indies.	——	....	S. ♄. ⌣.	Roxb. corom. 3. t. 235.
	Poràna paniculàta. F.I.							
POR'ANA. W.			POR'ANA.	Pentandria Digynia.				
volùbilis. W.		(*wh.*)	climbing.	E. Indies.	1823.	....	S. ♄. ⌣.	Burm. ind. t. 21. f. 1.
EVO'LVULUS. S.S.			EVO'LVULUS.	Pentandria Digynia. R.S.				
1	nummulàrius. R.s.	(*bl.*)	round-leaved.	Jamaica.	1816.	10.	S. ⊙.	Jacq. amer. t. 260. f. 23.
2	gangéticus. R.s.	(*bl.*)	Ganges.	E. Indies.	1823.	——	S. ⊙.	
3	emarginàtus. R.s.	(*bl.*)	kidney-leaved.	———	1816.	——	S. ⊙.	Burm. ind. t. 30. f. 1.
4	alsinoides. R.s.	(*bl.*)	chickweed-leaved.	———	1733.	6. 7.	S. ♃.	Rheed. mal. 11. t. 64.
5	hirsùtus. R.s.	(*pa.bl.*)	hairy.	Cumana.	1825.	6. 8.	S. ♃.	Lam. ill. t. 216. f. 2.
6	lanceolàtus. Poi.	(*pa.bl.*)	spear-leaved.	S. America.	1818.	——	S. ♃.	
7	linifòlius. R.s.	(*bl.*)	flax-leaved.	Jamaica.	1782.	8. 9.	S. ⊙.	Brown. jam. t. 10. f. 2.
8	sericeus. R.s.	(*wh.*)	silky.	———	1827.	8. 10.	S. ⊙.	
9	incànus. R.s.	(*bl.*)	hoary.	Peru.	1824.	——	S. ♃.	
10	Nuttallianus. R.s.	(*ye.*)	Nuttall's.	Missouri.	1821.	5. 6.	H. ♃.	
	argénteus. N.							
11	latifòlius. B.R.	(*wh.*)	broad-leaved.	Brazil.	1819.	6. 7.	S. ♃.	Bot. reg. t. 401.
CRE'SSA. R.S.			CRE'SSA.	Pentandria Digynia. L.				
crética. R.s.		(*wh.*)	Cretan.	Levant.	1822.	7. 9.	H. ⊙.	Flor. græc. t. 256.
DICHO'NDRA. R.S.			DICHO'NDRA.	Pentandria Digynia. L.				
1	répens. R.s.	(*wh.*)	creeping.	N. S. W.	1803.	6. 8.	G. ♃.	Sm. ic. ined. 1. t. 8.
2	rotundifòlia. L.en.	(*wh.*)	round-leaved.	Persia.	1816.	——	H. ♃.	
3	carolinìana. R.s.	(*gr.*)	Carolina.	Carolina.	1812.	——	G. ♃.	
4	sericea. s.s.	(*wh.*)	silky.	W. Indies.	1793.	——	S. ♃.	Swartz. ic. t. 10.
5	argéntea. R.s.	(*wh.*)	silvery.	New Spain.	1818.	——	S. ♃.	Willd. hort. ber. t. 81.
FA'LKIA. R.S.			FA'LKIA.	Pentandria Digynia. L.				
répens. R.s.		(*wh.*)	creeping.	C. B. S.	1774.	5. 8.	G. ♄.	Andr. reposit. t. 257.
CUSCU'TA. R.S.			DODDER.	Pentandria Digynia. R.S.				
1	europ'æa. R.s.	(*wh.*)	great.	England.	....	8. 9.	H. ⊙. ⌣.	Eng. bot. v. 6. t. 378.
2	Epithymum. R.s.	(*wh.*)	lesser.	Britain.	....	7. 10.	H. ♃. ⌣.	——— v. 1. t. 55.
3	epilinum. s.s.	(*wh.*)	Flax.	Germany.	1821.	——	H. ⊙. ⌣.	
4	monog'yna. R.s.	(*wh.*)	one-styled.	Levant.	——	——	H. ⊙. ⌣.	Flor. græc. t. 257.
5	lupuliformis. R.s.	(*wh.*)	rough dotted.	Silesia.	1824.	——	H. ⊙. ⌣.	Krock. siles. t. 36.
6	macrocárpa. Led.	(*wh.*)	large-podded.	Siberia.	1827.	——	H. ⊙. ⌣.	
7	chinénsis. R.s.	(*wh.*)	Chinese.	China.	1803.	——	G. ⊙. ⌣.	
8	austràlis. B.P.	(*wh.*)	New Holland.	N. Holland.	1818.	——	G. ♃. ⌣.	
9	chilénsis. B.R.	(*wh.*)	Chili.	Chili.	1821.	1. 12.	G. ♃. ⌣.	Bot. reg. t. 603.
10	odoràta. R.s.	(*wh.*)	sweet-scented.	Lima.	1820.	——	H. ♃. ⌣.	
11	verrucòsa. B.F.G.	(*wh.*)	warted-calyxed.	Nepaul.	1822.	9. 11.	H. ♃. ⌣.	Swt. br. fl. gar. t. 6.
12	Hookèri.	(*wh.*)	Hooker's.	E. Indies.	1823.	——	H. ⊙.	Hook. ex. flor. t. 150.
	reflèxa, var. *verrucòsa.* H.E.F. *excl. synon.*				2 B 3			

ORDO CXLIX.

BORAGINEÆ. *Brown prodr.* 1. *p.* 492.

TIARI'DIUM. S.S.	TIARI'DIUM.	Pentandria Monogynia. S.S.					
1 índicum. s.s.	(*li.*) Indian.	W. Indies.	1713.	6. 8.	S.☉.	Bot. mag. t. 1537.
Heliotrópium índicum. B.M.							
2 velutìnum. R.S.	(*wh.*) villous-stalked.	E. Indies.	....	——	S.☉.	Rheed. mal. 10. t. 48.
HELIOTR'OPIUM. S.S.	TURNSOLE.	Pentandria Monogynia. L.					
1 peruviànum. s.s.	(*wh.*) Peruvian.	Peru.	1757.	5. 9.	G.♄.	Bot. mag. t. 141.
β hy'bridum.	(*wh.*) *More's hybrid.*	Hybrid.	1815.	——	G.♄.	
2 corymbòsum. s.s.	(*bl.*) large-flowered.	————	1808.	——	G.♄.	Bot. mag. t. 1699.
grandiflòrum. L.en.							
3 maroccànum. s.s.	(*wh.*) Morocco.	Morocco.	1821.	——	G.♄.	
4 parviflòrum. s.s.	(*wh.*) small-flowered.	India.	1732.	7. 9.	S.♂.	Dill. elth. t. 146. f. 175.
5 europ'æum. s.s.	(*wh.*) European.	S. Europe.	1562.	6. 10.	H.☉.	Jacq. aust. 3. t. 267.
6 commutàtum. R.S.	(*wh.*) smaller.	————	....	——	H.☉.	
7 oblongifòlium. L.en.	(*w.*) oblong-leaved.	————	1827.	——	H.☉.	
8 suavèolens. s.s.	(*wh.*) sweet-scented.	Caucasus.	1823.	——	H.☉.	
9 coromandelìànum. w.	(*w.*) Coromandel.	E. Indies.	1812.	7. 10.	S.♂.	
10 curassávicum. s.s.	(*wh.*) glaucous.	S. America.	1731.	6. 7.	S.♂.	Bot. mag. t. 2069.
11 chenopodioídes. W.en.	(*w.*) smooth-leaved.	————	1820.	——	S.♂.	
12 anisophy'llum. B.G.	(*w.*) unequal-leaved.	Africa.	1822.	——	S.♂.	Beau. fl. d. ow. 2. t. 94.
13 zeylánicum. R.S.	(*wh.*) Ceylon.	Ceylon.	1815.	——	S.♂.	Burm. ind. t. 16. f. 2.
14 linifòlium. R.S.	(*wh.*) flax-leaved.	C. B. S.	——	——	G.♄.	
Myosòtis fruticòsa. W.							
15 demíssum. R.S.	(*wh.*) dwarf.	S. America.	1752.	5. 6.	S.♄.	Plum. ic. 227. f. 2.
Tournefórtia hùmilis. W.							
16 supìnum. s.s.	(*wh.*) trailing.	S. Europe.	1640.	6. 7.	H.☉.	Flor. græc. t. 157.
LITHOSPE'RMUM. S.S.	GROMWELL.	Pentandria Monogynia. L.					
1 fruticòsum. s.s.	(*re.*) shrubby.	S. Europe.	1683.	5. 6.	H.♄.	Flor. græc. t. 161.
2 prostràtum. s.s.	(*pu.*) prostrate.	————	1825.	——	H.♄.	Lois. fl. gall. add. 1. t. 4.
3 sericeum. s.s.	(*st.*) silky.	N. America.	1824.	——	H.♃.	
4 divaricàtum. s.s.	(*st.*) spreading.	Africa.	1829.	7. 9.	H.♃.	
5 hispidulum. s.s.	(*bl.*) bristly.	Greece.	1828.	——	F.♄.	
6 arvénse. s.s.	(*st.*) corn.	Britain.	....	5. 6.	H.☉.	Eng. bot. v. 2. t. 128.
7 officinàle. s.s.	(*ye.*) officinal.	————	....	5. 8.	H.♃.	———— v. 2. t. 134.
8 latifòlium. s.s.	(*st.*) broad-leaved.	America.	1816.	——	H.♃.	
9 distichum. s.s.	(*st.*) two-spiked.	Mexico.	1806.	——	G.♃.	Jacq. fragm. t. 48. f. 3.
10 orientàle. s.s.	(*ye.*) yellow-flower'd.	Levant.	1713.	——	H.♃.	Bot. mag. t. 515.
11 lineàtum. s.s.	(*st.*) lined.	.....	1816.	——	H.♃.	
12 ápulum. s.s.	(*ye.*) small.	S. Europe.	1768.	6. 7.	H.☉.	Flor. græc. t. 158.
13 crassifòlium. s.s.	(*st.*) thick-leaved.	Levant.	1825.	5. 8.	H.♃.	
14 decúmbens. s.s.	(*st.*) decumbent.	Persia.	——	7. 9.	H.☉.	Vent. cels. t. 37.
15 villòsum. s.s.	(*pu.*) villous.	S. Europe.	1820.	6. 7.	H.♃.	
16 tinctòrium. R.S.	(*st.*) dyer's.	————	1596.	6. 10.	H.♃.	
17 purpùreo-cœrùleum.	(*bl.*) creeping.	England.	....	5. 6.	H.♃.	Eng. bot. v. 2. t. 117.
18 graminifòlium. s.s.	(*bl.*) grass-leaved.	S. Europe.	1826.	——	H.♄.	Viv. frag. ital. t. 5.
19 tenuifòrum. s.s.	(*wh.*) slender-flower'd.	Egypt.	1796.	——	H.☉.	Jacq. ic. 2. t. 313.
20 dispérmum. s.s.	(*li.*) two-seeded.	Spain.	1799.	6. 7.	H.☉.	Linn. dec. 1. t. 7.
21 davùricum. s.s.	(*bl.*) Daurian.	Davuria.	1812.	5. 6.	H.♃.	Swt. br. fl. gar. t. 121.
Pulmonària davùrica. B.M. 1743.							
22 denticulàtum. s.s.	(*pu.*) toothed.	N. America.	1801.	——	H.♃.	
23 sibíricum. s.s.	(*pu.*) Siberian.	Siberia.	——	6. 7.	H.♃.	Gmel. sib. 4. n. 15. t. 20.
24 marítimum. s.s.	(*bl.*) sea-side.	Britain.	....	——	H.♃.	Eng. bot. v. 6. t. 398.
Pulmonària marítima. E.B.							
25 parviflòrum.	(*bl.*) small-flowered.	N. America.	1824.	——	H.♃.	
26 púlchrum. s.s.	(*bl.*) Virginian.	————	1699.	8. 5.	H.♃.	Bot. mag. t. 109.
Pulmonària virgínica. B.M.							
27 paniculàtum. s.s.	(*pu.*) panicled.	Hudson'sBay.	1778.	5. 6.	H.♃.	Bot. reg. t. 146.
Pulmonària paniculàta. B.R.							
28 lanceolàtum.	(*bl.*) margined.	Louisiana.	1813.	——	H.♃.	
Pulmonària lanceolàta. Ph. *marginàta.* N.							
29 simplicíssimum. s.s.	(*bl.*) simple-stalked.	Siberia.	1829.	——	H.♃.	
BA'TSCHIA. M.	BA'TSCHIA.	Pentandria Monogynia.					
1 Gmelìni. M.	(*ye.*) Carolina.	Carolina.	1813.	5. 7.	H.♃.	
carolinìana. R.S. *Lithospérmum hírtum.* S.S.							

2 canéscens. M.	(ye.)	canescent.	N. America.	....	5. 7.	H. ¼.	Mich. amer. 1. t. 14.
3 longiflòra. N.	(ye.)	long-flowered.	Missouri.	1812.	——	H. ¼.	
4 decúmbens. N.	(ye.)	decumbent.	N. America.	1826.	——	H. ¼.	
5 conspícua. B.	(ye.)	conspicuous.	——	1827.	——	H. ¼.	
PULMON'ARIA. S.S.		LUNGWORT.	Pentandria Monogynia. L.				
1 azùrea. S.S.	(bl.)	azure.	Hungary.	1823.	5.	H. ¼.	Moris.his.s.11.t.29.f.5.
2 angustifòlia. S.S.	(pu.)	narrow-leaved.	Britain.	....	4. 5.	H. ¼.	Eng. bot. v. 23. t. 1628.
3 tuberòsa. S.S.	(pu.)	tuberous-rooted.	Hungary.	1824.	5.	H. ¼.	
4 móllis. S.S.	(pu.)	soft-leaved.	——	1816.	——	H. ¼.	Swt. br. fl. gar. ic.
5 officinàlis. R.S.	(pu.)	common.	England.	....	——	H. ¼.	Eng. bot. v. 2. t. 118.
6 saccharàta. L.en.	(wh.)	white-flowered.	Germany.	1816.	——	H. ¼.	Moris. s. 11. t. 29.
7 grandiflòra. R.S.	(pu.)	large-flowered.	.....	....	——	H. ¼.	DC. ic. ined. t. 64.
8 oblongàta. Schr.	(pu.)	oblong-leaved.	Germany.	1820.	——	H. ¼.	
ONOSM'ODIUM. M.		ONOSM'ODIUM.	Pentandria Monogynia. R.S.				
1 híspidum. R.S.	(st.)	hispid.	N. America.	1759.	6.	H. ¼.	Moris. s.11. t. 28. f. 3.
2 mólle. R.S.	(wh.)	soft.	——	1812.	6. 8.	H. ¼.	Mich. amer. t. 15.
ONO'SMA. R.S.		ONO'SMA.	Pentandria Monogynia. L.				
1 echioides. S.S.	(ye.)	hairy.	S. Europe.	1683.	3. 6.	H. ¼.	Flor. græc. t. 172.
2 gigánteum. S.S.	(ye.)	gigantic.	Tauria.	1818.	——	H. ¼.	
3 montànum. R.S.	(ye.)	mountain.	Levant.	1827.	——	H. ¼.	Colum.ecphr p.183.f.2.
4 arenàrium. R.S.	(ye.)	sand.	Hungary.	1804.	3. 7.	H. ¼.	W.et K. hung. 3. t. 279.
5 stellulàtum. W.K.	(ye.)	starry-haired.	——	1816.	——	H. ¼.	—— 2. t. 173.
6 taùricum. B.M.	(go.)	golden-flower'd.	Tauria.	1801.	4. 6.	F. ¼.	Bot. mag. t. 889.
7 tinctòrium. R.S.	(st.)	dyer's.	Volga.	1828.	——	H. ¼.	
8 rupéstre. R.S.	(ye.)	rock.	Caucasus.	1823.	——	H. ¼.	
9 eréctum. R.S.	(ye.)	upright.	Crete.	1828.	——	F. ¼.	Flor. græc. t. 173.
10 orientàle. S.S.	(st.)	oriental.	Levant.	1752.	5. 6.	G. ¼.	
11 divaricàtum. S.S.	(st.)	spreading.	Caucasus.	1818.	4. 6.	H. ¼.	Pall. it. 2. app. t. 50.
12 simplicíssimum. R.S.	(st.)	linear-leaved.	Siberia.	1768.	——	H. ¼.	Bot. mag. t. 2248.
13 trinérvium. S.S.	(st.)	three-nerved.	Mexico.	1825.	——	G. ¼.	
14 sericeum. R.S.	(ye.)	silky-leaved.	Levant.	1752.	6. 7.	F. ¼.	
15 synanthèrum. F.	(ye.)	connected.	Altay.	1827.	——	H. ¼.	
MO'LTKIA. R.S.		MO'LTKIA.	Pentandria Monogynia.				
cœrùlea. R.S.	(bl.)	blue-flowered.	Persia.	1829.	4. 6.	H. ¼.	
SY'MPHYTUM. R.S.		COMFREY.	Pentandria Monogynia. L.				
1 officinàle. R.S.	(wh.)	common.	Britain.	....	5. 7.	H. ¼.	Eng. bot. v. 12. t. 817.
β *purpurascens.*	(pu.)	*purplish.*	——	....	——	H. ¼.	
2 bohèmicum. P.S.	(re.)	red-flowered.	Bohemia.	....	——	H. ¼.	
3 caucásicum. R.S.	(bl.)	Caucasean.	Caucasus.	1816.	——	H. ¼.	
4 tuberòsum. R.S.	(wh.)	tuberous-root'd.	Scotland.	....	5. 10.	H. ¼.	Eng. bot. v. 23. t. 1502.
5 bulbòsum. S.S.	....	bulbous-rooted.	Levant.	1829.	5. 7.	H. ¼.	Reich. icon. t. 220.
6 orientàle. R.S.	(wh.)	eastern.	Turkey.	1752.	——	H. ¼.	Bot. mag. t. 1912.
7 bullàtum. S.S.	(wh.)	blistered.	Tauria.	1806.	——	H. ¼.	—— t. 1787.
taùricum. B.M.							
8 cordàtum. W.K.	(st.)	heart-leaved.	Hungary.	1813.	——	H. ¼.	W. et K. hung. 6. t. 7.
9 aspérrimum. R.S.	(bl.)	roughest.	Caucasus.	1799.	5. 9.	H. ¼.	Bot. mag. t. 929.
10 echinàtum. R.S.	(pu.)	bristly.	.....	1824.	——	H. ¼.	
11 peregrìnum. S.S.	(wh.)	oblique-leaved.	Poland.	1816.	5. 7.	H. ¼.	
CERI'NTHE. R.S.		HONEYWORT.	Pentandria Monogynia. L.				
1 màjor. R.S.	(ye.pu.)	great.	S. Europe.	1596.	7. 8.	H. ☉.	Bot. mag. t. 338.
2 áspera. R.S.	(pu.ye.)	rough.	——	1633.	——	H. ☉.	Flor. græc. t. 170.
3 retórta. F.G.	(pu.ye.)	bent topped.	Levant.	1828.	——	H. ☉.	—— t. 171.
4 minor. R.S.	(ye.)	small.	Austria.	1570.	6. 10.	H. ☉.	Jacq. aust. 2. t. 124.
5 alpìna. R.S.	(pu.ye.)	alpine.	M.Carpathian.	1827.	——	H. ☉.	
6 maculàta. R.S.	(ye.pu.)	spotted.	Tauria.	1804.	——	H. ♂.	
'ECHIUM. R.S.		VIPER'S-BUGLOSS.	Pentandria Monogynia. L.				
1 fruticòsum. R.S.	(wh.bh.)	frutescent.	C. B. S.	1759.	5. 6.	G. ♄.	Bot. reg. t. 86.
2 híspidum. R.S.	(wh.)	hispid-leaved.	——	1816.	——	G. ♄.	
3 verrucòsum. R.S.	(wh.)	warted.	——	1820.	5. 7.	G. ♄.	
4 lævigàtum. R.S.	(wh.)	smooth-stalked.	——	1774.	6. 7.	G. ♄.	
5 glaucophy'llum. R.S.	(bl.)	glaucous-leaved.	——	1792.	6. 8.	G. ♄.	Jacq. ic. t. 312.
6 glábrum. R.S.	(wh.)	smooth.	——	1791.	5. 6.	G. ♄.	
7 paniculàtum. R.S.	(wh.)	panicled.	——	1815.	——	G. ♄.	
8 grandiflòrum. R.S.	(ro.)	great-flowered.	——	1787.	6. 7.	G. ♄.	Bot. reg. t. 124.
formòsum. P.S.							
9 ferocíssimum. A.R.	(bl.)	prickly-stalked.	——	1794.	——	G. ♄.	Andr. reposit. t. 39.
10 petræum. S.S.	(bl.)	rock.	Dalmatia.	1828.	——	H. ♂.	
11 calycìnum. R.S.	(bl.ye.)	large-calyxed.	S, Europe.	1829.	6. 8.	H. ☉.	Viv. frag. ital. 1. t. 4.

12	spicàtum. R.s.	(*wh.*)	spiked dwarf.	C. B. S.	1799.	3. 5.	G. ♄.	
13	caudàtum. R.s.	(*re.*)	tailed.	———	1815.	6. 9.	G. ♄.	
14	capitàtum. R.s.	(*re.*)	headed.	———	1822.	——	G. ♄.	
15	sphærocephalon. s.s.	(*w.*)	round-headed.	———	1824.	——	G. ♄.	
16	argénteum. R.s.	(*bl.*)	silvery.	———	1769.	6. 7.	G. ♄.	Andr. reposit. t. 154.
17	lasiophy'llum. L.en.	(*w.*)	woolly-leaved.	.....	1819.	——	G. ♄.	
18	Swártzii. R.s.	(*bl.*)	Swartz's.	C. B. S.	1816.	——	G. ♄.	
19	incànum. R.s.	(*bl.*)	hoary.	———	——	4. 6.	G. ♄.	
20	strigòsum. R.s.	(*vi.*)	strigose.	———	1819.	6. 7.	G. ♄.	
21	gigánteum. R.s.	(*wh.*)	gigantic.	Canaries.	1779.	7. 11.	G. ♄.	Vent. malm. t. 71.
22	aculeàtum. R.s.	(*st.*)	prickly.	———	1815.	5. 8.	G. ♄.	
23	mólle. R.s.	(*wh.*)	soft-leaved.	———	——	——	G. ♄.	
24	nervòsum. H.K.	(*bl.*)	sinewy-leaved.	Madeira.	1777.	6. 8.	G. ♄.	
25	bifrons. DC.	(*bh.*)	two-fronted.	Canaries.	1815.	——	G. ♄.	
26	ambíguum. DC.	(*bh.*)	ambiguous.	———	——	5. 7.	G. ♄.	DC. ic. mons. ined. t. 20.
27	viréscens. DC.	(*pa. bl.*)	green-leaved.	———	——	——	G. ♄.	
28	cándicans. R.s.	(*bl.*)	hoary tree.	Madeira.	1777.	5. 6.	G. ♄.	Bot. reg. t. 44.
29	cynoglossoides. R.s.	(*bl.*)	hound's-tongue-ld.	Canaries.	1816.	——	G. ♄.	
30	densiflòrum. DC.	(*li.*)	dense-flowered.	———	——	——	G. ♄.	DC. ic. m. ined. t. 22.
31	fastuòsum. H.K.	(*bl.*)	fastuous.	———	1779.	4. 8.	G. ♄.	
32	stríctum. R.s.	(*bl.*)	upright.	———	——	5. 12.	G. ♂.	Jacq. schœn. 1. t. 35.
33	lineàtum. R.s.	(*bh.*)	lined.	———	1815.	5. 6.	G. ♄.	Jacq. f. eclog. t. 42.
34	macrophy'llum. R.s.	(*bl.*)	large-leaved.	.....	1812.	——	G. ♄.	
35	foliòsum. R.s.	(*wh.*)	leafy.	.....	——	——	G. ♄.	
36	símplex. DC.	(*wh.*)	simple-stalked.	Canaries.	——	5. 12.	G. ♂.	DC. ic. m. ined. t. 21.
37	brachyánthum. R.s.	(*w.*)	short-flowered.	Madeira.	1820.	5. 7.	G. ♄.	
38	scábrum. R.s.	(*bl.*)	rough.	C. B. S.	——	——	G. ♄.	
39	plantagíneum. R.s.	(*pu.*)	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ☉.	Flor. græc. t. 179.
40	lusitánicum. R.s.	(*bl.*)	Portugal.	S. Europe.	1731.	7. 8.	H. ♃.	
41	plantaginoídes. R.s.	(*bl.*)	Plantain-like.	———	1825.	——	H. ☉.	Jacq. vind. 1. t. 45.
42	prostràtum. R.s.	(*re.*)	prostrate.	Egypt.	1824.	——	H. ♃.	
43	macránthum. R.s.	(*vi.*)	large-flowered.	Barbary.	——	7. 10.	H. ☉.	Desf. atl. 1. t. 46.
	grandiflòrum. Desf. *non* Andr.							
44	austrále. R.s.	(*re. pu.*)	oval-leaved.	S. Europe.	1824.	——	H. ☉.	Swt. br. fl. gar. t. 101.
45	Símsii.	(*re. bl.*)	Sims's.	———	1816.	——	H. ☉.	Bot. mag. t. 1934.
	crèticum. B.M. *non* Flor. græc.							
46	marítimum. R.s.	(*bl.*)	sea-side.	Italy.	1815.	——	H. ☉.	Bocc. mus. 2. t. 78.
47	itálicum. R.s.	(*wh.*)	white.	Jersey.	....	7. 8.	H. ♂.	Eng. bot. v. 29. t. 2061.
48	pyrenàicum. R.s.	(*bl.*)	Pyrenean.	Pyrenees.	1815.	——	H. ♂.	
49	aspérrimum. M.B.	(*bl.*)	roughest.	Caucasus.	1826.	——	H. ♂.	
50	thyrsoídeum. R.s.	(*bl.*)	bunch-flowered.	.....	1823.	——	H. ♂.	
51	rùbrum. R.s.	(*re.*)	red-flowered.	Hungary.	1791.	——	H. ♃.	Bot. mag. t. 1823.
52	vulgàre. R.s.	(*bl.*)	common.	Britain.	....	——	H. ♂.	Eng. bot. v. 3. t. 181.
	β álbum.	(*wh.*)	*white-flowered.*	———	....	——	H. ♂.	
53	tuberculàtum. R.s.	(*bl.*)	tubercled.	S. Europe.	1826.	——	H. ♂.	
54	violàceum. R.s.	(*vi. bl.*)	violet-flowered.	Austria.	1658.	——	H. ☉.	
55	parviflòrum. H.K.	(*bl.*)	small-flowered.	Barbary.	1798.	——	H. ☉.	
	micránthum. R.s.							
56	ténue. s.s.	(*bl.*)	slender.	———	1824.	——	H. ☉.	
57	Sibthórpii. R.s.	(*ro.*)	Sibthorp's.	Naples.	——	——	H. ♂.	Flor. græc. t. 181.
	hispidum. F.G. nec aliorum. *élegans.* Lehm.							
58	diffùsum. R.s.	(*re.*)	spreading.	Crete.	1827.	7. 9.	H. ☉.	Flor. græc. t. 182.
59	créticum. R.s.	(*pu.*)	Cretan.	Levant.	1683.	——	H. ☉.	——— t. 183.
60	orientàle. R.s.	(*pu.*)	oriental.	———	1780.	7. 8.	H. ☉.	Tourn. it. 2. f. 107.
61	dahùricum. F.	(*bl.*)	Dahurian.	Dahuria.	1827.	——	H. ♂.	
62	angustifòlium. s.s.	(*bl.*)	narrow-leaved.	Spain.	1826.	——	H. ☉.	
63	Lagascànum. R.s.	(*li.*)	Lagasca's.	———	——	——	H. ♃.	
64	salmánticum. R.s.	(*pu.*)	long-stamened.	———	1824.	——	H. ☉.	

N'ONEA. DC. N'ONEA. Pentandria Monogynia. R.S.

1	violàcea. DC.	(*vi.*)	violet-coloured.	S. Europe.	1686.	5. 7.	H. ☉.	Moris. s. 11. t. 26. f. 11.
	Lycópsis vesicària. W.							
2	nígricans. DC.	(*d. pu.*)	black-flowered.	———	....	——	H. ☉.	Zanon. hist. 56. t. 38.
3	púlla. DC.	(*d. pu.*)	dark-flowered.	Germany.	1648.	6. 7.	H. ♃.	Jacq. aust. 2. t. 188.
4	ciliàta. R.s.	(*ye.*)	fringed.	Levant.	1804.	——	H. ☉.	
5	ròsea. L.en.	(*ro.*)	rose-coloured.	Caucasus.	1824.	——	H. ☉.	
	Anchùsa ròsea. M.B. *Lycópsis ròsea.* s.s.							
6	setòsa. R.s.	(*ye.*)	bristly.	Iberia.	1826.	——	H. ☉.	
7	versícolor.	(*bl. wh.*)	various-colored.	———	1820.	——	H. ☉.	
	Anchùsa versícolor. R.s.							

8 lùtea. DC. (*ye.*) pale yellow. S. Europe. 1805. 6. 7. H.⊙. Nocc. hort. tran. t. 3.
Anchùsa lùtea. R.S. *Lycópsis lùtea.* S.S.
9 pìcta. (*bl.std.*) painted. Tauria. 1818. —— H.⊙.
Anchùsa pìcta. M.B. *Lycópsis pìcta.* S.S.

LYCOPSIS. L. Wild Bugloss. Pentandria Monogynia. L.
arvénsis. L. (*bl.*) common. Britain. .... 5. 8. H.⊙. Eng. bot. v. 14. t. 988.

ASPERUGO. L. German Madwort. Pentandria Monogynia. L.
procúmbens. L. (*bl.*) procumbent. Britain. .... 4. 5. H.⊙. Eng. bot. v. 10. t. 661.

ANCHUSA. R.S. Bugloss. Pentandria Monogynia. L.
1 Barrelièri. R.S. (*bl.*) Barrelier's. Italy. 1815. 6. 7. H.♃. Barrel. ic. 333.
2 paniculàta. R.S. (*bl.*) panicled. Levant. 1777. 6. 10. H.♃. Flor. græc. t. 163.
3 itálica. B.R. (*bl.*) Italian. S. Europe. 1597. —— H.♃. Bot. reg. t. 483.
4 Millèri. R.S. (*ro.*) Miller's. .... —— H.⊙.
5 myosotidiflòra. S.S. (*bl.*) Myosotis-flower'd. Caucasus. 1828. —— H.♃.
6 stylòsa. R.S. (*bl.*) long-styled. Tauria. 1824. —— H.⊙. MB. cent. pl. rar. t. 28.
7 pròcera. S.S. (*bl.*) tall. Poland. 1822. —— H.♃.
8 lycopsoìdes. L.en. (*vi.*) Lycopsis-like. ..... —— H.♃.
9 variegàta. S.S. (*bl.cr.*) variegated. Levant. 1683. 6. 7. H.⊙. Flor. græc. t. 178.
Lycópsis variegàta. F.G.
10 ovàta. S.S. (*bl.*) oval-leaved. ——— 1796. —— H.⊙. Buxb. cent. 5. t. 30.
Lycópsis orientàlis. R.S.
11 tinctòria. R.S. (*bl.*) dyer's. ——— 1596. 6. 10. H.♃. Flor. græc. t. 166.
12 parviflòra. R.S. (*bl.*) small-flowered. Levant. 1827. —— H.⊙.
13 aggregàta. S.S. (*bl.*) clustered. ——— —— —— H.⊙. Flor. græc. t. 107.
parviflòra. Flor. græc. *non* W.
14 hìspida. R.S. (*vi.*) hispid. Egypt. 1823. —— H.♃.
15 tenélla. R.S. (*wh.*) slender. China. 1816. —— H.⊙. Jacq. f. ecl. t. 29.
zeylánica. Jacq.
16 cæspitòsa. F.G. (*bl.*) tufted. Levant. 1838. —— H.♃. Flor. græc. t. 169.
17 officinàlis. R.S. (*vi.*) common. Britain. .... —— H.♃. Eng. bot. v. 10. t. 662.
18 incarnàta. Schr. (*fl.*) flesh-coloured. Europe. .... —— H.♃.
19 undulàta. R.S. (*pu.*) wave-leaved. S. Europe. 1739. 6. 8. H.♃. Bot. mag. t. 2119.
20 ochroleùca. R.S. (*st.*) pale-flowered. Caucasus. 1810. 7. 8. H.♃. ——— t. 1608.
21 angustifòlia. R.S. (*bl.*) narrow-leaved. Europe. 1640. 5. 6. H.♃. Flor. græc. t. 164.
22 capénsis. R.S. (*vi.*) Cape. C. B. S. 1800. 7. 8. G.♂. Andr. reposit. t. 336.
23 hybrida. R.S. (*pu.*) villous. Naples. 1818. 7. 10. H.⊙. Ten. fl. neap. t. 11.
24 Gmelini. S.S. (*bl.*) Gmelin's. Siberia. 1829. —— H.♃.
25 alpéstris. S.S. (*bl.*) alpine. Caucasus. —— —— H.♃.
26 Agárdhii. R.S. (*pu.*) tubercle-leav'd. Siberia. 1823. 7. 9. H.♃.
27 verrucòsa. R.S. (*wh.*) warted. Egypt. —— 7. 10. H.⊙. Jacq. vind. 3. t. 21.
Asperùgo ægyptiaca. Jacq.
28 rupéstris. B.P. (*bl.*) rock. Siberia. 1802. 6. 8. H.♃. Pall. it. 3. ap. t. E. f. 3.
Myosòtis rupéstris. W.

MYOSOTIS. R.S. Scorpion-grass. Pentandria Monogynia. L.
1 palústris. E.B. (*bl.*) marsh. Britain. .... 6. 9. H.*w*.♃. Eng. bot. v. 28. t. 1973.
scorpioìdes. W.
2 cæspitòsa. S.S. (*bl.*) tufted. ——— .... 5. 7. H.*w*.♃.
3 intermèdia. S.S. (*bl.*) intermediate. ——— .... 4. 6. H.♂. Fl. dan. 583. f. maj.
4 sylvática. R.S. (*bl.ye.*) wood. ——— .... 6. 8. H.♃. Rail syn. t. 9. f. 2.
5 commutàta. R.S. (*bl.*) changed. Europe. .... —— H.♂.
6 alpéstris. R.S. (*bl.*) rock. Scotland. .... —— H.♃. Eng. bot. v. 36. t. 2559.
rupícola. E.B.
7 lithospermifòlia. R.S. (*bl.*) Gromwell-leav'd. Caucasus. 1823. —— H.♃.
8 suaveolens. R.S. (*bl.*) sweet-scented. Europe. —— —— H.♃.
9 sericea. S.S. (*bl.*) silky-leaved. Siberia. 1802. —— H.♃.
10 villòsa. S.S. (*bl.*) villous. ——— 1828. —— H.♃.
11 sparsiflòra. R.S. (*wh.*) loose-flowered. Europe. 1818. —— H.⊙.
12 stricta. R.S. (*bl.ye.*) upright. ——— —— —— H.⊙.
13 arvénsis. E.B. (*bl.*) corn. Britain. .... 6. 9. H.⊙. Eng. bot. v. 36. t. 2558.
14 versícolor. E.B. (*bl.ye.*) various-colour'd. ——— .... 4. 6. H.⊙. ——— t. 480. f. 1.
15 nàna. R.S. (*bl.*) dwarf. ——— .... 6. 8. H.♃. Hacq. pl. alp. car. t. 2. f. 6.
16 pedunculàris. S.S. (*bl.*) peduncled. Astracan. 1823. —— H.⊙.
17 clavàta. S.S. (*bl.*) clavate. Siberia. 1829. —— H.⊙.
18 austràlis. B.P. (*bl.*) southern. N. S. W. 1824. —— G.⊙.
19 ungulàta. F. (*bl.*) clawed. Siberia. 1822. —— H.⊙.

ECHINOSPE'RMUM. S.S. Echinospe'rmum. Pentandria Monogynia. S.S.
1 zeylanicum. S.S. (*bl.*) Ceylon. Ceylon. 1826. 6. 9. S.⊙.
2 virginiànum. S.S. (*pu.*) Virginian. Virginia. 1699. 6. 7. H.♂. Moris. s. 11. t. 30. f. 9.
Myosòtis virginiàna. W. *Rochèlia virginiàna.* R.S.

3	deflexum. s.s.	(bl.)	deflexed.	Hungary.	1823.	6. 7. H. ♂.	Wahl. a. holm. 1810. t. 4.
4	Lappula. s.s.	(bl.)	common.	Europe.	1656.	4. 8. H.⊙.	Flor. dan. t 692.
5	squarrosum. L.en. *pátulum.* s.s.	(bl.)	squarrose.	Siberia.	1802.	—— H.⊙.	
6	Redówskii. L.A.	(bl.)	Redowski's.	Russia.	1821.	6. 7. H. ♂.	
7	barbatum. s.s.	(bl.)	bearded.	Tauria.	1819.	—— H.⊙.	
8	marginatum. s.s.	(bl.)	margined.	Astracan.	——	—— H.⊙.	
9	heteracánthum. Led.	(bl.)	various-spined.	Siberia.	1826.	—— H.⊙.	
10	grandiflorum. Led.	(bl.)	large-flowered.	——	1827.	—— H.⊙.	

OMPHAL'ODES. L.A. Omphal'odes. Pentandria Monogynia. L.en.

1	nítida. L.A. *Cynoglóssum nítidum.* B.M. *Picótia nítida.* R.s.	(bl.)	shining.	Portugal.	1812.	4. 6. H.♃.	Bot. mag. t. 2529.
2	vérna. L.en. *Cynoglóssum Omphalódes.* B.M. *Picótia vérna.* R.s.	(bl.)	Comfrey-leav'd.	S. Europe.	1633.	3. 5. H.♃.	Bot. mag. t. 7.
3	brassicæfólia. L. *amplexicáulis.* Lehm. *Picótia brassicæfólia.* R.s.	(wh.)	stem clasping.	Spain.	1824.	6. 8. H.⊙.	Lehm. m. ber. 8. 2. t. 6.
4	littorális. L.A.	(wh.)	sea-side.	France.	1827.	—— H.⊙.	
5	linifólia. L.A.	(wh.)	Venus Navelwort.	Portugal.	1648.	—— H.⊙.	Barrel. ic. 1234.
6	lithospermifólia. L.A.	(bl.)	loose-racemed.	Levant.	1828.	4. 6. H.♃.	
7	scorpioides. L.A.	(bl.)	variable-leaved.	Bohemia.	1823.	6. 8. H.⊙.	Lehm. m. ber. 8. 2. t. 7.
8	sempervirens. D.P. *Anchúsa sempervírens.* E.B.	(bl.)	evergreen.	Britain.	....	5. 6. H.♃.	Eng. bot. v. 1. t. 45.

RIND'ERA. R.S. Rind'era. Pentandria Monogynia. R.S.

1	lævigata. R.s. *tetraspis.* Pall. *Cynoglóssum Rindèra.* Pall. *Cynoglóssum lævigátum.* W.	(wh.)	smooth.	Siberia.	1824.	6. 7. H.♃.	Pall. ross. 2. t. 88.
2	magellénsis. R.s. *Cynoglóssum magellénse.* Tenore.	(vi.)	woolly.	Italy.	1823.	5. 7. H.♃.	
3	Colúmnæ. R.s.	(pu.)	Columna's.	——	1824.	—— H. ♂.	Column. ecphr. 1. t. 178.
4	cristáta. R.s.	(pu.)	crested.	Armenia.	1829.	—— H. ♂.	

MA'TTIA. R.S. Ma'ttia. Pentandria Monogynia. R.S.

1	umbellata. R.s.	(re.ye.)	umbel-flowered.	Hungary.	1818.	6. 7. H.♃.	W. et K. hung. 2. t. 148.
2	lanáta. R.s. *Cynoglóssum lanátum.* W.	(ro.)	woolly.	Levant.	1800.	—— G.♃.	Tourn. an. mus. 10. t. 37.

CYNOGLO'SSUM. R.S. Hound's-tongue. Pentandria Monogynia. L.

1	officinále. R.s.	(ro.)	common.	Britain.	....	6. 7. H. ♂.	Eng. bot. v. 13. t. 921.
2	Hæ'nkii. R.s.	(pu.)	rough-leaved.	Hungary.	1815.	—— H. ♂.	
3	sylváticum. R.s.	(pu.)	green-leaved.	Britain.	....	—— H. ♂.	Eng. bot. v. 23. t. 1642.
4	Dioscóridis. R.s.	(bl.)	Dioscoride's.	Dauphiny.	1818.	—— H. ♂.	
5	bícolor. R.s.	(wh.re.)	two-coloured.	Germany.	——	—— H. ♂.	
6	pictum. R.s.	(re.bl.)	Madeira.	Madeira.	1658.	8. G. ♂.	Clus. hist. 2. p. 162. f. 2.
7	lanceolátum. L.A.	(wh.bl.)	spear-leav'd.	Africa.	1806.	7. 8. H.⊙.	
8	virgínicum. s.s. *amplexicáule.* M.	(bl.wh.)	stem-clasping.	N. America.	1812.	6. 7. H.♃.	
9	clandestínum. R.s.	(vi.)	hidden-flower'd.	Barbary.	1823.	—— G.♂.	Desf. atl. 1. t. 42.
10	canéscens. R.s. *racemósum.* F.I.	(bl.)	canescent.	E. Indies.	1815.	7. 10. G.⊙.	Jacq. schœnb. 4. t. 489.
11	apennínum. R.s.	(vi.)	Apennine.	Italy.	1731.	4. 7. H.♂.	Sabb. hort. rom. 2. t. 36.
12	tomentósum. L.A.	(vi.)	woolly-leaved.	——	1823.	5. 8. H.♃.	
13	magellénse. T.s.	(ro.)	woolly.	——	——	5. 7. H.♃.	
14	holosericeum. s.s.	(vi.)	silky.	Caucasus.	1827.	5. 9. H.♂.	
15	diffúsum. L.A.	(wh.)	spreading.	E. Indies.	1820.	7. 10. H.⊙.	
16	austrále. B.P.	(vi.)	New Holland.	N. S. W.	——	5. 7. G.♃.	
17	cheirifólium. s.s. *Anchúsa landta.* R.s.	(pu.)	silvery-leaved.	Levant.	1596.	6. 7. H.♂.	

TRICHODE'SMA. B.P. Trichode'sma. Pentandria Monogynia. R.S.

1	índicum. R.s. *Borágo índica.* L.	(bl.)	Indian.	E. Indies.	1759.	6. 10. H.⊙.	Pluk. alm. 30. t. 76. f. 3.
2	africánum. R.s.	(bl.)	African.	C. B. S.	——	7. 8. H.⊙.	Isn. act. par. 1718. t. 11.
3	zeylánicum. R.s.	(bl.)	Ceylon.	E. Indies.	1799.	—— S.⊙.	Jacq. ic. 2. t. 314.

BOR'AGO. R.S. Borage. Pentandria Monogynia. L.

1	officinális. R.s. *β albiflóra.*	(bl.) (wh.)	common. *white-flowered.*	Britain. ——	....	6. 9. H.⊙. —— H.⊙.	Eng. bot. v. 1. t. 36.
2	orientális. R.s.	(bl.)	oriental.	Turkey.	1752.	3. 5. H.♃.	Bot. reg. t. 288.
3	crética. R.s.	(bl.)	Cretan.	Greece.	1823.	5. 6. H.♃.	Flor. græc. t. 176.
4	laxiflóra. R.s.	(bl.)	bell-flowered.	Corsica.	1813.	5. 8. H.♂.	Bot. mag. t. 1798.
5	crassifólia. R.s.	(fl.)	thick-leaved.	Persia.	1824.	—— H.♃.	Venten. cels. t. 100.

TOURNEFO'RTIA. R.S. Tournefo'rtia. Pentandria Monogynia. L.

1	cymósa. R.s.	(fl.)	broad-leaved.	Jamaica.	1777.	7.	S.♄.	Jacq. ic. 1. t. 31.
2	fœtidíssima. R.s.	(fl.)	Tobacco-leav'd.	——	1739.	9.	S.♄.	Plum. ic. 236. t. 230.

3 bícolor. R.S. (*wh.gr.*) two-coloured. Jamaica. 1812. .... S. ♄.
4 suffrutiòsa. R.S. (*wh.*) hoary-leaved. ——— 1759. 6. 9. S. ♄. Sloan. hist. 2. t. 162. f. 4.
5 mutábilis. R.S. (*wh.*) changeable. Java. 1820. —— S. ♄.
6 maculàta. R.S. (*st.*) spotted-fruited. Carthagena. 1828. —— S. ♄.
7 gnaphalòdes. R.S. (*wh.*) Gnaphalium-like. W. Indies. 1820. —— S. ♄. Jacq. amer. t. 178. f. 11.
Heliotròpium gnaphalòdes. W.
8 velatìna. R.S. (*wh.*) velvetty. Mexico. 1826. —— G. ♄. H. et B. am. 3. t. 201.
9 umbellàta. R.S. (*wh.*) umbel-flower'd. ——— —— G. ♄. ——— 3. t. 202.
10 fruticòsa. R.S. (*wh.*) shrubby. Canaries. 1779. 6. 10. G. ♄. Bot. reg. t. 464.
Messerschmídia fruticòsa. W.
11 angustifòlia. R.S. (*pa. bl.*) narrow-leav'd. ——— .... —— G. ♄.
12 argéntea. R.S. (*wh.*) silvery-leaved. E. Indies. 1822. —— S. ♄. Rumph. amb. 4. t. 55.
13 Argùzia. R.S. (*wh.*) herbaceous. Siberia. 1780. —— H. ♃.

MESSERSCHMI'DIA. R.S. MESSERSCHMI'DIA. Pentandria Monogynia. R.S.

1 caracasàna. R.S. (*wh.*) Caracas. Caracas. 1828. 5. 9. S. ♄.
2 hirsutíssima. R.S. (*wh.*) very hairy. S. America. 1818. 5. 8. S. ♄. Sloan. hist. 2. t. 212. f. 1.
Tournefórtia hirsutíssima. W.
3 volùbilis. R.S. (*gr.*) climbing. Jamaica. 1752. 7. 8. S. ♄. ⌒. Sloan. hist. 1. t. 148. f. 2.
Tournefórtia volùbilis. W.
4 scándens. R.S. (*gr.*) scandent. S. America. 1816. —— S. ♄. ⌒. Flor. peruv. 2. t. 148.
5 laurifòlia. R.S. (*st.*) Laurel-leaved. W. Indies. 1828. .... S. ♄. ⌒. Venten. choix. t. 2.

BEURR'ERIA. G. BEURR'ERIA. Pentandria Monogynia. R.S.

1 succulénta. S.S. (*wh.*) oval-leaved. W. Indies. 1758. 5. 7. S. ♄. Jacq. obs. 2. t. 26.
2 exsúcca. S.S. (*wh.*) dry-fruited. ——— 1804. —— S. ♄. Jacq. amer. t. 178. f. 17.

EHR'ETIA. S.S. EHR'ETIA. Pentandria Monogynia. L.

1 serràta. F.I. (*wh.*) saw-leaved. Nepaul. 1812. 6. 9. G. ♄.
2 tinifòlia. S.S. (*wh.*) Tinus-leaved. Jamaica. 1784. 6. 7. S. ♄. Trew Ehret. t. 24.
3 acuminàta. B.P. (*wh.*) acuminate. N. S. W. 1820. —— G. ♄.
4 láxa. S.S. (*wh.gr.*) loose-flowered. Mauritius. 1821. —— S. ♄. Jacq. schœn. 1. t. 41.
5 internòdis. S.S. (*wh.*) axillary-flower'd. ——— —— S. ♄. L'Herit. stirp. 1. t. 24.
6 l'ævis. S.S. (*wh.*) smooth. E. Indies. 1816. .... S. ♄. Roxb. corom. t. 56.
7 buxifòlia. S.S. (*wh.*) Box-leaved. ——— —— .... S. ♄. ——— 1. t. 57.
8 microphy'lla. S.S. (*wh.*) small-leaved. Nepaul. 1818. 6. 8. S. ♄. Plak. phyt. t. 31. f. 1.
9 áspera. S.S. (*wh.*) rough-leaved. E. Indies. 1795. —— S. ♄. Roxb. corom. 1. t. 55.
10 divaricàta. DC. (*wh.*) divaricate. Havannah. 1820. —— S. ♄.

CO'RDIA. B.P. CO'RDIA. Pentandria Monogynia. L.

1 latifòlia. F.I. (*wh.*) broad-leaved. E. Indies. 1824. 6. 8. S. ♄. Rumph. amb. 2. t. 75.
2 My'xa. R.S. (*wh.*) smooth-leaved. ——— 1640. .... S. ♄. Rheed. mal. 4. t. 37.
3 monoíca. R.S. (*wh.*) Birch-leaved. ——— 1799. 3. 4. S. ♄. Roxb. corom. 1. t. 58.
4 Collocócca. R.S. (*gr.*) long-leaved. Jamaica. 1759. —— S. ♄. Sloan. hist. 2. t. 203. f. 2.
5 micrántha. R.S. (*gr.*) small-flowered. ——— 1822. .... S. ♄.
6 serràta. R.S. (*wh.*) saw-leaved. E. Indies. 1824. .... S. ♄.
7 tetraphy'lla. R.S. (*wh.*) four-leaved. Trinidad. 1823. 4. 7. S. ♄. Aubl. guian. 1. t. 88.
8 geraschanthoídes. R.S. (*w.*) taper-leaved. Cuba. 1824. —— S. ♄.
9 Geraschánthus. R.S. (*w.*) Spanish Elm. W. Indies. 1789. 5. S. ♄. Jacq. amer. t. 175. f. 16.
10 grándis. F.I. (*wh.*) great. E. Indies. 1818. .... S. ♄.
11 nodòsa. R.S. (*wh.*) hairy. Guiana. 1803. 6. 7. S. ♄. Aub. gui. 1. t. 86.
hirsùta. W. *Collocóccus.* Aub. non L.
12 flavéscens. R.S. (*wh.*) yellow-fruited. ——— 1818. —— S. ♄. Aub. gui. 1. t. 89.
13 spinéscens. R.S. (*wh.*) spiny. E. Indies. —— —— S. ♄.
14 macrophy'lla. R.S. (*wh.*) broad-leaved. W. Indies. 1752. —— S. ♄. Sloan. hist. 2. t. 221. f. 1.
15 campanulàta. F.I. (*ye.*) bell-flowered. E. Indies. 1824. .... S. ♄. Rumph. amb. 2. t. 75.
16 Sebestèna. R.S. (*or.*) rough-leaved. W. Indies. 1728. 7. 8. S. ♄. Bot. mag. t. 794.
17 l'ævis. R.S. (*bl.*) smooth-leaved. Caracas. 1816. 4. 8. S. ♄. Jacq. schœn. 1. t. 40.
18 reticulàta. R.S. (*wh.*) netted-leaved. E. Indies. 1820. —— S. ♄.
angustifòlia. F.I.
19 polygàma. F.I. (*wh.*) polygamous. ——— 1812. 6. 8. S. ♄.
20 dentàta. R.S. (*wh.*) toothed. Caracas. 1823. .... S. ♄.
21 ellíptica. R.S. (*wh.*) elliptic-leaved. W. Indies. 1804. 6. 8. S. ♄.
22 dichótoma. R.S. (*wh.*) forked. N. Holland. 1824. .... S. ♄.
23 scabérrima. R.S. (*wh.*) rough. Peru. —— .... S. ♄.
24 angustifòlia. R.S. (*wh.*) narrow-leaved. Santa Cruz. 1806. 6. 8. S. ♄.
25 caracasàna. R.S. (*wh.*) long-spiked. S. America. 1759. —— S. ♄. Centur. amer. t. 56.
Varrònia curassávica. W.
26 martinicénsis. R.S. (*wh.*) Martinico. Martinico. 1795. 8. 9. S. ♄. Jacq. amer. 41. t. 32.
27 bullàta. R.S. (*wh.*) blister-leaved. W. Indies. 1823. .... S. ♄. Jacq. amer. pict. t. 43.
28 monospérma. R.S. (*wh.*) single-seeded. Caracas. 1820. 5. 7. S. ♄. Jacq. schœn. 1. t. 99.
29 linearis. R.S. (*wh.*) round-spiked. W. Indies. 1793. 6. 9. S. ♄. Brown. jam. t. 13. f. 2.
Varrònia linearis. W.

30	globòsa. R.S.	(*wh.*)	globe-headed.	Cuba.	1820.	7. 8.	S. ♄.	Sloan. his. 2. t. 194, f. 2.
31	mirabiloídes. R.S.	(*wh.*)	jointed.	Hispaniola.	1798.	9.	S. ♄.	Jacq. amer. 41. t. 33.
32	álba. R.S.	(*wh.*)	white-flowered.	Carthagena.	1818.	....	S. ♄.	Comm. hort. 1. t. 80.
33	bifurcàta. R.S.	(*wh.*)	forked.	Peru.	——	....	S. ♄.	Flor. peruv. 2. t. 146. f. a.
	Varrònia dichótoma. R.P. *parvifòra.* P.S.							
PATAG'ONULA. R.S.			PATAG'ONULA.	Pentandria Monogynia. R.S.				
	americàna. R.S.	(*wh.*)	spear-leaved.	S. America.	1732.	6. 8.	G. ♄.	Dill. elth. t. 226. f. 293.
	Córdia Patagònula. W.							

ORDO CL.

HYDROPHYLLEÆ. *Brown.*

HYDROPHY'LLUM. L.			WATER-LEAF.	Pentandria Monogynia. L.				
1	virgínicum. L.	(*wh.bl.*)	Virginian.	N. America.	1739.	5. 6.	H. ♃.	Bot. reg. t. 331.
2	canadénse. L.	(*wh.*)	Canadian.	Canada.	1759.	——	H. ♃.	——— t. 242.
PHAC'ELIA. B.P.			PHAC'ELIA.	Pentandria Monogynia. R.S.				
1	bipinnatífida. M.	(*bl.*)	bipinnatifid.	N. America.	1827.	5. 6.	H. ♃.	Mich. amer. 1. t. 16.
2	circinnàta. J.E.	(*wh.*)	woolly.	Magellan.	1816.	6. 10.	H. ♃.	Jacq. f. ecl. t. 91.
	Hydrophy'llum magellánicum. Lam. *Aldèa circinnàta.* W.en.							
3	Aldèa. B.P.	(*wh.*)	various-leaved.	Peru.	1820.	——	G. ♃.	Flor. peruv. 2. t. 14.
	Aldèa pinnàta. R.P.							
NEMO'PHILA. N.			NEMO'PHILA.	Pentandria Monogynia. S.S.				
1	phaceliοídes. N.	(*bl.*)	Phacelia-like.	N. America.	1822.	6. 9.	H. ☉.	Swt. br. fl. gar. t. 32.
2	paniculàta. S.S.	(*pa.bl.*)	panicled.	———	1812.	5. 6.	H. ♃.	
	Hydrophy'llum appendiculàtum. M.							
ELL'ISIA. R.S.			ELL'ISIA.	Pentandria Monogynia. W.				
1	Nyctelèa. R.S.	(*wh.*)	cut-leaved.	Virginia.	1755.	4. 8.	H. ☉.	Trew pl. select. t. 99.
2	ambígua. N.	(*wh.*)	ambiguous.	N. America.	1825.	4. 6.	H. ☉.	
E'UTOCA. B.			E'UTOCA.	Pentandria Monogynia.				
1	multiflòra. B.R.	(*pu.*)	many-flowered.	N. America.	1826.	5. 6.	H. ☉.	Bot. reg. t. 1180.
2	Franklínii. S.S.	(*pu.*)	Franklin's.	Mississippi.	1827.	——	H. ☉.	

ORDO CLI.

SOLANEÆ. *Brown prodr.* 1. *p.* 443.

Sect. I. *PERICARPIUM CAPSULARE.*

ANTHOCE'RCIS. B.P.			ANTHOCE'RCIS.	Didynamia Angiospermia. S.S.				
1	littòrea. B.P.	(*ye.*)	yellow.	N. Holland.	1803.	5. 8.	G. ♄.	Swt. flor. aust. t. 17.
2	álbicans. F.T.	(*wh.*)	white-flowered.	———	1823.	4. 6.	G. ♄.	——— t. 16.
3	viscòsa. B.P.	(*wh.*)	viscous.	———	——	——	G. ♄.	Bot. mag. t. 2961.
4	ilicifòlia. B.M.	(*wh.*)	Holly-leaved.	———	1829.	....	G. ♄.	
CE'LSIA. S.S.			CE'LSIA.	Didynamia Angiospermia.				
1	orientàlis. S.S.	(*ye.*)	oriental.	Levant.	1713.	7. 8.	H. ☉.	Lam. ill. t. 532.
2	Arctùrus. W.	(*ye.*)	scollop-leaved.	Candia.	1780.	7. 9.	F. ♂.	Bot. mag. t. 1962.
3	coromandelìna. W.	(*ye.*)	Coromandel.	E. Indies.	1783.	7. 8.	S. ☉.	
4	crética. S.S.	(*ye.pu.*)	great-flowered.	Crete.	1752.	7. 9.	F. ♂.	Bot. mag. t. 964.
5	viscòsa. S.S.	(*ye.*)	clammy.	.....	1816.	——	F. ☉.	
6	betonicæfòlia. S.S.	(*ye.*)	Betony-leaved.	Barbary.	1824.	——	F. ♂.	
7	sublanàta. B.R.	(*ye.*)	woolly.	.....	1818.	——	H. ♃.	Bot. reg. t. 438.
8	lanceolàta. S.S.	(*ye.*)	spear-leaved.	Levant.	1816.	——	F. ♂.	Venten. cels. t. 27.
VERBA'SCUM. L.			MULLEIN.	Pentandria Monogynia. L.				
1	Thápsus. R.S.	(*st.*)	Shepherd's club.	Britain.	....	7. 8.	H. ♂.	Eng. bot. v. 8. t. 549.
2	elongàtum. W.en.	(*wh.*)	long-spiked.	Europe.	1813.	——	H. ♂.	Tabern. Kraeut. 956. ic.
3	thapsoídes. R.S.	(*ye.*)	branching.	Portugal.	....	——	H. ♂.	Schrad. verb. t. 5. f. 2.
4	thapsifórme. R.S.	(*ye.*)	simple-stalked.	Europe.	....	——	H. ♂.	
5	índicum. Wal.	(*ye.*)	Indian.	Nepaul.	1827.	——	F. ♂.	
6	crassifòlium. R.S.	(*ye.*)	thick-leaved.	S. Europe.	1816.	——	H. ♂.	H. et Lk. fl. port. 1. t. 26.
7	cuspidàtum. R.S.	(*ye.*)	sharp-pointed.	Austria.	——	——	H. ♂.	Schrad. verb. t. 1. f. 1.

8	gossypìnum. M.B.	(*ye.*)	cottony.	Iberia.	1824.	6. 8.	H. ♂.	
9	níveum. R.S.	(*ye.*)	snowy.	Naples.	——	——	H. ♂.	Ten. fl. neap. t. 22.
10	candidíssimum. DC.	(*ye.*)	very white-l'd.	S. Europe.	1825.	——	H. ♂.	
11	densiflòrum. R.S.	(*ye.*)	dense-flowered.	Italy.	——	——	H. ♂.	
12	macránthum. R.S.	(*ye.*)	large-flowered.	Portugal.	1823.	——	H. ♂.	H. et Lk. fl. port. t. 27.
13	austrále. R.S.	(*ye.*)	southern.	S. Europe.	1816.	——	H. ♂.	Schrad. verb. t. 2.
14	phlomoídes. R.S.	(*ye.*)	woolly.	Turkey.	1739.	——	H. ♂.	Flor. græc. t. 224.
15	rugulòsum. W.	(*ye.*)	rugged-leaved.	S. Europe.	1820.	——	H. ♂.	
16	conocárpon. S.S.	(*ye.*)	conical-capsuled.	Sardinia.	1829.	——	H. ♂.	
17	condensàtum. R.S.	(*ye.*)	close-flowered.	Austria.	1818.	——	H. ♂.	Schrad. verb. t. 3.
18	nemoròsum. R.S.	(*ye.*)	wood.	——	——	——	H. ♂.	—— t. 1. f. 2.
19	montànum. R.S.	(*st.*)	mountain.	Switzerland.	1816.	——	H. ♂.	
20	collìnum. R.S.	(*ye.*)	hill.	Germany.	1820.	——	H. ♂.	Schrad. verb. t. 5. f. 1.
21	versiflòrum. R.S.	(*br.re.*)	scatter'd-flower'd.	——	1815.	——	H. ♃.	
22	ramígerum. R.S.	(*ye.*)	small-branched.	——	1824.	——	H. ♂.	Schrad. verb. t. 4.
23	Bastárdi. R.S.	(*ye.*)	Bastard's.	S. France.	——	——	H. ♂.	
24	auriculàtum. F.G.	(*ye.*)	eared-leaved.	Levant.	1826.	——	E. ♂.	Flor. græc. t. 225.
25	sinuàtum. R.S.	(*ye.*)	scollop-leaved.	S. Europe.	1570.	7. 8.	H. ♂.	—— t. 227.
26	undulàtum. M.B.	(*ye.*)	waved-leaved.	Caucasus.	1816.	——	H. ♂.	
27	plicàtum. F.G.	(*ye.*)	plaited-leaved.	Greece.	——	——	F. ♃.	Flor. græc. t. 226.
28	bipinnatífidum. B.M.	(*ye.*)	bipinnatifid.	Tauria.	1813.	——	H. ♂.	Bot. mag. t. 1777.
29	pinnatífidum. R.S.	(*ye.*)	pinnatifid.	Archipelago.	1788.	5. 6.	G. ♃.	Flor. græc. t. 228.
30	Chaíxi. R.S.	(*ye.*)	French.	France.	1816.	7. 8.	H. ♂.	Vill. delph. 2. t. 13.
31	Boerhaàvii. R.S.	(*ye.*)	annual.	S. Europe.	1731.	——	H. ☉.	Mill. ic. 2. t. 273.
32	compáctum. R.S.	(*ye.*)	compact-flower'd.	Tauria.	1824.	——	H. ♂.	
33	gnaphalòdes. M.B.	(*ye.*)	Gnaphalium-like.	——	——	——	H. ♂.	
34	ovalifòlium. B.M.	(*ye.*)	oval-leaved.	Caucasus.	1804.	7. 9.	H. ♃.	Bot. mag. t. 1037.
35	formòsum. B.R.	(*ye.pu.*)	beautiful.	Russia.	1814.	7. 8.	H. ♂.	Bot. reg. t. 558.
36	Lychnítis. R.S.	(*wh.*)	white.	Britain.	....	6. 8.	H. ♂.	Eng. bot. v. 1. t. 58.
37	austrìacum. R.S.	(*st.*)	Austrian.	Austria.	1819.	——	H. ♂.	
38	pulverulèntum. R.S.	(*ye.*)	powdered.	England.	....	——	H. ♂.	Eng. bot. v. 7. t. 487.
39	majàle. DC.	(*ye.*)	purple-stalked.	Montpelier.	1822.	5. 7.	H. ♂.	
40	Stevènii. F.	(*ye.*)	Steven's.	Siberia.	1820.	6. 8.	H. ♂.	
41	fasciculàtum. E.	(*ye.*)	clustered.	Mount Sinai.	1826.	5. 8.	F. ♃.	
42	æthiòpicum. E.	(*ye.*)	Ethiopian.	——	1825.	——	F. ♃.	
43	pyramidàtum. R.S.	(*ye.*)	pyramidal.	Caucasus.	1804.	7. 8.	H. ♃.	Swt. br. fl. gar. t. 31.
44	ovàtum. R.S.	(*ye.*)	oval-leaved.	Spain.	——	——	H. ♂.	Schrad. h. gott. t. 15.
45	rotundifòlium. R.S.	(*ye.*)	round-leaved.	Naples.	1826.	——	H. ♂.	Ten. fl. neap. t. 23.
46	floccòsum. R.S.	(*ye.*)	wool-bearing.	Hungary.	1805.	6. 7.	H. ♂.	W. et K. hung. 1. t. 79.
47	leptostàchyum. R.S.	(*ye.*)	slender-spiked.	S. France.	1824.	7. 9.	H. ♂.	
48	angustifòlium. R.S.	(*ye.*)	narrow-leaved.	Naples.	1822.	——	H. ♂.	
49	longifòlium. R.S.	(*ye.*)	long-leaved.	——	——	——	H. ♂.	Ten. fl. neap. t. 21.
50	nìgrum. R.S.	(*ye.*)	black-rooted.	England.	....	6. 8.	H. ♃.	Eng. bot. v. 1. t. 59.
51	orientàle. R.S.	(*ye.*)	oriental.	Caucasus.	1820.	——	H. ♃.	
52	Alopecùrus. R.S.	(*ye.*)	fox-tail.	France.	1818.	——	H. ♃.	
53	virgàtum. R.S.	(*ye.*)	slender.	Britain.	....	8.	H. ♂.	Eng. bot. v. 8. t. 550.
54	speciòsum. R.S.	(*ye.*)	splendid.	Austria.	1820.	6. 8.	H. ♃.	Schrad. h. gott. t. 16.
55	grandiflòrum. R.S.	(*ye.*)	great-flowered.	.....	1816.	——	H. ♃.	—— t. 15.
56	monspessulànum. S.S.	(*ye.*)	Montpelier.	S. France.	1824.	——	H. ♂.	Schrad. ver. p. 2. t. 2. f. 2.
57	lanàtum. S.S.	(*ye.*)	woolly-leaved.	S. Europe.	1828.	——	H. ♂.	—— pars. 2. t. 2. f. 1.
58	hyoserifòlium. S.S.	(*ye.*)	Hyoseris-leav'd.	Levant.	1829.	——	F. ♃.	—— pars. 2. t. 3. f. 1.
59	chrysèrium. S.S.	(*ye.*)	golden.	Palestine.	1827.	——	F. ♃.	
60	Schottiànum. S.S.	(*ye.*)	Schott's.	Austria.	1828.	——	H. ♂.	Schrad. ver. p. 2. t. 3. f. 2.
61	Blattària. R.S.	(*ye.*)	yellow moth.	Britain.	....	7. 9.	H. ♂.	Eng. bot. v. 6. t. 393.
62	glábrum. Mil.	(*wh.*)	white moth.	.....	....	——	H. ♂.	
63	blattarioídes. R.S.	(*ye.*)	moth-like.	S. Europe.	1816.	——	H. ☉.	
64	bannáticum. S.S.	(*ye.*)	Hungarian.	Hungary.	1820.	——	H. ♂.	
65	repándum. R.S.	(*ye.*)	waved.	.....	1813.	7. 8.	H. ♂.	
66	hæmorrhoidàle. R.S.	(*ye.*)	Madeira.	Madeira.	1777.	6. 8.	G. ♂.	
67	cùpreum. R.S.	(*co.*)	copper-colour'd.	Hybrid.	1798.	5. 9.	H. ♃.	Bot. mag. t. 1226.
68	phœníceum. R.S.	(*d.pu.*)	purple-flower'd.	S. Europe.	1596.	5. 8.	H. ♃.	—— t. 885.
69	puníceum. R.S.	(*pi.*)	pink-flower'd.	——	1815.	——	H. ♃.	Schrad. h. gott. t. 14.
70	rubiginòsum. R.S.	(*re.br.*)	brown-flower'd.	Hungary.	——	——	H. ♂.	W. et K. hung. 2. t. 197.
71	ferrugíneum. R.S.	(*br.*)	rusty.	S. Europe.	1683.	——	H. ♃.	Trew Ehret. t. 16. f. 1.
72	tríste. R.S. *ferrugíneum.* A.R.	(*da.br.*)	dark-flowered. *nec aliorum.*	Levant.	1788.	——	H. ♃.	Andr. reposit. t. 162.
73	spectábile. M.B.	(*ye.*)	showy.	Tauria.	1822.	6. 8.	H. ♂.	
74	betonicæfòlium. R.S.	(*ye.*)	Betony-leav'd.	Levant.	1828.	——	F. ♂.	Desf. ann. mus. 11. t. 4.
75	urticæfòlium. R.S.	(*ye.re.*)	spotted-flower'd.	.....	1827.	——	H. ♂.	

76	lyràtum. R.s.	(*ye.*)	lyrate-leaved.	Spain.	1816.	6. 8.	H.ħ.	
77	Osbéckii. R.s.	(*gr.ye.*)	Osbeck's.	———	1752.	7. 8.	H.ħ.	Buxb. cent. 5. t. 92.
78	ceratophyllum.s.s.	(*ye.*)	buckshorn-leav'd.	Levant.	1820.	——	H.ħ.	Schrad.verb.p.2.t.1.f.2.
79	spinòsum. R.s.	(*ye.*)	spiny.	Candia.	1824.	5. 8.	G.♄.	Flor. græc. t. 220.
RAMO'NDA. P.S.			RAMO'NDA.	Pentandria Monogynia.		P.S.		
	pyrenàica. P.s.	(*pu.*)	Borage-leaved.	Pyrenees.	1731.	5.	H.♃.	Bot. mag. t. 296.
	Verbáscum Myconi. B.M.							
HYOSC'YAMUS. R.S.			HENBANE.	Pentandria Monogynia.		L.		
1	nìger. R.s.	(*ye.bk.*)	common.	Britain.	....	6. 7.	H.ħ.	Eng. bot. v. 9. t. 591.
2	agréstis. R.s.	(*gr.pu.*)	field.	Hungary.	1816.	6. 9.	H.⊙.	Swt. br. fl. gar. t. 27.
3	pállidus. R.s.	(*st.*)	pale-flowered.	———	1815.	——	H.⊙.	
4	reticulàtus. R.s.	(*re.*)	Egyptian.	Egypt.	1640.	7. 9.	H.⊙.	Camer. hort. 77. t. 22.
5	álbus. R.s.	(*st.pu.*)	white.	Greece.	1570.	7. 8.	H.⊙.	Flor. græc. t. 220.
6	Clùsii. F.G.	(*wh.*)	Clusius's.	S. Europe.	——	——	H.⊙.	Clus. hist. 2. p. 84. f. 1.
	álbus β minor. R.s.							
7	aùreus. R.s.	(*ye.pu.*)	golden.	Levant.	1640.	8. 10.	G.♄.	Bot. mag. t. 87.
8	Seneciònis. R.s.	(*ye.pu.*)	yellow-flowered.	Egypt.	1812.	——	G.♃.	
9	canariénsis. B.R.	(*ye.pu.*)	various-leaved.	Canaries.	1816.	1. 12.	G.♂.	Bot. reg. t. 169.
10	mùticus. R.s.	(*wh.pu.*)	three-coloured.	Egypt.	1818.	5. 8.	G.♂.	
11	Datòra. F.Æ.	(*ye.pu.*)	Egyptian.	———	1829.	——	F.♃.	
12	pusíllus. R.s.	(*ye.bk.*)	dwarf.	Persia.	1691.	7.	H.⊙.	Pluk. alm. t. 87. f. 5.
13	auriculàtus. T.N.	(*ye.pu.*)	eared.	Naples.	1828.	——	H.⊙.	
14	micránthus. Led.	(*st.pu.*)	small-flowered.	Siberia.	1829.	——	H.♂.	
15	màjor. Mil.	(*st.pu.*)	large.	Levant.	....	——	F.♂.	
16	minor. Mil.	(*ye.*)	lesser.	———	....	——	F.♂.	
17	physaloídes. R.s.	(*d.pu.*)	purple-flowered.	Siberia.	1777.	3. 4.	H.♃.	Swt. br. fl. gar. t. 13.
18	orientàlis. R.s.	(*li.*)	oriental.	Iberia.	1815.	——	H.♃.	——— t. 13.
SCOP'OLIA. Jacq.			SCOP'OLIA.	Pentandria Monogynia.		R.S.		
	carniòlica. Jacq.		Nightshade-leav'd.	Carniola.	1780.	4. 5.	H.♃.	Jacq. obs. 1. t. 20.
	atropoides. R.s. *Hyoscyamus Scopòlia.* Bot. mag. t. 1126.							
NICOTTANA. R.S.			TOBACCO.	Pentandria Monogynia.		L.		
1	chinénsis. R.s.	(*ro.*)	Chinese.	China.	1815.	6. 8.	G.♄.	
2	fruticòsa. R.s.	(*ro.*)	frutescent.	C. B. S.	1699.	7. 9.	G.♄.	Mill. icon. t. 185. f. 1.
3	álba. Mil.	(*wh.*)	white-flowered.	Tobago.	——	8. 10.	H.⊙.	
4	latíssima. DC.	(*ro.*)	broad-leaved.	America.	....	7. 9.	H.⊙.	
	macrophýlla. R.s.							
5	Tabácum. R.s.	(*ro.*)	Virginian.	———	1570.	——	H.⊙.	Blackw. t. 146.
	α attenuàta.	(*re.*)	*slender.*	———	....	——	H.⊙.	
	β pallèscens.	(*bk.*)	*pale-flowered.*	———	....	——	H.⊙.	
	γ àlipes.	(*ro.*)	*winged.*	———	....	——	H.⊙.	
	δ serótina.	(*ro.*)	*late-flowered.*	———	....	——	H.⊙.	
	ε grácilipes.	(*ro.*)	*slender-stalked.*	———	....	——	H.⊙.	
	ζ Vérdan.	(*ro.*)	*Verdan.*	———	....	——	H.⊙.	
	η lingua.	(*ro.*)	*tongue-leaved.*	———	....	——	H.⊙.	
6	nepalénsis. Ot.	(*ro.*)	Nepaul.	Nepaul.	1829.	——	H.⊙.	
7	brasiliénsis. Ot.	(*ro.*)	Brazilian.	Brazil.	1825.	——	H.⊙.	
8	decúrrens. Ag.	(*ro.*)	decurrent.	S. America.	1820.	——	H.⊙.	
9	petiolàta. Ag.	(*ro.*)	petiolate.	———	——	——	H.⊙.	
10	sanguínea. Ot.	(*sc.*)	scarlet-flowered.	Brazil.	1829.	——	H.⊙.	
11	angustifòlia. R.s.	(*gr.*)	narrow-leaved.	Chili.	1822.	——	H.⊙.	Flor.peruv.2.t.130.f.a.
12	viscòsa. R.s.	(*gr.*)	viscous.	BuenosAyres.	1824.	——	H.⊙.	
13	pusílla. R.s.	(*gr.*)	Primrose-leaved.	Vera Cruz.	1733.	8.	S.♂.	Mill. ic. t. 185. f. 2.
14	glutinòsa. R.s.	(*or.*)	clammy.	Peru.	1759.	7. 9.	H.⊙.	Swt. br. fl. gar. t. 197.
15	rústica. R.s.	(*gr.*)	common.	America.	1570.	——	H.⊙.	Blackw. t. 437.
	α asiática. R.s.	(*gr.*)	*Asiatic.*	.....	——	——	H.⊙.	
	β brasília. R.s.	(*gr.*)	*Brazil.*	Brazil.	——	——	H.⊙.	
	γ pùmila. R.s.	(*gr.*)	*dwarf.*	S. America.	——	——	H.⊙.	
16	hùmilis. L.en.	(*gr.*)	lesser.	America.	....	——	H.⊙.	
17	paniculàta. R.s.	(*gr.*)	panicled.	Peru.	1752.	——	H.⊙.	Flor.peruv.2.t.129.f.b.
18	cerinthoídes. R.s.	(*gr.*)	honeywort.	America.	1816.	——	H.⊙.	Lehm. nicot. t. 2.
19	Langsdórffii. s.s.	(*gr.ye.*)	Langsdorff's.	S. America.	1824.	——	H.⊙.	Bot. mag. t. 2555.
20	glaùca. B.M.	(*st.*)	glaucous.	BuenosAyres.	1827.	——	H.⊙.	——— t. 2837.
21	repánda. R.s.	(*bk.*)	stem-clasping.	Havannah.	1822.	8. 10.	H.⊙.	——— t. 2484.
	lyràta. K.s.							
22	plumbaginifòlia. R.s.		curled-leaved.	America.	1816.	5. 10.	G.♃.	Vivian. elench. t. 5.
	crispa. Jacq. fragm. t. 84.							
23	pulmonarioídes. K.s.	(*wh.*)	Pulmonaria-like.	S. America.	1828.	——	H.⊙.	
24	bonariénsis. R.s.	(*wh.*)	Buenos Ayres.	BuenosAyres.	1821.	——	H.⊙.	Lehm. nicot. n. 8. t. 1.
25	suavèolens. R.s.	(*wh.*)	sweet-scented.	N. S. W.	1800.	5. 9.	G.♃.	Bot. mag. t. 673.
	undulàta. Vent. malm. t. 10. *non* R.P.							

26	vincæflòra. s.s.	(wh.)	Vinca-flowered.	S. America.	1825.	8. 10.	H.⊙.	
27	dilatàta. L.en.	(wh.)	dilated-leaved.	———	——	——	H.⊙.	
28	noctiflòra. B.M.	(wh.)	night-flowering.	Andes.	1826.	7. 10.	F.♃.	Swt. br. fl. gar. t. 262.
29	acuminàta. B.M.	(wh.)	taper-pointed.	BuenosAyres.	——	——	F.♃.	Bot. mag. t. 2919.
30	nàna. B.R.	(wh.)	dwarf.	S. America.	1822.	8. 10.	H.⊙.	Bot. reg. t. 833.
31	quadriválvis. R.S.	(wh.)	four-valved.	N. America.	1811.	7. 8.	H.⊙.	Bot. mag. t. 1778.
32	multiválvis. B.R.	(wh.)	many-valved.	———	1826.	9. 10.	H.⊙.	Bot. reg. t. 1057.
PET'UNIA. J.			PET'UNIA. Pentandria Monogynia. R.S.					
	nyctaginiflòra. J.	(wh.)	large-flowered.	S. America.	1824.	4. 10.	G.♃.	Swt. br. fl. gar. t. 119.
SALPIGLO'SSIS. R.P.			SALPIGLO'SSIS. Didynamia Angiospermia.					
1	stramínea. H.E.F.	(st.)	straw-coloured.	Chile.	1826.	6. 9.	F.♃.	Swt. br. fl. gar. t. 231.
2	pícta. B.F.G.	(wh.bl.)	painted-flowered.	———	——	——	F.♃.	——— v. 3. t. 258.
3	atropurpùrea. B.M.	(d.pu.)	dark purple.	———	——	——	F.♃.	——— v. 3. t. 271.
4	sinuàta. R.P.	(cr.)	crimson.	———	1829.	——	F.♃.	Flor.per.v.5.t.515.ined.
DAT'URA. R.S.			THORN-APPLE. Pentandria Monogynia. L.					
1	fèrox. R.S.	(wh.)	Chinese.	China.	1731.	7. 10.	H.⊙.	Zanon. hist. t. 102.
2	Stramònium. R.S.	(wh.)	common.	England.	....	——	H.⊙.	Eng. bot. v. 18. t. 1288.
	β *canéscens.* F.I.	(st.)	*canescent.*	Nepaul.	1824.	——	H.⊙.	
3	Tátula. R.S.	(bl.)	light blue.	S. America.	1629.	——	H.⊙.	Swt. br. fl. gar. t. 88.
4	muricàta. S.S.	(wh.)	muricated.	.....	1819.	——	H.⊙.	
5	hy'brida. T.P.	(wh.)	hybrid.	Hybrid.	1826.	6. 9.	F.♃.	
6	Mètel. R.S.	(wh.)	downy.	Asia.	1596.	6. 10.	H.⊙.	Bot. mag. t. 1440.
7	fruticòsa. L.en.	(wh.)	frutescent.	S. America.	1825.	——	S.ħ.	
8	quercifòlia. K.S.	(li.)	Oak-leaved.	Mexico.	1824.	——	H.⊙.	
9	fastuòsa. R.S.	(pu.wh.)	purple.	Egypt.	1629.	——	H.⊙.	Rumph. am.5.t.243.f.2.
	β *flòre plèno.*	(pu.wh.)	*double-flowered.*	———	——	——	G.⊙.	
10	dùbia. R.S.	(wh.)	doubtful.	.....	——	——	H.⊙.	
11	l'ævis. R.S.	(wh.)	smooth-fruited.	Africa.	1780.	——	H.⊙.	Jacq. vind. 3. t. 82.
12	ceratocàula. R.S.	(wh.pu.)	horn-stalked.	Cuba.	1805.	8. 10.	H.⊙.	Jacq. schœn. 3. t.339.
13	guayaquilénsis. K.S.	(wh.)	Guayaquil.	S. America.	1824.	——	H.⊙.	
BRUGMA'NSIA. P.S.			BRUGMA'NSIA. Pentandria Monogynia. R.S.					
1	cándida. P.S.	(wh.)	downy-stalked.	Peru.	1818.	8. 9.	S.ħ.	Flor. peruv. 2. t. 128.
	Datùra arbòrea. L.							
2	suavèolens.	(wh.)	smooth-stalked.	S. America.	1733.	——	S.ħ.	
	Datùra arbòrea. Hort.		*suavèolens.* W.enum.					
VE'STIA. W.			VE'STIA. Pentandria Monogynia. W.					
	lycioídes. W.en.	(gr.ye.)	Boxthorn-like.	Chili.	1815.	1. 12.	G.ħ.	Bot. reg. t. 299.
? C'ODON. W.			C'ODON. Decandria Monogynia. L.					
	Royèni. w.	(re.wh.)	prickly.	C. B. S.	1801.	9. 10.	G.♂.	And. repos. t. 325.

Sect. II. *PERICARPIUM BACCATUM.*

ANIS'ODUS. S.S.			ANIS'ODUS. Pentandria Monogynia. S.S.					
	lùridus. S.S.	(br.)	lurid.	Nepaul.	1823.	8. 10.	H.♃.	Swt. br. fl. gar. t. 125.
	Whitlèya stramonifòlia B.F.G.							
NECTO'UXIA. K.S.			NECTO'UXIA. Pentandria Monogynia.					
	formòsa. K.S.	(ye.)	pretty.	Mexico.	1826.	7. 10.	H.⊙.	H.etB. n.g.am.3.t.198.
A'TROPA. R.S.			A'TROPA. Pentandria Monogynia. L.					
	Belladónna. R.S.	(br.pu.)	deadly nightshade.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 9. t. 592.
SA'RACHA. R.S.			SA'RACHA. Pentandria Monogynia.					
1	procúmbens. R.P.	(st.)	procumbent.	Peru.	1822.	7. 9.	H.♃.	Cavan. ic. 1. t. 72.
	A'tropa procúmbens. Cav.		*Bellinia procúmbens.* R.S.					
2	umbellàta. DC.	(st.)	umbel-flowered.	Peru.	——	——	H.♃.	Swt. br. fl. gar. t. 85.
MANDRAG'ORA. J.			MANDRAKE. Pentandria Monogynia. R.S.					
1	pr'æcox. B.F.G.	(st.bl.)	blister-leaved.	Switzerland.	1818.	3. 4.	H.♃.	Swt. br. fl. gar. t. 198.
2	vernàlis. S.S.	(bl.)	large-leaved.	S. Europe.	1562.	5. 6.	H.♃.	
3	autumnàlis. S.S.	(li.)	autumn-flowered.	Levant.	——	8. 9.	H.♃.	Flor. græc. t. 232.
NOL'ANA. R.S.			NOL'ANA. Pentandria Monogynia. L.					
1	prostràta. R.S.	(bl.)	trailing.	Peru.	1761.	7. 9.	H.⊙.	Bot. mag. t. 731.
2	tenélla. H.C.	(bl.)	slender.	Chile.	1824.	——	F.ħ.	
3	paradóxa. B.R.	(bl.)	violet-coloured.	Chili.	1822.	——	H.⊙.	Bot. reg. t. 865.
NICA'NDRA. R.S.			NICA'NDRA. Pentandria Monogynia. R.S.					
1	physaloídes. R.S.	(bl.)	American.	America.	1759.	7. 9.	H.⊙.	Bot. mag. t. 2458.
2	índica. R.S.	(bl.)	Indian.	Nepaul.	1823.	——	H.⊙.	Rumph.amb.6.t.26.f.1.
PHY'SALIS. R.S.			WINTER CHERRY. Pentandria Monogynia. L.					
	arboréscens. W.	(ye.)	arborescent.	Campeachy.	1733.	6. 8.	S.ħ.	Mill. ic. 2. t. 206. f. 2.

2	frutéscens. DC.	(*ye.*)	frutescent.	Spain.	1737.	1. 3.	G. ♄.	Cavan. ic. 2. t. 102.
	A'tropa frutéscens. R.S.							
3	aristàta. W.	(*ye.*)	bearded.	Canaries.	1779.	5. 8.	G. ♄.	
	A'tropa aristàta. R.S.							
4	somnífera. R.S.	(*st.*)	clustered.	Levant.	1596.	7. 8.	G. ♄.	Flor. græc. t. 233.
	β aristàta.	(*st.*)	*awned.*	Mexico.	1826.	——	G. ♄.	
5	flexuòsa. R.S.	(*gr.wh.*)	flexuose.	E. Indies.	1759.	——	G. ♄.	Jacq. f. ecl. t. 23.
6	curassávica. R.S.	(*st.*)	Curassavian.	S. America.	1699.	6. 9.	S. ♃.	Pluk. alm. t. 111. f. 5.
7	tomentòsa. R.S.	(*ye.*)	woolly.	C. B. S.	1816.	——	G. ♄.	
8	viscòsa. R.S.	(*st.*)	clammy.	America.	1732.	7.	H. ♃.	Bot. mag. t. 2625.
9	lanceolàta. R.S.	(*ye.*)	spear-leaved.	N. America.	1780.	——	H. ♃.	
10	pensylvánica. R.S.	(*ye.*)	Pensylvanian.	———	1726.	7. 9.	H. ♃.	
11	Jacquini. L.en.	(*ye.*)	Jacquin's.	———	....	——	H. ♃.	Jacq. vind. 2. t. 136.
	viscòsa. Jacq. *non* L.							
12	Alkekéngi. R.S.	(*wh.*)	common.	S. Europe.	1548.	——	H. ♃.	Flor. græc. t. 234.
13	tuberòsa. R.S.	(*ye.pu.*)	tuberous-rooted.	.....	1816.	....	S. ♃.	
14	chenopodifòlia. R.S.	(*ye.*)	goose-foot-leav'd.	S. America.	1798.	7. 8.	S. ♄.	
15	peruviána. R.S.	(*ye.pu.*)	Peruvian.	Peru.	1773.	——	S. ♃.	
16	èdulis. B.M.	(*ye.pu.*)	eatable.	S. America.	——	——	S. ♃.	Bot. mag. t. 1068.
17	pubéscens. R.S.	(*ye.pu.*)	pubescent.	America.	1640.	——	H. ☉.	Feuil. per. 3. t. 1.
18	micrántha. L.en.	(*ye.*)	small-flowered.	———	1822.	——	H. ☉.	
19	nodòsa. R.S.	(*ye.*)	knotted.	———	....	——	H. ☉.	
20	barbadénsis. R.S.	(*st.*)	Barbadoes.	W. Indies.	1798.	——	H. ☉.	Jacq. ic. 1. t. 89.
21	dùbia. L.en.	(*ye.*)	dubious.	Brazil.	1819.	——	H. ☉.	
22	fœtidíssima. R.S.	(*ye.br.*)	stinking.	New Spain.	——	——	H. ☉.	
23	f˜œtens. R.S.	(*ye.br.*)	strong-scented.	Peru.	1827.	——	H. ♃.	
24	angulàta. R.S.	(*wh.*)	angular-branch'd.	India.	1732.	6. 9.	H. ☉.	Dill. elth. t. 12. f. 12.
25	Rothiàna. R.S.	(*wh.*)	Roth's.	E. Indies.	1827.	——	S. ♃.	
26	philadélphica. R.S.	(*ye.*)	Philadelphian.	N. America.	1824.	——	H. ☉.	
27	atriplicifòlia. R.S.	(*ye.*)	Atriplex-leaved.	.....	1798.	7. 8.	H. ☉.	Jacq. frag. t. 85. f. 2.
	chenopodifòlia. W. *non* Lamarck.							
28	mínima. R.S.	(*ye.*)	least.	E. Indies.	1759.	——	H. ☉.	Rheed. mal. 10. t. 70.
29	pruinòsa. R.S.	(*ye.*)	hairy annual.	America.	1726.	——	H. ☉.	Dill. elth. 10. t. 9. f. 9.
30	Lagáscii. R.S.	(*ye.*)	Lagasca's.	New Spain.	1824.	——	H. ☉.	
31	pátula. R.S.	(*wh.*)	spreading.	Vera Cruz.	1731.	7. 9.	S. ☉.	
32	villòsa. R.S.	(*st.*)	villous.	———	——	——	S. ☉.	
33	cordàta. R.S.	(*ye.gr.*)	heart-leaved.	———	——	——	S. ☉.	
34	máxima. R.S.	(*st.*)	large annual.	———	——	——	S. ☉.	
35	abyssínica. Ot.	(*ye.*)	Abyssinian.	Abyssinia.	1828.	——	S. ☉.	
36	prostràta. R.S.	(*bl.*)	trailing.	Peru.	1782.	——	H. ☉.	Andr. reposit. t. 75.
CA'PSICUM. R.S.			CA'PSICUM.	Pentandria Monogynia. L.				
1	ánnuum. R.S.	(*wh.*)	annual.	India.	1548.	6. 7.	G. ☉.	Rheed. mal. 2. t. 35.
2	lóngum. R.S.	(*wh.*)	long-fruited.	.....	——	——	G. ☉.	Dodon.pemph.716.f.3.
3	cordifórme. R.S.	(*wh.*)	heart-shaped.	India.	1731.	——	G. ☉.	
4	tetragònum. R.S.	(*wh.*)	four-sided.	———	——	——	G. ☉.	
5	angulòsum. R.S.	(*wh.*)	angular-fruited.	.....	——	——	S. ☉.	
6	sph'æricum. R.S.	(*wh.*)	round-fruited.	.....	1807.	4. 7.	S. ☉.	
7	ovàtum. R.S.	(*wh.*)	oval-fruited.	.....	——	——	S. ♄.	
8	péndulum. R.S.	(*wh.*)	pendulous.	.....	1804.	——	S. ♄.	
9	lùteum. R.S.	(*wh.*)	yellow-fruited.	E. Indies.	1820.	——	S. ♄.	
10	grósssum. R.S.	(*wh.*)	various-fruited.	India.	1759.	5. 8.	S. ♄.	Besl. eyst. 2. t. 2. f. 1.
	α globòsum. R.S.	(*wh.*)	*globular-fruited.*	———	——	——	S. ♄.	
	β lùteum. R.S.	(*wh.*)	*yellow oval-fruited.*	———	——	——	S. ♄.	
	γ bífidum.	(*wh.*)	*cleft-fruited.*	———	....	——	S. ♄.	
11	conoídes. R.S.	(*st.*)	conical-fruited.	India.	1728.	——	S. ♄.	
12	pyramidàle. R.S.	(*wh.*)	pyramidal.	Egypt.	1732.	——	S. ♄.	
13	cerasifórme. R.S.	(*st.*)	Cherry-fruited.	W. Indies.	1759.	——	S. ♄.	
14	Millèri. R.S.	(*st.*)	Miller's.	New Spain.	——	——	S. ♄.	
	cerasifórme. Mill. *non* W.							
15	purpùreum. F.I.	(*pu.*)	purple.	E. Indies.	1824.	——	S. ♄.	
16	frutéscens. R.S.	(*wh.*)	shrubby.	India.	1656.	6. 9.	S. ♄.	Rheed. mal. 2. t. 36.
	β torulòsum.	(*wh.*)	*twisted.*	———	....	——	S. ♄.	
17	bícolor. R.S.	(*pu.*)	purple-flower'd.	W. Indies.	1804.	——	S. ♄.	Bot. mag. t. 1835.
	nigrum. W.en. *violàceum.* DC.							
18	cæruléscens. R.S.	(*pu.*)	bluish.	.....	1827.	——	S. ♄.	
19	baccàtum. R.S.	(*wh.*)	Bird pepper.	W. Indies.	1731.	——	S. ♄.	Sloan. j. 1. t. 146. f. 2.
20	mínimum. F.I.	(*wh.*)	small-berried.	E. Indies.	1728.	——	S. ♄.	
21	sinénse. R.S.	(*wh.*)	oval Chinese.	China.	1807.	——	S. ♄.	Jacq. vind. 3. t. 67.
22	havanénse. K.S.	(*wh.*)	Havannah.	Havannah.	1826.	——	S. ♄.	

23 microcárpum. R.s. (wh.) small-fruited. S. America. 1824. 6. 9. S. ♄.
24 micránthum. R.s. (wh.) small-flowered. Brazil. —— —— S. ♄.

LYCOPE'RSICUM. R.S. Love-Apple. Pentandria Monogynia. R.S.

1 pimpinellifòlium. R.s. (ye.) Pimpinella-ld. S. America. .... 6. 8. S. ♃.
2 regulàre. R.s. (ye.) regular-leaved. —— .... 6. 9. G. ☉.
3 peruviànum. R.s. (ye.) Peruvian. Peru. .... 6. 8. G. ♃. Bot. mag. t. 2814.
Solànum peruviànum. Jacq. icon. t. 327.
4 dentàtum. R.s. (ye.) tooth-leaved. S. America. .... —— H. ☉. Dunal solan. 2. ined. t. 82.
5 Humbóldtii. R.s. (ye.) Humboldt's. —— 1815. —— H. ☉. Willd. hort. ber. 1. t. 27.
6 pyrifórme. R.s. (ye.) Pear-fruited. —— .... —— H. ☉. Dunal solan. t. 26.
7 cerasifórme. R.s. (ye.) Cherry-fruited. Peru. 1800. 7. 9. H. ☉. Jacq. vind. 1. t. 11.
Solànum pseudolycopersicum. Jacq.
α rùber. (ye.) *red-fruited.* —— —— —— H. ☉.
β lùteum. (ye.) *yellow-fruited.* —— —— —— H. ☉.
8 esculéntum. R.s. (ye.) Tomato. S. America. 1596. —— H. ☉. Dunal solan. t. 3. f. 3.
α erythrocárpum. (ye.) *red-fruited.* —— —— —— H. ☉.
β chrysocárpum. (ye.) *yellow-fruited.* —— —— —— H. ☉.
γ leucocárpum. (ye.) *white-fruited.* —— —— —— H. ☉.
9 procúmbens. R.s. (ye.) procumbent. —— .... —— H. ☉.

SOLANUM. R.S. Nightshade. Pentandria Monogynia. L.

1 tuberòsum. R.s. (bl. wh.) Potatoe. Peru. 1597. 6. 8. H. ♃. Plenck. off. t. 121.
2 appendiculàtum. R.s. (wh.) appendaged. Mexico. 1823. —— S. ♄. ⌣. Dunal solan. ed. 2. t. 84.
3 Seaforthiànum. R.s. (pi.) Seaforth's. Barbadoes. 1804. 7. 9. S. ♄. ⌣. Andr. reposit. t. 504.
4 betàceum. R.s. (bk.) Beet-leaved. New Spain. 1803. 6. 7. S. ♄. —— t. 511.
5 muricàtum. R.s. (wh. vi.) warted. Peru. 1785. 7. 8. S. ♄. Feuil. peruv. 2. t. 26.
6 diversifòlium. R.s. (wh.) different-leaved. Caracas. 1824. —— S. ♄. Dunal solan. ed. 2. t. 88.
7 Bulbocástanum. R.s. (wh.) tuberous-rooted. Mexico. 1826. 6. 9. H. ♃. —— —— ed. 2. t. 3.
8 oligánthum. R.s. (wh.) climbing. Orinoco. 1824. 7. 8. S. ♄. ⌣. —— —— ed. 2. t. 90.
9 reclinàtum. R.s. (bl.) reclining. Peru. .... —— S. ♄. Lam. ill. t. 145. f. 4.
10 laciniàtum. R.P. (bl.) cut-leaved. N. Holland. 1772. —— G. ♄. Bot. mag. t. 349.
α fruticòsum. (bl.) *frutescent.* N. S. W. —— —— G. ♄.
β herbàceum. (bl.) *herbaceous.* V. Diem. Isl. —— —— H. ☉.
11 quercifòlium. R.s. (vi.) Oak-leaved. Peru. 1787. 6. 7. H. ♃. Feuil. per. 2. t. 15 ?
12 rádicans. R.s. (li.) rooting. —— 1771. 7. 8. G. ♃. Linn. dec. 1. t. 10.
13 corymbòsum. R.s. (vi.) corymb-flowered. —— 1786. —— S. ♃. Jacq. ic. 1. t. 40.
14 Dulcamàra. R.s. (bl.) bitter-sweet. Britain. .... 6. 8. H. ♄. ⌣. Eng. bot. v. 8. t. 565.
β álbum. (wh.) *white-flowered.* —— .... —— H. ♄. ⌣.
γ variegàtum. (pa.) *variegated.* —— .... —— H. ♄. ⌣.
15 littorále. L.en. (bl.) sea-side. Europe. .... —— H. ♄.
16 Tegòre. R.s. (gr.) hairy-stemmed. Guiana. 1820. —— S. ♄. Aubl. guian. 1. t. 84.
17 quiténse. s.s. (wh. pu.) Lima. Lima. 1825. —— G. ♄. Bot. mag. t. 2739.
18 macrocárpon. s.s. (bl.) large-fruited. Peru. 1759. 5. 9. S. ♄. Mill. ic. 2. t. 294.
19 calycìnum. R.s. (bl.) large-calyxed. Mexico. 1825. —— S. ♄. Dunal sol. ed. 2. t. 29.
20 racemifòrum. R.s. (bl.) racemed. S. America. 1818. 7. 9. H. ☉. Jacq. schœn. 3. t. 333.
scábrum. Jacq. *non* Vahl.
21 æthiópicum. R.s. (wh.) Ethiopian. Ethiopia. 1597. —— H. ☉. Jacq. vind. 1. t. 12.
22 Zuccagniànum. R.s. (wh.) Zuccagni's. ..... 1818. —— H. ☉. Dunal solan. t. 11.
23 pseùdo-cápsicum. (wh.) Winter-cherry. Madeira. 1596. 6. 9. G. ♄. Sabb. h. rom. t. 59.
24 nodiflòrum. R.s. (wh.) knot-flowered. Guiana. 1815. —— G. ☉. Jacq. ic. 2. t. 326.
25 Dillènii. R.s. (wh.) Dillenius's. Hungary. .... —— H. ☉. Dill. elth. t. 275. f. 355.
26 guineénse. R.s. (gr. wh.) large-berried. Guinea. .... —— H. ☉. —— t. 274. f. 354.
27 fistulòsum. R.s. (wh.) fistulous-stalked. Mauritius. 1826. —— H. ☉.
28 nìgrum. R.s. (wh.) black-berried. Britain. .... —— H. ☉. Eng. bot. v. 8. t. 566.
29 oleràceum. R.s. (wh.) cultivated. W. Indies. .... —— S. ☉. Piso lib. 4. c. 50. f. 3.
30 pterocaùle. R.s. (wh. vi.) wing-stalked. America. .... —— H. ☉. Dill. elth. t. 275. f. 356.
31 judàicum. R.s. (wh.) rough-stalked. Europe. .... —— H. ☉.
32 suffruticòsum. R.s. (wh.) suffrutescent. Barbary. 1804. 5. 9. G. ♄.
33 quadrangulàre. R.s. (wh.) quadrangular. C. B. S. 1812. —— H. ☉.
34 triangulàre. R.s. (wh.) three-sided. E. Indies. .... 6. 9. S. ☉.
35 rùbrum. R.s. (wh.) red-berried. S. America. .... —— H. ☉.
36 incértum. R.s. (wh.) uncertain. E. Indies. 1810. —— H. ☉.
37 mixtàtum. R.s. (wh.) pubescent-stalk'd. Europe. .... —— H. ☉.
38 hùmile. R.s. (wh.) small. S. Europe. .... —— H. ☉.
39 flàvum. R.s. (st.) yellow-berried. Hungary. 1816. —— H. ☉.
ochroleùcum. Dun.
40 villòsum. R.s. (wh.) villous annual. S. Europe. .... —— H. ☉. Dill. elth. t. 274. f. 353.
41 hirsùtum. R.s. (wh.) hairy annual. Egypt. .... —— H. ☉.
42 decemdentàtum. F.I. (wh.) ten-toothed. China. 1826. —— H. ☉.
43 Rúmphii. R.s. (wh.) Rumphius's. E. Indies. .... —— H. ☉. Rumph. amb. 6. t. 26. f. 1.

44	Bessèri. R.s.	(*wh.*) Besser's.	America.	1824.	6. 9.	H.☉.	
45	cestrifòlium. s.s.	(*wh.*) Cestrum-leaved.	.....	1826.	4. 7.	S.ħ.	
46	longiflòrum. R.s.	(*bl.*) long-flowered. *longifòlium.* Dun.	Guiana.	1823.	6. 8.	S.ħ.	Dunal solan. t. 9.
47	triquètrum. R.s.	(*wh.*) triquetrous.	New Spain.	1821.	——	S.ħ.	Cavan. ic. 3. t. 259.
48	bombénse. R.s.	(*wh.*) Bomba.	S. America.	1818.	——	S.ħ.	Jacq. f. eclog. t. 24.
49	pubígerum. R.s.	(*wh.*) downy. *Cervantèsii.* Lag.	Mexico.	1823.	——	S.ħ.	Dunal sol. t. 6.
50	pyrifòlium. R.s.	(*wh.*) Pear-leaved.	W. Indies.	1824.	6. 8.	S.ħ.	Dun. sol. ed. 2. t. 34.
51	macranthèrum. R.s.	(*vi.*) large-anthered.	Mexico.	1826.	——	G.ħ.⌣.	H. et B. gen. am. 3. t. 195.
52	laurifòlium. R.s.	(*wh.*) Laurel-leaved.	S. America.	1820.	——	S.ħ.	Dunal sol. t. 8.
53	spirále. F.I.	(*wh.*) spiral-racemed.	E. Indies.	——	4. 6.	S.ħ.	
54	Hookerianum. s.s.	(*bl.*) Hooker's. *coriàceum.* Bot. mag. *nec aliorum.*	Mexico.	1825.	6. 9.	G.ħ.	Bot. mag. t. 2708.
55	dealbàtum. Lind.	(*wh.*) white-leaved. *saponàceum.* B.M. *non Dunal.*	Chile.	1826.	10. 11.	G.ħ.	Bot. mag. t. 2697.
56	salicifòlium. D.L.	(*wh.*) Willow-leaved.	Trinidad.	1822.	6. 9.	S.ħ.	
57	verbascifòlium. R.s.	(*w.*) Mullein-leaved.	W. Indies.	1749.	6. 8.	S.ħ.	Jacq. vind. 1. t. 13.
58	auriculàtum. R.s.	(*vi.*) ear-leaved.	Madagascar.	1773.	....	S.ħ.	Scop. del. 3. t. 8.
59	pubéscens. R.s.	(*pu.*) pubescent.	E. Indies.	1816.	6. 8.	S.ħ.	Willd. phyt. 1. t. 8.
60	argénteum. R.s.	(*wh.*) silvery.	Brazil.	——	——	S.ħ.	Dunal sol. ed. 2. t. 39.
61	nùdum. K.s.	(*wh.*) naked.	Mexico.	1824.	3. 6.	S.ħ.	
62	diphy'llum. R.s.	(*wh.*) two-leaved.	W. Indies.	1699.	6. 7.	S.ħ.	Jacq. ic. 2. t. 322.
63	arbòreum. R.s.	(*wh.*) tree.	Cumana.	1819.	——	S.ħ.	Dunal sol. ed. 2. t. 198.
64	havanénse. R.s.	(*bl.*) Havannah.	W. Indies.	1793.	7. 8.	S.ħ.	Jacq. amer. pict. t. 48.
65	aggregàtum. R.s.	(*li.*) crowded.	Guinea.	——	——	S.ħ.	Jacq. ic. 2. t. 323.
66	Plukenètii. R.s.	(*wh.*) Plukenet's.	S. America.	....	6. 8.	S.ħ.	Pluk. phyt. t. 227. f. 2.
67	eriocályx. R.s.	(*wh.*) woolly-calyxed.	Carthagena.	1731.	5. 8.	S.ħ.	
68	umbellàtum. R.s.	(*wh.*) umbelled.	S. America.	——	——	S.ħ.	
69	americànum. R.s.	(*pu.*) American.	Virginia.	1727.	7. 9.	H.☉.	
70	axilliflòrum. R.s.	(*bl.*) axil-flowered. *scándens.* Miller.	Vera Cruz.	1728.	6. 9.	S.ħ.⌣.	
71	memphíticum. R.s.	(*wh.*) tooth-stalked.	.....	1823.	——	S.♃.	
72	pérsicum. R.s.	(*bl.*) Persian.	Persia.	1829.	6. 9.	H.ħ.⌣.	
73	capsicástrum. Ot.	(*wh.*) Capsicum-like.	.....	1827.	——	S.ħ.	
74	lycioídes. R.s.	(*li.*) spiny.	Peru.	1791.	5. 6.	S.ħ.	Jacq. ic. 1. t. 46.
75	monánthum. R.s.	(*fl.*) one-flowered.	New Spain.	1816.	——	S.♃.	
76	fùgax. R.s.	(*wh. ye.*) fugacious.	Caracas.	——	——	S.ħ.	Jacq. ic. 2. t. 324.
77	stellàtum. R.s.	(*bl.*) starry.	S. America.	——	——	S.ħ.	——— 2. t. 325.
78	virgàtum. R.s.	(*vi.*) twiggy.	W. Indies.	1819.	——	S.ħ.	Dunal sol. ed. 2. t. 40.
79	léntum. R.s.	(*vi.*) climbing woolly.	New Spain.	1823.	6. 8.	S.ħ.⌣.	Cavan. ic. 4. t. 308.
80	scándens. R.s.	(*pu.*) climbing.	W. Indies.	1822.	....	S.ħ.⌣.	
81	atrosanguíneum.	Sck. (*c.*) dark crimson.	.....	1827.	....	S.ħ.	
82	elæagnifòlium. R.s.	(*bl.*) Elæagnus-leaved.	Chile.	1823.	6. 8.	S.ħ.	Cavan. ic. 3. t. 243.
83	obtusifòlium. K.s.	(*bl.*) blunt-leaved.	Mexico.	1826.	——	G.ħ.	Dunal sol. ed. 2. t. 119.
84	stelligerum. R.s.	(*li.*) starry-haired.	N. Holland.	1820.	——	S.ħ.	Sm. exot. bot. 2. t. 88.
85	racemòsum. R.s.	(*wh.*) wave-leaved.	W. Indies.	1781.	7. 8.	S.ħ.	Jacq. amer. pict. t. 50.
86	ígneum. R.s.	(*wh.*) red-spined.	S. America.	1714.	3. 11.	S.ħ.	Jacq. vind. 1. t. 14.
87	subarmàtum. R.s.	(*wh.*) partly armed.	———	1823.	——	S.ħ.	
88	bahaménse. R.s.	(*wh. vi.*) Bahama.	Bahama.	1732.	6. 7.	S.ħ.	Dill. elth. t. 271. f. 350.
89	hírtum. R.s.	(*wh.*) hairy-calyxed.	Trinidad.	1823.	——	S.ħ.	Vahl ic. rar. d. 3. t. 21.
90	tomentòsum. R.s.	(*bl.*) tomentose.	S. America.	1662.	——	S.ħ.	Bocc. sic. 8. t. 5.
91	hy'bridum. R.s.	(*pa. bl.*) hybrid.	Guinea.	1815.	——	S.ħ.	Jacq. vind. 2. t. 113.
92	coccíneum. R.s.	(*bh.*) scarlet-fruited.	.....	1820.	——	S.ħ.	Jacq. ic. 1. t. 43.
93	jamaicénse. R.s.	(*li.*) Jamaica.	Jamaica.	——	——	S.ħ.	
94	cuneifòlium. R.s.	(*wh.*) wedge-leaved.	W. Indies.	....	——	S.ħ.	Dunal sol. t. 22.
95	heterophy'llum. R.s.	(*bh.*) variable-leaved.	Guiana.	1823.	7. 9.	S.ħ.	——— ed. 2. t. 62.
96	volùbile. R.s.	(*bl.*) twining.	Hispaniola.	——	——	S.ħ.⌣.	Plum. Mss. t. 4. f. 32.
97	lanceæfòlium. R.s.	(*wh.*) lance-leaved.	S. America.	....	——	S.ħ.⌣.	Jacq. ic. 2. t. 329.
98	coriàceum. R.s.	(*bl.*) leathery-leav'd.	Trinidad.	1824.	6. 9.	S.ħ.⌣.	Dun. sol. p. 197. t. 14.
99	bonariénse. R.s.	(*wh.*) Buenos Ayres.	Buenos Ayres.	1727.	——	H.ħ.	Dill. elth. t. 272. f. 351.
100	fastigiàtum. R.s.	(*pa. bl.*) fastigiate.	S. America.	1820.	——	S.ħ.	Jacq. f. eclog. t. 6.
101	oporínum. R.s.	(*bl.*) large-leaved. *macrophy'llum.* Dun.	———	——	——	S.ħ.	Dunal sol. t. 16.
102	subinérme. R.s.	(*bl.*) spear-leaved.	W. Indies.	1752.	7. 8.	S.ħ.	Jacq. amer. t. 49. f. 3.
103	lanceolàtum. R.s.	(*bl.*) lanceolate.	New Spain.	....	6. 7.	S.ħ.	Cavan. ic. 3. t. 245.
104	astroítes. Jacq.	(*bl.*) Aster-like.	S. America.	1823.	——	S.ħ.	Jacq. f. eclog. t. 65.
105	glutinòsum. R.s.	(*bl.*) glutinous.	.....	1818.	6. 8.	S.ħ.	Dunal sol. ed. 2. t. 54.
106	Bro'wnii. R.s.	(*vi.*) Brown's. *violàceum.* B.P. *non* Jacq.	N. S. W.	1820.	——	S.ħ.	

107	gigánteum. R.s. (*wh.vi.*) tall.	C. B. S.	1792.	6. 8.	G. ♄.	Bot. mag. t. 1921.
108	tórvum. R.s. (*wh.*) curved-prickled.	W. Indies.	1816.	——	S. ♄.	
109	ferrugíneum. R.s. (*wh.*) ferruginous.	.....	——	——	S. ♄.	Jacq. schœn. 3. t. 334.
110	elàtum. L.en. (*bl.*) tall.	.....	1824.	6. 9.	S. ♄.	
111	ochroneùrum. L.en. (*bl.*) rusty-branched.	Brazil.	——	6. 8.	S. ♄.	
112	mólle. K.s. (*wh.*) soft-leaved.	Caracas.	1826.	——	G. ♄.	
113	Lichtensteínii. R.s. ..	Lichtenstein's.	C. B. S.	1824.	....	G. ♄.
114	esculéntum. R.s. (*li.*) eatable.	Tropics.	1597.	6. 9.	G. ☉.	Dunal sol. t. 3. f. E.
115	ovígerum. R.s. (*pa.bl.*) Egg-plant.	Arabia.	——	——	G. ☉.	Blackw. t. 549.
	α violaceum. (*pa.bl.*) *violet-fruited.*	————	....	——	G. ☉.	
	β álbum. (*pa.bl.*) *white-fruited.*	————	....	——	G. ☉.	
	γ luteùm. (*pa.bl.*) *yellow-fruited.*	————	....	——	G. ☉.	
	δ rúber. (*pa.bl.*) *red-fruited.*	————	....	——	G. ☉.	
116	lóngum. F.I. (*vi.*) long-fruited.	E. Indies.	1816.	——	S. ♄.	
117	insànum. W. (*pu.*) insane.	————	1815.	8. 10.	S. ♄.	Pluk. alm. t. 226. f. 3.
118	melanóxylon. S.s. (*vi.*) black-wooded.	.....	1825.	7. 10.	S. ☉.	
119	undàtum. R.s. (*pa.bl.*) waved.	E. Indies.	1818.	6. 9.	S. ♄.	Rheed. mal. 2. t. 37.
120	fuscàtum. R.s. (*vi.*) brown-branched.	America.	....	7. 8.	G. ☉.	Jacq. ic. 1. t. 42.
121	sodòmeum. R.s. (*pu.*) black-spined.	Africa.	1688.	6. 7.	G. ♄.	Flor. græc. t. 235.
122	incànum. R.s. (*re.*) hoary.	Mauritius.	1823.	——	S. ♄.	Scop. del. 1. t. 1.
123	índicum. R.s. (*bl.*) Indian.	India.	1732.	7.	S. ♄.	Dill. elth. t. 270. f. 349.
124	coágulans. R.s. (*bl.*) scollop-leaved.	Arabia Felix.	1802.	——	S. ♄.	Jacq. schœn. 4. t. 469.
125	sánctum. R.s. (*bl.pu.*) oblique-leaved.	Egypt.	——	——	S. ♄.	
126	marginàtum. R.s. (*li.*) white margined.	Africa.	1775.	6. 9.	G. ♄.	Bot. mag. t. 1928.
127	congénse. L.en. (*bl.*) Congo.	————	1815.	——	G. ♄.	
128	campechiénse. R.s. (*li.*) purple-spined.	America.	1732.	7.	G. ♄.	Dill. elth. t. 268. f. 347.
129	platanifòlium. B.M. (*vi.*) Plane-leaved.	S. America.	1822.	7. 9.	S. ♄.	Bot. mag. t. 2618.
130	myriacánthum. R.s. (*w.*) many-spined.	————	——	——	S. ♄.	
131	aculeatíssimum. R.s. (*w.*) very prickly.	————	1800.	——	S. ♄.	Jacq. ic. 1. t. 41.
132	spinosíssimum. D.L. (*w.*) very spiny.	Trinidad.	1820.	——	S. ♄.	
133	lívidum. S.s. (*wh.*) livid.	Madagascar.	1821.	——	S. ♄.	
134	lasiocárpum. R.s. (*wh.*) four-celled.	E. Indies.	1824.	6. 8.	S. ♂.	Rheel. mal. 2. t. 35.
	hirsùtum. F.I. non Dunal. *quadriloculàre.* S.s.					
135	mammòsum. R.s. (*pa.bl.*) nipple.	W. Indies.	1699.	7. 8.	H. ☉.	Merian. surin. t. 27.
136	ciliàtum. R.s. (*pa.bl.*) ciliated.	.....	1816.	——	H. ☉.	Dunal sol. t. 18.
137	stramonifòlium. R.s. (*bl.*) broad-leaved.	E. Indies.	1778.	6. 9.	S. ♄.	Jacq. ic. 1. t. 44.
138	flavéscens. R.s. (*wh.*) yellowish.	Trinidad.	1822.	——	S. ♄.	
139	fèrox. R.s. (*li.pu.*) Malabar.	Malabar.	1795.	8. 9.	S. ♃.	Dunal sol. ed. 2. t. 68.
140	crassipétalum. F.I. (*li.*) thick-petaled.	Nepaul.	1824.	4. 7.	G. ♄.	
141	lysimachioídes. F.I. (*w.*) Loosestrife-like.	E. Indies.	1823.	6. 9.	S. ♃.	
142	campanulàtum. B.P. (*pu.*) bell-flowered.	N. S. W.	1818.	8. 9.	G. ☉.	
143	armàtum. B.P. (*pu.*) armed.	————	1819.	——	S. ♃.	Dunal sol. ed. 2. t. 69.
144	pungètium. B.P. (*vi.*) pungent.	————	1823.	——	G. ☉.	———— ed. 2. t. 70.
145	cinéreum. B.P. (*wh.*) grey.	————	——	——	G. ♃.	
146	Millèri. R.s. (*wh.*) Miller's.	C. B. S.	1762.	7. 8.	G. ♄.	Jacq. ic. 2. t. 330.
147	trilobàtum. R.s. (*wh.*) three-lobed.	W. Indies.	1759.	8.	S. ♄.	Pluk. alm. t. 316. f. 5.
148	acetoseefòlium. R.s. (*w.*) Sorrel-leaved.	E. Indies.	——	——	S. ♄.	Burm. ind. t. 22. f. 2.
149	rigéscens. R.s. (*vi.*) rigid.	C. B. S.	1815.	6. 8.	G. ♄.	Jacq. schœn. 1. t. 42.
150	carolinénse. R.s. (*w.bl.*) Carolina.	Carolina.	1732.	7. 9.	G. ♃.	Jacq. ic. 2. t. 331.
151	violàceum. R.s. (*bl.*) violet.	E. Indies.	1823.	6. 9.	S. ♄.	Jacq. fragm. t. 133. f. 1.
152	pyracánthum. B.M. (*pu.*) orange-thorn'd.	Madagascar.	1789.	8. 9.	S. ♄.	Sm. exot. bot. 2. t. 64.
	β inérmis. (*pu.*) *smooth-calyxed.*	————	——	——	S. ♄.	Bot. mag. t. 2547.
153	virginiànum. R.s. (*vi.*) Virginian.	Virginia.	1662.	5. 8.	H. ☉.	Dill. elth. t. 267. f. 346.
154	Jacquìni. R.s. (*bl.pu.*) Jacquin's.	E. Indies.	1804.	9. 11.	S. ☉.	Jacq. ic. 2. t. 332.
155	xanthocárpum. R.s. (*bl.*) yellow-fruited.	Ethiopia.	1828.	6. 10.	H. ☉.	Wend. s. han. 1. t. 2.
156	Balbísii. R.s. (*wh.*) Balbis's.	S. America.	1816.	4. 9.	S. ♄.	Bot. mag. t. 2568.
	decúrrens. B.R. 140. *brancæfòlium.* Jacq. f. ecl. t. 7. *viscòsum.* DC.					
157	téctum. R.s. (*ye.*) villous-calyxed.	Mexico.	1826.	7. 10.	G. ♄.	Cavan. icon. 4. t. 309.
158	capénse. R.s. (*wh.*) Cape prickly.	C. B. S.	1816.	6. 10.	G. ♄.	
159	Houstòni. R.s. (*wh.*) Houstoun's.	Vera Cruz.	1731.	——	S. ♄.	
160	Angùrium. R.s. (*ye.*) procumbent.	————	——	——	S. ♄.	

NYCTÈRIUM. V. NYCTÈRIUM. Pentandria Monogynia.

1	cordifòlium. V. (*vi.*) Canary.	Canaries.	1779.	3. 4.	G. ♄.	Venten. malm. t. 85.
	Solànum vespertílio. R.s.					
2	Amazònium. B.M. (*bl.*) Lambert's.	Brazil.	1814.	5. 9.	S. ♄.	Bot. mag. t. 1801.
	Solànum Amazònium. Bot. reg. t. 71.					
3	cornùtum. L.en. (*ye.*) horned.	S. America.	1825.	——	S. ♄.	Juss. ann. mus. 3. t. 9.
4	lobàtum. (*ye.*) Missouri.	Missouri.	1813.	7. 9.	H. ☉.	Pursh fl. amer. 1. t. 7.
	Solànum heterándrum. Ph. *Androcèra lobàta.* N.					

5	rostrâtum. L.en.	(*ye.*)	beaked.	Mexico.	1823.	7. 9. H.⊙.	Dunal sol. t. 24.
6	Fontanesiânum.	(*ye.*)	Desfontaine's.	Brazil.	1818.	—— H.⊙.	Bot. reg. t. 177.
7	heterodóxum. L.en.	(*bl.*)	very prickly.	Mexico.	1824.	—— H.⊙.	Dunal sol. t. 25.
WITHERI'NGIA. R.S.			WITHERI'NGIA.	Tetr-Pentandria Monogynia.			
1	solanâcea. R.S.	(*st.*)	yellow-flowered.	S. America.	1742.	5. 9. S.♃.	L'Herit. sert. angl. t. 1.
2	stramonifôlia. K.S.	(*st.*)	Stramonium-ld.	Mexico.	1823.	—— S.♄.	
3	crassifôlia. R.S.	(*li.*)	thick-leaved.	C. B. S.	1729.	—— G.♄.	Dill. elth. t. 273. f. 352.
4	montâna. R.S.	(*wh.bl.*)	mountain.	Peru.	1822.	—— G.♃.	Bot. mag. t. 2768.
5	phyllántha. R.S.	(*bl.*)	annual.	———	——	7. 9. H.⊙.	Cavan. ic. 4 t. 359. f. 1.
6	pinnatífida. R.S.	(*li.*)	pinnatifid.	———	——	6. 8. G.♃.	Flor. peruv. 2. t. 170. f. b.
CE'STRUM. R.S.			CE'STRUM.	Pentandria Monogynia. L.			
1	laurifôlium. R.S.	(*ye.*)	Laurel-leaved.	W. Indies.	1691.	5. 8. S.♄.	Smith spicil. 2. t. 2.
2	citrifôlium. R.S.	(*st.*)	Citron-leaved.	.....	1816.	—— S.♄.	
3	macrophy'llum. R.S.	(*st.*)	large-leaved.	W. Indies.	1812.	—— S.♄.	Venten. choix. t. 18.
4	venenâtum. R.S.	(*st.*)	poisonous.	C. B. S.	1787.	2. 4. G.♄.	
5	noctúrnum. R.S.	(*gr.ye.*)	night-smelling.	E. Indies.	1732.	11. S.♄.	Dill. elth. t. 153. f. 185.
6	hírtum. R.S.	(*gr.wh.*)	hairy.	Jamaica.	1822.	5. 8. S.♄.	
7	Párqui. R.S.	(*st.*)	Willow-leaved.	S. America.	1787.	6. 7. G.♄.	Bot. mag. t. 1770.
8	thyrsoídeum. K.S.	(*st.*)	bunch-flowered.	Mexico.	1826.	5. 7. S.♄.	
9	suberôsum. R.S.	(*gr.*)	cork-barked.	.....	1815.	6. 7. S.♄.	Jacq. schœn. 4. t. 452.
10	auriculâtum. W.	(*wh.*)	eared-leaved.	Peru.	1774.	—— S.♄.	L'Herit. s. nov. 1. t. 35.
11	exstipulâtum. R.S.	(*gr.*)	exstipulate.	S. America.	1824.	—— S.♄.	
12	tinctórium. R.S.	(*wh.*)	dying.	Caracas.	1823.	5. 6. S.♄.	Jacq. schœn. 3. t. 332.
13	undulâtum. R.S.	(*st.*)	waved-leaved.	Peru.	——	—— S.♄.	Flor. peruv. 2. t. 155.
14	multifiórum. R.S.	(*gr.*)	many-flowered.	S. America.	1825.	—— S.♄.	
15	paniculâtum. K.S.	(*gr.ye.*)	panicled.	Caracas.	1819.	.... S.♄.	
16	latifôlium. R.S.	(*st.*)	broad-leaved.	Trinidad.	1822.	5. 6. S.♄.	
17	alaternoídes. R.S.	(*gr.ye.*)	Alaternus-like.	S. America.	1820.	4. 6. S.♄.	Bot. mag. t. 2929.
18	hirsûtum. R.S.	(*st.*)	hairy-stalked.	.....	1822.	5. 6. S.♄.	Jacq. schœn. 3. t. 334.
19	cauliflórum. R.S.	(*wh.*)	stem-flowering.	Martinica.	1818.	—— S.♄.	——— 3. t. 335.
20	salicifôlium. R.S.	(*st.*)	Sallow-leaved.	Caracas.	....	3. 6. S.♄.	——— 3. t. 336.
21	pendulînum. R.S.	(*wh.*)	pendulous.	———	1820.	—— S.♄.	——— 3. t. 337.
22	vespertînum. R.S.	(*wh.*)	cluster-flowered.	W. Indies.	1759.	5. 7. S.♄.	——— 3. t. 338.
23	pállidum. R.S.	(*gr.ye.*)	pale-flowered.	Jamaica.	1732.	—— S.♄.	Sloan. hist. 2. t. 204. f. 2.
24	fœtidíssimum. R.S.	(*ye.*)	stinking.	———	....	5. 8. S.♄.	Jacq. schœn. 3. t. 339.
25	bracteâtum. B.M.	(*st.*)	large-bracted.	S. America.	1828.	12. 2. S.♄.	Bot. mag. t. 2974.
26	acuminâtum.	(*ye.gr.*)	tapering-leaved.	Mexico.	1824.	7. 10. F.♄.	Swt. br. fl. gar. ser. 2.
27	fastigiâtum. R.S.	(*wh.*)	Honeysuckle.	W. Indies.	....	10. 12. S.♄.	Bot. mag. t. 1729.
28	odontospérmum. R.S.	(*w.*)	smooth.	S. America.	1793.	7. 9. S.♄.	Jacq. schœn. 3. t. 331.
29	diúrnum. R.S.	(*wh.*)	day smelling.	W. Indies.	1732.	10. 11. S.♄.	Dill. elth. t. 154. f. 186.
30	rôseum. R.S.	(*ro.*)	rose-coloured.	Mexico.	1829.	.... G.♄.	
31	tomentôsum. R.S.	(*st.*)	downy.	S. America.	1790.	6. 7. S.♄.	
32	angustifôlium. B.C.	(*st.*)	narrow-leaved.	———	1820.	—— S.♄.	Lodd. bot. cab. t. 618.
LY'CIUM. R.S.			BOX-THORN.	Pentandria Monogynia. L.			
1	áfrum. R.S.	(*vi.*)	African.	C. B. S.	1712.	6. 7. H.♄.	Bot. reg. t. 354.
2	ténue. R.S.	(*pu.*)	slender.	———	——	—— H.♄.	
3	rígidum. R.S.	(*vi.*)	rigid.	———	1795.	—— H.♄.	Trew Ehret. t. 24. f. 1.
	carnòsum. P.S. *itálicum* Miller.						
4	microphy'llum. R.S.	(*vi.*)	small-leaved.	———	——	—— H.♄.	
5	ruthènicum. R.S.	(*ro.*)	Russian.	Siberia.	1804.	—— H.♄.	Pall. ros. 1. t. 49.
6	tetrándrum. R.S.	(*pu.*)	tetrandrous.	C. B. S.	....	—— H.♄.	
7	barbârum. R.S.	(*re.*)	Willow-leaved.	Barbary.	1696.	5. 8. H.♄.	Wats. dend. brit. t. 9.
8	Shâwii. R.S.	(*wh.*)	white-flowered.	———	....	—— H.♄.	Shaw afric. f. 349.
9	Trewiânum. R.S.	(*pu.*)	Trew's.	China.	....	—— H.♄.	Trew Ehret. t. 68.
	chinénse. P.S. *non* Mill.						
10	chinénse. R.S.	(*re.*)	Chinese.	———	....	—— H.♄.	Wats. dend. brit. t. 8.
	ovâtum. P.S. *barbârum* β *chinénse.* W.						
11	lanceolâtum. P.S.	(*vi.*)	spear-leaved.	S. Europe.	....	—— H.♄.	Duham. arb. nov. t. 32.
12	turbinâtum. P.S.	(*re.*)	top-shaped.	China.	1709.	—— H.♄.	——— t. 31.
13	cinéreum. R.S.	(*pu.*)	gray.	C. B. S.	1815.	6. 8. H.♄.	
14	europ'æum. R.S.	(*li.*)	European.	S. Europe.	1730.	5. 8. H.♄.	Flor. græc. t. 236.
15	hórridum. R.S.	(*wh.*)	succulent-leav'd.	C. B. S.	1791.	7. 8. H.♄.	
16	boerhaaviæfôlium.	(*bl.*)	glaucous-leaved.	Peru.	1780.	4. 5. G.♄.	L'Herit. stirp. t. 83.
17	arboréscens. S.S.	(*wh.*)	arborescent.	———	1819.	6. 7. G.♄.	Flor. peruv. 2. t. 183, f. a.
	A'tropa arboréscens. R.S.						
18	carolinianum. R.S.	(*pu.*)	Carolina.	Carolina.	1806.	7. 9. H.♄.	
19	capsulâre. R.S.	(*pu.*)	capsular.	Mexico.	1730.	6. 8. G.♄.	
SOLA'NDRA. R.S.			SOLA'NDRA.	Pentandria Monogynia. R.S.			
1	grandiflóra. R.S.	(*li.*)	large-flowered.	Jamaica.	1781.	3. 8. S.♄.	Jacq. schœn. 1. t. 45.

2 nítida. R.S.	(*st.*) glossy-leaved.	Jamaica.	1781.	3. 8.	S. ♄.	Bot. mag. t. 1874.
grandiflòra. B.M. *non* Jacq.						
3 viridiflòra. S.S.	(*gr.*) green-flowered.	Brazil.	1816.	5. 6.	S. ♄.	Bot. mag. t. 1948.
4 oppositifolia.	..... opposite-leaved.	W. Indies.	1824.	....	S. ♄.	

BRUNFE'LSIA. W. BRUNFE'LSIA. Didynamia Angiospermia. L.

1 undulàta. W.	(*wh.st.*) large-flowered.	Jamaica.	1780.	6. 7.	S. ♄.	Bot. reg. t. 228.
2 americàna. W.	(*wh.st.*) American.	W. Indies.	1735.	——	S. ♄.	Bot. mag. t. 393.
α latifòlia.	(*wh.st.*) *broad-leaved.*	——	——	——	S. ♄.	
β angustifòlia.	(*wh.st.*) *narrow-leaved.*	——	——	——	S. ♄.	
3 violàcea. B.C.	(*wh.st.*) purple-stalked.	——	1820.	——	S. ♄.	Lod. bot. cab. t. 792.
4 unifiòra. D.D.	(*bl.wh.*) single-flowered.	Brazil.	1827.	1. 12.	S. ♄.	Bot. mag. t. 2829.
Franciscea Hopeàna. B.M.						

CRESCE'NTIA. W. CALABASH-TREE. Didynamia Angiospermia. L.

1 Cujète. W.	(*li.ye.*) oval-fruited.	Jamaica.	1690.	....	S. ♄.	Jacq. amer. t. 111.
2 acuminàta. K.S.	(*li.*) acuminate.	Cuba.	1822.	....	S. ♄.	
3 cucurbitina. W.	(*li.ye.*) round-fruited.	W. Indies.	1733.	....	S. ♄.	Plum. ic. t. 109.
4 alàta. K.S.	(*li.*) winged-leaved.	Mexico.	1825.	....	S. ♄.	

TRIPINN'ARIA. S.S. TRIPINN'ARIA. Didynamia Angiospermia.

africàna. S.S.	(*re.*) African.	Mauritius.	1823.	....	S. ♄.	Jacq. coll. 3. t. 18.
Crescéntia pinnàta. Jacq. *Tan'æcium pinnàtum.* W.						

ORDO CLII.

SCROPHULARINÆ. *Brown prodr.* 1. *p.* 433.

Sect. I. *STAMINA* (4) *ANTHERIFERA.*

BU'DDLEA. S.S. BU'DDLEA. Tetrandria Monogynia. L.

1 madagascariénsis.	(*or.*) Madagascar.	Madagascar.	1824.	9. 10.	S. ♄.	Bot. mag. t. 2824.
2 salígna. S.S.	(*wh.*) Willow-like.	C. B. S.	1816.	8. 9.	G. ♄.	Jacq. schœn. 1. t. 29.
3 paniculàta. S.S.	(*wh.*) panicled.	Nepaul.	1823.	——	G. ♄.	
4 americàna. R.S.	(*ye.*) American.	W. Indies.	1824.	7. 10.	S. ♄.	Sloan. hist. 2. t. 173. f. 1.
5 occidentàlis. R.S.	(*wh.*) occidental.	Peru.	1730.	....	G. ♄.	Flor. peruv. 1. t. 83.
6 salvifòlia. S.S.	(*wh.cr.*) Sage-leaved.	C. B. S.	1760.	8. 9.	G. ♄.	Jacq. schœn. 1. t. 28.
7 Neèmda. S.S.	(*wh.*) Nepaul.	Nepaul.	1822.	——	G. ♄.	
8 brasiliénsis. S.S.	(*or.*) Brazilian.	Brazil.	——	9. 11.	S. ♄.	Bot. mag. t. 2713.
9 heterophy'lla. B.R.	(*ye.*) different-leaved.	S. America.	1826.	1. 5.	S. ♄.	Bot reg. t. 1259.
10 globòsa. S.S.	(*ye.*) round-headed.	Chile.	1774.	5. 7.	H. ♄.	Bot. mag. t. 174.
11 connàta. S.S.	(*or.*) connate-leaved.	Peru.	1826.	5. 6.	G. ♄.	—— t. 2853.
12 salicifòlia. S.S.	(*ye.*) Willow-leaved.	S. America.	1823.	....	S. ♄.	
13 diversifòlia. R.S.	(*wh.*) various-leaved.	Java.	——	....	S. ♄.	

SCOP'ARIA. L. SCOP'ARIA. Tetrandria Monogynia. L.

1 dúlcis. L.	(*wh.*) sweet.	S. America.	1730.	6. 9.	S. ♄.	Herm. parad. t. 241.
2 flàva. Ot.	(*ye.*) yellow.	——	1829.	——	S. ♄.	

CAPR'ARIA. S.S. GOAT-WEED. Didynamia Angiospermia. L.

1 undulàta. S.S.	(*ro.*) wave-leaved.	C. B. S.	1774.	8. 7.	G. ♄.	Bot. mag. t. 1556.
2 cuneàta. S.S.	(*ro.*) wedge-leaved.	S. America.	1759.	6. 8.	S. ♄.	
3 lanceolàta. S.S.	(*ye.*) spear-leaved.	C. B. S.	1774.	5. 7.	G. ♄.	Pl. sel. h. ber. t. 4.
4 biflòra. S.S.	(*wh.*) two-flowered.	S. America.	1752.	7. 8.	S. ♄.	Jacq. amer. t. 115.
5 hùmilis. W.	(*ro.*) dwarf.	E. Indies.	1781.	——	S. ☉.	

TE'EDIA. S.S. TE'EDIA. Didynamia Angiospermia. S.S.

1 lùcida. S.S.	(*pu.*) shining.	C. B. S.	1774.	4. 7.	G. ♄.	Bot. reg. t. 210.
Caprària lùcida. W. *Borkhausènia lùcida.* Roth.						
2 pubéscens. S.S.	(*pu.*) pubescent.	C. B. S.	1816.	5. 10.	G. ♄.	Bot. reg. t. 214.

HALL'ERIA. S.S. HALL'ERIA. Didynamia Angiospermia. L.

1 lùcida. S.S.	(*sc.*) shining-leaved.	C. B. S.	1752.	6. 8.	G. ♄.	Bot. mag. t. 1744.
2 ellíptica. S.S.	(*sc.*) elliptic-leaved.	——	1816.	——	G. ♄.	Burm. afr. t. 84. f. 1.

STEM'ODIA. S.S. STEM'ODIA. Didynamia Angiospermia. W.

1 suffruticòsa. S.S.	(*bl.*) suffrutescent.	S. America.	1823.	5. 8.	S. ♄.	
2 viscòsa. S.S.	(*vi.*) viscous.	E. Indies.	1818.	7. 10.	S. ☉.	Roxb. Corom. t. 163.
3 verticillàris. S.S.	(*pu.*) whorled.	Brazil.	1822.	——	H. ☉.	
4 parviflòra. H.K.	(*wh.*) small-flowered.	S. America.	1759.	7. 8.	S. ♃.	
5 marítima. S.S.	(*bl.*) sea-side.	Cuba.	1822.	——	S. ☉.	Jacq. amer. t. 174. f. 66.

RUSS'ELIA. S.S. Russ'elia. Didynamia Angiospermia. W.
1 floribúnda. K.s. (*sc.*) abundant-flowering. Mexico. 1824. 6. 8. S.♃.
2 multiflòra. s.s. (*sc.*) many-flowered. ——— 1812. —— S.♃. Bot. mag. t. 1528.
TREVIR'ANIA. S.S. Trevir'ania. Didynamia Angiospermia. S.S.
coccínea. s.s. (*sc.*) scarlet. Jamaica. 1778. 8. 10. S.♃. Bot. mag. t. 374.
Cyrílla pulchélla. B.M. *Achimènes coccínea.* P.s.
COLU'MNEA. S.S. Colu'mnea. Didynamia Angiospermia. L.
1 scándens. s.s. (*sc.*) climbing. W. Indies. 1759. 8. 9. S.♄. Bot. reg. t. 805.
2 hirsùta. s.s. (*li.*) hairy. ——— 1780. 8. 11. S.♄. Brown jam. t. 30. f. 3.
3 trifoliàta. L.en. (*bl.*) three-leaved. S. America. 1825. —— S.♄.
4 rùtilans. s.s. (*ye.re.*) red-leaved. Jamaica. 1823. —— S.♄.
5 híspida. s.s. (*sc.*) bristly. ——— 1824. —— S.♄.
MAURA'NDIA. S.S. Maura'ndia. Didynamia Angiospermia. W.
1 semperflòrens.s.s. (*ro.*) red-flowered. Mexico. 1796. 1. 12. G.♄.⌣. Bot. mag. t. 460.
2 antirrhiniflòra.s.s. (*bl.*) blue-flowered. ——— 1814. —— G.♄.⌣. ——— t. 1643.
3 Barclayàna. B.R. (*bl.*) Mr. Barclay's. ——— 1826. 4. 11. G.♄.⌣. Bot. reg. t. 1108.
LOPHOSPE'RMUM. D.D. Lophospe'rmum. Didynamia Angiospermia.
scándens. L.T. (*pu.*) climbing. Mexico. 1830. 6. 8. G.♄.⌣.
DODA'RTIA. S.S. Doda'rtia. Didynamia Angiospermia. L.
orientàlis. s.s. (*d.pu.*) oriental. Levant. 1752. 7. 8. H.♃. Swt. br. fl. gar. t. 147.
CYMB'ARIA. S.S. Cymb'aria. Didynamia Angiospermia. L.
davùrica. s.s. (*ye.*) Daurian. Davuria. 1796. 6. 7. H.♃. Amm. ruth. t. 1. f. 2.
COLLI'NSIA. N. Colli'nsia. Didynamia Angiospermia.
1 vérna. N. (*bl.pu.*) large-flowered. N. America. 1827. 4. 11. H.⊙. Swt. br. fl. gar. t. 220.
grandiflòra. Bot. reg. t. 1107.
2 parviflòra. D. (*bl.*) small-flowered. ——— —— 6. 9. H.⊙. Bot. reg. t. 1062.
NEM'ESIA. S.S. Nem'esia. Didynamia Angiospermia. S.S.
1 chamædryfòlia.s.s. (*w.bl.*) Chamædry's-ld. C. B. S. 1787. 4. 9. G.♃.
Antirrhìnum macrocárpum. W.
2 bicórne. s.s. (*wh.bl.*) horned. ——— 1774. 7. 8. G.⊙. Burm. afr. t. 75. f. 3.
3 fœ'tens. s.s. (*wh.bl.*) fœtid. ——— 1796. 4. 9. G.♃. Venten. malm. t. 41.
4 lineàris. s.s. (*sn.ro.*) linear-leaved. ——— 1822. —— G.⊙.
ANARRH'INUM. S.S. Anarrh'inum. Didynamia Angiospermia. S.S.
1 pubéscens. E. (*bl.*) pubescent. Mount Sinai. 1826. 5. 8. H.♃.
2 bellidifòlium. s.s. (*bl.*) Daisy-leaved. France. 1629. 6. 8. H.♂. Bot. mag. t. 2056.
ANTIRRH'INUM. S.S. Snap-dragon. Didynamia Angiospermia. L.
1 màjus. s.s. (*va.*) great. England. .... 6. 8. H.♃. Eng. bot. v. 2. t. 129.
α albiflòrum. (*wh.*) *white-flowered.* ——— .... —— H.♃.
β ròseum. (*ro.*) *rose-coloured.* ——— .... —— H.♃.
γ coccíneum. (*sc.*) *scarlet.* ——— .... —— H.♃.
δ bicolor. (*re.wh.*) *two-coloured.* ——— .... —— H.♃.
ε múltiplex. (*sc.*) *double-flowered.* .... —— H.♃.
2 meonánthum.L.en. (*re.*) smaller-flower'd. S. Europe. 1820. —— H.♃. Lk. fl. port. 1. t. 56.
3 angustifòlium.Urv. (*re.*) narrow-leaved. Italy. 1818. —— H.♃.
4 sículum. s.s. (*st.*) Sicilian. Sicily. 1804. 7. 8. H.♃.
5 Oróntium. s.s. (*bh.*) Calf's-snout. Britain. .... 7. 9. H.⊙. Eng. bot. v. 17. t. 1155.
6 calycìnum. L.en. (*wh.*) long-calyxed. S. Europe. .... —— H.⊙.
7 Asarìna. s.s. (*wh.*) heart-leaved. Italy. 1699. 7. F.♃. Bot. mag. t. 902.
8 mólle. s.s. (*wh.*) soft-leaved. Spain. 1752. 7. 10. F.♃.
LIN'ARIA. S.S. Toad-flax. Didynamia Angiospermia. S.S.
1 fruticòsa. s.s. (*ye.*) shrubby.. Barbary. 1822. 5. 6. G.♄. Desf. atl. 2. t. 135.
2 frutéscens. s.s. (*ye.*) frutescent. C. B. S. 1816. 5. 7. G.♄.
Antirrhìnum frutéscens. Th.
3 dalmática. s.s. (*ye.*) Dalmatian. Levant. 1731. 6. 7. G.♄. Buxb. cent. 1. t. 24.
4 scopària. s.s. (*ye.*) broom-like. Teneriffe. 1815. —— G.♄.
5 Cymbalària. s.s. (*bh.*) Ivy-leaved. England. .... 5. 11. H.♃. Eng. bot. v. 7. t. 502.
6 pállida. T.s. (*li.*) pale-flowered. Italy. 1824. —— H.♃.
pubéscens. T.P. *non* P.s.
7 pilòsa. s.s. (*li.*) hairy-leaved. ——— 1800. 6. 9. H.♃. Jacq. obs. 2. t. 46.
8 hepaticæfòlia. s.s. (*pu.*) Hepatica-leav'd. Corsica. 1828. —— F.♃.
9 æquitrilòba.s.s. (*d.pu.*) equal 3-lobed. Sardinia. —— —— F.♃. Bot. mag. t. 2941.
10 Elátine. s.s. (*bl.*) sharp-pointed. England. .... 7. 11. H.⊙. Eng. bot. v. 10. t. 692.
11 cirrhòsa. s.s. (*bl.wh.*) cirrhose. Egypt. 1777. 7. 8. H.⊙. Jacq. vind. 1. t. 82.
12 spùria. s.s. (*ye.vi.*) round-leaved. England. .... 7. 9. H.⊙. Eng. bot. v. 10. t. 691.
Antirrhìnum spùrium. E.B.
13 lanígera. s.s. (*st.*) woolly. S. Europe. 1820. —— H.⊙.
14 dealbàta. s.s. (*ye.*) villous-leaved. Portugal. —— 7. 9. H.⊙.
15 latifòlia. s.s. (*ye.*) broad-leaved. Barbary. 1800. 6. 7. H.⊙. Desf. atl. 2. t. 134.
16 triphy'lla. s.s. (*bl.ye.*) three-leaved. Sicily. 1596. 6. 9. H.⊙. Bot. mag. t. 224.

17	reflèxa. s.s.	(*wh.*)	reflex-flowered.	S. Europe.	1824.	6. 9.	H.⊙.	Flor. græc. t. 593.
18	origanifòlia. s.s.	(*bl.*)	Marjoram-leav'd.	———	1785.	——	F.ɣ.	Barrel. ic. 598.
19	cretàcea. s.s.	(*bl.ye.*)	crowded-flower'd.	Siberia.	1826.	——	H.⊙.	
20	virgàta. s.s.	(*bl.*)	slender-stalked.	Barbary.	1824.	——	H.⊙.	Desf. atl. 2. t. 135.
21	thymifòlia. s.s.	(*ye.*)	Thyme-leaved.	S. Europe.	——	——	H.⊙.	
22	villòsa. s.s.	(*wh.*)	villous.	Spain.	1786.	7. 8.	F.ɣ.	Barrel. ic. 597.
23	rubrifòlia. s.s.	(*bl.*)	red-leaved.	S. France.	1824.	——	F.ɣ.	
24	saxátilis. P.s.	(*ye.*)	rock.	S. Europe.	1827.	6. 8.	H.ɣ.	
25	pubéscens. P.s.	(*ye.*)	pubescent.	———	1824.	6. 9.	H.⊙.	
26	hírta. s.s.	(*ye.*)	shaggy-leaved.	Spain.	1759.	——	H.⊙.	Jacq. ic. 1. t. 117.
27	triornithóphora.	(*pu.*)	three bird's.	Portugal.	1710.	——	F.ɣ.	Bot. mag. t. 523.
28	parviflòra. s.s.	(*ye.*)	small flowered.	Sardinia.	1829.	——	H.⊙.	Desf. atl. 2. t. 137.
29	albifróns. F.G.	(*wh.*)	white fronted.	Greece.	1828.	——	H.⊙.	Flor. græc. t. 588.
30	bipartìta. s.s.	(*bl.*)	cloven flowered.	Barbary.	1801.	——	H.⊙.	Swt. br. fl. gar. t. 30.
	speciòsa. Jacq. fil. eclog. t. 95.							
31	mìnor. s.s.	(*pu.ye.*)	little erect.	England.	....	6. 11.	H.⊙.	Eng. bot. v. 28. t. 2014.
	Antirrhìnum minus. E.B.							
32	littoràlis. s.s.	(*bl.*)	shore.	Austria.	1824.	——	H.⊙.	
33	chalepénsis. s.s.	(*wh.*)	white-flowered.	Levant.	1680.	6. 7.	H.⊙.	Flor. græc. t. 592.
34	tristis. s.s.	(*bk.br.*)	melancholy.	Spain.	1727.	7. 8.	G.ɣ.	Bot. mag. t. 74.
35	versícolor. s.s.	(*ye.bl.*)	various-colour'd.	France.	1777.	7. 9.	H.⊙.	Jacq. ic. 1. t. 116.
36	linarioídes. s.s.	(*ye.*)	toadflax-like.	S. Europe.	1816.	5. 8.	H.ɣ.	
37	micrántha. s.s.	(*ye.*)	small-flowered.	Spain.	1825.	5. 7.	H.⊙.	Flor. græc. t. 587.
38	viscòsa. s.s.	(*br.ye.*)	clammy.	———	1786.	7.	H.⊙.	Bot. mag. t. 368.
39	purpùrea. s.s.	(*pu.*)	purple.	S. Europe.	1648.	7. 9.	H.ɣ.	Flor. græc. t. 589.
40	arenària. s.s.	(*ye.*)	sand.	Hungary.	1825.	——	H.⊙.	
41	alpìna. s.s.	(*bl.*)	Alpine.	Austria.	1570.	7. 11.	H.ɣ.	Bot. mag. t. 205.
42	lusitánica. s.s.	(*ye.*)	Portugal.	S. Europe.	1820.	6. 7.	H.ɣ.	
43	pyrenàica. s.s.	(*ye.*)	Pyrenean.	Pyrenees.	1824.	6. 8.	H.⊙.	
44	Hælàva. F.E.	(*ye.*)	hairy calyxed.	Egypt.	1803.	7. 9.	H.⊙.	
45	pelisseriàna. s.s.	(*vi.*)	violet-coloured.	S. Europe.	1640.	6. 9.	H.⊙.	Flor. græc. t. 591.
46	élegans. P.s.	(*bl.*)	elegant.	Spain.	1812.	——	H.⊙.	
47	répens. H.K.	(*std.*)	creeping rooted.	England.	....	7. 10.	H.ɣ.	Eng. bot. v. 18. t. 1253.
48	amethy'stina. s.s.	(*bl.*)	bright blue.	S. Europe.	1816.	——	H.⊙.	Cavan. ic. 1. t. 33. f. 1.
	Antirrhìnum bipunctàtum. Cav. *nec aliorum.*							
49	supìna. s.s.	(*ye.*)	trailing.	Spain.	1728.	——	H.⊙.	Flor. græc. t. 595.
50	bipunctàta. s.s.	(*ye.*)	two-spotted.	———	1749.	6. 8.	H.⊙.	
51	spártea. s.s.	(*ye.*)	branching.	———	1772.	6. 10.	H.⊙.	Bot. mag. t. 200.
52	simplex. s.s.	(*bl.*)	upright.	S. Europe.	1816.	7. 8.	H.⊙.	Jacq. ic. 3. t. 499.
53	arvénsis. s.s.	(*ye.*)	corn.	———	....	——	H.⊙.	Flor. græc. t. 590.
54	diffùsa. s.s.	(*ye.bl.*)	spreading.	Portugal.	1824.	——	H.⊙.	
55	multicaùlis. s.s.	(*wh.bl.*)	many-stalked.	Levant.	1728.	5. 7.	H.⊙.	Bocc. sic. t. 19. f. 1.
56	macroùra. L.en.	(*ye.*)	large-spurred.	Caucasus.	1823.	6. 9.	H.ɣ.	
57	incarnàta. s.s.	(*li.*)	flesh-coloured.	S. Europe.	1826.	——	H.⊙.	
58	reticulàta. s.s.	(*ye.pu.*)	netted-flower'd.	Algiers.	1788.	5. 7.	F.ɣ.	Smith ic. pict. t. 2.
59	glaùca. s.s.	(*ye.*)	glaucous-leaved.	S. Europe.	1800.	6. 8.	H.⊙.	Buxb. cent. 4. t. 37.
60	ægyptiaca. s.s.	(*ye.*)	Egyptian.	Egypt.	1771.	7.	H.⊙.	
61	silenifòlia. Lk.	(*ye.*)	Silene-leaved.	Portugal.	1820.	7. 9.	H.⊙.	
62	genistifòlia. s.s.	(*ye.*)	Broom-leaved.	Austria.	1704.	7. 8.	H.ɣ.	Flor. græc. t. 596.
63	linifòlia. s.s.	(*ye.*)	flax-leaved.	Italy.	1824.	——	H.ɣ.	
64	vulgàris. s.s.	(*ye.*)	common.	Britain.	....	6. 9.	H.ɣ.	Eng. bot. v. 10. t. 658.
	Antirrhìnum Linària. E.B.							
	β Pelòria.	(*ye.*)	*regular-flowered.*	———	....	——	H.ɣ.	Eng. bot. v. 4. t. 260.
65	Lœsèlii. s.s.	(*ye.bl.*)	Loesel's.	Russia.	1824.	——	H.⊙.	
66	odòra. M.B.	(*ye.bl.*)	sweet-scented.	Caucasus.	1827.	——	H.⊙.	
67	stricta. s.s.	(*ye.*)	upright.	Levant.	1829.	——	H.⊙.	Flor. græc. t. 594.
68	júncea. s.s.	(*ye.*)	rush-stalked.	Spain.	1780.	7. 8.	H.⊙.	
69	canadénsis. s.s.	(*vi.*)	Canadian.	N. America.	1812.	6. 8.	H.⊙.	Venten. cels. t. 49.
70	acutifòlia. F.	(*ye.bl.*)	sharp-leaved.	Levant.	1826.	——	H.⊙.	
71	fasciculàta. Ot.	(*ye.*)	clustered.	.....	1829.	——	H.⊙.	

SCROPHULA'RIA. L. FIGWORT. Didynamia Angiospermia. L.

1	marilándica. s.s.	(*g.br.*)	Maryland.	N. America.	1759.	5. 7.	H.ɣ.	
2	peregrìna. s.s.	(*pu.*)	Nettle-leaved.	Italy.	1640.	6. 8.	H.♂.	Flor. græc. t. 597.
3	nodòsa. s.s.	(*d.pu.*)	knotty-rooted.	Britain.	....	5. 7.	H.ɣ.	Eng. bot. v. 22. t. 1544.
4	aquàtica. s.s.	(*d.pu.*)	water.	———	....	——	H.ɣ.	——— v. 12. t. 854.
5	glabràta. s.s.	(*pu.ye.*)	spear-leaved.	Canaries.	1779.	4. 5.	G.♂.	Jacq. schœn. 2. t. 209.
6	biserràta. s.s.	(*pu.ye.*)	double-serrate.	.....	1816.	5. 7.	H.ɣ.	
7	argùta. s.s.	(*re.*)	slender upright.	Canaries.	1778.	——	H.⊙.	
8	vernàlis. s.s.	(*ye.*)	yellow.	Britain.	....	3. 5.	H.♂.	Eng. bot. v. 8. t. 567.

9	Smíthii. L.en.	(*br.ye.*)	Smith's.	Canaries.	1815.	4. 8.	G. ♃.	
10	glandulòsa. s.s.	(*br.ye.*)	glandular.	Hungary.	1806.	6. 9.	H. ♃.	W. et K. hung. t. 214.
11	rugòsa. W.K.	(*br.ye.*)	rugged.	———	1816.	——	H. ♃.	
12	Scopòlii. P.S.	(*br.ye.*)	Scopoli's.	Germany.	——	——	H. ♃.	Scop. carn. 2. t. 32.
13	Scorodònia. s.s.	(*pu.*)	balm-leaved.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 31. t. 2209.
14	grandidentàta. T.S.	(*pu.*)	great-toothed.	Italy.	1829.	6. 8.	H. ♃.	
15	altàica. s.s.	(*st.*)	white-flowered.	Siberia.	1786.	5. 6.	H. ♃.	Mur. com. got. 4. t. 2.
16	betonicæfòlia. s.s.	(*pu.*)	Betony-leaved.	Spain.	1752.	6. 8.	H. ♃.	Barrel. ic. 274.
17	hirsùta. L.en.	(*pu.ye.*)	hairy.	S. Europe.	1822.	——	H. ♃.	
18	appendiculàta. s.s.	(*pu.*)	heart-leaved.	Morocco.	1805.	7.	H. ♃.	
19	Balbísii. s.s.	(*pu.ye.*)	Balbis's.	Italy.	1823.	6. 8.	H. ♃.	
20	auriculàta. s.s.	(*br.ye.*)	ear-leaved.	Spain.	1772.	7. 8.	H. ♃.	Lobel. ic. 533.
21	micrántha. s.s.	(*pu.*)	small-flowered.	Levant.	1828.	——	H. ♃.	
22	heterophy'lla. s.s.	(*pu.ye.*)	various-leaved.	———	1827.	——	G. ♄.	
23	trifoliàta. s.s.	(*ye.br.*)	three-leaved.	Africa.	1731.	5. 9.	H. ♂.	Jacq. schœn. 3. t. 286.
24	laciniàta. W.K.	(*br.ye.*)	jag-leaved.	Hungary.	1806.	7.	H. ♃.	W. et K. hung. 2. t. 176.
25	verbenæfòlia. Poir.	(*br.ye.*)	Vervain-leav'd.	.....	1816.	7. 8.	H. ♃.	
26	c'æsia. s.s.	(*ye.br.*)	grey.	Levant.	1828.	——	F. ♂.	
27	adscéndens. W.en.	(*br.ye.*)	ascending.	.....	1816.	——	H. ♃.	
28	variegàta. s.s.	(*pu.ye.*)	variegated.	Caucasus.	——	——	H. ♃.	
29	ebulifòlia. s.s.	(*ye.pu.*)	Elder-leaved.	———	1824.	——	H. ♃.	
30	grandiflòra. DC.	(*br.ye.*)	large-flowered.	.....	1816.	——	H. ♃.	
31	frutéscens. s.s.	(*br.ye.*)	shrubby.	Portugal.	1768.	6. 8.	F. ♄.	Herm. lugd. t. 547.
32	rupéstris. s.s.	(*br.ye.*)	rock.	Tauria.	1826.	6. 9.	H. ♃.	
33	orientàlis. s.s.	(*br.ye.*)	oriental.	Levant.	1710.	7. 8.	H. ♃.	Schk. hand. 2. t. 173.
34	melissæfòlia. s.s.	(*br.ye.*)	balm-like.	———	1823.	——	H. ♃.	
35	lanceolàta. s.s.	(*st.*)	spear-leaved.	Pensylvania.	1826.	——	H. ♃.	
36	cretàcea. s.s.	(*ye.*)	narrow-leaved.	Siberia.	1828.	——	H. ♃.	
37	lyràta. s.s.	(*br.pu.*)	lyrate-leaved.	Portugal.	1816.	——	H. ♃.	W. hort. ber. 1. t. 56.
38	mellífera. s.s.	(*br.pu.*)	honey-bearing.	Barbary.	1786.	——	H. ♃.	Desf. atl. 2. t. 143.
39	sambucifòlia. s.s.	(*br.g.*)	Elder-like.	Spain.	1640.	7. 9.	H. ♃.	Mill. ic. 2. t. 231.
40	híspida. s.s.	(*br.ye.*)	hispid.	Levant.	1820.	——	H. ♃.	
41	tanacetifòlia. s.s.	(*br.ye.*)	Tansy-leaved.	Tauria.	1804.	——	H. ♃.	W. hort. ber. 1. t. 56.
42	canìna. s.s.	(*or.re.*)	wing-leaved.	S. Europe.	1683.	6. 8.	H. ♂.	Flor. græc. t. 596.
43	chrysanthemifòlia.	(*br.pu.*)	Chrysanthemum-ld.	Tauria.	1816.	——	H. ♃.	W. hort. ber. 1. t. 59.
44	lùcida. s.s.	(*br.ye.*)	shining-leaved.	Levant.	1596.	——	H. ♃.	——— 1. t. 57.
45	filicifòlia. s.s.	(*d.pu.*)	Fern-leaved.	Crete.	....	——	H. ♃.	Flor. græc. t. 600.
46	multífida. s.s.	(*br.ye.*)	multifid-leaved.	.....	1816.	——	H. ♃.	W. hort. ber. 1. t. 58.
47	glaùca. F.G.	(*pu.*)	glaucous.	Greece.	1827.	——	H. ♃.	Flor. græc. t. 599.
48	pubéscens. F.	(*pu.*)	pubescent.	.....	——	——	H. ♃.	
49	pállida. F.	(*pa.*)	pale-flowered.	Iberia.	——	——	H. ♃.	
50	obtusifòlia. F.	(*pu.*)	blunt-leaved.	Hungary.	1821.	——	H. ♃.	
DIGITALIS. S.S.			FOXGLOVE.	Didynamia Angiospermia. L.				
1	Scéptrum. s.s.	(*or.*)	Madeira shrubby.	Madeira.	1777.	7. 8.	G. ♄.	Sm. exot. bot. 2. t. 73.
2	canariénsis. s.s.	(*ye.*)	Canary.	Canaries.	1698.	6. 7.	G. ♄.	Bot. reg. t. 48.
3	obscùra. s.s.	(*or.*)	Willow-leaved.	Spain.	1778.	7. 8.	H. ♃.	Lind. digit. t. 26.
4	lùtea. s.s.	(*st.*)	small yellow.	France.	1629.	——	H. ♃.	—— ——— t. 28.
5	hy'brida. Sv.	(*pi.wh.*)	hybrid.	Hybrid.	....	——	H. ♃.	Salv. nou. bull. 3. 337. t. 6.
	lùtea γ Lind. digit. t. 25.							
6	fucàta. P.S.	(*pu.*)	painted.	———	....	——	H. ♃.	
	lùtea δ. Lindl. digit. t. 24.							
7	mèdia. s.s.	(*ye.*)	middle yellow.	Germany.	1816.	——	H. ♃.	
8	micrántha. s.s.	(*st.*)	small-blossom'd.	Switzerland.	1824.	——	H. ♃.	Elm. mon. 46. t. 2.
9	tubiflòra. L.D.	(*st.*)	tube-flowered.	S. Europe.	1816.	——	H. ♃.	Lind. digit. t. 22.
10	lutéscens. L.D.	(*st.*)	pale yellow.	———	——	——	H. ♃.	——— t. 21.
11	purpuráscens. s.s.	(*pi.*)	blush-flowered.	Italy.	1776.	——	H. ♃.	——— t. 20.
	erubéscens. H.K.							
12	rígida. L.D.	(*pu.ye.*)	rigid.	S. Europe.	1824.	——	H. ♃.	Lind. digit. t. 19.
13	viridiflòra. L.D.	(*gr.*)	green-flowered.	Levant.	1827.	——	H. ♃.	——— t. 18.
14	parviflòra. s.s.	(*pu.*)	small-flowered.	.....	1798.	6. 8.	H. ♃.	——— t. 17.
15	laciniàta. B.R.	(*ye.*)	cut-leaved.	Malaga.	1826.	——	H. ♃.	Bot. reg. t. 1201.
16	orientàlis. s.s.	(*li.wh.*)	oriental.	Levant.	1818.	7. 8.	H. ♃.	——— t. 554.
17	lanàta. s.s.	(*wh.br.*)	woolly.	Hungary.	1789.	6. 7.	H. ♃.	Swt. br. fl. gar. t. 291.
18	leucoph'æa. s.s.	(*wh.br.*)	broad-lipped.	Greece.	1788.	6. 10.	H. ♃.	Lind. digit. t. 14.
19	aùrea. s.s.	(*or.*)	golden.	———	1815.	7. 8.	H. ♃.	——— t. 18.
20	ferruginea. s.s.	(*br.*)	iron-coloured.	Italy.	1597.	——	H. ♃.	——— t. 13.
21	sibírica. L.D.	(*ye.re.*)	Siberian.	Siberia.	1820.	——	H. ♃.	——— t. 11.
22	lævigàta. s.s.	(*ye.*)	shining-leaved.	Hungary.	1810.	——	H. ♃.	——— t. 10.
23	fúlva. s.s.	(*co.*)	tawny.	S. Europe.	1820.	6. 8.	H. ♃.	——— t. 9.

24 ambígua. w.	(*ye.*)	greater yellow.	Switzerland.	1596.	7. 8.	H. ♃.	Bot. reg. t. 64.
grandiflòra. s.s.							
25 ochroleùca. s.s.	(*st.*)	sulphur-color'd.	Germany.	1816.	——	H. ♃.	Lind. digit. t. 8.
26 fuscéscens. s.s.	(*br.*)	netted-flower'd.	Hungary.	1824.	——	H. ♃.	
27 minor. s.s.	(*pu.*)	dwarf.	Spain.	1789.	6. 7.	H. ♃.	Lind. digit. t. 5. 6.
28 eriostàchya. Bes.	(*pu.*)	woolly spiked.	.....	1826.	——	H. ♃.	
29 tomentòsa. s.s.	(*pu.*)	tomentose.	Portugal.	1820.	6. 8.	H. ♃.	Bot. mag. t. 2194.
30 Thápsi. s.s.	(*pu.*)	Mullein.	Spain.	1752.	5. 8.	H. ♃.	Sm. exot. bot. 1. t. 43.
31 purpùrea. s.s.	(*pu.*)	common.	Britain.	....	6. 9.	H. ♂.	Eng. bot. v. 19. t. 1297.
β álba.	(*wh.*)	*white-flowered.*	——	....	——	H. ♂.	
CHEL'ONE. S.S.		CHEL'ONE.	Didynamia Angiospermia. L.				
1 glábra. w.	(*wh.*)	white-flowered.	N. America.	1730.	8. 10.	H. ♃.	Trew pl. select. t. 88.
2 oblíqua. w.	(*pu.*)	red-flowered.	——	1752.	——	H. ♃.	Bot. reg. t. 175.
3 Lyòni. s.s.	(*re.*)	Lyon's.	——	1812.	7. 9.	H. ♃.	Swt. br. fl. gar. t. 293.
májor. Bot. mag. t. 1864.							
4 nemorósa. D.	(*pu.*)	wood.	N. America.	1827.	7. 9.	H. ♃.	Bot. reg. t. 1211.
5 Scoulèri. D.	(*bl.*)	Scouler's.	Columbia.	——	5. 7.	H. ♃.	—— t. 1277.
6 erianthèra. N.	(*bl.*)	blue-flowered.	Louisiana.	1811.	7. 9.	F. ♃.	Bot. mag. t. 1672.
Pentstèmon glábra. B.M.							
7 barbàta. s.s.	(*sc.*)	scarlet.	Mexico.	1794.	6. 9.	H. ♃.	Bot. reg. t. 116.
8 rósea. B.F.G.	(*ro.*)	rose-coloured.	——	1825.	——	H. ♄.	Swt. br. fl. gar. t. 230.
Pentstèmon angustifólium. B.R. t. 1122. *non* Pursh.							
9 campanulàta. s.s.	(*ro.*)	bell-flowered.	Mexico.	1794.	8. 10.	F. ♄.	Bot. mag. t. 1878.
Pentstèmon campanulàta. Jacq. schœn. 3. t. 262.							
10 atropurpùrea. B.F.G.	(*d.pu.*)	dark purple.	Mexico.	1824.	——	H. ♄.	Swt. br. fl. gar. t. 235.
11 pulchélla. B.R.	(*pu.*)	pretty.	——	1825.	5. 10.	H. ♄.	Bot. reg. t. 1138.
12 lævigàta. s.s.	(*pi.*)	smooth.	N. America.	1776.	7. 9.	H. ♃.	Bot. mag. t. 1425.
13 hirsùta. s.s.	(*bl.pi.*)	narrow-ld hairy.	——	1758.	——	H. ♃.	Moris. s. 11. t. 21. f. 3.
14 pubéscens.	(*bl.pu.*)	broad-ld hairy.	——	——	——	H. ♃.	Bot. mag. t. 1424.
Pentstèmon pubéscens. B.M.							
15 grácilis. N.	(*li.*)	slender.	——	1825.	——	H. ♃.	Bot. mag. t. 2945.
16 glaùca. D.	(*li.*)	glaucous.	——	1827.	7. 9.	H. ♃.	Bot. reg. t. 1286.
17 digitàlis. B.F.G.	(*wh.*)	foxglove-flower'd.	Arkansa.	1824.	6. 8.	H. ♃.	Swt. br. fl. gar. t. 120.
Pentstèmon digitàlis. Bot. mag. t. 2587.							
18 cristàta. s.s.	(*vi.*)	crested.	Louisiana.	1811.	7. 9.	F. ♃.	
19 cœrùlea. s.s.	(*bl.*)	slender blue.	——	——	——	F. ♃.	
Pentstèmon angustifólium. Ph. *non* K.s.							
20 grandiflòra. s.s.	(*pi.wh.*)	great-flowered.	——	——	——	F. ♃.	
21 álbida. s.s.	(*wh.*)	dwarf.	——	——	——	F. ♃.	
22 diffùsa. D.	(*pu.*)	spreading.	Columbia.	1827.	6. 10.	H. ♃.	Bot. reg. t. 1132.
23 ovàta. D.	(*bl.pu.*)	oval-leaved.	N. America.	——	6. 8.	H. ♃.	Bot. mag. t. 2003.
24 venústa. D.	(*pu.*)	handsome.	——	——	7. 9.	H. ♃.	Bot. reg. t. 1309.
25 deústa. D.	(*pu.*)	blasted.	——	——	——	H. ♃.	
26 decussàta. D.	(*pu.*)	cross-leaved.	——	——	——	H. ♃.	
27 glandulòsa. D.	(*pu.*)	glandular.	——	——	——	H. ♃.	Bot. reg. t. 1262.
28 acuminàta. D.	(*pu.*)	pointed-leaved.	——	——	6. 8.	H. ♃.	—— t. 1285.
29 Richardsòni. D.	(*pu.*)	Richardson's.	——	——	7. 10.	H. ♃.	—— t. 1121.
30 attenuàta. D.	(*st.*)	taper-pointed.	——	——	7. 9.	H. ♃.	—— t. 1295.
31 confèrta. D.	(*st.*)	crowded-flower'd.	Columbia.	——	——	H. ♃.	—— t. 1260.
32 pruinòsa. D.	(*bl.*)	blue-leaved.	N. America.	——	6. 8.	H. ♃.	—— t. 1280.
33 pròcera. D.	(*vi.*)	tall.	——	——	——	H. ♃.	Bot. mag. t. 2954.
34 speciósa. D.	(*bl.*)	beautiful.	——	——	6. 9.	H. ♃.	Bot. reg. t. 1270.
35 triphy'lla. D.	(*li.*)	three-leaved.	——	——	7. 9.	H. ♃.	—— t. 1245.
36 serrulàta. D.	(*pu.*)	saw-leaved.	——	——	——	H. ♃.	
37 suffruticòsa. D.	(*pu.*)	suffrutescent.	——	——	——	H. ♄.	
HERPE'STIS. G.		HERPE'STIS.	Didynamia Angiospermia. S.S.				
1 stricta. s.s.	(*bl.*)	upright.	Brazil.	1823.	6. 8.	S. ♃.	
2 Monnièria. K.s.	(*wh.*)	thyme-leaved.	S. America.	1772.	7. 9.	S. ♃.	Ehret. pict. t. 14. f. 2.
3 portulacàcea. B.M.	(*w.*)	Purslane-leaved.	——	1823.	——	S. ♃.	Bot. mag. t. 2557.
4 cuneifólia. Ph.	(*bl.*)	wedge-leaved.	N. America.	1812.	8. 9.	H. ♃.	
5 amplexicaùlis. s.s.	(*bl.*)	stem-clasping.	Carolina.	1822.	6. 8.	H. ♃.	
6 micrántha. Ph.	(*wh.*)	small-flowered.	N. America.	1827.	7. 8.	H. ⊙.	
7 semiserràta. Ot.	(*wh.*)	semiserrate.	Mexico.	1824.	——	G. ♃.	
8 chrysántha. Ot.	(*ye.*)	yellow-flowered.	——	1829.	——	G. ♃.	
MAZUS. B.P.		MA'ZUS.	Didynamia Angiospermia. S.S.				
rugòsus. B.P.	(*wh.*)	China.	China.	1780.	5. 10.	H. ⊙.	Swt. br. fl. gar. t. 36.
Lindérnia japónica. Th. *Hornemánnia bicolor.* W.en.							
TOR'ENIA. B.P.		TOR'ENIA.	Didynamia Angiospermia. S.S.				
1 ovàta.	(*wh.*)	oval-leaved.	Manila.	1823.	5. 10.	H. ⊙.	Pl. sel. hort. ber. t. 9.
Hornemánnia ovàta. L.en. *Tittmánnia ovàta.* s.s.							

2 viscòsa.	(*wh.*)	viscous.	E. Indies.	1823.	5. 10.	S.☉.		
Hornemánnia viscòsa. W.en. *Tittmánnia viscòsa.* S.S.								
LINDE'RNIA. B.P.		LINDE'RNIA.	Didynamia Angiospermia. L.					
Pyxidària. W.	(*pu.*)	European.	S. Europe.	1789.	6. 8.	H.☉.	Lam. ill. t. 522.	
MI'MULUS. L.		MONKEY-FLOWER.	Didynamia Angiospermia. L.					
1 glutinòsus. S.S.	(*ye.*)	orange-colored.	California.	1794.	1. 12.	G.♄.	Bot. mag. t. 354.	
2 ríngens. S.S.	(*li.*)	gaping.	N. America.	1759.	7. 8.	H.♃.	——— t. 283.	
3 alàtus. S.S.	(*li.*)	oval-leaved.	———	1783.	——	H.♃.		
4 guttàtus. DC.	(*ye.*)	spotted-flowered.	America.	1812.	6. 9.	F.♃.	Bot. mag. t. 1501.	
lùteus. B.M. *non* L.								
5 lùteus. B.R.	(*ye.*)	yellow-flower'd.	Chile.	1825.	——	H.♃.	Feuill. peruv. 2. t. 34.	
β rivulàris. B.R.	(*ye.pu.*)	*dark-spotted.*	Columbia.	———	——	H.♃.	Bot. reg. t. 1080.	
6 floribúndus. B.R.	(*ye.*)	many-flowered.	———	1826.	8. 10.	H.☉.	——— t. 1125.	
7 moschàtus. B.R.	(*ye.*)	musk-scented.	———	———	7. 10.	H.♃.	——— t. 1118.	
8 parviflòrus. B.R.	(*st.*)	small-flowered.	Mexico.	1824.	6. 9.	H.☉.	——— t. 874.	
BROWA'LLIA. L.		BROWA'LLIA.	Didynamia Angiospermia. L.					
1 elàta. W.	(*bl.wh.*)	upright.	Peru.	1768.	6. 9.	G.☉.	Bot. mag. t. 34.	
2 demíssa. W.	(*bl.wh.*)	spreading.	S. America.	1735.	——	G.☉.	——— t. 1196.	
ANGEL'ONIA. K.S.		ANGEL'ONIA.	Didynamia Angiospermia. L.					
salicariæfòlia. K.S.	(*bl.*)	Salicaria-leav'd.	S. America.	1818.	7. 10.	S.♄.	Bot. reg. t. 415.	
ALONS'OA. R.P.		ALONS'OA.	Didynamia Angiospermia. H.K.					
1 incisifòlia. R.P.	(*sc.*)	Nettle-leaved.	Chile.	1795.	5. 10.	G.♄.	Bot. mag. t. 417.	
Célsia urticæfòlia. B.M. *Hemímeris urticæfòlia.* W.								
2 acutifòlia. R.P.	(*sc.*)	acute-leaved.	Peru.	1790.	——	G.♄.		
3 intermèdia. B.C.	(*or.*)	intermediate.	———	....	——	G.♄.	Lodd. bot. cab. t. 1456.	
4 lineàris. H.K.	(*sc.*)	linear-leaved.	———	1790.	——	G.♄.	Bot. mag. t. 210.	
5 caulialàta. R.P.	(*sc.*)	wing-stemmed.	Chile.	1823.	5. 10.	G.♄.		
DIA'SCIA. L.en.		DIA'SCIA.	Didynamia Angiospermia. S.S.					
Bergiàna. L.en.	(*re.*)	Bergius's.	C. B. S.	1816.	7. 10.	H.☉.	Pluk. phyt. 320. f. 5.	
Hemímeris diffùsa. W.								
VANDE'LLIA. S.S.		VANDE'LLIA.	Didynamia Angiospermia. L.					
diffùsa. S.S.	(*wh.*)	spreading.	S. America.	1824.	7. 9.	S.☉.	Marc. bras. 1. c. 15. f. 1.	
LIMOSE'LLA. L.		MUDWORT.	Didynamia Angiospermia. L.					
aquática. L.	(*fl.*)	water.	Britain.	....	7. 9.	H.☉.	Eng. bot. v. 5. t. 357.	
DISA'NDRA. L.		DISA'NDRA.	Heptandria Monogynia. L.					
prostràta. L.	(*ye.*)	trailing.	Madeira.	1771.	5. 8.	G.♃.	Bot. mag. t. 218.	
SIBTHO'RPIA. L.		SIBTHO'RPIA.	Didynamia Angiospermia. L.					
europ'æa. L.	(*wh.*)	Cornish money-wort.	England.	....	7. 8.	H.♃.	Eng. bot. v. 10. t. 619.	
ER'INUS. S.S.		ER'INUS.	Didynamia Angiospermia. L.					
1 Lychnidèa. S.S.	(*wh.pu.*)	Phlox-flower'd.	C. B. S.	1821.	3. 10.	G.♄.	Bot. reg. t. 748.	
2 frágrans. H.K.	(*wh.pu.*)	fragrant.	———	1776.	5. 6.	G.♄.	Burm. afr. t. 49. f. 4.	
3 alpinus. P.S.	(*pu.*)	smooth-leaved.	Pyrenees.	1739.	3. 4.	H.♃.	Bot. mag. t. 310.	
4 hispánicus. P.S.	(*pu.*)	hairy-leaved.	Spain.	———	——	H.♃.		
MAN'ULEA. S.S.		MAN'ULEA.	Didynamia Angiospermia. L.					
1 viscòsa. S.S.	(*re.*)	clammy.	C. B. S.	1774.	6. 11.	G.♄.	Bot. mag. t. 217.	
Buchnèra viscòsa. B.M.								
2 tomentòsa. S.S.	(*or.*)	tomentose.	———	1774.	5. 12.	G.♄.	Bot. mag. t. 322.	
3 angustifòlia. L.en.	(*or.*)	narrow-leaved.	———	1822.	——	G.♄.	Pl. sel. hort. ber. t. 20.	
4 rhynchántha. S.S.	(*or.*)	wedge-leaved.	———	1816.	6. 9.	G.♄.		
5 oppositifòlia. V.	(*wh.*)	opposite-leaved.	———	....	5. 12.	G.♄.	Vent. malm. t. 15.	
6 villòsa. P.S.	(*wh.*)	villous.	———	1783.	6. 7.	G.☉.	Burm. afr. t. 50. f. 2.	
Buchnèra capénsis. W.								
7 cœrùlea. S.S.	(*bl.*)	blue-flowered.	———	1822.	——	G.♄.		
8 rùbra. S.S.	(*re.*)	red.	———	1790.	4. 9.	G.♄.		
9 Cheiránthus. S.S.	(*ye.*)	Wallflower-like.	———	1795.	6. 8.	G.♂.	Comm. hort. 2. t. 43.	
10 argéntea. S.S.	(*wh.*)	silvery.	———	1801.	7. 11.	G.☉.		
11 pedunculàta. P.S.	(*wh.*)	solitary-flower'd.	———	1790.	6. 11.	G.♄.	Andr. reposit. t. 84.	
12 f'œtida. S.S.	(*wh.*)	stinking.	———	1794.	6. 9.	G.☉.	——— t. 89.	
Buchnèra f'œtida. A.R.								
13 violàcea. S.S.	(*vi.*)	violet-flowered.	———	1816.	——	G.♄.		
14 cordàta. S.S.	(*wh.*)	trailing heart-ld.	———	———	——	G.♃.		
BUCHN'ERA. S.S.		BUCHN'ERA.	Didynamia Angiospermia. L.					
americàna. S.S.	(*bl.*)	American.	N. America.	1733.	6. 8.	H.♃.		
EUPHR'ASIA. W.		EYE-BRIGHT.	Didynamia Angiospermia. L.					
1 linifòlia. S.S.	(*li.*)	flax-leaved.	S. France.	1823.	7. 9.	H.☉.		
2 lùtea. S.S.	(*ye.*)	yellow.	S. Europe.	1816.	——	H.☉.	Jacq. aust. t. 306.	
3 alpina. S.S.	(*pu.*)	Alpine.	———	1823.	——	H.☉.		
4 latifòlia. S.S.	(*re.*)	broad-leaved.	———	1826.	——	H.☉.	Magn. monsp. t. 94.	
5 minima. P.S.	(*wh.pu.*)	least.	Switzerland.	1823.	——	H.☉.		

6	tricuspidàta. s.s.	(*w.pu.*)	three-pointed.	Italy.	1823.	6. 9.	H.⊙.	Pluk. alm. t. 177. f. 1.
7	officinàlis. s.s.	(*wh.pu.*)	common.	Britain.	....	7. 9.	H.⊙.	Eng. bot. v. 20. t. 1416.
BA'RTSIA. S.S.			Ba'rtsia.	Didynamia Angiospermia. L.				
1	viscòsa. s.s.	(*ye.*)	yellow viscid.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 15. t. 1045.
2	alpina. s.s.	(*vi.*)	Alpine.	———	....	———	H.⊙.	——— v. 6. t. 361.
3	Odontites. s.s.	(*re.*)	red-flowered.	———	....	7. 9.	H.⊙.	——— v. 20. t. 1415.
4	Trixàgo. s.s.	(*ye.*)	simple-stalked.	S. Europe.	1820.	———	H.⊙.	Flor. græc. t. 585.
	Trixàgo rhinanthìna. L.enum.							
5	latifòlia. F.G.	(*re.wh.*)	broad-leaved.	Greece.	1827.	6. 9.	H.⊙.	Flor. græc. v. 5. t. 586.
CASTILLE'JA. S.S.			Castille'ja.	Didynamia Angiosperma. S.S.				
1	integrifòlia. s.s.	(*wh.*)	entire-leaved.	S. America.	1825.	....	G.♄.	Sm. ic. ined. t. 39.
2	tolucénsis. s.s.	(*wh.*)	procumbent.	Mexico.	———	....	G.♄.	
3	septentrionàlis. B.R.	(*si.*)	northern.	N. America.	1824.	7. 8.	H.⊙.	Bot. reg. t. 925.
4	pállida. s.s.	(*si.*)	pale-flowered.	Siberia.	1782.	6. 9.	H.♃.	Gmel. sib. 3. t. 42.
	Bártsia pállida. W.							
5	coccínea. s.s.	(*or.*)	vermilion.	N. America.	1787.	7. 9.	H.⊙.	Bot. reg. t. 1136.
	Bártsia coccínea. W. *Euchròma coccínea.* N.							
6	sessiliflòra. Ph.	(*bh.*)	sessile-flowered.	Louisiana.	1811.	7. 8.	H.♃.	
	grandiflòra s.s. *Euchròma grandiflòrum.* N.							
RHINA'NTHUS. W.			Yellow Rattle.	Didynamia Angiospermia. L.				
1	Crista-gálli. W.	(*ye.*)	Cock's-comb.	Britain.	....	6. 8.	H.⊙.	Eng. bot. v. 10. t. 657.
2	májor. E.F.	(*ye.*)	larger.	England.	....	———	H.⊙.	
3	Alecterolòphus. L.en.		villous.	Germany.	1816.	———	H.⊙.	Bull. herb. t. 125.
	villòsus. P.S.							
MELAMP'YRUM. S.S.			Cow-wheat.	Didynamia Angiospermia. L.				
1	cristàtum. E.B.	(*ye.pu.*)	crested.	England.	....	7. 8.	H.⊙.	Eng. bot. v. 1. t. 41.
2	arvénse. E.B.	(*ye.pu.*)	corn-field.	———	....	6. 7.	H.⊙.	——— v. 1. t. 53.
3	nemoròsum. s.s.	(*ye.*)	coloured-bracted.	Europe.	1823.	———	H.⊙.	Flor. dan. t. 305.
4	praténse. E.B.	(*ye.*)	common.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 2. t. 113.
5	sylváticum. E.B.	(*co.*)	wood.	———	....	———	H.⊙.	——— v. 12. t. 804.
PEDICUL'ARIS. S.S.			Lousewort.	Didynamia Angiospermia. L.				
1	incarnàta. s.s.	(*fl.*)	flesh-coloured.	Austria.	1796.	6. 7.	H.♃.	Jacq. aust. 2. t. 140.
2	rostràta. s.s.	(*pu.*)	beaked.	S. Europe.	1823.	———	H.♃.	——— t. 205.
3	tuberòsa. s.s.	(*ye.*)	tuberous.	Switzerland.	1799.	7. 8.	H.♃.	Hall. helv. n. 323. t. 10.
4	ascéndens. Schl.	(*ye.*)	ascending.	———	1825.	———	H.♃.	
5	gyroflexa. s.s.	(*pu.*)	bending.	———	———	———	H.♃.	Vill. delph. 2. t. 9.
6	atrorùbens. DC.	(*d.re.*)	dark-red.	———	———	———	H.♃.	
7	aspleniifòlia. P.S.	(*pu.*)	Fern-leaved.	———	1828.	———	H.♃.	Willd. bot. zeit. c. ic.
8	uncinàta. s.s.	(*fl.ye.*)	hooked-flowered.	Siberia.	1815.	———	H.♃.	Gmel. sib. 3. t. 45.
9	compácta. s.s.	(*ye.*)	close-headed.	———	———	———	H.♃.	
10	resupinàta. s.s.	(*pu.*)	resupinate.	———	1816.	5. 7.	H.♃.	Gmel. sib. 3. t. 44.
11	palústris. E.B.	(*pu.*)	marsh.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 6. t. 399.
12	euphrasioídes. s.s.	(*ye.re.*)	eyebright-leaved.	Siberia.	1816.	———	H.♃.	Gmel. sib. 3. t. 43.
13	striàta. s.s.	(*ye.cr.*)	stripe-flowered.	Dahuria.	1826.	———	H.♃.	Pall.it.3.a.n.98.t.R.f.2.
14	canadénsis. s.s.	(*ye.*)	Canadian.	N. America.	1800.	7. 8.	H.♃.	Swt. br. fl. gar. t. 37.
15	sylvática. E.B.	(*ro.*)	common.	Britain.	....	5. 7.	H.♃.	Eng. bot. v. 6. t. 400.
16	myriophy'lla. s.s.	(*ye.*)	Milfoil-leaved.	Dahuria.	1816.	———	H.♃.	Pall. it. 3. ap. t. 8. f. 1.
17	rùbens. s.s.	(*pu.*)	red-flowered.	———	1827.	———	H.⊙.	
18	sudética. s.s.	(*pu.*)	Swedish.	N. Europe.	———	———	H.♃.	
19	flámmea. s.s.	(*ye.sc.*)	upright.	———	1775.	7.	H.♃.	Hall. helv. t. 8. f. 3.
20	Oèderi. s.s.	(*ye.*)	Oeder's.	———	1827.	———	H.♃.	
21	versícolor. s.s.	(*ye.br.*)	various-coloured.	Switzerland.	1825.	7. 8.	H.♃.	
22	achillæfòlia. s.s.	(*ye.*)	Milfoil-leaved.	Siberia.	1827.	———	H.♃.	
23	comòsa. s.s.	(*ye.*)	spiked.	Italy.	1775.	———	H.♃.	All. ped. 1. t. 4. f. 1.
24	pállida. s.s.	(*st.*)	pale yellow.	N. America.	1826.	———	H.♃.	
25	spicàta. s.s.	(*pu.*)	spike-flowered.	Dahuria.	1827.	———	H.♃.	Pall.it.3.a.n.100.t.8.f.2.
26	Scéptrum. s.s.	(*ye.cr.*)	sceptred.	Sweden.	1793.	———	H.♃.	Flor. dan. t. 26.
27	flàva. s.s.	(*ye.*)	yellow.	Siberia.	1828.	———	H.♃.	Pall.it.3.a.n.97.t.R.f.1.
28	recutìta. s.s.	(*pu.*)	jagged-leaved.	Austria.	1787.	———	H.♃.	Jacq. aust. 3. t. 258.
29	foliòsa. s.s.	(*ye.*)	leafy.	———	1786.	———	H.♃.	——— 2. t. 139.
30	verticillàta. s.s.	(*pu.*)	whorled.	———	1790.	5. 6.	H.♃.	——— 3. t. 206.
31	proboscídea. s.s.	....	proboscis-flower'd.	Siberia.	1827.	....	H.♃.	
32	élegans. Led.	(*pu.*)	elegant.	———	———	6. 8.	H.♃.	
33	speciòsa. Led.	(*pu.*)	beautiful.	———	———	———	H.♃.	
34	elàta. s.s.	(*pu.*)	lofty.	———	1826.	———	H.⊙.	
35	exaltàta. Led.	(*pu.*)	tall.	———	1827.	———	H.♃.	
36	rósea. s.s.	(*ro.*)	rose-coloured.	S. Europe.	1825.	7. 8.	H.♃.	Jacq. ic. 1. t. 115.
PERA'RDIA. S.S.			Gera'rdia.	Didynamia Angiospermia.				
1	delphinifòlia. s.s.	(*ro.*)	Larkspur-leav'd.	E. Indies.	1800.	6. 7.	S.♃.	Roxb. corom. 1. t. 90.

2 purpùrea. s.s.	(*pu.*)	purple.	N. America.	1772.	7. 8.	H. ♂.	Bot. mag. t. 2048.
3 tenuifòlia. s.s.	(*pu.*)	slender-leaved.	———	1812.	——	H. ♂.	Bart. fl. amer. 3. t. 82.
4 marítima. s.s.	(*li.*)	sea-side.	———	1823.	——	H. ♂.	
5 flàva. s.s.	(*ye.*)	yellow.	———	1796.	——	H. ♃.	Pluk. amal. t. 389. f. 3.
6 quercifòlia. s.s.	(*ye.*)	oak-leaved.	———	1812.	——	H. ♃.	Pursh amer. 1. t. 19.
7 Pediculària. s.s.	(*ye.*)	variable.	———	1826.	6. 8.	H. ♂.	Lam. ill. t. 529. f. 2.
SEYM'ERIA. S.S.		SEYM'ERIA.	Didynamia Angiospermia. S.S.				
1 tenuifòlia. s.s.	(*ye.*)	slender-leaved.	Carolina.	....	7. 9.	H. ☉.	
Afzèlia cassioìdes. Gmel. *Gerárdia Afzèlia.* M.							
2 pectinàta. s.s.	(*ye.*)	pectinated.	Carolina.	....	——	H. ☉.	

Sect. II. *STAMINA* (2) *ANTHERIFERA.*

CALCEOL'ARIA. R.S.		SLIPPERWORT.	Diandria Monogynia. L.				
1 Fothergìllii. R.S.	(*pu.*)	Fothergill's.	Falkland. Isl.	1777.	5. 8.	G. ♃.	Bot. mag. t. 348.
2 plantagínea. R.S.	(*ye.*)	Plantain-leaved.	Chile.	1826.	6. 9.	F. ♃.	——— t. 2805.
3 corymbòsa. R.S.	(*ye.*)	corymb-flower'd.	———	1823.	4. 8.	G. ♃.	Bot. reg. t. 723.
4 arachnoìdea. B.M.	(*pu.*)	cobweb.	———	1827.	6. 10.	F. ♃.	Bot. mag. t. 2874.
5 purpùrea. B.M.	(*pu.*)	purple-flowered.	———	1826.	——	F. ♃.	——— t. 2775.
6 petioolàris. R.S.	(*ye.*)	much branched.	———	1827.	6. 9.	G. ♃.	Bot. reg. t. 1214.
floribùnda. B.R. *connàta.* Bot. mag. t. 2876.							
7 ascéndens. B.R.	(*ye.*)	ascending.	———	1826.	——	G. ♄.	Bot. reg. t. 1215.
8 polifòlia. B.M.	(*ye.*)	white-leaved.	———	——	——	G. ♃.	Bot. mag. t. 2897.
9 rugòsa. R.P.	(*ye.*)	rugged-leaved.	———	1823.	6. 8.	G. ♄.	Hook. ex. flor. t. 99.
crenàta. Bot. reg. t. 790.							
10 integrifòlia. R.P.	(*ye.*)	entire-leaved.	———	——	——	G. ♄.	Bot. reg. t. 744.
rugòsa. Bot. mag. t. 2523.							
11 angustifòlia.	(*ye.*)	narrow-leaved.	———	1826.	——	G. ♄.	Bot. reg. t. 1063.
12 thyrsiflòra. B.M.	(*ye.*)	tufted-flowered.	———	1827.	——	G. ♄.	Bot. mag. t. 2915.
13 pinnàta. R.S.	(*st.*)	wing-leaved.	Peru.	1773.	7. 9.	H. ☉.	——— t. 41.
14 scabiosæfòlia. R.S.	(*st.*)	Scabious-leaved.	———	1823.	——	G. ♃.	——— t. 2405.
SCHIZA'NTHUS. R.P.		SCHIZA'NTHUS.	Diandria Monogynia.				
1 pinnàtus. H.E.F.	(*li.pu.*)	winged-leaved.	Chile.	1823.	7. 10.	H. ☉.	Swt. br. fl. gar. t. 63.
2 pórrigens. H.E.F.	(*wh.pu.*)	spreading.	———	——	——	H. ☉.	——— t. 76.
SCHWE'NCKIA. R.S.		SCHWE'NCKIA.	Diandria Monogynia. W.				
1 americàna. R.S.	(*vi.*)	American.	Cayenne.	1781.	8. 9.	S. ♂.	Schw. h. m. hazg. t. 1.
2 browallioìdes. K.S.	(*gr.pu.*)	Browallia-like.	Caracas.	1824.	——	S. ♃.	H. et B. n. g. am. 2. t. 181.
3 Hilariàna. DC.	(*gr.pu.*)	St. Hilaire's.	Brazil.	1826.	——	S. ☉.	DC. pl. rar. genev. t. 14.
BONNA'YA. S.S.		BONNA'YA.	Diandria Monogynia. S.S.				
1 brachiàta. s.s.	(*wh.*)	brachiate.	E. Indies.	1825.	6. 9.	H. ☉.	Pl. sel. h. ber. t. 11.
2 brachycárpa. Ot.	(*vi.*)	short-capsuled.	———	1829.	——	S. ☉.	
3 veronicæfòlia. s.s.	(*vi.*)	Speedwell-leaved.	———	1798.	——	S. ♂.	Roxb. corom. 2. t. 154.
Gratiòla veronicæfòlia. W.							
4 réptans. s.s.	(*li.*)	creeping.	———	1820.	——	S. ☉.	
GRATI'OLA. B.P.		HEDGE-HYSSOP.	Diandria Monogynia. L.				
1 latifòlia. B.P.	(*wh.*)	broad-leaved.	N. S. W.	1822.	6. 8.	G. ♃.	
2 officinàlis. R.S.	(*wh.*)	officinal.	Europe.	1568.	5. 8.	H. ♃.	Flor. dan. t. 363.
3 virgínica. R.S.	(*st.*)	Virginian.	Virginia.	1759.	8.	H. ♃.	
4 aùrea. Ph.	(*ye.*)	golden pert.	N. America.	1826.	7. 9.	H. ♃.	Lodd. bot. cab. t. 1398.
5 quadridentàta. Ph.	(*st.*)	four-toothed.	———	——	6. 8.	H. ♃.	Lam. ill. 1. t. 16. f. 2.
6 acuminàta. Ph.	(*st.*)	sharp-pointed.	———	1828.	7. 8.	H. ♃.	
7 pilòsa. Ph.	(*wh.*)	hairy.	———	1827.	——	H. ♃.	
WULF'ENIA. R.S.		WULFE'NIA.	Diandria Monogynia. R.S.				
carinthìaca. R.S.	(*bl.*)	blue-flowered.	Carinthia.	1817.	6. 9.	H. ♃.	Swt. br. fl. gar. t. 66.
PÆDER'OTA. R.S.		PÆDER'OTA.	Diandria Monogynia. L.				
1 Agèria. R.S.	(*st.*)	sulphur-coloured.	Italy.	1823.	6. 7.	H. ♃.	Jacq. vind. 2. t. 121.
2 Bonaròta. R.S.	(*vi.*)	violet-coloured.	Germany.	1826.	——	H. ♃.	Jacq. aust. 5. t. 39.
LEPTA'NDRA. N.		LEPTA'NDRA.	Diandria Monogynia. N.				
1 virgínica.	(*wh.*)	Virginian.	Virginia.	1714.	7. 9.	H. ♃.	Pluk. alm. t. 70. f. 2.
Verónica virgínica. W.							
2 incarnàta. G.D.	(*li.*)	lilac-flowered.	———	——	——	H. ♃.	
3 sibírica. N.	(*wh.*)	Siberian.	Siberia.	1779.	7. 8.	H. ♃.	Amm. ruth. 20. t. 4.
VERO'NICA. R.S.		SPEEDWELL.	Diandria Monogynia. L.				
1 foliòsa. R.S.	(*bl.*)	leafy.	Hungary.	1805.	7. 9.	H. ♃.	W. et K. hung. 2. t. 162.
2 crenulàta. R.S.	(*bl.*)	notch-flowered.	S. Europe.	1804.	——	H. ♃.	Hoff. phyt. p. 95. t. E. f. 3.
3 marítima. R.S.	(*bl.*)	sea-side.	———	1570.	——	H. ♃.	Schrad. ver. t. 1. f. 1.
4 Hóstii. R.S.	(*bl.*)	Host's.	Italy.	....	——	H. ♃.	Tabern. n. kreut. 2. f. 4.

5	spùria. R.s.	(*bl.*)	spurious.	Siberia.	1731.	7. 9. H.𝔭.	Gmel. it. 1. t. 39.
6	paniculàta. R.s.	(*bl.*)	panicled.	Tartary.	1797.	6. 7. H.𝔭.	
7	Stephaniàna. R.s.	(*bl.*)	Stephan's.	Persia.	1821.	—— H.𝔭.	
8	complicàta. R.s.	(*bl.*)	bundled.	S. Europe.	1812.	9. 10. H.𝔭.	Hoff. phyt. p. 98. t. E. f. 4.
9	azùrea. R.s.	(*bl.*)	azure.	.....	1818.	6. 9. H.𝔭.	
10	glàbra. R.s.	(*bl.*)	smooth.	S. Europe.	1804.	7. 9. H.𝔭.	Schrad. ver. p. 25. t. 1. f. 4.
	β albiflòra.	(*wh.*)	*white-flowered.*	————	——	—— H.𝔭.	
11	brachyphy'lla. R.s. *brevifòlia.* L.en.	(*bl.*)	short-leaved.	.....	1818.	—— H.𝔭.	
12	elàtior. R.s.	(*bl.*)	tall.	S. Europe.	1808.	—— H.𝔭.	
13	exaltàta.	(*bl.*)	lofty.	Siberia.	1816.	—— H.𝔭.	
14	falcàta. R.s.	(*bl.*)	falcate-leaved.	.....	1820.	6. 7. H.𝔭.	
15	acùta. R.s.	(*bl.*)	acute-leaved.	.....	——	7. 9. H.𝔭.	
16	argùta. R.s.	(*bl.*)	sharp-notched.	S. Europe.	1812.	—— H.𝔭.	Schrad. ver. n. 7. t. 2. f. 2.
17	nitens. R.s.	(*bl.*)	glossy-leaved.	.....	1816.	—— H.𝔭.	
18	longibracteàta. R.s.	(*bl.*)	long-bracted.	.....	——	—— H.𝔭.	
	β latifòlia.	(*bl.*)	*broad-leaved.*	.....	——	—— H.𝔭.	
19	mèdia. R.s.	(*bl.*)	long-spiked.	Germany.	1804.	—— H.𝔭.	Schrad. ver. n. 8. t. 1. f. 2.
20	persicifòlia. R.s.	(*bl.*)	Peach-leaved.	.....	1819.	—— H.𝔭.	
21	austràlis. R.s.	(*bl.*)	pubescent.	S. Europe.	1812.	—— H.𝔭.	Schrad. ver. n. 9. t 2. f. 3.
22	longifòlia. R.s.	(*bl.*)	long-leaved.	————	1731.	—— H.𝔭.	———— p. 26. t. 2. f. 1.
23	grósa. R.s.	(*bl.*)	stout.	S. Russia.	1827.	6. 9. H.𝔭.	
24	ambígua. R.s.	(*bl*)	ambiguous.	England.	....	—— H.𝔭.	
25	neglécta. R.s.	(*bl.*)	canescent.	Siberia.	1797.	7. 9. H.𝔭.	Swt. br. fl. gar. t. 55.
26	angustifòlia. s.s.	(*bl.*)	narrow-leaved.	————	1823.	—— H.𝔭.	
27	incàna. R.s.	(*bl.*)	hoary.	Russia.	1759.	—— H.𝔭.	Hoff. c. gott. 15. t. 6.
28	rìgens. R.s.	(*bl.*)	rigid.	.....	1824.	—— H.𝔭.	
29	élegans. R.s.	(*ro.*)	elegant.	Italy.	....	—— H.𝔭.	
30	spicàta. R.s.	(*bl.*)	spiked.	England.	....	—— H.𝔭.	Eng. bot. v. 1. t. 2.
31	Clùsii. R.s.	(*bl.*)	Clusius's.	N. Europe.	....	—— H.𝔭.	Flor. dan. t. 52.
32	menthæfòlia. R.s.	(*bl.*)	Mint-leaved.	Austria.	1818.	—— H.𝔭.	
33	Barrelíeri. R.s.	(*bl.*)	Barrelier's.	S. Europe.	....	—— H.𝔭.	Barrel. ic. t. 682.
34	orchidèa. R.s.	(*bl.*)	Orchis-like.	Europe.	....	—— H.𝔭.	
35	crassifòlia. R.s.	(*vi.*)	thick-leaved.	Hungary.	1818.	—— H.𝔭.	
36	hy'brida. R.s.	(*bl.*)	Welsh.	England.	....	—— H.𝔭.	Eng. bot. v. 10. t. 673.
37	confùsa. R.s.	(*bl.*)	confused.	.....	1819.	6. 7. H.𝔭.	
38	longiflòra. R.s.	(*li.*)	long-flowered.	.....	1823.	7. 9. H.𝔭.	
39	ruthénica. R.s.	(*bl.*)	Russian.	Russia.	——	—— H.𝔭.	
40	grándis. R.s.	(*wh.*)	large white.	Siberia.	1826.	—— H.𝔭.	
41	Pònæ. R.s.	(*bl.*)	dwarf.	Pyrenees.	1823.	—— H.𝔭.	Gouan. ill. t. 1. f. 1.
42	polystàchya. R.s.	(*bl.*)	many-spiked.	.....	1819.	—— H.𝔭.	
43	præàlta. L.c.	(*bl.*)	tall upright	.....	1817.	6. 8. H.𝔭.	
44	incarnàta. G.D.	(*pi.*)	flesh-coloured.	.....	....	—— H.𝔭.	
45	cárnea. Ræu.	(*pi.*)	pale red.	.....	....	—— H.𝔭.	
46	corymbòsa. G.D.	(*bl.*)	corymbose.	.....	1817.	6. 7. H.𝔭.	
47	melanchólica. Df.	(*bl.*)	melancholy.	.....	1820.	—— H.𝔭.	
48	leucántha. F.	(*wh.*)	white-flowered.	Siberia.	1824.	—— H.𝔭.	
49	ascéndens. R.s.	(*bl.*)	ascending.	.....	1828.	—— H.𝔭.	
50	villòsa. R.s.	(*bl.*)	villous.	S. Europe.	1800.	—— H.𝔭.	Schrad. ver. p. 13. t. 1. f. 3.
51	pinnàta. R.s.	(*bl.*)	wing-leaved.	Siberia.	1776.	6. 8. H.𝔭.	Hoff. c. gott. 15. t. 10.
52	incísa. R.s.	(*bl.*)	cut-leaved.	————	1779.	—— H.𝔭.	
53	laciniàta. R.s.	(*bl.*)	jagged-leaved.	————	1780.	—— H.𝔭.	Jung. ic. rar. C. 1. f. 2.
54	gentianoídes. F.G.	(*vi.*)	Gentian-like.	Levant.	1748.	5. 6. H.𝔭.	Flor. græc. 1. t. 5.
55	gentianifòlia. *Verónica gentianoídes.* B.M. *non* Flor. græc.	(*pa. bl.*)	Gentian-leaved.	————	——	—— H.𝔭.	Bot. mag. t. 1002.
56	pállida. R.s.	(*pa.*)	pale.	————	1816.	—— H.𝔭.	
57	bellidioídes. R.s.	(*bl.*)	Daisy-leaved.	Switzerland.	1775.	6. 7. H.𝔭.	Hall. hist. t. 15. f. 1.
58	fruticulòsa. R.s.	(*pu.*)	flesh-coloured.	Scotland.	....	6. 8. H.♄.	Eng. bot. v. 15. t. 1028.
59	saxátilis. R.s.	(*bl.*)	blue rock.	————	....	6. 7. H.𝔭.	———— v. 15. t. 1027.
60	crética. R.s.	(*bl.*)	Cretan.	Crete.	1819.	5. 6. H.𝔭.	
61	Baumgartènii. R.s.	(*pa. bl.*)	Baumgarten's.	Transylvania.	1826.	—— H.𝔭.	
62	nummulària. R.s.	(*bl.*)	moneywort.	Pyrenees.	1820.	6. 8. H.𝔭.	Gouan. ill. 1. t. 1. f. 2.
63	alpìna. R.s.	(*bl.*)	Alpine.	Scotland.	....	5. 6. H.𝔭.	Eng. bot. v. 7. t. 484.
	α acutifòlia.	(*bl.*)	*acute entire-leav'd.*	Europe.	....	—— H.𝔭.	
	β pùmila. All.	(*bl.*)	*saw-leaved.*	————	....	—— H.𝔭.	Allion. ped. t. 22. f. 5.
	γ obtusifòlia.	(*bl.*)	*blunt entire-leav'd.*	Scotland.	....	—— H.𝔭.	Eng. bot. v. 7. t. 484.
	δ integrifòlia. W.	(*bl.*)	*entire-leaved.*	Europe.	....	—— H.𝔭.	Krocker siles. t. 3.
	ε heterophy'lla.	(*bl.*)	*various-leaved.*	————	....	—— H.𝔭.	
	ζ rotundifòlia.	(*bl.*)	*round-leaved.*	————	....	—— H.𝔭.	Braun. salisb. n. 15. t. 2.

64	Wormskiòldii. R.s.	(*bl.*)	Wormskiold's.	Greenland.	1819.	5. 6.	H. ♃.	Bot. mag. t. 2975.
65	grandifòlia. R.s.	(*bl.*)	large-leaved.	Italy.	1828.	——	H. ♀.	
66	depauperàta. R.s.	(*bl.*)	few-flowered.	Hungary.	1819.	——	H. ♀.	W. et K. hung. 3. t. 245.
67	serpyllifòlia. R.s.	(*bl. fl.*)	smooth.	Britain.	....	4. 7.	H. ♀.	Eng. bot. v. 15. t. 1075.
	α ovàta.	(*bl. fl.*)	*common.*	———	....	——	H. ♀.	
	β tenélla. Schm.	(*bl.*)	*roundish-leaved.*	Europe.	....	——	H. ♀.	
	γ neglécta. Schm.	(*pa.*)	*neglected.*	———	....	——	H. ♀.	
	δ quaternàta.	(*pa. li.*)	*four-leaved.*	———	....	——	H. ♀.	
	ε nummulariæfòlia.	(*pa.*)	*moneywort-leaved.*	———	....	——	H. ♀.	
	ζ humifùsa. L.T.	(*pa.*)	*trailing.*	———	....	——	H. ♀.	
68	hirsùta. R.s. *setígera.* s.s.	(*pa.*)	bristly.	Scotland.	....	——	H. ♀.	
69	tenélla. R.s.	(*pu.*)	slender.	Pyrenees.	1820.	5. 6.	H. ♀.	Allion. ped. t. 22. f. 1.
70	microphy'lla. R.s.	(*pu.*)	small-leaved.	Hungary.	1824.	——	H. ♀.	
71	parviflòra. R.s.	(*bl.*)	small-flowered.	N. Zealand.	1822.	6. 8.	H. ♀.	
72	undulàta. R.s.	(*wh.*)	wave-leaved.	E. Indies.	1827.	——	G. ♀.	
73	decussàta. R.s.	(*wh.*)	cross-leaved.	Falkland Isl.	1776.	——	F. ♄.	Bot. mag. t. 242.
74	aphy'lla. R.s.	(*bl.*)	naked-stalked.	Italy.	1775.	5.	H. ♀.	Seguier. ver. t. 3. f. 2.
75	Beccabúnga. R.s.	(*bl.*)	brook-lime.	Britain.	....	5. 6.	H. *w.* ♀.	Eng. bot. v. 10. t. 655.
76	Anagállis. R.s.	(*pa. bl.*)	long-leaved water.	———	....	6. 8.	H. *w.* ♀.	——— v. 11. t. 781.
77	scutellàta. R.s.	(*li.*)	marsh.	———	....	——	H. *w.* ♀.	——— v. 11. t. 782.
78	Parmulària. R.s.	(*li.*)	tooth-leav'd marsh.	Austria.	1816.	——	H. *w.* ♀.	Trattin. fl. aust. b. 20.
79	carolinìana. R.s.	(*bl.*)	Carolina.	Carolina.	1821.	6. 7.	H. *w.* ♀.	
80	thymifòlia. F.G.	(*bl.*)	thyme-leaved.	Crete.	1827.	5. 7.	F. ♀.	Flor. græc. v. 1. t. 6.
81	pectinàta. R.s.	(*bl.*)	pectinated.	Levant.	1820.	6. 8.	H. ♀.	Buxb. C. 1. t. 39. f. 1.
82	orientàlis. R.s.	(*bl.*)	various-leaved.	———	1748.	——	H. ♀.	Sal. stirp. rar. 7. t. 4.
83	trichocárpa. R.s. *pilocárpa.* L.en.	(*bl.*)	hairy-capsuled.	———	1820.	——	H. ♀.	
84	Jacquini. R.s. *austrìaca.* Jacq. *non* L.	(*bl.*)	Jacquin's.	Austria.	1748.	——	H. ♀.	Jacq. aust. 4. t. 339.
85	austrìaca. R.s. *polymórpha.* W.en.	(*bl.*)	Austrian.	———	——	——	H. ♀.	Moris. h. 2. s. 3. t. 23. f. 12.
86	tenuifòlia. R.s.	(*bl.*)	slender-leaved.	Iberia.	1821.	6. 7.	H. ♀.	
87	pinnatífida. W.	(*bl.*)	pinnatifid.	.....	1817.	5. 6.	H. ♀.	
88	multífida. R.s.	(*bl.*)	multifid-leaved.	Siberia.	1748.	6. 8.	H. ♀.	Bot. mag. t. 1679.
89	caucásica. R.s.	(*wh. bl.*)	Caucasean.	Caucasus.	1815.	——	H. ♀.	
90	taùrica. W.	(*bl.*)	Taurian.	Tauria.	——	——	H. ♀.	Lodd. bot. cab. t. 911.
91	Alliònii. R.s.	(*bl.*)	shining-leaved.	S. Europe.	1748.	——	H. ♀.	Allion. ped. 1. t. 46. f. 3.
92	officinàlis. R.s.	(*bl.*)	officinal.	Britain.	....	4. 7.	H. ♀.	Eng. bot. v. 11. t. 765.
	β rígida. Gr.	(*bl.*)	*rigid-leaved.*	Scotland.	....	——	H. ♀.	
	γ albiflòra.	(*wh.*)	*white-flowered.*	Britain.	....	——	H. ♀.	
93	Mullerìana. R.s.	(*bl.*)	Muller's.	Styria.	1825.	5. 7.	H. ♀.	
94	Tournefórtii. R.s.	(*bl.*)	Tournefort's.	S. France.	1821.	5. 6.	H. ♀.	
95	Chaíxi. R.s.	(*bl.*)	Chaix's.	S. Europe.	1825.	5. 7.	H. ♀.	
96	prostràta. R.s.	(*bl.*)	trailing.	Germany.	1774.	5. 6.	H. ♀.	Banh. hist. 3. p. 287. ic.
97	pilòsa. R.s.	(*bl.*)	hairy.	Bohemia.	1819.	——	H. ♀.	
98	acutifòlia. R.s.	(*li.*)	acute-flowered.	France.	1821.	——	H. ♀.	
99	plicàta. R.s.	(*bl.*)	plaited-leaved.	Bohemia.	1823.	——	H. ♀.	Pohl tent. fl. b. p. 15. f. 1.
100	micrántha. R.s. *móllis.* Zea.	(*wh. pu.*)	soft-leaved.	Portugal.	——	——	H. ♀.	Hoff. f. port. t. 57.
101	latifòlia. R.s.	(*bl.*)	broad-leaved.	Austria.	1748.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 23.
102	Teùcrium. R.s.	(*bl.*)	saw-leaved.	Europe.	1596.	6. 8.	H. ♀.	Lodd. bot. cab. t. 425.
103	crinìta. R.s.	(*bl.*)	very hairy.	Hungary.	1826.	——	H. ♀.	
104	lutetiàna. R.s.	(*pa. bl.*)	Portugal.	Portugal.	——	——	H. ♀.	
105	dentàta. R.s.	(*bl.*)	tooth-leaved.	S. Europe.	1816.	——	H. ♀.	
106	Schmídtii. R.s. *paniculàta.* W. *non* Pall.	(*bl.*)	Schmidt's.	Bohemia.	1797.	6. 7.	H. ♀.	
107	pedunculàris. R.s.	(*bl.*)	long-peduncled.	Caucasus.	1825.	——	H. ♀.	
108	petr'æa. R.s.	(*pa. bl.*)	Caucasean rock.	———	1821.	——	H. ♀.	
109	umbròsa. M.B.	(*bl.*)	shady wood.	Tauria.	1827.	——	H. ♀.	M. B. cent. ros. 1. t. 7.
110	Cham'ædrys. R.s.	(*bl.*)	Germander.	Britain.	....	5. 8.	H. ♀.	Eng. bot. v. 9. t. 623.
111	stolonífera. R.s.	(*bl.*)	creeping.	N. America.	1827.	——	H. ♀.	
112	divaricàta. R.s.	(*bl.*)	divaricate.	Sweden.	1828.	——	H. ♀.	
113	Vestiàna. R.s.	(*bl.*)	Vest's.	.....	1820.	——	H. ♀.	
114	máxima. R.s.	(*pa. bl.*)	large.	Iberia.	1824.	——	H. ♀.	Buxb. cent. 1. t. 34.
115	urticæfòlia. R.s.	(*pa. bl.*)	Nettle-leaved.	Austria.	1776.	6. 7.	H. ♀.	Jacq. aust. 1. t. 59.
116	montàna. R.s.	(*pa.*)	mountain.	Britain.	....	7. 8.	H. ♀.	Eng. bot. v. 11. t. 766.
117	plebèia. B.P. *argùta.* R.s.	(*bl.*)	plebeian.	N. S. W.	1822.	6. 8.	G. ♀.	

118	Bro'wnii. B.P.	(*bl.*)	sharp-toothed.	N. S. W.	1822.	6. 8.	G.4.	
119	grácilis. B.P.	(*bl.*)	slender.	———	——	——	G.4.	
120	perfoliàta. B.P.	(*bl.*)	perfoliate.	———	1815.	7. 8.	G.4.	Bot. mag. t. 1936.
121	labiàta. B.P.	(*pa.bl.*)	labiated.	N. Holland.	1802.	4. 7.	F.4.	——— t. 1660.
	Derwéntia. Andr. reposit. t. 531.							
122	mollíssima. R.S.	(*bl.*)	softest.	.....	1819.	6. 8.	H.4.	
123	renifórmis. Ph.	(*pa.bl.*)	kidney-leaved.	Missouri.	1827.	5. 8.	H.4.	
124	Waldsteiniàna. R.S.	(*bl.*)	Waldstein's.	.....	1819.	6. 8.	H.4.	
125	vérna. R.S.	(*pa.bl.*)	vernal.	Britain.	....	4. 5.	H.⊙.	Eng. bot. v. 1. t. 25.
126	digitàta. R.S.	(*bl.*)	fingered.	Spain.	1805.	6. 7.	H.⊙.	Reich. ic. t. 36.
127	triphy'llos. R.S.	(*bl.*)	variable-leaved.	Britain.	....	4. 5.	H.⊙.	Eng. bot. v. 1. t. 26.
128	hederifólia. R.S.	(*pa.bl.*)	Ivy-leaved.	———	....	3. 10.	H.⊙.	——— v. 11. t. 784.
129	Cymbalària. R.S.	(*wh.*)	fleshy-leaved.	Levant.	1823.	4. 8.	H.⊙.	Flor. græc. t. 9.
130	peregrìna. R.S.	(*pa.*)	knotgrass-leaved.	N. Europe.	1680.	5. 6.	H.⊙.	Flor. dan. t. 407.
131	deprèssa. R.S.	(*bl.*)	depressed.	Hungary.	1826.	4. 8.	H.⊙.	
132	glaùca. F.G.	(*bl.*)	glaucous.	Greece.	——	——	H.⊙.	Flor. græc. v. 1. t. 7.
133	am'œna. R.S.	(*bl.*)	fine blue.	Iberia.	1823.	5. 6.	H.⊙.	MB. cent. ros. t. 1. f. 18.
134	bilòba. R.S.	(*wh.*)	two-lobed.	Levant.	1819.	4. 6.	H.⊙.	Buxb. cent. 1. t. 36.
135	pr'æcox. R.S.	(*bl.*)	early-flowered.	Europe.	——	3. 5.	H.⊙.	Allion. ped. t. 1. f. 1.
136	acinifólia. R.S.	(*pa.bl.*)	Basil-leaved.	S. Europe.	1788.	4. 5.	H.⊙.	Poit. et Turp. par. 1. t. 23.
137	arvénsis. R.S.	(*bl.*)	wall.	Britain.	....	4. 7.	H.⊙.	Eng. bot. v. 11. t. 734.
138	agréstis. R.I.	(*va.*)	field.	———	....	1. 12.	H.⊙.	Reich. ic. C. 3. t. 277.
	pulchélla. DC. *non* Bernhard. *versícolor.* Fries.							
139	opàca. R.I.	(*pa.bl.*)	dull-leaved.	Britain.	....	——	H.⊙.	Reic. ic. C. 3. p. 67. t. 278.
140	polìta. R.I.	(*bl.*)	polished.	———	....	——	H.⊙.	——— C. 3. p. 45. t. 246.
141	dídyma. T.N.	(*bl.*)	toothed-calyxed.	Naples.	1827.	——	H.⊙.	
142	pulchélla. R.S.	(*wh.ro.*)	neat.	.....	1823.	3. 6.	H.⊙.	
143	Buxbaùmii. S.S.	(*bl.*)	Buxbaum's.	S. Europe.	1820.	——	H.⊙.	Ten. fl. nap. t. 1.
144	filifórmis. S.S.	(*bl.*)	long-stalked.	Levant.	1780.	5.	H.⊙.	Buxb. cent. 1. t. 40. f. 1.
145	pérsica. S.S.	(*bl.*)	Persian.	Persia.	1816.	1. 12.	H.⊙.	
DIPLOPHY'LLUM. S.S.			Diplophy'llum.	Diandria Monogynia. S.S.				
	veronicæfórme. S.S.	(*bl.*)	Speedwell-like.	Caucasus.	1813.	4. 6.	H.⊙.	Linn. trans. v. 11. t. 31.
	Verónica crísta gálli. L.T.							
HEMI'MERIS. L.			Hemi'meris.	Diandria Monogynia.				
	montàna. L.	(*re.*)	mountain.	C. B. S.	1816.	6. 8.	G.4.	Lam. ill. t. 532.

ORDO CLIII.

LABIATÆ. *Brown prodr.* 1. *p.* 499.

Tribus I. Menthoideæ. *Bentham in Bot. reg. fol.* 1282.

LYC'OPUS. R.S.			Water-horehound.	Diandria Monogynia. L.				
1	austràlis. B.P.	(*wh.*)	New Holland.	N. S. W.	1823.	5. 7.	G.4.	
2	europ'æus. R.S.	(*wh.*)	Europæan.	Britain.	....	7. 8.	H.4.	Eng. bot. v. 16. t. 1105.
3	intermèdius.	(*wh.*)	intermediate.	Europe.	1816.	——	H.4.	
4	exaltàtus. R.S.	(*wh.*)	tall.	Italy.	1739.	——	H.4.	Flor. græc. 1. t. 12.
5	virgínicus. R.S.	(*wh.*)	Virginian.	N. America.	1760.	8. 9.	H.4.	
6	sinuàtus. E.C.	(*wh.*)	sinuate-leaved.	———	1812.	——	H.4.	
ISA'NTHUS. M.			Isa'nthus.	Didynamia Gymnospermia. S.S.				
	cœrùleus. M.	(*bl.*)	blue.	N. America.	1732.	6. 8.	H.♂.	Dill. elt. t. 285. f. 369.
	Trichostèma brachiàta. L.							
AUDIBE'RTIA. B.R.			Audibe'rtia.	Didynamia Gymnospermia.				
	pusílla. B.R.	(*pu.*)	small.	Corsica.	1829.	5. 8.	H.4.	
	Thymus parvifórus. Requien.							
ME'NTHA. L.			Mint.	Didynamia Gymnospermia. L.				
1	víridis. W.	(*pu.*)	spear.	Britain.	....	8.	H.4.	Eng. bot. v. 34. t. 2424.
2	lævigàta. W.en.	(*pu.*)	smooth-leaved.	Germany.	....	6. 8.	H.4.	
3	balsámea. W.en.	(*pu.*)	Balsam-scent'd.	Italy.	1804.	7. 8.	H.4.	
4	crispàta. W.en.	(*pu.*)	crumpled.	Europe.	1807.	——	H.4.	
5	piperìta. E.B.	(*pu.*)	pepper.	England.	....	8. 9.	H.4.	Eng. bot. v. 10. t. 687.
6	nilíaca. S.S.	(*pu.*)	Egyptian.	Egypt.	1796.	7. 8.	H.4.	Jacq. vind. 3. t. 87.
7	tènuis. M.	(*wh.*)	slender.	N. America.	1826.	——	H.4.	

8	sylvéstris. E.B.	(*pu.*)	wild.	Britain.	....	7. 8.	H.4.	Eng. bot. v. 10. t. 686.
9	nemoròsa. W.en.	(*pu.*)	wood.	———	....	——	H.4.	Flor. dan. t. 484.
10	hírta. W.en.	(*pu.*)	hairy.	Europe.	....	——	H.4.	
11	pubéscens. W.en.	(*pu.*)	pubescent.	———	....	——	H.4.	
12	Auriculària. w.	(*li.*)	Indian.	E. Indies.	1796.	——	S.4.	Rumph. amb. 6. t. 16.
13	crispa. w.	(*pu.*)	curled.	Siberia.	1640.	——	H.4.	
14	pyramidàlis. T.N.	(*pu.*)	pyramidal.	Naples.	1824.	——	H.4.	
15	undulàta. W.en.	(*pu.*)	wave-leaved.	Europe.	1816.	——	H.4.	
16	incàna. W.en.	(*pu.*)	hoary.	———	1790.	——	H.4.	
17	lavandulàcea. W.en.	(*pu.*)	Lavender-leaved.	Spain.	1825.	——	H.4.	
18	capénsis. w.	(*pu.*)	Cape.	C. B. S.	1816.	——	G.4.	
19	rotundifòlia. E.B.	(*pu.*)	round-leaved.	Britain.	....	8. 9.	H.4.	Eng. bot. v. 7. t. 446.
	β variegàta.	(*pu.*)	*variegated.*	———	....	——	H.4.	
20	macrostàchya. T.N.	(*pu.*)	long-spiked.	Naples.	1820.	——	H.4.	
21	gratíssima. w.	(*pu.*)	oblong-leaved.	Britain.	....	7. 8.	H.4.	
22	citràta. s.s.	(*pu.*)	Bergamot.	England.	....	——	H.4.	Eng. bot. v. 15. t. 1025.
	odoràta. E.B.							
23	hirsùta. E.B.	(*pu.*)	hairy water.	Britain.	....	7. 9.	H.*w.*4.	Eng. bot. v. 7. t. 447.
24	acutifòlia. E.B.	(*pu.*)	acute-leaved.	England.	....	9.	H.*w.*4.	——— v. 34. t. 2415.
25	satìva. E.B.	(*re.*)	tall red.	———	....	8. 9.	H.*w.*4.	——— v. 7. t. 448.
26	rùbra. E.B.	(*re.*)	common red.	Britain.	....	9.	H.*w.*4.	——— v. 20. t. 1413.
27	géntilis. E.B.	(*re.*)	bushy red.	———	....	7. 8.	H.*w.*4.	——— v. 30. t. 2118.
28	grácilis. H.K.	(*re.*)	narrow-leaved.	———	....	——	H.*w.*4.	——— v. 7. t. 449.
29	palústris. S.M.	(*pu.*)	marsh.	———	....	9.	H.*w.*4.	
30	villòsa. S.M.	(*pu.*)	horse.	———	....	7. 8.	H.*w.*4.	
31	praténsis. S.M.	(*pu.*)	meadow.	———	....	——	H.*w.*4.	Sole's Mints. t. 17.
32	rivàlis. S.M.	(*pu.*)	river.	———	....	——	H.*w.*4.	
33	paludòsa. S.M.	(*pu.*)	brook.	———	....	9.	H.*w.*4.	
34	arvénsis. E.B.	(*li.*)	corn.	———	....	7. 9.	H.4.	Eng. bot. v. 30. t. 2119.
35	pr'æcox. S.M.	(*li.*)	early-flowering.	———	....	6.	H.4.	Sole's Mints. ic.
36	agréstis. E.B.	(*li.*)	field.	———	....	7. 8.	H.4.	Eng. bot. v. 30. t. 2120.
37	austrìaca. S.S.	(*pu.*)	Austrian.	Austria.	1818.	——	H.4.	
38	dentàta. W.	(*pu.*)	toothed.	Germany.	1816.	——	H.4.	
39	canadénsis. W.	(*pu.*)	Canadian.	N. America.	1801.	——	H.4.	
40	boreàlis. M.	(*li.*)	northern.	———	1824.	——	H.4.	
41	élegans. S.S.	(*pu.*)	elegant.	S. Europe.	1828.	——	H.4.	
42	badénsis. S.S.	(*pu.*)	Baden.	Italy.	——	——	H.4.	
43	rugòsa. Roth.	(*pu.*)	rugged-leaved.	Germany.	1824.	——	H.4.	
44	glabràta. S.S.	(*pu.*)	smooth.	Egypt.	1802.	——	H.4.	
45	Pulègium. S.S.	(*li.*)	Pennyroyal.	Britain.	....	8. 9.	H.4.	Eng. bot. v. 15. t. 1026.
46	cervìna. S.S.	(*wh.*)	Hyssop-leaved.	S. France.	1648.	6. 8.	H.4.	Moris. s. 8. t. 7. f. 7.
COLEBRO'OKIA. S.S.			COLEBRO'OKIA.	Didynamia Gymnospermia.				
1	oppositifòlia. D.P.	(*wh.*)	opposite-leav'd.	Nepaul.	1816.	6. 9.	S.h.	Sm. exot. bot. t. 115.
2	ternifòlia. S.S.	(*wh.*)	three-leaved.	E. Indies.	——	——	S.h.	
PERI'LLA. W.			PERI'LLA.	Didynamia Gymnospermia. L.				
1	ocymoìdes. W.	(*wh.*)	Basil-leaved.	India.	1770.	7. 8.	H.☉.	Arduin. spec. 2. t. 13.
2	fruticòsa. D.P.	(*wh.*)	frutescent.	Nepaul.	1818.	——	S.h.	
ELSHO'LTZIA. S.S.			ELSHO'LTZIA.	Didynamia Gymnospermia. W.				
1	cristàta. S.S.	(*li.*)	crested.	Siberia.	1789.	5. 7.	H.☉.	Bot. mag. t. 2560.
2	ocymoìdes. S.S.	(*li.*)	Basil-like.	E. Indies.	1828.	——	S.4.	
APHANOCH'ILUS. B.R.			APHANOCH'ILUS.	Didynamia Gymnospermia.				
1	blándus.	(*wh.*)	agreeable.	Nepaul.	1820.	10. 12.	G.4.	DC. pl. rar. gen. t. 8.
	Méntha blánda. DC.							
2	incisus. B.R.	(*wh.*)	cut-leaved.	———	1818.	6. 10.	G.4.	
	Méntha blánda. H.C. *non* DC.							
DYSOPHY'LLA. B.R.			DYSOPHY'LLA.	Didynamia Gymnospermia.				
1	quadrifòlia. B.R.	(*li.*)	four-leaved.	Nepaul.	1823.	6. 8.	G.4.	
2	stellàta. B.R.	(*li.*)	starry-leaved.	———	1816.	——	G.4.	
3	verticillàta. B.R.	(*li.*)	whorl-leaved.	———	1828.	——	G.4.	
4	pùmila. B.R.	(*li.*)	dwarf.	———	——	——	G.4.	Bot. mag. t. 2907.
	Méntha verticillàta. B.M. *pùmila.* Graham.							
POGOST'EMON. S.S.			POGOST'EMON.	Didynamia Gymnospermia. S.S.				
	plectranthoìdes. S.S.	(*w.*)	Plectanthrus-like.		1818.	6. 8.	S.h.	Desf. m. mus. 2. t. 6.

Tribus II. SATUREINEÆ. *Benth. in Bot. reg.*

BYSTROP'OGON. S.S. BYSTROP'OGON. Didynamia Gymnospermia. S.S.

1	origanifòlius. s.s.	(*li.*)	Marjoram-leav'd.	Teneriffe.	1815.	7. 8.	G. ♄.	
2	plumòsus. s.s.	(*li.*)	woolly-flower'd.	Canaries.	1779.	6. 7.	G. ♄.	
3	canariénsis. s.s.	(*li.*)	Canary.	———	1714.	6. 8.	G. ♄.	Comm. hort. 2. t. 65.
4	punctàtus. s.s.	(*li.*)	cluster-flower'd.	Madeira.	1775.	7. 9.	G. ♄.	

PYCNA'NTHEMUM. M. PYCNA'NTHEMUM. Didynamia Angiospermia. S.S.

1	linifòlium. s.s.	(*wh.*)	Flax-leaved.	N. America.	1739.	7. 8.	H. ♃.	Herm. parad. t. 218.
2	lanceolàtum. s.s.	(*wh.*)	spear-leaved.	———	1812.	——	H. ♃.	
3	aristàtum. s.s.	(*wh.*)	awned.	———	1752.	8.	H. ♃.	Mich. amer. 2. t. 33.
4	verticillàtum. s.s.	(*wh.*)	whorl-leaved.	———	1816.	7. 8.	H. ♃.	
5	Monardélla. s.s.	(*li.*)	Monarda-like.	———	——	——	H. ♃.	
6	incànum. s.s.	(*bh.*)	hoary.	———	1732.	7. 10.	H. ♃.	Dill. elt. t. 74. f. 85.

SATUR'EJA. S.S. SAVORY. Didynamia Gymnospermia. L.

1	approximàta. s.s.	(*li.*)	bundle-leaved.	Sicily.	1825.	5. 7.	F. ♄.	
2	spinòsa. F.G.	(*wh.*)	spiny.	Crete.	1827.	——	G. ♄.	Flor. græc. t. 545.
3	vimínea. s.s.	(*li.*)	Pennyroyal tree.	Jamaica.	1783.	——	S. ♄.	
4	montàna. s.s.	(*li.*)	winter.	S. Europe.	1562.	6. 7.	H. ♄.	Flor. græc. t. 543.
5	rupéstris. s.s.	(*wh.*)	rock.	Carniola.	1798.	——	H. ♃.	Jacq. ic. 3. t. 494.
6	obovàta. s.s.	(*li.*)	obovate-leaved.	Spain.	1824.	——	H. ♄.	
7	tenuifòlia. s.s.	(*li.*)	slender-leaved.	Italy.	1820.	——	H. ♄.	
8	Juliàna. s.s.	(*li.*)	linear-leaved.	———	1596.	5. 9.	F. ♄.	Flor. græc. t. 540.
9	græca. s.s.	(*li.*)	Grecian.	Greece.	1759.	6. 7.	F. ♃.	——— t. 542.
10	hirsùta. s.s.	(*li.*)	hairy.	Sicily.	1824.	——	F. ♃.	
11	Teneriffæ. s.s.	(*ps.*)	Teneriffe.	Teneriffe.	1815.	——	F. ♃.	
12	hortènsis. s.s.	(*wh.*)	summer.	Italy.	1652.	6. 8.	H. ☉.	Lam. ill. t. 504. f. 1.
13	capitàta. w.	(*li.*)	ciliated.	Levant.	1596.	6. 10.	H. ♄.	Flor. græc. t. 544.
14	nervòsa. s.s.	(*li.*)	nerved.	Sicily.	1824.	——	H. ♄.	
15	Thy'mbra. s.s.	(*li.*)	whorl-flowered.	Candia.	1640.	5. 7.	G. ♄.	Flor. græc. t. 541.
16	congésta. s.s.	(*li.*)	close-flowered.	.....	1825.	——	G. ♄.	

THYMUS. S.S. THYME. Didynamia Gymnospermia. L.

1	villòsus. s.s.	(*li.*)	hairy.	Portugal.	1759.	6. 7.	F. ♄.	Flor. græc. t. 578.
2	cephalòtus. s.s.	(*li.*)	great headed.	———	——	7. 8.	H. ♄.	Hof. et Lk. fl. lus. t. 13.
3	capitàtus. L.en.	(*li.*)	headed.	———	1823.	——	H. ♄.	
4	odoratissimus. s.s.	(*li.*)	very sweet.	Tauria.	——	——	H. ♄.	
5	acicularis. s.s.	(*li.*)	needle-shaped.	Hungary.	1806.	6. 8.	H. ♄.	W. et K. hung. 2. t. 147.
6	hirsùtus. s.s.	(*li.*)	hairy.	———	1816.	——	H. ♄.	
7	Zygis. s.s.	(*wh.*)	Spanish.	Spain.	1771.	8.	H. ♄.	Flor. græc. t. 574.
8	Marschallianus. s.s.	(*li.*)	Marschall's.	Russia.	1815.	6. 8.	H. ♄.	
9	glabréscens. L.en.	(*li.*)	smooth.	S. Europe.	1823.	——	H. ♃.	Hof. et Lk. fl. lus. t. 15.
10	angustifòlius. s.s.	(*li.*)	narrow-leaved.	Europe.	....	——	H. ♄.	
11	Serpy'llum. s.s.	(*li.*)	wild or mother of.	Britain.	....	——	H. ♄.	Eng. bot. v. 22. t. 1514.
12	exsèrens. s.s.	(*li.*)	exserted.	———	....	——	H. ♄.	
13	citriodòrus. L.en.	(*li.*)	Lemon.	Europe.	....	——	H. ♄.	
14	collìnus. s.s.	(*li.*)	hill.	Tauria.	1823.	——	H. ♄.	
15	montanus. W.K.	(*li.*)	mountain.	Hungary.	1800.	6. 7.	H. ♄.	W. et K. hung. 1. t. 71.
16	nummulàrius. M.B.	(*li.*)	moneywort.	Caucasus.	1818.	——	H. ♄.	Bot. mag. t. 2666.
17	pannònicus. W.en.	(*li.*)	Hungarian.	Hungary.	——	——	H. ♄.	
18	lanuginòsus. s.s.	(*li.*)	woolly.	Europe.	....	6. 8.	H. ♄.	
19	tomentòsus. s.s.	(*li.*)	tomentose.	Spain.	1816.	——	H. ♄.	
20	álbicans. s.s.	(*li.*)	white-leaved.	Portugal.	——	——	H. ♄.	
21	adscéndens. L.en.	(*li.*)	ascending.	S. Europe.	....	——	H. ♄.	
22	lùcidus. s.s.	(*li.*)	shining-leaved.	.....	1816.	——	H. ♄.	
23	vulgàris. s.s.	(*li.*)	common.	S. Europe.	1548.	5. 8.	H. ♄.	
	β latifòlius.	(*li.*)	*broad-leaved.*	———	——	——	H. ♄.	
24	Mastichìna. s.s.	(*li.*)	Mastick.	Spain.	1596.	7. 9.	F. ♄.	Blackw. t. 134.
25	elongàtus. L.en.	(*li.*)	elongated.	.....	1816.	——	F. ♄.	
26	gravèolens. F.G.	(*li.*)	strong-scented.	Levant.	1823.	——	F. ♄.	Flor. græc. t. 576.
27	Tragoriganum. s.s.	(*li.*)	goat's.	Candia.	1640.	5. 6.	F. ♄.	Alp. exot. t. 78.
28	filiformis. s.s.	(*li.*)	filiform.	Minorca.	1770.	6. 7.	G. ♄.	
29	fruticulòsus. s.s.	(*li.*)	frutescent.	Sicily.	1823.	——	H. ♄.	
30	Teneriffæ. s.s.	(*li.*)	Teneriffe.	Teneriffe.	1828.	——	F. ♄.	
31	incànus. s.s.	(*wh.*)	hoary.	Levant.	——	——	F. ♃.	Flor. græc. t. 577.
32	croáticus. P.s.	(*li.*)	oval-leaved.	Hungary.	1802.	7. 8.	H. ♄.	W. et K. hung. t. 156.
	Piperélla. W.K. *non* L.							
33	ericæfòlius. W.en.	(*li.*)	Heath-leaved.	Spain.	1806.	6. 8.	H. ♄.	

ORI'GANUM. S.S. MARJORAM. Didynamia Gymnospermia. L.

1	vulgàre. s.s.	(*ro.*)	common.	Britain.	....	6. 10.	H. ♃.	Eng. bot. v. 16. t. 1143.
2	hùmile. s.s.	(*wh.*)	dwarf.	.....	1827.	——	H. ♃.	
3	vìrens. s.s.	(*ro.*)	green.	Portugal.	1816.	——	H. ♃.	Hoff. et Lk. fl. p. 1. t. 9.
4	heracleóticum. s.s.	(*li.*)	winter, sweet.	S. Europe.	1640.	—	H. ♃.	Lobel. ic. 492.
5	créticum. s.s.	(*li.*)	Cretan.	———	1596.	——	H. ♃.	Schk. hand. 2. t. 164.
6	megastàchyum. L.en.	(*li.*)	large-spiked.	———	1824.	——	H. ♃.	
7	macrostàchyon. s.s.	(*li.*)	long-spiked.	Portugal.	1820.	——	H. ♃.	
8	hírtum. L.en.	(*wh.*)	hairy.	S. Europe.	——	——	H. ♃.	
9	oblongàtum. L.en.	(*wh.*)	oblong-spiked.	———	1823.	——	H. ♃.	
10	smyrnæum. L.	(*wh.*)	Smyrna.	Smyrna.	1723.	6. 7.	G. ♄.	Flor. græc. t. 571.
11	Onites. s.s.	(*wh.*)	pot.	Sicily.	1759.	7. 11.	H. ♃.	——— t. 572.
12	Marù. w.	(*li.*)	Lavender-scented.	Crete.	1822.	——	F. ♃.	Bot. mag. t. 2605.
13	Majoranoídes. w.	(*wh.*)	shrubby sweet.	.....	....	——	F. ♄.	
14	Majoràna. s.s.	(*wh.*)	knotted.	Portugal.	1573.	6. 7.	F. ♂.	Moris. s. 11. t. 3. f. 1.
15	índicum. s.s.	(*wh.*)	Indian knotted.	E. Indies.	1820.	——	S. ♂.	
16	salvifòlium. Roth.	(*li.*)	Sage-leaved.	.....	....	——	F. ♄.	
17	pallídum. P.S.	(*pa.*)	pale.	Levant.	1821.	——	G. ♄.	
18	stoloníferum. F.	(*li.*)	creeping.	.....	1828.	——	H. ♃.	
19	Tournefórtii. s.s.	(*ro.*)	Tournefort's.	Amorgos.	1788.	8. 9.	F. ♄.	Flor. græc. t. 569.
20	sipy'leum. s.s.	(*ro.*)	Mount Sipylus.	Levant.	1609.	6. 9.	F. ♄.	——— ——— t. 570.
21	Dictámnus. s.s.	(*li.*)	Dittany of Crete.	Candia.	1551.	——	F. ♄.	Bot. mag. t. 296.
22	ægyptiacum. s.s.	(*li.*)	Egyptian.	Egypt.	1731.	6. 8.	F. ♄.	Alp. ægypt. t. 95.

LOPHA'NTHUS. B.R. LOPHA'NTHUS. Didynamia Gymnospermia.

1	chinénsis. B.R.	(*ye.*)	Mint-leaved.	Siberia.	1752.	8. 9.	H. ♃.	Jacq. vind. 2. t. 183.
	Hyssópus Lophánthus. s.s.							
2	nepetoídes. B.R.	(*ye.*)	square-stalked.	N. America.	1692.	8. 10.	H. ♃.	Jacq. vind. 1. t. 68.
3	scrophulariFòlius. B.R.	(*re.*)	Figwort-leaved.	———	1800.	7. 8.	H. ♃.	Herm. parad. t. 106.
4	anisàtus. B.R.	(*bl.*)	Anise-like.	———	1820.	7. 9.	H. ♃.	Bot. reg. t. 1282.
5	urticifòlius. B.R.	(*pu.*)	Nettle-leaved.	———	1827.	——	H. ♃.	
6	multífidus. B.R.	(*wh.*)	multifid.	Siberia.	1797.	7. 8.	H. ♃.	Gmel. sib. 3. t. 55.
	Népeta multífida. w.							

HYSS'OPUS. B.R. HYSSOP. Didynamia Gymnospermia.

1	officinàlis. s.s.	(*bl.*)	common.	S. Europe.	1548.	6. 9.	H. ♄.	Jacq. aust. 3. t. 254.
2	orientàlis. w.	(*bl.*)	narrow-leaved.	Caucasus.	1816.	——	H. ♄.	Bot. mag. t. 2299.
	angustifòlius. M.B.							
3	discolor. F.	(*bl.*)	two-coloured.	Siberia.	1818.	——	H. ♄.	
4	septémfidus. E.	....	seven-cleft.	Egypt.	1827.	....	H. ♄.	
5	septemcrenàtus. E.	....	seven-notched.	———	1829.	....	H. ♄.	

WESTRI'NGIA. S.S. WESTRI'NGIA. Didynamia Gymnospermia. S.S.

1	rosmariniFórmis. B.P.	(*w.*)	Rosemary like.	N. S. W.	1791.	5. 8.	G. ♄.	Andr. reposit. t. 214.
2	Dampièri. B.P.	(*wh.*)	Dampier's.	N. Holland.	1803.	5. 7.	G. ♄.	
3	angustifòlia. B.P.	(*wh.*)	narrow-leaved.	V. Diem. Isl.	1823.	——	G. ♄.	
4	longifòlia. B.P.	(*wh.*)	long-leaved.	N. S. W.	1826.	——	G. ♄.	

Tribus III. AJUGOIDEÆ. *Benth. in Bot. reg.*

LEUCOSCE'PTRUM. S.S. LEUCOSCE'PTRUM. Didynamia Gymnospermia.

	cànum. s.s.	(*wh.*)	white-flowered.	Nepaul.	1825.	7. 9.	F. ♃.	

TE'UCRIUM. S.S. GERMANDER. Didynamia Gymnospermia. L.

1	frùticans. w.	(*bl.*)	narrow-ld. shrubby.	Spain.	1640.	6. 9.	H. ♄.	Flor. græc. t. 527.
2	latifòlium. L.	(*li.*)	broad-ld. shrubby.	———	——	——	H. ♄.	Bot. mag. t. 245.
3	heterophy'llum. s.s.	(*li.*)	various-leaved.	Madeira.	1759.	6. 7.	G. ♄.	
4	Laxmánni. s.s.	(*ye. pu.*)	Laxmann's.	Siberia.	1800.	6. 8.	H. ♃.	
5	alpéstre. F.G.	(*wh.*)	alpine.	Levant.	1821.	6. 9.	G. ♄.	Flor. græc. t. 538.
6	brevifòlium. s.s.	(*li.*)	short-leaved.	Crete.	1824.	——	H. ♄.	——— t. 528.
7	asiáticum. s.s.	(*bh.*)	Asiatic.	.....	1777.	6. 10.	G. ♄.	Jacq. vind. 3. t. 41.
8	cubénse. s.s.	(*li.*)	Cuba.	Cuba.	1733.	5.	S. ♂.	Jacq. obs. 2. t. 30.
9	Nissoliànum. s.s.	(*pu.*)	Nissole's.	Spain.	1752.	6. 7.	F. ♃.	Moris. s. t. 22. f. 19.
10	lævigàtum. s.s.	(*li.*)	smooth.	Buenos Ayres.	1829.	——	G. ♃.	
11	campanulàtum. s.s.	(*bh.*)	bell-flowered.	Levant.	1728.	7. 8.	H. ♃.	
12	règium. s.s.	(*pu.*)	royal.	Spain.	1699.	5. 10.	F. ♄.	Pluk. alm. t. 65. f. 1.
13	multiflòrum. s.s.	(*pu.*)	many-flowered.	———	1731.	7. 9.	H. ♃.	Bocc. mus. t. 117.
14	lùcidum. s.s.	(*re.*)	shining.	S. Europe.	1730.	6. 9.	H. ♃.	Flor. græc. t. 532.
15	Cham'ædrys. s.s.	(*pu.*)	wall.	England.	....	5. 8.	H. ♃.	Eng. bot. v. 10. t. 686.
16	Scórdium. s.s.	(*pu.*)	water.	———	....	7. 8.	H. *w.* ♃.	——— v. 12. t. 828.

17	scordioídes. s.s.	(pu.)	likened.	S. Europe.	1816.	7. 8.	H. ¼.	
18	bracteàtum. s.s.	(pu.)	bracted.	Barbary.	1828.	——	G. ¼.	Desf. atl. 2. t. 120.
19	spinòsum. s.s.	(wh.)	thorny.	Spain.	1640.	5. 6.	H. ♄.	Flor. græc. t. 539.
20	Bòtrys. s.s.	(pu.)	cut-leaved.	S. Europe.	1633.	7. 9.	H. ☉.	Ger. emac. 525. f. 2.
21	trifìdum. s.s.	(re.)	trifid-leaved.	C. B. S.	1791.	6. 8.	G. ♄.	
22	angustissimum. s.s.	(re.)	narrow-leaved.	Spain.	1816.	——	H. ♄.	Barrel. rar. t. 1080.
23	pùmilum. s.s.	(re.)	small.	————	1816.	7. 8.	F. ♄.	———— t. 1092.
24	Libanìtis. s.s.	(ye.bk.)	Spanish.	Spain.	1824.	6. 8.	H. ¼.	Cavan. ic 2. t. 118.
25	thymifòlium. s.s.	(pu.)	Thyme-leaved.	————	——	6. 10.	F. ♄.	
26	supìnum. s.s.	(wh.)	procumbent.	Austria.	1752.	——	H. ♄.	Jacq. aust. 5. t. 417.
27	montànum. s.s.	(st.)	dwarf mountain.	S. Europe.	1710.	7. 10.	F. ♄.	Flor. græc. t. 584.
28	Pòlium. s.s.	(wh.)	Poley.	————	1562.	7. 9.	F. ♄.	———— t. 535.
29	cuneifòlium. F.G.	(wh.)	wedge-leaved.	Levant.	1828.	6. 8.	F. ♄.	———— t. 537.
30	Pseudohyssòpus. s.s.	(w.)	Hyssop-leaved.	Italy.	1804.	6. 7.	H. ♄.	Col. ecphr. 1. t. 67.
31	capitàtum. s.s.	(ro.)	round-headed.	Spain.	1731.	7. 8.	F. ♄.	Flor. græc. t. 536.
32	lusitànicum. s.s.	(wh.)	Portugal.	Portugal.	1816.	——	F. ♄.	
33	pycnophy'llum. s.s.	(wh.)	clustered.	Spain.	——	——	H. ¼.	Barrel. rar. t. 1096.
34	valentìnum. s.s.	(wh.)	Valencia.	————	1826.	——	F. ♄.	———— t. 1048.
35	gnaphaloìdes. s.s.	(re.)	woolly-calyx'd.	————	——	7. 9.	F. ♄.	———— t. 1083.
36	aùreum. s.s.	(ye.)	golden Poley.	S. Europe.	1731.	6. 7.	F. ♄.	Cavan. ic. 2. t. 117.
37	flavéscens. P.S.	(ye.)	yellow Poley.	————	....	7. 9.	F. ♄.	Barrel. rar. t. 1073.
38	hyrcànicum. s.s.	(pu.)	Betony-leaved.	Persia.	1763.	8. 10.	H. ¼.	Bot. mag. t. 2013.
39	inflàtum. s.s.	(pu.)	thick-spiked.	Jamaica.	1778.	——	S. ¼.	
40	orchioídes. B.R.	(bk.)	Orchis-flowered.	Chile.	1826.	——	F. ♄.	Bot. reg. t. 1255.
	heterophy'llus.	Cavan. icon. 6. t. 577. *non* L'Herit.						
41	virgínicum. s.s.	(pu.)	Virginian.	N. America.	1768.	5. 6.	H. ¼.	Schkuhr. handb. 160.
42	canadénse. s.s.	(pu.)	Canadian.	————	——	8. 9.	H. ¼.	
43	Arduìni. s.s.	(wh.)	Arduini's.	Levant.	1827.	——	H. ¼.	Flor. græc. t. 531.
44	abutiloídes. s.s.	(ye.)	Mulberry-leaved.	Madeira.	1777.	4. 5.	G. ♄.	Jacq. schœn. 3. t. 358.
45	Scorodònia. s.s.	(st.)	wood sage.	Britain.	....	7.	H. ¼.	Eng. bot. v. 22. t. 1543.
46	betónicum. s.s.	(pu.)	hoary.	Madeira.	1775.	5. 8.	G. ♄.	Bot. mag. t. 1114.
47	flàvum. s.s.	(st.)	yellow-flowered.	S. Europe.	1640.	7. 9.	H. ♄.	Flor. græc. t. 533.
48	massiliénse. s.s.	(li.)	sweet scented.	France.	1731.	6. 7.	H. ♄.	Jacq. vind. 1. t. 94.
49	resupinàtum. s.s.	(st.)	resupinate.	Barbary.	1801.	7. 8.	H. ☉.	Desf. atl. 2. t. 117.
50	Màrum. s.s.	(pu.)	Cat-thyme.	Spain.	1640.	7. 9.	F. ♄.	Park. theat. 17. f. 2.
51	subspinòsum. s.s.	(pu.)	Minorca.	Minorca.	1816.	——	G. ♄.	
52	quadràtulum. s.s.	(ro.)	many-branched.	Levant.	1828.	——	F. ♄.	Flor. græc. t. 530.
53	crèticum. s.s.	(ro.)	Cretan.	Crete.	1825.	——	G. ♄.	———— t. 529.
54	pyrenàicum. s.s.	(pu.)	Pyrenean.	Pyrenees.	1731.	6. 8.	H. ¼.	
55	orientàle. s.s.	(bl.)	great-flowered.	Levant.	1752.	7. 8.	H. ¼.	Bot. mag. t. 1279.
AMETHY'STEA. R.S.			Amethy'stea.	Diandria Monogynia. L.				
	cærùlea. R.S.	(bl.)	blue-flowered.	Siberia.	1759.	6. 7.	H. ☉.	Bot. mag. t. 2448.
TRICHOST'EMA. S.S.			Trichost'ema.	Didynamia Gymnospermia. L.				
1	dichótoma. w.	(bl.)	Marjoram-leav'd.	N. America.	1759.	6. 7.	H. ☉.	Lam. ill. t. 515.
2	linearis. s.s.	(bl.)	linear-leaved.	————	——	——	H. ☉.	
AJ'UGA. S.S.			Bugle.	Didynamia Gymnospermia. L.				
1	'Iva. s.s.	(ye.)	musky.	S. Europe.	1759.	7. 8.	H. ☉.	Flor. græc. t. 525.
2	réptans. s.s.	(bl.)	common.	Britain.	....	5. 6.	H. ¼.	Eng. bot. v. 7. t. 489.
	α cærùlea.	(bl.)	*blue-flowered.*	————	....	——	H. ¼.	
	β ràbra.	(pu.)	*red-flowered.*	————	....	——	H. ¼.	
	γ álba.	(wh.)	*white-flowered.*	————	....	——	H. ¼.	
3	álpina. s.s.	(bl.)	Alpine.	England.	....	5. 7.	H. ¼.	Eng. bot. v. 7. t. 477.
4	genevénsis. s.s.	(bl.)	Geneva.	Switzerland.	1656.	5. 6.	H. ¼.	Bull. herb. t. 361.
5	pyramidàlis. s.s.	(li.)	pyramidal.	Britain.	....	——	H. ¼.	Eng. bot. v. 18. t. 1270.
6	oblongàta. s.s.	(bl.)	oblong-leaved.	Caucasus.	1829.	——	H. ¼.	
7	orientàlis. s.s.	(bl.)	oriental.	Levant.	1732.	——	H. ¼.	Swt. br. fl. gar. ser. 2.
8	Chamæpitys. s.s.	(ye.)	ground pine.	England.	....	4. 7.	H. ☉.	Eng. bot. v. 2. t. 77.
9	Chia F.G.	(ye.)	Grecian.	Levant.	1828.	——	H. ☉.	Flor. græc. t. 524.
10	salicifòlia. F.G.	(ye.)	Willow-leaved.	————	——	——	H. ☉.	———— t. 526.
ANISOME'LES. B.P.			Anisom'eles.	Didynamia Gymnospermia. S.S.				
1	ovàta. s.s.	(vi.wh.)	broad-leaved.	E. Indies.	1783.	7. 8.	S. ☉.	Burm. zeyl. t. 71. f. 1.
2	malabárica. s.s.	(vi.)	Malabar.	————	1817.	——	S. ♄.	Bot. mag. t. 2071.

Tribus IV. Monardeæ. *Benth. in Bot. reg.*

MONA'RDA. R.S.			Mona'rda.	Diandria Monogynia. L.				
1	fistulòsa. R.s.	(pu.)	fistulous.	N. America.	1656.	6. 8.	H. ¼.	Mill. ic. t. 122. f. 2.
2	mèdia. R.s.	(da.pu.)	purple-bracted.	————	....	6. 9.	H. ¼.	Swt. br. fl. gar. t. 98.

3	móllis. R.S.	(*pa.pu.*)	soft.	N. America.	....	6. 7.	H.♃.	
4	oblongàta. R.S.	(*pa.pu.*)	long-leaved.	———	1761.	7. 9.	H.♃.	
5	altíssima. R.S.	(*li.*)	tallest.	———	1818.	——	H.♃.	
6	affìnis. L.en.	(*ii.*)	affined.	———	——	——	H.♃.	
7	menthæfòlia. B.M.	(*pu.*)	Mint-leaved.	———	1827.	——	H.♃.	Bot. mag. t. 2958.
8	rugòsa. R.S.	(*wh.*)	white-flowered.	———	1761.	——	H.♃.	
9	purpùrea. R.S.	(*pu.*)	purple-flowered.	———	1789.	6. 8.	H.♃.	Bot. mag. t. 145.
	fistulòsa. var. *crimson.* B.M.							
10	Kalmiána. R.S.	(*sc.*)	pubescent-flower'd.	———	1813.	——	H.♃.	Pursh. amer. 1. t. 1.
11	dídyma. R.S.	(*sc.*)	Oswego Tea.	———	1752.	——	H.♃.	Bot. mag. t. 546.
12	Russelliàna. N.	(*wh.re.*)	Russell's.	———	1823.	——	H.♃.	Swt. br. fl. gar. t. 166.
13	clinopòdia. Ph.	(*st.*)	wild basil-leav'd.	———	1771.	7.	H.♃.	
14	grácilis. R.S.	(*st.*)	slender.	———	1824.	7. 8.	H.♃.	
15	punctàta. R.S.	(*ye.re.*)	spotted.	———	1714.	6. 10.	F.♃.	Bot. reg. t. 87.
16	citriodòra. R.S.	(*li.*)	Citron-scented.	New Spain.	1823.	——	F.♃.	
BLEPHI'LIA. B.R.			Blephi'lia.	Diandria Monogynia.				
1	ciliàta. B.R.	(*bl.*)	blue-flowered.	N. America.	1798.	7. 8.	H.♃.	Pluk. alm. t. 164. f. 3.
	Monárda ciliàta. R.S.							
2	hirsùta. B.R.	(*li.*)	hairy.	———	——	7. 9.	H.♃.	
ZIZI'PHORA. S.S.			Zizi'phora.	Diandria Monogynia.	L.			
1	clinopodioídes. R.S.	(*li.*)	headed.	Siberia.	1799.	7. 8.	H.⊙.	Rud.mem.p.1810.t.11.
	Cùnila capitàta. L.							
2	acinoídes. W.en.	(*ro.*)	Thyme-leaved.	———	1786.	——	H.⊙.	
3	mèdia. L.en.	(*li.*)	middle.	.....	1816.	——	H.♄.	
4	capitàta. R.S.	(*ro.*)	oval-leaved.	Syria.	1752.	——	H.⊙.	Flor. græc. 1. t. 13.
5	hispánica. R.S.	(*li.*)	Spanish.	Spain.	1759.	6.	H.⊙.	Lam. ill. t. 18. f. 1.
6	tenùior. R.S.	(*li.*)	spear-leaved.	Levant.	1752.	6. 7.	H.⊙.	——— t. 18. f. 2.
7	taùrica. R.S.	(*li.*)	Taurian.	Tauria.	1816.	7. 9.	H.⊙.	M.B.cent. pl.rar.2.t.82.
8	serpyllàcea. R.S.	(*li.*)	sweet-scented.	Caucasus.	1803.	7. 8.	H.♄.	Bot. mag. t. 906?
9	dasyántha. R.S.	(*li.*)	hairy-flowered.	Siberia.	——	6. 8.	H.♄.	——— t. 1093.
	Pouschkìni. B.M.							
C'UNILA. N.			C'unila.	Diandria Monogynia.	L.			
	mariàna. N.	(*pu.*)	Mint-leaved.	N. America.	1759.	7. 9.	H.♃.	Swt. br. fl. gar. t. 243.
HEDE'OMA. N.			Hede'oma.	Diandria Monogynia.	P.S.			
1	pulegioídes. N.	(*wh.vi.*)	Pennyroyal-ld.	N. America.	1777.	6. 8.	H.⊙.	
2	thymoídes. P.S.	(*bh.*)	Thyme-leaved.	France.	1699.	——	H.⊙.	Moris. s. 11. t. 19. f. 6.
ROSMAR'INUS. R.S.			Rosemary.	Diandria Monogynia.	L.			
1	officinàlis. R.S.	(*pa.bl.*)	common.	S. Europe.	1548.	1. 4.	H.♄.	Flor. græc. 1. t. 14.
	α angustifòlius.	(*pa.bl.*)	*narrow-leaved.*	———	——	——	H.♄.	
	β latifòlius.	(*pa.bl.*)	*broad-leaved.*	———	——	——	H.♄.	
	γ argénteus.	(*pa.bl.*)	*silver-striped.*	———	——	——	H.♄.	
	δ aùreus.	(*pa.bl.*)	*gold-striped.*	———	——	——	H.♄.	
2	chilénsis. R.S.	(*wh.*)	Chili.	Chili.	1795.	7.	G.♄.	
SYNA'NDRA. N.			Syna'ndra.	Didynamia Gymnospermia.				
	grandiflòra. N.	(*st.*)	great-flowered.	N. America.	1827.	6. 7.	H.♃.	

Tribus V. Nepeteæ. *Benth. in Bot. reg.*

LEON'OTIS. S.S.			Lion's-ear.	Didynamia Gymnospermia. S.S.				
1	Leonùrus. S.S.	(*or.*)	narrow-leaved.	C. B. S.	1712.	10. 12.	G.♄.	Bot. mag. t. 478.
	Phlòmis Leonùrus. W.							
2	ovàta. S.S.	(*or.*)	dwarf shrubby.	———	1713.	6. 7.	G.♄.	Mill. ic. 2. t. 163. f. 1.
3	intermèdia. S.S.	(*or.*)	intermediate.	S. Africa.	1823.	——	G.♄.	Bot. reg. t. 850.
4	nepetifòlia. S.S.	(*or.*)	Catmint-leaved.	E. Indies.	1778.	9. 10.	S.⊙.	——— t. 281.
LE'UCAS. B.P.			Le'ucas.	Didynamia Gymnospermia. S.S.				
1	chinénsis. S.S.	(*wh.*)	Chinese.	China.	1822.	6. 8.	S.♄.	
2	zeylánica. S.S.	(*wh.*)	Ceylon.	E. Indies.	1777.	6. 10.	S.⊙.	Jacq. ic. 1. t. 111.
3	linifòlia. S.S.	(*wh.*)	Flax-leaved.	———	1816.	——	S.⊙.	
4	Pluknètii. S.S.	(*wh.*)	Pluknet's.	———	1824.	——	S.⊙.	
5	cephalòtes. S.S.	(*wh.pu.*)	large-headed.	———	1811.	——	S.⊙.	
6	nùtans. S.S.	(*wh.*)	nodding.	———	1826.	——	S.⊙.	
7	hírta. S.S.	(*wh.*)	hairy.	———	1824.	——	S.⊙.	
8	áspera. S.S.	(*wh.*)	rough.	Persia.	1823.	——	S.⊙.	
9	índica. S.S.	(*bh.*)	Indian	E. Indies.	1789.	7. 8.	S.⊙.	
10	urticæfòlia. S.S.	(*wh.*)	Nettle-leaved.	———	1810.	——	S.⊙.	

11	martinicénsis.	(*wh.*)	West-Indian.	W. Indies.	1781.	7. 8.	S.☉.	Jacq. ic. 1. t. 110.
	Phlòmis martinicénsis. W.							
12	biflòra. s.s.	(*wh.*)	two-flowered.	E. Indies.	1820.	——	S.☉.	Burm. zeyl. t. 63. f. 1.
PHL'OMIS. S.S.			Jerusalem-sage.	Didynamia Gymnospermia. L.				
1	fruticòsa. s.s.	(*ye.*)	shrubby.	Spain.	1596.	6. 7.	H.♄.	Flor. græc. t. 563.
2	ferruginea. s.s.	(*ye.*)	ferruginous.	Naples.	....	——	H.♄.	
3	lanàta. s.s.	(*ye.*)	small shrubby.	S. Europe.	1596.	——	H.♄.	
4	crética. s.s.	(*ye.*)	Cretan.	Crete.	1823.	——	G.♄.	
5	scariòsa. s.s.	(*ye.*)	scariose-bracted.	Italy.	——	——	F.♄.	
6	vìrens. s.s.	(*ye.*)	green shrubby.	Levant.	....	——	F.♄.	
7	microphy'lla. Sie.	(*ye.*)	small-leaved.	————	1827.	——	F.♄.	
8	purpùrea. s.s.	(*pu.*)	purple.	S. Europe.	1661.	6. 8.	F.♄.	Smith spicil. 6. t. 3.
9	itálica. s.s.	(*pu.*)	Italian.	Italy.	——	——	F.♄.	
10	Nissòlii. s.s.	(*ye.*)	Nissole's.	Levant.	1757.	6. 7.	F.♃.	Mill. ic. 2. t. 204.
11	armeniàca. s.s.	(*ye.*)	Armenian.	Armenia.	1829.	——	F.♄.	
12	Lychnites. s.s.	(*ye.*)	lamp-wick.	S. Europe.	1658.	6. 8.	G.♄.	Bot. mag. t. 999.
13	floccòsa. B.R.	(*ye.*)	woolly.	Egypt.	1828.	8. 11.	F.♄.	Bot. reg. t. 1300.
14	salvifòlia. P.S.	(*ye.re.*)	Sage-leaved.	.....	1822.	6. 9.	F.♄.	Jacq. schœnb. 3. t. 359.
15	agrària. Led.	(*pu.*)	field.	Siberia.	1827.	——	H.♃.	
16	Sàmia. s.s.	(*pu.*)	Samian.	N. Africa.	1714.	6. 7.	H.♃.	Flor. græc. t. 564.
17	Russellìana. Lag.	(*ye.*)	Russell's.	Levant.	1821.	——	H.♃.	Russ. alep. 2. t. 16.
	lunarifòlia β *Russellìana.* B.M. 2542.							
18	Hérba-vénti. s.s.	(*pu.*)	rough-leaved.	S. Europe.	1596.	7. 9.	H.♃.	
19	púngens. s.s.	(*pu.*)	pungent.	Levant.	1818.	6. 8.	H.♃.	Swt. br. fl. gar. t. 33.
20	crinìta. s.s.	(*or.*)	white woolly.	Spain.	1829.	——	H.♃.	Cavan. icon. 3. t. 247.
21	alpìna. s.s.	(*pu.*)	Alpine.	Siberia.	1802.	6. 9.	H.♃.	Pall. act. pet. 2. t. 13.
22	tuberòsa. s.s.	(*pu.*)	tuberous-root'd.	————	1759.	6. 10.	H.♃.	Bot. mag. t. 1555.
23	laciniàta. s.s.	(*ye.*)	jagged-leaved.	Levant.	1731.	7.	H.♃.	Swt. br. fl. gar. t. 24.
BALL'OTA. S.S.			Stinking horehound.	Didynamia Gymnospermia. L.				
1	vulgàris. s.s.	(*pu.*)	common.	Europe.	....	7. 9.	H.♃.	
2	f'œtida. L.en.	(*pu.*)	strong-scented.	Britain.	....	——	H.♃.	Eng. bot. v. 1. t. 46.
	α *nigra.*	(*pu.*)	*purple-flowered.*	————	....	——	H.♃.	
	β *álba.*	(*wh.*)	*white-flowered.*	————	....	——	H.♃.	
BERING'ERIA. B.R.			Bering'eria.	Didynamia Gymnospermia.				
1	cinèrea. B.R.	(*li.*)	cinereous.	S. Europe.	1824.	6. 9.	H.♃.	
	Marrùbium cinèreum. S.S.							
2	acetabulòsum. B.R.	(*li.*)	saucer-leaved.	Candia.	1676.	6. 8.	F.♃.	Barrel. icon. 129.
3	pseùdo-dictámnus. B.R.	(*li.*)	shrubby white.	————	1596.	7. 8.	F.♄.	Flor. græc. t. 562.
	Marrùbium pseùdo-dictámnus. F.G.							
4	africànum. B.R.	(*li.*)	African.	C. B. S.	1710.	7. 9.	G.♃.	Comm. hort. 2. t. 90.
5	crìspum. B.R.	(*li.*)	curled-leaved.	S. Europe.	1714.	7. 8.	H.♃.	Herm. parad. t. 200.
6	hispánicum. B.R.	(*li.*)	Spanish.	Spain.	——	——	H.♃.	———— t. 201.
7	hirsùtum. B.R.	(*li.*)	hairy.	S. Europe.	....	6. 7.	H.♃.	
8	orientàle. B.R.	(*li.*)	oriental.	Levant.	1828.	——	H.♃.	
MOLUCCE'LLA. S.S.			Molucca-balm.	Didynamia Gymnospermia. L.				
1	tuberòsa. s.s.	(*wh.*)	tuberous-root'd.	Tartary.	1796.	7.	H.♃.	Pall. it. 3. app. t. T.
2	l'ævis. s.s.	(*wh.re.*)	smooth.	Syria.	1570.	7. 8.	H.☉.	Bot. mag. t. 1852.
CHASM'ONIA. B.R.			Chasm'onia.	Didynamia Gymnospermia.				
	incìsa. B.R.	(*wh.re.*)	spiny.	Levant.	1596.	7. 8.	H.☉.	Bot. reg. t. 1244.
	Moluccélla spinòsa. Flor. græc. t. 567.							
LEON'URUS. S.S.			Motherwort.	Didynamia Gymnospermia. L.				
1	Cardìaca. s.s.	(*li.wh.*)	common.	Britain.	....	7. 8.	H.♃.	Eng. bot. v. 4. t. 286.
2	villòsus. s.s.	(*li.wh.*)	villous.	Tauria.	1824.	——	H.♃.	
3	crìspus. s.s.	(*li.*)	curl-leaved.	Siberia.	1658.	——	H.♃.	Murr. c. gott. 8. t. 4.
4	supìnus. s.s.	(*wh.*)	procumbent.	————	1816.	6. 8.	H.♃.	
5	glaucéscens. Led.	(*li.*)	glaucous-leaved.	————	1827.	7. 9.	H.♃.	
6	tatáricus. s.s.	(*li.*)	Tartarian.	Tartary.	1756.	8. 10.	H.♂.	Mill. ic. 1. t. 80.
7	sibíricus. s.s.	(*ro.*)	Siberian.	Siberia.	1759.	6. 8.	H.♂.	Swt. br. fl. gar. t. 204.
8	condensàtus. s.s.	(*li.*)	condensed.	————	1824.	——	H.♃.	
9	heterophy'llus. B.F.G.	(*ro.*)	various-leav'd.	S. America.	——	——	H.☉.	Swt. br. fl. gar. t. 197.
10	multífidus. Desf.	(*li.*)	multifid.	.....	——	——	H.☉.	
11	neglèctus. Sch.	(*li.*)	neglected.	.....	——	——	H.♃.	
12	altáicus. s.s.	(*li.*)	Altaic.	Altay.	1826.	——	H.♃.	
13	lanàtus. s.s.	(*st.*)	woolly.	Siberia.	1752.	——	H.♃.	Gmel. sib. 3. t. 54.
	Ballòta lanàta. W.							
GALEO'BDOLON. S.S.			Dead-nettle.	Didynamia Angiospermia. S.S.				
	lùteum. E.B.	(*ye.*)	yellow.	Britain.	....	5. 6.	H.♃.	Eng. bot. v. 11. t. 787.
GALEO'PSIS. S.S.			Hemp-nettle.	Didynamia Gymnospermia. L.				
1	Ládanum. E.B.	(*ro.*)	red.	Britain.	....	7. 9.	H.☉.	Eng. bot. v. 13. t. 884.

2	angustifòlia. P.s.	(*ro.*)	narrow-leaved.	Europe.	1820.	7. 9.	H.⊙.	
3	canéscens. s.s.	(*li.*)	canescent.	Germany.	1827.	——	H.⊙.	
4	pubéscens. s.s.	(*wh.re.*)	pubescent.	———	1820.	——	H.⊙.	
5	ochroleùca. s.s. *villòsa.* E.B.	(*ye.*)	downy.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 33. t. 2353.
6	Tetràhit. E.B.	(*wh.pu.*)	common.	———	....	——	H.⊙.	Eng. bot. v. 3. t. 207.
7	versícolor. E.B. *cannabìna.* W.	(*ye.vi.*)	various-colour'd.	———	....	——	H.⊙.	——— v. 10. t. 667.
L'AMIUM. S.S.			ARCHANGEL.	Didynamia Gymnospermia. L.				
1	longiflòrum. T.N. *maculàtum.* Eng. bot. *non* Flor. Græc.	(*pu.*)	long-flowered.	S. Europe.	....	4. 9.	H.♃.	Eng. bot. v. 36. t. 2550.
2	rugòsum. s.s.	(*pu.*)	rough.	Italy.	1766.	7. 8.	H.♃.	Flor. græc. t. 555.
3	maculàtum. E.B.	(*pu.*)	spotted.	Britain.	....	4. 5.	H.♃.	——— t. 556.
4	álbum. E.B.	(*wh.*)	white.	———	....	4. 9.	H.♃.	Eng. bot. v. 11. t. 768.
5	striàtum. F.G.	(*wh.std.*)	striped-flower'd.	Levant.	1829.	——	H.♃.	Flor. græc. t. 557.
6	bifidum. s.s.	(*wh.*)	bifid-helmetted.	Naples.	1825.	——	H.♃.	Cyr. rar. fasc. 1. t. 7.
7	moschàtum. s.s.	(*wh.*)	musk-scented.	Levant.	1739.	7. 9.	H.♃.	
8	mólle. s.s.	(*wh.*)	Pellitory-leaved.	.....	1683.	4. 5.	H.♃.	
9	flexuòsum. T.N.	(*wh.*)	flexuose.	Naples.	1824.	4. 8.	H.♃.	Ten. flor. nap. ic.
10	gargánicum. s.s.	(*pu.*)	woolly.	Italy.	1729.	7. 8.	H.♃.	Sm. exot. bot. 1. t. 48.
11	lævigàtum. s.s.	(*pu.*)	smooth.	———	1711.	8. 10.	H.♃.	Pluk. alm. t. 196. f. 1.
12	purpùreum. s.s. *β álbidum.*	(*pu.*) (*wh.*)	purple. *white-flowered.*	Britain. ———	....	2. 8. ——	H.⊙. H.⊙.	Eng. bot. v. 11. t. 769.
13	incisum. s.s.	(*li.*)	cut-leaved.	England.	....	5. 7.	H.⊙.	Eng. bot. v. 27. t. 1983.
14	amplexicàule. s.s.	(*pu.*)	Henbit.	Britain.	....	——	H.⊙.	——— v. 11. t. 770.
15	multífidum. s.s.	(*pu.*)	multifid-leaved.	Levant.	1752.	4. 5.	H.⊙.	Comm. rar. t. 26.
ORV'ALA. DC.			ORV'ALA.	Didynamia Gymnospermia.				
1	lamioídes. DC. *Làmium Orvàla.* B.M.	(*pu.bh.*)	balm-leaved.	Italy.	1596.	4. 7.	H.♃.	Bot. mag. t. 172.
2	gargànica. DC.	(*pu.*)	Garganian.	———	——	——	H.♃.	
PHYSOST'EGIA. B.R.			PHYSOST'EGIA.	Didynamia Angiospermia.				
1	virginiàna. B.R.	(*cr.*)	Virginian.	N. America.	1683.	7. 9.	H.♃.	Bot. mag. t. 467.
2	speciòsa. B.F.G. *Dracocéphalum speciòsum.* B.F.G.	(*ro.*)	beautiful.	———	1820.	——	H.♃.	Swt. br. fl. gar. t. 93.
3	denticulàta. B.R. *Dracocéphalum denticulàtum.* B.M.	(*ro.*)	toothed.	———	1787.	8. 9.	H.♃.	Bot. mag. t. 214.
4	variegàta. B.R.	(*re.wh.*)	variegated.	———	1812.	——	H.♃.	Vent. cels. t. 44.
SPHA'CELE. B.R.			SPHA'CELE.	Didynamia Gymnospermia.				
	Lindlèi. B.R. *Stáchys Sálviæ.* B.R.	(*li.*)	Lindley's.	Valparaiso.	1825.	7. 9.	G.♄.	Bot. reg. t. 1228.
BETO'NICA. S.S.			BETONY.	Didynamia Gymnospermia. L.				
1	officinàlis. s.s.	(*pu.*)	wood.	Britain.	....	7. 8.	H.♃.	Eng. bot. v. 16. t. 1142.
2	stricta. s.s.	(*pu.*)	Danish.	Denmark.	1592.	6. 7.	H.♃.	
3	incàna. s.s.	(*pi.*)	hoary.	Italy.	1759.	——	H.♃.	Bot. mag. t. 2125.
4	orientàlis. s.s.	(*pu.*)	oriental.	Levant.	1737.	——	H.♃.	Lam. ill. t. 507. f. 2.
5	alopecùros. s.s.	(*st.*)	Foxtail.	S. Europe.	1759.	7.	H.♃.	Jacq. aust. 1. t. 78.
6	hirsùta. s.s.	(*pu.*)	hairy.	Italy.	1710.	6. 7.	H.♃.	Mur. com. got. 2. t. 3.
7	grandiflòra. s.s.	(*pu.*)	great-flowered.	Siberia.	1800.	——	H.♃.	Bot. mag. t. 700.
STACHYS. S.S.			HEDGE-NETTLE.	Didynamia Gymnospermia. L.				
1	spinòsa. s.s.	(*wh.*)	thorny.	Candia.	1640.	7.	F.½.	Flor. græc. t. 550.
2	glutinòsa. s.s.	(*wh.*)	clammy.	———	1729.	6. 7.	H.♃.	Moris. s. 11. t. 4. f. 17.
3	fruticulòsa. s.s.	(*pu.*)	frutescent.	Caucasus.	1825.	——	H.½.	
4	æthiòpica. s.s.	(*li.*)	Ethiopian.	C. B. S.	1770.	4. 7.	G.♃.	Jacq. obs. 4. t. 77.
5	córsica. s.s.	(*li.*)	Corsican.	Corsica.	1825.	——	H.♃.	
6	angustifòlia. s.s.	(*li.*)	narrow-leaved.	Tauria.	1822.	6. 7.	H.♃.	Swt. br. fl. gar. 2. t. 196.
7	rugòsa. s.s.	(*st.*)	rough.	C. B. S.	1774.	7. 8.	G.½.	Jacq. ic. 3. t. 498.
8	betonicæfòlia. s.s.	(*ye.*)	Betony-leaved.	Crete.	1812.	6. 7.	H.♃.	
9	stenophy'lla. s.s.	(*ye.*)	linear-leaved.	S. Spain.	1819.	——	F.½.	
10	orientàlis. s.s.	(*st.*)	oriental.	Levant.	1768.	——	H.♃.	Flor. græc. t. 560.
11	marítima. s.s.	(*ye.*)	sea-side.	S. Europe.	1714.	7.	H.♃.	Jacq. vind. 1. t. 70.
12	ánnua. s.s.	(*wh.pu.*)	annual.	———	1713.	6. 8.	H.⊙.	Jacq. aust. 4. t. 308.
13	hírta. s.s.	(*ye.pu.*)	procumbent.	Spain.	1725.	——	H.♃.	All. ped. 1. t. 2. f. 3.
14	arvénsis. s.s.	(*pu.*)	corn.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 17. t. 1154.
15	arenària. s.s.	(*pu.*)	sand.	Barbary.	1824.	6. 8.	H.♃.	Desf. atl. 2. t. 128.
16	diffùsa. Schweig. *arenària.* B.M. *non* Desf. *ràbra.* Donn.	(*re.*)	diffuse.	S. Europe.	1804.	——	H.♃.	Bot. mag. t. 1915.
17	ibérica. B.M.	(*pu.*)	Iberian.	Iberia.	1823.	——	H.♃.	
18	scordifòlia. W.en.	(*pu.*)	wedge-leaved.	.....	1816.	7. 8.	H.♃.	
19	áspera. M.	(*pu.*)	harsh-leaved.	N. America.	——	——	H.♃.	

20	hìspida. s.s.	(*pu.*)	hispid.	N. America.	1827.	7. 8.	H.4.	
21	itálica. Mil.	(*pu.*)	Italian.	Italy.	1747.	——	H.♂.	
22	Balbísii. L.en.	(*ye.*)	Balbis's.	————	1823.	——	H.4.	
23	nepetæfòlia. s.s.	(*pu.*)	Catmint-leaved.	Levant.	1805.	6. 8.	H.4.	
24	arábica. s.s.	(*re.*)	Arabian.	Arabia.	1820.	——	H.⊙.	
25	ambígua. s.s.	(*pu.*)	ambiguous.	Britain.	....	6. 7.	H.4.	Eng. bot. v. 30. t. 2089.
26	sylvática. s.s.	(*pu.*)	common.	————	....	7. 8.	H.4.	———— v. 6. t. 416.
27	circinàta. s.s.	(*pu.*)	blunt-leaved.	Barbary.	1777.	5. 7.	H.4.	L'Herit. s. nov. t. 26.
	canariénsis. Jacq. ic. 1. t. 108.							
28	mollíssima. W.en.	(*li.*)	soft-leaved.	Corfu.	1806.	7. 8.	H.4.	W. hort. ber. t. 60.
29	pubéscens. T.s.	(*st.*)	pubescent.	Italy.	1826.	——	H.4.	
30	decúmbens. P.s.	(*st.*)	decumbent.	S. Europe.	1816.	5. 7.	H.4.	
31	coccínea. s.s.	(*sc.*)	scarlet.	S. America.	1798.	6. 8.	F.4.	Bot. mag. t. 666.
32	récta. s.s.	(*ye.*)	upright.	S. Europe.	1683.	——	H.4.	Jacq. aust. 4. t. 359.
33	heráclea. w.	(*pu.*)	Phlomis-leaved.	Italy.	1816.	6. 7.	H.4.	All. ped. t. 84. f. 1.
	phlomoides. W.en.							
34	obliqua. P.s.	(*st.*)	oblique-leaved.	Hungary.	——	——	H.4.	W. et K. hung. t. 133.
35	palústris. s.s.	(*pu.*)	Clown's all-heal.	Britain.	....	8.	H.4.	Eng. bot. v. 24. t. 1675.
36	germánica. s.s.	(*pu.*)	downy.	England.	....	7. 8.	H.4.	———— v. 12. t. 829.
37	intermèdia. w.	(*pu.*)	oblong-leaved.	Carolina.	1762.	6. 7.	H.4.	
38	sibírica. L.en.	(*pu.*)	Siberian.	Siberia.	1822.	6. 8.	H.4.	Swt. br. fl. gar. t. 100.
39	polystàchya. s.s.	(*pu.*)	many-spiked.	Naples.	1824.	——	H.4.	
40	salviæfòlia. s.s.	(*pu.*)	Sage-leaved.	————	——	——	H.4.	
41	crética. s.s.	(*pu.*)	Cretan.	Candia.	1640.	——	F.4.	Flor. græc. t. 558.
42	dasyántha. Raf.	(*pu.*)	woolly-flower'd.	Sicily.	1829.	——	H.4.	
43	exaltàta. Ot.	(*pu.*)	tall.	.....	——	——	H.4.	
44	alpìna. s.s.	(*pu.*)	Alpine.	Germany.	1597.	——	H.4.	Lap. pyr. 1. t. 8.
45	lanàta. s.s.	(*pu.*)	woolly.	Siberia.	1782.	6. 9.	H.4.	Jacq. ic. 1. t. 107.
46	latifòlia. s.s.	(*pu.*)	broad-leaved.	.....	1775.	6. 7.	H.♄.	
47	biénnis. Roth.	(*pu.*)	biennial.	Germany.	1801.	6. 8.	H.♂.	
48	lusitánica	(*pu.*)	Portugal.	Portugal.	1800.	——	H.4.	
	Eriostèmon lusitánicum. Lk.							

ZIET'ENIA. P.S. ZIET'ENIA. Didynamia Gymnospermia. P.S.

	orientàlis. P.s.	(*li.*)	Lavender-leaved.	Levant.	1816.	5. 7.	H.♄.	
	lavandulifòlia. L.en. *Stàchys lavandulifòlia.* w.							

CHAIT'URUS. B.R. CHAIT'URUS. Didynamia Gymnospermia.

	marrubiástrum. Ehr.	(*li.*)	small-flowered.	Austria.	1710.	6. 8.	H.⊙.	Jacq. aust. 5. t. 405.
	Leonàrus marrubiastrum. w.							

CRANIO'TOME. B.R. CRANIO'TOME. Didynamia Gymnospermia.

	versícolor. B.R.	(*re.wh.*)	various-coloured.	Nepaul.	1823.	7. 8.	G.♄.	
	Ajùga furcàta. L.enum. *Anisomèles nepalénsis.* s.s.							

NE'PETA. L. CATMINT. Didynamia Gymnospermia. L.

1	serpyllifòlia. s.s.	(*li.*)	Thyme-leaved.	Tauria.	1826.	6. 8.	H.4.	
2	parviflòra. s.s.	(*li.*)	small-flowered.	————	1828.	——	H.4.	
3	sibírica. s.s.	(*bl.*)	Siberian.	Siberia.	1804.	7.	H.4.	
4	grandiflòra. s.s.	(*bl.*)	large-flowered.	Caucasus.	1806.	7 8.	H.4.	
5	melissæfòlia. s.s.	(*bl.*)	Balm-leaved.	Candia.	1752.	——	H.4.	
6	coloràta. W.én.	(*vi.*)	coloured.	Caucasus.	1806.	——	H.4.	
7	longiflòra. H.K.	(*bl.*)	long-flowered.	Persia.	1802.	6. 8.	H.4.	Venten. cels. t. 66.
8	Mussìni. H.K.	(*bl.*)	scollop-leav'd.	Siberia.	1804.	5. 8.	H.4.	Bot. mag. t. 923.
	longiflòra. B.M. *non* v.							
9	incàna. s.s.	(*bl.*)	hoary.	Levant.	1723.	8.	H.4.	
10	gravèolens. s.s.	(*bl.*)	strong-smelling.	S. Europe.	1804.	7. 8.	H.4.	All. ped. t. 2. f. 1.
11	amethy'stina. Poir.	(*bl.*)	amethystine.	————	1820.	——	H.4.	
12	Nepetélla. s.s.	(*li.*)	small.	————	1758.	——	H.4.	
13	teucriifòlia. s.s.	(*bl.*)	Teucrium-leav'd.	Armenia.	1816.	——	H.4.	
14	lamiifòlia. s.s.	(*bl.*)	Lamium-leaved.	————	1806.	h2	H.4.	
15	citriodòra. Lag.	(*wh.*)	Citron-scented.	Spain.	1826.	——	H.4.	
16	lophántha. F.	(*bl.*)	crested.	Altay.	1821.	——	H.4.	
17	angustifòlia. s.s.	(*wh.*)	narrow-leaved.	Spain.	1796.	6. 7.	H.4.	
18	Catària. s.s.	(*wh.*)	common.	Britain.	....	7. 9.	H.4.	Eng. bot. v. 2. t. 137.
19	ucranìca. s.s.	(*vi.*)	Ukranian.	Ukraine.	1789.	7. 8.	H.4.	
20	nùda. L.	(*li.*)	naked.	S. Europe.	1710.	——	H.4.	Flor. græc. t. 547.
21	pannònica. L.	(*li.*)	close-flowered.	Hungary.	1683.	8. 10.	H.4.	Jacq. aust. 2. t. 129.
22	violàcea. s.s.	(*vi.*)	violet-coloured.	Spain.	1723.	7. 9.	H.4.	Bocc. mus. t. 36.
23	cærùlea. s.s.	(*bl.*)	blue-flowered.	.....	1777.	5. 6.	H.4.	
24	latifòlia. s.s.	(*pu.*)	broad-leaved.	Pyrenees.	1818.	7. 8.	H.4.	
25	macrùra. s.s.	(*li.*)	long-tailed.	Siberia.	——	——	H.4.	
26	crìspa. s.s.	(*bl.*)	curl-leaved.	Levant.	1800.	——	H.4.	

27	diffùsa. s.s.	(*bl.*)	spreading.	Siberia.	1820.	7. 8.	H.♃.	
28	imbricàta. s.s.	(*pu*)	imbricated.	Spain.	1825.	——	H.♃.	
29	teucrioìdes. s.s.	(*br.*)	Teucrium-like.	Levant.	1819.	——	H.♃.	
30	itálica. w.	(*wh.sp.*)	Italian.	Italy.	1640.	6. 8.	H.♃.	Flor. græc. t. 548.
31	marrubioìdes. W.en.	(*pu.*)	horehound-leav'd.	——	....	——	H.♃.	
32	multibracteàta. s.s.	(*vi.*)	many-bracted.	Barbary.	1823.	——	H.♃.	Desf. atl. 2. t. 123.
33	lanàta. s.s.	(*vi.*)	woolly.	S. Europe.	1774.	5. 6.	H.♃.	Jacq. obs. 3. t. 75.
34	tuberòsa. s.s.	(*vi.*)	tuberous-root'd.	Spain.	1683.	6. 8.	H.♃.	Barrel. ic. t. 602.
35	reticulàta. s.s.	(*li.*)	netted.	Morocco.	1801.	7. 8.	H.♃.	Desf. atl. 2. t. 124.
36	Scordòtis. s.s.	(*wh.*)	sessile-spiked.	Crete.	1823.	——	G.♄.	Alp. exot. t. 283.
37	suavèolens. Roem.	(*wh.*)	sweet-scented.	.....	1804.	——	H.♃.	
38	botryoìdes. w. *bipinnàta.* Cav.	(*wh.*)	annual.	——	1779.	6. 7.	H.☉.	Cavan. ic. 1. t. 49.

GLE'CHOMA. L. GROUND-IVY. Didynamia Gymnospermia. L.

1	hederàcea. E.B.	(*bl.*)	common.	Britain.	....	3. 5.	H.♃.	Eng. bot. v. 12. t. 853.
2	hirsùta. P.S.	(*pu.*)	hairy.	Hungary.	....	——	H.♃.	W. et K. hung. t. 119.

HEMIG'ENIA. B.P. HEMIG'ENIA. Didynamia Gymnospermia.

	purpùrea. B.P.	(*pu.*)	purple.	N. S. W.	1824.	4. 8.	G.♄.	

SIDE'RITIS. S.S. IRONWORT. Didynamia Gymnospermia. L.

1	canariénsis. s.s.	(*ye.*)	Canary.	Canaries.	1697.	5. 8.	G.♄.	Jacq. vind. 3. t. 30.
2	cándicans. s.s.	(*ye.*)	Mullein-leaved.	Madeira.	1714.	4. 7.	G.♄.	Comm. hort. 2. t. 99.
3	crética. s.s.	(*wh.*)	Cretan.	Crete.	1823.	——	G.♄.	
4	montàna. s.s.	(*ye.*)	mountain.	Austria.	1752.	7. 8.	H.☉.	Flor. græc. t. 551.
5	élegans. s.s.	(*wh.bl.*)	dark-flowered.	.....	1787.	7.	H.☉.	Murr. com. got. 1. t. 4.
6	romàna. s.s.	(*wh.*)	Roman.	Italy.	1759.	6. 8.	H.☉.	Flor. græc. t. 552.
7	syriaca. s.s.	(*ye.*)	Syrian.	Levant.	1597.	6. 9.	G.♃.	—— t. 550.
8	taùrica. W.en.	(*ye.*)	Taurian.	Tauria.	1818.	——	H.♄.	
9	brùtia. T.s.	(*ye.*)	woolly.	Naples.	1827.	——	F.♄.	
10	perfoliàta. s.s.	(*ye.*)	perfoliate.	Levant.	1731.	8. 11.	H.♃.	
11	pullùlans. s.s.	(*wh.ye.*)	brownish.	——	1828.	——	F.♃.	Vent. cels. 1. t. 98.
12	leucántha. s.s.	(*wh.*)	white-flowered.	Spain.	——	——	F.♄.	Cavan. ic. 2. t. 204.
13	incàna. s.s.	(*ye.*)	Lavender-leav'd.	——	1752.	7. 8.	H.♄.	—— 2. t. 186.
14	angustifòlia. s.s.	(*ye.*)	narrow-leaved.	——	1825.	——	H.♄.	
15	spinòsa. s.s.	(*ye.*)	spiny.	——	....	6. 9.	H.♃.	Cavan. ic. 3. t. 200.
16	ilicifòlia. s.s.	(*ye.*)	Holly-leaved.	Levant.	....	——	H.♃.	
17	serràta. s.s.	(*ye.*)	saw-leaved.	Spain.	1818.	——	H.♃.	
18	hyssopifòlia. s.s.	(*ye.*)	Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H.♃.	Schk. hand. 2. t. 158.
19	f'œtida. L.en.	(*ye.*)	strong-scented.	.....	....	——	H.♃.	
20	pyrenàica. s.s.	(*ye.*)	Pyrenean.	Pyrenees.	1816.	——	H.♃.	
21	chamædryfòlia. s.s.	(*ye.*)	Germander-ld.	Spain.	——	——	H.♃.	Cavan. ic. 4. t. 301.
22	scordioìdes. s.s.	(*ye.*)	scollop-leaved.	France.	1597.	8. 11.	H.♃.	Barrel. ic. t. 343.
23	hirsùta. s.s.	(*ye.*)	hairy.	S. Europe.	1731.	6. 7.	H.♃.	Cavan. ic. 4. t. 302.
24	crispàta. s.s.	(*ye.*)	curled-leaved.	Gibraltar.	1816.	6. 9.	F.♃.	

MARRU'BIUM. S.S. HOREHOUND. Didynamia Gymnospermia. L.

1	Aly'ssum. s.s.	(*pu.*)	plaited-leaved.	Spain.	1597.	7. 8.	H.♃.	Ger. herb. 379. f. 1.
2	astracánicum. s.s.	(*bl.*)	Astracan.	Levant.	1816.	——	H.♃.	Jacq. ic. 1. t. 109.
3	peregrìnum. w.	(*wh.*)	Sicilian.	Sicily.	1640.	7. 9.	H.♃.	Jacq. anst. 2. t. 160.
4	candidíssimum. s.s.	(*wh.*)	woolly white.	Levant.	1732.	——	H.♃.	Dill. elt. 274. f. 214.
5	créticum. w.	(*wh.*)	Cretan.	——	1596.	——	H.♃.	
6	affìne. L.en.	(*pu.*)	related.	Siberia.	1816.	——	H.♃.	
7	supìnum. s.s.	(*wh.*)	procumbent.	S. Europe.	1714.	8. 10.	H.♃.	Bocc. mus. 2. t. 98.
8	catariæfòlium. s.s.	(*wh.*)	Catmint-leav'd.	Levant.	1823.	7. 9.	H.♃.	
9	velutìnum. F.G.	(*ye.*)	velvetty.	——	1827.	——	F.♃.	Flor. græc. t. 561.
10	vulgàre. s.s.	(*wh.*)	common.	Britain.	....	6. 9.	H.♃.	Eng. bot. t. 6. f. 410.

LAVA'NDULA. S.S. LAVENDER. Didynamia Gymnospermia. L.

1	Spìca. s.s.	(*bl.*)	common.	S. Europe.	1568.	7. 9.	H.♄.	Schk. hand. 2. t. 157.
	β álba.	(*wh.*)	*white-flowered.*	——	——	——	H.♄.	
2	latifòlia. s.s.	(*bl.*)	broad-leaved.	——	——	——	H.♄.	
3	St'œchas. s.s.	(*bl.*)	French.	S. Europe.	1562.	5. 7.	G.♄.	Flor. græc. t. 549.
4	víridis. s.s.	(*bl.*)	Madeira.	Madeira.	1777.	——	G.♄.	Hoff. et Lk. lus. 1. t. 4.
5	dentàta. s.s.	(*bl.*)	tooth-leaved.	Spain.	1597.	6. 9.	G.♄.	Bot. mag. t. 401.
6	pinnàta. s.s.	(*bl.*)	pinnated.	Madeira.	1777.	4. 8.	G.♄.	—— t. 400.
7	heterophy'lla. s.s.	(*bl.*)	various-leaved.	.....	1816.	——	G.♄.	
8	formòsa. L.en.	(*bl.*)	handsome.	Canaries.	——	——	G.♄.	
9	multífida. s.s.	(*bl.*)	cut-leaved.	——	1597.	7. 9.	G.♂.	Lobel. ic. 432.
10	abrotanoìdes. s.s.	(*bl.*)	Southernwood-ld.	——	1699.	6. 9.	G.♄.	Comm. rar. t. 27.

DRACOC'EPHALUM. DRAGON'S-HEAD. Didynamia Gymnospermia. L.

1	Ruyschiàna. s.s.	(*bl.*)	Hyssop-leaved.	N. Europe.	1699.	6. 9.	H.♃.	Flor. dan. t. 121.
2	austrìacum. s.s.	(*bl.*)	Austrian.	Austria.	1597.	6. 7.	H.♃.	Jacq. ic. 1. t. 113.

3	origanoïdes. s.s.	(*bl.*)	Marjoram-like.	Siberia.	1827.	6. 7.	H. ♃.	
4	botryoïdes. s.s.	(*bl.*)	woolly-leaved.	Caucasus.	1823.	——	H. ♃.	
5	palmàtum. s.s.	(*bl.*)	palmated.	Siberia.	1815.	6. 8.	H. ♃.	
6	canariénse. s.s.	(*li.*)	Balm of Gilead.	Canaries.	1697.	7. 9.	G. ♄.	Comm. hort. 2. t. 41.
7	pinnàtum. s.s.	(*bl.*)	wing-leaved.	Siberia.	1827.	——	H. ♄.	
8	peregrìnum. s.s.	(*bl.*)	prickly-leaved.	————	1759.	7. 8.	H. ♃.	Bot. mag. t. 1064.
9	argunénse. s.s.	(*bl.*)	Fischer's.	————	1822.	7. 9.	H. ♃.	Swt. br. fl. gar. t. 47.
10	integrifòlium. Led.	(*bl.*)	entire-leaved.	————	1827.	——	H. ♃.	
11	grandiflòrum. s.s.	(*bl.*)	great-flowered.	————	1759.	——	H. ☉.	
12	altaiénse. s.s.	(*bl.*)	Betony-leaved.	Georgia.	1787.	——	H. ♃.	Swt. br. fl. gar. s. 2.
13	Moldávica. s.s.	(*bl.*)	Moldavian.	Moldavia.	1596.	7. 8.	H. ☉.	Lam. ill. t. 513. f. 1.
14	canéscens. s.s.	(*bl.*)	hoary-leaved.	Levant.	1711.	——	H. ☉.	Swt. br. fl. gar. t. 38.
15	ibéricum. s.s.	(*bl.*)	Iberian.	Iberia.	1827.	——	H. ☉.	
16	peltàtum. s.s.	(*bl.*)	Willow-leaved.	Levant.	1711.	——	H. ☉.	Lam. ill. t. 513. f. 2.
17	thymiflòrum. s.s.	(*bl.*)	small-flowered.	Siberia.	1752.	6. 9.	H. ☉.	Gmel. sib. 3. t. 50.
18	nùtans. s.s.	(*bl.*)	nodding.	————	1731.	7. 8.	H. ♃.	Bot. reg. t. 841.
19	chamædryoïdes. s.s.	(*bl.*)	Chamædrys-like.	.....	1828.	——	H. ♃.	
20	sibíricum. s.s.	(*bl.*)	Siberian.	Siberia.	1760.	6. 8.	H. ♃.	Bot. mag. t. 2185.
HORM'INUM. P.S.			HORM'INUM.	Didynamia Gymnospermia. P.S.				
	pyrenàicum. s.s.	(*bl.*)	Pyrenean.	Pyrenees.	1820.	6. 7.	H. ♃.	Swt. br. fl. gar. t. 252.
MELI'SSA. S.S.			BALM.	Didynamia Gymnospermia. L.				
1	officinàlis. w.	(*bh.*)	common.	S. Europe.	1573.	6. 10.	H. ♃.	
2	hirsùta. H.H.	(*bh.*)	hairy.	————	....	——	H. ♃.	
3	cordifòlia. P.S.	(*bh.*)	heart-leaved.	————	....	——	H. ♃.	
4	altíssima. s.s.	(*bh.*)	tall.	————	1823.	——	H. ♃.	Flor. græc. t. 579.
LEPECHI'NIA. S.S.			LEPECHI'NIA.	Didynamia Gymnospermia. W.				
	spicàta. s.s.	(*st.*)	spiked.	Mexico.	1800.	7. 8.	H. ♃.	Bot. reg. t. 1292.
THY'MBRA. S.S.			THY'MBRA.	Didynamia Gymnospermia. L.				
1	spicàta. L.	(*re.*)	spiked-flower'd.	Levant.	1699.	6. 7.	G. ♄.	Flor. græc. t. 546.
2	verticillàta. L.	(*re.*)	whorl-flowered.	Spain.	1702.	——	G. ♄.	
A'CYNOS. P.S.			A'CYNOS.	Didynamia Gymnospermia. P.S.				
1	vulgàris. P.S.	(*vi.*)	Basil-leaved.	Britain.	....	6. 8.	H. ☉.	Eng. bot. v. 6. t. 411.
	Th'ymus A'cinos. E.B.							
2	gravèolens. L.en.	(*vi.*)	strong-scented.	Tauria.	1823.	——	H. ♄.	
3	villòsus. P.S.	(*vi.*)	villous.	Germany.	1817.	——	H. ☉.	
4	exíguus. F.G.	(*pu.*)	small.	Levant.	1838.	——	H. ☉.	Flor. græc. t. 575.
5	alpinus. P.S.	(*vi.*)	Alpine.	Austria.	1731.	6. 9.	H. ♂.	Jacq. aust. 1. t. 97.
6	purpurascens. P.S.	(*pu.*)	purple.	Spain.	1820.	——	H. ♂.	
7	patavinus. P.S.	(*pu.*)	Marjoram-leav'd.	S. Europe.	1776.	6. 8.	H. ♂.	Jacq. obs. 4. t. 87.
8	rotundifòlius. P.S.	(*pu.*)	round-leaved.	Spain.	1820.	——	H. ♄.	
GARD'OQUIA. S.S.			GARD'OQUIA.	Didynamia Gymnospermia.				
1	discolor. K.s.	(*pu.*)	two-coloured.	Caracas.	1827.	4. 7.	S. ♄.	
2	origanoïdes. s.s.	(*pu.*)	Marjorum-like.	Trinidad.	1824.	——	S. ♄.	
CALAMI'NTHA. Ph.			CALAMINT.	Didynamia Gymnospermia.				
1	marifòlia. P.S.	(*wh.sp.*)	Marum-leaved.	Spain.	1788.	6. 7.	H. ♃.	Cavan. ic. 6. t. 576.
	Népeta marifòlia. Cav. *Th'ymus marifòlius.* W.en.							
2	crética. P.S.	(*pu.*)	Cretan.	S. Europe.	1596.	——	F. ♄.	Barrel. ic. 1166.
3	fruticòsa. P.S.	(*pu.*)	shrubby.	Spain.	1752.	7. 9.	F. ♄.	
4	álba. L.en.	(*wh.*)	white.	Hungary.	1818.	——	H. ♃.	
5	Népeta. P.S.	(*li.*)	lesser.	England.	....	7. 10.	H. ♃.	Eng. bot. v. 20. t. 1414.
	Melissa Népeta. L. *Th'ymus Népeta.* E.B.							
6	vulgàris.	(*li.*)	common.	England.	....	7. 8.	H. ♃.	Eng. bot. v. 24. t. 1676.
	Melissa Calamintha. L. *Th'ymus Calamintha.* E.B.							
7	grandiflòra. P.S.	(*re.*)	great-flowered.	Italy.	1596.	6. 9.	H. ♃.	Bot. mag. t. 208.
	Melissa grandiflòra. B.M.							
8	caroliniàna. N.	(*li.*)	Carolina.	Carolina.	1804.	6. 7.	F. ♄.	Bot. mag. t. 997.
	Th'ymus grandiflòrus. B.M.							
CLINOP'ODIUM. S.S.			WILD-BASIL.	Didynamia Gymnospermia. L.				
1	vulgàre. s.s.	(*re.*)	common.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 20. t. 1401.
2	atropurpùreum. H.H.	(*pu.*)	dark purple.	S. Europe.	1820.	——	H. ♃.	
3	ægyptiacum. s.s.	(*pu.*)	Egyptian.	Egypt.	1759.	——	H. ♃.	
MELI'TTIS. S.S.			BASTARD-BALM.	Didynamia Gymnospermia. L.				
1	Melissophy'llum. s.s.	(*pu.*)	common.	England.	....	6. 8.	H. ♃.	Eng. bot. v. 9. t. 577.
	β *alpina.*	(*pu.wh.*)	*Alpine.*	Switzerland.	....	——	H. ♃.	
2	grandiflòra. s.s.	(*wh.vi.*)	great-flowered.	England.	....	5.	H. ♃.	Eng. bot. v. 9. t. 636.
MACBR'IDEA. E.C.			MACBR'IDEA.	Didynamia Gymnospermia.				
	púlchra. N.	(*re.std.*)	pretty.	Carolina.	1804.	7. 9.	G. ♄.	
	Thy'mbra caroliniàna. Walter.							

PRUNE'LLA. S.S.		**Self-heal.**	**Didynamia Gymnospermia. L.**					
1 vulgàris. s.s.	(*bl.*)	common.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 14. t. 961.
β álba.	(*wh.*)	*white-flowered.*	———	....	——	H. ♃.	
2 anstrâlis.	(*bl.*)	New Holland.	N. S. W.	1826.	——	F. ♃.	
vulgàris. B.P. *nec aliorum.*							
3 pensylvánica. s.s.	(*bl.*)	Pensylvanian.	N. America.	1801.	7. 9.	H. ☉.	W. hort. ber. 1. t. 9.
4 grandiflòra. s.s.	(*bl.*)	great-flowered.	Austria.	1596.	——	H. ♃.	Bot. mag. t. 2014.
5 intermèdia. s.s.	(*bl.*)	intermediate.	S. Europe.	1790.	——	H. ♃.	——— t. 337.
grandiflòra. B.M.							
6 incisa. L.en.	(*bl.*)	cut-leaved.	———	....	——	H. ♃.	
7 laciniàta. L.	(*ye.*)	yellow-flower'd.	Austria.	1713.	——	H. ☉.	Lam. ill. t. 516. f. 2.
8 hastàta. s.s.	(*bl.*)	halberd-leaved.	Portugal.	....	——	H. ♃.	
9 longifòlia. P.s.	(*bl.*)	long-leaved.	France.	....	——	H. ♃.	
10 hyssopifòlia. s.s.	(*pu.*)	hyssop-leaved.	S. Europe.	1731.	——	H. ♃.	Moris. s. 11. t. 5. f. 7.
CLE'ONIA. S.S.		**Cle'onia.**	**Didynamia Gymnospermia. L.**				
lusitánica. s.s.	(*pu.bl.*)	sweet-scented.	Portugal.	1710.	6. 7.	H. ☉.	Mill. ic. 1. t. 70.
SCUTELL'ARIA. S.S.		**Skullcap.**	**Didynamia Gymnospermia. L.**				
1 galericulàta. s.s.	(*bl.*)	common.	Britain.	....	6. 9.	H. ♃.	Eng. bot. v. 8. t. 523.
2 hastifòlia. s.s.	(*pu.*)	hastate-leaved.	Germany.	1798.	6. 7.	H. ♃.	
3 minor. s.s.	(*ro.*)	lesser.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 8. t. 524.
4 párvula. s.s.	(*bl.*)	slender.	N. America.	1823.	——	H. ♃.	Hook. ex. flor. t. 106.
5 havanénsis. s.s.	(*wh.bl.*)	Havannah.	Havannah.	1793.	5. 6.	S. ♃.	Jacq. obs. 2. t. 29.
6 hùmilis. B.P.	(*pu.*)	dwarf.	N. S. W.	1822.	6. 8.	G. ♃.	
7 grandiflòra. s.s.	(*re.ye.*)	large-flowered.	Siberia.	1804.	7. 8.	H. ♃.	Bot. mag. t. 635.
8 lateriflòra. s.s.	(*pu.*)	Virginian.	N. America.	1752.	6. 9.	H. ♃.	
9 nervòsa. s.s.	(*bl.*)	nerved-leaved.	———	1827.	——	H. ♃.	
10 orientàlis. s.s.	(*ye.*)	yellow-flower'd.	Levant.	1729.	7. 9.	H. ♃.	Flor. græc. t. 580.
11 altàica. F.	(*bl.wh.*)	Altay.	Siberia.	1816.	——	H. ♃.	Swt. br. fl. gar. t. 45.
12 viscida. s.s.	(*bl.wh.*)	viscid.	Iberia.	1820.	——	H. ♃.	
13 variegàta. s.s.	(*st.bl.*)	variegated.	———	——	——	H. ♃.	
14 alpina. s.s.	(*bl.*)	Alpine.	Hungary.	1752.	6. 10.	H. ♃.	Swt. br. fl. gar. t. 90.
15 peregrina. s.s.	(*d.pu.*)	Florentine.	Italy.	1783.	——	H. ♃.	Flor. græc. t. 582.
16 altíssima. s.s.	(*d.pu.*)	tall.	Levant.	1731.	7. 8.	H. ♃.	
17 pállida. s.s.	(*pa.*)	pale-flowered.	Tauria.	1824.	——	H. ♃.	
18 Colúmnæ. s.s.	(*d.pu.*)	heart-leaved.	Italy.	1806.	6. 8.	H. ♃.	Swt. br. fl. gar. t. 52.
19 rubicúnda. s.s.	(*re.*)	rubicund.	.....	1815.	——	H. ♃.	
20 nigréscens. s.s.	(*d.pu.*)	dark.	Crete.	1826.	——	F. ♃.	
21 álbida. s.s.	(*wh.*)	hairy white.	Levant.	1771.	6. 7.	H. ♃.	Flor. græc. t. 581.
22 lupulina. s.s.	(*st.*)	Tartarian.	Tartary.	1739.	6. 9.	H. ♃.	Schmidel ic. t. 78.
23 integrifòlia. s.s.	(*bl.*)	entire-leaved.	N. America.	1731.	——	H. ♃.	Pluk. alm. t. 441. f. 6.
24 hyssopifòlia. W.	(*bl.*)	Hyssop-leaved.	———	——	——	H. ♃.	
25 purpuráscens. s.s.	(*pu.*)	purplish.	W. Indies.	1823.	——	S. ♃.	
26 caroliniàna. s.s.	(*pu.*)	Carolina.	Carolina.	1811.	——	H. ♃.	Lam. ill. t. 515. f. 3.
27 macrántha. F.	(*pu.*)	large-flowered.	Dahuria.	1827.	——	H. ♃.	
28 pilòsa. s.s.	(*d.pu.*)	pilose.	N. America.	——	——	H. ♃.	
29 serrata. s.s.	(*d.pu.*)	saw-leaved.	———	1800.	——	H. ♃.	Andr. reposit. t. 494.
30 scordifòlia. F.	(*pu.wh.*)	Scordium-leaved.	Siberia.	1823.	——	H. ♃.	
31 vérna. Bess.	(*wh.pu.*)	vernal.	.....	——	5. 6.	H. ♃.	
SA'LVIA. R.S.		**Sage.**	**Diandria Monogynia. L.**				
1 pomífera. R.s.	(*li.*)	Apple-bearing.	Candia.	1699.	7. 8.	H. ♃.	Flor. græc. t. 15.
2 calycina. R.s.	(*li.*)	broad-calyxed.	Greece.	1823.	——	G. ♄.	——— t. 16.
3 canariénsis. R.s.	(*li.*)	Canary.	Canaries.	1697.	6. 9.	G. ♄.	Trew. pl. rar. 2. t. 19.
4 aùrea. R.s.	(*br.*)	golden.	C. B. S.	1731.	4. 11.	G. ♄.	Bot. mag. t. 152.
5 dentàta. R.s.	(*bl.*)	tooth-leaved.	———	1774.	12. 1.	G. ♄.	
6 Régia. R.s.	(*sc.*)	Regia.	Mexico.	1828.	9. 11.	G. ♄.	Cavan. icon. 5. t. 455.
7 spléndens. s.s.	(*sc.*)	splendid.	Brazil.	1823.	8. 3.	S. ♄.	Bot. reg. t. 697.
8 bracteàta. s.s.	(*li.*)	long-bracted.	Syria.	1788.	6. 8.	G. ♄.	Bot. mag. t. 2220.
9 pilántha. L.en.	(*bl.*)	hairy-flowered.	.....	1823.	6. 9.	G. ♄.	
10 incarnàta. R.s.	(*fl.*)	flesh-coloured.	Levant.	1729.	——	G. ♃.	Pluk. phyt. t. 194. f. 6.
11 interrúpta. R.s.	(*wh.bl.*)	interrupted.	Barbary.	1825.	5. 6.	H. ♄.	Swt. br. fl. gar. t. 169.
12 pinnàta. R.s.	(*pu.*)	winged-leaved.	Levant.	1731.	7.	H. ♂.	Boer. lugd. 1. t. 167.
13 ringens. F.G.	(*li.*)	ringent.	———	1827.	——	F. ♃.	Flor. græc. t. 18.
14 rosæfòlia. R.s.	(*pu.*)	Rose-leaved.	———	——	——	G. ♄.	Smith ic. med. 1. t. 5.
15 scabiosæfòlia. R.s.	(*wh.li.*)	Scabious-leav'd.	Peru.	1826.	——	G. ♃.	Jacq. f. ecl. t. 3.
16 Hablizièna. R.s.	(*w.re.*)	Taurian.	Tauria.	1795.	8.	H. ♄.	Bot. mag. t. 1439.
17 vulnerariæfòlia. R.s.	(*w.bl.*)	Armenian.	Armenia.	1829.	6. 9.	F. ♄.	
18 lanceolàta. R.s.	(*bl.*)	lance-leaved.	S. America.	1818.	7. 9.	H. ☉.	Jacq. f. ecl. t. 13.
19 hirsùta. R.s.	(*bl.*)	hirsute.	Mexico.	1801.	5. 6.	H. ☉.	Jacq. schœn. 3. t. 252.
20 leucántha. R.s.	(*wh.*)	white-flowered.	———	1825.	7. 10.	G. ♃.	Cavan. ic. 1. t. 24.

21	**angustifòlia.** R.s.	(*bl.*)	narrow-leaved.	Mexico.	1806.	6. 7.	G. ♃.	Cavan. ic. 4. t. 317.
	réptans. Jacq. schœn. t. 319.							
22	**trichostemmoides.** R.s.	(*bl.*)	Missouri.	Missouri.	1827.	6. 9.	H. ☉.	
23	**azùrea.** R.s.	(*bl.*)	azure-flowered.	Carolina.	1806.	8. 9.	F. ♃.	Bot. mag. t. 1728.
24	**bengalénsis.** F.I.	(*wh.*)	Bengal.	E. Indies.	1825.	6. 9.	S. ♄.	
25	**occidentàlis.** R.s.	(*wh.*)	West Indian.	W. Indies.	1820.	——	S. ♃.	
26	**pseudococcínea.**	(*sc.*)	pale scarlet.	S. America.	1797.	6. 8.	S. ♄.	Jacq. ic. 2. t. 209.
27	**am'œna.** B.M.	(*bl.*)	fine blue.	W. Indies.	1793.	9. 12.	S. ♄.	Bot. mag. t. 1294.
	Beosiàna. Jacq. f. ecl. 1. t. 47. *am'ena.* B.R. 446.							
28	**ròsea.** R.s.	(*ro.*)	rose-coloured.	E. Indies.	1816.	6. 9.	S. ♄.	
29	**tubífera.** R.s.	(*sc.*)	long-tubed.	Mexico.	1824.	——	S. ♃.	Cavan. ic. 1. t. 25.
30	**papilionàcea.** R.s.	(*bl.*)	butterfly-like.	New Spain.	1825.	7. 10.	S. ♄.	—— 4. t. 319.
31	**mexicàna.** R.s.	(*bl.*)	Mexican.	Mexico.	1724.	5. 7.	G. ♄.	—— 1. t. 26.
32	**chamædryoides.** R.s.	(*re.*)	Germander-like.	——	1795.	6. 9.	G. ♄.	Bot. mag. t. 806.
33	**c'æsia.** R.s.	(*pa.bl.*)	grey.	S. America.	1813.	——	G. ♄.	
34	**involucràta.** R.s.	(*pu.*)	large-bracted.	Mexico.	1825.	8. 11.	G. ♄.	Bot. reg. t. 1205.
35	**purpùrea.** R.s.	(*pu.*)	purple.	——	——	5. 7.	S. ♃.	Cavan. ic. 2. t. 166.
36	**hispánica.** R.s.	(*bl.*)	Spanish.	Spain.	1789.	6. 8.	H. ☉.	Bot. reg. t. 359.
37	**pr'ecox.** S.s.	(*pu.*)	early-flowered.	N. Africa.	1826.	3. 6.	F. ♃.	
38	**scordioides.** R.s.	(*bl.*)	glandular.	.....	1824.	5. 8.	S. ♃.	
39	**papillòsa.** R.s.	(*wh.*)	papillose.	.....	1827.	6. 8.	G. ♄.	
40	**serotìna.** R.s.	(*bl.*)	late-flowering.	Chio.	1803.	8. 10.	G. ♄.	Jacq. ic. 1. t. 3.
41	**domínica.** R.s.	(*wh.*)	Dominican.	W. Indies.	1759.	7.	S. ♃.	Swartz.obs.p.18.t.1.f.1.
42	**tenélla.** R.s.	(*bl.*)	slender.	Jamaica.	1821.	6. 9.	S. ☉.	Swartz. icon. t. 2.
43	**tiliæfòlia.** R.s.	(*bl.*)	Lime-leaved.	S. America.	1793.	6. 8.	S. ♃.	Jacq. schœn. 3. t. 254.
44	**polystàchya.** R.s.	(*bl.*)	many-spiked.	New Spain.	1822.	9. 12.	G. ♄.	Cavan. ic. 1. t. 27.
45	**lamiifòlia.** R.s.	(*bl.*)	Lamium-leaved.	S. America.	1826.	——	G. ♄.	Jacq. schœn. 3. t. 318.
46	**micrántha.** R.s.	(*wh.*)	small-flowered.	——	1818.	6. 8.	S. ♃.	
47	**leucuroides.** R.s.	(*se.*)	shining-leaved.	Peru.	1783.	4. 10.	G. ♄.	Lam. ill. t. 20. f. 3.
	formòsa. B.M. 876.							
48	**fúlgens.** R.s.	(*sc.*)	glossy.	Mexico.	1827.	1. 12.	G. ♄.	Swt. br. fl. gar. s. 2.
49	**coccínea.** R.s.	(*sc.*)	scarlet-flowered.	S. America.	1774.	4. 10.	G. ♄.	Mirb.an.m.15.t.15.f.8.
50	**pulchélla.** R.s.	(*sc.*)	pretty.	——	....	8. 12.	G. ♄.	Coll. hort. rip. t. 16.
51	**amethy'stina.** R.s.	(*bl.*)	amethystine.	——	1824.	6. 9.	S. ♄.	Smith ic. ined. 2. t. 27.
52	**amarissima.** R.s.	(*bl.*)	bitter.	Mexico.	1803.	7. 8.	G. ♃.	Bot. reg. t. 347.
53	**glutinòsa.** R.s.	(*st.*)	glutinous.	Europe.	1596.	6. 9.	H. ♃.	Sabb. hort. rom. t. 3.
54	**nubícola.** E.F.G.	(*st.*)	Nepaul.	Nepaul.	1824.	8. 10.	H. ♃.	Swt. br. fl. gar. t. 140.
55	**ægyptìaca.** H.s.	(*wh.*)	Egyptian.	Egypt.	1770.	6. 7.	H. ☉.	Jacq. vind. 2. t. 108.
56	**crética.** R.s.	(*vi.*)	Cretan.	Crete.	1760.	6. 8.	F. ♄.	Rivin. monop. t. 128.
57	**paniculàta.** R.s.	(*pu.*)	panicled.	C. B. S.	1758.	——	G. ♄.	Mill. ic. t. 230. f. 1.
58	**africàna.** R.s.	(*bl.*)	African.	——	1731.	4. 6.	G. ♄.	Comm. hort. 2. t. 91.
59	**coloràta.** R.s.	(*bl.cr.*)	coloured-calyxed.	——	1758.	7. 8.	G. ♄.	Mill. ic. t. 225. f. 2.
60	**officinàlis.** R.s.	(*bl*)	garden.	S. Europe.	1597.	6. 7.	H. ♄.	Lam. ill. t. 20. f. 1.
61	**chromática.** Hg.	(*bl.*)	variegated.	——	——	——	H. ♄.	
62	**tenùior.** Df.	(*bl.*)	narrow-leaved.	Spain.	——	——	H. ♄.	
63	**hispanòrum.** Lg.	(*bl.*)	Spanish.	——	——	——	H. ♄.	
64	**lavandulæfòlia.** R.s.	(*bl.*)	Lavender-leaved.	——	——	——	H. ♄.	
65	**rosmarinifòlia.** Lg.	(*bl.*)	Rosemary-leaved.	——	——	——	H. ♄.	
66	**Spielmánni.** R.s.	(*bl.*)	Spielmán's.	Caucasus.	1813.	——	H. ♃.	Jacq. f. ecl. 2. t. 15.
67	**phlomoides.** R.s.	(*pu.*)	Mullein-leaved.	Spain.	1805.	5. 6.	H. ♂.	Rœm. script. his.t.1.f.1.
68	**urticifòlia.** R.s.	(*bl.*)	Nettle-leaved.	N. America.	1799.	6. 7.	H. ♃.	Moris. his. 3. t.18. f. 31.
69	**élegans.** H.s.	(*cr.*)	elegant.	Mexico.	1820.	7. 10.	G. ♄.	H. et B. pl. am. 2. t. 144.
	incarnàta. H.s. *non* W.							
70	**lævigàta.** H.s.	(*pu.*)	smooth.	——	1826.	——	G. ♄.	H.etB. pl. am. 2. t. 147.
71	**bullàta.** W.en.	(*re.*)	blistered.	Spain.	1804.	7. 8.	H. ♃.	Jacq. f. ecl. t. 38.
	lusitánica. J.E. *elongàta.* Spr.							
72	**rugòsa.** R.s.	(*wh.*)	wrinkle-leaved.	C. B. S.	1775.	——	H. ♄.	
73	**verticillàta.** R.s.	(*li.*)	whorled.	Germany.	1638.	6. 11.	H. ♃.	Mirb.an.m.15.t.15.f.10.
	β parviflòra.	(*li.*)	*small-flowered.*	——	——	——	H. ♃.	
74	**índica.** R.s.	(*bl.wh.*)	Indian.	India.	1731.	5. 7.	H. ♃.	Bot. mag. t. 395.
75	**Tenòrii.** R.s.	(*bl.*)	Tenore's.	Italy.	1820.	5. 8.	H. ♃.	Swt. br. fl. gar. t. 26.
76	**candidíssima.** R.s.	(*p.bl.*)	hoary-leaved.	Levant.	1804.	6. 7.	G. ♃.	Flor. græc. t. 26.
	crassifòlia. F.G. *non* Cav.							
77	**verbascifòlia.** R.s.	(*wh.ye.*)	Verbascum-ld.	Iberia.	1825.	——	H. ♃.	
78	**odoràta.** R.s.	(*wh.*)	sweet-scented.	Bagdad.	1804.	7.	F. ♄.	Jacq. f. ecl. t. 16.
79	**comprèssa.** R.s.	(*wh.*)	compressed.	Levant.	1816.	7. 8.	H. ♃.	Venten. cels. t. 59.
80	**móllis.** R.s.	(*ro.*)	soft.	Siberia.	1596.	6. 10.	H. ♃.	Jacq. f. ecl. t. 37.
81	**grandiflòra.** R.s.	(*bl.*)	great-flowered.	S. Europe.	1616.	6. 9.	H. ♄.	—— t. 36.
82	**crassifòlia.** R.s.	(*bl.*)	thick-leaved.	Barbary.	1804.	——	F. ♄.	

83	pratènsis. R.s.	(*bl.*)	meadow.	England.	....	5. 11.	H. ♃.	Eng. bot. v. 3. t. 153.
84	variegàta. R.s.	(*bl.wh.*)	variegated.	Hungary.	1814.	6. 8.	H. ♃.	
85	hæmatòdes. R.s.	(*bl.*)	bloody-veined.	Italy.	1699.	7. 8.	H. ♃.	Barrel. ic. t. 185.
86	nepetifòlia. R.s.	(*bl.*)	Catmint-leaved.	.....	1823.	——	H. ☉.	
87	aspidophy'lla. R.s.	(*bl.*)	slender-leaved.	Peru.	1824.	7. 10.	H. ☉.	
88	lineatifòlia. Lg.	(*bl.*)	line-leaved.	Mexico.	1823.	6. 9.	G. ♄.	
89	melissodòra. Lg.	(*bl.*)	balm-scented.	New Spain.	1826.	——	G. ♄.	
90	agglùtinans. Lg.	(*sc.*)	clammy-stalked.	———	1827.	——	G. ♄.	
91	viscòsa. R.s.	(*wh.cr.*)	clammy.	Italy.	1773.	5. 6.	H. ♃.	Jacq. ic. l. t. 5.
92	disérmas. R.s.	(*wh.*)	long-spiked.	Syria.	——	7.	H. ♃.	Barrel. ic. 137.
93	nùtans. R.s.	(*bl.*)	nodding.	Russia.	1780.	6. 8.	H. ♃.	Bot. mag. t. 2436.
94	betonicæfòlia. R.s.	(*bl.*)	Betony-leaved.	———	1804.	6. 7.	H. ♃.	
95	péndula. R.s.	(*bl.*)	drooping.	———	——	6. 8.	H. ♃.	
	β grandiflòra.	(*d.bl.*)	*large-flowered.*	———	——	——	H. ♃.	
96	amplexicaùlis. R.s.	(*li.*)	stem-clasping.	Levant.	1813.	7. 9.	H. ♃.	
97	parviflòra. R.s.	(*st.*)	small-flowered.	— ——	1816.	——	F. ♃.	Lab. syr. dec. 4. t. 7.
98	austriaca. R.s.	(*st.*)	Austrian.	Austria.	1776.	6. 7.	H. ♃.	Jacq. aust. 2. t. 112.
99	syrìaca. R.s.	(*wh.*)	Syrian.	Levant.	1759.	7.	G. ♄.	Arduin. spec. l. t. 1.
100	nùbia. R.s.	(*bl.*)	Nubian.	Africa.	1784.	6. 7.	G. ♃.	Murr. c. gott. 1778. t. 3.
101	virgàta. R.s.	(*wh.ro.bl.*)	long-branched.	Armenia.	1758.	7. 11.	H. ♃.	Jacq. schœn. 1. t. 37.
102	campéstris. R.s.	(*bl.*)	field.	Tauria.	1813.	6. 7.	H. ♃.	
103	sylvéstris. R.s.	(*bl.*)	wood.	Germany.	1759.	6. 10.	H. ♃.	Jacq. aust. 3. t. 212.
104	nemoròsa. R.s.	(*va.*)	spear-leaved.	———	1728.	——	H. ♃.	
105	pátula. R.s.	(*bh.*)	spreading.	Portugal.	1805.	5. 7.	H. ♃.	
106	tingitàna. R.s.	(*st.*)	Tangier.	Barbary.	1796.	7.	G. ♄.	Rivin. monop. l. t. 52.
107	Sclàrea. R.s.	(*bh.*)	common Clary.	Italy.	1562.	7. 9.	H. ♂.	Flor. græc. l. t. 25.
108	spinòsa. R.s.	(*wh.*)	thorny-calyxed.	Egypt.	1789.	6.	G. ♂.	Jacq. ic. l. t. 7.
109	Æthiòpis. R.s.	(*wh.*)	woolly.	Austria.	1570.	5. 6.	H. ♂.	Jacq. aust. 3. t. 211.
110	argéntea. R.s.	(*wh.*)	silvery.	Crete.	1759.	5. 7.	H. ♂.	Flor. græc. l. t. 27.
111	aplanàta. R.s.	(*wh.*)	short-spined.	.....	1818.	6. 8.	H. ♂.	
112	Hormìnum. R.s.	(*pu.*)	annual Clary.	S. Europe.	1596.	——	H. ☉.	Flor. græc. l. t. 20.
	α violàcea.	(*bl.*)	*purple-topped.*	———	——	——	H. ☉.	
	β rùbra.	(*re.*)	*red-topped.*	———	——	——	H. ☉.	
113	viridis. R.s.	(*li.*)	green topped.	Italy.	1759.	——	H. ☉.	Flor. græc l. t. 19.
114	pyramidàlis. R.s.	(*li.*)	pyramidal.	———	1825.	——	H. ♃.	
115	rùbra. s.s.	(*re.*)	red-flowered.	Egypt.	1827.	6. 8.	H. ♃.	
116	Simsiàna. B.R.	(*bl.wh.*)	Sims's.	Russia.	1820.	6. 7.	H. ♃.	Bot. reg. t. 1063.
117	verbenàca. R.s.	(*bl.*)	wild clary.	Britain.	....	6. 10.	H. ♃.	Eng. bot. v. 3. t. 154.
118	oblongàta. J.E.	(*bl.*)	oblong-leaved.	Tauria.	1820.	——	H. ♃.	Jacq. f. ecl. l. t. 14.
119	Sibthòrpii. F.G.	(*li.*)	Sibthorp's.	Levant.	1829.	6. 9.	F. ♃.	Flor. græc. t. 22.
120	trilòba. R.s.	(*vi.*)	three-lobed.	S. Europe.	1596.	6. 7.	H. ♄.	——— l. t. 17.
121	Clùsii. R.s.	(*wh.*)	Clusius's.	Levant.	1827.	6. 9.	F. ♄.	Jacq. schœn. 2. t. 195.
122	gigántea. R.s.	(*wh.*)	giant.	.....	1816.	6. 9.	H. ♂.	
123	scorodoniæfòlia. R.s.		villous.	.....	1824.	——	F. ♄.	
124	lyràta. R.s.	(*pu.*)	lyre-leaved.	N. America.	1728.	——	H. ♃.	Moris. s. 11. t. 13. f. 27.
125	abyssínica. R.s.	(*pu.*)	Abyssinian.	Abyssinia.	1775.	6. 7.	G. ♃.	Jacq. ic. l. t. 6.
126	nilótica. R.s.	(*bl.*)	Nilotic.	Egypt.	1780.	6. 8.	H. ☉.	Jacq. vind. 3. t. 92.
127	Forskòhlii. R.s.	(*bl.*)	Forskohl's.	Levant.	1800.	——	H. ♃.	Bot. mag. t. 988.
128	napifòlia. R.s.	(*li.*)	Rape-leaved.	Italy.	1776.	6. 7.	H. ♃.	Jacq. vind. 2. t. 262.
129	aurìta. R.s.	(*li.*)	ear-leaved.	C. B. S.	1795.	5. 6.	G. ♄.	
130	bícolor. R.s.	(*bl.ye.*)	two-coloured.	Barbary.	1793.	6. 7.	H. ♃.	Bot. mag. t. 1774.
131	Barrelièri. R.s.	(*bl.*)	Barrelier's.	S. Europe.	1821.	5. 8.	H. ♃.	Barrel. ic. 186.
132	laciniàta. R.s.	(*bl.wh.*)	jagged-leaved.	.....	1818.	——	H. ♃.	
133	runcinàta. R.s.	(*bl.*)	runcinated.	C. B. S.	1795.	——	G. ♄.	Jacq. schœn. 1. t. 8.
134	scábra. R.s.	(*pu.*)	rough-leaved.	———	1774.	4. 9.	G. ♄.	
135	eròsa. R.s.	(*st.*)	erose-leaved.	.....	1823.	6. 9.	H. ☉.	
136	polymórpha. R.s.	(*bl.*)	variable.	Portugal.	1821.	——	H. ♃.	Barrel. ic. 220.
137	multífida. F.G.	(*pu.bl.*)	multifid.	S. Europe.	1823.	5. 6.	H. ♃.	Flor. græc. l. t. 23.
138	clandestìna. R.s.	(*li.*)	cut-leaved.	Italy.	1739.	4. 7.	H. ♂.	——— l. t. 24.
139	ceratophy'lla. R.s.	(*li.*)	stag's-horn-leav'd.	Persia.	1699.	7. 8.	H. ♂.	Pluk. alm. t. 194. f. 5.
140	ceratophylloides.	(*li.*)	branching.	Egypt.	1771.	6. 8.	H. ♂.	Arduin. spec. 2. t. 2.
141	prismática. R.s.	(*bl.*)	slender-spiked.	Mexico.	1822.	——	H. ☉.	

COLLINS'ONIA. R.S. COLLINSONIA. Diandria Monogynia. L.

1	canadénsis. R.s.	(*ye.*)	Nettle-leaved.	N. America.	1735.	8. 10.	H. ♃.	Linn. hort. clif. t. 5.
2	scabriúscula. R.s.	(*re.ye.*)	rough-stalked.	Florida.	1776.	7. 9.	H. ♃.	
3	ovàlis. R.s.	(*ye.*)	oval-leaved.	Carolina.	1812.	8.	H. ♃.	
4	tuberòsa. M. *serotìna.* R.s.	(*ye.*)	tuberous.	———	1806.	——	H. ♃.	
5	anisàta. R.s.	(*ye.*)	Anise-scented.	———	——	10.	H. ♃.	Bot. mag. t. 1213.

Tribus VI. PRASIEÆ. *Benth. in Bot. reg.*

PRʼASIUM. S.S. PRʼASIUM. Didynamia Gymnospermia. L.
1 **majus.** s.s. (*wh.*) great. S. Europe. 1699. 6. 8. G.♄. Flor. græc. t. 584.
2 **minus.** s.s. (*wh.*) smaller. ——— 1752. —— F.♄.
PHRʼYMA. S.S. PHRʼYMA. Didynamia Gymnospermia. L.
leptostàchya. s.s. (*wh.*) slender-spiked. N. America. 1802. 8. 9. H.♃. Lam. ill. t. 516.

Tribus VII. OCYMOIDEÆ. *Benth. in Bot. reg.*

MOSCHOʼSMA. B.R. MOSCHOʼSMA. Didynamia Gymnospermia.
1 **ocymoides.** B.R. (*wh.*) Basil-like. ..... 1823. 6. 8. S.⊙.
Lumnitzera ocymoides. s.s. *Oʼcymum polyclàdum.* Link.
2 **polystàchya.** B.R. (*wh.*) many-spiked. E. Indies. 1783. 7. 8. S.⊙. Murr. c. gott. 3. t. 3.
OʼCYMUM. W. BASIL. Didynamia Gymnospermia. L.
1 **thyrsiflòrum.** s.s. (*wh.*) thyrse-flowered. E. Indies. 1806. 7. 8. S.♂. Jacq. vind. 3. t. 72.
2 **gratissimum.** s.s. (*wh.*) shrubby. ——— 1752. —— S.♄. Jacq. ic. 3. t. 495.
3 **Basílicum.** W. (*wh.*) common sweet. India. 1548. —— H.⊙. Blackw. t. 104.
4 **pilòsum.** W.en. (*wh.*) hairy. ..... 1816. 7. 9. H.⊙.
5 **micránthum.** s.s. (*wh.*) small-flowered. ..... —— —— S.⊙.
6 **víride.** s.s. (*wh.*) green. E. Indies. —— —— S.♄.
7 **suàve.** s.s. (*wh.*) sweet-scented. ——— —— —— S.♄.
8 **cànum.** B.M. (*wh.*) hoary. China. 1822. —— H.⊙. Bot. mag. t. 2452.
9 **sánctum.** s.s. (*wh.*) purple-stalked. E. Indies. 1758. —— S.⊙. Rheed. mal. 10. t. 92.
10 **febrifùgum.** s.s. (*wh.*) Feverwort. Sierra Leon. 1821. —— S.⊙. Bot. reg. t. 753.
11 **álbum.** s.s. (*wh.*) large white-fld. E. Indies. 1816. —— S.⊙.
12 **americànum.** s.s. (*wh.*) American. S. America. 1789. 7. 8. S.⊙. Jacq. vind. 3. t. 86.
13 **caryophyllàtum.** H.B. (*w.*) Clove-scented. E. Indies. 1817. —— S.♃.
14 **tenuiflòrum.** W. (*li.*) slender-spiked. ——— 1768. —— S.♂. Rumph. amb. 5. t. 92. f. 2.
15 **menthoides.** s.s. (*wh.*) Mint-leaved. ——— 1783. —— S.⊙.
16 **inodòrum.** Lam. (*wh.*) scentless. ——— 1823. —— S.⊙.
17 **cristàtum.** H.B. (*wh.*) crested. ——— 1812. —— S.⊙.
18 **grandiflòrum.** s.s. (*wh.*) great-flowered. Abyssinia. 1802. 9. 10. G.♄. L'Herit. s. nov. t. 43.
19 **mínimum.** s.s. (*wh.*) bush. Ceylon. 1573. —— H.⊙. Schk. handb. 2. t. 166.
20 **carnòsum.** s.s. (*wh.*) thick-leaved. Monte Video. 1828. 6. 8. H.⊙.
ORTHOSʼIPHON. B.R. ORTHOSʼIPHON. Didynamia Gymnospermia.
1 **adscéndens.** B.R. (*wh.*) ascending. E. Indies. 1828. 6. 8. S.♃.
Oʼcymum adscéndens. W.
2 **ásperum.** B.R. (*wh.*) rough. ——— 1827. —— S.♃.
Oʼcymum ásperum. Roth. *Plectránthus ásper.* s.s.
CʼOLEUS. B.R. CʼOLEUS. Didynamia Gymnospermia.
1 **Forskóhlæi.** B.R. (*vi. wh.*) Forskohl's. Abyssinia. 1806. 10. 11. S.♄. Bot. mag. t. 2036.
Plectránthus Forskohlæi. B.M. *barbàtus.* Andr. reposit. t. 594.
2 **comòsus.** B.R. (*bl.*) tufted. Nepaul. 1820. 6. 9. G.♄. Bot. mag. t. 2318.
3 **scutellarioides.** B.R. (*bl. w.*) Scullcap-like. E. Indies. 1764. 7. 8. S.⊙. ——— t. 1416.
4 **amboínicus.** Lour. (*bl.*) Amboyna. ——— 1826. —— S.♄. Rumph. amb. 8. t. 72.
PLECTRAʼNTHUS. S.S. PLECTRAʼNTHUS. Didynamia Gymnospermia. S.S.
1 **fruticòsus.** s.s. (*bl.*) shrubby. C. B. S. 1774. 6. 9. G.♄. L'Herit. stirp. 85. t. 41.
2 **galeàtus.** s.s. (*bl.*) helmetted. Nepaul. 1820. 7. 8. S.⊙.
3 **graveòlens.** B.P. (*bl.*) strong-scented. N. S. W. —— —— G.♄.
4 **austràlis.** B.P. (*bl.*) New Holland. ——— 1823. —— G.⊙.
5 **incànus.** s.s. (*bl.*) hoary. Nepaul. —— —— G.♃.
6 **monachòrum.** s.s. (*bh.*) monk's basil. E. Indies. 1796. —— S.⊙.
Oʼcymum monachòrum. W.
7 **móllis.** s.s. (*li.*) heart-leaved. ——— 1781. 9. 10. S.⊙.
8 **strobilíferus.** H.B. (*bl.*) thick-spiked. ——— 1804. 6. 9. S.⊙. Rheed. mal. 10. t. 90.
9 **secúndus.** H.B. (*bl.*) side-flowering. ——— 1816. —— S.⊙.
10 **punctàtus.** s.s. (*wh. bl.*) dotted. Africa. 1775. 1. 5. G.♂. L'Herit. stirp. 1. t. 41.
11 **rotundifòlius.** s.s. (*bl.*) round-leaved. Mauritius. 1823. 6. 8. S.⊙.
12 **parviflòrus.** s.s. (*bl.*) small-flowered. S. America. 1805. 6. 9. G.♄. W. hort. ber. 1. t. 65.
13 **cordifòlius.** D.P. (*bl.*) heart-leaved. Nepaul. 1823. —— G.♄.
14 **rubicúndus.** D.P. (*pu.*) rubicund. ——— 1826. —— G.♄.
15 **virgàtus.** D.P. (*bl.*) slender. ——— —— —— G.♄.
16 **coloràtus.** D.P. (*bl.*) coloured bracted. ——— 1823. —— G.♄.

17	Coétsa. D.P.	(*bl.*) canescent.	Nepaul.	1828.	6. 9.	G. ♃.	
18	ternifòlius. D.P.	(*bl.*) three-leaved.	———	1825.	——	G. ♄.	
19	ternàtus. B.M.	(*bl.*) Omime-root.	Madagascar.	1820.	11.	S. ♃.	Bot. mag. t. 2460.
GENIO'SPORUM. B.R. Genio'sporum. Didynamia Gymnospermia.								
	prostràtum. B.R. (*pa.bl.*) prostrate.		E. Indies.	1812.	6. 9.	S. ☉.	
	O'cymum prostràtum. w.							
ACROCE'PHALUS. B.R. Acroce'phalus. Didynamia Gymnospermia.								
1	capitàtus. B.R.	(*wh.*) headed.	China.	1806.	7. 9.	H. ☉.	
	Lumnitzera capitàta. s.s. *O'cymum capitellàtum.* w.							
2	villòsus. B.R.	(*wh.*) villous.	E. Indies.	1817.	7. 8.	S. ♃.	
ANISOCH'ILUS. B.R. Anisoch'ilus. Didynamia Gymnospermia.								
	carnòsus. B.R.	(*li.*) thick-leaved.	E. Indies.	1788.	6. 7.	S. ♂.	Linn. amœn. ac. 10. t. 1.
	Lavándula carnòsa. w. *Plectránthus dùbius.* s.s.							
PYCNOST'ACHYS. Pycnost'achys. Didynamia Gymnospermia.								
	cærùlea. H.E.F.	(*bl.*) blue-flowered.	Madagascar.	1825.	8. 10.	F. ☉.	Hook. ex. flor. t. 202.
ÆOLLA'NTHUS. M.P. Æolla'nthus. Didynamia Gymnospermia.								
	suavèolens. M.P.B.	(*wh.*) sweet-scented.	Brazil.	1829.	7. 10.	S. ☉.	
HY'PTIS. S.S. Hy'ptis. Didynamia Gymnospermia. S.S.								
1	ebracteàta. s.s.	(*bl.*) small-headed.	W. Indies.	1778.	10. 1.	S. ☉.	Poit. an. mus. 7. t. 29. f. 2.
	Ballòta suavèolens. Jacq. schœnb. 3. t. 42.							
2	radiàta. s.s.	(*wh.*) Carolina.	Carolina.	1690.	6. 7.	G. ♃.	Poit. an. mus. 7. t. 27. f. 2.
3	capitàta. s.s.	(*wh.*) Jamaica.	W. Indies.	1714.	——	S. ♂.	Jacq. ic. 1. t. 114.
4	polyánthes. s.s.	(*wh.*) many-flowered.	S. America.	1819.	——	S. ☉.	
5	brèvipes. s.s.	(*li.*) short-peduncled.	W. Indies.	1822.	——	S. ☉.	
6	recurvàta. s.s.	(*wh.*) recurved.	Cayenne.	——	——	S. ♃.	Poit. an. mus. t. 4. f. 1.
7	álbida. s.s.	(*bl.*) white-leaved.	Mexico.	1825.	——	S. ♄.	
8	pérsica. P.S.	(*st.*) Persian.	Persia.	1800.	7.	G. ♄.	Linn. trans. 6. t. 12.
	Brotèra pérsica. L.T.							
9	spicàta. s.s.	(*bl.*) spiked.	S. America.	1819.	7. 9.	G. ☉.	Poit. an. mus. t. 28. f. 2.
10	verticillàta. s.s.	(*wh.*) whorled.	——— —	1824.	——	S. ☉.	Jacq. icon. t. 113.
11	Plumièri. K.S.	(*bl.*) Plumier's.	———	1819.	——	S. ☉.	Plum. ic. t. 168. f. 1.
12	stachyòdes. s.s.	(*wh.*) whorl-spiked.	Brazil.	1820.	——	S. ☉.	
13	pectinàta. s.s.	(*ye.*) pectinated.	W. Indies.	1776.	12. 1.	S. ♃.	Poit. an. mus. 7. t. 30.
PROSTANTH'ERA. B.P. Prostanthe'ra. Didynamia Gymnospermia. S.S.								
1	lasiánthos. B.P.	(*wh.*) villous-flowered.	N. S. W.	1808.	6. 7.	G. ♄.	Bot. reg. t. 143.
2	cærùlea. B.P.	(*bl.*) blue-flowered.	———	1824.	4. 7.	G. ♄.	
3	prunelloídes. B.P.	(*pu.*) Prunella-like.	———	1826.	——	G. ♄.	
4	incísa. B.P.	(*wh.*) cut-leaved.	———	1825.	——	G. ♄.	
5	lineàris. B.P.	(*wh.*) linear-leaved.	———	1823.	——	G. ♄.	
6	denticulàta. B.P.	(*wh.*) tooth-leaved.	———	——	——	G. ♄.	
7	marifòlia. B.P.	(*wh.*) Marum-leaved.	———	1827.	4. 6.	G. ♄.	
8	saxícola. B.P.	(*wh.*) rock.	———	1823.	——	G. ♄.	
9	violàcea. B.P.	(*bl.*) violet-coloured.	———	——	——	G. ♄.	Bot. reg. t. 1072.

ORDO CLIV.

SELAGINEÆ. *Choisy mem. fam. Selag.* 1823. *p.* 19.

POLYC'ENIA. C.S. Polyc'enia. Didynamia Gymnospermia.								
	hebenstretioídes. C.S.	(*w.*) spike-flowered.	C. B. S.	1816.	8. 10.	G. ☉.	Chois. sel. t. 2. f. 1.
HEBENSTRE'ITIA. C.S. Hebenstre'itia. Didynamia Angiospermia.								
1	dentàta. w.	(*wh.*) dwarf tooth-ld.	C. B. S.	1739.	5. 9.	G. ☉.	Bot. mag. t. 483.
2	integrifòlia. w. *ætrea.* Andr.	(*ye.*) golden.	———	1792.	4. 6.	G. ♄.	Andr. reposit. t. 252.
3	fruticòsa. B.M.	(*wh.*) frutescent.	———	1816.	5. 11.	G. ♂.	Bot. mag. t. 1976.
4	albiflòra. L.en.	(*wh.*) white-flowered.	———	1815.	——	G. ♄.	
5	chamædryfòlia. L.en.	Chamædrys-leav'd.	———	1816.	——	G. ♄.	
6	tenuifòlia. H.H.	(*wh.*) slender-leaved.	———	1826.	——	G. ♂.	
7	scábra. w.	(*wh.*) rough-leaved.	———	——	5. 9.	G. ♄.	
8	cordàta. w.	(*wh.re.*) heart-leaved.	———	1774.	7. 8.	G. ♄.	
DISCHI'SMA. C.S. Dischi'sma. Didynamia Angiospermia.								
1	ciliàtum. C.S.	(*wh.*) ciliated.	C. B. S.	1815.	5. 7.	G. ♂.	
2	erinoídes. *Hebenstretia erinoídes.* w.	(*wh.*) Erinus-leaved.	———	1816.	5. 11.	G. ♂.	

3	hìspidum.	(*wh.*)	long-spiked.	C. B. S.	1816.	5. 11.	G.☉.	Burm. afr.109. t.41.f.1.
	Hebenstrèitia hìspida. Lam.							
4	spicàtum. C.S.	(*wh.*)	spiked.	———	1815.	5. 7.	G.☉.	
5	capitàtum. C.S.	(*ye.*)	headed.	———	1822.	——	G.☉.	
AGATHE'LPIS. C.S.			AGATHE'LPIS.	Diandria Monogynia.				
1	angustifòlia. C.S.	(*wh.*)	narrow-leved.	C. B. S.	1823.	5. 8.	G.♄.	Burm. afr. t. 47. f. 3.
	Eránthemum angustifòlium. L. *Selàgo angustifòlia.* W.							
2	parvifòlium. C.S.	(*wh.*)	small-leaved.	C. B. S.	1816.	——	G.♄.	Lam. ill. t. 17. f. 2.
MI'CRODON. C.S.			MI'CRODON.	Didynamia Gymnospermia.				
1	lùcidum. C.S.	(*wh.*)	glossy.	C. B. S.	1812.	6. 7.	G.♄.	Venten. malm. t. 26.
2	ovàtum. C.S.	(*wh.*)	oval-headed.	———	1774.	——	G.♄.	Bot. mag. t. 186.
	Selàgo ovàta. B.M.							
SEL'AGO. C.S.			SEL'AGO.	Didynamia Gymnospermia. L.				
1	micrántha. C.S.	(*ye.*)	small-flowered.	C. B. S.	1824.	5. 7.	G.♄.	
2	divaricàta. C.S.	(*wh.*)	spreading.	———	1816.	——	G.♄.	
3	fruticòsa. C.S.	(*wh.*)	frutescent.	———	1822.	6. 8.	G.♄.	
4	minutíssima. C.S.	(*ye.*)	small.	———	1816.	——	G.♄.	Chois. sel. t. 3.
5	corymbòsa. C.S.	(*wh.*)	fine-leaved.	———	1699.	7. 9.	G.♄.	Comm. hort. 2. t. 40.
6	cinèrea. C.S.	(*vi.*)	cinereous.	———	1816.	——	G.♄.	
7	hìspida. C.S.	(*ye.*)	hispid.	———	1823.	6. 9.	G.♄.	
8	adprèssa. C.S.	(*wh.*)	close-flowered.	———	1816.	——	G.♄.	Chois. sel. t. 4.
9	canéscens. S.S.	(*wh.*)	canescent.	———	1812.	7. 11.	G.♄.	
10	spìnea. L.en.	(*wh.*)	reflex-leaved.	———	1816.	7. 8.	G.♄.	
11	diffùsa. S.S.	(*wh.*)	diffuse.	———	1807.	——	G.♄.	
12	spicàta. L.en.	(*wh.*)	spiked.	———	1816.	——	G.♄.	
13	teretifòlia. L.en.	(*wh.*)	cylinder-leaved.	———	1819.	——	G.♄.	
14	rapunculoìdes. S.S.	(*vi.*)	Rampion-like.	———	1790.	7. 11.	G.♄.	Burm. afr. t. 42. f. 1.
15	fulvomaculàta. L.en.	(*vi.*)	brown-spotted.	———	1816.	——	G.♄.	
16	spùria. S.S.	(*vi.*)	linear-leaved.	———	1779.	7. 10.	G.♄.	Burm. afr. t. 42. f. 3.
17	ramulòsa. L.en.	(*wh.*)	branching.	———	1815.	6. 9.	G.♄.	
18	fasciculàta. S.S.	(*bl.*)	cluster-flowered.	———	1774.	——	G.♄.	Bot. reg. t. 184.
19	heterophy'lla. S.S.	(*wh.*)	various-leaved.	———	1829.	——	G.♄.	
20	polystàchya. S.S.	(*wh.*)	many-spiked.	———	1823.	6. 8.	G.♄.	
21	bracteàta. S.S.	(*wh.*)	imbricate-bracted.	———	1816.	6. 9.	G.♄.	
22	polygaloìdes. S.S.	(*vi.*)	milkwort-like.	———	1807.	7. 11.	G.♄.	
23	rotundifòlia. S.S.	(*wh.*)	round-leaved.	———	1816.	7. 9.	G.♄.	
24	pterophy'lla. Ot.		winged-leaved.	———	1828.	....	G.♄.	
25	ciliàta. C.S.	(*wh.*)	fringed.	———	1824.	——	G.♄.	Chois. sel. t. 5.

ORDO CLV.

VERBENACEÆ. *Brown prodr.* 1. *p.* 510.

CLERODE'NDRUM. B.P.			CLERODE'NDRUM.	Didynamia Angiospermia. L.				
1	pubéscens. B.R.	(*wh.*)	downy-leaved.	W. Indies.	1824.	7. 9.	S.♄.	Bot. reg. t. 1035.
2	ligustrìnum. S.S.	(*wh.*)	Privet-leaved.	Mauritius.	1789.	8. 11.	S.♄.	Jacq. col. sup. t. 5. f. 1.
3	inérme. S.S.	(*wh.*)	smooth.	E. Indies.	1602.	——	S.♄.	——— t. 4. f. 1.
4	angustifòlium. S.S.	(*wh.*)	narrow-leaved.	Jamaica.	1823.	——	S.♄.	Lam. ill. t. 544. f. 2.
5	coromandelìnum. S.S.	(*w.*)	Coromandel.	E. Indies.	1824.	——	S.♄.	
6	emirnénse. B.M.	(*wh.*)	small-flowered.	Madagascar.	1823.	6. 12.	S.♄.⌣.	Bot. mag. t. 2925.
	floribúndum. Bot. reg. t. 1035. *non* B.P.							
7	volùbile. S.S.	(*wh.*)	climbing.	Guinea.	1822.	8. 11.	S.♄.⌣.	
8	buxifòlium. S.S.	(*wh.*)	Box-leaved.	.....	1818.	7. 8.	S.♄.	
	Volkamèria buxifòlia. W.en.							
9	heterophy'llum. S.S.	(*w.*)	various-leaved.	Mauritius.	1805.	8. 9.	S.♄.	Andr. reposit. t. 554.
	Volkamèria angustifòlia. A.R.							
10	macrophy'llum. B.M.	(*st.bl.*)	large-leaved.	———	1822.	——	S.♄.	Bot. mag. t. 2536.
11	serràtum. S.S.	(*wh.*)	saw-leaved.	E. Indies.	——	——	S.♄.	Rheed. mal. 4. t. 29.
12	lividum. B.R.	(*wh.*)	livid-bracted.	China.	1824.	9. 11.	S.♄.	Bot. reg. t. 945.
13	cérnuum. Wal.	(*wh.*)	drooping.	E. Indies.	1822.	....	S.♄.	
13	Siphonánthus. S.S.	(*wh.*)	whorled-leaved.	———	1796.	....	S.♄.	Burm. ind. t. 43. f. 1.
	Siphonánthus índica et *Ovièda mitis.* L.							
15	verticillàtus. D.P.	(*wh.*)	four-leaved.	Nepaul.	1818.	....	S.♄.	
16	hastàtum. B.R.	(*wh.*)	halbert-leaved.	E. Indies.	1824.	7. 11.	S.♄.	Bot. reg. t. 1307.

17	odoràtum. D.P.	(*re.*)	odoriferous.	Nepaul.	1820.	7. 8.	S. ♄.	
18	f'œtidum. D.P.	(*wh.*)	strong-scented.	———	——	——	S. ♄.	
19	cordàtum. D.P.	(*wh.*)	heart-leaved.	———	1826.	——	S. ♄.	
20	nùtans. D.P.	(*wh.*)	nodding.	———	——	....	S. ♄.	
21	scándens. S.S.	(*wh.*)	scandent.	Guinea.	1822.	7. 9.	S. ♄.	
22	trichótomum. S.S.	(*wh.*)	three-forked.	Japan.	1800.	——	G. ♄.	Banks ic. Kæmp. t. 22.
23	fortunàtum. S.S.	(*wh.*)	spear-leaved.	E. Indies.	1784.	7. 8.	S. ♄.	Osb. it. t. 11.
24	attennàtum. B.P.	(*wh.*)	attenuated.	N. S. W.	1824.	5. 8.	G. ♄.	
25	squamàtum. S.S.	(*sc.*)	scarlet.	China.	1790.	6. 9.	S. ♄.	Jacq. ic. 3. t. 500.
26	tomentòsum. S.S.	(*wh.*)	downy.	N. S. W.	1794.	8. 5.	G. ♄.	Bot. mag. t. 1518.
27	infortunàtum. S.S.	(*wh.*)	long-flowered.	E. Indies.	....	....	S. ♄.	
28	phlomoídes. S.S.	(*wh.*)	Phlomis like.	———	1820.	5. 7.	S. ♄.	Burm. ind. t. 45. f. 1.
29	frágrans. S.S.	(*wh.*)	fragrant.	China.	1790.	12. 8.	S. ♄.	Venten. malm. t. 70.
	β multíplex.	(*wh.*)	*double-flowered.*	———	——	——	S. ♄.	Bot. mag. t. 1834.
30	viscòsum. S.S.	(*wh.*)	clammy.	E. Indies.	1796.	5. 8.	S. ♄.	——— t. 1605.
31	dentàtum. H.B.	(*wh.*)	tooth-leaved.	———	1826.	——	S. ♄.	
32	neriifòlium. H.B.	(*wh.*)	Oleander-leaved.	———	1824.	——	S. ♄.	
33	paniculàtum. S.S.	(*sc.*)	panicled.	Java.	1809.	7. 10.	S. ♄.	Bot. reg. t. 406.
34	urticifòlium. H.B.	(*wh.*)	Nettle-leaved.	E. Indies.	1822.	——	S. ♄.	
35	violàceum. L.en.	(*vi.*)	violet-coloured.	.....	——	....	S. ♄.	
36	japónicum.	(*wh.*)	Japan.	Japan.	1823.	....	S. ♄.	
	Volkamèria japónica. Th.							
37	costàtum. B.P.	(*wh.*)	ribbed-leaved.	N. S. W.	1823.	5. 8.	G. ♄.	
VOLKAM'ERIA. S.S.			VOLKAM'ERIA.	Didynamia Angiospermia. L.				
	aculeàta. S.S.	(*wh.*)	prickly.	W. Indies.	1739.	8. 10.	S. ♄.	Brown jam. t. 20. f. 2.
ÆGI'PHILA. R.S.			ÆGI'PHILA.	Tetrandria Monogynia. L.				
1	martinicénsis. R.S.	(*st.*)	Martinico.	W. Indies.	1780.	11. 1.	S. ♄.	Lodd. bot. cab. t. 132.
2	arboréscens. R.S.	(*st.*)	arborescent.	Trinidad.	1820.	....	S. ♄.	Aub. gui. 1. t. 24.
3	l'ævis. R.S.	(*ye.*)	smooth.	Guiana.	1824.	6. 7.	S. ♄.	——— 1. t. 25.
4	elàta. R.S.	(*ye.*)	tall.	W. Indies.	1823.	7. 11.	S. ♄.	Bot. reg. t. 946.
5	f'œtida. R.S.	(*ye.*)	fetid.	———	1800.	6. 7.	S. ♄.	
6	trífida. R.S.	(*wh.*)	trifid-flowered.	Jamaica.	1826.	——	S. ♄.	
7	diffúsa. R.S.	(*st.*)	diffuse.	W. Indies.	1804.	7. 8.	S. ♄.	Andr. reposit. t. 578. f. 1.
8	obovàta. R.S.	(*st.*)	oval-leaved.	———	——	——	S. ♄.	——— t. 578. f. 2.
CALLICA'RPA. R.S.			CALLICA'RPA.	Tetrandria Monogynia. L.				
1	americàna. R.S.	(*re.*)	American.	Carolina.	1724.	6. 7.	G. ♄.	Catesb. car. 2. t. 47.
2	càna. R.S.	(*li.*)	hoary.	E. Indies.	1799.	——	S. ♄.	
3	lanàta. R.S.	(*pu.*)	woolly	———	1788.	——	S. ♄.	Gært. fruct. 1. t. 94.
4	incàna. F.I.	(*ro.*)	white-leaved.	———	1816.	6. 10.	S. ♄.	
5	macrophy'lla. R.S.	(*ro.*)	large-leaved.	———	1808.	——	S. ♄.	
6	lanceolària. F.I.	(*pu.*)	lance-leaved.	———	1816.	——	S. ♄.	
7	ferruginea. R.S.	(*li.*)	rusty.	Jamaica.	1794.	6. 7.	S. ♄.	
8	reticulàta. R.S.	(*wh.*)	netted-leaved.	———	1822.	——	S. ♄.	
9	longifòlia. R.S.	(*wh.*)	long-leaved.	China.	——	——	S. ♄.	Hook. ex. flor. t. 133.
10	rubélla. B.R.	(*re.*)	red-flowered.	———	——	——	S. ♄.	Bot. reg. t. 883.
11	purpùrea. F.I.	(*pu.*)	purple-flowered.	———	——	7. 9.	S. ♄.	
12	arbòrea. F.I.	(*p.pu.*)	tree.	Nepaul.	——	....	S. ♄.	
VITEX. S.S.			CHASTE-TREE.	Didynamia Angiospermia. L.				
1	ovàta. S.S.	(*bl.*)	oval-leaved.	China.	1796.	7. 8.	S. ♄.	
2	trifiòra. S.S.	(*vi.*)	three-flowered.	Cayenne.	1823.	——	S. ♄.	
3	latifòlia. S.S.	(*bl.*)	broad-leaved.	E. Indies.	1820.	——	S. ♄.	Rheed. mal. 5. t. 2.
4	altíssima. S.S.	(*vi.*)	tall.	Ceylon.	1802.	....	S. ♄.	
5	alàta. S.S.	(*vi.*)	winged.	E. Indies.	1818.	6. 8.	S. ♄.	
6	gigántea. K.S.	(*vi.*)	giant.	Guayaquil.	1826.	....	S. ♄.	
7	bícolor. S.S.	(*bl.wh.*)	two-coloured.	E. Indies.	1810.	6. 8.	S. ♄.	
8	trifòlia. S.S.	(*vi.*)	three-leaved.	———	1759.	——	S. ♄.	Bot. mag. t. 2187.
9	Negúndo. S.S.	(*bl.*)	Ash-leaved.	———	....	——	S. ♄.	Rheed. mal. 2. t. 11.
10	umbròsa. S.S.	(*vi.*)	bushy.	W. Indies.	1824.	....	S. ♄.	
11	A'gnus-cástus. W.	(*wh.*)	common.	Sicily.	1570.	9.	H. ♄.	
	β latifòlia.	(*wh.*)	*broad-leaved.*	———	——	——	H. ♄.	
12	incìsa. S.S.	(*bl.*)	cut-leaved.	China.	1758.	7. 9.	G. ♄.	Bot. mag. t. 364.
	Negúndo. B.M.							
13	arbòrea. H.B.	(*bl.*)	tree.	E. Indies.	1820.	....	S. ♄.	
14	bignonioídes. K.S.	(*bl.*)	trumpet-flowered.	Caracas.	1826.	....	S. ♄.	
15	salígna. H.B.	(*bl.*)	Willow-leaved.	E. Indies.	1823.	....	S. ♄.	
16	Doniàna.	(*vi.*)	Don's.	Sierra Leon.	1824.	....	S. ♄.	
	umbròsa. H.T. *non* Sw.							
17	heterophy'lla. H.B.	(*bl.*)	various-leaved.	E. Indies.	1820.	....	S. ♄.	
18	capitàta. P.S.	(*bl.*)	headed-flowered.	Trinidad.	1822.	6. 8.	S. ♄.	Vahl. ecl. 2. t. 18.

WALLRO'THIA. S.S. WALLRO'THIA. Didynamia Angiospermia. S.S.
Leucóxylon. s.s. (*pu.*) white-wooded. Ceylon. 1798. .... S. ♄.
Vitex Leucóxylon. L.
CHLOA'NTHES. B.P. CHLOA'NTHES. Didynamia Angiospermia. S.S.
1 st'œchadis. B.P. (*st.*) white-leaved. N. S. W. 1822. 6. 8. G. ♄.
2 glandulòsa. B.P. (*st.*) glandular-leaved. —— 1824. —— G. ♄.
PRE'MNA. S.S. PRE'MNA. Didynamia Angiospermia. S.S.
1 integrifòlia. s.s. (*wh.*) entire-leaved. E. Indies. 1822. .... S. ♄. Rumph. amb. 3. t. 133.
2 tomentòsa. s.s. (*wh.*) woolly. —— 1825. .... S. ♄.
3 reticulàta. s.s. (*wh.*) netted-leaved. Jamaica. 1826. .... S. ♄.
4 spinòsa. H.B. (*wh.*) spiny. —— 1822. .... S. ♄.
5 esculénta. H.B. (*wh.*) esculent. —— 1821. .... S. ♄.
6 latifòlia. H.B. (*wh.*) broad-leaved. E. Indies. 1827. .... S. ♄.
7 serratifòlia. s.s. (*wh.*) saw-leaved. —— —— .... S. ♄.
HOLMSKI'OLDIA. HOLMSKI'OLDIA. Didynamia Angiospermia. S.S.
1 sanguínea. s.s. (*sc.*) scarlet. E. Indies. 1796. 10. 4. S. ♄. Bot. reg. t. 692.
Hastingia coccínea. Sm. ex. bot. t. 80.
2 scándens. (*pi.*) climbing. —— 1824. —— S. ♄. ⌣.
Hastingia scándens. H.B.
PETR'ÆA. S.S. PETR'ÆA. Didynamia Angiospermia. L.
1 volùbilis. s.s. (*pu.*) climbing. Vera Cruz. 1733. 7. 8. S. ♄. ⌣. Bot. mag. t. 628.
2 rugòsa. K.s. (*pu.*) rough-leaved. Caracas. 1824. .... S. ♄.
3 erécta. L.c. (*pu.*) upright. S. America. —— .... S. ♄.
HO'STA. Jacq. HO'STA. Diandria Monogynia.
1 cœrùlea. Jacq. (*bl.*) blue-flowered. S. America. 1733. 6. 9. S. ♄. Bot. reg. t. 1204.
Cornùtia punctàta. B.M. 2611.
2 latifòlia. K.s. (*vi.*) broad-leaved. Mexico. 1824. —— S. ♄.
CORN'UTIA. P.S. CORN'UTIA. Diandria Monogynia. S.S.
pyramidàta. P.s. (*bl.*) pyramidal. W. Indies. 1733. .... S. ♄. Lam. ill. t. 541.
GMEL'INA. S.S. GMEL'INA. Didynamia Angiospermia. L.
1 arbòrea. s.s. (*br.ye.*) tree. E. Indies. 1812. .... S. ♄. Roxb. corom. 3. t. 246.
2 villòsa. s.s. (*ye.*) villous. —— 1818. .... S. ♄.
3 asiática. s.s. (*ye.*) oval-leaved. —— 1792. .... S. ♄. Lam. ill. t. 542.
4 parviflòra. P.s. (*ye.*) small-flowered. —— 1817. .... S. ♄. Roxb. corom. 1. t. 32.
parvifòlia. s.s.
5 sinuàta. L.en. (*ye.*) sinuated. —— 1824. .... S. ♄.
CITHARE'XYLUM. W. FIDDLE-WOOD. Didynamia Angiospermia. L.
1 caudàtum. s.s. (*wh.*) upright. Jamaica. 1763. .... S. ♄. Jacq. ic. 3. t. 501.
eréctum. Jacq.
2 villòsum. s.s. (*wh.*) hairy-leaved. W. Indies. 1784. .... S. ♄. Jacq. ic. 1. t. 118.
3 subserràtum. s.s. (*wh.*) subserrate. Hispaniola. 1819. .... S. ♄.
4 quadrangulàre. s.s. (*w.*) square-stalked. Jamaica. 1759. 6. 8. S. ♄. Jacq. vind. 1. t. 22.
5 cinéreum. s.s. (*wh.*) ash-coloured. W. Indies. 1739. —— S. ♄. Jacq. amer. t. 118.
6 mólle. s.s. (*wh.*) soft-leaved. ..... 1822. —— S. ♄.
7 pentándrum. s.s. (*pu.*) pentandrous. Portorico. 1815. —— S. ♄. Vent. cels. t. 47.
DURA'NTA. S.S. DURA'NTA. Didynamia Angiospermia. L.
1 Plumiéri. B.R. (*bl.*) smooth. S. America. 1733. 6. 10. S. ♄. Bot. reg. t. 244.
2 Ellísia. B.M. (*bl.*) prickly. W. Indies. 1739. 8. S. ♄. Bot. mag. t. 1759.
3 inérmis. Mill. (*bl.*) unarmed. S. America. .... —— S. ♄.
4 xalapénsis. K.s. (*bl.*) Mexican. Mexico. 1822. .... S. ♄.
5 Mutísii. K.s. (*bl.*) Mutis's. S. America. —— 6. 8. S. ♄.
AMAS'ONIA. S.S. AMAS'ONIA. Didynamia Angiospermia. S.S.
punícea. s.s. (*ye.*) puniceous. Trinidad. 1823. .... S. ♄.
LANT'ANA. S.S. LANT'ANA. Didynamia Angiospermia. L.
1 aculeàta. s.s. (*or.*) changeable-color'd. W. Indies. 1692. 4. 11. S. ♄. Bot. mag. t. 96.
2 purpùrea. s.s. (*pu.*) purple-flowered. S. America. 1823. —— S. ♄.
3 scábrida. s.s. (*or.*) rough. W. Indies. 1774. 7. 10. S. ♄.
4 místa. w. (*st.li.*) Nettle-leaved. —— 1782. 8. 10. S. ♄. Lodd. bot. cab. t. 68.
5 melissæfòlia. s.s. (*ye.*) Balm-leaved. —— —— 7. 9. S. ♄. Dill. elt. t. 57. f. 66.
6 nívea. s.s. (*wh.*) snowy white. E. Indies. 1810. —— S. ♄. Bot. mag. t. 1946.
7 stricta. s.s. (*ro.*) narrow-leaved. Jamaica. 1733. —— S. ♄. Sloan. jam. 2. t. 195. f. 4.
8 Rádula. w. (*pu.*) Rasp-leaved. W. Indies. 1803. —— S. ♄.
9 salviæfòlia. s.s. (*ro.*) Sage-leaved. C. B. S. 1823. —— G. ♄. Jacq. schœnb. 3. t. 285.
10 récta. s.s. (*bl.*) upright. Jamaica. 1758. 6. 8. S. ♄. —— 3. t. 360.
11 involucràta. s.s. (*li.*) round-leaved. W. Indies. 1690. 5. 7. S. ♄. Pluk. alm. t. 114. f. 5.
12 odoràta. s.s. (*wh.*) sweet-scented. —— 1752. 5. 11. S. ♄. Plum. ic. 71. f. 2.
13 Cámara. s.s. (*ye.*) various-coloured. —— 1691. 4. 9. S. ♄. Dill. elt. t. 56. f. 65.
14 trifòlia. s.s. (*ro.*) three-leaved. —— 1733. 6. 9. S. ♄. Bot. mag. t. 1449.
15 ánnua. s.s. (*ro.*) annual. S. America. —— 7. 8. S. ⊙. —— t. 1022.

16 fucata. s.s. (*ro.*) painted. Brazil. 1822. 7. 8. S. ♄. Bot. reg. t. 798.
17 lavandulàcea. s.s. (*wh.*) Lavender-like. ..... —— —— S. ♄.
18 cròcea. L.en. (*or.*) saffron-coloured. Jamaica. —— —— S. ♄. Jacq. schœn. t. 473.
19 violàcea. Desf. (*vi.*) violet-coloured. S. America. 1824. .... S. ♄.
20 brasiliénsis. L.en. (*wh.*) Brazilian. Brazil. —— 7. 8. S. ♄.
21 álba. L.en. (*wh.*) white-flowered. S. America. .... —— S. ♄.
22 hírta. Gr. (*wh.*) hairy white. ———— 1825. 8. 11. S. ♄.
23 hórrida. K.s. (*ye.*) horrid. Mexico. —— 7. 8. S. ♄.
24 Sellòi. L.o. (*ro.*) Sello's. Monte Video. 1829. 12. 4. S. ♄. Bot. mag. t. 2981.

SPIELMA'NNIA. S.S. SPIELMA'NNIA. Didynamia Angiospermia. S.S.
africàna. s.s. (*wh.*) African. C. B. S. 1710. 2. 11. G. ♄. Bot. mag. t. 1899.

TECTO'NA. W. TEAK-WOOD. Pentandria Monogynia. L.
grándis. w. (*wh.*) great. E. Indies. 1777. .... S. ♄. Roxb. corom. 1. t. 6.

STRE'PTIUM. S.S. STRE'PTIUM. Didynamia Angiospermia. S.S.
ásperum. s.s. (*wh.*) rough. E. Indies. 1799. 7. 8. S. ♃. Roxb. corom. 2. t. 146.
Tórtula áspera w. *Privа leptostàchya.* P.s.

PRI'VA. S.S. PRI'VA. Didynamia Angiospermia. S.S.
1 lappulàcea. P.s. (*pu.*) bristly-fruited. S. America. 1822. 6. 8. S. ♃. Jacq. obs. 1. t. 24.
echinàta. K.s.
2 mexicàna. P.s. (*li.*) Mexican. Mexico. 1726. 8. 9. S. ♃. Dill. elth. t. 302. f. 389.
hispida. K.s. *Verbèna mexicàna.* L.

TAM'ONEA. S.S. TAM'ONEA. Diandria Monogynia.
1 verbenàcea. s.s. (*bl.*) thorny-fruited. W. Indies. 1733. 8. S. ☉. Banks. vel. Hous. t. 2.
curassávica. P.s. *Ghùnia spinòsa.* W.
2 spicàta. K.s. (*bl.*) spiked. Trinidad. 1824. 8. 10. S. ☉. Aubl. guian. t. 268.

STACHYTA'RPHETA. BASTARD VERVAIN. Diandria Monogynia. S.S.
1 angustifòlia. R.s. (*vi.*) narrow-leaved. S. America. .... 6. 9. S. ☉. Jacq. obs. 4. t. 86.
2 elàtior. R.s. (*vi.*) tall. Brazil. 1821. 8. 11. S. ☉.
3 índica. R.s. (*vi.*) Indian. Ceylon. 1732. 8. 9. S. ☉.
4 urticifòlia. B.M. (*bl.*) Nettle-leaved. S. America. .... 5. 9. S. ♂. Bot. mag. t. 1843.
5 jamaicénsis. R.s. (*bl.*) Jamaica. W. Indies. 1714. 6. 9. S. ♂. ———— t. 1900.
6 hírta. K.s. (*pi.*) hairy-leaved. New Granada. 1821. 5. 10. S. ♄.
7 cayénnénsis. s.s. (*bl.*) Cayenne. Cayenne. 1819. —— S. ♄.
8 umbròsa. K.s. (*bl.*) shade. Cumana. 1829. —— S. ♄.
9 prismática. R.s. (*bl.*) Germander-leav'd. W. Indies. 1699. 5. 6. S. ♂. Jacq. ic. 2. t. 308.
10 orùbica. R.s. (*vi.*) Orubian. S. America. —— 6. 8. G. ♂. Ehr. pict. t. 5. f. 1.
11 mutábilis. R.s. (*ro.*) changeable-flower'd. —— 1801. 3. 9. S. ♄. Bot. mag. t. 976.
Verbèna mutábilis. W. *Cymbàrus mutábilis.* Par. lond. t. 49.
12 crassifòlia. R.s. (*vi.*) thick-leaved. Brazil. 1826. 6. 9. S. ♄.
13 Zuccágni. R.s. (*ro. vi.*) Zuccagni's. ..... 1824. —— S. ♄.
14 hirsutíssima. L.en. (*bl.*) hairy. Brazil. 1821. —— S. ♃.

ZAP'ANIA. J. ZAP'ANIA. Didynamia Angiospermia. P.S.
1 stœchadifòlia. P.s. (*wh.*) oval-spiked. W. Indies. 1732. 8. 9. S. ♃. Brown jam. t. 3. f. 1.
2 nodiflòra. B.P. (*pi.*) knot-flowered. America. 1664. 7. 8. G. ♃. Flor. græc. t. 553.
Verbèna nodiflòra. L. *Lippia nodiflòra.* s.s.

ALO'YSIA. P.S. ALO'YSIA. Didynamia Angiospermia. P.S.
citrodòra. P.s. (*li.*) Lemon-scented. Chile. 1784. 5. 9. G. ♄. Bot. mag. t. 567.
Verbèna triphy'lla. B.M. *Lippia citrodòra.* K.s.

VERB'ENA. S.S. VERVAIN. Didynamia Angiospermia. S.S.
1 angustifòlia. s.s. (*bl.*) narrow-leaved. N. America. 1802. 6. 8. H. ♃.
rugòsa. W.
2 paniculàta. s.s. (*pu.*) panicled. ———— 1800. 7. 8. H. ♃. Bot. reg. t. 1102.
3 bonariénsis. s.s. (*bl.*) cluster-flower'd. Buenos Ayres. 1732. 7. 10. H. ♂. Dill. elt. t. 300. f. 387.
4 caroliniàna. s.s. (*pi.*) Carolina. N. America. —— 6. 9. H. ♃. ———— t. 301. f. 388.
5 urticæfòlia. s.s. (*wh.*) Nettle-leaved. ———— 1683. 7. 9. H. ♃. Rob. ic. 26.
6 stricta. s.s. (*bl.*) upright. ———— 1802. 7. 8. H. ♃. Bot. mag. t. 1976.
7 lasiostàchys. s.s. (*bl.*) woolly-spiked. California. 1823. —— H. ♃.
8 bracteòsa. s.s. (*bl.*) long-bracted. N. America. 1812. 7. H. ♃. Bot. mag. t. 2970.
9 Aublètia. s.s. (*ro.*) rose. ———— 1774. 6. 8. F. ♂. ———— t. 306.
10 Lambérti. B.M. (*ro.*) Lambert's. Peru. 1816. —— F. ♃. ———— t. 2260.
11 chamædryfòlia. P.s. (*sc.*) scarlet-flower'd. Buenos Ayres. 1827. 4. 10. F. ♃. Swt. br. fl. gar. ser. 2. t. 9.
Melíndres. Bot. reg. t. 1184. *Erìnus peruviànus.* L.
12 barbàta. Gr. (*li.*) bearded. Mexico. —— 9. 12. G. ♄.
13 hastàta. s.s. (*pu.*) halberd-leaved. Canada. 1710. —— H. ♃. Herm. parad. t. 242.
14 scábra. s.s. (*vi.*) rough. Mexico. 1822. —— H. ♃.
15 alàta. B.F.G. (*pu.*) winged-stalked. Monte Video. 1827. 7. 10. F. ♃. Swt. br. fl. gar. ser. 2. t. 41.
16 officinàlis. E.B. (*li.*) common. Britain. .... 6. 9. H. ♃. Eng. bot. v. 11. t. 769.
17 soròria. D.P. (*li.*) sister. Nepaul. 1823. 8. 10. H. ♃. Swt. br. fl. gar. t. 266.
18 spùria. s.s. (*li.*) jagged-leaved. N. America. 1781. 7. 8. H. ♂.

19 erinoides. S.S. *multifida.* R.P.	(*re.*)	Erinus-like.	Peru.	1820.	7. 8.	H.⊙.	Flor. peruv. 1. t.33.f.c.
20 pulchélla. B.F.G.	(*li.*)	pretty.	BuenosAyres.	1827.	4. 10.	F.♃.	Swt.br.fl.gar.s.2.t.295.
21 canéscens. S.S.	(*vi.*)	canescent.	Mexico.	1820.	7. 8.	H.♃.	H. et B.2. t. 136.
22 supìna. S.S. *β hirsùta.* B.	(*li.*)	trailing. *hairy.*	Spain. Egypt.	1640. 1829.	6. 7. ——	H.⊙. H.⊙.	Flor. græc. t. 554.
23 prostràta. H.K.		prostrate.	N. America.	1794.	——	H.♃.	
LI'PPIA. J.		LI'PPIA.	Didynamia Angiospermia. S.S.				
purpùrea. S.S.	(*pu.*)	purple.	Mexico.	1823.	6. 8.	G.♄.	Jacq. f. eclog. t. 85.
XENOP'OMA. S.S.		XENOP'OMA.	Didynamia Angiospermia.				
obovàtum. S.S.	(*wh.*)	obovate-leaved.	China.	1816.	5. 8.	G.♄.	Coll. hort. rip. t. 25.

ORDO CLVI.

MYOPORINÆ. *Brown prodr. p. 514.*

MYOP'ORUM. B.P.		MYOP'ORUM.	Didynamia Angiospermia. S.S.				
1 ellipticum. B.P. *Pogònia glábra.* A.R.	(*wh.*)	smooth-leaved.	N. S. W.	1789.	1. 3.	G.♄.	Andr. reposit. t. 283.
2 acuminàtum. B.P.	(*wh.*)	acuminate.	———	1812.	....	G.♄.	
3 montànum. B.P.	(*wh.*)	mountain.	———	1822.	2. 6.	G.♄.	
4 parvifòlium. B.P.	(*wh.*)	small-leaved.	N. Holland.	1803.	3. 9.	G.♄.	Bot. mag. t. 1691.
5 débile. B.P.	(*bl.*)	procumbent.	N. S. W.	1793.	5. 8.	G.♄.	——— t. 1830.
6 diffùsum. B.P.	(*bl.*)	diffuse.	N. Holland.	....	8. 2.	G.♄.	
7 tuberculàtum. B.P.	(*wh.*)	tubercled.	———	1803.	5. 8.	G.♄.	
8 viscòsum. B.P.	(*wh.*)	viscid.	———	——	——	G.♄.	
9 crassifòlium. S.S.	(*wh.*)	thick-leaved.	N. Zealand.	1822.	——	G.♄.	
10 oppositifòlium. S.S.	(*wh.*)	opposite-leaved.	N. Holland.	1803.	1. 12.	G.♄.	
STENOCH'ILUS. B.P.		STENOCH'ILUS.	Didynamia Angiospermia. S.S.				
1 gláber. B.P.	(*sc.*)	smooth-leaved.	N. Holland.	1803.	1. 12.	G.♄.	Bot. mag. t. 1942.
2 maculàtus. B.R.	(*cr.op.*)	spotted-flowered.	———	1820.	4. 8.	G.♄.	Bot. reg. t. 647.
3 viscòsus. B.M.	(*ye.*)	clammy.	———	1825.	——	G.♄.	Bot. mag. t. 2930.
BO'NTIA. S.S.		BO'NTIA.	Didynamia Angiospermia. L.				
daphnoides. S.S.	(*st.*)	Barbadoes.	W. Indies.	1690.	6.	S.♄.	Dill. elth. t. 49. f. 57.
AVICE'NNIA. B.P.		AVICE'NNIA.	Didynamia Angiospermia. L.				
tomentòsa. B.P.	(*wh.*)	downy-leaved.	India.	1793.	....	S.♄.	Palisot. d'Owar. t. 47.

ORDO CLVII.

ACANTHACEÆ. *Brown prodr. 1. p. 472.*

ACA'NTHUS. S.S.		BEARS-BREECH.	Didynamia Angiospermia. L.				
1 móllis. W.	(*wh.*)	soft-leaved.	Italy.	1548.	7. 9.	H.♃.	Lam. ill. t. 550.
2 níger. L.en.	(*wh.*)	shining-leaved.	Portugal.	1759.	——	H.♃.	
3 spinòsus. B.M.	(*wh.*)	prickly-leaved.	S. Europe.	1629.	——	H.♃.	Bot. mag. t. 1806.
4 spinosissimus. P.S.	(*wh.*)	white-spined.	———	——	——	H.♃.	
5 carduifòlius. S.S.	(*wh.*)	Cape.	C. B. S.	1816.	——	G.♃.	
6 ilicifòlius. S.S.	(*wh.*)	Holly-leaved.	E. Indies.	1749.	....	S.♄.	Rheed. mal. 2. t. 48.
BLEPH'ARIS. J.		BLEPH'ARIS.	Didynamia Angiospermia. P.S.				
1 capénsis. S.S.	(*wh.*)	simple-spined.	C. B. S.	1816.	5. 9.	G.♄.	
2 furcàta. S.S.	(*wh.*)	fork-spined.	———	——	6. 8.	G.♄.	
3 procúmbens. S.S.	(*wh.*)	procumbent.	———	1825.	——	G.♄.	
THUNBE'RGIA. S.S.		THUNBE'RGIA.	Didynamia Angiospermia. S.S.				
1 grandiflòra. S.S.	(*bl.*)	large-flowered.	E. Indies.	1822.	3. 8.	S.♄.⌒.	Bot. reg. t. 495.
2 fràgrans. S.S.	(*wh.*)	white Indian.	———	1796.	5. 9.	S.♄.⌒.	Bot. mag. t. 1881.
3 cordàta. C.R.	(*wh.*)	heart-leaved.	Brazil.	1823.	3. 8.	S.♄.⌒.	Coll. h. rip. t. 21.
4 capénsis. S.S.	(*wh.*)	Cape.	C. B. S.	1816.	——	G.♄.⌒.	
5 alàta. B.M.	(*or.*)	winged.	Zanzebar.	1825.	1. 12.	S.♄.⌒.	Bot. mag. t. 2591.
6 angulàta. H.E.F.	(*pu.*)	angular-stalked.	Mauritius.	1824.	5. 8.	S.♄.⌒.	Hook. ex. flor. t. 166.
7 coccínea. D.P.	(*sc.*)	scarlet-flowered.	Nepaul.	——	6. 9.	S.♄.⌒.	——— t. 195.

BARLE'RIA. S.S.		**BARLE'RIA.**	**Didynamia Angiospermia. L.**					
1 buxifòlia. s.s.	(*bl.*)	Box-leaved.	E. Indies.	1763.	6. 7.	S. ♄.	Rheed. mal. 2. t. 47.
2 Prionitis. s.s.	(*ye.*)	thorny.	———	1759.	7. 8.	S. ♄.	——— 9. t. 41.
3 spicàta. H.B.	(*pu.*)	spiked-flowered.	———	1822.	4. 8.	S. ♄.	
4 longifòlia. s.s.	(*vi.*)	long-leaved.	———	1781.	7. 9.	S. ♂.	Plnk alm. t. 133. f. 4.
5 cristàta. s.s.	(*bl.*)	crested.	———	1796.	4. 9.	S. ♄.	Bot. mag. t. 1615.
6 álba. B.C.	(*wh.*)	white-flowered.	———	1818.	———	S. ♄.	Lodd. bot. cab. t. 389.
7 ciliàta. H.B.	(*pu.*)	fringed.	———	1822.	4. 10.	S. ♄.	
8 tomentòsa. s.s.	(*bl.*)	woolly.	———	1825.	———	S. ♄.	
9 flàva. s.s.	(*ye.*)	yellow-flowered.	Arabia.	1816.	———	S. ♄.	Jacq. f. ecl. t. 46.
mitis. B.R. 191. *Justícia flàva.* w. *Eránthemum flàvum.* W.en.							
10 longiflòra. s.s.	(*vi.*)	long-flowered.	E. Indies.	1816.	6. 9.	S. ♄.	Vahl symb. 1. t. 16.
11 purpùrea. B.C.	(*pu.*)	purple.	———	1817.	———	S. ♄.	Lodd. bot. cab. t. 344.
12 dichótoma. H.B.	(*pu.*)	forked.	———	1822.	———	S. ♄.	
13 cœrùlea. H.B.	(*bl.*)	blue-flowered.	———	———	———	S. ♄.	
HYGRO'PHILA. B.P.		**HYGRO'PHILA.**	**Didynamia Angiospermia. S.S.**				
ringens. s.s.	(*li.*)	gaping-flowered.	E. Indies.	1807.	7. 8.	S. ♄.	
GEISSOM'ERIA. B.R.		**GEISSOM'ERIA.**	**Didynamia Angiospermia.**				
1 longiflòra. B.R.	(*sc.*)	long-flowered.	Brazil.	1825.	8. 10.	S. ♄.	Bot. reg. t. 1045.
2 fúlgida.	(*sc.*)	bright-flowered.	W. Indies.	1804.	7. 8.	S. ♄.	Andr. reposit. t. 527.
Ruéllia fúlgida. A.R.							
RUE'LLIA. S.S.		**RUE'LLIA.**	**Didynamia Angiospermia. L.**				
1 ocymoídes. s.s.	(*bl.*)	Basil-like.	Mexico.	1815.	7. 8.	S. ♄.	Cavan. ic. 5. t. 456.
2 ciliàta. s.s.	(*li.*)	fringed.	E. Indies.	1805.	———	S. ♄.	
3 austràlis. s.s.	(*re.*)	New Holland.	N. S. W.	1820.	6. 9.	G. ♄.	Cavan. ic. 6. t. 586. f. 1.
4 fœtida. s.s.	(*vi.*)	strong-scented.	Mexico.	1824.	———	G. ♄.	
5 biflòra. s.s.	(*bl.*)	two-flowered.	Carolina.	1765.	7.	G. ♃.	
6 violàcea. s.s.	(*bl.*)	violet-flowered.	Guiana.	1822.	6. 9.	S. ♃.	Aub. gui. 2. t. 271.
7 salicifòlia. s.s.	(*vi.*)	Willow-leaved.	E. Indies.	———	———	S. ♄.	
8 ovàta. s.s.	(*bl.*)	oval-leaved.	Mexico.	1800.	7. 8.	S. ♃.	Cavan. ic. 3. t. 254.
9 pátula. s.s.	(*vi.*)	spreading.	E. Indies.	1774.	———	S. ♄.	Jacq. ic. 1. t. 119.
10 Sabiniàna. B.R.	(*vi.*)	Sabine's.	———	1827.	4. 8.	S. ♄.	Bot. reg. t. 1238.
11 brasìla. Mart.	(*vi.*)	Brazil.	Brazil.	1828.	8. 9.	S. ♄.	
12 anisophy'lla. H.E.F.	(*bl.*)	unequal-leaved.	E. Indies.	1823.	9. 4.	S. ♄.	Hook. ex. flor. 191.
persicifòlia. Bot. reg. t. 955.							
13 formòsa. s.s.	(*sc.*)	splendid.	Brazil.	1806.	6. 9.	S. ♄.	Bot. mag. t. 1490.
14 macrophy'lla. s.s.	(*re.*)	large-leaved.	S. America.	1820.	———	S. ♄.	Vahl symb. 2. t. 39.
15 tuberòsa. s.s.	(*vi.*)	tuberous-root'd.	Jamaica.	1752.	7. 8.	S. ♃.	Sloan. jam. 1. t. 96. f. 1.
16 strèpens. s.s.	(*pa.bl.*)	whorl-flowered.	N. America.	1726.	———	G. ♃.	Schk. hand. 2. t. 177.
17 láctea. s.s.	(*li.*)	white.	Mexico.	1796.	6. 8.	G. ♃.	Cavan. ic. 3. t. 255.
18 clandestìna. s.s.	(*bl.*)	three-flowered.	Barbadoes.	1728.	7. 8.	S. ♃.	Dill. elth. t. 248. f. 320.
19 paniculàta. s.s.	(*li.*)	panicled.	W. Indies.	1768.	8. 10.	S. ♃.	Bot. reg. t. 585.
20 obovàta. H.B.	(*pu.*)	obovate-leaved.	E. Indies.	1820.	7. 11.	S. ☉.	
21 undulàta. s.s.	(*vi.*)	wave-leaved.	———	1817.	———	S. ♃.	
22 hírta. s.s.	(*vi.*)	hairy.	———	———	———	S. ♃.	Vahl symb. 3. t. 67.
23 pubéscens. P.s.	(*bl.*)	pubescent.	C. B. S.	1816.	5. 7.	G. ♄.	
24 tetragòna. s.s.	(*bl.*)	four-sided.	Brazil.	1818.	6. 9.	S. ♃.	
25 longifòlia. s.s.	(*pu.*)	long-leaved.	E. Indies.	1821.	———	S. ♄.	
26 cérnua. H.B.	(*vi.*)	cernuous.	———	———	———	S. ♄.	
27 semitetrándra. Jac. ..		semitetrandrous.		1829.	....	S. ♄.	
BL'ECHUM. B.P.		**BL'ECHUM.**	**Didynamia Angiospermia. S.S.**				
1 Brównei. s.s.	(*li.*)	dense-spiked.	W. Indies.	1780.	6.	S. ☉.	Sloan. jam. 1. t. 100. f. 1.
2 laxiflòrum. s.s.	(*wh.*)	loose-flowered.	———	1822.	6. 8.	S. ♃.	
3 angustifòlium. s.s.	(*bl.*)	narrow-leaved.	———	1826.	7. 10.	S. ♃.	
APHE'LA'NDRA. B.P.		**APHELA'NDRA.**	**Didynamia Angiospermia. S.S.**				
cristàta. s.s.	(*sc.*)	dense-spiked.	W. Indies.	1733.	6. 9.	S. ♄.	Bot. mag. t. 1579.
Ruéllia cristàta. A.R. 506. *Justícia pulchérrima.* L.							
CROSSA'NDRA. P.S.		**CROSSA'NDRA.**	**Didynamia Angiospermia.**				
undulæfòlia. P.L.	(*sc.*)	wave-leaved.	E. Indies.	1800.	6. 1.	S. ♄.	Bot. reg. t. 69.
Ruéllia infundibulifórmis. A.R. 542. *Harráchia speciósa.* Jacq. ecl. t. 21.							
PHAYLO'PSIS. W.		**PHAYLO'PSIS.**	**Didynamia Angiospermia. W.**				
1 longifòlia. B.M.	(*wh.*)	long-leaved.	Sierra Leon.	1822.	8. 5.	S. ♄.	Bot. mag. t. 2433.
2 imbricàta.	(*wh.*)	imbricated.	Mauritius.	———	———	S. ♄.	
Æthelèma imbricàta. s.s.							
3 parviflòra. w.	(*wh.*)	small-flowered.	E. Indies.	1825.	4. 6.	S. ♃.	
LEPIDAG'ATHIS. W.		**LEPIDAG'ATHIS.**	**Didynamia Angiospermia. W.**				
cristàta. w.	(*pu.*)	crested.	E. Indies.	1817.	5. 8.	S. ♃.	
ELYTR'ARIA. R.S.		**ELYTR'ARIA.**	**Diandria Monogynia. S.S.**				
1 crenàta. R.S.	(*wh.*)	notched-leav'd.	E. Indies.	1819.	11. 2.	S. ♃.	Roxb. coron. 2. t. 137.
Justícia acaùlis. F.I.							

2	lyràta. R.s.	(wh.)	lyrate-leaved.	E. Indies.	1825.	11. 2.	S. 4.	
3	virgàta. R.s.	(wh.)	twiggy.	Carolina.	1818.	7. 8.	H. 4.	Mich. amer. 1. t. 1.
4	ramòsa. R.s.	(bi.)	branching.	Mexico.	1825.	——	G. 4.	
5	caulèscens. R.s.	(wh.)	caulescent.	Manilla.	1828.	——	G. 4.	
JUSTI'CIA. R.S.			Justi'cia.	Diandria Monogynia. L.				
1	bicalyculàta. R.s.	(li.)	Malabar.	E. Indies.	1785.	8. 10.	S. ☉.	Cavan. ic. 1. t. 71.
2	hìspida. R.s.	(wh.)	hispid.	Sierra Leon.	1824.	4. 8.	S. ♄.	
3	Ecbòlium. R.s.	(pa. bl.)	long-spiked.	E. Indies.	1759.	8. 8.	S. ♄.	Bot. mag. t. 1847.
4	ventricòsa. B.M.	(sp.)	hop-flowered.	China.	1825.	4. 6.	S. ♄.	——— t. 2766.
5	calycotrìcha. s.s.	(ye.)	yellow-flower'd.	Brazil.	——	1. 8.	S. ♄.	——— t. 2816.
	flavìcoma. Bot. reg. t. 1027.							
6	thyrsiflòra. F.I.	(or.)	thyrse-flower'd.	E. Indies.	1812.	5. 9.	S. ♄.	
7	vitellìna. F.I.	(pi. ye.)	reflex-leaved.	———	1818.	——	S. ♄.	
8	álba. F.I.	(wh.)	white-flowered.	———	1816.	4. 8.	S. ♄.	
9	coccìnea. R.s.	(sc.)	scarlet.	S. America.	1770.	12. 4.	S. ♄.	Bot. mag. t. 432.
10	polyspérma. F.I.	(bl.)	many-seeded.	E. Indies.	1821.	8. 10.	S. ☉.	
11	echioìdes. R.s.	(wh. pu.)	Echium-like.	———	1812.	6. 9.	S. ☉.	Rheed. mal. 9. t. 46.
12	quadrifìda. R.s.	(sc.)	twiggy.	Mexico.	1795.	8. 9.	S. ♄.	Sal. par. lond. t. 50.
	virgulàris. F.L.							
13	pùmila. R.s.	(sc.)	dwarf.	S. America.	1820.	——	S. ♄.	
14	nìgricans. R.s.	(wh. re.)	black-striped.	China.	1819.	6. 9.	G. ♄.	
15	nìtida. R.s.	(wh. sp.)	glossy.	W. Indies.	1790.	8. 9.	S. ♄.	Andr. reposit. t. 570.
16	bracteolàta. R.s.	(pu.)	bracteolate.	Caracas.	1824.	6. 8.	S. ♄.	Jacq. ic. t. 205.
17	pìcta. R.s.	(cr.)	painted.	E. Indies.	1780.	7. 8.	S. ♄.	Rheed. mal. 6. t. 60.
	α *álba.*	(cr.)	*white-marked.*	———	——	——	S. ♄.	Bot. reg. t. 1227.
	β *làrido-sanguínea.*	(pu)	*purple-leaved.*	———	1815.	——	S. ♄.	Bot. mag. t. 1870.
18	paniculàta. R.s.	(ro.)	panicled.	———	1811.	——	S. ☉.	Jacq. f. eclog. t. 84.
19	salicìna. R.s.	(re.)	Willow-like.	Peru.	1819.	——	S. ♄.	
20	secúnda. R.s.	(pu.)	side-flowering.	W. Indies.	1793.	5. 9.	S. ♄.	Bot. mag. t. 2060.
21	geniculàta. B.M.	(sc.)	jointed-stalked.	———	1822.	7. 10.	S. ♄.	——— t. 2487.
22	nodòsa. B.M.	(cr. pu.)	swoln-jointed.	Brazil.	1826.	8. 10.	S. ♄.	——— t. 2914.
23	oblongàta. L.O.	(pi.)	oblong-leaved.	Java.	——	9. 10.	S. ♄.	
24	ciliàris. R.s.	(wh.)	ciliated.	Cumana.	1780.	7. 8.	S. ☉.	Jacq. vind. 2. t. 104.
25	lùcida. R.s.	(sc.)	shining-leaved.	W. Indies.	1795.	——	S. ♄.	Bot. mag. t. 1014.
26	salviæflòra. R.s.	(sc.)	Sage-flowered.	Mexico.	1823.	——	S. ♄.	
27	Gandarùssa. R.s.	(vi.)	Willow-leaved.	E. Indies.	1800.	6. 7.	S. ♄.	Bot. reg. t. 635.
28	carthaginénsis. R.s.	(sc.)	Carthagenian.	Carthagena.	1792.	——	S. ♄.	——— t. 797.
29	pedunculòsa. R.s.	(pu.)	long-peduncled.	N. America.	1759.	7. 8.	H. 4.	Bot. mag. t. 2367.
	americàna. w.							
30	quadrangulàris. B.M.	(pu.)	square-stalked.	Mauritius.	——	1. 8.	S. ♄.	Bot. mag. t. 2845.
31	procúmbens. R.s.	(ro.)	procumbent.	E. Indies.	1798.	7. 8.	S. 4.	Pluk. alm. t. 56. f. 3.
32	quinquangulàris. F.I.	(ro.)	five-angled.	———	1820.	——	S. 4.	
33	comàta. R.s.	(li.)	Balsam-herb.	Jamaica.	1795.	——	S. 4.	Sloan. jam. 1. t. 103. f. 2.
34	eustachiàna. R.s.	(pu.)	Eustachian.	St. Eustachia.	1799.	8. 9.	S. ♄.	Jacq. amer. pict. t. 5.
35	Keriàna.	(sc. or.)	Ker's.	China.	1815.	6. 9.	S. ♄.	Bot. reg. t. 809.
	eustachiàna. B.R. Bot. mag. t. 2076. *non* Jacq.							
36	nasùta. R.s.	(wh.)	white-flowering.	E. Indies.	1790.	2. 10.	S. ♄.	Bot. mag. t. 325.
37	lanceolària. F.I.	(ro.)	lance-leaved.	———	1818.	8. 12.	S. ♄.	
38	speciòsa. F.I.	(pu.)	beautiful.	———	1823.	1. 12.	S. 4.	Bot. mag. t. 2722.
39	Roxburghiàna. R.s.	(pi.)	Roxburgh's.	———	1815.	6. 9.	S. ♄.	Rumph. amb. 6. t. 22. f. 1.
	tinctòria. F.I. *non* Lour. *báphica.* s.s.							
40	pectoràlis. R.s.	(pu.)	Garden Balsam.	W. Indies.	1787.	5. 6.	S. 4.	Bot. reg. t. 796.
41	periplocæfòlia. R.s.	(pu.)	Periploca-leav'd.	S. America.	1799.	6. 8.	S. ♄.	Jacq. coll. s. t. 7. f. 2.
42	furcàta. R.s.	(vi.)	forked.	Peru.	1795.	4. 8.	S. ♄.	Bot. mag. t. 430.
	peruviàna. B.M. Cavan. ic. 1. t. 28.							
43	lithospermifòlia.	(vi.)	Gromwell-leav'd.	———	1796.	——	S. ♄.	Jacq. schœn. 1. t. 4.
44	caracasàna. R.s.	(vi.)	Caracas.	Caracas.	1818.	——	S. ♄.	Jacq. ic. 2. t. 206.
45	leucántha. R.s.	(wh.)	dirty white.	Brazil.	1824.	——	S. ♄.	
46	Adhátoda. R.s.	(wh. pu.)	Malabar-nut.	Ceylon.	1699.	5. 7.	G. ♄.	Bot. mag. t. 861.
47	decussàta. F.I.	(li.)	cross-leaved.	E. Indies.	1824.	2. 4.	S. ♄.	
48	Betónica. R.s.	(wh.)	Betony-leaved.	———	1739.	——	S. ♄.	Rheed. mal. 2. t. 21.
49	ramosíssima. F.I.	(wh.)	branching.	———	1812.	8. 12.	S. ♄.	
50	plumbaginifòlia. R.s.	(re.)	Plumbago-leav'd.	.....	1819.	6. 9.	S. ♄.	Jacq. f. ecl. t. 12.
51	formòsa. R.s.	(pu.)	handsome.	.....	——	——	S. ♄.	
52	maculàta. B.C.	(pu.)	spotted-leaved.	W. Indies.	1823.	——	S. ♄.	Lodd. bot. cab. t. 626.
53	divaricàta. R.s.	(wh.)	divaricate.	C. B. S.	1822.	3. 6.	G. ♄.	
54	pátula. R.s.	(wh.)	spreading-branch'd.	——	1824.	——	G. ♄.	
55	hyssopifòlia. R.s.	(st.)	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. ♄.	Mill. ic. 9. t. 13.
56	orchioìdes. R.s.	(bh.)	Broom-leaved.	C. B. S.	1774.	8	G. ♄.	Vent. malm. t. 51.

57	tranquebariénsis. R.s.	(*bh.*)	Tranquebar.	E. Indies.	1818.	4. 8.	S. ♃.	
58	glábra. F.I.	(*ro.ye.*)	smooth.	———	1824.	6. 9.	S. ♃.	
59	vestìta. R.s.	(*vi.*)	clothed.	———	1827.	——	S. ♃.	
DICLI'PTERA. J.			Dicli'ptera.	Diandria Monogynia. R.S.				
1	spinòsa. B.C.	(*ye.*)	spiny.	Madagascar.	1827.	4. 6.	S. ♄.	Lodd. bot. cab. t. 1244.
2	chinénsis. R.s.	(*ro.*)	Chinese.	China.	1816.	8. 12.	S. ♄.	Burm. ind. t. 4. f. 1. ?
3	biválvis. R.s.	(*ro.*)	two-valved.	E. Indies.	1820.	....	S. ♄.	
4	multiflòra. R.s.	(*vi.*)	many-flowered.	Quito.	1821.	6. 9.	S. ♄.	Flor. peruv. 1. t. 14. f. b.
5	retùsa. R.s.	(*pu.*)	retuse.	Santa Cruz.	1816.	7. 9.	S. ♃.	Lodd. bot. cab. t. 724.
6	congésta. R.s.	(*pu.*)	crowded-flowered.	Mexico.	1825.	——	S. ♃.	
7	resupinàta. R.s. *Justícia sexangulàris.* Cav. *non* L.	(*vi.*)	resupinate.	N. Spain.	1805.	5. 8.	S. ♃.	Cavan. ic. 3. t. 208.
8	pectinàta. R.s. *Justícia parviflòra.* W.	(*bl.*)	pectinated.	E. Indies.	1801.	7. 9.	S. ♃.	Roxb. corom. 2. t. 153.
9	rèpens. R.s.	(*li.*)	creeping.	———	1822.	——	S. ♃.	Roxb. corom. 2. t. 152.
10	brasiliénsis. R.s.	(*pu.*)	Brazilian.	Brazil.	1824.	——	S. ♃.	
11	scorpioides. R.s.	(*pu.*)	Scorpion-grass-ld.	Vera Cruz.	....	——	S. ♄.	Reliqu. Houst. t. 1.
12	sexangulàris. R.s.	(*re.*)	chickweed-ld.	S. America.	1733.	7.	S. ☉.	Pluk. alm. t. 279. f. 6.
13	assúrgens. R.s.	(*sc.*)	assurgent.	W. Indies.	1827.	——	S. ♃.	
NELSO'NIA. B.P.			Nelso'nia.	Diandria Monogynia.				
	lamiifòlia. F.I.	(*pu.*)	Lamium-leaved.	E. Indies.	1824.	6. 8.	S. ♃.	
HYPOE'STES. R.S.			Hypoe'stes.	Diandria Monogynia. R.S.				
1	purpùrea. R.s. *Justícia purpùrea.* L.	(*pu.*)	purple-flower'd.	China.	1822.	6. 8.	S. ♃.	
2	verticillàris. R.s.	(*bh.*)	whorl-flowered.	C. B. S.	1823.	4. 6.	G. ♃.	
3	sérpens. R.s.	(*li.*)	creeping-stalked.	Mauritius.	1823.	6. 8.	S. ♃.	
4	involucràta. R.s.	(*wh.*)	involucred.	E. Indies.	1811.	7. 8.	S. ♄.	
ERA'NTHEMUM. R.S.			Era'nthemum.	Diandria Monogynia. R.S.				
1	variábile. B.P.	(*pu.*)	variable.	N. S. W.	1820.	6. 9.	G. ♄.	
2	montánum. F.I.	(*bl.*)	mountain.	E. Indies.	1825.	7. 2.	S. ♄.	
3	pulchéllum. F.I. *Justícia nervòsa.* B.M. 1358.	(*bl.*)	nervose.	———	1796.	1. 10.	S. ♄.	Andr. reposit. t. 86.
4	racemòsum. F.I.	(*bh.*)	racemed.	———	1826.	7. 2.	S. ♄.	
5	barlerioides. F.I.	(*pa.bl.*)	Barleria-like.	———	1824.	——	S. ♄.	
6	stríctum. F.I.	(*bl.*)	upright.	———	1823.	——	S. ♄.	Bot. reg. t. 867.
7	crenulàtum. B.R.	(*li.*)	crenulate.	———	1824.	10. 2.	S. ♄.	——— t. 879.
8	bícolor. s.s. *Justícia bícolor.* B.M.	(*wh.pu.*)	two-coloured.	Philippines.	1802.	5. 8.	S. ♄.	Bot. mag. t. 1423.
9	spinòsum. R.s.	(*wh.*)	thorny.	W. Indies.	1733.	7. 8.	S. ♄.	Jacq. amer. 2. t. 2. f. 1.
10	acanthóphorum. R.s.	(*li.*)	spiny.	China.	1822.	——	S. ♄.	
11	ambíguum. R.s. *parviflòrum.* L.enum.	.....	bunch-leaved. *nec aliorum.*	.....	1823.	....	S. ♄.	

ORDO CLVIII.

OROBANCHEÆ. *Ventenat.*

LATHR'ÆA. S.S.			Toothwort.	Didynamia Angiospermia. L.				
	squamária. s.s.	(*pu.*)	scaly.	Britain.	....	4.	H. ♃.	Eng. bot. v. 1. t. 30.
OROBA'NCHE. S.S.			Broom-rape.	Didynamia Angiospermia. L.				
1	màjor. E.B.	(*br.pu.*)	greater.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 6. t. 421.
2	elàtior. E.B.	(*br.*)	taller.	———	....	7. 8.	H. ♃.	——— v. 8. t. 563.
3	minor. E.B.	(*pa.pu.*)	smaller.	———	....	——	H. ♃.	——— v. 6. t. 422.
4	rùbra. E.B.	(*pu.re.*)	red.	Ireland.	....	8.	H. ♃.	——— v. 25. t. 1786.
5	cærùlea. E.B.	(*bl.*)	blue.	Britain.	....	7.	H. ♃.	——— v. 6. t. 423.
6	ramòsa. E.B.	(*pu.bl.*)	branching.	———	....	8. 9.	H. ♃.	——— v. 3. t. 164.

ORDO CLIX.

LENTIBULARIÆ. *Brown prodr.* 1. *p.* 429.

PINGUI'CULA. L.			Butterwort.	Diandria Monogynia. L.				
1	vulgàris. s.s.	(*vi.*)	common.	Britain.	....	5.	H.w. ♃.	Eng. bot. v. 1. t. 70.
2	alpìna. s.s.	(*wh.st.*)	Alpine.	Europe.	1794.	4.	H.w. ♃.	Flor. dan. t. 453.

3 grandiflòra. s.s.	(*bl.*) great-flowered.	Ireland.	....	5. 6.	H.*w.* ♃.	Eng. bot. v. 31. t. 2184.
4 lusitánica. s.s.	(*fl.*) pale.	Britain.	....	6. 7.	H.*w.* ♃.	——— v. 3. t. 145.
5 lùtea. B.R.	(*ye.*) yellow.	Carolina.	1816.	——	H.*w.* ♃.	Bot. reg. t. 126.
6 edéntula. H.E.F.	(*ye.*) toothless.	N. America.	1821.	4. 5.	H.*w.* ♃.	Hook. ex. flor. t. 16.

UTRICULA'RIA. L. HOODED MILFOIL. Diandria Monogynia. L.

1 vulgàris. E.B.	(*ye.*) common.	Britain.	....	7.	H. ♃.	Eng. bot. v. 4. t. 253.
2 intermèdia. E.B.	(*ye.*) intermediate.	Ireland.	....	——	H. ♃.	——— v. 35. t. 2489.
3 minor. E.B.	(*st.*) lesser.	Britain.	....	——	H. ♃.	——— v. 4. t. 254.

ORDO CLX.

PRIMULACEÆ. *Brown prodr. p. 427.*

CY'CLAMEN. L. CY'CLAMEN. Pentandria Monogynia. L.

1 còum. R.S.	(*re.*) green, round-ld.	S. Europe.	1596.	1. 4.	H. ♃.	Bot. mag. t. 4.
2 vérnum. B.F.G.	(*re.*) spring.	—— ——	1814.	2. 5.	H. ♃.	Swt. br. fl. gar. t. 9.
3 europæum. R.S.	(*li.*) round-leaved.	Europe.	1596.	7. 8.	H. ♃.	——— t. 176.
4 pérsicum. R.S.	(*wh.*) Persian.	Cyprus.	1731.	2. 4.	G. ♃.	Bot. mag. t. 44.
α inodòrum.	(*wh.pu.*) *scentless.*	———	——	——	G. ♃.	
β odoràtum.	(*wh.pu.*) *sweet-scented.*	———	——	——	G. ♃.	
γ albiflòrum.	(*wh.*) *pure white.*	———	——	——	G. ♃.	
δ laciniàtum. R.R.	(*wh.pu.*) *jagged.*	———	——	——	G. ♃.	Bot. reg. t. 1095.
5 hederæfòlium. E.B.	(*li.*) Ivy-leaved.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 8. t. 548.
α purpurascens.	(*li.*) *purplish-flower'd.*	———	....	——	H. ♃.	
β álbidum.	(*wh.*) *white-flowered.*	———	....	——	H. ♃.	
6 neapolitànum. T.N.	(*re.*) Neapolitan.	Naples.	1826.	——	H. ♃.	Clus. hist. 1. p. 265. ic.
7 repándum. F.G.	(*re.*) angular-leaved.	Greece.	....	3. 4.	F. ♃.	Swt. br. fl. gar. t. 117.
8 latifòlium. F.G.	(*li.*) broad-leaved.	———	1823.	4. 5.	F. ♃.	Flor. græc. t. 185.

DODECATHEON. L. AMERICAN COWSLIP. Pentandria Monogynia. L.

Mèadia. R.s.	(*li.*) Mead's.	Virginia.	1744.	4. 6.	H. ♃.	Bot. mag. t. 12.
β albiflòra.	(*wh.*) *white-flowered.*	———	1820.	——	H. ♃.	

SOLDANE'LLA. R.S. SOLDANE'LLA. Pentandria Monogynia. L.

1 montàna. R.S.	(*bl.*) mountain.	Bohemia.	1816.	4.	H. ♃.	Swt. br. fl. gar. t. 11.
2 alpina. R.S.	(*bl.*) Alpine.	Switzerland.	1656.	——	H. ♃.	Bot. mag. t. 49.
3 pùsilla. B.F.G.	(*vi.*) lesser.	S. Europe.	1824.	——	H. ♃.	Swt. br. fl. gar. s. 2. t. 48.
4 mínima. R.S.	(*bl.*) least.	Carp. mount.	1820.	——	H. ♃.	——— s. 2. t. 53.

CORT'USA. L. BEARS-EAR SANICLE. Pentandria Monogynia. L.

Mathìoli. R.s.	(*li.*) short calyxed.	Austria.	1596.	4. 6.	H. ♃.	Bot. mag. t. 987.

PRI'MULA. L. PRIMROSE. Pentandria Monogynia. L.

1 præmitens. B.R. *sinénsis.* Lind. col. *non* Lour.	(*pi.*) glossy.	China.	1820.	1. 12.	F. ♃.	Bot. reg. t. 539.
α rósea.	(*ro.*) *rose-coloured.*	———	——	——	F. ♃.	Bot. mag. t. 2564.
β albiflòra. B.F.G.	(*wh.*) *white-flowered.*	———	——	——	F. ♃.	Swt. br. fl. gar. t. 196.
γ dentiflòra.	(*ro.*) *jagged-flowered.*	———	——	——	F. ♃.	Lindl. coll. bot. t. 7.
2 cortusoides. R.S.	(*re.*) Cortusa-leaved.	Siberia.	1794.	5. 7.	H. ♃.	Bot. mag. t. 399.
3 dentiflòra. A.R.	(*re.*) tooth-flowered.	———	....	——	H. ♃.	Andr. reposit. t. 451.
4 suavèolens. R.S. *Colúmnæ.* T.N.	(*ye.*) sweet-scented.	Naples.	1826.	——	H. ♃.	Ten. fl. neap. 1. t. 18.
5 inflàta. R.S.	(*ye.*) bellied-calyxed.	Hungary.	1824.	——	H. ♃.	Swt. br. fl. gar. s. 2.
6 brevist'yla. R.S.	(*st.*) short-styled.	France.	....	——	H. ♃.	
β versicolor.	(*va.*) *various-coloured.*	———	....	——	H. ♃.	
7 vèris. R.S.	(*ye.*) Cowslip.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 1. t. 5.
β rùbra.	(*re.*) *red cowslip.*	———	....	——	H. ♃.	
8 acaùlis. R.S. *vulgàris.* E.B.	(*st.*) common.	Britain.	....	3. 5.	H. ♃.	Eng. bot. v. 1. t. 4.
β álbo-plèna.	(*wh.*) *double white.*	.....	....	——	H. ♃.	
γ sulphùreo-plèna.	(*st.*) *double-sulphur.*	.....	....	——	H. ♃.	
δ cùpreo-plèna.	(*co.*) *double-copper.*	.....	....	——	H. ♃.	
ε salmòneo-plèna.	(*pa.*) *double-salmon.*	.....	....	——	H. ♃.	
ζ lilacino-plèna.	(*li.*) *double-lilac.*	.....	....	——	H. ♃.	Bot. mag. t. 229.
η rùbro-plèna.	(*re.*) *double Scotch.*	.....	....	——	H. ♃.	
ϑ purpùreo-plèna.	(*d.pu.*) *double dark purple.*	....	....	——	H. ♃.	

9	elàtior. R.s.	(*st.*)	Oxlip.	Britain.	....	3. 5.	H.4.	Eng. bot. v. 8. t. 518.
	β polyántha.	(*va.*)	*Polyanthus.*	....	——	H.4.		
	γ Fletchèri.	(*ve.ye.*)	*Fletcher's defiance.*	....	——	H.4.		Swt. flor. guid. t. 49.
	δ Burnardiàna.	(*ve.ye.*)	*Burnard's Formosa*	....	——	H.4.		—— t. 97.
	ε Shadiàna.	(*pu.ye.*)	*Shad's telegraph.*	....	——	H.4.		—— t. 125.
	ζ calycántha.	(*va.*)	*coloured-calyxed.*	....	——	H.4.		
10	Perreiniàna. R.s.	(*pu.*)	Perrein's.	Spain.	. . .	——	H.4.	Flugg. an. mus. 12. t. 37.
	Fluggeàna. Lehm. mon. prim. p. 36. t. 2.							
11	Pallàsii. R.s.	(*st.*)	Pallas's.	Altay.	1820.	——	H.4.	Bot. reg. t. 896.
12	Auricula. R.s.	(*va.*)	Auricula.	Switzerland.	1596.	4. 5.	H.4.	Jacq. aust. 5. t. 415.
	β làtea.	(*ye.*)	*yellow-flowered.* ——	——	——	H.4.		
	γ calycántha.	(*ye.*)	*yellow-calyxed.* ——	....	——	H.4.		
	δ integérrima.	(*va.*)	*entire-leaved.* ——	....	——	H.4.		Trattin. tabul. t. 431.
	ε hortènsis.	(*va.*)	*garden.*	....	——	H.4.		—— t. 432.
	ζ venùsta.	(*pu.*)	*Howe's Venus.*	....	——	H.4.		Swt. flor. guid. t. 84.
	η Redmàni.	(*bl.*)	*Redman's metropolitan.* ..	....	——	H.4.		—— t. 69.
	θ melanoc'ycla.	(*bk.wh.*)	*Wild's black and clear*	....	——	H.4.		—— t. 63.
	ι albifòlia.	(*pu.st.*)	*Taylor's glory.*	....	——	H.4.		—— t. 3.
	κ Hedgeàna.	(*pu.st.*)	*Hedge's Britannia.*	....	——	H.4.		—— t. 22.
	λ dilécta.	(*pu.wh.*)	*Wood's delight.*	....	——	H.4.		—— t. 131.
	μ Warrisiàna.	(*ve.gr.*)	*Warris's union.*	....	——	H.4.		—— t. 134.
	ν Moreàna.	(*pu.gr.*)	*More's Navarino.*	....	——	H.4.		—— t. 58.
	ο Quiragiàna.	(*pu gr.*)	*Burnard's Gen. Quiraga.*	....	——	H.4.		—— t. 129.
	π Hilliàna.	(*pu.gr.*)	*Page's Lord Hill.*	....	——	H.4.		—— t. 118.
	ρ violàcea.	(*vi.gr.*)	*Moore's Violet.*	....	——	H.4.		—— t. 105.
	σ Oldenbùrghii.	(*ve.gr.*)	*Page's Dutchess of Oldenburgh*		——	H.4.		—— t. 2.
	τ Alexándri.	(*ve.gr.*)	*Stretch's Alexander.*	....	——	H.4.		—— t. 10.
	υ undulàta.	(*ve.gr.*)	*Page's champion.*	....	——	H.4.		—— t. 15.
	φ Grìmesii.	(*ve.gr.*)	*Grimes's privateer.*	....	——	H.4.		—— t. 29.
	χ Lawrieàna.	(*ve.gr.*)	*Laurie's Hertfordshire hero.*	....	——	H.4.		—— t. 94.
	ψ indepéndens.	(*bk.gr.*)	*Booth's freedom.*	....	——	H.4.		—— t. 91.
	ω obscùra.	(*pu.gr.*)	*Cockup's Eclipse.*	....	——	H.4.		—— t. 45.
	aa Pollitiàna.	(*ve.gr.*)	*Pollit's highland boy.*	....	——	H.4.		—— t. 52.
	ββ Smithii.	(*ve.gr.*)	*Smith's Waterloo.*	....	——	H.4.		—— t. 76.
	γγ gloriòsa.	(*ve.gr.*)	*Laurie's glory of Cheshunt.*	....	——	H.4.		—— t. 79.
13	Palinùri. R.s.	(*ye.*)	unequal-bracted.	Naples.	1816.	——	H.h.	Swt. br. fl. gar. t. 8.
14	Balbìsii. R.s.	(*ye.*)	Balbis's.	Italy.	1826.	——	H.4.	Moret. fl. vicent. p. 7. ic.
15	marginàta. B.M.	(*ro.*)	silver-edged.	Switzerland.	1777.	3. 4.	H.4.	Bot. mag. t. 191.
	crenàta. R.s.							
16	longiflòra. R.s.	(*li.*)	long-flowered.	——	1818.	4. 6.	H.4.	Jacq. aust. 5. t. 46.
17	longifòlia. R.M.	(*li.*)	long-leaved.	Levant.	1790.	4. 5.	H.4.	Bot. mag. t. 392.
	auriculàta. R.s.							
18	farinòsa. R.s.	(*re.*)	Bird's-eye.	Britain.	....	4. 7.	H.4.	Eng. bot. v. 1. t. 6.
19	scótica. s.s.	(*pu.*)	Scotch bird's-eye.	Scotland.	....	7.	H.4.	Hook. fl. lond. t. 133.
20	stricta. R.s.	(*li.*)	Horneman's.	N. Europe.	1822.	6. 7.	H.4.	Flor. dan. t. 1385.
	Hornemanniàna. s.s.							
21	davùrica. R.s.	(*ro.*)	Siberian bird's-eye.	Davuria.	1806.	5. 6.	H.4.	Bot. mag. t. 1219.
	intermèdia. B.M.							
22	pusilla. s.s.	(*li.*)	American bird's-eye.	N. America.	1819.	——	H.4.	Hook. ex. flor. t. 66.
23	altàica. R.s.	(*li.*)	pale-flowered.	Altay.	1826.	3. 5.	H.4.	Lehm. prim. t. 5.
24	finmárchica. R.s.	(*vi.*)	Norwegian.	Norway.	1798.	——	H.4.	Flor. dan. t. 188.
25	nivàlis. R.s.	(*pu.*)	snowy mountain.	Davuria.	1790.	4. 5.	H.4.	Pall. it. 3. app. t. 9. f. 2.
26	viscòsa. R.s.	(*pu.*)	clammy.	Piedmont.	1792.	4.	H.4.	Trattin. tabul. t. 434.
27	glutinòsa. R.s.	(*vi.*)	glutinous.	S. Europe.	1820.	3. 6.	H.4.	Jacq. aust. t. 26.
28	carniòlica. R.s.	(*vi.*)	elliptic-leaved.	Carniola.	1826.	——	H.4.	—— 5. t. 4.
29	glaucéscens. s.s.	(*pu.*)	glaucescent.	Switzerland.	——	——	H.4.	Swt. br. fl. gar. t. 254.
30	integrifòlia. R.s.	(*pu.*)	entire-leaved.	Pyrenees.	——	6. 7.	H.4.	Bot. mag. t. 942.
31	Sìmsii.	(*st.*)	Sims's.	Switzerland.	....	4. 6.	H.4.	—— t. 1161.
	villòsa β flòre álbo. B.M.							
32	nívea. F.	(*wh.*)	snowy white.	Siberia.	....	——	H.4.	
	nivàlis. Hort. *nec aliorum.*							
33	helvética. B.C.	(*pu.*)	Swiss.	Switzerland.	1790.	——	H.4.	Lodd. bot. cab. t. 348.
34	pubéscens. R.s.	(*pu.*)	pubescent.	Pyrenees.	1768.	——	H.4.	Trattin. tabul. t. 427.
	villòsa. B.M. 14. *non* Jacq.							
35	villòsa. R.s.	(*pu.*)	villous.	S. Europe.	——	——	H.4.	Jacq. aust. 5. t. 27.
36	ciliàta. R.s.	(*pu.*)	ciliated.	Switzerland.	....	——	H.4.	Swt. br. fl. gar. s. 2.
	decòra. Bot. mag. t. 1922.							
37	mínima. R.s.	(*pu.*)	smallest.	——	1819.	4. 5.	H.4.	Bot. reg. t. 581.

38	involucràta. L.o. (*ye.*)	involucred.	Egypt.	1826.	3. 4.	F.♃.	Bot. mag. t. 2842.
	verticillàta. B.M. *non* Vahl. *nec* Forsk.						
ANDROS'ACE. L.		ANDROS'ACE.	Pentandria Monogynia. L.				
1	máxima. R.s. (*wh.*)	oval-leaved.	Austria.	1597.	3. 6.	H.⊙.	Jacq. aust. 4. t. 331.
2	elongàta. R.s. (*wh.*)	cluster-flowered.	———	1776.	4. 5.	H.⊙.	——— 4. t. 330.
3	nàna. R.s. (*wh.*)	dwarf.	S. Europe.	1825.	——	H.⊙.	
4	septentrionàlis. R.s. (*wh.*)	tooth-leaved.	Russia.	1755.	——	H.⊙.	Bot. mag. t. 2021.
5	alismoídes. H.H. (*wh.*)	Alisma-like.	Siberia.	1827.	——	H.⊙.	
6	coronopifòlia. A.R. (*wh.*)	Buckshorn-ld.	———	1806.	6. 9.	H.♂.	Andr. reposit. t. 647.
	lactiflòra. R.s.						
7	filiformis. R.s. (*wh.*)	filiform.	———	1823.	——	H.⊙.	Gmel. sib. 4. t. 44. f. 4.
8	villòsa. R.s. (*bl.*)	villous.	Pyrenees.	1790.	6. 7.	H.♃.	Bot. mag. t. 748.
9	chamæjásme. R.s. (*bl.*)	grass-leaved.	Austria.	1768.	6. 8.	H.♃.	Lodd. bot. cab. t. 232.
10	brevifòlia. R.s. (*wh.*)	short-leaved.	Siberia.	1827.	——	H.♂.	Vill. delph. 2. t. 15.
11	macrocárpa. Led. (*wh.*)	large-capsuled.	———	——	——	H.⊙.	
12	láctea. R.s. (*wh.*)	white-flowered.	———	1752.	——	H.♃.	Bot. mag. t. 868.
13	cárnea. R.s. (*ro.*)	awl-leaved.	Switzerland.	1768.	7. 8.	H.♃.	Lodd. bot. cab. t. 40.
14	obtusifòlia. R.s. (*bl.*)	blunt-leaved.	———	1820.	——	H.♃.	All. ped. 1. t. 46. f. 1.
15	albàna. R.s. (*bl.*)	capitate.	Caucasus.	1827.	——	H.♃.	Linn. trans. 11. t. 33.
16	acaùlis. Ot. (*wh.*)	stalkless.	Siberia.	1825.	——	H.♂.	
AR'ETIA. W.		AR'ETIA.	Pentandria Monogynia. L.				
1	helvética. W. (*st.*)	imbricated.	Switzerland.	1775.	5. 6.	H.♃.	Schk. hand. 1. t. 32.
2	argéntea. (*st.*)	silvery.	———	1826.	——	H.♃.	Lap. pyr. ic. ined. t. 67.
	Androsàce argéntea. R.s.						
3	alpina. W. (*pi.*)	linear-leaved.	———	1775.	——	H.♃.	Jacq. aust. 5. app. t. 18.
4	pubéscens. L.c. (*pi.*)	pubescent.	———	1820.	——	H.♃.	Lodd. bot. cab. t. 1273.
5	Vitaliàna. W. (*ye.*)	grass-leaved.	Pyrenees.	1787.	——	H.♃.	——— t. 166.
	Primula sedifòlia. P.L. 107. *Androsàce Vitaliàna.* R.s.						
TRIENTA'LIS. W.		WINTER-GREEN.	Heptandria Monogynia. L.				
1	europ'æa. W. (*wh.*)	oval-leaved.	Britain.	....	5. 6.	H.♃.	Eng. bot. v. 1. t. 15.
2	americàna. Ph. (*wh.*)	spear-leaved.	N. America.	1816.	7. 8.	H.♃.	Bart. flor. amer. 2. t. 48.
C'ORIS. L.		C'ORIS.	Pentandria Monogynia. L.				
	monspeliénsis. L. (*vi.*)	Montpelier.	S. Europe.	1640.	6. 7.	G.♂.	Bot. reg. t. 536.
HOTTO'NIA. L.		WATER-VIOLET.	Pentandria Monogynia. L.				
	palústris. E.B. (*pi.*)	marsh.	England.	....	7. 8.	H.*w.*♃.	Eng. bot. v. 6. t. 364.
LYSIMA'CHIA. L.		LOOSE-STRIFE.	Pentandria Monogynia. L.				
1	vulgàris. R.s. (*ye.*)	common.	Britain.	....	7. 9.	H.♃.	Eng. bot. v. 11. t. 761.
2	Ephémerum. R.s. (*wh.*)	Willow-leaved.	Spain.	1730.	——	H.♃.	Bot. mag. t. 2346.
3	atropurpùrea. R.s. (*d.pu.*)	dark purple.	Levant.	....	——	H.⊙.	Flor. græc. t. 187.
4	dùbia. R.s. (*li.*)	pale purple.	———	1759.	——	H.♂.	——— t. 188.
5	stricta. R.s. (*ye.*)	upright.	N. America.	1781.	7. 8.	H.♃.	Bot. mag. t. 104.
	bulbífera. B.M. *racemòsa.* M.						
6	capitàta. R.s. (*ye.*)	headed.	———	1813.	5. 7.	H.♃.	
7	thyrsiflòra. R.s. (*ye.*)	tufted.	England.	....	——	H.♃.	Eng. bot. v. 3. t. 176.
8	quadrifòlia. R.s. (*ye.*)	four-leaved.	N. America.	1798.	7. 8.	H.♃.	Lam. ill. 1. t. 101. f. 2.
	hirsùta. M.						
9	longifòlia. R s. (*ye.*)	long-leaved.	———	——	——	H.♃.	Bot. mag. t. 660.
	quadriflòra. B.M.						
10	lanceolàta. R.s. (*ye.*)	spear-leaved.	———	1826.	——	H.♃.	
11	verticillàta. R.s. (*ye.*)	whorl-leaved.	Hungary.	1818.	6. 8.	H.♃.	Swt. br. fl. gar. t. 21.
12	ciliàta. R.s. (*ye.*)	ciliated.	N. America.	1732.	——	H.♃.	Wachend. hort. t. 12.
13	punctàta. R.s. (*ye.*)	punctated.	S. Europe.	1658.	7. 8.	H.♃.	Jacq. aust. 4. t. 366.
14	angustifòlia. R.s. (*ye.*)	narrow-leaved.	N. America.	1803.	7. 9.	H.♃.	
15	hy'brida. R.s. (*ye.*)	hybrid.	———	1806.	——	H.♃.	
16	nemòrum. R.s. (*ye.*)	wood.	Britain.	....	5. 7.	H.♃.	Eng. bot. v. 8. t. 527.
17	anagalloídes. F.G. (*ye.*)	Pimpernell-fl'd.	Crete.	1789.	——	F.♃.	Flor. græc. t. 198.
18	maculàta. B.P. (*ye.*)	spotted.	N. S. W.	1822.	——	G.♃.	
19	Nummulària. R.s. (*ye.*)	Moneywort.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 8. t. 528.
LUBI'NIA. S.S.		LUBI'NIA.	Pentandria Monogynia. S.S.				
	atropurpùrea. s.s. (*pu.*)	dark-purple.	C. B. S.	1823.	7. 9.	H.♃.	Swt. br. fl. gar. s. 2. t. 34.
ASTEROLI'NON. Lk.		ASTEROLI'NON.	Pentandria Monogynia. L.en.				
	stellàtum. L.en. (*bl.*)	starry.	Italy.	1658.	6.	H.⊙.	Flor. græc. t. 189.
	Lysimáchia Linum-stellàtum. F.G.						
ANAGA'LLIS. L.		PIMPERNELL.	Pentandria Monogynia. L.				
1	arvénsis. E.B. (*sc.*)	red-flowered.	Britain.	....	6. 9.	H.⊙.	Eng. bot. v. 8. t. 529.
	phœnícea. R.s.						
2	cárnea. Schl. (*fl.*)	flesh-coloured.	Switzerland.	——	——	H.⊙.	
3	índica. B.F.G. (*bl.*)	Indian.	E. Indies.	1824.	——	H.⊙.	Swt. br. fl. gar. t. 182.
4	cœrùlea. R.s. (*bl.*)	blue-flowered.	Britain.	....	——	H.⊙.	Eng. bot. v. 26. t. 1828.

5 collìna, R.s. *fruticòsa.* B.M.	(*ac.*) large-flowered. *grandiflòra.* A.R. 367.	Morocco.	1803.	5. 7.	G. ♂.	Bot. mag. t. 831.
6 latifòlia. R.s.	(*bl.*) broad-leaved.	Spain.	1759.	——	G. ♂.	Bot. mag. t. 2269.
7 Monèlli. R.s.	(*bl.*) blue Italian.	Italy.	1648.	5. 9.	G. ♃.	——— t. 319.
8 linifòlia. R.s.	(*bl.*) Flax-leaved.	Portugal.	1796.	6. 7.	G. ♃.	Moris. s. 5. t. 26. f. 3.
9 tenélla. R.s.	(*ro.*) bog.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 8. t. 550.

CENTU'NCULUS. L. BASTARD PIMPERNELL. Tetrandria Monogynia. L.

minimus. E.B.	(*fl.*) least.	Britain.	....	6. 7.	H. ☉.	Eng. bot. v. 8. t. 531.

? SAMFOLUS. R.P. BROOK-WEED. Pentandria Monogynia. L.

1 Valerándi. E.B.	(*wh.*) common.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 10. t. 703.
2 littoràlis. B.P.	(*wh.*) sea-side.	N. S. W.	1806.	7. 9.	G. ♃.	Lab. n. holl. 1. t. 54.
3 campanuloides. s.s. *Campánula pordsa.* W.	(*w.*) Campanula like.	C. B. S.	1816.	——	G. ♃.	

ORDO CLXI.

GLOBULARIÆ. *Lam. et DC. fl. fr. ed.* 3. *v.* 3. *p.* 427.

GLOBUL'ARIA. L. GLOBUL'ARIA. Tetrandria Monogynia. L.

1 longifòlia. W. *salicina.* R.s.	(*bl.*) Willow-leaved.	Madeira.	1775.	7. 8.	G. ♄.	Bot. reg. t. 685.
2 A'lypum. R.s.	(*pa.bl.*) three-toothed.	S. Europe.	1640.	8. 9.	G. ♄.	Garid. aix. t. 42.
β integrifòlia.	(*pa.bl.*) *entire-leaved.*	———	....	——	G. ♄.	Rœm. et Ust. b. m. 7. t. 5.
3 linifòlia. R.s.	(*bl.*) Flax-leaved.	Spain.	1818.	5. 6.	H. ♃.	
4 vulgàris. R.s.	(*bl.*) common.	Europe.	1640.	——	H. ♃.	Swt. br. fl. gar. t. 20.
5 spindsa. R.s.	(*bl.*) prickly-leaved.	Spain.	——	——	F. ♃.	
6 cordifòlia. R.s.	(*bl.*) wedge-leaved.	Germany.	1633.	6. 7.	H. ♃.	Swt. br. fl. gar. t. 34.
7 nàna. R.s.	(*li.*) dwarf.	S. France.	1818.	——	H. ♃.	DC. ic. pl. gal. rar. 1 t. 3.
8 nudicaùlis. R.s.	(*bl.*) naked-stalked.	Germany.	1629.	——	H. ♃.	Jacq. aust. 3. t. 230.
9 bellidifòlia. R.s.	(*bl.*) Daisy-leaved.	Italy.	1824.	——	H. ♃.	
10 incanéscens. R.s.	(*pu.*) hoary.	———	1828.	——	H. ♃.	Viv. frag. it. 1. t. 3.

**** SUBCLASSIS IV. *MONOCHLAMYDEÆ.*

ORDO CLXII.

PLUMBAGINEÆ. *Brown prodr.* 1. *p.* 425.

STA'TICE. T. THRIFT. Pentandria Pentagynia. L.

1 vulgàris. *Armèria vulgàris.* R.s.	(*pa. li.*) common.	Europe.	....	6. 8.	H. ♃.	Schk. handb. t. 87.
2 arenària. P.s.	(*li.*) sand.	France.	....	5. 8.	H. ♃.	
3 alpìna.	(*vi.*) flattish-stalked.	Carinthia.	....	——	H. ♃.	
4 littoràlis. *Armèria littoràlis.* R.s.	(*vi.*) ciliate-leaved.	Portugal.	....	——	H. ♃.	
5 marítima. Mill. *Armèria.* E.B. *Armèria marítima.* R.s.	(*ro.*) sea-side.	Britain.	....	5. 7.	H. ♃.	Eng. bot. v. 4. t. 226.
6 hùmilis. P.s.	(*li.*) dwarf.	Portugal.	....	——	H. ♃.	
7 juniperifòlia. W.	(*li.*) Juniper-leaved.	Spain.	1818.	——	H. ♃.	Quer. hisp. 6. t. 15. f. 1.
8 pinifòlia. Brot.	(*li.*) Pine-leaved.	Portugal.	....	——	H. ♃.	
9 púngens. Brot.	(*li.*) pungent-leav'd.	———	....	——	H. ♃.	
10 alliàcea. W.	(*wh.*) Garlic-leaved.	Spain.	1798.	5. 6.	H. ♃.	Flor. græc. t. 39.
11 scorzonerifòlia. *Armèria scorzonerifòlia.* s.s.	(*li.*) spear-leaved.	S. Europe.	1816.	——	H. ♃.	

12 lusitánica. P.S. (æ.) large-leaved. S. Europe. 1814. 5. 6. F.♃.
13 latifólia. (li.) broad-leaved. Portugal. 1740. 5. 7. H.♃. Jacq. vind. 1. t. 42.
cephalótes. H.K. *Armèria latifólia.* R.S.
14 plantagínea. (li.) Plantain-leav'd. S. Europe. 1816. 5. 6. H.♃.
15 denticuláta. Brot. (fl.) tooth-leaved. Italy. —— —— H.♃.
16 dianthoídes. B.F.G. (li.) Pink-like. S. Europe. 1824. 5. 7. H.♃. Swt. br. fl. gar. ser. 2.
Armèria dianthoídes. S.S.
17 hírta. (li.) hairy. Gibraltar. 1818. —— H.♃.
Armèria hírta. R.S.
18 fasciculáta. P.S. (li.) bundle-leaved. Portugal. .... 4. 8. H.♄. Venten. cels. t. 38.

TAXA'NTHEMA. B.P. SEA LAVENDER. Pentandria Pentagynia.

1 graminifólia. R.S. (sc.) Grass-leaved. Siberia. 1780. 6. 7. H.♃.
2 Limónium. R.S. (bl.) common. England. .... 5. 8. H.♃. Eng. bot. v. 2. t. 102.
Státice Limónium. E.B.
3 eláta. S.S. (bl.) tall. Siberia. 1824. —— H.♃.
4 Gmelini. R.S. (bl.) Gmelin's. ———— 1796. 6. 8. H.♃. Gmel. sib. 2. t. 90.
5 caroliniána. R.S. (bl.) Carolina. N. America. 1824. —— H.♃.
6 scopária. R.S. (bl.) Broom. Siberia. 1796. —— H.♃.
7 latifólia. R.S. (bl.) broad-leaved. ———— 1791. 5. 7. H.♃. Hoff. c. gott. 1796. t. 1.
8 purpuráta. R.S. (pu.) purple. C. B. S. 1800. 6. 7. G.♃.
9 bellidifólia. R.S. (bl.) Daisy-leaved. Greece. 1823. —— G.♃. Flor. græc. t. 295.
10 globulariæfólia. R.S. (li.) Globularia-leav'd. S. Europe. —— —— F.♃. ———— t. 296.
11 oleæfólia. R.S. (vi.) Olive-leaved. Italy. 1688. 5. 8. H.♃. Lobel. ic. p. 295. f. 2.
12 Willdenowiána. R.S. (vi.) Willdenow's. S. France. 1804. 6. 8. H.♃. Willd. h. ber. t. 63.
Státice spathulàta. W. *non* Desf.
13 auriculæfólia. R.S. (bl.) Auricula-leav'd. Barbary. 1781. 7. 8. F.♃.
14 incána. B.F.G. (re.) hoary. Levant. 1823. —— H.♃. Swt. br. fl. gar. t. 272.
α sanguínea. (cr.) crimson-flowered. ———— —— —— H.♃. - ———— t. 272. f. 1.
β rósea. (ro.) rose-coloured. ———— —— —— H.♃. ———— t. 272. f. 2.
γ álba. (wh.) white-flowered. ———— —— —— H.♃.
15 spathulàta. R.S. (bl.) spatula-leaved. Barbary. 1804. 6. 8. F.♃. Bot. mag. t. 1617.
16 cordàta. R.S. (bl.) retuse-leaved. S. Europe. 1752. 5. 7. F.♃. Barrel. ic. 805.
17 emarginàta. R.S. (bl.) emarginate. Gibraltar. .... —— F.♃.
18 cáspia R.S. (pa. bl.) Caspian. Siberia. .... 7. 8. H.♃. Gmel. sib. 2. t. 89. f. 2.
19 scábra. R.S. (bl.) rough-branch'd. C. B. S. 1788. 5. 7. G.♃.
20 tetragòna. R.S. (bl.) square-stalked. ———— 1816. —— G.♃.
21 reticuláta. R.S. (bl.) matted. England. .... 7. 8. H.♃. Eng. bot. v. 5. t. 328.
Státice reticuláta. E.B.
22 dichótoma. R.S. (bl.) forked. Spain. 1818. —— H.♃. Cavan. ic. 1. t. 50.
23 virgàta. R.S. (bl.) twiggy. ———— .... —— H.♃.
24 viminea. R.S. (bl.) slender. ..... 1823. —— H.♃.
25 echioídes. F.G. (li.) rough-leaved. S. Europe. 1752. —— F.☉. Flor. græc. t. 299.
26 ròrida. F.G. (pa. bl.) frosted. Levant. —— —— F.♃. ———— t. 298.
echiotdes. Prodr. fl. græc. *non* L.
27 palmàris. F.G. (ro.) rosy-coloured. ———— 1826. —— F.♃. Flor. græc. t. 297.
28 speciósa. B.F.G. (re.) Plantain-leaved. Russia. 1776. —— H.♃. Swt. br. fl. gar. t. 105.
Státice speciósa. Bot. mag. 656.
29 conspícua. R.S. (re.) conspicuous. ———— 1804. —— H.♃. Bot. mag. t. 1629.
Státice conspícua. B.M.
30 tatárica. B.F.G. (re.) Tartarian. ———— 1731. 6. 7. H.♃. Swt. br. fl. gar. t. 37.
31 acerósa. M.B. (re.) needle-leaved. M. Ararat. 1829. —— F.♃. Buxb. cent. 2. p. 18. t. 10.
32 flexuósa. R.S. (ro.) zigzag. Siberia. 1791. 7. 8. H.♃. Gmel. sib. 2. t. 89. f. 1 ?
33 minúta. R.S. (li.) small. S. Europe. 1658. 6. 7. H.♃. Bocc. sic. t. 13. f. 3.
34 pectinàta. R.S. (bl.) triangular-stalk'd. Canaries. 1780. 9. 10. F.♃.
35 cinérea. R.S. (wh.) ash-coloured. C. B. S. 1822. —— G.♃.
36 macrophy'lla. S.S. (bl. w.) large-leaved. Canaries. 1816. 7. 9. F.♃.
37 suffruticósa. R.S. (li.) narrow-leaved. Siberia. 1779. 5. 9. H.♄. Gmel. sib. 2. t. 88. f. 2. 3.
38 monopètala. R.S. (pu.) Sicilian shrubby. Sicily. 1731. 7. 8. F.♄. Bocc. sic. t. 16. 17.
39 cylindrifólia. R.S. (vi.) round-leaved. N. Africa. 1738. —— G.♄.
40 feruláceа. R.S. (ye.) Fennel-like. Siberia. 1796. 5. H.♄. Moris. s. 15. t. 1. f. 28.
41 sinuàta. R.S. (bl. ye.) scollop-leaved. Levant. 1629. 5. 9. F.♃. Bot. mag. t. 71.
42 Thouíni. R.S. (bl. ye.) Thouin's. Africa. 1788. 6. 10. F.♃. Mart. cent. t. 84.
43 alàta. R.S. (ye.) winged. ..... 1806. —— F.♃.
44 spicàta. R.S. (wh.) spiked. Caucasus. 1828. 8. 10. H.☉. Gmel. sib. 2. t. 91. f. 2.
45 ægyptíaca. R.S. (wh.) Egyptian. Egypt. 1816. 6. 10. F.♃. Bot. mag. t. 2363.
46 macronàta. R.S. (li.) curled. Barbary. 1784. —— F.♃. L'Herit. stirp. t. 13.

PLUMBA'GO. L. LEADWORT. Pentandria Monogynia. L.

1 europ'æa. R.S. (vi.) European. S. Europe. 1596. 9. 10. H.♃. Bot. mag. t. 2139.
2 lapathifólia. R.S. (wh.) Dock-leaved. Iberia. 1824. —— H.♃.

3	capénsis. R.s.	(*bl.*)	blue-flowered.	C. B. S.	1818.	9. 8.	S. ♄.	Bot. reg. t. 417.
4	tristis. H.K.	(*lr.*)	dark-flowered.	———	1792.	5. 6.	G. ♄.	
5	zeylánica. R.s.	(*wh.*)	Ceylon.	E. Indies.	1731.	4. 9.	S. ♄.	Rheed. mal. 10. t. 8.
6	occidentàlis.	(*wh.*)	West Indian.	W. Indies.	1817.	——	S. ♄.	
	zeylánica β. R.s.	*scándens.*	Hort.					
7	mexicàna. K.s.	(*vi.*)	Mexican.	Mexico.	1829.	4. 8.	S. ♃.	
8	ròsea. R.s.	(*ro.*)	rose-coloured.	E. Indies.	1777.	8. 7.	S. ♄.	Bot. mag. t. 230.
9	scándens. R.s.	(*wh.*)	climbing.	W. Indies.	1699.	7. 8.	S. ♄. ⌣.	Jacq. amer. pict. t. 13.
10	rhomboídea. B.M.	(*bl.*)	rhomboid-leaved.....		1828.	8. 10.	S. ☉.	Bot. mag. t. 2917.
11	micrántha. F.	(*pu.*)	small-flowered.	Persia.	1829.	6. 8.	H. ☉.	

ORDO CLXIII.

PLANTAGINEÆ. *Juss. gen.* 89.

GLA'UX. L. Black Saltwort. Pentandria Monogynia. L.

	marítima. R.s.	(*li.*)	sea-side.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 1. t. 13.

PLANTA'GO. L. Plantain. Tetrandria Monogynia. L.

1	màjor. R.s.	(*gr.*)	greater.	Britain.	....	5. 7.	H. ♃.	Eng. bot. v. 22. t. 1558.
	β *ròsea.*	(*gr.*)	*rose-bracted.*	———	....	——	H. ♃.	
2	asiática. R.s.	(*li.*)	broad-leaved.	Siberia.	1787.	7.	H. ♃.	Gmel. sib. 4. t. 37.?
3	Cornùti. R.s.	(*wh.*)	Cornuti's.	S. Europe.	1801.	7. 8.	H. ♃.	Corn. canad. p. 163. ic.
	Gouáni. s.s.							
4	Brùtia. R.s.	(*wh.*)	Calabrian.	Calabria.	1824.	——	H. ♃.	
5	gentianoídes. s.s.	(*wh.*)	Gentian-like.	Greece.	1826.	5. 8.	H. ♃.	
6	exaltàta. R.s.	(*wh.*)	tallest.	.....	1824.	7. 8.	H. ♃.	
7	cordàta. R.s.	(*wh.*)	heart-leaved.	N. America.	1818.	——	H. ♃.	Jacq. f. ecl. t. 72.
8	máxima. R.s.	(*li.*)	hollow-leaved.	Siberia.	1763.	——	H. ♃.	Jacq. ic. 1. t. 26.
9	crássa. s.s.	(*wh.*)	succulent.	S. Europe.	1793.	6. 7.	H. ♃.	Jacq. col. sup. 34. t. 16.
	crispa. Jacq.							
10	mèdia. R.s.	(*li.*)	hoary.	Britain.	....	5. 7.	H. ♃.	Eng. bot. v. 22. t. 1559.
11	camtschática. s.s.	(*wh.*)	Kamtschatkan.	Kamtschatka.	1819.	——	H. ♃.	
12	lanceolàta. R.s.	(*br.*)	Rib-grass.	Britain.	....	——	H. ♃.	Eng. bot. v. 8. t. 507.
13	sibírica. R.s.	(*wh.*)	Siberian.	Siberia.	1823.	——	H. ♃.	
14	erióphora. R.s.	(*wh.*)	woolly-leaved.	Portugal.	1825.	——	H. ♃.	
15	montàna. R.s.	(*wh.*)	mountain.	S. Europe.	1823.	——	H. ♃.	
16	capénsis. R.s.	(*wh.*)	Cape.	C. B. S.	1788.	5. 8.	G. ♃.	
17	altíssima. R.s.	(*wh.*)	tall.	Italy.	1774.	6. 7.	H. ♃.	Jacq. obs. 4. t. 83.
18	Schóttii. R.s.	(*br.*)	Schott's.	Dalmatia.	1829.	——	H. ♃.	
19	Lagòpus. R.s.	(*br.*)	round-headed.	Spain.	1683.	——	H. ♃.	Flor. græc. t. 144.
20	eriostàchya. R.s.	(*wh.*)	woolly-spiked.	Naples.	1825.	7. 8.	H. ☉.	
21	sphærocéphala. R.s.	(*w.*)	round-headed.	Austria.	1774.	6. 7.	H. ♃.	Jacq. vind. 2. t. 125.
	alpina. Jacq. *non* L.							
22	lusitánica. R.s.	(*st.*)	Portugal.	Portugal.	1781.	7. 8.	H. ♃.	Barrel. ic. t. 745.
23	pseùdo-lusitánica. R.s.		five-nerved.	———	1819.	——	H. ♃.	
24	virgínica. R.s.	(*gr.*)	Virginian.	N. America.	1688.	6. 9.	H. ☉.	Moris. s. 8. t. 15. f. 8.
25	deprèssa. R.s.	(*br.*)	depressed.	———	1818.	——	H. ♃.	
26	sparsiflòra. R.s.	(*bh.*)	scattered-flowered.	———	——	——	H. ☉.	
27	saxátilis. R.s.	(*wh.*)	rock.	Iberia.	1820.	6. 8.	H. ♃.	
28	hungàrica. R.s.	(*br.*)	Hungarian.	Hungary.	1824.	——	H. ♃.	W. et K. hung. 3. t. 203.
29	sericea. R.s.	(*wh.*)	silky.	———	1820.	——	H. ♃.	——— t. 151.
	argéntea. DC.							
30	álbicans. R.s.	(*br.*)	woolly.	S. Europe.	1776.	6. 9.	H. ♃.	Flor. græc. t. 145.
31	mexicàna. s.s.	(*wh.*)	Mexican.	Mexico.	1820.	6. 7.	H. ♃.	
32	patagònica. R.s.	(*wh.*)	Patagonian.	Patagonia.	1793.	6. 9.	H. ☉.	Jacq. ic. 2. t. 306.
33	victoriàlis. R.s.	(*wh.*)	Victoria.	S. Europe.	1824.	——	H. ♃.	
34	holosericea. R.s.	(*wh.*)	hairy-scaped.	Switzerland.	——	——	H. ♃.	
35	microcéphala. R.s.	(*wh.*)	small-headed.	.....	....	——	H. ☉.	
36	Bellárdi. R.s.	(*br.*)	Bellardi's.	S. Europe.	1797.	——	H. ☉.	Flor. græc. t. 146.
37	crética. R.s.	(*st.*)	Cretan.	Candia.	1711.	6. 7.	H. ☉.	——— t. 147.
38	graminea. R.s.	(*wh.*)	grass-leaved.	France.	1804.	——	H. ♃.	Dod. pempt. 106. ic.
39	marítima. R.s.	(*gr.*)	sea-side.	Britain.	....	7.	H. ♃.	Eng. bot. v. 3. t. 175.
40	sálsa. R.s.	(*wh.*)	saltwort.	Tauria.	1819.	——	H. ♃.	
41	crassifòlia. R.s.	(*br.*)	thick-leaved.	Egypt.	1824.	——	H. ♃.	
42	hirsùta. R.s.	(*wh.*)	hairy.	C. B. S.	1801.	6. 7.	G. ♂.	Jacq. schœn. 3. t. 268.

43	tùmida. L.en.	(wh.)	tumid-capsuled.	Chile.	1819.	6. 7.	H.⊙.	
44	alpina. R.s.	(li.)	Alpine.	S. Europe.	1774.	——	H.4.	
45	tenuifòlra. R.s.	(br.)	slender-flowered.	Hungary.	1819.	——	H.⊙.	W. et K. hung. 1. t. 39.
46	bidentàta. R.s.	(wh.)	white margined.	Switzerland.	1824.	——	H.4.	
47	serpentina. R.s.	(wh.)	serpentine.	S. France.	1826.	——	H.4.	
48	recurvàta. R.s.	(wh.)	recurved-leaved.	S. Europe.	1799.	——	H.♂.	Murr. c. gott. 1780. t.6.
49	Wulfèni. R.s.	(wh.)	Wulfen's.	Carinthia.	1802.	——	H.4.	
50	subulàta. R.s.	(wh.)	awl-leaved.	S. Europe.	1596.	7.	H.4.	Lobel. ic. 429.
51	Holósteum. R.s.	(wh.)	Scopoli's.	Carniola.	1825.	7. 8.	H.4.	Jacq. coll. 1. t. 10.
52	elongàta. R.s.	(wh.)	long-spiked.	Louisiana.	1821.	——	H.4.	
53	humifùsa. Ber.	(wh.)	trailing.	.....	1825.	——	H.4.	
54	canéscens. Schr.	(wh.)	canescent.	.....	1826.	7. 9.	H.⊙.	
55	micrántha. Led.	(gr.)	small-flowered.	Siberia.	1829.	6. 8.	H.4.	
56	Corónopus. R.s.	(gr.)	star of the earth.	Britain.	....	4. 9.	H.⊙.	Eng. bot. v. 13. t. 892.
57	Jacquini. R.s. *Cornàti.* Jacq.	(wh.)	Jacquin's.	S. Europe.	1801.	7. 8.	H.4.	Jacq. ic. 1. t. 27.
58	Serrària. R.s.	(wh.)	saw-leaved.	Barbary.	1640.	6. 7.	H.4.	Moris. s. 8. t. 16. f. 19.
59	macrorhìza. R.s.	(br.)	large-rooted.	Morocco.	1798.	7. 8.	H.4.	Bocc. sic. t. 15. f. 2.
60	Lœflíngii. R.s.	(br.)	narrow-leaved.	Spain.	....	——	H.⊙.	Jacq. vind. 2. t. 126.
61	amplexicàulis. R.s.	(br.)	stem-clasping.	———	1797.	6. 7.	H.⊙.	Cavan. ic. 2. t. 125.
62	villòsa. R.s.	(gr.)	villous.	Germany.	1804.	——	H.⊙.	
63	vaginàta. R.s.	(li.)	sheathed.	Canaries.	1816.	——	G.♄.	Venten. cels. t. 29.
64	C'ynops. R.s.	(gr.)	shrubby.	S. Europe.	1596.	5. 8.	H.♄.	Jacq. fragm. t. 182.
65	áfra. R.s.	(wh.)	Barbary.	Barbary.	1640.	6.	F.♄.	Moris. s. 8. t. 17. f. 4.
66	divaricàta. R.s.	(wh.)	spreading.	.....	1824.	——	H.4.	
67	squarròsa. R.s.	(wh.)	leafy-spiked.	Egypt.	1787.	8. 9.	H.⊙.	Jacq. ic. 1. t. 28.
68	Psy'llium. R.s.	(bh.)	Fleawort.	S. Europe.	1562.	7. 8.	H.⊙.	Flor. græc. t. 149.
69	arenària. R.s.	(wh.)	sand.	Hungary.	1804.	5. 8.	H.⊙.	W. et K. hung. 1. t. 51.
70	stricta. R.s.	(bh.)	upright.	Morocco.	——	7. 8.	H.⊙.	Moris. s. 3. 8. t. 17. f. 2.
71	sícula. R.s.	(wh.)	Sicilian.	Sicily.	1820.	7. 10.	H.⊙.	
72	parvifòlra. R.s.	(br.)	small-flowered.	Barbary.	1826.	——	H.⊙.	
73	Ispághul. R.s.	(wh.)	East Indian.	E. Indies.	1819.	7. 8.	S.⊙.	
74	índica. R.s.	(wh.)	Indian.	India.	1780.	——	H.⊙.	
75	pùmila. R.s.	(wh.)	dwarf.	S. Europe.	1790.	——	H.⊙.	Murr. c. gott. 1778. t.5.
76	nítida. R.s.	(bl.)	glossy.	.....	1822.	7. 10.	H.⊙.	
77	brasiliénsis. R.M.	(wh.)	Brazilian.	Brazil.	——	——	S.4.	Bot. mag. t. 2616.

LITTORE'LLA. L. SHORE-WEED. Monœcia Tetrandria. L.

	lacústris. E.B.	(gr.)	Plantain-leaved.	Britain.	....	6. 9.	H.4.	Eng. bot. v. 7. t. 468.

ORDO CLXIV.

NYCTAGINEÆ. *Juss. gen.* 90.

OXYBA'PHUS. R.S. UMBRELLA-WORT. Triandria Monogynia R.S.

1	viscòsus. R.s.	(pu.)	viscid.	Peru.	1793.	5. 9.	H.4.	Bot. mag. t. 434.
2	glabrifòlius. R.s.	(pu.)	smooth-leaved.	New Spain.	1811.	7. 8.	H.4.	Cavan. ic. 4. t. 379.
3	ovàtus. R.s.	(re.)	oval-leaved.	Peru.	1820.	——	H.4.	Flor. peruv 1. t. 75. f. b.
4	Cervantèsii. Lag.	(pu.)	Cervantes'.	Mexico.	1822.	7. 10.	H.4.	Swt. br. fl. gar. t. 84.
5	expánsus. R.s.	(pu.)	expanded.	Lima.	——	——	H.4.	Flor. peruv. 1. t. 75. f. a.
6	aggregàtus. R.s.	(re.)	aggregate.	New Spain.	1811.	——	H.4.	Cavan. ic. 5. t. 437.
7	nyctagínea. N. *Allíònia nyctagínea.* N. *Calymènia nyctagínea.* N.	(re.)	heart-leaved.	Missouri.	1828.	7. 9.	H.4.	
8	álbida. N.	(li.)	white-leaved.	Carolina.	1824.	——	H.⊙.	
9	pilòsa. N. *Calymènia pilòsa.* N. *Allíònia ovàta.* Ph.	(re.)	pilose.	Missouri.	1812.	——	H.⊙.	
10	hirsùta. N.	(re.)	hairy.	Louisiana.	——	——	H.4.	
11	angustifòlia. *Allíònia linearis.* Ph. *Calymènia angustifòlia.* N.	(li.)	narrow-leaved.	———	——	——	H.4.	
12	decúmbens. N.	(li.)	decumbent.	Missouri.	1818.	——	H.4.	

MIRA'BILIS. R.S. MARVEL OF PERU. Pentandria Monogynia. L.

1	dichótoma. R.s.	(re. wh.)	forked.	Mexico.	1640.	7. 8.	G.4.	Plenck ic. off. t. 189.
	α *rùbra.*	(re.)	*red-flowered.*	———	——	——	F.4.	
	β *álba.*	(wh.)	*white-flowered.*	———	——	——	F.4.	

2 Jalápa. R.s.	(va.)	common.	India.	1596.	6. 9.	H. ♃.	Bot. mag. t. 871.
α álba.	(wh.)	*white-flowered.*	———	——	——	H. ♃.	
β flàva.	(ye.)	*yellow-flowered.*	———	——	——	H. ♃.	
γ ràbra.	(re.)	*red-flowered.*	———	——	——	H. ♃.	
δ ràbro-flàva.	(re.ye.)	*red and yellow.*	———	——	——	H. ♃.	
ε ràbro-álba.	(re.wh.)	*red and white.*	———	——	——	H. ♃.	
3 hy'brida. R.s.	(re.)	hybrid.	Hybrid.	1818.	6. 9.	H. ♃.	
4 longiflòra. R.s.	(wh.)	long-flowered.	Mexico.	1759.	——	H. ♃.	Sm. exot. bot. 1. t. 23.
5 suavèolens. K.s.	(wh.)	sweet-scented.	———	1824.	——	H. ♃.	

ABR'ONIA. R.S. ABR'ONIA. Pentandria Monogynia. R.S.

1 umbellàta. R.s.	(bh.)	flesh-coloured.	California.	1823.	6. 8.	H. ♃.	Hook. ex. flor. t. 194.
2 mellífera. B.M.	(wh.)	honey-scented.	———	1827.	5. 9.	H. ♃.	Bot. mag. t. 2879.

ALLI'ONIA. K.S. ALLI'ONIA. Tetrandria Monogynia. L.

1 violàcea. K.s.	(vi.)	violet-coloured.	Cumana.	1820.	7. 9.	H.⊙.	
2 incarnàta. K.s.	(bh.)	flesh-coloured.	———	——	——	H.⊙.	L'Herit. stirp. t. 31.

BOERHA'AVIA. L. HOGWEED. Mono-Di-Tetrandria Monogynia.

1 erécta. R.s.	(wh.)	upright.	W. Indies.	1733.	7. 9.	S. ♃.	Jacq. vind. 1. t. 5. 6.
2 procúmbens. P.I.	(w.re.)	procumbent.	E. Indies.	....	——	S. ♃.	Rheed. mal. 7. t. 56.
3 diffùsa. R.s.	(bc.)	spreading.	W. Indies.	1690.	6. 9.	S. ♃.	
4 adscéndens. R.s.	(re.)	ascending.	Guinea.	1824.	6. 9.	S. ♃.	
5 hirsùta. R.s.	(sc.)	scarlet-trailing.	Jamaica.	1733.	5. 8.	S. ♄.	Jacq. vind. 1. t. 7.
6 plumbagínea. R.s.	(ro.)	Plumbago-leaved.	Spain.	1822.	——	S. ♃.	Cavan. ic. 2. t. 112.
7 díscolor. K.s.	(bh.)	two-coloured.	Guayaquil.	1825.	——	S. ♃.	
8 viscòsa. K.s.	(sc.)	viscous.	———	——	——	S. ♃.	
9 scándens. R.s.	(gr.)	climbing.	Jamaica.	1691.	4. 9.	S. ♄.	Jacq. vind. 1. t. 4.
10 excélsa. R.s.	(pu.)	lofty.	S. America.	1820.	——	S. ♄.	

PIS'ONIA. L. PIS'ONIA. Heptandria Monogynia. L.

1 grándis. B.P.	(wh.)	superb.	N. Holland.	1805.	....	G. ♄.	
2 hirtélla. K.s.	(wh.)	hairy.	Mexico.	1825.	....	G. ♄.	
3 frágrans. s.s.	(gr.)	fragrant.	.....	——	....	S. ♄.	
4 macrophy'lla. L.en.	(w.)	long-leaved.	.....	1820.	....	S. ♄.	
5 obovàta. L.en.	(gr.)	obovate-leaved.	S. America.	——	....	S. ♄.	
6 nígricans. s.s.	(wh.)	black.	W. Indies.	1806.	5. 7.	S. ♄.	
7 obtusàta. s.s.	(gr.)	blunt-leaved.	———	1822.	....	S. ♄.	
8 mexicàna. L.en.	(ro.)	Mexican.	Mexico.	1825.	6. 8.	H. ♄.	
Boerhaàvia arboréscens. P s.							
9 nítida. W.en.	(li.)	glossy.	Madagascar.	1824.	....	S. ♄.	
10 aculeàta. s.s.	(ye.)	prickly.	Jamaica.	1739.	3. 4.	S. ♄.	Lam. ill. t. 861.

BOLD'OA. S.S. BOLD'OA. Triandria Monogynia. S.S.

lanceolàta. s.s.	(re.)	lance-leaved.	Mexico.	1824.	5. 7.	G. ♄.	H. et B. pl. æq. 1. t. 44.
Salpiánthus arendrius. K.s.							

ORDO CLXV.

AMARANTHACEÆ. *Brown prodr. p.* 413.

AMARA'NTHUS. L. AMARANTH. Moncecia Tri-Pentandria. L.

1 tenuifólius. w	(gr.)	fine-leaved.	E. Indies.	1801.	7. 9.	H.⊙.	
2 angustifólius. w.	(gr.)	narrow-leaved.	Levant.	1723.	——	H.⊙.	
3 pállidus. s.s.	(pa.)	pale.	Tauria.	1823.	——	H.⊙.	
4 persicarioídes. s.s.	(re.)	Persicaria-like.	Nepaul.	1818.	9. 11.	H.⊙.	
5 Acroglóchin. s.s.	(gr.)	spiny-bracted.	———	1820.	——	H.⊙.	
6 álbus. w.	(wh.)	white.	N. America.	1778.	7. 9.	H.⊙.	W. amar. 9. t. 1. f. 2.
7 græcizans. w.	(gr.)	Pellitory-leaved.	———	1759.	——	H.⊙.	——— 6. t. 4. f. 7.
8 poly'gamus. w.	(gr.)	hermaphrodite.	E. Indies.	1760.	——	H.⊙.	Rumph. amb. 6. t. 82.
9 Blítum. B.B.	(gr.)	wild.	England.	....	6. 8.	H.⊙.	Eng. bot. v. 31. t. 2212.
10 víridis. w.	(gr.)	green.	Brazil.	1768.	8. 9.	H.⊙.	W. amar. 18. t. 8. f. 16.
11 campéstris. w.	(gr.)	field.	E. Indies.	1818.	——	H.⊙.	
12 polygonoídes. w.	(gr.)	spotted-leaved.	Jamaica.	1778.	7. 8.	H.⊙.	W. amar. 11. t. 6. f. 12.
13 melancholícus. w.	(pu.)	melancholy.	E. Indies.	1731.	6. 9.	H.⊙.	——— 15. t. 9. f. 15.
14 tricolor. w.	(st.)	three-coloured.	———	1548.	——	G.⊙.	Knor. thes. 2. t. A. 3. f.
15 bícolor. w.	(st.)	two-coloured.	———	1802.	7. 9.	H.⊙.	
16 lineàtus. B.P.	(gr.)	line-leaved.	N. Holland.	1826.	——	H.⊙.	
17 gangéticus. w.	(gr.)	oval-spiked.	E. Indies.	1778.	——	H.⊙.	W. amar. 16. t. 6. f. 11.
18 mangostànus. w.	(gr.)	rhomb-leaved.	———	1801.	——	H.⊙.	——— 13. t. 22.

19	polystàchyus. W.	(gr.)	many-spiked.	E. Indies.	1816.	7. 9.	H.⊙.	
20	tristis. W.	(pu.)	round-headed.	China.	1759.	6. 8.	H.⊙.	W. amar. 21. t. 5. f. 10.
21	inam'œnus. W.	(gr.)	inelegant.	———	1816.	——	H.⊙.	
22	incómptus. W.en.	(gr.)	slovenly.	———	——	——	H.⊙.	
23	lívidus. W.	(br.)	livid.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 20. t. 1. f. 1.
24	oleràceus. W.	(li.)	eatable.	E. Indies.	1764.	7. 8.	H.⊙.	——— 17. t. 5. f. 9.
25	lanceæfòlius. H.B.	(gr.)	lance-leaved.	———	1816.	8. 10.	H.⊙.	
26	atropurpùreus. H.B.	(pu.)	dark-purple.	———	1821.	——	H.⊙.	
27	grácilis. S.S.	(gr.)	oval-leaved.	Guinea.	1806.	7. 8.	H.⊙.	Jacq. ic. 2. t. 344.
	Chenopòdium caudàtum. Jacq.							
28	prostràtus. W.	(gr.)	trailing.	France.	1730.	7. 9.	H.⊙.	
29	scándens. W.	(gr.)	climbing.	S. America.	1796.	7. 8.	S.⊙.	
30	defléxus. W.	(gr.)	bending.	.....	1805.	——	H.⊙.	W. amar. 10. t. 10. f. 20.
31	fasciàtus. H.B.	(gr.)	fasciate.	E. Indies.	1820.	8. 10.	H.⊙.	
32	bullàtus. S.S.	(gr.)	blistered.	.....	——	7. 9.	H.⊙.	
33	Arardhànus.	(gr.)	Indian.	E. Indies.	1825.	——	G.⊙.	
34	Berchthóldi. H.	(pi.gr.)	Berchthold's.	S. Europe.	1826.	——	H.⊙.	
35	bahiénsis. Lk.	(gr.)	Bahia.	Bahia.	1823.	——	H.⊙.	
36	purpuráscens. Ot.	(pu.)	purplish.	.....	1828.	——	H.⊙.	
37	littoràlis. Ot.	(gr.)	sea-side.	.....	1823.	——	H.⊙.	
38	rígidus. S.	(gr.)	rigid.	.....	——	——	H.⊙.	
39	tortúosus. H.H.	(gr.)	twisted.	.....	——	——	H.⊙.	
40	laxifòlius. Ot.	(gr.)	loose-leaved.	.....	——	——	H.⊙.	
41	glomeràtus. Ot.	(gr.)	glomerate.	.....	1829.	——	H.⊙.	
42	spicàtus. P.S.	(gr.)	spiked.	France.	....	——	H.⊙.	
43	pùmilus. S.S.	(gr.)	dwarf.	N. America.	——	6. 9.	H.⊙.	
44	curvifòlius. S.S.	(gr.)	curved-leaved.	Caucasus.	1827.	——	H.⊙.	
45	hy'bridus. W.	(re.)	clustered.	———	1656.	——	H.⊙.	W. amar. 26. t. 9. f. 17.
46	hécticus. W.	(pi.)	oval-spiked.	.....	1796.	8. 9.	H.⊙.	——— 25. t. 7. f. 13.
47	l'œtus. W.	(re.)	blunt-leaved.	Italy.	1799.	7. 9.	H.⊙.	——— 28. t. 8. f. 15.
48	strictus. W.	(gr.)	upright.	———	1793.	——	H.⊙.	——— 27. t. 3. f. 5.
49	paniculàtus. W.	(re.)	panicled.	N. America.	1798.	——	H.⊙.	——— 32. t. 2. f. 4.
50	celosioídes. K.S.	(wh.)	Spinach-like.	S. America.	1824.	9. 11.	H.⊙.	
51	caracasànus. K.S.	(wh.)	Caracas.	Caracas.	1821.	——	H.⊙.	
52	retrofléxus. W.	(gr.)	hairy.	N. America.	1759.	7. 9.	H.⊙.	W. amar. 33. t. 11. f. 21.
53	flàvus. W.	(st.)	pale yellow.	India.	——	——	H.⊙.	——— 35. t. 8. f. 6.
54	chlorostàchys. W.	(ye.)	nodding.	———	1796.	——	H.⊙.	——— 34. t. 10. f. 19.
55	parisiénsis. S.S.	(gr.)	Paris.	France.	1819.	——	H.⊙.	
56	hypochondriacus. W.	(re.)	Prince's feather.	Virginia.	1684.	——	H.⊙.	
57	sanguíneus. W.	(re.)	spreading.	Bahama Isl.	1775.	——	H.⊙.	W. amar. 31. t. 2. f. 3.
58	cruéntus. W.	(cr.)	various-leaved.	China.	1728.	6. 8.	H.⊙.	
59	speciòsus. D.P.	(sc.)	showy.	Nepaul.	1819.	9. 11.	H.⊙.	Bot. mag. t. 2227.
60	caudàtus. W.	(re.)	Love lies bleeding.	E. Indies.	1596.	8. 9.	H.⊙.	
	β máximus.	(re.)	*tree.*	———	——	——	H.⊙.	
61	spinòsus. W.	(gr.)	prickly.	W. Indies.	1683.	7. 9.	H.⊙.	W. amar. 36. t. 4. f. 8.
62	frumentàceus. H.B.	(gr.)	cultivated.	E. Indies.	1819.	——	H.⊙.	

LECANOCA'RPUS. N.E. LECANOCA'RPUS. Monœcia Pentandria.

	nepalénsis. N.E.	(gr.)	Nepaul.	Nepaul.	1816.	8. 10.	H.⊙.	Nees ab Ess. ic. sel. t. 2.
	Amarànthus cauliflòrus. Lk.							

CEL'OSIA. R.S. COCKS-COMB. Pentandria Monogynia. L.

1	argéntea. R.S.	(bh.)	silvery-spiked.	China.	1714.	6. 9.	S.⊙.	Mart. cent. t. 7.
	β linearis.	(bh.)	*narrow-leaved.*	E. Indies.	——	——	S.⊙.	Rheed. mal. 10. t. 89.
2	pyramidà'lis. R.S.	(wh.)	pyramidal.	———	——	——	S.⊙.	Burm. ind. 65. t. 25. f. 1.
3	margaritàcea. R.S.	(wh.re.)	pearl-flowered.	India.	....	——	S.⊙.	Rheed. mal. 10. t. 98.
4	cristàta. R.S.	(re.)	common.	Asia.	1570.	——	S.⊙.	Rumph. amb. 5. t. 84.
	α elàta.	(re.)	*tall red.*	———	——	——	S.⊙.	Knor. del. 1. t. H. 5. 6.
	β compácta.	(re.)	*dwarf red.*	———	——	——	S.⊙.	
	γ flavéscens.	(st.)	*yellow.*	———	——	——	S.⊙.	
5	comòsa. R.S.	(re.)	tufted.	E. Indies.	1803.	——	S.⊙.	
6	coccínea. R.S.	(sc.)	scarlet.	China.	1597.	——	S.⊙.	
7	castrénsis. R.S.	(re.)	branched.	E. Indies.	1730.	——	S.⊙.	Barrel. rar. t. 1195.
8	cérnua. A.R.	(sc.)	drooping.	———	1800.	7. 8.	S.⊙.	Andr. reposit. t. 635.
9	Monsòniæ. R.S.	(bh.)	downy.	———	1778.	7. 9.	S.⊙.	Pluk. alm. 11. t. 334. f. 4.
	Achyránthes Monsòniæ. S.S. *Illécebrum Monsòniæ.* L.							
10	nodiflòra. R.S.	(wh.)	knotted.	E. Indies.	1780.	——	S.⊙.	Jacq. vind. 1. t. 98.

LESTIBUD'ESIA. R.S. LESTIBUD'ESIA. Pentandria Monogynia. R.S.

1	virgàta. R.S.	(gr.)	wave-leaved.	W. Indies.	1815.	8. 10.	S.½.	Jacq. ic. 2. t. 339.
	Celòsia virgàta. Jacq.							

2 paniculàta. R.s.	(*st.*)	panicled.	Jamaica.	1733.	6. 9.	S. ♂.	Sloan. hist. 1. t. 91. f. 2.
3 trig'yna. R.s.	(*wh.*)	oval-leaved.	Senegal.	1777.	8. 10.	S. ♂.	Jacq. vind. 3. t. 15.
DEERI'NGIA. R.S.		DEERI'NGIA.	Pentandria Trigynia.				
1 índica. s.s.	(*wh.*)	Berry-bearing.	E. Indies.	1804.	——	S. ♂.	
2 celosioídes. B.P.	(*wh.*)	Cockscomb-like.	N. Holland.	1822.	——	S. ♄.	
CHAMISS'OA. K.S.		CHAMISS'OA.	Pentandria Monogynia. R.S.				
altíssima. K.s.	(*st.*)	tall.	S. America.	1819.	5. 6.	S. ♄. ⌣.	H. et B. n. gen. 2. t. 128.
CLADOST'ACHYS. D.P.		CLADOST'ACHYS.	Pentandria Monogynia.				
1 frutéscens. D.P.	(*gr.*)	frutescent.	E. Indies.	1777.	8. 11.	S. ♄.	Rumph. amb. 5. t. 83.
Achyránthes muricàta. L. *Chamissòa muricàta.* s.s.							
2 alternifòlia.	(*pu.*)	alternate-leav'd.	E. Indies.	1789.	7. 8.	S. ☉.	Pluk. alm. t. 260. f. 1.
Achyránthes alternifòlia. W. *Desmoch'æta alternifòlia.* DC.							
ACHYRA'NTHES. R.S.		ACHYRA'NTHES.	Pentandria Monogynia. L.				
1 argéntea. R.s.	(*ro.*)	upright.	Sicily.	1713.	5. 10.	H. ♄.	Flor. græc. t. 244.
2 áspera. R.s.	(*gr.*)	rough.	India.	1751.	——	S. ♄.	Mill. ic. t. 11. f. 2.
3 obtusifòlia. Lam.	(*gr.*)	blunt-leaved.	———	....	——	S. ♄.	
4 crispa. R.s.	(*gr.*)	curl-leaved.	.....	1816.	——	S. ♄.	
5 virgàta. R.s.	(*gr.*)	slender.	Portorico.	1823.	——	S. ♄.	
6 fruticòsa. R.s.	(*wh.*)	shrubby.	E. Indies.	1816.	——	S. ♄.	
7 nívea. R.s.	(*wh.*)	white.	Canaries.	1780.	5. 7.	G. ♄.	
8 pubéscens. R.s.	(*wh.*)	pubescent.	.....	1824.	——	S. ♄.	
9 brachiàta. R.s.	(*wh.*)	armed.	E. Indies.	1829.	8. 10.	S. ☉.	Pluk. alm. 2. t. 334. f. 5.
10 globulifera. F.	(*wh.*)	globe-headed.	.....	1828.	——	S. ☉.	
DESMOCH'ÆTA. R.S.		DESMOCH'ÆTA.	Pentandria Monogynia. R.S.				
1 atropurpùrea. DC.	(*pu.*)	dark-purple.	E. Indies.	1759.	8. 10.	S. ♄.	Rheed. mal. 10. t. 59.
Achyránthes lappàcea. L. *Pupàlia lappàcea.* J.							
2 flavéscens. DC.	(*st.*)	yellowish.	E. Indies.	....	——	S. ♃.	DC. h. mons. ined. t. 79.
3 pátula. R.s.	(*wh.*)	spreading.	———	1824.	——	S. ♄.	
4 prostràta. DC.	(*pu.*)	prostrate.	———	1793.	7. 8.	S. ♃.	Rumph. amb. 6. t. 11.
5 sanguinolénta. Lk.	(*gr.*)	bloody-leaved.	———	1824.	——	S. ♄.	——— t. 27. f. 2.
ALTERNANTH'ERA.		ALTERNANTH'ERA.	Pentandria Monogynia. R.S.				
1 sésilis. R.s.	(*wh.*)	sessile-flowered.	E. Indies.	1778.	7. 10.	S. ♂.	Rheed. mal. 10. t. 11.
2 ficoídes. R.s.	(*wh.*)	creeping-stalk'd.	S. America.	1819.	——	S. ♃.	Jacq. amer. pict. t. 90.
Gomphrèna ficoídea. Jacq.							
3 spinòsa. R.s.	(*st.*)	spiny.	.....	——	——	S. ♃.	
axillàris. DC. *Achyránthes spinòsa.* Horn.							
4 denticulàta. B.P.	(*wh.*)	tooth-leaved.	N. S. W.	1822.	——	G. ♃.	
5 tenélla. DC.	(*wh.*)	slender.	E. Indies.	1828.	7. 9.	H. ☉.	
6 Achyrántha. R.s.	(*br.*)	creeping.	BuenosAyres.	1732.	6. 8.	S. ♃.	Mart. pl. bras. 2. t. 152.
BUCHO'LZIA. M.P.		BUCHO'LZIA.	Pentandria Monogynia.				
1 polygonoídes. M.P.	(*w.*)	Persicaria-leaved.	S. America.	1731.	——	G. ♃.	Herm. parad. t. 17.
Illécebrum polygonoídes. W. *Alternanthèra polygonoídes.* R.s.							
2 frutéscens. M.P.	(*wh.*)	frutescent.	Peru.	1822.	——	S. ♄.	L'Herit. stirp. 1. t. 87.
ÆR'UA. J.		ÆR'UA.	Pentandria Monogynia. R.S.				
1 lanàta. R.s.	(*wh.*)	woolly.	E. Indies.	1691.	4. 8.	S. ♂.	Mill. ic. 1. t. 11. f. 1.
Illécebrum lanàtum. L.							
2 javánica. R.s.	(*wh.*)	spear-leaved.	———	1786.	——	S. ♄.	Burm. ind. t. 65. f. 2.
PHILO'XERUS. B.P.		PHILO'XERUS.	Pentandria Monogynia. R.S.				
1 vermiculàris. R.s.	(*wh.*)	creeping.	S. America.	....	——	S. ♃.	Herm. parad. t. 15.
2 aggregàtus. R.s.	(*wh.*)	clustered.	Cumana.	1819.	——	S. ♃.	
MOGIPH'ANES. M.P.		MOGIPH'ANES.	Pentandria Monogynia.				
1 brasiliénsis. M.P.	(*wh.*)	upright.	Brazil.	1790.	7. 10.	S. ♄.	Mart. pl. bras. 2. t. 132.
Gomphrèna brasiliénsis. Jacq. ic. 2. t. 346. *Philóxerus brasiliénsis.* B.P.							
2 stramínea. M.P.	(*st.*)	straw-coloured.	Brazil.	1790.	7. 10.	S. ♄.	Mart. pl. bras. 2. t. 135.
GOMPHR'ENA. R.S.		GLOBE AMARANTH.	Pentandria Monogynia. L.				
1 globòsa. R.s.	(*re.*)	annual.	India.	1714.	5. 10.	S. ☉.	Bot. mag. t. 2815.
β *álba.*	(*wh.*)	*white-flowered.*	———	——	——	S. ☉.	
2 decúmbens. R.s.	(*pu. wh.*)	decumbent.	Mexico.	....	——	S. ☉.	Jacq. schœn. t. 482.
3 perénnis. R.s.	(*st.*)	perennial.	S. America.	1732.	7. 10.	S. ♃.	Bot. mag. t. 2814.
4 arboréscens. R.s.	(*st.*)	tree.	———	1802.	——	S. ♄.	
5 villòsa. s.s.	(*st.*)	villous.	Monte Video.	1826.	6. 8.	S. ♄.	
6 nígricans. M.P.	(*bk.*)	dark-flowered.	Brazil.	1827.	——	S. ♄.	Mart. pl. bras. 2. t. 113.
7 callòsa. s.	.....	callous.	S. America.	1829.	....	S. ♄.	
8 cárnea. Jac.	(*fl.*)	flesh-coloured.	———	——	....	S. ♄.	
OPLOTH'ECA. N.		OPLOTH'ECA.	Pentandria Monogynia.				
1 láctea. M.P.	(*wh.*)	milk-coloured.	S. America.	1818.	7. 10.	S. ♄.	DC. h. mons. ined. t. 98.
2 interrúpta. N.	(*wh.*)	trailing.	W. Indies.	1733.	——	S. ♂.	Jacq. icon. 1. t. 51.
Gomphrèna interrúpta. R.s.							
3 floridàna. N.	(*wh.*)	Florida.	Florida.	1823.	8. 10.	F. ♃.	Bot. mag. t. 2603.

BRAND'ESIA. M.P. BRAND'ESIA. Pentandria Monogynia.
1 pubérula. M.P. (*wh.*) pubescent. Brazil. 1825. 6. 9. S.♄.
Achyránthes capituliflòra. Colla hort. rip. t. 18.
2 villòsa. M.P. (*wh.*) villous. Brazil. 1826. —— S.⊙. Mart. bras. 2. t. 128.
3 pórrigens. M.P. (*re.*) crimson-flowered. Peru. 1802. 4. 8. G.♄. Bot. mag. t. 830.
Achyránthes pórrigens. B.M.

PFA'FFIA. M.P. PFA'FFIA. Pentandria Monogynia.
gnaphaloides. M.P. (*w.*) Cudweed-like. Brazil. 1822. 6. 8. S.♄.
Celòsia gnaphaloides. L.

IRES'INE. S.S. IRES'INE. Dicœcia Pentandria. L.
1 celosioides. S.S. (*wh.*) Florida. America. 1733. 7. 8. F.♃. Lam. ill. t. 313.
2 diffùsa. S.S. (*wh.*) spreading. S. America. 1812. 7. 9. S.♃.
3 elongàta. S.S. (*wh.*) long-stalked. ——— 1822. —— S.♃.

R'OSEA. M.P. R'OSEA. Polygamia Monœcia.
elàtior. M.P. (*st.*) tall. S. America. 1820. 8. 10. S.⊙. Sloan. hist. 1. t. 90.
Iresine elàtior. W.

ORDO CLXVI.

PHYTOLACEÆ. *Brown.*

PHYTOLA'CCA. W. PHYTOLA'CCA. Decandria Decagynia. L.
1 octándra. W. (*wh.*) white-flowered. Mexico. 1732. 7. 11. G.♃. Dill. elt. t. 239. f. 308.
2 abyssínica. W. (*wh.*) African. Africa. 1775. 5. 6. S.♄. Hoff. c. gœt. t. 2.
3 heptándra. S.S. (*wh.*) 7-anthered. ..... 1819. 7. 10. G.♃.
4 bogoténsis. K.S. (*wh.*) variable anther'd. S. America. 1823. —— G.♃.
5 decándra. W. (*bl.*) Virginian poke. Virginia. 1615. 8. 9. H.♃. Bot. mag. t. 931.
6 dodecándra. W. (*bl.*) recurved-leaved..... .... 5. 6. S.♃.
7 mexicàna. (*wh.*) Mexican. Mexico. 1824. 7. 10. G.♃. Bot. mag. t. 2633.
icosándra. B.M. *non* W.
8 icosándra. W. (*wh.*) red-stemmed. E. Indies. 1758. 7. 11. S.♃. Mill. ic. t. 207.
9 dioíca. W. (*wh.*) tree. S. America. 1768. .... S.♄. L'Herit. st. nov. t. 70.

RIV'INA. R.S. RIV'INA. Tetrandria Monogynia. L.
1 hùmilis. R.S. (*wh.*) downy. W. Indies. 1699. 1. 10. S.♄. Bot. mag. t. 1781.
2 l'ævis. R.S. (*bl.*) smooth. ——— 1733. 2. 9. S.♄. Lam. ill. t. 81. f. 2.
3 latifòlia. R.S. (*pu.*) broad-leaved. Madagascar. 1826. 7. 9. S.⊙.
4 brasiliénsis. R.S. (*gr.*) wave-leaved. Brazil. 1790. 6. 7. S.♄.
5 purpuráscens. R.S. (*pu.*) purple. W. Indies. 1815. 5. 8. S.♄. Schrad. gen. nov. t. 5.
6 lanceolàta. L.en. (*wh.*) spear-leaved. Brazil. —— —— S.♄.
7 octándra. R.S. (*wh.*) climbing. W. Indies. 1752. 5. 6. S.♄.⌣. Plum. ic. 241.

MICR'OTEA. K.S. MICR'OTEA. Pentandria Digynia. R.S.
débilis. K.S. (*wh.*) slender. S. America. 1824. 7. 9. S.⊙.

ANCISTROCA'RPUS. K.S. ANCISTROCA'RPUS. Octandria Tetragynia.
maypurénsis. K.S. (*wh.*) branching. S. America. 1822. 5. 6. H.⊙. H. et B. pl. am. 2. t. 122.

PETIV'ERIA. W. PETIV'ERIA. Heptandria Monogynia. L.
1 alliàcea. W. (*wh.*) Garlic-scented. Jamaica. 1759. 6. 7. S.♄. Lodd. bot. cab. t. 148.
2 octándra. W. (*wh.*) dwarf. W. Indies. 1737. —— S.♄. Plum. ic. 213. t. 219.

GIS'EKIA. W. GIS'EKIA. Pentandria Pentagynia. L.
pharmacioídes. W. (*wh.*) trailing. E. Indies. 1783. 6. S.⊙. Roxb. corom. 2. t. 183.

ORDO CLXVII.

CHENOPODEÆ. *Brown, prodr. p.* 405.

BASE'LLA. R.S. MALABAR-NIGHTSHADE. Pentandria Trigynia. L.
1 rùbra. R.S. (*re.*) red-flowered. E. Indies. 1731. 7. 9. S.♂.⌣. Rheed. mal. 7. t. 24.
2 álba. R.S. (*wh.*) white-flowered. ——— 1688. 7. 11. S.♂.⌣. Pluk. alm. t. 63. f. 1.
3 lùcida. R.S. (*wh.*) shining. ——— 1802. —— S.⊙.⌣.
4 cordifòlia. R.S. (*re.*) heart-leaved. ——— —— —— S.⊙.⌣.
5 tuberòsa. R.S. (*st.*) tuberous-rooted. S. America. 1824. —— S.♃.⌣.

6 marginàta. R.s. (*wh.*) red-margined. S. America. 1824. 7. 11. S.☿.⌣.
7 japónica. R.s. (*bh.*) dwarf. China. 1814. —— G.⊙. Burm. ind. t. 39. f. 4.

HABLI'TZIA. M.B. HABLI'TZIA. Pentandria Monogynia.
tamnoídes. M.B. (*wh.*) Tamus-like. Caucasus. 1828. 7. 10. H.☿.⌣.

ANRED'ERA. J. ANRED'ERA. Pentandria Trigynia.
spicàta. K.s. (*bh.*) spiked. Cuba. 1749. 7. 9. S.☿.⌣. Sloan. hist. 1. t. 90. f. 1.
Basélla vesicària. Lam. ill. t. 215. f. 1. *Poly'gonum scándens.* W.

ANABA'SIS. L. ANABA'SIS. Pentandria Digynia. L.
1 aphy'lla. R.s. (*gr.*) leafless. Levant. 1823. 5. 7. F.♄. Buxb. cent. 1. t. 18.
2 flòrida. M.B. (*wh.*) flowering. Persia. 1829. 7. 11. H.⊙. M.B.cent.pl.ros.1.t.17.
3 cretàcea. R.s. (*gr.*) long-rooted. Siberia. 1828. 6. 8. H.☿. Pall.it.1.ap.n.109.t.1.N
4 spinosíssima. R.s. (*gr.*) spiny-branched. Iberia. 1829. —— H.♄. Delil.eg.n.305.t.21.f.2.
5 tamariscifòlia. R.s. (*gr.*) Tamarisk-leaved. Spain. 1752. 6. 7. F.♄. Cavan. ic. 3. t. 283.
6 foliòsa. s.s. (*gr.*) leafy. Volga. 1828. 7. 10. H.⊙. Pall. ill. 2. t. 23.
Salsòla clavifòlia. M.B. *baccífera.* Pall.

SALS'OLA. R.S. SALTWORT. Pentandria Digynia. L.
1 Kàli. R.s. (*fl.*) prickly. Britain. .... 7. 8. H.⊙. Eng. bot. v. 9. t. 634.
2 Tràgus. R.s. (*ro.*) smooth. S. Europe. 1816. —— H.⊙. Pall. ill. 2. t. 29. f. 2.
3 tamariscìna. R.s. (*br.*) Tamarisk-like. Tauria. 1828. 7. 9. H.⊙.
4 crássa. R.s. (*re.wh.*) thick-leaved. Caucasus. 1823. 8. 10. H.⊙. Buxb. cent. 1. t. 14. f. 2.
5 rosàcea. R.s. (*pu.*) rose-coloured. Asia. 1759. 7. 8. H.⊙. Schk. hand. 1. t. 57.
6 oppositifòlia. R.s. (*ro.*) opposite-leaved. Sicily. 1829. .... H.♄.
7 brachiàta. R.s. (*pu.*) armed. Tauria. 1828. 7. 10. H.⊙. Pall. ill. 2. t. 22.
8 glaùca. R.s. (*ro.*) glaucous. Armenia. 1829. .... H.♄. ——— 2. t. 19.
9 vermiculàta. R.s. (*gr.*) suffruticose. Siberia. 1759. 7. 8. H.♄. Gmel. sib. 3. t. 18. f. 2.
10 microphy'lla. R.s. (*re.*) small-leaved. Spain. —— —— H.⊙. Cavan. ic. 3. t. 287.
11 spíssa. R.s. (*ro.*) dwarf. Caucasus. 1829. 7. 10. H.⊙. Pall. ill. 2. t. 15.
12 verrucòsa. R.s. (*gr.*) warted. ——— 1822. 7. 8. H.♄. ——— 2. t. 16.
13 ericoídes. R.s. (*br.*) Heath-like. ——— 1829. .... H.♄. ——— 2. t. 14.
14 laniflòra. R.s. (*re.*) woolly-flowered. Siberia. 1797. 6. 8. H.⊙. ——— 2. t. 21.
15 satìva. R.s. (*pi.*) cultivated. Spain. 1783. 7. 8. H.☿. Cavan. ic. 3. t. 291.
16 obtusifòlia. Led. (*br.*) blunt-leaved. Siberia. 1827. .... H.⊙.
17 marginàta. F. (*gr.*) thick margined. Armenia. 1829. .... H.♄ ?
18 Sòda. R.s. (*wh.*) long fleshy-leav'd. S. Europe. 1683. 7. 8. H.⊙. Jacq. vind. 1. t. 66.

K'OCHIA. R.S. K'OCHIA. Pentandria Digynia. R.S.
1 arenària. R.s. (*wh.*) sand. Hungary. 1819. 7. 9. H.⊙. W. et K. hung. 1. t. 78.
2 dasyántha. R.s. (*wh.*) woolly-flowered. Caucasus. 1829. —— H.⊙. Gmel. jun. it. 1. t. 137.
3 prostràta. R.s. (*gr.*) trailing. S. Europe. 1780. 6. 8. F.♄. Jacq. aust. 3. t. 294.
Salsòla prostràta. Jacq.
4 trig'yna. L.en. (*gr.*) slender-leaved. Spain. 1804. 7. 8. H.⊙. Cavan. ic. 3. t. 289.
Salsòla altíssima. Cav. *Chenopòdium trig'ynum.* R.s.
5 hyssopifòlia. R.s. (*gr.re.*) Hyssop-leaved. Siberia. 1801. 6. 8. H.⊙. Pall. it. 1. ap. t. H. f. 1.
6 sedoídes. R.s. (*gr.*) Stonecrop-like. Tauria. 1823. —— H.☿. —— 3. t. M. f. 8.
7 erióphora. R.s. (*gr.*) woolly. Spain. 1816. —— H.⊙. Trattin. arch. t. 124.
8 scopària. R.s. (*gr.*) Summer Cypress. Greece. 1629. 6. 9. H.☿. Buxb. cent. 1. t. 16.
Chenopòdium Scopària. W.

CHEN'OLEA. L. CHEN'OLEA. Pentandria Monogynia. L.
diffùsa. W. (*wh.*) silky. C. B. S. 1758. 8. 9. G.♄.
Salsòla sericea. H.K. *Kòchia sericea.* R.s. *Chenopòdium sericeum.* s.s.

ENCHYL'ÆNA. B.P. ENCHYL'ÆNA. Pentandria Di-Trigynia.
tomentòsa. B.P. (*wh.*) woolly. N. Holland. 1824. 6. 8. G.♄.

RHAG'ODIA. B.P. RHAG'ODIA. Polygamia Monœcia.
1 Billardíeri. B.P. (*gr.*) narrow-leaved. N. S. W. 1822. 6. 7. G.♄. Lab. nov. hol. 1. t. 96.
2 hastàta. B.P. (*gr.*) halberd-leaved. ——— 1803. —— G.♄. Loud. enc. pl. f. 1427a.
3 nùtans. B.P. (*gr.*) nodding-branch'd. V. Diem. Isl. 1824. 7. 9. G.☿.

ACROGLO'CHIN. Schr. ACROGLO'CHIN. Pentandria Digynia.
chenopodioídes. F. (*gr.*) Goose-foot-like. Siberia. 1823. 5. 9. H.⊙.

CHENOP'ODIUM. R.S. GOOSE-FOOT. Pentandria Digynia. L.
1 Bònus-Henrìcus. (*gr.*) English Mercury. Britain. .... 5. 8. H.☿. Eng. bot. v. 15. t. 1033.
2 úrbicum. E.B. (*gr.*) upright. ——— .... 8. H.⊙. ——— v. 10. t. 717.
3 Atríplicis. R.s. (*cr.*) purple. China. 1780. 8. 9. H.⊙. Jacq. vind. 3. t. 80.
4 punctulàtum. R.s. (*re.*) white-spotted. ..... 1820. —— H.⊙. Scop. del. ins. 1. t. 11.
5 gigánteum. D.P. (*gr.*) gigantic. Nepaul. —— 9. 11. H.⊙.
6 rùbrum. R.s. (*fl.*) red. Britain. .... 8. 9. H.⊙. Eng. bot. v. 24. t. 1721.
7 chrysomelanospérmum. R.s. black-seeded. Galicia. 1825. —— H.⊙.
8 carthagenénse. R.s. (*gr.re.*) Carthage. Carthage. 1824. 6. 8. H.⊙.
9 rhombífòlium. R.s. (*gr.*) angular-leaved. N. America. 1807. 7. 9. H.⊙.
10 guineénse. W. (*gr.*) Guinea. Guinea. 1790. 8. 9. H.⊙. Jacq. ic. 2. t. 345.
11 muràle. E.B. (*gr.*) nettle-leaved. Britain. .... —— H.⊙. Eng. bot. v. 24. t. 1722.

12	Quinòa. R.s.	(*gr.*)	green Quinoa.	Chile.	1822.	7. 9.	H.⊙.	Feuil. peruv. t. 10.
	β rùbrum.	(*re.*)	*red Quinoa.*	———	——	——	H.⊙.	Feuil.per.ed.germ.t.10.
13	serotìnum. R.s.	(*gr.*)	late-flowering.	S. Europe.	....	8. 9.	H.⊙.	
14	ficifòlium. R.B.	(*gr.*)	Fig-leaved.	England.	....	——	H.⊙.	Eng. bot. v. 24. t. 1724.
15	álbum. R.B.	(*gr.*)	white.	Britain.	....	6. 9.	H.⊙.	——— v. 24. t. 1723.
	β subrotúndum.	(*gr.*)	*round-leaved.*	———	....	——	H.⊙.	Petiv. h. brit. t. 8. f. 4.
	γ víride. W.	(*gr.*)	*green.*	———	....	——	H.⊙.	
	δ integrifólium.	(*gr.*)	*entire-leaved.*	———	....	——	H.⊙.	
	ε crassifólium.	(*gr.*)	*thick-leaved.*	———	....	——	H.⊙.	
16	opulifòlium. R.s.	(*gr.*)	Guelder-rose-ld.	S. Europe.	....	——	H.⊙.	Bast. j. bot. 1814. t. 3.
17	hy'bridum. R.B.	(*gr.*)	Maple-leaved.	Britain.	....	8. 9.	H.⊙.	Eng. bot. v. 27. t. 1919.
18	blitoídes. R.s.	(*gr.*)	Blitum-like.	France.	1827.	——	H.⊙.	
19	Bòtrys. R.s.	(*gr.*)	cut-leaved.	S. Europe.	1548.	6. 9.	H.⊙.	Flor. græc. t. 253.
20	f'œtidum. W.en.	(*gr.*)	strong-scented.	.....	1823.	6. 8.	H.⊙.	
21	multífidum. R.s.	(*gr.*)	multifid.	BuenosAyres.	1732.	6. 10.	G.♃.	Dill. elt. t. 66. f. 77.
22	botryoídes. R.B.	(*re.*)	many-clustered.	Britain.	....	6. 8.	H.⊙.	Eng. bot. v. 32. t. 2247.
23	ambrosioídes. R.s.	(*gr.*)	Mexican.	Mexico.	1640.	6. 10.	H.⊙.	Moris. s. 5. t. 35. f. 8.
24	suffruticòsum. R.s.	(*gr.*)	suffrutescent.	———	1819.	——	G.ħ.	
25	anthelmínticum. W.	(*gr.*)	American.	America.	1732.	7. 8.	G.ħ.	Dill. elt. t. 66. f. 76.
26	gravèolens. R.s.	(*gr.*)	strong-scented.	Mexico.	1819.	8. 11.	H.⊙.	
27	incìsum. R.s.	(*gr.*)	jagged.	.....	1826.	——	H.⊙.	
28	glaùcum. R.s.	(*gr.*)	Oak-leaved.	England.	....	7. 8.	H.⊙.	Eng. bot. v. 21. t. 1454.
29	crassifólium. R.s.	(*cr.*)	fleshy-leaved.	.....	1820.	——	H.⊙.	
30	humifùsum. R.s.	(*pu.*)	trailing.	.....	1824.	——	H.⊙.	
31	sèpium. R.s.	(*re.*)	hedge.	Bohemia.	1822.	——	H.⊙.	
32	radiàtum. R.s.	(*gr.*)	rayed.	N. America.	1803.	6. 8.	H.⊙.	W. hort. ber. 1. t. 28.
	Kòchia dentàta. W.		*Salsòla platyphy'lla.* M.					
33	ólidum. R.B.	(*gr.*)	stinking.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 15. t. 1034.
	f'œtidum. R.s.		*Vulvària.* W.					
34	polyspérmum. R.s.	(*gr.*)	Allseed.	———	....	——	H.⊙.	Eng. bot. v. 21. t. 1480.
35	acutifòlium. R.B.	(*gr.*)	acute-leaved.	———	....	——	H.⊙.	——— v. 21. t. 1481.
36	marginàtum. R.s.	(*gr.*)	bony-edged.	.....	1824.	——	H.⊙.	
37	caudàtum. R.s.	(*gr.*)	long-tailed.	Guinea.	1806.	——	G.⊙.	Jacq. ic. 2. t. 341.
38	laterále. R.s.	(*gr.*)	oblong-leaved.	.....	1781.	8. 9.	S.⊙.	
39	strictum. R.s.	(*gr.*)	upright.	E. Indies.	——	9. 11.	H.⊙.	
40	aristàtum. R.s.	(*gr.*)	bearded.	Siberia.	1771.	6. 9.	H.⊙.	Gmel. sib. 3. t. 15. f. 1.
41	lanceolàtum. R.s.	(*gr.*)	spear-leaved.	Pensylvania.	1809.	7.	H.⊙.	
42	fruticòsum. R.s.	(*gr.*)	shrubby.	England.	....	8. 9.	H.ħ.	Eng. bot. v. 9. t. 635.
	Salsòla fruticòsa. R.B.							
43	parvifólium. R.s.	(*gr.*)	small-leaved.	Caucasus.	1829.	....	H.ħ.	Pall. ill. 3. t. 44.
44	altíssimum. R.s.	(*wh.*)	Grass-leaved.	Russia.	1778.	7. 8.	H.⊙.	Schrad. d. hal. t. 1. f. 3
	Salsòla altíssima. W.		*Suæda altíssima.* Pall. ill. t. 42.					
45	trig'ynum. R.s.	(*gr.*)	trigynous.	Spain.	——	——	H.⊙.	Cavan. icon. 3. t. 289.
46	hirsùtum. R.s.	(*gr.*)	hairy.	Denmark.	1791.	——	H.⊙.	Flor. dan. t. 187.
	Salsòla hirsùta. F.D.							
47	sálsum. R.s.	(*gr.*)	Saltwort.	Astracan.	1782.	8. 9.	H.⊙.	Jacq. vind. 3. t. 83.
48	spicàtum. R.s.	(*gr.*)	spiked.	Spain.	1816.	8. 10.	H.⊙.	Cavan. ic. 3. t. 290.
49	setígerum. R.s.	(*gr.*)	setiferous.	———	——	——	H.⊙.	DC. h. mons. ined. t. 87.
50	marítimum. R.s.	(*gr.*)	sea blite.	Britain.	....	8.	H.⊙.	Eng. bot. v. 9. t. 633.

ATRIPLEX. R.S. ORACHE. Polygamia Monœcia. L.

1	Hálimus. R.s.	(*wh.*)	tall shrubby.	Spain.	1640.	7. 8.	H.ħ.	Park. theat. 724. f. 2.
2	portulacoídes. R.s.	(*gr.*)	dwarf shrubby.	Britain.	....	——	H.ħ.	Eng. bot. v. 4. t. 261.
3	verrucíferum. R.s.	(*gr.*)	warted-fruited.	Caucasus.	1827.	——	H.ħ.	
4	álbicans. R.s.	(*bh.*)	white.	C. B. S.	1774.	6. 7.	G.ħ.	
5	glaùcum. W.	(*gr.*)	glaucous.	S. Europe.	1732.	7. 8.	F.ħ.	Dill. elt. t. 40. f. 46.
6	linifólium. K.s.	(*gr.*)	Flax-leaved.	S. America.	1819.	——	G.ħ.	
7	polygàmum. R.s.	(*gr.*)	polygamous.	New Spain.	1826.	——	F.ħ.	
8	coriáceum. R.s.	(*gr.*)	leathery.	Egypt.	1828.	6. 9.	F.ħ.	
9	ròseum. R.s.	(*gr.*)	rose-like.	S. Europe.	1739.	6. 7.	H.⊙.	Schk. hand. 3. t. 350.
10	foliòsum. R.s.	(*gr.*)	leafy.	Portugal.	1824.	——	H.⊙.	
11	sibíricum. R.s.	(*wh.*)	Siberian.	Siberia.	1783.	7. 8.	H.⊙.	Schk. hand. 3. t. 350.
12	tatáricum. R.s.	(*gr.*)	Tartarian.	Tartary.	1778.	——	H.⊙.	—— 3. p. 539. t. 349.
13	bengalénse. R.s.	(*gr.*)	Bengal.	E. Indies.	....	——	H.⊙.	
14	horténse. R.s.	(*gr.*)	garden.	Tartary.	1548.	——	H.⊙.	Blackw. t. 99 et 552.
	β intermèdium.	(*re.*)	*intermediate.*	———	——	——	H.⊙.	
	γ rùbrum.	(*re.*)	*red garden.*	———	——	——	H.⊙.	
15	nítens. R.s.	(*gr.*)	glossy.	Hungary.	1746.	——	H.⊙.	Schkuhr hand. t. 348.
16	acuminàtum. R.s.	(*gr.*)	acuminate.	———	1820.	——	H.⊙.	W. et K. hung. t. 103.
17	vénetum. R.s.	(*gr.*)	Venetian.	Venice.	——	——	H.⊙.	

18	incànum. R.s.	(gr.)	hoary-leaved.	Spain.	1818.	7. 8.	H.⊙.	
19	álbum. R.s.	(gr.)	white-leaved.	Italy.	1826.	——	H.⊙.	
20	incisum. M.B.	(gr.)	cut-leaved.	Tauria.	1829.	——	H.⊙.	
21	laciniàtum. R.s.	(gr.)	frosted sea.	Britain.	....	——	H.⊙.	Eng. bot. v. 3. t. 165.
22	Besseriànum. R.s.	(gr.)	Besser's.	Hungary.	1825.	——	H.⊙.	
23	hastàtum. R.s.	(gr.)	halberd-leaved.	Europe.	....	——	H.⊙.	Flor. dan. t. 1286.
24	prostràtum. DC.	(gr.)	prostrate.	————	....	——	H.⊙.	
25	obtùsum. R.s.	(gr.)	blunt-leaved.	Siberia.	1825.	——	H.⊙.	
26	microspérmum. R.s.	(w.)	small-seeded.	Hungary.	1800.	——	H.⊙.	W. et K. hung. t. 250.
27	oblongifòlium. R.s.	(gr.)	oblong-leaved.	————	——	——	H.⊙.	———— t. 221.
28	pátulum. R.s.	(gr.)	spreading.	Britain.	....	6. 9.	H.⊙.	Eng. bot. v. 13. t. 936.
29	angustifòlium. R.s.	(gr.)	narrow-leaved.	————	....	6. 8.	H.⊙.	———— v. 25. t. 1774.
30	erèctum. R.s.	(gr.)	upright.	England.	....	8.	H.⊙.	———— v. 31. 2223.
31	littoràle. E.B.	(gr.)	grass-leaved.	Britain.	....	8. 9.	H.⊙.	———— v. 10. t. 706.
32	pedunculàtum. R.s.	(gr.)	pedunculated.	England.	....	7. 9.	H.⊙.	———— v. 4. t. 232.
33	oppositifòlium. R.s.	(gr.)	opposite-leaved.	France.	1827.	——	H.⊙.	
34	verticillàtum. R.s.	(gr.)	whorl-leaved.	Spain.	1822.	——	H.⊙.	Cavan. H. R. M. t. 21.
35	sulcàtum. R.s.	(gr.)	sulcate.	.....	——	——	H.⊙.	
B'ETA. R.S.			Beet. Pentandria Digynia. L.					
1	vulgàris. R.s.	(gr.)	common.	S. Europe.	1548.	——	H.♂.	Schk. hand. 1. t. 56.
	α viridis.	(gr.)	*green.*	————	——	——	H.♂.	Plenck off. t. 169.
	β rùbra.	(gr.)	*red.*	————	——	——	H.♂.	
	γ lùtea.	(gr.)	*yellow.*	————	——	——	H.♂.	Kern. abbild. t. 235.
	δ macrorhìza.	(gr.)	*mangold-wortzel.*	————	....	——	H.♂.	
2	Cìcla. R.s.	(gr.)	white.	Portugal.	1570.	——	H.♂.	Plenck off. t. 170.
3	crìspa. R.s.	(gr.)	curled-leaved.	.....	....	——	H.♂.	
4	trig'yna. R.s.	(wh.)	Hungarian.	Hungary.	1796.	7. 8.	H.♃.	W. et K. hung. 1. t. 35.
5	maritima. E.B.	(gr.)	sea-side.	Britain.	....	6. 8.	H.♃.	Eng. bot. v. 4. t. 285.
6	macrorhìza. R.s.	(gr.)	large-rooted.	Caucasus.	1827.	——	H.♃.	
7	foliòsa. E.	(gr.)	leafy.	Egypt.	1826.	7. 9.	H.⊙.	
8	pátula. R.s.	(gr.)	spreading.	Madeira.	1778.	8. 9.	G.♂.	
SPÍN'ACIA. W.			Spinage. Dicœcia Pentandria. L.					
	oleràcea. W.	(gr.)	common.	.....	1568.	3. 10.	H.⊙.	Schk. hand. 3. t. 324.
	α spinòsa. W.	(gr.)	*prickly.*	.....	——	——	H.⊙.	
	β inérmis.	(gr.)	*round.*	.....	——	——	H.⊙.	
ACN'IDA. W.			Virginian hemp. Dicœcia Pentandria. L.					
1	cannabìna. W.	(gr.)	common.	N. America.	1640.	6. 7.	H.⊙.	
2	ruscocárpa. W.	(gr.)	rugged-capsuled.	Virginia.	1824.	——	H.⊙.	Mich. fl. amer. 2. t. 60.
B'OSEA. R.S.			Golden-rod. Pentandria Digynia. L.					
	yervamòra. R.s.	(br.)	tree.	Canaries.	1728.	6. 9.	G.♄.	Jacq. f. eclog. t. 25.
CORISPE'RMUM. L.			Tick-seed. Monandria Digynia. L.					
1	hyssopifòlium. R.s.	(wh.)	Hyssop-leaved.	Europe.	1739.	7.	H.⊙.	Flor. græc. 1. t. 1.
2	nitidum. R.s.	(wh.)	glossy.	Hungary.	1827.	8. 9.	H.⊙.	
3	Redo'wskii. R.s.	(wh.)	Redowski's.	Caucasus.	1828.	——	H.⊙.	
4	spicàtum. R.s.	(wh.)	spiked.	.....	——	——	H.⊙.	
5	canéscens. R.s.	(wh.)	canescent.	Hungary.	1822.	7. 9.	H.⊙.	
6	intermèdium. R.s.	(wh.)	intermediate.	Prussia.	——	——	H.⊙.	
7	ténue. L.en.	(wh.)	slender.	.....	1823.	——	H.⊙.	
8	squarròsum. R.s.	(wh.)	rough-spiked.	Russia.	1759.	8. 9.	H.⊙.	Pall. ros. 2. t. 99.
9	Marschállii. R.s.	(wh.)	Marschall's.	Caucasus.	1829.	——	H.⊙.	
10	latifòlium. Lk.	(wh.)	broad-leaved.	————	1826.	——	H.⊙.	
11	sabulòsum. Led.	(wh.)	gravel.	Siberia.	1827.	——	H.⊙.	
BL'ITUM. R.S.			Strawberry-blite. Monandria Digynia. L.					
1	capitàtum. R.s.	(re.)	berry-headed.	Austria.	1633.	5. 8.	H.⊙.	Poif. et T. fl. p. 1. t. 2.
2	virgàtum. R.s.	(re.)	slender.	S. Europe.	1680.	5. 9.	H.⊙.	Bot. mag. t. 276.
3	petiolàre. L.en.	(re.)	petiolate.	.....	1818.	——	H.⊙.	
4	chenopodioídes. R.s.	(gr.)	Goosefoot-like.	.....	1826.	——	H.⊙.	
5	marítimum. N.	(gr.)	sea-side.	N. America.	1823.	——	H.⊙.	
CERATOCA'RPUS. L.			Ceratoca'rpus. Monœcia Monandria. L.					
	arenàrius. L.	(gr.)	sand.	Tartary.	1757.	6. 7.	H.⊙.	Buxb.in. act. pet. 1. t. 9.
SALICO'RNIA. L.			Glasswort. Monandria Monogynia. L.					
1	herbàcea. s.s.	(gr.)	marsh.	Britain.	....	8. 9.	H.⊙.	Eng. bot. v. 6. t. 415.
2	procúmbens. E.B.	(gr.)	procumbent.	England.	....	——	H.⊙.	———— v. 35. t. 2475.
3	rádicans. E.B.	(gr.)	rooting.	Britain.	....	9.	H.♃.	———— v. 24. t. 1691.
4	pygmæa. R.s.	(gr.)	small.	Caucasus.	1827.	——	H.⊙.	
5	perénnans. R.s.	(gr.)	perennial.	Siberia.	1823.	8. 9.	H.♃.	Pall. it. 1. ap. T. D. f. 1.
6	fruticòsa. E.B.	(gr.)	shrubby.	Britain.	....	——	H.♄.	Eng. bot. v. 35. t. 2467.
7	arábica. R.s.	(gr.)	Arabian.	Arabia.	1758.	——	G.♄.	Moris. s. 2. t. 33. f. 7.
8	foliòsa. R.s.	(gr.)	leafy.	Siberia.	1827.	——	H.♄.	

HALOCN'EMUM. M.B.	Halocn'emum.		Monandria Digynia.					
caspicum. R.S.	(*gr.*) Caspian.		Caucasus.	1827.	7. 8.	H. ♄.	Pall. it. 1. ap. t. A. f. 2.	
POLYCN'EMUM. R.S.	Polycn'emum.		Triandria Monogynia. L.					
1 arvénse. R.S.	(*wh.*) trailing.		S. Europe.	1640.	7.	H.⊙.	Jacq. aust. 4. t. 365.	
2 recúrvum. R.S.	(*wh.*) recurved-leaved.		Switzerland.	1824.	7. 8.	H.⊙.		
3 sálsum. R.S.	(*gr.*) saltwort.		Tartary.	1828.	——	H.⊙.	Pall. ill. t. 50.	
4 sibíricum. R.S.	(*wh.*) Siberia.		Siberia.	1829.	——	H.⊙.	——— t. 51.	
5 oppositifólium. R.S.	(*wh.*) opposite-leaved.		Tartary.	1829.	——	H.⊙.	Pall. it. ap. T. E. f. 2.	
6 crassifólium. R.S.	(*wh.*) thick-leaved.		Astracan.	1828.	——	H.⊙.	Pall. ill. t. 55.	
7 sclerospérmum. R.S.	(*w.*) hard-seeded.		———	1821.	——	H.⊙.	——— t. 56.	
8 pubéscens. Led.	(*wh.*) pubescent.		Siberia.	1827.	——	H.⊙.		
CAMPHORO'SMA. L.	Camphoro'sma.		Tetrandria Monogynia. L.					
1 monspeliacum. w.	(*wh.*) hairy.		S. Europe.	1640.	8. 9.	G. ♄.	Schk. hand. 1. t. 26.	
perénne. Pall. ill. pl. imp. cogn. t. 57.								
2 ovátum. R.S.	(*wh.*) Hungarian.		Hungary.	1823.	——	H.⊙.	W. et K. hung. 1. t. 63.	
GAL'ENIA. W.	Gal'enia.		Octandria Digynia. L.					
africàna. w.	(*pa.*) African.		C. B. S.	1752.	6. 8.	G. ♄.	Lam. ill. t. 314.	
AX'YRIS. W.	Ax'yris.		Monœcia Triandria. L.					
1 amaranthoides. w.	(*gr.*) simple-spiked.		Siberia.	1758.	6. 7.	H.⊙.	Gmel. sib. t. 2. f. 2.	
2 hy'brida. w.	(*gr.*) bastard.		———	1780.	6. 8.	H.⊙.	——— t. 4. f. 1.	
3 prostràta. w.	(*gr.*) trailing.		———	1798.	7. 8.	H.⊙.	——— t. 4. f. 2.	
DI'OTIS. W.	Di'otis.		Monœcia Tetrandria. L.					
ceratoides. w.	(*wh.*) shrubby.		Siberia.	1780.	8.	H. ♄.	Jacq. ic. 1. t. 189.	
Ax'yris ceratoides. Jacq. *Ceratospérmum pappòsum.* R.S.								

ORDO CLXVIII.

BEGONIACEÆ. *Ventenat. et Don prodr. p.* 223.

BEG'ONIA. L.	Beg'onia.	Monœcia Polyandria. L.					
1 nítida. S.S.	(*bh.*) shining-leaved.	Jamaica.	1777.	5. 12.	S. ♄.	Sal. par. lond. t. 72.	
2 dichótoma. S.S.	(*wh.*) forked.	Caracas.	1800.	7. 8.	S. ♄.	Jacq. ic. 3. t. 619.	
3 renifórmis. S.S.	(*wh.*) kidney-leaved.	Brazil.	1823.	——	S. ♄.	Linn. trans. 1. t. 14. f. 1. 2.	
4 spathulàta. S.S.	(*wh.*) spatula-leaved.	W. Indies.	1813.	8. 10.	S. ♄.	Lodd. bot. cab. t. 17.	
5 odoràta. S.S.	(*wh.*) sweet-scented.	S. America.	1823.	6. 8.	S. ♄.		
6 sanguínea. S.S.	(*pi.*) bloody.	Brazil.	1823.	6. 10.	S. ♃.		
7 Sellòii. L.O.	(*wh.*) Sello's.	———	——	——	S. ♄.		
8 undulàta. B.M.	(*wh.*) wave-leaved.	———	1825.	8. 12.	S. ♄.	Bot. mag. t. 2723.	
9 semperflòrens. B.C.	(*w.*) ever-blowing.	Mexico.	1829.	1. 12.	S. ♄.	Lodd. bot. cab. t. 1439.	
10 Hookèri.	(*pi.*) Hooker's.	.....	1827.	——	S. ♄.	Bot. mag. t. 2920.	
semperflòrens. B.M. *non.* B.C.							
11 dísticha. S.S.	(*wh.*) distichous.	S. America.	1820.	6. 8.	S. ♄.		
12 macrophy'lla. S.S.	(*bh.*) large-leaved.	Jamaica.	1793.	5. 9.	S. ♄.		
13 hirtélla. S.S.	(*wh.*) fringed.	W. Indies.	1818.	——	S. ♄.		
14 Evansiàna. A.R.	(*pi.*) Evans's.	China.	1804.	——	S. ♃.	Bot. mag. t. 1473.	
discolor. H.K. *published* 1813. *Evansiàna.* A.R. *published* 1811. B.M. 1812.							
15 pícta. Sm.	(*pi.*) painted.	Nepaul.	1823.	5. 9.	S. ♃.	Sm. exot. bot. t. 101.	
16 palmàta. D.P.	(*pi.*) palmated.	———	1825.	——	S. ♃.		
17 vitifólia. L.O.	..... Vine-leaved.	Brazil.	1829.	....	S. ♄.		
18 platanifólia. L.O.	.... Plane-leaved.	———	——	....	S. ♄.		
19 diversifólia. B.M.	(*pi.*) various-leaved.	Mexico.	1827.	9. 12.	S. ♄.	Bot. mag. t. 2966.	
20 villòsa. B.R.	(*wh.*) villous.	Brazil.	——	8. 10.	S. ♄.	Bot. reg. t. 1252.	
21 pauciflòra. B.R.	(*bh.*) few-flowered.	W. Indies.	1816.	5. 9.	S. ♄.	——— t. 471.	
22 pátula. H.S.S.	(*bh.*) spreading.	Brazil.	1811.	——	S. ♄.		
23 bulbífera. L.O.	(*pi.*) bulb-bearing.	———	1829.	9. 11.	S. ♃.		
24 monóptera. L.O.	(*pi.*) one-winged.	———	——	——	S. ♃.		
25 tuberòsa. S.S.	(*pi.*) tuberous.	Amboyna.	1810.	7. 9.	S. ♃.	Rumph. am. 5. t. 169. f. 2.	
26 acutifólia. S.S.	(*wh.*) acute-leaved.	W. Indies.	1822.	——	S. ♄.	Sloan. jam. t. 127. f. 1. 2.	
27 acuminàta. S.S.	(*wh.*) pointed-leaved.	Jamaica.	1790.	5. 12.	S. ♄.	Bot. reg. t. 364.	
28 lùcida. H.R.	(*wh.*) polished.	Trinidad.	1820.	——	S. ⊙.		
29 argyrostigma. B.R.	(*pi.*) silver-spotted.	Brazil.	1819.	7. 9.	S. ♄.	Bot. reg. t. 666.	
maculàta. S.S.							
30 dipétala. B.M.	(*pi.*) two-petaled.	E. Indies.	1826.	4. 8.	S. ♄.	Bot. mag. t. 2849.	
31 papillòsa. B.M.	(*pi.*) papillose.	S. America.	1823.	——	S. ♄.	——— t. 2846.	

32 insígnis. B.M.	(pi.)	handsome.	Brazil.	1828.	1. 12.	S. ♄.	Bot. mag. t. 2900.
33 incarnàta. L.O.	(pi.)	flesh-coloured.	———	1829.	——	S. ♄.	
34 Martiàna. L.O.	(pi.)	Martius's.	———	——	——	S. ♄.	
35 suavèolens. B.C.	(wh.)	fragrant.	W. Indies.	1816.	5. 9.	S. ♄.	Lodd. bot. cab. t. 69.
36 hùmilis. H.E.F.	(wh.)	dwarf.	———	1788.	10.	S. ♂.	Hook. ex. flor. t. 17.
37 hirsùta. S.S.	(wh.)	shaggy-leaved.	———	1789.	5. 6.	S. ♂.	Aub. gui. 2. t. 348.
38 ulmifòlia. S.S.	(bk.)	Elm-leaved.	S. America.	1820.	6. 1.	S. ♄.	Hook. ex. flor. t. 57.
39 scándens. S.S.	(gr.)	climbing.	Jamaica.	1824.	7. 9.	S. ♄ ⌒.	Aub. gui. 2. t. 349.

ORDO CLXIX.

POLYGONEÆ. *Brown prodr. p.* 419.

COCCOLO'BA. L. SEASIDE-GRAPE. Octandria Trigynia. L.

1 uvífera. S.S.	(wh.)	round-leaved.	W. Indies.	1690.	....	S. ♄.	Jacq. amer. t. 73.
2 pubéscens. S.S.	(wh.)	downy.	———	——	....	S. ♄.	Pluk. phyt. 232. f. 8.
3 excoriàta. S.S.	(wh.)	oval-leaved.	———	1733.	....	S. ♄.	Plum. ic. t. 146. f. 1.
4 nívea. S.S.	(st.)	snowy.	Jamaica.	1826.	....	S. ♄.	
5 punctàta. S.S.	(wh.)	spear-leaved.	W. Indies.	1733.	....	S. ♄.	Jacq. amer. 114. t. 77.
6 laurifòlia. W.en.	(wh.)	Laurel-leaved.	S. America.	1816.	8. 9.	S. ♄.	
7 diversifòlia. S.S.	(wh.)	different-leaved.	Hispaniola.	——	——	S. ♄.	Hook. ex. flor. t. 102.
8 obtusifòlia. S.S.	(wh.)	blunt-leaved.	S. America.	1823.	....	S. ♄.	Jacq. amer. t. 74.
9 microstàchya. S.S.	(wh.)	small-spiked.	W. Indies.	——	....	S. ♄.	
10 barbadénsis. S.S.	(wh.)	Barbadoes.	Barbadoes.	1790.	....	S. ♄.	Jacq. obs. 1. t. 8.
11 latifòlia. S.S.	(wh.)	broad-leaved.	S. America.	1812.	....	S. ♄.	Lam. ill. t. 316. f. 4.
12 acuminàta. K.S.	(wh.)	sharp-pointed.	———	1824.	....	S. ♄.	
13 longifòlia. L.en.	(wh.)	long-leaved.	———	1818.	....	S. ♄.	
14 tenuifòlia. S.S.	(wh.)	small-leaved.	Jamaica.	1824.	....	S. ♄.	Brown. jam. 210. f. 3.

BRUNNI'CHIA. S.S. BRUNNI'CHIA. Decandria Trigynia. W.

cirrhòsa. S.S.	(gr.)	Carolina.	Carolina.	1787.	....	G. ♄ ⌒.	Gært. s. 1. t. 48. f. 2.

POLY'GONUM. L. PERSICARIA. Tetr-Octandria Di-Trigynia.

1 Bistorta. W.	(pi.)	Snake-weed.	Britain.	....	5. 9.	H. ♃.	Eng. bot. v. 8. t. 560.
2 bistortoides. Ph.	(bk.)	Snakeweed-like.	N. America.	1823.	6. 7.	H. ♃.	
3 viviparum. E.B.	(gr.)	alpine bistort.	Britain.	....	5. 9.	H. ♃.	Eng. bot. v. 10. t. 669.
4 petiolàtum. D.P.	(pi.)	petiolate.	Nepaul.	1823.	——	H. ♃.	
5 macrophy'llum. D.P.	(pu.)	large-leaved.	———	1823.	——	H. ♃.	
6 affi'ne. D.P.	(ro.)	related.	———	1823.	——	H. ♃.	
7 mìte. P.S.	(li.)	tasteless.	N. America.	1818.	6. 9.	H. ☉.	
8 hydropiperoides. Ph.	(w.)	acrid.	———	1824.	——	H. ☉.	
9 tenuiflòrum. S.S.	(li.)	slender-flowered.	Sicily.	1823.	——	H. ♃.	
10 scándens. W.	(pi.)	climbing.	N. America.	1749.	7. 9.	H. ♃ ⌒.	Pluk. alm. t. 177. f. 7.
11 Fagop'yrum. W.	(pi.)	Buck-wheat.	England.	....	7. 8.	H. ☉.	Eng. bot. v. 15. t. 1044.
12 emarginàtum. W.	(pi.)	Indian buck-wheat.	Nepaul.	1796.	——	H. ☉.	Bot. reg. t. 1035.
13 tatáricum. W.	(gr.)	Tartarian.	Siberia.	1759.	——	H. ☉.	Gmel. sib. 3. t. 13. f. 1.
14 Convólvulus. W.	(bk.)	common climbing.	Britain.	....	5. 9.	H. ☉ ⌒.	Eng. bot. v. 14. t. 941.
15 dumetòrum. W.	(li.)	bush.	S. Europe.	1808.	——	H. ☉.	Flor. dan. t. 759.
16 adprèssum. B.P.	(pi.)	polygamous.	N. S. W.	1822.	——	G. ♄ ⌒.	Lab. n. hol. 1. t. 127.
17 sagittàtum. W.	(wh.)	arrow-leaved.	N. America.	1759.	7. 8.	H. ☉.	Bart. fl. amer. t. 101.
18 chinénse. W.	(pi.)	Chinese.	China.	1795.	——	H. ☉.	Burm. ind. t. 30. f. 3.
19 pátens. D.P.	(pi.)	spreading.	Nepaul.	1823.	——	H. ♃.	
20 élegans. S.S.	(wh.)	elegant.	Naples.	1824.	——	H. ♄.	
21 alpínum. W.	(wh.)	Alpine.	Italy.	1816.	——	H. ♃.	Bocc. mus. 2. t. 27.
22 undulàtum. W.	(wh.)	wave-leaved.	Siberia.	1789.	6. 7.	H. ♃.	Gmel. sib. 3. t. 10.
23 divaricàtum. W.	(wh.)	divaricated.	———	1759.	7. 8.	H. ♃.	——— 3. t. 11. f. 1.
24 salígnum. W.	(wh.)	Willow-like.	———	1816.	5. 8.	H. ♃.	
25 acídulum. W.	(wh.)	narrow-leaved.	———	——	6. 7.	H. ♃.	
26 cymòsum. S.S.	(wh.)	cyme-flowered.	Naples.	1827.	7. 9.	H. ♃.	
27 aviculáre. E.B.	(ro.)	Knot-grass.	Britain.	....	4. 10.	H. ☉.	Eng. bot. v. 18. t. 1252.
28 Dryándri. S.S. *élegans.* H.K. *nec aliorum.*	(bk.)	Dryander's.	E. Indies.	1796.	4. 8.	S. ♃.	
29 arenàrium. W.K.	(pu.)	sand.	Hungary.	1807.	5. 8.	H. ☉.	W. et K. hung. t. 67.
30 ramòsum. L.en.	(wh.)	branching.	Siberia.	1822.	6. 8.	H. ♃.	
31 littorále. L.en.	(wh.)	sea-side.	S. Europe.	1816.	5. 8.	H. ♄.	
32 Bellárdi. P.S.	(wh.)	Bellardi's.	———	1822.	——	H. ♃.	All. ped. t. 90. f. 2.
33 pátulum. M.B.	(wh.)	spreading-branch'd.	Tauria.	——	——	H. ♃.	

34	marítimum. W.	(wh.)	sea-shore.	S. Europe.	1816.	6. 8.	H. ♄.	Flor. græc. t. 363.
35	acetòsum. M.B.	(li.)	Sorrel-leaved.	Astracan.	1823.	——	H. ♃.	
36	eréctum. W.	(wh.)	upright.	N. America.	1792.	7. 8.	H. ♃.	
37	linifòlium. B.A.	(bh.)	Flax-leaved.	———	1824.	6. 8.	H. ☉.	Bart. fl. amer. 3. t. 95. f. 2.
38	herniarioídes. S.S.	(wh.)	Egyptian.	Egypt.	1822.	——	F. ♄.	
39	pensylvánicum. W.	(ro.)	Pensylvanian.	N. America.	1819.	7. 8.	H. ☉.	
40	orientàle. W.	(re.)	common.	E. Indies.	1707.	7. 10.	H. ☉.	Bot. mag. t. 213.
	β álbum.	(wh.)	*white-flowered.*	———	....	——	H. ☉.	
41	barbàtum. S.S.	(re.)	bearded.	China.	1822.	6. 9.	F. ♃.	Rheed. mal. 12. t. 77.
42	tinctòrium. W.	(re.)	dyer's.	———	1776.	7. 8.	G. ♂.	
43	decípiens. B.P.	(ro.)	decipient.	N. S. W.	1822.	——	G. ♃.	
44	plebéium. B.P.	(bh.)	linear-leaved.	———	——	——	G. ♃.	
45	Persicària.	(li.)	spotted.	Britain.	....	——	H. ☉.	Eng. bot. v. 11. t. 756.
46	lapathifòlium. S.S.	(gr.)	Dock-leaved.	———	....	7. 10.	H. ☉.	——— v. 20. t. 1382.
47	incànum. W.en.	(li.)	hoary.	Germany.	1804.	——	H. ☉.	Schrank. bav. 1. t. 3.
48	persicarioídes. K.S.	(w.)	Mexican.	Mexico.	1825.	——	H. ♃.	
49	Hydropíper. E.B.	(gr.)	Water pepper.	Britain.	....	7. 9.	H. ☉.	Eng. bot. v. 14. t. 989.
50	glábrum. W.	(gr.)	smooth.	E. Indies.	1822.	——	S. ♃.	
51	minus. E.B.	(li.)	slender.	England.	....	——	H. ☉.	Eng. bot. v. 15. t. 1043.
52	rèpens.	(wh.)	rooting-branched.	Fulham.	....	8. 10.	H. ☉.	
53	tortuòsum. D.P.	(wh.)	twisting.	Nepaul.	1824.	7. 10.	F. ♃.	
54	equisetifórme. S.S.	(wh.)	Equisetum-like.	Britain.	....	——	H. ☉.	Flor. græc. t. 364.
55	oxyspérmum. Led.	(w.)	sharp-seeded.	Siberia.	1827.	——	H. ♃.	
56	arifòlium. W.	(bh.)	Arum-leaved.	N. America.	1816.	5. 10.	H. ☉.	Bart. fl. amer. t. 100.
57	ocreàtum. W.	(bh.)	spear-leaved.	Siberia.	1780.	6. 9.	H. ♃.	Gmel. sib. 3. t. 8.
58	virginiànum. W.	(pa.)	Virginian.	N. America.	1640.	8. 9.	H. ♃.	Park. theat. 857. f. 6.
59	amphíbium. W.	(ro.)	amphibious.	Britain.	....	6. 8.	H. *w.* ♃.	Eng. bot. v. 7. t. 426.
60	grácile. B.P.	(pi.)	slender-stalked.	N. S. W.	1822.	——	G. ♃.	
61	acetosefólium. P.S.	(re.)	Brazilian.	Brazil.	——	——	S. ♄. ⌣.	Venten. cels. t. 88.
TRAGOPʻYRUM. M.B.			TRAGOPʻYRUM.	Octandria Trigynia.				
1	lanceolàtum. M.B.	(pi.)	spear-leaved.	Siberia.	1770.	7. 8.	H. ♄.	Bot. reg. t. 255.
	Polyʻgonum frutéscens. B.B.							
2	buxifólium. M.B.	(pi.)	Box-leaved.	Caucasus.	1800.	——	H. ♄.	Bot. mag. t. 1065.
	Polyʻgonum crispulum. B.M.							
ATRAPHAʻXIS. L.			ATRAPHAʻXIS.	Hexandria Digynia. L.				
1	spinòsa. S.S.	(gr.)	prickly.	Levant.	1732.	8.	G. ♃.	L'Herit. stirp. 1. t. 14.
2	undulàta. S.S.	(gr.)	waved-leaved.	C. B. S.	——	6. 7.	G. ♄.	Dill. elt. t. 32. f. 36.
OXYʻRIA. Sm.			MOUNTAIN SORREL.	Hexandria Digynia. Sm.				
	renifórmis. Sm.	(gr.)	kidney-leaved.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 18. t. 910.
	Rùmex digʻynus. E.B.							
RʻUMEX. L.			DOCK.	Hexandria Trigynia. L.				
1	Hydrolapáthum. S.S.	(gr.)	great water.	Britain.	....	7. 8.	H. *w.* ♃.	Eng. bot. v. 30. t. 2104.
	aquáticus. E.B.							
2	Británnica. S.S.	(gr.)	Virginian.	N. America.	....	6. 7.	H. ♃.	
3	máximus. S.S.	(gr.)	great.	Europe.	....	——	H. ♃.	
4	acútus. E.B.	(gr.)	sharp.	Britain.	....	——	H. ♃.	Eng. bot. v. 11. t. 724.
5	Nemolapáthum. W.	(gr.)	flat-valved.	Europe.	1816.	——	H. ♃.	
6	nemorósus. W.en.	(gr.)	wood.	———	——	——	H. ♃.	
7	sanguíneus. E.B.	(gr.)	bloody-veined.	England.	....	6. 7.	H. ♃.	Eng. bot. v. 22. t. 1533.
8	condylòdes. M.B.	(gr.)	spreading.	Caucasus.	1823.	——	H. ♃.	
9	crispus. E.B.	(gr.)	curled.	Britain.	....	——	H. ♃.	Eng. bot. v. 28. t. 1998.
10	Patiéntia. W.	(gr.)	Patience.	Italy.	1573.	——	H. ♃.	
11	confértus. W.en.	(gr.)	close-leaved.	———	1816.	——	H. ♃.	
12	brasiliénsis. L.en.	(gr.)	Brazilian.	Brazil.	1823.	——	G. ♃.	
13	verticillàtus. S.S.	(gr.)	whorled.	N. America.	1818.	——	H. ♃.	
14	spathulàtus. P.S.	(gr.)	spatulate-leav'd.	C. B. S.	1824.	8. 2.	G. ♃.	
15	purpùreus. P.S.	(gr.)	purple-veined.	Europe.	....	6. 7.	H. ♃.	
16	linearis. S.S.	(gr.)	linear-leaved.	C. B. S.	1824.	8. 12.	G. ♃.	
17	salicifólius. S.S.	(gr.)	Willow-leaved.	California.	1821.	7. 10.	F. ♃.	
18	lævigàtus. S.S.	(gr.)	smooth.	.....	1828.	——	H. ♃.	
19	sylvéstris. S.S.	(gr.)	wood.	Germany.	1826.	6. 8.	H. ♃.	
20	obtusifólius. E.B.	(gr.)	broad-leaved.	Britain.	....	——	H. ♃.	Eng. bot. v. 28. t. 1999.
21	nepalénsis. S.S.	(gr.)	Nepalese.	Nepaul.	1823.	——	H. ♃.	
22	palústris. E.B.	(ye.)	yellow marsh.	England.	....	7. 8.	H. ♃.	Eng. bot. v. 27. t. 1932.
23	marítimus. E.B.	(ye.)	sea-side.	Britain.	....	——	H. ♃.	——— v. 11. t. 725.
24	divaricàtus. W.	(gr.)	divaricate.	Italy.	1793.	——	H. ♃.	Till. pis. t. 37. f. 2.
25	stríctus. L.en.	(gr.)	upright.	.....	1824.	——	H. ♃.	
26	persicarioídes. W.	(gr.)	Persicaria-like.	N. America.	1773.	6. 7.	H. ♃.	
27	dentàtus. W.	(gr.)	dentated.	Egypt.	1732.	7. 8.	H. ☉.	Dill. elt. t. 158. f. 191.

28	ægyptìacus. w.	(gr.)	Egyptian.	Egypt.	1734.	6. 7.	H.⊙.	Till. pis. t. 37. f. 1.
29	ucrànicus. s.s.	(gr.)	Ukraine.	Ukraine.	1820.	——	H.⊙.	
30	crispátulus. m.	(gr.)	curled-leaved.	N. America.	——	——	H.⊙.	
31	cristàtus. dc.	(gr.)	crested.	.....	——	——	H.♃.	
32	púlcher. e.b.	(gr.)	fiddle.	Britain.	....	6. 8.	H.♃.	Eng. bot. v. 22. t. 1576.
33	aquáticus. s.s.	(gr.)	water.	Europe.	1818.	——	H.w.♃.	
34	scutàtus. w.	(gr.)	French sorrel.	France.	1596.	6. 7.	H.♃.	Jacq. ic. 1. t. 67.
35	hastifòlius. m.b.	(gr.)	hastate-leaved.	Caucasus.	1816.	——	H.♃.	
36	vesicàrius. w.	(gr.)	bladder.	Africa.	1656.	7. 8.	H.⊙.	Moris. s. 5. t. 28. f. 7.
37	tingitànus. w.	(gr.)	Tangier.	Barbary.	1680.	6. 8.	H.♃.	Zanon. hist. 9. t. 6.
38	longifòlius. k.s.	(gr.)	long-leaved.	S. America.	1827.	7. 10.	F.♃.	
39	sarcorhìzus. L.en.	(gr.)	fleshy-rooted.	C. B. S.	1824.	8. 12.	G.♃.	
40	Burchéllii. s.s.	(gr.)	Burchell's.	———	1816.	8. 10.	G.♄.	
41	Lunària. w.	(gr.)	tree.	Canaries.	1698.	6. 7.	G.♄.	Pluk. alm. t. 252. f. 3.
42	orientàlis. Bern.	(gr.)	oriental.	Levant.	1821.	7. 9.	H.♃.	
43	conspérsus. Ot.	(gr.)	scattered.	.....	1824.	——	H.♃.	
44	domésticus. s.s.	(gr.)	various-leaved.	Sweden.	1823.	——	H.♃.	
45	ròseus. w.	(gr.)	rose.	Egypt.	1737.	7. 8.	H.⊙.	
46	lácerus. s.s.	(gr.)	torn-leaved.	———	1825.	——	H.⊙.	
47	bucephalóphorus.	(gr.)	Basil-leaved.	Italy.	1683.	6.	H.⊙.	Cavan. ic. 1. t. 41. f. 1.
48	fimbriàtus. s.s.	(gr.)	fringe-valved.	C. B. S.	1816.	7. 9.	G.♃.	
49	Brównii. s.s.	(gr.)	Brown's fringed.	N. S. W.	1824.	——	G.♃.	
50	Acetòsa. e.b.	(gr.)	common Sorrel.	Britain.	....	6. 8.	H.♃.	Eng. bot. v. 2. t. 127.
51	Acetosélla. e.b.	(st.)	sheep's sorrel.	———	....	5. 7.	H.♃.	——— v. 24. t. 1674.
52	abyssínicus. Jacq.	(gr.)	Abyssinian.	Abyssinia.	1823.	——	G.♄.	Jacq. vind. 3. t. 98.
53	tuberòsus. w.	(gr.)	tuberous-rooted.	S. Europe.	1752.	6. 8.	H.♃.	
54	arifòlius. s.s.	(gr.)	Arum-leaved.	Africa.	1775.	12. 4.	G.♄.	
55	triangulàris. dc.	(gr.)	triangular-leaved.	S. Europe.	1824.	——	F.♃.	
56	amplexicaùlis. s.s.	(gr.)	stem-clasping.	Pyrenees.	1816.	6. 8.	H.♃.	
57	luxùrians. s.s.	(gr.)	luxuriant.	S. Europe.	....	——	H.♃.	
58	alpinus. w.	(gr.)	Alpine.	France.	1597.	6. 7.	H.♃.	Zorn. ic. 261.
59	frutéscens. s.s.	(gr.)	frutescent.	Tristan d'Ac.	1816.	6. 9.	G.♄.	
60	gigánteus. h.k.	(gr.)	tall.	Sandwich Isl.	1796.	6. 8.	G.♃.	
EMEX. S.S.			'Emex.	Hexandria Trigynia. S.S.				
	spinòsus. s.s.	(gr.)	spiny-seeded.	Candia.	1656.	6. 7.	H.⊙.	
	Rùmex spinòsus. w.							
PODO'PTERUS. K.S.			Podo'pterus.	Hexandria Trigynia. S.S.				
	mexicànus. k.s.	(wh.)	Mexican.	Mexico.	1825.	....	G.♄.	H. et B. pl. am. 2. t. 107.
TRIPL'ARIS. K.S.			Tripl'aris.	Dicœcia Enneandria. L.				
	americàna. k.s.	(ro.pu.)	American.	S. America.	1823.	5. 8.	S.♄.	Jacq. amer. 13. t. 173. f. 5.
RH'EUM. L.			Rhubarb.	Enneandria Trigynia. L.				
1	Rhapónticum. w.	(wh.)	common.	Asia.	1573.	5. 6.	H.♃.	Sabb. hort. 1. t. 34.
2	undulàtum. w.	(wh.)	wave-leaved.	China.	1734.	——	H.♃.	L. amœn. acad. 3. t. 4.
3	crìspum. And.	(wh.)	curl-leaved.	.....	1820.	——	H.♃.	
4	compáctum. w.	(wh.)	thick-leaved.	Tartary.	1758.	——	H.♃.	Mill. ic. 2. t. 218.
5	tatáricum. w.	(wh.)	Tartarian.	———	1793.	——	H.♃.	
6	hy'bridum. w.	(wh.)	bastard.	Asia.	1778.	——	H.♃.	Murr. c. gott. t. 1.
7	austrìacum. And.	(wh.)	Austrian.	Austria.	1819.	——	H.♃.	
8	sibíricum. And.	(wh.)	Siberian.	Siberia.	——	——	H.♃.	
9	fenestràtum. f.	(wh.)	windowed.	.....	1760.	——	H.♃.	
10	rotundifòlium. And.	(w.)	round-leaved.	.....	....	——	H.♃.	
11	nùtans. f.	(wh.)	nodding.	Asia.	1824.	——	H.♃.	
12	Ribes. w.	(wh.)	warted-leaved.	Levant.	1724.	——	H.♃.	Ann. mus. 1. t. 49.
13	palmàtum. w.	(wh.)	palmated.	China.	1763.	4. 5.	H.♃.	Linn. fasc. 7. t. 4.
14	austrále. d.p.	(d.pu.)	Nepaul.	Nepaul.	1826.	——	H.♃.	Swt. br. fl. gar. t. 269.
ERIO'GONUM. M.			Erio'gonum.	Enneandria Trigynia. N.				
1	tomentòsum. m.	(wh.)	woolly.	Carolina.	1811.	5. 6.	H.♃.	Mich. amer. v. 1. t. 34.
2	flàvum n.	(ye.)	silky.	Missouri.	——	7.	H.♃.	
	sericeu.m. Ph.							
3	pauciflòrum. Ph.	(wh.)	few-flowered.	Louisiana.	1812.	——	H.♃.	
4	longifòlium. n.	(wh.)	long-leaved.	Arkansa.	1824.	——	H.♃.	
CALLI'GONUM. W.			Calli'gonum.	Dodecandria Tetragynia. L.				
1	Pallàsia. w.	(wh.gr.)	Caspian.	Caspian shores.	1780.	8.	H.♄.	Pall. ros. 2. t. 77. 78.
2	Pandèri. w.	(gr.wh.)	Fischer's.	———	1824.	7. 9.	H.♄.	
3	comòsum. p.s.	(gr.wh.)	tufted.	Persia.	1829.	....	H.♄.	
KŒNI'GIA. W.			Kœni'gia.	Triandria Trigynia. L.				
	islándica. w.	(gr.)	Iceland.	Iceland.	1773.	4.	H.⊙.	Lam. ill. gen. t. 51.

ORDO CLXX.

LAURINÆ. *Brown prodr. p.* 401.

LA'URUS. W.		**La'urus.** Enneandria Monogynia. L.						
1 nòbilis. W.	(*gr.ye.*)	Sweet Bay.	S. Europe.	1561.	4. 5.	H. ♄.		Flor. græc. t. 365.
β undulàta.	(*gr.ye.*)	*wave-leaved.*	———	——	——	H. ♄.		
γ salicifòlia.	(*gr.ye.*)	*Willow-leaved.*	———	——	——	H. ♄.		
δ variegàta.	(*gr.ye.*)	*variegated.*	———	——	——	H. ♄.		
2 coriàcea. S.S.	(*gr.ye.*)	leathery-leaved.	Jamaica.	1822.	....	S. ♄.		
3 salicifòlia. S.S.	(*gr.*)	Willow-leaved.	W. Indies.	——	....	S. ♄.		
4 Catesb'æi. P.S.	(*wh.*)	Catesby's.	Florida.	1811.	4. 6.	F. ♄.		Catesb. car. 1. t. 25.
5 carolinénsis. M.	(*gr.ye.*)	Carolina.	N. America.	1806.	——	F. ♄.		——— 1. t. 68.
α glàbra.	(*gr.ye.*)	*smooth-leaved.*	———	——	——	F. ♄.		
β pubéscens.	(*gr.ye.*)	*downy.*	———	——	——	F. ♄.		
γ obtùsa.	(*gr.ye.*)	*blunt-leaved.*	———	——	——	F. ♄.		
6 Borbònia. W.	(*gr.ye.*)	Bourbon.	S. America.	1739.	——	F. ♄.		Plum. gen. 4.
7 thyrsifòra. S.S.	(*gr.ye.*)	bunch-flowered.	Madagascar.	1824.	....	S. ♄.		
8 índica. W.	(*gr.ye.*)	royal bay.	Madeira.	1665.	10. 8.	G. ♄.		Pluk. alm. t. 304. f. 1.
9 f'œtens. W.	(*gr.ye.*)	Madeira or Til.	———	1760.	——	G. ♄.		
10 canariénsis. W.en.	(*st.*)	Canary.	Canaries.	1815.	——	G. ♄.		
11 aggregàta. B.M.	(*wh.*)	clustered.	China.	1812.	——	S. ♄.		Bot. mag. t. 2497.
12 Chloróxylon. W.	(*gr.ye.*)	Cogwood-tree.	Jamaica.	1778.	....	S. ♄.		Brown. jam. t. 7. f. 1.
13 péndula. W.	(*gr.ye.*)	pendulous.	———	1822.	....	S. ♄.		
14 glaùca. W.	(*gr.ye.*)	glaucous.	Japan.	1806.	....	G. ♄.		
15 æstivàlis. W.	(*gr.ye.*)	veined-leaved.	N. America.	1765.	4. 5.	G. ♄.		
16 Benzóin. W.	(*gr.ye.*)	Benjamin-tree.	———	1683.	——	H. ♄.		Comm. hort. 1. t. 97.
17 Dióspyrus. P.S.	(*gr.ye.*)	twiggy.	———	1810.	——	H. ♄.		Bot. mag. t. 1470.
18 geniculàta. M.	(*gr.ye.*)	flexuose.	———	1759.	——	H. ♄.		——— t. 1471.
19 Sássafras. W.	(*gr.ye.*)	Sassafras-tree.	———	1633.	5. 6.	H. ♄.		Catesb. car. 1. t. 55.
20 álbida. N.	(*gr.ye.*)	white Sassafras.	———	....	——	H. ♄.		
PE'RSEA. G.		**Alligator-Pear.** Enneandria Monogynia. S.S.						
gratíssima. G.	(*st.*)	common.	W. Indies.	1739.	4. 6.	S. ♄.		Bot. reg. t. 1258.
Laùrus Pérsea. W.								
CINNAM'OMUM. B.P.		**Cinnamon.** Enneandria Monogynia.						
1 Cássia. S.S.	(*gr.*)	pubescent.	E. Indies.	1768.	5. 9.	S. ♄.		Andr. reposit. t. 596.
Laùrus Cinnamòmum. A.R. *Pérsea Cássia.* S.S.								
2 vèrum.	(*gr.*)	true.	Ceylon.	1768.	6. 9.	S. ♄.		Bot. mag. t. 1686.
Laùrus Cássia. B.M. *Pérsea Cinnamòmum.* S.S.								
3 dúlcis. S.S.	(*gr.wh.*)	sweet.	E. Indies.	1824.	....	S. ♄.		
4 nítidum. H.E.F.	(*gr.*)	glossy-leaved.	Sumatra.	——	6. 9.	S. ♄.		Hook. ex. flor. t. 176.
5 Bejolghòta.	(*gr.*)	square-branch'd.	E. Indies.	1805.	....	S. ♄.		
Laùrus Bejolghòta. L.T. *Laùrus malabáthrica.* H.B?								
6 Culitlàban.	(*gr.*)	three-flowered.	Moluccas.	....	....	S. ♄.		Rumph. amb. 2. t. 14.
Laùrus Culitlàban. H.B.								
7 grácile. Hort.	(*gr.*)	slender.	E. Indies.	1805.	....	S. ♄.		
8 Camphòra.	(*wh.*)	Camphire-tree.	Japan.	1727.	3. 6.	G. ♄.		Bot. mag. t. 2658.
Laùrus Camphòra. B.M. *Pérsea Camfòra.* S.S.								
OC'OTEA. K.S.		**Oc'otea.** Dodecandria Monogynia.						
psychotrioídes. K.S.	(*gr.*)	spear-leaved.	Mexico.	1828.	....	G. ♄.		
CRYPTOC'ARYA. B.P.		**Cryptoc'arya.** Dodecandria Monogynia.						
1 glaucéscens. B.P.	(*gr.*)	glaucous-leaved.	N. S. W.	1820.	....	G. ♄.		
2 obovàta. B.P.	(*gr.*)	obovate-leaved.	———	1823.	....	G. ♄.		
TETRANTH'ERA. B.P.		**Tetranth'era.** Diœcia Enneandria.						
1 laurifòlia. B.R.	(*gr.wh.*)	Laurel-leaved.	Japan.	1823.	1. 5.	G. ♄.		Bot. reg. t. 893.
2 apetàla. B.P.	(*gr.wh.*)	petalless.	E. Indies.	——	——	G. ♄.		Roxb. corom. 2. t. 147.
3 dealbàta. B.P.	(*gr.*)	white-leaved.	N. S. W.	1824.	....	G. ♄.		
4 involucràta. Rox.	(*gr.*)	involucred.	E. Indies.	1820.	1. 5.	G. ♄.		
CASS'YTHA. L.		**Cass'ytha.** Dodecandria Monogynia.						
1 filifórmis. L.	(*wh.*)	slender.	C. B. S.	....	5. 8.	G. ♃. ⌣.		Rumph. amb. 5. t. 184. f. 4
2 glabélla. B.P.	(*wh.*)	smooth.	N. S. W.	1822.	——	G. ♃. ⌣.		
3 paniculàta. B.P.	(*wh.*)	panicled.	———	1824.	——	G. ♃. ⌣.		

LAURINIS AFFINE.

GYROCA'RPUS. B.P.	GYROCA'RPUS. Polygamia Monœcia.						
1 americànus. W.	(*ye.*) American.	W. Indies.	1816.	....	S. ½.	Jacq. amer. t. 178. f. 80.
2 asiáticus. W. *Jacquini.* R.C.	(*ye.*) Asiatic.	E. Indies.	1812.	....	S. ½.	Roxb. corom. 1. t. 1.
HERNA'NDIA. L.	JACK IN A BOX. Monœcia Triandria. L.						
1 sonòra. W.	(*wh.*) peltate-leaved.	W. Indies.	1693.	....	S. ½.	Rumph. amb. 2. t. 85.
2 guianénsis. W.	(*wh.*) Guiana.	Guiana.	1823.	....	S. ½.	Aub. gui. 2. t. 269.
3 ovígera. W.	(*wh.*) oval-leaved.	E. Indies.	1820.	....	S. ½.	Rumph. amb. 3. t. 123.

ORDO CLXXI.

MYRISTICÆÆ. *Brown prodr. p.* 399.

MYRI'STICA. W.	NUTMEG. Dioecia Monadelphia. L.					
1 moschàta. W. *officinàlis.* H.E.F.	(*ye.*) true. *aromática.* Lam.	E. Indies.	1795.	....	S. ½.	Hook. ex. flor. t. 155-156
2 sebífera. s.s.	(*ye.*) woolly-fruited.	S. America.	1829.	....	S. ½.	
3 fátua. s.s.	(*ye.*) tasteless.	Surinam.	1812.	....	S. ½.	Pluk. alm. t. 250. f. 6.

ORDO CLXXII.

PROTEACEÆ. *Brown Linn. trans.* 10. *p.* 46.

A'ULAX. P.L.	A'ULAX. Dioecia Tetrandria. H.K.					
1 pinifòlia. L.T. *Prótea pinifólia.* A.R.	(*ye.*) Pine-leaved.	C. B. S.	1780.	7. 9.	G. ½.	Andr. reposit. t. 76.
2 umbellàta. L.T.	(*ye.*) umbelled.	———	1774.	6. 8.	G. ½.	Andr. reposit. t. 248.
LEUCADE'NDRON. L.T.	LEUCADE'NDRON. Dioecia Tetrandria. H.K.					
1 argénteum. L.T. *Prótea argéntea.* W.	(*st.*) Silver-tree.	C. B. S.	1693.	6. 8.	G. ½.	Bot. reg. t. 979.
2 plumòsum. L.T. *Prótea parvifòra.* Th.	(*ye.*) feathered.	———	1774.	——	G. ½.	Thunb. diss. 40. t. 4.
3 retùsum. L.T.	(*ye.*) retuse-leaved.	———	1825.	——	G. ½.	
4 spathulàtum. L.T.	(*ye.*) spathulate.	———	1812.	6. 8.	G. ½.	
5 angustàtum. L.T.	(*ye.*) narrow-leaved.	———	1824.	——	G. ½.	
6 imbricàtum. L.T.	(*ye.*) imbricated.	———	1790.	——	G. ½.	
7 buxifòlium. L.T.	(*ye.*) Box-leaved.	———	1812.	——	G. ½.	Wend. h. herr. t. 14?
8 Levisànus. L.T.	(*ye.*) short-leaved.	———	1774.	4. 6.	G. ½.	——— t. 1.
9 linifòlium. L.T.	(*ye.*) Flax-leaved.	———	1809.	——	G. ½.	Jacq. schœn. 1. t. 26.
10 stellàtum. *Prótea stellàris.* B.M.	(*ye.*) starry. *squarròsa.* K.P.	———	——	5. 6.	G. ½.	Bot. mag. t. 881.
11 fusciflòrum. L.T.	(*br.*) brown-flowered.	———	1812.	——	G. ½.	Jacq. schœnb. 1. t. 27.
12 tórtum. L.T.	(*ye.*) twisted-leaved.	———	1790.	3. 5.	G. ½.	Bot. reg. t. 826.
13 cinèreum. L.T.	(*ye.*) gray-leaved.	———	1774.	7. 8.	G. ½.	
14 corymbòsum. L.T.	(*ye.*) corymbed.	———	1790.	4. 7.	G. ½.	Bot. reg. t. 402.
15 decòrum. L.T.	(*ye.*) decorous.	———	——	5. 8.	G. ½.	
16 squarròsum. L.T. *Prótea strobilìna.* L.	(*ye.*) squarrose.	———	1812.	——	G. ½.	Boerh. lug. 2. p. 197. c. ic.
17 cóncolor. L.T. *Prótea globòsa.* B.M.	(*ye.*) one-coloured. 878. *strobilìna.* Schrad. s. han. 1. t. 1.	———	1774.	3. 6.	G. ½.	Andr. reposit. t. 207.
18 grandiflòrum. L.T.	(*ye.*) great-flowered.	C. B. S.	1789.	4. 6.	G. ½.	Sal. par. lond. t. 165.
19 ovàle. L.T.	(*ye.*) oval-leaved.	———	1818.	——	G. ½.	
20 venòsum. L.T.	(*ye.*) veined-leaved.	———	1815.	——	G. ½.	
21 decúrrens. L.T.	(*ye.*) decurrent.	———	1812.	6. 8.	G. ½.	
22 glábrum. L.T.	(*ye.*) smooth.	———	——	3. 6.	G. ½.	

23	strictum. L.T.	(ye.)	upright.	C. B. S.	1795.	4. 6.	G. ½.	Sal. par. lond. t. 75.
	Eurysperm̃um salicifòlium. P.L. *Prètea conifera.* Andr. rep. t. 541.							
24	virgàtum. L.T.	(ye.)	slender.	C. B. S.	....	——	G. ½.	
25	adscéndens. L.T.	(ye.)	ascending.	——	1774.	6. 8.	G. ½.	Pluk. mant. t. 229. f. 6.
26	concinnum. L.T.	(ye.)	neat.	——	1800.	——	G. ½.	
27	salignum. L.T.	(ye.)	Willow-leaved.	——	1774.	4. 6.	G. ½.	Boer. lugd. 2. p. 204. ic.
28	uliginòsum. L.T.	(ye.)	swamp.	——	1795.	——	G. ½.	Breyn. cent. 21. t. 9.
29	flòridum. L.T.	(ye.)	florid.	——	——	——	G. ½.	Pluk. phyt. t. 229. f. 4.
	Prètea salígna mss. *et* fem. Andr. rep. t. 572?							
30	platyspérmum. L.T.	(ye.)	flat-seeded.	——	1818.	——	G. ½.	
31	comòsum. L.T.	(ye.)	tufted.	——	1812.	5. 8.	G. ½.	
32	æmulum. L.T.	(ye.)	related.	——	1789.	6. 9.	G. ½.	
	Prètea incúrva. Andr. rep. t. 429.							
33	abietìnum. L.T.	(ye.)	Pine-leaved.	——	——	7. 9.	G. ½.	Andr. reposit. t. 461.
	Prètea teretifòlia. Andr. rep. t. 461.							
34	scábrum. L.T.	(ye.)	rough.	——	1812.	4. 6.	G. ½.	
35	sericeum. L.T.	(ye.)	silky-leaved.	——	1818.	——	G. ½.	
36	Globulària. L.T.	(ye.)	globe-headed.	——	1810.	——	G. ½.	Lam. ill. 1. t. 53.
37	pubéscens. L.T.	(ye.)	pubescent.	——	1822.	——	G. ½.	
38	ericifòlium. L.T.	(ye.)	Heath-leaved.	——	——	——	G. ½.	
39	infléxum. L.en.	(ye.)	inflexed.	——	1812.	——	G. ½.	
40	candàtum. L.en.	(ye.)	tailed.	——	——	——	G. ½.	
41	marginàtum. L.en.	(ye.)	villous-margined.	——	1818.	——	G. ½.	
42	crassifòlium. L.T.	(ye.)	thick-leaved.	——	1816.	——	G. ½.	
43	cartilagìneum. L.T.	(ye.)	bony-margined.	——	——	——	G. ½.	
PETRO'PHILA. L.T.			PETRO'PHILA.	Tetrandria Monogynia. R.S.				
1	teretifòlia. L.T.	(wh.)	round-leaved.	N. Holland.	1824.	....	G. ½.	
2	filifòlia. L.T.	(wh.)	thread-leaved.	——	——	....	G. ½.	
3	aciculàris. L.T.	(wh.)	needle-leaved.	——	——	....	G. ½.	
4	pulchélla. L.T.	(wh.)	Fennel-leaved.	N. S. W.	1790.	7. 8.	G. ½.	Bot. mag. t. 796.
5	pedunculàta. L.T.	(st.)	peduncled.	——	1824.	4. 8.	G. ½.	
6	diversifòlia. L.T.	(wh.)	various-leaved.	N. Holland.	1803.	4. 6.	G. ½.	
7	trífida. L.T.	(wh.)	trifid-leaved.	——	1824.	....	G. ½.	
ISOPO'GON. L.T.			ISOPO'GON.	Tetrandria Monogynia. R.S.				
1	teretifòlius. L.T.	(wh.)	round-leaved.	N. Holland	1824.	4. 8.	G. ½.	
2	anethifòlius. L.T.	(wh.)	Dill-leaved.	N. S. W.	1796.	3. 6.	G. ½.	Cavan. ic. 6. t. 549.
3	formòsus. L.T.	(li.)	handsome.	N. Holland.	1805.	——	G. ½.	Bot. reg. t. 1288.
4	anemonifòlius. L.T.	(st.)	Anemone-leav'd.	N. S. W.	1791.	7. 9.	G. ½.	Bot. mag. t. 697.
5	divaricàtus. A.R.	(ye.)	spreading.	——	——	——	G. ½.	Andr. rep. t. 465.
6	trilòbus. L.T.	(wh.)	three-lobed.	N. Holland.	1803.	5. 6.	G. ½.	
7	longifòlius. L.T.	(ye.)	long-leaved.	——	1820.	——	G. ½.	Bot. reg. t. 900.
8	propínquus. M.C.	(ye.)	related.	——	1824.	....	G. ½.	
9	attenuàtus. L.T.	(wh.)	attenuated.	——	——	5. 6.	G. ½.	
10	polycéphalus. L.T.	(wh.)	many-headed.	——	——	....	G. ½.	
11	axillàris. L.T.	.....	axillary.	——	——	....	G. ½.	
PR'OTEA. L.T.			PR'OTEA.	Tetrandria Monogynia. L.				
1	cynaroìdes. L.T.	(re.)	Artichoke-fld.	C. B. S.	1774.	11. 8.	G. ½.	Bot. mag. t. 770.
2	latifòlia. L.T.	(sc.)	ray-flowered.	——	1806.	7. 9.	G. ½.	—— t. 1717.
	a coccínea.	(sc.)	*scarlet-flower'd.*	——	——	——	G. ½.	Andr. reposit. t. 646.
	β viridiflòra.	(gr.)	*green-flowered.*	——	——	——	G. ½.	—— t. 646.
3	compácta. L.T.	(pu.)	compact.	——	1810.	——	G. ½.	
4	longiflòra. L.T.	(st.)	long-flowered.	——	1795.	1. 4.	G. ½.	Sm. exot. bot. 2. t. 81.
	ochroleùca. Sm. *lucticolor.* Par. lond. t. 27.							
5	coccínea. L.T.	(sc.)	scarlet-flowered.	——	1810.	5. 6.	G. ½.	
6	speciòsa. L.T.	(wh.br.)	splendid.	——	1786.	3. 6.	G. ½.	Knight's prot. c. ic.
7	obtùsa.	(pu. pi.)	obtuse.	——	——	——	G. ½.	Andr. reposit. t. 110.
	speciòsa. B.M. 1183. *Erodéndrum obtùsum.* K.P.							
8	macrophy'lla. L.T.	(wh.)	large-leaved.	——	1810.	——	G. ½.	
9	formòsa. L.T.	(sc.)	handsome.	——	1789.	5. 6.	G. ½.	Bot. mag. t. 1718.
	coronàta. A.R. 469. *Erodéndrum formòsum.* Par. lond. t. 76.							
10	melaleùca. L.T.	(bk.)	black-fringed.	——	1786.	3. 7.	G. ½.	Andr. reposit. t. 103.
11	Lepidocárpon. L.T.	(bk.)	crested.	——	1806.	——	G. ½.	Wein. phyt. 4. t. 395.
12	neriifòlia. L.T.	(pu.)	Oleander-leaved.	——	——	3. 4.	G. ½.	Bot. reg. t. 208.
13	pulchélla. L.T.	(pu.)	wave-leaved.	——	1795.	3. 8.	G. ½.	—— t. 20.
	a ciliàta.	(pu.bk.)	*fringe-leaved.*	——	——	——	G. ½.	Andr. reposit. t. 270.
	β glábra.	(pu.bk.)	*smooth-leaved.*	——	——	——	G. ½.	—— t. 277.
	γ speciòsa.	(pu.bk.)	*specious.*	——	——	——	G. ½.	—— t. 442.
14	pátens. L.T.	(st.bk.)	spreading.	——	1789.	3. 6.	G. ½.	—— t. 548.
15	magnífica. A.R.	(pu.bk.)	magnificent.	——	——	——	G. ½.	—— t. 438.

16 incómpta. L.T. (*wh.*) villous-branched. C. B. S. — 1807. 5. 7. G. ♄.
17 longifòlia. L.T. (*st.bk.*) long-leaved. — 1798. 3. 8. G. ♄. Bot. reg. t. 47.
18 umbonàlis. (*st.pu.*) embossed. — — — G. ♄. Andr. reposit. t. 144.
longifòlia. var. *cono turbinato.* A.R. *Erodéndrum umbonàle.* K.P.
19 ligulæfòlia. (*st.pu.*) strap-leaved. — 1798. 3. 8. G. ♄. Andr. reposit. t. 133.
longifòlia ferrugíneo-purpùrea. A.R. *Erodéndrum ligulæfòlium.* K.P.
20 mellífera. L.T. (*ro.wh.*) honey-bearing. — 1774. 12. 5. G. ♄. Bot. mag. t. 346.
β álba. (*wh.*) *white-flowered.* — — — G. ♄. Andr. reposit. ic.
21 grandiflòra. L.T. (*ro.w.*) great-flowered. — 1787. 5. 6. G. ♄. Bot. mag. t. 2447.
β marginàta. (*ro.wh.*) *red margined.* — — — G. ♄. Bot. reg. t. 569.
22 Scólymus. L.T. (*ro.wh.*) small-flowered. — 1780. — G. ♄. Bot. mag. t. 698.
23 mucronifòlia. L.T. (*wh.ro.*) dagger-leaved. — 1803. 7. 12. G. ♄ Andr. rep. t. 500.
24 nàna. L.T. (*cr.*) dwarf. — 1787. 4. 7. G. ♄. Sm. exot. bot. 1. t. 44.
rosàcea. Sm. *acuifòlia.* Par. lond. t. 2.
25 péndula. L.T. (*wh.gr.*) pendulous. — 1806. 3. 6. G. ♄.
26 tènax. L.T. (*st.*) tough. — 1801. 2. 5. G. ♄. Sal. par. lond. t. 70.
27 canaliculàta. L.T. (*pi.*) channel-leaved. — 1800. 12. 2. G. ♄. Andr. reposit. t. 437.
28 acuminàta. B.M. (*cr.*) sharp-pointed. — 1809. 3. 6. G. ♄. Bot. mag. t. 1694.
29 acaùlis. L.T. (*st.br.*) short-stalked. — 1802. 5. 9. G. ♄. Wein. phyt. 4. t. 898.
30 glaucophy'lla. P.L. (*st.br.*) glaucous-leaved. — — 7. 9. G. ♄. Sal. par. lond. t. 11.
31 elongàta. L.T. (*st.br.*) elongated. — 1810. — G. ♄.
32 angustàta. L.T. (*st.*) narrow-leaved. — 1809. — G. ♄.
33 revolùta. L.T. (*wh.*) revolute-leaved. — 1818. — G. ♄.
34 tenuifòlia. L.T. (*wh.br.*) slender-leaved. — 1816. — G. ♄.
35 l'ævis. L.T. (*ro.gr.*) smooth-leaved. — 1806. 5. 7. G. ♄. Bot. mag. t. 2439.
longifòlia. Par. lond. t. 37.
36 scábra. L.T. (*wh.br.*) rough-leaved. — 1809. — G. ♄.
37 répens. L.T. (*re.wh.*) creeping. — 1800. 6. 8. G. ♄. Wein. phyt. 4. t. 897.a.
38 lòrea. L.T. (*wh.*) thong-leaved. — 1812. — G. ♄.
39 turbiniflòra. L.T. (*ro.*) turfy. — 1803. 4. 5. G. ♄. Sal. par. lond. t. 103.
40 Scolopéndrium. L.T. (*wh.br.*) Hart's-tongue. — 1802. — G. ♄.
41 cordàta. L.T. (*cr.*) heart-leaved. — 1790. 3. 5. G. ♄. Andr. reposit. t. 289.
42 amplexicaùlis. L.T. (*re.*) stem-clasping. — 1802. 1. 3. G. ♄. Sal. par. lond. t. 67.
43 hùmilis. L.T. (*pu.*) low-flowering. — — 6. 8. G. ♄. Andr. reposit. t. 533.
44 aceròsa. L.T. (*cr.*) Pine-leaved. — 1803. 3. 5. G. ♄. Bot. reg. t. 351.

LEUCOSPE'RMUM. L.T. Leucospe'rmum. Tetrandria Monogynia. R.S.
1 lineàre. L.T. (*ye.*) linear-leaved. C. B. S. — 1774. 8. 9. G. ♄. Thunb. dis. n. 35. t. 4.
2 attenuàtum. L.T. (*ye.*) attenuated. — 1810. — G. ♄.
3 Tóttum. L.T. (*ye.*) smooth-bracted. — 1774. 6. 8. G. ♄.
4 mèdium. L.T. (*ye.*) oval-leaved. — 1794. — G. ♄. Andr. reposit. t. 17?
Prótea formòsa. A.R. ?
5 ellípticum. L.T. (*ye.*) elliptic. — 1803. 5. 8. G. ♄.
6 Conocárpum. L.T. (*go.*) many-toothed. — 1774. — G. ♄. Boer. lugd. 2. p. 196. ic.
7 grandiflòrum. L.T. (*go.*) great-flowered. — 1800. 5. 7. G. ♄. Sal. par. lond. t. 116.
Leucadéndron grandiflòrum. P.L.
8 pùberum. L.T. (*ye.*) downy-leaved. — 1774. 5. 8. G. ♄.
9 buxifòlium. L.T. (*ye.*) Box-leaved. — 1822. — G. ♄.
10 pátulum. L.T. (*ye.*) spreading. — 1816. — G. ♄.
11 spathulàtum. L.T. (*ye.*) spathulate. — 1810. — G. ♄.
12 tomentòsum. K.P. (*ye.*) cottony. — 1789. 8. 9. G. ♄.
13 párile. K.P. (*ye.*) matched. — 1790. — G. ♄.
14 cándicans. (*or.*) Rose-scented. — — — G. ♄. Andr. reposit. t. 294.
Prótea cándicans. A.R.
15 Hypophy'llum. L.T. (*ye.*) trifid-leaved. — 1787. — G. ♄. Pluk. mant. t. 440. f. 3.
16 crinìtum. L.T. (*ye.li.*) villous-bracted. — 1824. .... G. ♄.
17 oleæfòlium. L.T. (*ye.*) Olive-leaved. — 1822. 4. 6. G. ♄.
18 diffùsum. L.T. (*ye.*) diffuse. — 1823. — G. ♄.

MIM'ETES. L.T. Mim'etes. Tetrandria Monogynia. R.S.
1 hírta. L.T. (*ye.cr.*) hairy. C. B. S. 1774. 6. 8. G. ♄. Wein. phyt. 4. t. 899. f. a.
2 capitulàta. L.T. (*re.*) small-headed. — 1822. — G. ♄.
3 pauciflòra. L.T. (*re.*) few-flowered. — 1816. — G. ♄.
4 palústris. K.P. (*re.*) marsh. — 1802. — G. ♄. Boer. lugd. 2. p. 194. ic.
5 cucullàta. L.T. (*re.*) three-toothed. — 1789. .... G. ♄. Pluk. alm. t. 304. f. 6.
Prótea cucullàta. W.
6 Hartògii. L.T. (*re.*) woolly-leaved. — 1810. .... G. ♄. Wein. phyt. 4. t. 906. a.
7 divaricàta. L.T. (*wh.*) divaricate. — 1795. 6. 9. G. ♄.
8 vacciniifòlia. (*re.wh.*) Vaccinium-leaved. — 1800. — G. ♄.
Diastélla vacciniifòlia. K.P.
9 purpùrea. L.T. (*pu.*) Heath-leaved. — 1789. 11. 12. G. ♄.

SERR'URIA. L.T.		**Serr'uria.**	**Tetrandria Monogynia.**		**R.S.**		
1 acrocárpa. L.T.	(*li.*)	sharp-fruited.	C. B. S.	1822.	4. 6.	G. h.	
2 elevàta. L.T.	(*li.*)	sandy-hill.	———	1821.	——	G. h.	
3 Aitòni. L.T.	(*li.*)	Aiton's.	———	1823.	——	G. h.	
4 diffùsa. L.T.	(*li.*)	diffuse.	———	1810.	6. 8.	G. h.	
5 abrotanifòlia. K.P.	(*li.*)	Southernwood-leaved.	—	1803.	——	G. h.	Andr. reposit. t. 522.
Pròtea abrotanifòlia hírta. A.R.							
6 millefòlia. K.P.	(*li.*)	thousand-leaved.	———	——	——	G. h.	Andr. reposit. t. 337.
7 artemisiæfòlia. K.P.	(*li.*)	Wormwood-leaved.	——	1789.	——	G. h.	——— t. 264.
8 pinnàta. L.T.	(*li.*)	slender.	———	1803.	——	G. h.	——— t. 512.
9 arenària. L.T.	(*li.*)	sand.	———	——	——	G. h.	
10 cyanoídes. L.T.	(*li.*)	trifid-leaved.	———	——	——	G. h.	Pluk. mant. t. 345. f. 6.
11 scariòsa. L.T.	(*li.*)	scaly-bracted.	———	1816.	5. 7.	G. h.	
12 pedunculàta. L.T.	(*li.*)	woolly-headed.	———	1789.	5. 8.	G. h.	Andr. reposit. t. 264.
Pròtea glomeràta. A.R.							
13 scopària. L.T.	(*li.*)	Broom.	———	1809.	——	G. h.	
14 Nivèni. L.T.	(*li.*)	Niven's.	———	1800.	——	G. h.	Andr. reposit. t. 349.
Pròtea decúmbens. A.R. *non* Th.							
15 villòsa. L.T.	(*li.*)	villous.	———	1810.	4. 7.	G. h.	
16 fœniculàcea L.T.	(*li.*)	Fennel-leaved.	———	1816.	——	G. h.	
17 ciliàta. L.T.	(*li.*)	ciliated.	———	1803.	——	G. h.	
18 congésta. L.T.	(*li.*)	crowded.	———	1816.	——	G. h.	
19 squarròsa. L.T.	(*li.*)	squarrose.	———	1810.	——	G. h.	
20 phylicoídes. L.T.	(*li.*)	Phylica-flowered.	———	1788.	——	G. h.	Andr. reposit. t. 507. f. 4.
Pròtea abrotanifòlia. A.R.							
21 ænula. L.T.	(*li.*)	grey-branched.	———	1803.	——	G. h.	
22 párilis. K.P.	(*li.*)	matched.	———	——	——	G. h.	Andr. reposit. t. 507.
23 odoràta.	(*li.*)	sweet-scented.	———	——	——	G. h.	——— t. 545.
Pròtea abrotanifòlia odoràta. A.R.							
24 emarginàta.	(*li.*)	emarginate.	———	1800.	——	G. h.	Andr. reposit. t. 536.
arenária. K.P. *non* Br. *abrotanifolia minor.* A.R.							
25 decúmbens. L.T.	(*li.*)	decumbent.	———	1816.	——	G. h.	Thunb. diss. 1. t. 1.
26 flagellàris. L.T.	(*li.*)	procumbent.	———	——	——	G. h.	
27 glomeràta. L.T.	(*li.*)	many-headed.	———	1789.	——	G. h.	Burm. afr. t. 99. f. 2.
28 decípiens. L.T.	(*li.*)	decipient.	———	1806.	——	G. h.	
29 Roxbúrghii. L.T.	(*li.*)	Roxburgh's.	———	——	——	G. h.	
30 Burmánni. L.T.	(*li.*)	Burmann's.	———	1786.	——	G. h.	Burm. afr. t. 99. f. 1.
Pròtea Serrària. L.							
31 triternàta. L.T.	(*wh.*)	silvery-flowered.	———	1802.	——	G. h.	Andr. reposit. t. 447.
Pròtea argentifòlia. A.R.							
32 elongàta. L.T.	(*li.*)	long-peduncled.	———	1800.	——	G. h.	
33 crithmifòlia. L.T.	(*li.*)	Samphire-leaved.	———	1816.	——	G. h.	
NIV'ENIA. L.T.		**Niv'enia.**	**Tetrandria Monogynia.**		**R.S.**		
1 Scéptrum. L.T.	(*pu.*)	sceptre-like.	C. B. S.	1790.	5. 6.	G. h.	Sparm. a. st. 1777. t. 1.
2 spathulàta. L.T.	(*pu.*)	maiden hair-leaved.	——	——	7. 8.	G. h.	Thunb. dis. n. 58. t. 5.
3 parvifòlia. L.T.	(*pu.*)	small-leaved.	———	1810.	——	G. h.	Thunb. t. 5. quoad fig.
4 spicàta. L.T.	(*pu.*)	spiked.	———	1786.	6. 8.	G. h.	
5 crithmifòlia. L.T.	(*pu.*)	Samphire-leaved.	———	1797.	——	G. h.	Andr. reposit. t. 243.
Pròtea Lagòpus. A.R. *non* Thunb.							
6 mèdia. L.T.	(*bh.*)	middle.	———	1803.	——	G. h.	Andr. reposit. t. 234?
Pròtea spicàta. A.R.?							
7 Lagòpus. L.T.	(*pu.*)	Hare's-foot.	———	1810.	——	G. h.	
SOROCE'PHALUS. L.T.		**Soroce'phalus.**	**Tetrandria Monogynia.**		**R.S.**		
1 imbérbis. L.T.	(*pu.*)	smooth.	C. B. S.	1806.	6. 8.	G. h.	
2 spatalloídes. L.T.	(*pu.*)	club-bearing.	———	1803.	——	G. h.	
3 tenuifòlia. L.T.	(*pu.*)	slender-leaved.	———	1802.	——	G. h.	
4 lanàtus. L.T.	(*pu.*)	woolly.	———	1790.	6. 9.	G. h.	Thunb. dis. n. 30. t. 3.
5 imbricàtus. L.T.	(*ro.*)	imbricated.	———	1794.	4. 7.	G. h.	Andr. reposit. t. 517.
6 diversifòlius. L.T.	(*pu.*)	various-leaved.	———	1807.	——	G. h.	
SPATA'LLA. L.T.		**Spata'lla.**	**Tetrandria Monogynia.**		**R.S.**		
1 pedunculàta. L.T.	(*pu.*)	long-peduncled.	C. B. S.	1822.	4. 8.	G. h.	
2 nívea. L.T.	(*li.*)	snowy-bearded.	———	1806.	4. 8.	G. h.	
3 ramulòsa. L.T.	(*pu.*)	branching.	———	1812.	——	G. h.	
4 bracteàta. L.T.	(*pu.*)	bracteate.	———	——	5. 9.	G. h.	
5 prolífera. L.T.	(*pu.*)	proliferous.	———	1800.	6. 8.	G. h.	Thunb. dis. n. 27. t. 4.
6 pyramidàlis. L.T.	(*pu.*)	pyramidal.	———	1821.	——	G. h.	
7 incúrva. L.T.	(*pu.*)	incurved-leaved.	———	1789.	5. 6.	G. h.	Thunb. dis. n. 22. t. 3.
8 caudàta. L.T.	(*pu.*)	tailed.	———	1812.	——	G. h.	——— sec. ic. t. 2.
9 Thunbérgii. L.T.	(*pu.*)	Thunberg's.	———	1806.	——	G. h.	

ADENA'NTHOS. L.T.		**Adena'nthos.** Tetrandria Monogynia.							
1 obovàta. L.T.	(*li.*)	obovate-leaved.	N. Holland.	1824.	....	G. ♄.	Labil. n. hol. 1. t. 87.
2 cuneàta. L.T.	(*li.*)	wedge-leaved.	———	———	....	G. ♄.	——— v. 1. t. 36.
3 sericea. L.T.	(*li.*)	silky-leaved.	———	———	....	G. ♄.	——— v. 1. t. 36.
CONOSPE'RMUM. L.T.		**Conospe'rmum.** Triandria Monogynia.							
1 ellípticum. L.T.	(*wh.*)	elliptic-leaved.	N. S. W.	1822.	5. 7.	G. ♄.	
2 taxifòlium. L.T.	(*st.*)	Yew-leaved.	———	1823.	4. 6.	G. ♄.	Bot. mag. t. 2924.
3 ericifòlium. L.T.	(*bh.*)	Heath-leaved.	———	1820.	———	G. ♄.	——— t. 2650.
4 longifòlium. L.T.	(*wh.*)	long-leaved.	———	1824.	....	G. ♄.	Sm. exot. bot. 2. t. 88.
5 acinacifòlium. Gr.	(*wh.*)	scymeter-leaved.	———	1824.	4. 6.	G. ♄.	
6 tenuifòlium. L.T.	(*wh.*)	slender-leaved.	———	———	———	G. ♄.	
AGAST'ACHYS. L.T.		**Agast'achys.** Tetrandria Monogynia. R.S.							
odoràta. L.T.	(*ye.*)	sweet-scented.	V.Diem.Isl.	1824.	4. 7.	G. ♄.	
PERSO'ONIA. L.T.		**Perso'onia.** Tetrandria Monogynia. R.S.							
1 teretifòlia. L.T.	(*ye.*)	round-leaved.	N. Holland.	1824.	5. 6.	G. ♄	
2 pinifòlia. L.T.	(*ye.*)	Pine-leaved.	N. S. W.	1818.	5. 7.	G. ♄.	Linn.trans.10. t.16. f.1.
3 juniperìna. L.T.	(*ye.*)	Juniper-leaved.	V.Diem.Isl.	1823.	———	G. ♄.	Lab. n. holl. 1. t. 45.
4 hirsùta. L.T.	(*ye.*)	hairy.	N. S. W.	1800.	———	G. ♄.	Lodd. bot. cab. t. 127.
5 móllis. L.T.	(*ye.*)	soft.	———	1818.	———	G. ♄.	
6 lineàris. L.T.	(*ye.*)	linear-leaved.	———	1794.	7. 8.	G. ♄.	Bot. mag. t. 760.
7 pállida. Gr.	(*st.*)	pale.	N. S. W.	1824.	9. 10.	G. ♄.	
8 lùcida. L.T.	(*ye.*)	shining.	———	———	6. 8.	G. ♄.	
9 flexifòlia. L.T.	(*ye.*)	bending-leaved.	———	1822.	———	G. ♄.	Lodd. bot. cab. 922.
10 chamæpítys. F.T.	(*ye.*)	ground-pine.	N. S. W.	1824.	———	G. ♄.	
11 scábra. L.T.	(*st.*)	rough.	N. Holland.	———	———	G. ♄.	
12 nùtans. L.T.	(*ye.*)	nodding.	N. S. W.	1821.	———	G. ♄.	
13 pruinòsa. M.C.	(*ye.*)	frosted.	N. Holland.	1824.	———	G. ♄.	
14 lanceolàta. L.T.	(*st.*)	spear-leaved.	———	1791.	6. 7.	G. ♄.	Andr. reposit. t. 74.
β latifòlia. B.P.	(*st.*)	*broad-leaved.*	———	———	———	G. ♄.	——— t. 280?
15 salicìna. L.T.	(*st.*)	Willow-leaved.	———	1795.	6. 7.	G. ♄.	Cavan. ic. 4. t. 389?
16 ferruginea. L.T.	(*ye.*)	ferruginous.	———	1818.	———	G. ♄.	Sm. exot. bot. 2. t. 83.
BRAB'EJUM. L.T.		**African Almond.** Polygamia Monœcia. L.							
stellatifòlium. L.T.		common.	C. B. S.	1731.	3. 4.	G. ♄.	Hou.n.h.par.2.t.6.f.37.
GREVI'LLEA. L.T.		**Grevi'llea.** Tetrandria Monogynia. R.S.							
1 punícea. L.T.	(*sc.*)	scarlet-flowered.	N. S. W.	1822.	4. 9.	G. ♄.	Bot. reg. t. 1319.
2 dùbia. L.T.	(*ro.*)	doubtful.	———	———	———	G. ♄.	
3 sericea. L.T.	(*ro.*)	silky.	———	1790.	———	G. ♄.	Bot. mag. t. 862.
4 lineàris. L.T.	(*li.*)	linear-leaved.	———	———	———	G. ♄.	Andr. reposit. t. 272.
α incarnàta. B.M.	(*pi.*)	*flesh-coloured.*	———	———	———	G. ♄.	Bot. mag. t. 2061.
β álba. B.C.	(*bh.*)	*white-flowered.*	———	———	———	G. ♄.	Lodd. bot. cab. t. 858.
5 stricta. L.T.	(*li.*)	upright.	———	1822.	———	G. ♄.	
6 ripària. L.T.	(*li.*)	river-side.	———	1791.	4. 5.	G. ♄.	
7 rosmarinifòlia. F.T.	(*li.*)	Rosemary-leaved.	———	1824.	———	G. ♄.	Swt. flor. aust. t. 30.
8 parvifòra. L.T.	(*st.*)	small-flowered.	———	1824.	———	G. ♄.	
9 juniperìna. L.T.	(*gr.st.*)	Juniper-like.	———	1821.	———	G. ♄.	Lodd. bot. cab. t. 1061.
10 concínna. L.T.	(*st.ro.*)	pretty.	N. Holland.	1824.	3. 8.	G. ♄.	Swt. flor. aust. t. 7.
11 arenària. L.T.	(*li.*)	sand.	N. S. W.	1803.	4. 9.	G. ♄.	
12 montàna. L.T.	(*gr.*)	mountain.	———	———	———	G. ♄.	
13 acuminàta. L.T.	(*gr.*)	acute-leaved.	———	1805.	———	G. ♄.	Swt. flor. aust. t. 55.
14 cinérea. L.T.	(*gr.*)	grey.	———	1821.	———	G. ♄.	Lodd. bot. cab. t. 857.
15 mucronulàta. L.T.	(*gr.*)	mucronulate.	———	1809.	———	G. ♄.	Swt. flor. aust. t. 38.
16 Bauèri. L.T.	(*bh.*)	Bauer's.	———	1823.	4. 8.	G. ♄.	Hook. ex. flor. t. 216.
pubèscens. Hooker, et Lodd. bot. cab. t. 1229.							
17 sulphùrea. F.T.	(*st.*)	sulphur-coloured.	———	1823.	———	G. ♄.	
18 sphacelàta. L.T.	(*br.*)	sphacelate.	———	1825.	———	G. ♄.	
19 phylicoídes. L.T.	(*br.*)	Phylica-like.	———	———	———	G. ♄.	
20 collìna. K.P.	(*br.*)	hill.	———	1812.	———	G. ♄.	
21 buxifòlia. L.T.	(*pu.*)	Box-leaved.	———	1790.	2. 9.	G. ♄.	Bot. reg. t. 443.
22 podalyriæfòlia. C.C.	(*pu.*)	Podalyria-leaved.	N. Holland.	1821.	5. 8.	I. ♄.	
23 podocarpifòlia.....		Podocarpus-leav'd.	———	1823.	....	I. ♄.	
24 berberifòlia. C.C.		Berberry-leaved.	———	———	———	I. ♄.	
25 acanthifòlia. F.T.	(*gr.*)	Acanthus-leaved.	———	———	———	I. ♄.	Bot. mag. t. 2907.
26 Gaudichàudii. B.	(*ye.*)	Gaudichaud's.	———	1823.	....	I. ♄.	
27 trifurcàta. C.C.		three-forked.	———	———	....	I. ♄.	
28 aspleniifòlia. L.T.	(*st.*)	Spleenwort-leaved.	N. S. W.	1806.	....	I. ♄.	
29 Flindérsii. M.C.		Flinders's.	N. Holland.	1823.	....	I. ♄.	
H'AKEA. L.T.		**H'akea.** Tetrandria Monogynia. R.S.							
1 pugioniformis. L.T.	(*wh.*)	dagger-fruited.	N. S. W.	1796.	5. 6.	G. ♄.	Lodd. bot. cab. t. 853.
2 párilis. K.P.	(*wh.*)	matched.	V. Diem. Isl.	———	———	G. ♄.	

3	epiglóttis. L.T.	(wk.)	curved-fruited.	V. Diem. Isl.	1822.	5. 6.	G. ħ.	Lab. nov. hol. 1. t. 60.
4	nodòsa. L.T.	(wk.)	knot-podded.	N. Holland.	1824.	——	G. ħ.	
5	flexilis. L.T.	(wk.)	bending.	——	——	——	G. ħ.	
6	obliqua. L.T.	(wk.)	oblique-flowered.	N. Holland.	1803.	6. 9.	G. ħ.	
7	subulàta. ψ.	(wk.)	awl-leaved.	——	1824.	——	G. ħ.	
8	petrophiloides. ψ.	(wk.)	Petrophila-like.	——	1825.	——	G. ħ.	
9	lissospérma. L.T.	(wk.)	smooth-seeded.	V. Diem. Isl.	1824.	——	G. ħ.	
10	gibbòsa. L.T.	(st.)	gibbous-fruited.	N. S. W.	1790.	5. 6.	G. ħ.	Cavan. ic. 6. t. 584.
11	aciculàris. L.T.	(wk.)	needle-leaved.	——	——	——	G. ħ.	Ventan. malm. t. 111.
	Cónchium aciculàre. V.							
12	suavèolens. L.T.	(wk.)	sweet-scented.	N. Holland.	1803.	11. 1.	G. ħ.	
13	Lambérti. N.L.F.	(wk.)	Lambert's.	——	1823.	——	G. ħ.	
14	microcárpa. L.T.	(wk.)	small-fruited.	V. Diem. Isl.	1818.	4. 8.	G. ħ.	Bot. reg. t. 475.
15	trifurcàta. L.T.	(wk.)	trifurcate.	N. Holland.	1824.	——	G. ħ.	
16	echinàta. ψ.	(wk.)	bristly-podded.	——	1825.	——	G. ħ.	
17	angustifòlia. ψ.	(wk.)	narrow-leaved.	——	1824.	——	G. ħ.	
18	lineàris. L.T.	(wk.)	linear-leaved.	——	——	——	G. ħ.	Swt. flor. anst. t. 43.
19	flòrida. L.T.	(wk.)	many-flowered.	——	1803.	5. 6.	G. ħ.	Bot. mag. t. 2579.
20	ilicifòlia. L.T.	(wk.)	Holly-leaved.	——	——	7. 9.	G. ħ.	
21	nítida. L.T.	(wk.)	glossy.	——	——	6. 8.	G. ħ.	Bot. mag. t. 2246.
22	amplexicàulis. L.T.	(wk.)	smooth-stalked.	——	——	....	G. ħ.	
23	prostràta. L.T.	(wk.)	pubescent.	——	——	....	G. ħ.	
24	ceratophy'lla. L.T.	(wk.)	horn-leaved.	——	——	....	G. ħ.	
25	acanthophy'lla. L.en.	(w.)	Acanthus-leaved.	——	——	....	G. ħ.	
26	undulàta. L.T.	(wk.)	wave-leaved.	——	——	6. 8.	G. ħ.	
27	repánda. ψ.	(wk.)	repand.	——	1824.	——	G. ħ.	
28	propínqua. F.T.	(wk.)	related.	——	1823.	——	G. ħ.	
29	oleifòlia. L.T.	(wk.)	Olive-leaved.	——	1794.	6. 7.	G. ħ.	
30	salígna. L.T.	(wk.)	Willow-leaved.	——	1791.	3. 7.	G. ħ.	Swt. flor. anst. t. 27.
31	marginàta. L.T.	(wk.)	marginate.	——	1824.	4. 7.	G. ħ.	
32	ruscifòlia. L.T.	(st.)	Ruscus-leaved.	——	——	——	G. ħ.	Lab. nov. holl. 1. t. 39.
33	cinèrea. L.T.	(wk.)	hoary-leaved.	——	1803.	6. 7.	G. ħ.	
34	canéscens. L. en.	(wk.)	canescent.	N. S. W.	1800.	6. 8.	G. ħ.	
35	dactyloides. L.T.	(wk.)	nerved-leaved.	——	1790.	——	G. ħ.	Cavan. ic. 6. t. 585.
36	ellíptica. L.T.	(wk.)	oval-leaved.	N. Holland.	1794.	——	G. ħ.	
37	ferrugínea. s.F.A.	(wk.)	rusty-stemmed.	——	1824.	4. 8.	G. ħ.	Swt. flor. anst. t. 45.
38	cuculiàta. ψ.	(wk.)	hollow-leaved.	——	——	——	G. ħ.	
39	clavàta. L.T.	(wk.)	clavate.	——	1824.	——	G. ħ.	Lab. nov. holl. 1. t. 41.
EMBO'THRIUM.			EMBO'THRIUM.	Tetrandria Monogynia.				
	strobilínum. Lab.	(st.)	cone-flowered.	N. Holland.	1824.	3. 6.	G. ħ.	Lab. nov. holl. 2. t. 265.
LAMBE'RTIA. L.T.			LAMBE'RTIA.	Tetrandria Monogynia. R.S.				
1	unifiòra. L.T.	(re.)	single-flowered.	N. Holland.	1824.	....	G. ħ.	Bauer ic. ined.
2	inérmis. L.T.	(er.)	unarmed.	——	——	....	G. ħ.	—— ic. ined.
3	formòsa. L.T.	(re.)	handsome.	N. S. W.	1788.	6. 8.	G. ħ.	Bot. reg. t. 528.
4	echinàta. L.T.	(re.)	lobe-leaved.	N. Holland.	1824.	....	G. ħ.	Bauer ic. ined.
XYLOM'ELUM. L.T.			WOODEN-PEAR-TREE.	Tetrandria Monogynia. R.S.				
	pyrifórme. L.T.	(wk.)	prickly-leaved.	N. S. W.	1789.	6. 8.	G. ħ.	Cavan. ic. 6. t. 586.
RHOP'ALA. L.T.			RHOP'ALA.	Tetrandria Monogynia. R.S.				
1	montàna. L.T.	(st.)	mountain.	Guiana.	1823.	4. 6.	S. ħ.	Aub. gui. 1. t. 32.
2	nítida. L.T.	(st.)	glossy.	——	1826.	....	S. ħ.	Rudge pl. gui. 1. t. 30.
3	dentàta. L.T.	(st.)	tooth-leaved.	——	1802.	5. 8.	S. ħ.	
4	sessilifòlia. L.T.	(st.)	sessile-leaved.	——	1803.	——	S. ħ.	Rudg. gui. 1. t. 31.
TELOP'EA. L.T.			WARATAH.	Tetrandria Monogynia. R.S.				
	speciosíssima. L.T.	(cr.)	splendid.	N. S. W.	1789.	5. 7.	G. ħ.	Bot. mag. t. 1128.
	Embóthrium speciosíssimum. B.M.							
LOM'ATIA. L.T.			LOM'ATIA.	Tetrandria Monogynia. R.S.				
1	silaifòlia. L.T.	(wk.)	cut-leaved.	N. S. W.	1792.	6. 8.	G. ħ.	Bot. mag. t. 1272.
2	tinctòria. L.T.	(st.)	various-leaved.	V. Diem. Isl.	1822.	——	G. ħ.	Lab. n. holl. 1. t. 42-43.
3	polymórpha. L.T.	(st.)	variable.	——	1823.	——	G. ħ.	
4	ilicifòlia. L.T.	(st.)	Holly-leaved.	N. Holland.	1824.	——	G. ħ.	
5	longifòlia. L.T.	(wk.)	long-leaved.	N. S. W.	1816.	5. 8.	G. ħ.	Bot. reg. t. 442.
6	dentàta. L.T.	(st.)	tooth-leaved.	Chile.	1824.	——	G. ħ.	Flor. peruv. 1. t. 94. a.
STENOCA'RPUS. L.T.			STENOCA'RPUS.	Tetrandria Monogynia. R.S.				
	salígnus. L.T.	(wk.)	sweet-scented.	N. S. W.	1815.	6. 9.	G. ħ.	Bot. reg. t. 441.
BOTRYC'ERAS. W.			BOTRYC'ERAS.	Tetrandria Monogynia. R.S.				
	laurinum. W.	(gr.)	Laurel-like.	N. Holland.	1820.	6. 9.	G. ħ.	W.m.b.1811. t.10. f.10.
BA'NKSIA. L.T.			BA'NKSIA.	Tetrandria Monogynia. R.S.				
1	pulchélla. L.T.	(st.)	small-flowered.	N. Holland.	1803.	2. 8.	G. ħ.	
2	sphærocárpa. L.T.	(st.)	round-fruited.	——	1803.	....	G. ħ.	

3	nùtans. L.T.	(st.)	nodding-flowered.	N.Holland.	1803.	4. 6.	G. ♄.	
4	ericifòlia. L.T.	(st.)	Heath-leaved.	N. S. W.	1788.	1. 12.	G. ♄.	Bot. mag. t. 736.
5	spinulòsa. L.T.	(st.)	spiny-leaved.	———	——	12. 5.	G. ♄.	Andr. reposit. t. 457.
6	collina. L.T.	(st.)	hill.	———	1800.	....	G. ♄.	
7	occidentàlis. L.T.	(st.)	west-coast.	N. Holland.	1803.	4. 8.	G. ♄.	
8	littoràlis. L.T.	(ye.)	sea-side.	———	——	4. 7.	G. ♄.	
9	marginàta. L.T.	(gr.)	various-leaved.	N. S. W.	1804.	5. 8.	G. ♄.	Bot. mag. t. 1947.
10	australis. L.T.	(gr.)	southern.	V. Diem. Isl.	1816.	——	G. ♄.	Bot. reg. t. 787.
	marcéscens. Hooker bot. mag. 2803. *nec aliorum.*							
11	insulàris. L.T.	(gr.)	Island.	———	1823.	....	G. ♄.	
12	Cunninghámii.s.s.	(st.)	Cunningham's.	N. Holland.	1822.	——	G. ♄.	
13	integrifòlia. L.T.	(st.)	entire-leaved.	N. S. W.	1788.	5. 8.	G. ♄.	Bot. mag. t. 2770.
14	compár. L.T.	(st.)	related.	N. Holland.	1823.	....	G. ♄.	
15	verticillàta. L.T.	(st.)	whorl-leaved.	———	1794.	7. 11.	G. ♄.	Hook. ex. flor. t. 96.
16	coccínea. L.T.	(sc.)	scarlet-flowered.	———	1803.	....	G. ♄.	Bauer. n. holl. ic.
17	paludòsa. L.T.	(st.)	marsh.	N. S. W.	1805.	1. 4.	G. ♄.	Bot. reg. t. 697.
18	intermèdia. ψ.	(st.)	intermediate.	N. Holland.	1824.	....	G. ♄.	
19	oblongifòlia. L.T.	(st.)	oblong-leaved.	N. S. W.	1788.	5. 8.	G. ♄.	Lodd. bot. cab. t. 241.
20	latifòlia. L.T.	(st.)	broad-leaved.	———	1802.	——	G. ♄.	Cavan. ic. 6. t. 543.
21	marcéscens. L.T.	(st.)	short-leaved.	N. Holland.	1794.	1. 12.	G. ♄.	Swt. flor. aust. t. 14.
	præmórsa. Andr. rep. t. 258. *asplenifòlia.* K.P.							
22	attenuàta. L.T.	(st.)	attenuated,smooth-fld.	——	1794.	1. 10.	G. ♄.	
23	serràta. L.T.	(st.)	saw-leaved.	N. S. W.	1788.	7. 9.	G. ♄.	Andr. reposit. t. 82.
	undulàta. Bot. reg. t. 1316.							
24	æmula. L.T.	(st.)	deeply-sawed.	———	——	1. 6.	G. ♄.	Bot. reg. t. 688.
25	dentàta. L.T.	(st.)	tooth-leaved.	N. Holland.	1822.	....	S. ♄.	
26	quercifòlia. L.T.	(st.)	Oak-leaved.	———	1805.	....	G. ♄.	
27	dryandroídes.s.f.a.	(br.)	Dryandra-like.	———	1824.	3. 6.	G. ♄.	Swt. flor. aust. t. 56.
28	speciòsa. L.T.	(wh.)	long-leaved.	———	1805.	5. 8.	G. ♄.	
29	grándis. L.T.	(st.)	great-flowered.	———	1794.	....	G. ♄.	
30	prostràta. ψ.	(st.)	prostrate.	———	1824.	....	G. ♄.	
31	rèpens. L.T.	(st.)	creeping.	———	1803.	....	G. ♄.	Lab. voy. 1. t. 28.
32	ilicifòlia. L.T.	(st.)	Holly-leaved.	———	1824.	....	G. ♄.	

DRYA'NDRA. L.T. DRYA'NDRA. Tetrandria Monogynia. R.S.

1	floribúnda. L.T.	(ye.)	many-flowered.	N. Holland.	1803.	1. 12.	G. ♄.	Bot. mag. t. 1581.
2	cuneàta. L.T.	(st.)	wedge-leaved.	———	——	11. 2.	G. ♄.	
	α brevifòlia.	(st.)	*short-leaved.*	———	——	——	G. ♄.	
	β longifòlia.	(st.)	*long-leaved.*	———	——	——	G. ♄.	
3	armàta. L.T.	(ye.)	acute-leaved.	———	——	1. 12.	G. ♄.	
4	falcàta. L.T.	(ye.)	falcate-leaved.	———	1824.	....	G. ♄.	
5	formòsa. L.T.	(or.)	Apricot-scented.	———	1803.	1. 12.	G. ♄.	Swt. flor. aust. t. 53.
6	mucronulàta.L.T.	(ye.)	pointed-leaved.	———	1824.	....	G. ♄.	
7	plumòsa. L.T.	(ye.)	feathered.	———	1803.	1. 8.	G. ♄.	
8	obtùsa. L.T.	(ye.)	blunt-leaved.	———	——	....	G. ♄.	
9	nívea. L.T.	(ye.)	white-leaved.	———	——	7. 9.	G. ♄.	Lab. voy. 1. t. 24.
10	longifòlia. L.T.	(ye.)	long-leaved.	———	1805.	1. 12.	G. ♄.	Swt. flor. aust. t. 3.
11	Baxtèri. ψ.	(ye.)	Baxter's.	———	1824.	....	G. ♄.	
12	tenuifòlia. L.T.	(ye.)	slender-leaved.	———	1803.	3. 5.	G. ♄.	
13	nervòsa. s.f.a.	(ye.)	nerved-leaved.	———	1824.	3. 12.	G. ♄.	Swt. flor. aust. t. 22.
14	pteridifòlia. L.T.	(ye.)	Pteris-leaved.	———	——	——	G. ♄.	

ORDO CLXXIII.

THYMELÆÆ. *Brown prodr. p.* 358.

DI'RCA. W. LEATHER-WOOD. Octandria Monogynia. L.

	palústris. W.	(ye.)	marsh.	Virginia.	1750.	3. 4.	H. ♄.	Bot. reg. t. 292.

LAGE'TTA. J. LACE-BARK. Octandria Monogynia. S.S.

	linteària. J.	(wh.)	Jamaica.	Jamaica.	1793.	12. 1.	S. ♄.	Lam. ill. t. 289.

DA'PHNE. W. DA'PHNE. Octandria Monogynia. L.

1	Mezèreum.w.	(re.wh.)	Mezereon.	England.	....	2. 4.	H. ♄.	Eng. bot. v. 20. t. 1381.
	α álbum.	(wh.)	*white-flowered.*	———	....	——	H. ♄.	
	β rùbrum.	(re.)	*red-flowered.*	———	....	——	H. ♄.	
	γ autumnàle.	(re.)	*autumnal-flowered.*	———	....	8. 12.	H. ♄.	

2 Laurèola. W.	(*gr.*)	spurge-laurel.	Britain.	....	1. 3.	H. ♄.	Eng. bot. v. 2. t. 119.
3 póntica. W.	(*gr.ye.*)	Pontic.	Pontus.	1759.	4. 5.	H. ♄.	Bot. mag. t. 1282.
4 tinifòlia. W.	(*st.*)	Bonace-bark.	Jamaica.	1783.	5. 7.	S. ♄.	
5 Gnídium. W.	(*wh.*)	Flax-leaved.	Spain.	1597.	6. 8.	H. ♄.	Lodd. bot. cab. t. 150.
6 odòra. W.	(*bk.*)	sweet-scented.	China.	1771.	12. 3.	G. ♄.	Bot. mag. t. 1587.
7 hy'brida. B.F.G.	(*ro.*)	Dauphin.	Hybrid.	1826.	1. 6.	F. ♄.	Swt. br. fl. gar. t. 200.
8 alpìna. W.	(*wh.*)	Alpine.	Italy.	1759.	5. 7.	H. ♄.	Lodd. bot. cab. t. 66.
9 altàica. W.	(*wh.*)	Altaic.	Siberia.	1796.	4. 5.	H. ♄.	Bot. mag. t. 1875.
10 Cneòrum. W.	(*ro.*)	trailing.	Austria.	1752.	4. 9.	H. ♄.	——— t. 313.
11 striàta. S.S.	(*pi.*)	streaked.	Hungary.	....	——	H. ♄.	
12 collìna. S.S.	(*re.*)	hairy.	Italy.	1752.	1. 6.	H. ♄.	Bot. mag. t. 428.
13 sericea. S.S.	(*li.*)	silky-leaved.	Levant.	1818.	——	H. ♄.	
14 oleoídes. S.S.	(*li.*)	Olive-leaved.	Crete.	1815.	1. 12.	H. ♄.	Bot. mag. t. 1917.
15 napolitàna. B.C.	(*re.*)	Neapolitan.	Italy.	1823.	1. 6.	H. ♄.	Lodd. bot. cab. t. 719.
collìna β neapolitàna. B.R. 822.							
16 Thymel'aea. W.	(*st.*)	smooth-leaved.	Spain.	1815.	2. 4.	H. ♄.	Pluk. alm. t. 229. f. 2.
17 Tárton-ràira. W.	(*st.*)	silvery-leaved.	France.	1640.	5. 7.	H. ♄.	——— t. 318. f. 6.
GNI'DIA. L.		GNI'DIA.	Octandria Monogynia. L.				
1 pinifòlia. W.	(*wh.*)	Pine-leaved.	C. B. S.	1768.	5. 6.	G. ♄.	Bot. reg. t. 19.
2 radiàta. B.C.	(*wh.*)	radiate.	———	1818.	——	G. ♄.	Lodd. bot. cab. t. 29.
3 imbérbis. H.K.	(*st.*)	smooth-scaled.	———	1792.	8. 4.	G. ♄.	Bot. mag. t. 1463.
4 símplex. H.K.	(*ye.*)	Flax-leaved.	———	1786.	5. 6.	G. ♄.	——— t. 812.
5 juniperifòlia. W.	(*wh.*)	Juniper-leaved.	———	1822.	——	G. ♄.	
6 capitàta. W.	(*wh.*)	purple-twigged.	———	1788.	6. 7.	G. ♄.	
7 imbricàta. W.	(*st.*)	imbricated.	———	1822.	4. 8.	G. ♄.	Bot. reg. t. 757.
denudàta. B.R.							
8 oppositifòlia. H.K.	(*ye.*)	opposite-leaved.	———	1783.	5. 7.	G. ♄.	Bot. reg. t. 2.
9 tomentòsa. S.S.	(*st.*)	tomentose.	———	1822.	——	G. ♄.	
10 sericea. W.	(*ye.*)	silky.	———	1786.	——	G. ♄.	Andr. reposit. t. 225.
oppositifòlia. A.R. *nec aliorum.*							
LACHN'ÆA. W.		LACHN'ÆA.	Octandria Monogynia. L.				
1 buxifòlia. Lam.	(*wh.*)	green box-leaved.	C. B. S.	1800.	5. 7.	G. ♄.	Bot. mag. t. 1657.
2 glaùca. H.K.	(*wh.*)	glaucous.	———	———	——	G. ♄.	——— t. 1658.
3 purpùrea. W.	(*pu.*)	purple-flowered.	———	———	——	G. ♄.	——— t. 1594.
4 eriocéphala. W.	(*wh.*)	woolly-headed.	———	1793.	6. 7.	G. ♄.	——— t. 1295.
5 conglomeràta. W.	(*wh.*)	clustered.	———	1773.	——	G. ♄.	
PASSER'INA. W.		SPARROW-WORT.	Octandria Monogynia. L.				
1 unifiòra. W.	(*wh.*)	one-flowered.	C. B. S.	1759.	4. 7.	G. ♄.	Wend. obs. t. 2. f. 18.
2 láxa. W.	(*wh.*)	loose.	———	1804.	6. 7.	G. ♄.	Lodd. bot. cab. t. 755.
3 tenuiflòra. W.	(*st.*)	slender-flowered.	———	1812.	——	G. ♄.	
4 filifórmis. W.	(*st.*)	filiform.	———	1752.	6. 8.	G. ♄.	Wend. obs. t. 2. f. 15.
5 capitàta. W.	(*wh.*)	headed.	———	1789.	6. 10.	G. ♄.	——— t. 2. f. 17.
6 hirsùta. W.	(*st.*)	hairy.	S. Europe.	1759.	——	G. ♄.	Bot. mag. t. 1949.
7 striàta. Lam.	(*wh.*)	striate.	C. B. S.	1822.	——	G. ♄.	
8 ericoídes. W.	(*st.*)	Heath-like.	———	———	——	G. ♄.	
9 ciliàta. W.	(*wh.*)	fringed.	———	1819.	——	G. ♄.	Seb. mus. 2. t. 12. f. 9.
10 grandiflòra. W.	(*wh.*)	great-flowered.	———	1789.	5. 6.	G. ♄.	Bot. mag. t. 292.
11 spicàta. W.	(*wh.*)	spiked.	———	1787.	5. 7.	G. ♄.	Lodd. bot. cab. t. 311.
12 anthylloídes. W.	(*st.*)	Anthyllus-like.	———	1816.	——	G. ♄.	
STELL'ERA. W.		STELL'ERA.	Octandria Monogynia. L.				
1 Passerìna. W.	(*ye.*)	Flax-leaved.	S. Europe.	1759.	7. 8.	H. ☉.	Jacq. ic. 1. t. 68.
Passerìna ánnua. S.S.							
2 altàica. P.S.	(*wh.*)	Altay.	Altay.	1824.	——	H. ☉.	
3 dichótoma. F.	(*wh.*)	forked.	Dahuria.	——	——	H. ☉.	
D'AIS. L.		D'AIS.	Decandria Monogynia. L.				
cotinifòlia. W.	(*pi.*)	Cotinus-leaved.	C. B. S.	1776.	6. 7.	G. ♄.	Bot. mag. t. 147.
STRUTH'IOLA. L.		STRUTH'IOLA.	Tetrandria Monogynia. L.				
1 virgàta. H.K.	(*re.*)	twiggy.	C. B. S.	1779.	4. 8.	G. ♄.	Andr. reposit. t. 139.
2 ciliàta. A.R.	(*st.*)	ciliated.	———	———	——	G. ♄.	——— t. 149.
3 lateriflòra. R.S.	(*wh.*)	side-flowering.	———	1816.	——	G. ♄.	
4 pubéscens. R.S.	(*re.*)	downy.	———	1790.	——	G. ♄.	Bot. mag. t. 1212.
5 longiflòra. R.S.	(*wh.*)	long-flowered.	———	1824.	——	G. ♄.	Lam. ill. t. 78.
6 glábra. R.S.	(*wh.*)	upright smooth.	———	1798.	4. 9.	G. ♄.	Wendl. obs. t. 2. f. 10.
erécta. W. *stricta.* Donn.							
7 juniperìna R.S.	(*wh.*)	drooping.	———	1758.	——	G. ♄.	Bot. mag. t. 222.
erécta. B.M. *nec aliorum.*							
8 angustifòlia. R.S.	(*st.*)	narrow-leaved.	———	1816.	——	G. ♄.	
9 incàna. B.C.	(*ye.*)	hoary.	———	1802.	7. 8.	G. ♄.	Lodd. bot. cab. t. 11.
10 imbricàta. R.S.	(*ye.*)	tiled-leaved.	———	1794.	4. 8.	G. ♄.	Andr. reposit. t. 113.

11 ovàta. R.s.	(*wh.*)	oval-leaved.	C. B. S.	1792.	2. 6.	G. ♄.	Andr. reposit. t. 119.
12 tomentòsa. R.s.	(*wh.*)	downy-leaved.	———	1799.	8. 9.	G. ♄.	——— t. 334.
PIMEL'EA. B.P.		PIMEL'EA.	Diandria Monogynia. R.S.				
1 linifòlia. B.P.	(*wh.*)	flax-leaved.	N. S. W.	1793.	2. 8.	G. ♄.	Bot. mag. t. 891.
2 paludòsa. B.P.	(*wh.*)	marsh.	———	1826.	——	G. ♄.	
3 glaùca. B.P.	(*wh.*)	glaucous-leaved.	———	1822.	——	G. ♄.	Linn.trans.10. t.13. f.2.
4 ligustrìna. B.P.	(*wh.*)	Privet-like.	———	1823.	——	G. ♄.	Lab. nov. holl. 1. t. 3.
5 decussàta. B.P. *ferrugìnea.* Lab.	(*rs.*)	cross-leaved.	———	——	4. 8.	G. ♄.	Swt. flor. aust. t. 8.
6 ròsea. B.P.	(*ro.*)	rose-coloured.	N. Holland.	1800.	3. 9.	G. ♄.	Bot. mag. t. 1458.
7 linoìdes. F.T.	(*wh.*)	flax-like.	N. S. W.	1824.	——	G. ♄.	
8 filamentòsa. L.T.	(*wh.*)	filamentose.	N. Holland.	1826.	——	G. ♄.	Linn. trans.10. t.14. f.1.
9 pauciflòra. B.P.	(*ye.*)	few-flowered.	V. Diem. Isl.	1812.	——	G. ♄.	Lodd. bot. cab. t. 179.
10 humilis. B.P.	(*wh.*)	dwarf.	———	1825.	6. 9.	G. ♄.	Bot. reg. t. 1268.
11 clavàta. B.P.	(*ye.*)	clubbed.	N. Holland.	1826.	3. 6.	G. ♄.	
12 incàna. B.P.	(*st.*)	hoary.	V. Diem. Isl.	——	4. 8.	G. ♄.	
13 drupàcea. B.P.	(*wh.*)	drupe-bearing.	———	1820.	——	G. ♄.	Swt. flor. aust. t. 52.
14 spicàta. B.P.	(*wh.*)	spiked.	N. S. W.	1824.	——	G. ♄.	Linn. trans.10. t.14. f.2.
? TR'OPHIS. W.		RAMOON-TREE.	Diœcia Tetrandria. W.				
1 americàna. W.	(*gr.*)	American.	W. Indies.	1789.	4. 5.	S. ♄.	Brown. jam. t. 37. f. 1.
2 àspera. W.	(*gr.*)	rough-leaved.	E. Indies.	1802.	——	S. ♄.	
3 spinòsa. s.s.	(*gr.*)	spiny.	———	1826.	....	S. ♄.	

ORDO CLXXIV.

OSYRIDEÆ. *Brown.*

OS'YRIS. W.		POET's CASSIA.	Diœcia Triandria. L.				
álba. W.	(*wh.*)	white.	S. Europe.	1739.	....	G. ♄.	Lam. ill. t. 802.
EXOCA'RPOS. B.P.		EXOCA'RPOS.	Pentandria Monogynia.				
1 cupressifórmis. B.P.	(*wh.*)	Cypress-like.	N. Holland.	1820.	....	G. ♄.	Labill. voy. 1. t. 14.
2 humifùsa. B.P.	(*gr.*)	low-procumbent.	V. Diem. Isl.	1822.	....	G. ♄.	
3 stricta. B.P.	(*gr.*)	upright.	N. S. W.	——	....	G. ♄.	

ORDO CLXXV.

SANTALACEÆ. *Brown prodr. p.* 350.

SA'NTALUM. B.P.		SANDAL-WOOD.	Tetrandria Monogynia. W.				
1 álbum. F.I.	(*ye.pu.*)	white.	E. Indies.	1804.	....	S. ♄.	Rumph. amb. 2. t. 11.
2 myrtifòlium. F.I.	(*li.*)	Myrtle-leaved.	———	1819.	....	G. ♄.	Roxb. coron. 1. t. 2.
3 obtusifòlium. B.P.	....	blunt-leaved.	N. S. W.	1823.	....	G. ♄.	
FUS'ANUS. B.P.		FUS'ANUS.	Tetrandria Monogynia.				
compréssus. H.K.	(*gr.*)	flat-stalked.	C. B. S.	1776.	....	G. ♄.	Berg. cap. 88. t. 1. f. 1.
LEPTOM'ERIA. B.P.		LEPTOM'ERIA.	Pentandria Monogynia. R.S.				
1 ácida. B.P.	(*wh.*)	acid.	N. S. W.	1823.	....	G. ♄.	
2 Billardíeri. B.P. *Thèsium drupàceum.* Lab.	(*wh.*)	Labillardiere's.	———	——	....	G. ♄.	Lab. nov. hol. 1. t. 93.
TH'ESIUM. R.S.		THE'SIUM.	Pentandria Monogynia. L.				
1 linophy'llum. R.S.	(*gr.*)	common.	England.	....	6. 7.	H. ♃.	Eng. bot. v. 4. t. 247.
2 intermèdium. R.S.	(*wh.*)	intermediate.	Germany.	1818.	——	H. ♃.	Schkuhr hand. t. 51.
3 montànum. R.S.	(*wh.*)	mountain.	Europe.	....	——	H. ♃.	Hayn. sc. j. t. 119.
4 alpìnum. R.S.	(*wh.*)	Alpine.	———	1814.	——	H. ♃.	Jacq. aust. 5. t. 416.
5 ramò-um. R.S.	(*wh.*)	branching.	———	1824.	——	H. ♃.	Hayn. sc. j. p. 30. t. 7.
6 ebracteàtum. R.S.	(*gr.*)	blunt-leaved.	Germany.	——	——	H. ♃.	—— l. c. t. 7.
7 ? amplexicàule. R.S.	(*gr.*)	stem-clasping.	C. B. S.	1787.	——	G. ♄.	
COMA'NDRA. N.		COMA'NDRA.	Pentandria Monogynia. N.				
umbellàta. N. *Thèsium umbellàtum.* W.	(*wh.*)	umbelled.	N. America	1782.	6.	H. ♃.	Pluk. mant. t. 342. f. 1.

HAMILTONIA. W. OIL-NUT. Polygamia Dicœcia. W.

	oleífera. W. *Pyrulária pàbera.* R.	(*gr.ye.*)	Olive-bearing.	N. America.	1800.	....	G. ♄.	Pursh. amer. 1. t. 13.

NY'SSA. R.S. TUPELO. Polygamia Dicœcia. L.

1	villòsa. R.S.	(*gr.*)	hairy-leaved.	N. America.	1806.	5.	H. ♄.	Mich. arb. 2. t. 21.
2	aquática. R.S. *biflòra.* W.	(*gr.*)	water.	———	1739.	4. 5.	H. ♄.	——— 2. t. 22.
3	cándicans. R.S.	(*gr.*)	Ogechee-lime.	———	1812.	....	H. ♄.	Mich. arb. 2. t. 20.
4	capitàta. H.K.	(*gr.*)	headed.	Carolina.	1806.	....	H. ♄.	
5	tomentòsa. R.S.	(*gr.*)	tomentose.	——— —	1812.	....	H. ♄.	Mich. arb. 2. t. 19.
6	denticulàta. R.S.	(*gr.*)	toothed.	N. America.	1796.	5. 6.	H. ♄.	Catesb. car. 1. t. 60.

ORDO CLXXVI.

ELÆAGNEÆ. *Don prodr. p.* 67.

HIPPO'PHAE. L. SEA-BUCKTHORN. Dicœcia Tetrandria. L.

1	rhamnoídes. W.	(*st.*)	common.	England.	....	4. 5.	H. ♄.	Eng. bot. t. 425.
2	salicifòlia. D.P.	(*st.*)	Willow-leaved.	Nepaul.	1819.	....	H. ♄.	

SHEPHE'RDIA. N. SHEPHE'RDIA. Dicœcia Octandria. N.

1	argéntea. N. *Hippóphae argéntea.* Ph.	(*st.*)	silvery.	Missouri.	1818.	....	H. ♄.	
2	canadénsis. N. *Hippóphae canadénsis.* W.	(*st.*)	Canadian.	———	1759.	4. 5.	H. ♄.	

ELÆA'GNUS. L. OLEASTER. Tetrandria Monogynia. L.

1	angustifòlia. R.S.	(*wh.*)	narrow-leaved.	S. Europe.	1633.	7.	H. ♄.	Bot. reg. t. 1156.
2	songáricus. F.	(*st.*)	Fischer's.	Siberia.	1821.	——	H. ♄.	
3	orientàlis. R.S.	(*wh.*)	oriental.	Levant.	1748.	7. 8.	G. ♄.	Pall. ros. 1. t. 5.
4	spinòsa. R.S.	(*wh.*)	spiny.	Egypt.	1826.	——	F. ♄.	
5	argéntea. Ph.	(*wh.*)	silvery.	N. America.	1813.	——	H. ♄.	Wats. dend. brit. t. 16.
6	arbòrea. F.I.	(*wh.*)	tree.	Nepaul.	1819.	....	H. ♄.	
7	conférta. F.I.	(*st.*)	close-flowered.	———	——	....	H. ♄. ⌣.	
8	latifòlia. R.S.	(*wh.*)	broad-leaved.	E. Indies.	1712.	7. 8.	S. ♄.	Burm. zeyl. t. 39. f. 2.
9	triflòra. F.I.	(*wh.*)	three-flowered.	Nepaul.	1825.	....	H. ♄.	——— t. 39. f. 1.
10	umbellàta. D.P.	(*wh.*)	umbelled.	———	1829.	....	H. ♄.	Thunb. jap. t. 14.

ORDO CLXXVII.

ASARINÆ. *Kunth synops.* 1. *p.* 442.

A'SARUM. L. ASARABACCA. Dodecandria Monogynia. L.

1	europæum. S.S.	(*pu.*)	common.	England.	....	5.	H. ♃.	Eng. bot. v. 16. t. 1083.
2	canadénse. S.S.	(*pu.*)	Canadian.	Canada.	1713.	4. 7.	H. ♃.	Swt. br. fl. gar. t. 95.
3	virgínicum. W.	(*pu.*)	Virginian.	Virginia.	1759.	4. 5.	H. ♃.	——— ——— t. 18.
4	arifòlium. S.S.	(*pu.*)	Arum-leaved.	Carolina.	1818.	5. 6.	H. ♃.	Hook. ex flor. t. 40.

ARISTOL'OCHIA. W. BIRTHWORT. Gynandria Hexandria. L.

1	bilobàta. W.	(*pu.*)	two-lobed.	W. Indies.	1822.	6. 8.	S. ♄. ⌣.	Plum. amer. t. 106.
2	trilobàta. W.	(*pu.*)	three-lobed.	S. America.	1775.	6. 7.	S. ♄. ⌣.	
3	ringens. W.	(*br.*)	gaping.	———	1820.	——	S. ♄. ⌣.	Vahl. symb. 2. t. 47.
4	labiòsa. R.R.	(*br.*)	lipped.	———	——	5. 9.	S. ♄. ⌣.	Bot. reg. t. 689.
5	pentándra. W.	(*pu.*)	pentandrous.	Cuba.	1828.	....	S. ♄. ⌣.	Jacq. ic. pict. t. 224.
6	pandurifórmis. W.	(*pu.*)	fiddle-leaved.	Caracas.	1823.	....	S. ♄. ⌣.	
7	máxima. W.	(*pu.*)	great.	New Spain.	1759.	7.	S. ♄. ⌣.	Jacq. amer. t. 146.
8	Sipho. W.	(*br.*)	broad-leaved.	N. America.	1763.	6. 7.	H. ♄. ⌣.	Bot. mag. t. 534.
9	tomentòsa. B.M.	(*ye.*)	downy.	———	1790.	——	H. ♄. ⌣.	——— t. 1360.
10	odoratíssima. W.	(*pu.*)	sweet-scented.	Jamaica.	1787.	7.	S. ♄. ⌣.	Sloan. jam. 1. t. 104. f. 1.
11	barbàta. W.	(*pu.*)	bearded.	Caracas.	1796.	6. 8.	S. ♄. ⌣.	Jacq. ic. 3. t. 608.
12	bilabiàta. W.	(*pu.*)	two-lipped.	Cuba.	1829.	....	S. ♄. ⌣.	
13	índica. W.	(*pu.*)	Indian.	E. Indies.	1780.	6. 7.	S. ♄. ⌣.	Rheed. mal. 8. t. 25.
14	acuminàta. W.	(*pu.*)	taper-pointed.	Mauritius.	1820.	....	S. ♄. ⌣.	

15	f'œtida. K.s.	(*pu.*)	fetid.	Mexico.	1822.	6. 8.	S. ♄. ⌣.	H. et B. 2. t. 114.
16	hastàta. K.s.	(*pu.*)	halberd-leaved.	Havannah.	——	....	S. ♄. ⌣.	——— 2. t. 116.
17	b'œtica. w.	(*pu.*)	Spanish.	Spain.	1596.	5. 6.	H. ♄. ⌣.	Moris. s. 12. t. 17. f. 6.
18	glaùca. w.	(*ye.*)	glaucous.	Barbary.	1785.	6. 8.	G. ♄. ⌣.	Bot. mag. t. 1115.
19	sempervìrens. w.	(*pu.*)	evergreen.	Candia.	1727.	5. 6.	G. ♄. ⌣.	——— t. 1116.
20	lónga. w.	(*pu.*)	long-rooted.	S. Europe.	1548.	6. 10.	H. ♃.	Mill. ic. t. 51. f. 2.
21	microphy'lla. W.en.	(*pu.*)	small-leaved.	.....	1826.	——	G. ♃.	
22	Serpentària. w.	(*pu.*)	Snake-root.	N. America.	1632.	6. 7.	H. ♃.	Jacq. schœn. 3. t. 385.
23	sagittàta. Muhl.	(*pu.*)	arrow-leaved.	———	1819.	——	H. ♃.	
24	bracteàta. w.	(*pu.*)	bracteate.	E. Indies.	1793.	7.	S. ♃.	
25	Pistolòchia. w.	(*pu.*)	small.	S. Europe.	1597.	6. 7.	H. ♃.	
26	rotúnda. w.	(*pu.*)	round-rooted.	———	1596.	3. 10.	G. ♃.	
27	pállida. w.	(*pu.*)	pale-flowered.	Italy.	1640.	5. 8.	H. ♃.	Moris. s. 12. t 18. f. 2.
28	hírta. w.	(*pu.*)	hairy.	Chio.	1759.	5. 6.	G. ♃.	Tourn. it. 1. t. 147.
29	Clematítis. w.	(*ye.*)	common.	England.	....	5. 8.	H. ♃.	Eng. bot. v. 6. t. 398.
30	arboréscens. w.	(*pu. ye.*)	tree.	America.	1787.	6. 7.	G. ♄.	

ORDO CLXXVIII.

CYTINEÆ. *Brogniart.*

NEPE'NTHES. L. PITCHER-PLANT. Dìœcia Monadelphia. L.

1	distillatòria. w.	(*gr.*)	cylindrical.	Ceylon.	1789.	4. 5.	S. *w.* ♃.	Burm. zeyl. 42. t. 17.
2	Phyllámphora. w.	(*gr.*)	ventricose.	China.	1822.	6. 8.	S. *w.* ♃.	Bot. mag. t. 2629.

ORDO CLXXIX.

STACKHOUSEÆ. *Brown.*

STACKHO'USIA. Lab. STACKHO'USIA. Pentandria Trigynia.

1	linariifòlia. F.T.	(*st.*)	Linaria-leaved.	N. S. W.	1823.	3. 6.	G. ♄.	
2	spathulàta. s.s.	(*wh.*)	spathulate-leaved.	———	1825.	4. 6.	G. ♄.	

ORDO CLXXX.

EUPHORBIACEÆ. *Juss. gen.* 384.

MERCURI'ALIS. W. MERCURY. Dìœcia Enneandria. L.

1	perénnis. w.	(*gr.*)	perennial.	Britain.	....	4. 5.	H. ♃.	Eng. bot. v. 26. t. 1872.
2	ambígua. w.	(*gr.*)	doubtful.	Spain.	1806.	7. 8.	H. ☉.	Linn. f. dec. 1. t. 8.
3	ánnua. w.	(*gr.*)	annual.	Britain.	....	7. 9.	H. ☉.	Eng. bot. v. 8. t. 559.
4	ellíptica. w.	(*gr.*)	oval-leaved.	Portugal.	1802.	5. 7.	G. ♄.	Venten. cels. t. 12.
5	tomentòsa. w.	(*gr.*)	woolly.	Spain.	1640.	7. 9.	H. ♄.	

PEDILA'NTHUS. Neck. SLIPPER-SPURGE. Dodecandria Trigynia. L.en.

1	tithymaloìdes. B.R.	(*sc.*)	Myrtle-leaved.	S. America.	1699.	6. 7.	D.S. ♄.	Bot. reg. t. 837.
	myrtifòlius. L.en. *Crepidària myrtifòlia.* H.s.s.							
2	carinàtus.	(*sc.*)	keel-leaved.	W. Indies.	1809.	——	D.S. ♄.	Bot. mag. t. 2514.
	Euphórbia carinàta. B.M. *Crepidària carinàta.* H.s.s.							
3	subcarinàtus. H.R.	(*sc.*)	small-keeled.	W. Indies.	1819.	——	D.S. ♄.	
4	canaliculàtus.	(*sc.*)	channelled-leaved.	———	——	——	D.S. ♄.	Lodd. bot. cab. t. 727.
	Euphórbia canaliculàta. B.C.							
5	padifòlius. H.s.	(*sc.*)	Padus-leaved.	———	1699.	——	D.S. ♄.	Dill. elt. t. 288. f. 372.
6	cordellàtus.	(*sc.*)	small-heart-leaved.	———	1795.	——	D.S. ♄.	
	Crepidària cordellàta. H.s.							

EUPHOR'BIA. W. Spurge. Dodecandria Trigynia. L.

1 uncinàta. DC. (*gr.ye.*) twin-spined. C. B. S. 1795. 6. 8. D.G. ♄. DC. plant. gras. t. 151,
Scolopéndria. H.s. *procúmbens.* Meerb. ic. rar. t. 55. *ex* H.P.
2 squarròsa. H.P. (*gr.ye.*) squarrose. C. B. S. 1825. —— D.G. ♄.
3 trigòna. H.s. (*gr.ye.*) upright 3-sided. E. Indies. 1768. 7. 8. D.S. ♄.
4 antiquòrum. H.s. (*gr.ye.*) spreading 3-sided. —— 1688. —— D.S. ♄. Comm. hort. 1. t. 12.
5 láctea. H.s. (*gr.ye.*) marbled. —— 1804. —— D.S. ♄.
6 grandidéns. H.P. (*gr.ye.*) large-toothed. C. B. S. 1820. —— D.G. ♄.
7 canariénsis. W. (*br.re.*) Canary. Canaries. 1697. 3. 4. D.G. ♄. DC. plant. gras. t. 140.
8 cæruléscens. H.P. (*st.*) blue-stemmed. C. B. S. 1825. —— D.G. ♄.
9 tetragòna. H.P. (*gr.ye.*) four-sided. —— —— —— D.G. ♄.
10 heptagòna. W. (*br.re.*) seven-angled. —— 1731. 7. 11. D.G. ♄. Bradl. suc. 2. t. 13.
α nìgra. H.s. (*br.re.*) *black-spined.* —— —— —— D.G. ♄.
β rùbra. H.s. (*br.re.*) *red-spined.* —— —— —— D.G. ♄.
11 pentagòna. H.P. (*gr.ye.*) five-sided. —— 1825. —— D.G. ♄.
12 enneagòna. H.s. (*gr.ye.*) nine-angled. —— 1790. 7. 10. D.G. ♄. Comm. præl. t. 9.
13 mammillàris. W. (*gr.ye.*) warty-angled. —— 1759. 7. 8. D.G. ♄. Comm. præl. t. 9.
14 cereiformis. W. (*gr.ye.*) naked. —— 1731. 6. 7. D.G. ♄. Burm. afr. t. 9. f. 3.
15 officinàrum. W. (*ye.*) officinal. Africa. 1597. —— D.G. ♄. DC. plant. gras. t. 77.
16 odontophy'lla. W. en. (*gr.*) white-spined. C. B. S. 1824. —— D.G. ♄.
17 stellæspìna. H.P. (*gr.ye.*) starry-spined. —— —— —— D.G. ♄.
18 polygòna. H.s. (*gr.ye.*) many-angled. —— 1790. 7. 9. D.G. ♄. Lodd. bot. cab. t. 1334.
19 nereifòlia. W. (*re.*) Oleander-leaved. India. 1690. 6. 7. D.S. ♄. DC. plant. gras. t. 46.
20 Hy'strix. W. (*st.*) Porcupine. C. B. S. 1695. —— D.G. ♄. Jacq. schœn. 2. t. 207.
loricàta. P.s. *Tretsia Hy'strix.* H.s.
21 vàrians. H.s. (*gr.ye.*) variable-stemm'd. E. Indies. 1800. 6. 9. D.S. ♄.
22 grandifòlia. H.s. (*gr.ye.*) great-leaved. Sierra Leon. 1798. —— D.S. ♄.
23 eròsa. W. en. (*gr.ye.*) erose. ..... 1818. .... D.S. ♄.
24 tribuloides. s.s. (*wh.*) Caltrops-like. Canaries. 1816. 6. 9. D.G. ♄.
25 Millii. Desm. (*sc.*) splendid. Madagascar. 1828. —— D.S. ♄. Bot. mag. t. 2902.
spléndens. B.M. ann. 1829. *Millii.* Desm. ann. 1826.
26 cucumerìna. W. (*gr.*) Cucumber-like. C. B. S. .... 5. 9. D.G. ♄. Vail. it. t. 5.
27 melofórmis. W. (*ye.*) Melon-like. —— —— 1774. —— D.G. ♄. Andr. reposit. t. 617.
28 clàva. W. (*gr.*) club. —— —— 3. 12. D.G. ♄. Jacq. ic. 1. t. 85.
Tretsia tuberculàta. H.s.s.
29 Hawórthii. (*gr.*) Haworth's. —— —— —— D.G. ♄.
Tretsia clàva. H.s. *excl. syn.* W.
30 bupleurifòlia. W. (*gr.*) cone-shaped. —— 1791. 6. 7. D.G. ♄. Jacq. schœn. 1. t. 106.
31 Cáput medùsæ. W. (*gr.*) great Medusa's head. Africa. 1731. 8. D.G. ♄. Lodd. bot. cab. t. 1315.
Medùsea màjor. H.s.
β hàmilis. (*gr.*) *dwarfer.* —— 1768. —— D.G. ♄. Burm. afr. t. 8.
32 tessellàta. H.s. (*gr.*) chequer'd-M'-head. .... 1788. —— D.G. ♄.
33 fráctus-pini. H.s. (*gr.*) small M'-head. C. B. S. 1731. —— D.G. ♄. DC. plant. gras. t. 150.
β geminàta. (*gr.*) *twin-branched.* —— —— —— D.G. ♄. Burm. afr. 18. t. 9. f. 1.
34 procúmbens. H.s. (*gr.*) least M'-head. —— 1768. —— D.G. ♄. —— t. 10. f. 1.
35 pátula. Mill. (*br.gr.*) spreading. —— —— —— D.G. ♄.
Dactylánthes pátula. H.s.
36 anacántha. W. (*br.gr.*) scaly. —— 1727. 9. 10. D.G. ♄. Bot. mag. t. 2520.
37 globòsa. B.M. (*br.gr.*) roundish-jointed. —— 1822. 6. 11. D.G. ♄. —— t. 2624.
Dactylánthes globòsa. H.P.
38 tuberculàta. W. (*wh.*) tuberculate. —— 1805. 6. 8. D.G. ♄. Jacq. schœn. 2. t. 208.
39 hamàta. H.s. (*br.gr.*) hooked. —— 1795. —— D.G. ♄. Burm. afr. t. 6. f. 3.
40 Commelini. DC. (*br.gr.*) Commelin's. Africa. .... —— D.S. ♄.
41 Ornithòpus. W. en. (*w.*) Bird's-foot. —— 1816. —— G. ♄. Jacq. fragm. t. 120.
42 clandestìna. s.s. (*gr.*) clandestine. —— 1824. —— D.G. ♄.
43 lophogòna. W. (*gr.*) curl-winged. Madagascar. —— —— D.S. ♄. DC. plant. gras. ic.
44 péndula. L. en. (*gr.*) pendulous. ..... 1808. —— D.S. ♄.
Tithymàlus péndulus. H.
45 Tirucálli. W. (*wh.*) Indian tree. India. 1690. .... D.S. ♄. Rheed. mal. 2. t. 34.
46 mauritánica. W. (*ye.*) Barbary. Africa. 1732. 6. 8. D.G. ♄. Dill. elt. t. 289. f. 373.
47 Lamárckii. H.s.L. (*gr.*) Lamarck's. —— 1808. —— D.G. ♄.
mauritánica. Lam. *nec aliorum. virgàta.* P.s. *non* W.K.
48 aphy'lla. W. en. (*gr.*) leafless. Teneriffe. 1815. —— D.G. ♄.
49 atropurpùrea. W. en. (*pu.*) dark purple. —— —— —— D.G. ♄.
50 piscatòria. W. (*gr.ye.*) smooth spear-ld. Canaries. 1777. —— D.G. ♄.
51 balsamífera. W. (*gr.ye.*) balsam. —— 1779. —— D.G. ♄.
52 laurifòlia. P.s. (*gr.ye.*) Laurel-leaved. Peru. 1820. —— D.G. ♄.
53 bracteàta. s.s. (*gr.*) bracteated. ..... 1809. —— D.S. ♄. Jacq. schœnb. t. 276.
54 dendroides. W. (*ye.*) tree-like. Italy. 1768. —— H. ♄. Barrel. ic. 910.

55	l'æta. w.	(*st.*)	Mezereon-leaved.	S. Europe.	1758.	6. 8.	D.G. ♄.	Jacq. ic. 1. t. 87.
56	punícea. w.	(*cr.*)	scarlet-flowered.	Jamaica.	1778.	1. 9.	D.S. ♄.	Bot. reg. t. 190.
57	heterophy'lla. w.	(*sc.*)	various-leaved.	W. Indies.	1690.	4. 9.	D.S. ♄.	Plum. ic. t. 251. f. 3.
58	cyathóphora.w.	(*ye.pi.*)	coloured.	S. America.	1806.	7. 8.	D.S. ♄.	Jacq. ic. 3. t. 480.
59	repánda.	(*gr.ye.*)	waved.	E. Indies.	1808.	8.	D.S. ♄.	
	Tithymàlus repándus. H.s.							
60	biglandulòsa. H.s.	(*gr.*)	twin-glanded.	Isl. Bourbon.	——	9.	D.S. ♄.	
61	geniculàta. P.s.	(*st.*)	jointed.	Cuba.	1823.	7. 10.	S.⊙.	Jacq. schœn. 3. t. 277.
	prunifòlia. H.K.	*Tithymàlus prunifòlius.* H.s.						
62	nudifòra. s.s.	(*st.*)	naked-flowered.	Jamaica.	1800.	8.	D.S. ♄.	Jacq. ic. 3. t. 470.
63	verticillàta. s.s.	(*gr.*)	whorled.	W. Indies.	1826.	——	D.S. ♄.	
64	cotinifòlia. w.	(*wh.*)	Cotinus-leaved.	S. America.	1690.	7. 8.	D.S. ♄.	Hook. ex. flor. t. 59.
65	petiolàris. H.K.	(*ye.*)	long-stalked.	W. Indies.	1800.	5. 6.	D.S. ♄.	Bot. mag. t. 868.
66	mellífera. w.	(*pu.gr.*)	honey-bearing.	Madeira.	1784.	4. 5.	G. ♄.	—— t. 1305.
67	glabràta. s.s.	(*gr.ye.*)	smooth-leaved.	W. Indies.	1824.	——	D.S. ♄.	
68	toxicària. L.en.	(*gr.*)	poisonous.	.....	1825.	——	D.S. ♄.	
69	pícta. w.	(*gr.*)	painted.	S. America.	1789.	5. 7.	S. ♃.	Jacq. ic. 3. t. 477.
70	silenifòlia.	(*gr.ye.*)	Silene-leaved.	C. B. S.	1821.	——	G. ♃.	
	Tithymàlus silenifòlius. H.R.							
71	crispa. H.R.	(*gr.ye.*)	curl-leaved.	——	——	——	G. ♃.	
72	tuberòsa. w.	(*gr.ye.*)	tuberous.	Ethiopia.	1800.	10. 12.	G. ♄.	Burm. afr. 9. t. 4.
73	affìnis. Dc.	(*gr.ye.*)	affined.	.....	1823.	6. 8.	G. ♄.	
74	linarifòlia. w.	(*ye.*)	toad-flax-leaved.	.....	1794.	——	S. ♄.	Jacq. ic. 1. t. 86.
75	linifòlia. w.	(*ye.*)	Flax-leaved.	W. Indies.	——	——	S. ♄.	
76	ocymoídea. w.	(*ye.*)	Basil-leaved.	S. America.	1733.	——	S.⊙.	
77	dentàta. M.	(*ye.*)	dentated.	N. America.	1806.	6. 7.	H.⊙.	
78	hypericifòlia. w.	(*wh.*)	Hypericum-leaved.	America.	1727.	6. 9.	H.⊙.	Hook. ex. flor. t. 36.
79	Humbóldtii.W.en.	(*gr.*)	Humboldt's.	S. America.	1809.	7. 10.	S. ♂.	
80	prostràta. w.	(*pu.*)	trailing-red.	W. Indies.	1758.	——	S.⊙.	
81	ròsea. w.	(*ro.*)	rosy.	E. Indies.	1808.	8.	S.⊙.	
82	maculàta. w.	(*ye.*)	spotted.	S. America.	1660.	7.	H.⊙.	Jacq. vind. 2. t. 186.
83	humifusa. W.en.	(*ye.*)	trailing.	.....	1824.	6. 8.	H.⊙.	
84	pilulífera. w.	(*gr.*)	globular.	E. Indies.	1800.	——	S. ♃.	Jacq. ic. 3. t. 478.
85	hyssopifòlia. w.	(*gr.*)	Hyssop-leaved.	W. Indies.	1787.	8. 9.	S.⊙.	
86	scordifòlia. s.s.	(*wh.*)	Scordium-leaved.	S. America.	1826.	6. 8.	S. ♄.	Jacq. icon. t. 476.
87	tannénsis. s.s.	(*gr.*)	Tanna.	N. Hebrides.	——	——	G. ♄.	
88	thymifòlia. w.	(*wh.*)	Thyme-leaved.	India.	1699.	7. 8.	S.⊙.	Pluk. alm. t. 113. f. 2.
89	parvifòra. w.	(*wh.*)	small-flowered.	E. Indies.	1818.	——	S.⊙.	Burm. zeyl. t. 105. f. 2.
90	variegàta. B.M.	(*wh.*)	variegated.	Louisiana.	1811.	6. 8.	H.⊙.	Bot. mag. t. 1747.
91	canéscens. w.	(*wh.re.*)	canescent.	Spain.	1818.	7. 8.	H.⊙.	Cavan. ic. 1. t. 63.
92	Chamæs'yce. w.	(*wh.*)	scollop-leaved.	S. Europe.	1752.	——	H.⊙.	Moris. s. 10. t. 2. f. 19.
93	Péplis. w.	(*ye.*)	purple.	Devonshire.	....	——	H.⊙.	Eng. bot. v. 28. t. 2002.
94	polygonifòlia. w.	(*st.*)	knotgrass-leaved.	N. America.	1704.	6. 7.	H.⊙.	Jacq. col. sup. t. 13. f. 3.
95	Ipecacuánhæ. w.	(*gr.*)	Ipecacuanha.	——	1812.	——	H. ♃.	Bot. mag. t. 1494.
96	Péplus. w.	(*gr.*)	petty.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 14. t. 959.
97	peploídes. Dc.	(*gr.*)	least.	S. Europe.	1800.	7. 9.	H.⊙.	
	Esula minima. H.s.							
98	falcàta. w.	(*ye.*)	sickle-leaved.	——	1699.	6. 8.	H.⊙.	Jacq. aust. 2. t. 121.
99	acuminàta. M.B.	(*gr.*)	acuminate.	Iberia.	1823.	——	H.⊙.	
100	exígua. w.	(*gr.*)	dwarf.	Britain.	....	7.	H.⊙.	Eng. bot. v. 19. t. 1336.
101	diffùsa. w.	(*gr.ye.*)	diffuse.	Austria.	1798.	7. 8.	H.⊙.	Jacq. ic. 1. t. 88.
102	undulàta. M.B.	(*wh.*)	undulate.	Caucasus.	1820.	——	H. ♃.	
103	micrántha. w.	(*gr.*)	small-flowered.	Persia.	1803.	7. 9.	H.⊙.	
104	Lagascàna. s.s.	(*gr.*)	Lagasca's.	Spain.	1827.	7. 10.	H.⊙.	
105	Láthyris. w.	(*gr.*)	Caper.	England.	....	5. 10.	H. ♂.	Eng. bot. v. 32. t. 2255.
106	terracìna. w.	(*ye.*)	retuse-leaved.	S. Europe.	1818.	7. 10.	H.⊙.	
107	valentìna. P.s.	(*ye.*)	Spanish.	Spain.	1804.	7. 8.	H.⊙.	
108	'Apios. w.	(*ye.*)	pear-rooted.	Candia.	1596.	6. 7.	H. ♃.	
109	genistoídes. w.	(*ye.*)	Genista-like.	C. B. S.	1808.	7. 8.	G. ♄.	
110	condensàta. s.s.	(*ye.*)	tufted.	Iberia.	1828.	6. 8.	H. ♃.	
111	spinòsa. w.	(*ye.*)	prickly.	Levant.	1710.	6. 7.	F. ♄.	Wats. dend. brit. t. 45.
112	fruticòsa. L.en.	(*ye.*)	shrubby.	Sicily.	1825.	——	F. ♄.	Biv. pl. sic. cent. 1. 35.
113	epithymoídes.w.	(*ye.*)	broad-leaved.	Austria.	1805.	5. 6.	H. ♃.	Andr. reposit. t. 616.
114	villòsa. w.K.	(*sm.*)	villous.	Hungary.	1818.	6. 9.	H. ♃.	W. et K. hung. t. 93.
115	tenuifòlia. s.s.	(*ye.*)	slender-leaved.	S. Europe.	1827.	——	H.⊙.	
116	echinocárpa. s.s.	(*ye.*)	prickly-podded.	Crete.	1828.	——	H. ♂.	
117	condylocárpa.M.B.	(*ye.*)	warted-fruited.	Caucasus.	1824.	——	H. ♃.	
118	obtusàta. Ph.	(*ye.*)	blunt-bracted.	N. America.	1826.	——	H. ♃.	
119	merculiàna. Ph.	(*ye.*)	Mercury-like.	——	1824.	——	H. ♃.	

120	marginàta. Ph.	(*wh.*)	white-margined.	N. America.	1816.	6. 9.	H.⊙.	
121	dúlcis. w.	(*pu.*)	sweet.	S. Europe.	1759.	5. 6.	H.♃.	Jacq. aust. 3. t. 213.
122	ambígua. w.k.	(*ye.*)	ambiguous.	Hungary.	1824.	——	H.♃.	W. et K. hung. t. 135.
123	carniòlica. w.	(*ye.*)	Carniolian.	Carniola.	1795.	8.	H.♃.	Scop. carn. t. 21.
124	angulàta. w.	(*ye.*)	angular-stalked.	Austria.	1819.	7. 8.	H.♃.	Jacq. ic. t. 481.
125	nummulariæfòlia.	(*ye.*)	moneywort-leaved.	.....	1800.	7.	G.♄.	
126	erythrìna. L.en.	(*gr.*)	purple-margined.	C. B. S.	1816.	6. 8.	G.♃.	
127	neapolitàna. T.N.	(*wh.*)	Neapolitan.	Naples.	1825.	7. 8.	H.♃.	Ten. fl. neap. t. 42.
128	Pithyùsa. w.	(*gr.*)	Juniper-leaved.	S. Europe.	1741.	6. 7.	F.♄.	Bocc. sic. t. 5.
129	portlándica. w.	(*ye.*)	Portland.	Britain.	....	5. 9.	H.♃.	Eng. bot. v. 7. t. 441.
130	saxátilis. w.	(*ye.*)	rock.	Austria.	1816.	6. 8.	H.♃.	Jacq. aust. t. 345.
131	glareòsa. M.B.	(*ye.*)	stony.	Caucasus.	1819.	——	H.♃.	
132	Paràlias. w.	(*ye.*)	sea.	England.	....	7. 9.	H.♃.	Eng. bot. v. 3. t. 195.
	β suffruticòsa.	(*ye.*)	*shrubby sea.*	.....	....	——	F.♄.	
133	júncea. w.	(*ye.*)	rushy.	Madeira.	1779.	7. 8.	G.♃.	Jacq. schœn. 1. t. 107.
134	congésta. W.en.	(*ye.*)	fiddle-leaved.	Spain.	1817.	——	H.♃.	
135	aléppica. w.	(*ye.*)	Aleppo.	Crete.	1739.	——	F.♃.	Alp. exot. t. 64.
136	taurinénsis. W.en.	(*ye.*)	Italian.	Italy.	1818.	——	H.♃.	All. ped. 2. t. 83. f. 2.
137	segetàlis. w.	(*ye.*)	corn.	S. Europe.	1699.	——	H.⊙.	Jacq. aust. 5. t. 450.
138	grácilis. s.s.	(*ye.*)	slender.	Ukraine.	1826.	——	H.♃.	
139	cæspitòsa. T.N.	(*ye.*)	tufted.	Naples.	——	——	H.♃.	
140	pìnea. s.s.	(*ye.*)	Pine-leaved.	———	——	——	H.♃.	
	linifòlia. T.N. *non* w.							
141	biumbellàta. DC.	(*ye.*)	double-umbel'd.	Barbary.	1780.	8.	H.⊙.	Poir. it. ed. germ. t. 1.
142	angustifòlia.	(*ye.*)	narrow-leaved.	.....	——	7. 8.	H.♃.	
	Esula angustifòlia. H.s.							
143	multicorymbòsa.	(*ye.*)	many-flowered.	.....	1805.	——	H.♃.	
144	provinciàlis. w.	(*ye.*)	linear-leaved.	S. Europe.	1800.	8. 11.	H.⊙.	
145	juncoídes. H.s.	(*ye.*)	Rush-like.	———	——	7. 8.	H.⊙.	
146	helioscòpia. w.	(*ye.*)	Wartwort.	Britain.	....	——	H.⊙.	Eng. bot. v. 13. t. 883.
147	stellulàta. Sn.	(*ye.*)	starry.	Europe.	1823.	——	H.⊙.	
148	bialàta. L.en.	(*ye.*)	two-winged.	.....	1819.	——	H.⊙.	
149	serràta. w.	(*ye.*)	narrow notch-ld.	S. Europe.	1710.	7.	G.♃.	Jacq. ic. 3. t. 483.
150	uralénsis. F.	(*ye.*)	Fischer's.	Tauria.	1824.	——	H.♃.	
151	crética. w.	(*ye.*)	Cretan hoary.	Levant.	1768.	——	H.♃.	
152	rìgens.	(*ye.*)	stiff.	.....	1795.	7. 8.	H.♄.	
	Galarh'æus rigidus. H.s.							
153	verrucòsa. w.	(*ye.*)	warted.	France.	1800.	6.	H.♃.	Moris. s. 10. t. 3. f. 3.
154	corollàta. w.	(*wh.*)	great-flowered.	N. America.	1803.	7. 9.	H.♃.	Lodd. bot. cab. t. 390.
155	spathulæfòlia. H.s.	(*gr.*)	spatula-leaved.	.....	1800.	8.	G.♄.	
156	corallioídes. w.	(*ye.*)	Coral-stalked.	S. Europe.	1752.	6. 9.	H.♃.	
157	móllis. Gm.	(*ye.*)	soft.	———	1823.	——	H.♃.	
158	androsæmifòlia. H.s.	(*ye.*)	Tutsan-leav'd.	Hungary.	1804.	7. 9.	H.♃.	
159	pilòsa. w.	(*ye.*)	hairy.	Siberia.	1758.	5. 8.	H.♃.	Gmel. sib. 2. t. 93.
160	orientàlis. w.	(*st.*)	oriental.	Levant.	1739.	6. 7.	H.♃.	
161	fragífera. L.en.	(*ye.*)	Strawberry-like.	Italy.	1825.	——	H.♃.	
162	virgàta. w.k.	(*ye.*)	twiggy.	Hungary.	1807.	7.	H.♃.	W. et K. hung. t. 162.
163	platyphy'lla. H.s.	(*ye.*)	annual warted.	England.	....	7. 8.	H.⊙.	Jacq. aust. t. 376.
164	stricta. E.B.	(*ye.*)	upright warted.	———	....	——	H.⊙.	Eng. bot. v. 5. t. 333.
165	literàta. w.	(*st.*)	blotch-leaved.	.....	1790.	8.	H.⊙.	Jacq. ic. 3. t. 482.
166	crispàta. L.en.	(*ye.*)	crisp-leaved.	.....	1819.	7. 9.	H.♃.	
167	pubéscens. s.s.	(*ye.*)	pubescent.	Barbary.	1827.	——	H.♃.	Jacq. f. ecl. t. 66.
168	lutéscens. Led.	(*ye.*)	yellowish.	Siberia.	——	——	H.♃.	
169	Ehrenbérgii.	(*ye.*)	Ehrenberg's.	Egypt.	1826.	6. 9.	H.⊙.	
	heterophy'lla. Ehr. *non* w.							
170	trigonocárpa. F.	(*ye.*)	three-sided podded.	Russia.	1821.	——	H.⊙.	
171	retùsa. C.I.	(*gr.*)	notch-leaved.	S. Europe.	——	——	H.⊙.	Cavan. ic. t. 34. f. 3.
172	'Esula. w.	(*gr.*)	leafy-branched.	Britain.	....	5. 7.	H.♃.	Eng. bot. v. 20. t. 1399.
173	Gerardiàna. w.	(*ye.*)	Gerard's.	Germany.	1801.	7.	H.♃.	Jacq. aust. t. 436.
174	Cyparíssias. w.	(*ye.*)	Cypress.	England.	....	5. 9.	H.♃.	Eng. bot. v. 12. t. 840.
175	nicæénsis. w.	(*ye.*)	sharp-leaved.	Spain.	1809.	——	F.♃.	Jacq. ic. 3. t. 485.
176	myrsinites. w.	(*ye.*)	glaucous.	S. Europe.	1570.	4. 6.	H.♃.	
177	rígida. M.B.	(*ye.*)	rigid.	Tauria.	1819.	6. 8.	H.♃.	Bot. reg. t. 274.
178	imbricàta. w.	(*ye.*)	imbricated.	Portugal.	1804.	8. 9.	F.♄.	
179	glaucéscens. W.en.	(*ye.*)	glaucescent.	.....	1819.	——	H.♃.	
180	agrària. M.B.	(*ye.*)	field.	Tauria.	——	6. 8.	H.♂.	
181	palústris. w.	(*ye.*)	marsh.	Sweden.	1570.	5. 8.	H.♃.	Flor. dan. t. 866.
182	pállida. w.	(*ye.*)	pale.	Hungary.	1818.	6. 8.	H.♃.	
183	lùcida. w.k.	(*ye.*)	glossy.	———	1820.	——	H.♃.	W. et K. hung. t. 55.

184	pròcera. M.B.	(ye.)	tall.	Terek.	1824.	6. 8.	H. ¼.	
185	ceratocárpa. T.N.	(ye.)	horn-capsuled.	Naples.	——	——	H. ¼.	Ten. fl. neap. t. 43.
186	emarginàta. w.	(ye.)	freckled.	Italy.	1758.	7. 8.	H. ¼.	
187	hibérna. E.B.	(ye.)	Irish.	Ireland.	....	5. 6.	H. ¼.	Eng. bot. v. 19. t. 1337.
188	salicifòlia. w.	(ye.)	Willow-leaved.	Hungary.	1804.	——	H. ¼.	Lodd. bot. cab. t. 973.
189	sylvática. w.	(pi.)	wood.	S. Europe.	1768.	7. 9.	F. ½.	Jacq. aust. t. 375.
190	amygdaloídes. w.	(st.)	Almond-leaved.	England.	....	3. 6.	H. ¼.	Eng. bot. v. 4. t. 256.
191	Charàcias. w.	(ye. pu.)	upright red.	———	....	——	H. ½.	——— v. 7. t. 442.
192	véneta. L.en.	(ye.)	venomous.	Europe.	1824.	——	F. ½.	
193	Bonplándii.	(wh.)	Bonpland's.	N. Spain.	1823.	4. 6.	S. ¼.	
	marginàta. E.S.	*non* Nutt.						
CI'CCA. L.			CI'CCA. Monœcia Tetrandria. L.					
	dísticha. w.	(gr.)	long-leaved.	E. Indies.	1796.	4. 6.	S. ½.	Jacq. schœn. 2. t. 194.
BU'XUS. W.			BOX-TREE. Monœcia Tetrandria. L.					
1	chinénsis. L.en.	(ye.)	China.	China.	1812.	4. 8.	H. ½.	
2	baleàrica. w.	(ye.)	Minorca.	Minorca.	1780.	7.	H. ½.	
3	sempervìrens. w.	(ye.)	common.	England.	....	4.	H. ½.	Eng. bot. v. 19. t. 1341.
	α arboréscens. Mill.	(ye.)	*tree.*	———	....	——	H. ½.	
	† *argéntea.*	(ye.)	*silvery-leaved.*	.....	....	——	H. ½.	
	‡ *aùrea.*	(ye.)	*golden-leaved.*	.....	....	——	H. ½.	
	‖ *marginàta.*	(ye.)	*margined.*	.....	....	——	H. ½.	
	β angustifòlia. Mill.	(ye.)	*narrow-leaved.*	.....	....	——	H. ½.	
	† *variegàta.*	(ye.)	*variegated.*	.....	....	——	H. ½.	
	γ myrtifòlia. Mill.	(ye.)	*myrtle-leaved.*	.....	....	——	H. ½.	
	δ suffruticòsa.	(ye.)	*dwarf.*	.....	....	——	H. ½.	
SARCOCO'CCA. B.R.			SARCOCO'CCA. Monœcia Tetrandria.					
	coriàcea.	(wh.)	leathery.	Nepaul.	1820.	4. 6.	G. ½.	Bot. reg. t. 358.
	prunifórmis. B.R.		*Pachysándra coriacea.* Hook. ex. flor. t. 148.					
PACHYSA'NDRA. M.			PACHYSA'NDRA. Monœcia Tetrandria. W.					
1	procúmbens. M.	(bh.)	procumbent.	N. America.	1800.	3. 4.	H. ¼.	Bot. reg. t. 33.
ACID'OTON. W.			ACID'OTON. Monœcia Polyandria.					
	ùrens. w.	(gr.)	stinging.	Jamaica.	1793.	4. 6.	S. ½.	Sloan. jam. 1. t. 83. f. 1.
PLUKEN'ETIA. W.			PLUKEN'ETIA. Monœcia Monadelphia. L.					
1	volùbilis. w.	(gr.)	twining.	W. Indies.	1739.	7. 8.	S. ½. ⌣.	Plum. ic. t. 226.
2	corniculàta. S.S.	(gr.)	horned.	E. Indies.	1827.	——	S. ½. ⌣.	Rumph. amb. 1. t. 79. f. 2.
DALECHA'MPIA. W.			DALECHA'MPIA. Monœcia Monadelphia.					
1	scándens. w.	(gr.)	climbing.	W. Indies.	1739.	6. 7.	S. ½. ⌣.	Jacq. amer. 252. t. 160.
2	brasiliénsis. w.	(gr.)	Brazilian.	Brazil.	1820.	——	S. ½. ⌣.	
3	fimbriàta. K.S.	(gr.)	fringed.	Mexico.	1829.	——	S. ½. ⌣.	
ACA'LYPHA. W.			ACA'LYPHA. Monœcia Monadelphia. W.					
1	diversifòlia. w.	(gr.)	various-leaved.	Caracas.	1824.	6. 8.	S. ½.	
2	hernandifòlia. S.S.	(gr.)	Hennandia-leaved.	Jamaica.	1825.	....	S. ½.	
3	virgínica. w.	(gr.)	Virginian.	N. America.	1759.	7. 8.	H. ⊙.	Schk. hand. 3. t. 311.
4	caroliniàna. w.	(gr.)	Carolina.	———	1811.	——	H. ⊙.	Lam. ill. t. 780. f. 2.
5	ciliàta. w.	(gr.)	ciliated.	E. Indies.	1799.	——	S. ⊙.	Vahl symb. 1. t. 20.
6	réptans. w.	(gr.)	creeping.	Jamaica.	1822.	——	S. ½.	Sloan. hist. 1. t. 82. f. 3.
7	índica. w.	(gr.)	Indian.	E. Indies.	1759.	7. 9.	S. ⊙.	Rheed. mal. 10. t. 81.
8	híspida. w.	(gr.)	hispid.	———	1820.	——	S. ⊙.	
9	cuspidàta. w.	(gr.)	cuspidate.	Caracas.	——	....	S. ½.	Jacq. schœn. 2. t. 243.
10	rùbra. W.en.	(re.)	red.	S. America.	1823.	6. 9.	S. ⊙.	
11	brachystàchya. W.en.	(gr.)	short-spiked.	China.	1816.	7. 8.	H. ⊙.	
12	pauciflòra. W.en.	(gr.)	few-flowered.	———	——	——	H. ⊙.	
13	alopecuroídea. w.	(gr.)	Fox-tail.	Venezuela.	1804.	7. 9.	H. ⊙.	Jacq. ic. 3. t. 620.
14	anemioídes. K.S.	(gr.)	Anemia-like.	Mexico.	1829.	....	S. ½.	
15	purpuráscens. K.S.	(pu.)	purple-bracted.	———	1827.	....	S. ½.	
16	ellíptica. S.S.	(gr.)	elliptic-leaved.	Jamaica.	1825.	....	S. ½.	
17	lævigàta. w.	(gr.)	smooth.	———	1819.	——	S. ½.	
18	virgàta. w.	(gr.)	twiggy.	———	1822.	——	S. ½.	Brown. jam. t. 36. f. 2.
19	macrostàchya. w.	(gr.)	long-spiked.	Caracas.	1824.	——	S. ½.	Jacq. schœn. 2. t. 245.
20	polystàchya. w.	(gr.)	many-spiked.	.....	——	——	S. ½.	——— 2. t. 246.
21	scabròsa. w.	(gr.)	rough.	Jamaica.	1822.	——	S. ½.	
22	integrifòlia. S.S.	(gr.)	entire-leaved.	Madagascar.	1823.	....	S. ½.	
OMALA'NTHUS. J.			OMALA'NTHUS. Monœcia Monadelphia.					
	populifòlius. B.M.	(wh.)	Poplar-leaved.	N. Holland.	1824.	6. 8.	G. ½.	Bot. mag. t. 2780.
CAPER'ONIA. Hilar.			CAPER'ONIA. Monœcia Monadelphia.					
1	castaneæfòlia. S.S.	(gr.)	Chestnut-leaved.	S. America.	1828.	7. 8.	S. ⊙.	
2	palústris. S.S.	(gr.)	marsh.	Vera Cruz.	1731.	——	S. ⊙.	Mart. dec. 4. t. 88.
	Cròton palústris. w.							

CR'OTON. W.		**Cr'oton.** Monœcia Monadelphia. L.						
1 variegàtus. W.	(*gr.*)	variegated.	E. Indies.	1804.	6. 9.	S. ♄.	Rheed mal. 6. t. 61.
α latifòlius. H.B.	(*gr.*)	*broad-leaved.*	———	——	——	S. ♄.	
β crispus. H.B.	(*gr.*)	*curl-leaved.*	———	....	——	S. ♄.	Rumph.amb.4.t.26.f.2.
γ médius. H.B.	(*gr.*)	*narrow-leaved.*	———	1820.	——	S. ♄.	——— 4. t. 25.
2 pictus. B.C.	(*gr.*)	painted-leaved.	———	——	——	S. ♄.	Lodd. bot. cab. t. 870.
3 lineàris. s.s.	(*gr.*)	Willow-leaved.	W. Indies.	1733.	7.	S. ♄.	Jacq. amer. t. 162. f. 4.
4 Cascarílla. s.s.	(*gr.*)	Cascarilla.	S. America.	1778.	7. 8.	S. ♄.	Catesb. car. 2. t. 46.
5 marítimus. s.s.	(*gr.wh.*)	sea-side.	Carolina.	1786.	——	G. ♄.	
6 grácilis. R.s.	(*gr.*)	slender.	Mexico.	1824.	7. 8.	S. ♄.	
7 glabéllus. s.s.	(*gr.wh.*)	Laurel-leaved.	Jamaica.	1778.	5. 8.	S. ♄.	Sloan. jam.2. t.174. f.2.
8 hírtus. s.s.	(*gr.wh.*)	hairy.	Trinidad.	1821.	——	S. ☉.	L'Herit. stirp. 17. t. 9.
9 argénteus. s.s.	(*gr.*)	silvery-leaved.	S. America.	1733.	7. 8.	S. ☉.	
10 Tiglium. W.	(*wh.*)	purging.	E. Indies.	1796.	8. 9.	S. ♄.	Rheed. mal. 2. t. 33.
11 glandulòsus. s.s.	(*gr.*)	glandular.	W. Indies.	1818.	——	S. ☉.	Jacq. ic. 1. t. 194.
12 sublùteus. s.s.	(*gr.ye.*)	yellowish.	Trinidad.	1822.	——	S. ♄.	Aubl. guian. 2. t. 339.
13 populifòlius. s.s.	(*gr.wh.*)	Poplar-leaved.	Jamaica.	1824.	——	S. ♄.	
14 tiliæfòlius. P.s.	(*gr.wh.*)	Lime-tree-leaved.	St. Vincent.	1825.	——	S. ♄.	Plum. mss. 4. t. 128.
15 Elutèria. s.s.	(*gr.wh.*)	sea-side Balsam.	Jamaica.	1748.	——	S. ♄.	Sloan. hist. 2. t.174. f. 2.
16 lùcidus. s.s.	(*gr.wh.*)	shining.	———	1822.	7. 9.	S. ♄.	
17 micans. s.s.	(*gr.ye.*)	glittering.	———	1815.	——	S. ♄.	Pluk. alm. t. 220. f. 5.
18 púngens. s.s.	(*gr.ye.*)	pungent.	Caracas.	1791.	——	S. ♄.	Jacq. ic. 3. t. 622.
19 penicillàtus. s.s.	(*gr.*)	pencilled.	Cuba.	1799.	7. 8.	S. ♄.	Venten. choix. t. 12.
20 flàvens. s.s.	(*ye.gr.*)	pale yellow.	W. Indies.	1822.	——	S. ♄.	
21 macrophy'llus. s.s.	(*wh.*)	large-leaved.	Jamaica.	——	——	S. ♄.	
22 aromáticus. s.s.	(*wh.*)	aromatic.	Ceylon.	1793.	——	S. ♄.	Rumph. amb. 3. t. 126.
23 hùmilis. s.s.	(*wh.gr.*)	humble.	Jamaica.	1799.	——	S. ♄.	
24 farinòsus. s.s.	(*wh.*)	mealy.	Madagascar.	1826.	....	S. ♄.	
25 Astroítes. W.	(*gr.wh.*)	woolly-leaved.	W. Indies.	1782.	7. 8.	S. ♄.	
26 lobàtus. s.s.	(*wh.*)	various-leaved.	Vera Cruz.	1730.	——	S. ☉.	Mart. dec. 5. t. 46.
27 gossypifòlius. s.s.	(*wh.*)	Cotton-leaved.	Trinidad.	1823.	——	S. ♄.	Vahl. symb. t. 49.
28 tomentòsus. L.en.	....	tomentose.	.....	——	....	S. ♄.	
CROZO'PHORA. J.		**Crozo'phora.** Monœcia Pentandria.					
1 plicàta. J.	(*wh.gr.*)	plaited.	E. Indies.	1824.	6. 8.	G. ☉.	Burm. ind. t. 62. f. 1.
2 tinctòria. J.	(*wh.gr.*)	officinal.	S. Europe.	1570.	7. 8.	H. ☉.	Niss. act. par. 1712. t. 17.
Cròton tinctòrium. W.							
3 verbascifòlia. J.	(*wh.gr.*)	Mullein-leaved.	Greece.	1826.	——	H. ☉.	
ROTTL'ERA. W.		**Rottl'era.** Diœcia Icosandria. W.					
1 brasiliénsis. s.s.	(*gr.*)	Brazilian.	Brazil.	1820.	....	S. ♄.	
2 tinctòria. s.s.	(*gr.*)	dyer's.	E. Indies.	1810.	....	S. ♄.	Roxb. corom. 2. t. 168.
GEL'ONIUM. W.		**Gel'onium.** Diœcia Icosandria. W.					
1 bifàrium. W.	(*gr.*)	oval-leaved.	E. Indies.	1793.	6. 8.	S. ♄.	
2 lanceolàtum. H.B.	(*gr.*)	spear-leaved.	———	1825.	——	S. ♄.	
TRE'WIA. W.		**Tre'wia.** Diœcia Polyandria. W.					
nudiflòra. W.	(*gr.*)	naked-flowered.	E. Indies.	1796.	....	S. ♄.	Rheed. mal. 1. t. 42.
HYÆNA'NCHE. H.K.		**Hyæna-poison.** Diœcia Dodecandria.					
globòsa. H.K.	(*gr.wh.*)	Cape.	C. B. S.	1783.	4. 9.	G. ♄.	Lamb. cinch. 52. t. 10.
E'UCLEA. W.		**E'uclea.** Diœcia Dodecandria. W.					
1 racemòsa. W.	(*wh.*)	round-leaved.	C. B. S.	1722.	11. 12.	G. ♄.	Jacq. fragm. 3. t. 1. f. 5.
2 undulàta. W.	(*wh.*)	wave-leaved.	———	1794.	6. 10.	G. ♄.	
JA'TROPHA. W.		**Physic-nut.** Monœcia Monadelphia. L.					
1 gossypifòlia. W.	(*sc.*)	Cotton-leaved.	W. Indies.	1690.	5. 8.	S. ♄.	Bot. reg. t. 746.
2 pandurædfòlia. W.	(*sc.*)	fiddle-leaved.	Cuba.	1800.	——	S. ♄.	Bot. mag. t. 604.
3 integérrima. W.	(*sc.*)	spicy.	———	1809.	——	S. ♄.	——— t. 1464.
4 Cúrcas. W.	(*gr.*)	angular-leaved.	S. America.	1731.	....	S. ♄.	Jacq. vind. 3. t. 63.
5 multífida. W.	(*sc.*)	multifid.	———	1696.	6. 8.	S. ♄.	Sal. par. lond. t. 91.
6 coccínea. L.en.	(*sc.*)	scarlet.	.....	1822.	——	S. ♄.	
CNIDO'SCOLUS. P.B.		**Cnido'scolus.** Monœcia Monadelphia.					
1 ùrens. P.B.	(*wh.*)	stinging.	Brazil.	1690.	5. 7.	S. ♄.	Jacq. vind. 1. t. 21.
Játropha ùrens. Jacq.							
2 stimulòsus. Ph.	(*wh.*)	stimulous.	N. America.	1812.	——	F. ♃.	Pluk. alm. t. 220. f. 3.
Játropha stimulòsa. Ph.							
3 napæifòlia. W.	(*wh.*)	Napæa-leaved.	Antilles.	1823.	7. 8.	S. ♄.	
4 frágrans. K.s.	(*wh.*)	fragrant.	Cuba.	1822.	6. 8.	S. ♄.	
5 herbàcea. W.	(*wh.*)	annual.	Vera Cruz.	1759.	7. 8.	S. ☉.	Reliq. houst. 6. t. 15.
6 Marcgràvii. P.B.	(*wh.*)	Marcgrave's.	Brazil.	1823.	——	S. ♄.	Pohl. flor. bras. 1. t. 50.
7 vitifòlius. P.B.	(*wh.*)	Vine-leaved.	———	——	——	S. ♄.	——— 1. t. 52.
MA'NIHOT. P.B.		**Ma'nihot.** Monœcia Decandria.					
1 f'œtida. P.B.	(*bl.br.*)	strong-scented.	Mexico.	1824.	7. 8.	S. ♄.	

2	Jánipha. P.B. (*br.gr.*)	Lœfling's.	S. America.	1824.	7. 8.	S. ♄.	Jacq. amer. t. 162. f. 1.
	Játropha carthaginénsis. Jacq. *Jánipha.* w. *Jánipha Lœflingii.* K.S.						
3	grácilis. P.B. (*br.gr.*)	slender.	Brazil.	1822.	7. 8.	S. ♄.	Pohl. pl. bras. 1. t. 16.
4	anómala. P.B. (*br.*)	anomalous.	———	——	——	S. ♄.	——— 1. t. 21.
5	pruinòsa. P.B. (*bl.br.*)	frosted.	———	1824.	——	S. ♄.	——— 1. t. 22.
6	digitiformis. P.B. (*bl.br.*)	finger-formed.	———	1826.	——	S. ♄.	——— 1. t. 27.
7	digitàta.	finger-leaved.	N. S. W.	1810.	....	G. ♄.	
	Cròton digitàtum. F.						
8	diversifòlia.	different-leaved.	N. Holland.	1822.	....	G. ♄.	
9	tenuifòlia. P.B. (*bl.br.*)	slender-leaved.	Brazil.	——	6. 8.	S. ♄.	Pohl. pl. bras. 1. t. 29.
10	æsculifòlia. K.S. (*bl.br.*)	Æsculus-leaved.	S. America.	1825.	5. 8.	S. ♄.	H. et B. 2. t. 109.
11	cannabìna. (*bl.br.*)	Cassava.	———	1739.	7. 8.	S. ♄.	Sloan. jam. 1. t. 85.
	Játropha Mánihot. w. *Jánipha Mánihot.* K.S.						
12	caricæfòlia. P.B. (*bl.br.*)	Papaw-leaved.	Brazil.	1822.	——	S. ♄.	Pohl. pl. bras. 1. t. 32.
13	Dalechampiæfòrmis. P.B. (*br.*)	Dalechampia-like.	——	1818.	——	S. ♄.	——— 1. t. 36.
14	sinuàta. P.B. (*br.*)	sinuate-leaved.	———	1824.	——	S. ♄.	——— 1. t. 41.
ALEUR'ITES. W.		ALEUR'ITES.	Monœcia Monadelphia. L.				
1	trilòba. w. (*wh.*)	three-lobed.	Society Isles.	1793.	....	S. ♄.	
2	Ambìnux. P.S. (*wh.*)	Molucca.	Ceylon.	1803.	....	S. ♄.	
	Cròton moluccànum. w.						
RI'CINUS. W.		PALMA-CHRISTI.	Monœcia Monadelphia. L.				
1	commùnis. w. (*re.st.*)	Castor-oil plant.	E. Indies.	1548.	7. 8.	H. ☉.	Lam. ill. t. 792.
2	Krápa. L.O. (*wh.fl.*)	Krappa.	.....	1827.	8. 11.	H. ☉.	
3	leucocárpus. L.O. (*wh.bk.*)	white-capsuled.	.....	——	——	F. ☉.	
4	macrophy'llus. L.O. (*w.r.*)	large-leaved.	.....	——	——	F. ☉.	
5	paniculàtus. L.O. (*re.wh.*)	panicled.	.....	1824.	8. 10.	F. ☉.	
6	rùtilans. L.O. (*re.wh.*)	red-stalked.	.....	1827.	——	F. ☉.	
7	undulàtus. L.O. (*re.wh.*)	wave-leaved.	.....	——	——	F. ☉.	
8	víridis. w. (*bk.wh.*)	green.	E. Indies.	1802.	8.	H. ☉.	W. hort. ber. 1. t. 49.
9	africànus. w. (*re.wh.*)	African.	Africa.	....	7. 8.	G. ♄.	
10	lívidus. w. (*re.wh.*)	livid-leaved.	C. B. S.	1795.	——	G. ♄.	Jacq. ic. 1. t. 196.
11	inérmis. w. (*re.st.*)	smooth-capsuled.	India.	1758.	——	S. ♂.	——— 1. t. 195.
12	armàtus. A.R. (*re.wh.*)	rough-capsuled.	Malta.	1807.	——	S. ♂.	Andr. reposit. t. 430.
MA'PPA. J.		MA'PPA.	Monœcia Monadelphia.				
1	moluccàna. s.s. (*wh.*)	Molucca.	Moluccas.	1828.	....	S. ♄.	
2	Tanària. s.s. (*wh.*)	scollop-leaved.	E. Indies.	1810.	7. 9.	S. ♄.	Rumph. amb. 3. t. 121.
	Ricinus Tanàrius. w.						
OMPH'ALEA. W.		OMPH'ALEA.	Monœcia Monadelphia. L.				
	triándra. w. (*wh.*)	long-leaved.	Jamaica.	1763.	6. 7.	S. ♄.	Lodd. bot. cab. t. 519.
HIPPO'MANE. W.		MANCHINEEL-TREE.	Monœcia Monadelphia. L.				
1	Mancinélla. w. (*gr.*)	common.	W. Indies.	1690.	....	S. ♄.	Catesb. car. 2. t. 95.
2	spinòsa. s.s. (*gr.*)	spiny.	———	1820.	....	S. ♄.	Plum. ic. 171. f. 1.
	Sàpium ilicifòlium. w.						
S'APIUM. W.		S'APIUM.	Monœcia Monadelphia. L.				
1	aucupàrium. s.s.	single-spiked.	W. Indies.	1692.	....	S. ♄.	Jacq. amer. t. 158.
2	Hippómane. s.s. (*gr.*)	two-glanded.	———	1824.	....	S. ♄.	
3	índicum. w. (*gr.*)	Indian.	E. Indies.	1817.	....	S. ♄.	
SIPH'ONIA. W.		ELASTIC-GUM-TREE.	Monœcia Monadelphia. W.				
	Cahùchu. w. (*gr.*)	common.	S. America.	1823.	....	S. ♄.	Lam. ill. t. 790.
	elástica. P.S.						
AGYN'EJA. W.		AGYN'EJA.	Monœcia Monadelphia. W.				
1	impùbes. w. (*gr.*)	smooth.	China.	1820.	7. 9.	H. ☉.	
2	pùbera. w. (*gr.*)	woolly.	———	1823.	....	S. ♄.	
STILLI'NGIA. W.		STILLI'NGIA.	Monœcia Monadelphia. W.				
1	sylvática. w. (*ye.*)	wood.	Carolina.	1787.	7. 8.	G. ♃.	
2	ligustrìna. w. (*st.*)	Privet-leaved.	N. America.	1812.	——	G. ♄.	
3	sebífera. w. (*st.*)	Tallow-tree.	China.	1703.	9.	S. ♄.	Pluk. amal. t. 390. f. 2.
H'URA. W.		SANDBOX-TREE.	Monœcia Monadelphia. W.				
1	strèpens. W.en. (*gr.*)	unequal-toothed.	S. America.	....	7. 9.	S. ♄.	
2	crépitans. W.en. (*gr.*)	equal-toothed.	———	1733.	——	S. ♄.	Lam. ill. t. 793.
BRADL'EJA. W.		BRADL'EJA.	Monœcia Monadelphia. W.				
1	sínica. w. (*wh.*)	Chinese.	China.	1816.	7. 9.	S. ♄.	Gært. sem. 2. t. 109. f. 1.
2	nítida. H.B. (*wh.*)	glossy.	E. Indies.	1820.	——	S. ♄.	
3	multiloculàris. s.s. (*wh.*)	multilocular.	———	——	——	S. ♄.	
PHYLLA'NTHUS. W.		PHYLLA'NTHUS.	Monœcia Monadelphia. W.				
1	obovàtus. w. (*wh.*)	annual.	N. America.	1803.	7. 8.	H. ☉.	
2	maderaspaténsis. w. (*gr.*)	Madras.	E. Indies.	1783.	——	S. ♄.	
3	grácilis. H.B. (*gr.*)	slender.	———	1820.	——	S. ♃.	
4	longifòlius. w. (*gr.*)	long-leaved.	Isl. Bourbon.	1822.	——	S. ♄.	Lam. ill. t. 156. f. 1.

5	lanceolàtus. w.	(*gr.*)	spear-leaved.	Isl. Bourbon.	1822.	6. 8.	S. ♄.	
6	nùtans. w.	(*bk.st.*)	nodding.	Jamaica.	——	——	S. ♄.	Jacq. schœn. 2. t. 193.
7	grandifòlius. w.	(*gr.*)	great-leaved.	Portorico.	1771.	——	S. ♄.	
8	virùsus. w.	(*gr.*)	venomous.	E. Indies.	1802.	——	S. ♄.	
9	turbinàtus. B.M.	(*gr.*)	shining-leaved.	China.	....	7. 9.	S. ♄.	Bot. mag. t. 1862.
10	Conámi. w.	(*gr.*)	Brazilian.	Brazil.	1791.	——	S. ♄.	Aub. gui. 2. t. 354.
11	obcordàtus. H.B.	(*gr.*)	obcordate.	E. Indies.	1818.	——	S. ♃.	
12	retùsus. H.B.	(*gr.*)	retuse-leaved.	———	1822.	——	S. ♃.	
13	reticulàtus. B.C.	(*bk.*)	netted.	———	1818.	8. 9.	S. ♄.	Lodd. bot. cab. t. 577.
14	lùcens. w.	(*gr.*)	thick-veined.	China.	1822.	7. 9.	S. ♄.	
15	cantoniénsis. L.en.	(*gr.*)	Canton.	———	1819.	7. 8.	H. ☉.	
16	cuneàtus. W.en.	(*gr.*)	wedge-leaved.	———	——	——	H. ☉.	
17	Nirùri. w.	(*gr.*)	Indian.	E. Indies.	1602.	6. 9.	S. ☉.	Rheed. mal. 10. t. 15.
18	Urinària. w.	(*gr.*)	stinging.	———	1819.	——	S. ☉.	Rumph. amb. 6. t. 17. f. 2.
19	microphy'llus. K.s.	(*gr.*)	small-leaved.	S. America.	1824.	——	S. ♄.	
20	polyphy'llus. w.	(*gr.*)	many-leaved.	E. Indies.	1805.	7. 9.	S. ♄.	
21	mimosoides. w.	(*gr.*)	Mimosa-like.	W. Indies.	1820.	——	S. ♄.	Lodd. bot. cab. t. 721.
22	rhamnoides. w.	(*gr.*)	Rhamnus-like.	E. Indies.	——	——	S. ♄.	
23	strictus. H.B.	(*gr.*)	upright.	———	1823.	——	S. ♄.	
24	fraxinifòlius. B.C.	(*gr.*)	Ash-leaved.	.....	1818.	——	S. ♄.	Lodd. bot. cab. t. 731.
25	juglandifòlius. W.en.	(*gr.*)	Walnut-leaved.	New Spain.	——	6. 9.	S. ♄.	
26	scándens. Roxb.	(*gr.*)	climbing.	E. Indies.	1803.	——	S. ♄.	

E'MBLICA. L.T. E'MBLICA. Monœcia Syngenesia. L.T.

1	officinàlis. L.T.	(*st.*)	officinal.	E. Indies.	1768.	6, 9.	S. ♄.	Lodd. bot. cab. t. 548.
2	racemòsa. s.s.	(*st.*)	racemed.	———	1793.	7. 8.	S. ♄.	
	Phyllánthus racemòsus. w.							

KIRGAN'ELIA. J. KIRGAN'ELIA. Monœcia Monadelphia.

	élegans. J.	(*gr.*)	elegant.	Mauritius.	1820.	6. 9.	S. ♄.	
	Phyllánthus Kirganèlia. w.							

XYLOPHY'LLA. W. XYLOPHY'LLA. Monœcia Monadelphia. W.

1	longifòlia. w.	(*re.*)	long-leaved.	E. Indies.	1816.	1. 12.	S. ♄.	Rumph. amb. 7. t. 12.
	Phyllánthus cerámica. P.S.							
2	latifòlia. w.	(*wh.*)	Seaside Laurel.	S. America.	1783.	8. 10.	S. ♄.	Bot. mag. t. 1021.
3	speciòsa.	(*wh.*)	handsome.	Jamaica.	1818.	——	S. ♄.	Jacq. ic. 3. t. 616.
	arbúscula. w. *Phyllánthus speciòsus.* Jacq.							
4	angustifòlia. w.	(*wh.*)	narrow-leaved.	———	1789.	7. 8.	S. ♄.	
5	linearis. P.S.	(*re.*)	linear-leaved.	———	1822.	——	S. ♄.	
6	elongàta. B.C.	(*re.*)	elongated.	———	——	——	S. ♄.	Lodd. bot. cab. t. 1091.
7	montàna. w.	(*or.*)	mountain.	———	1820.	11. 4.	S. ♄.	Bot. mag. t. 2652.
8	falcàta. w.	(*re.*)	falcate-leaved.	Bahama Isl.	1699.	7. 9.	S. ♄.	Bot. reg. t. 373.
9	ramiflòra. w.	(*wh.*)	oval-leaved.	Siberia.	1785.	7. 8.	H. ♄.	Pall. it. 3. t. E. f. 2.
10	obovàta. W.en.	(*wh.*)	obovate-leaved.	———	....	——	S. ♄.	

ANDRA'CHNE. W. BASTARD ORPINE. Monœcia Gynandria. L.

	telephioides. w.	(*wh.*)	annual.	Italy.	1732.	7. 8.	H. ☉.	Lam. ill. t. 797.

BRID'ELIA. W. BRID'ELIA. Polygamia Monœcia. W.

1	scándens. w.	(*wh.*)	climbing.	E. Indies.	1804.	7. 9.	S. ♄.	Roxb. corom. 2. t. 173.
2	montàna. s.s.	(*st.*)	mountain.	———	1825.	——	S. ♄.	——— v. 2. t. 171.
3	fruticòsa. P.S.	(*st.*)	frutescent.	———	1827.	——	S. ♄.	——— v. 2. t. 172.

CLU'YTIA. W. CLU'YTIA. Diœcia Gynandria. L.

1	collina. w.	(*st.*)	hill.	E. Indies.	1807.	....	S. ♄.	Roxb. corom. 2. t. 169.
2	pátula. w.	(*st.*)	spreading.	———	1812.	....	S. ♄.	——— ——— 2. t. 170.
3	pulchélla. w.	(*st.*)	broad-leaved.	C. B. S.	1789.	1. 6.	G. ♄.	Bot. mag. t. 1945.
4	heterophy'lla. w.	(*st.*)	various-leaved.	———	1816.	2. 4.	G. ♄.	
5	tomentòsa. w.	(*st.*)	tomentose.	———	1812.	4. 6.	G. ♄.	
6	pubéscens. w.	(*st.*)	pubescent.	———	1817.	——	G. ♄.	
7	polifòlia. w.	(*wh.*)	Poley-leaved.	———	1790.	——	G. ♄.	Jacq. schœn. 2. t. 50.
8	ericoides. w.	(*wh.*)	Heath-leaved.	———	——	——	G. ♄.	Bot. reg. t. 779.
9	daphnoides. w.	(*wh.*)	Daphne-like.	———	1731.	5. 6.	G. ♄.	W. hort. ber. t. 52.
10	polygonoides.	(*wh.*)	Polygonum-like.	———	1790.	12. 3.	G. ♄.	——— t. 51.
11	alaternoides. w.	(*wh.*)	narrow-leaved.	———	1692.	——	G. ♄.	Bot. mag. t. 1321.

EXCŒC'ARIA. W. EXCŒC'ARIA. Diœcia Monadelphia. L.

1	lùcida. s.s.	(*wh.*)	shining-leaved.	Jamaica.	1824.	4. 6.	S. ♄.	
2	glandulòsa. s.s.	(*wh.*)	glandular.	———	——	——	S. ♄.	Sloan. hist. 2. t. 158. f. 2.
3	Agallòcha. s.s.	(*gr.ye.*)	Indian.	E. Indies.	1823.	....	S. ♄.	Rumph. amb. 2. t. 79. 80.
4	serràta. H.K.	(*wh.*)	saw-leaved.	Chile.	1796.	11. 2.	G. ♄.	

AD'ELIA. W. AD'ELIA. Diœcia Monadelphia. L.

1	Bernárdia. w.	(*gr.wh.*)	villous-leaved.	Jamaica.	1768.	7. 8.	S. ♄.	
2	Ricinélla. w.	(*gr.wh.*)	smooth-leaved.	———	——	6. 8.	S. ♄.	
3	Acidòton. w.	(*gr.wh.*)	Box-leaved.	———	——	6. 7.	S. ♄.	

LOURE'IRA. W. Loure'ira. Dicœcia Monadelphia. W.
1 cuneifòlia. w. (*bh.*) wedge-leaved. Mexico. 1824. 6. 8. G. ½. Cavan. ic. 5. t. 429.
Mozinna spathùlata. Ort. dec. 8. t. 13.
2 glandulòsa. w. (*bh.*) glandulous. ——— 1799. —— G. ½. Cavan. ic. 5. t. 430.

B'ORYA. W. B'orya. Dicœcia Diandria. W.
1 porulòsa. w. (*gr.wh.*) Florida. Florida. 1806. 7. 8. H. ½.
2 ligustrìna. w. (*gr.wh.*) Privet-leaved. N. America. 1812. —— H. ½.
3 prinoìdes. W.en. (*gr.wh.*) Prinos-like. ——— 1816. —— H. ½.
4 nìtida. W.en. (*gr.wh.*) glossy-leaved. ——— —— —— H. ½.
5 retùsa. W.en. (*gr.wh.*) retuse-leaved. ——— 1812. —— H. ½.
6 acuminàta. w. (*gr.wh.*) pointed. ——— —— —— H. ½. Mich. amer. 2. t. 18.
Adèlia acuminàta. M.

SECURI'NEGA. J. Securi'nega. Monœcia Pentandria.
nìtida. p.s. (*wh.*) Otaheite Myrtle. Otaheite. 1793. 3. 8. S. ½. Lindl. collect. t. 9.

TR'AGIA. W. Tr'agia. Monœcia Triandria. W.
1 volùbilis. w. (*gr.*) twining. W. Indies. 1739. 6. 7. S. ½. Trew. pl. rar. 2. t. 15.
2 involucràta. w. (*gr.*) involucred. E. Indies. 1759. —— S. ☉. Jacq. ic. 1. t. 190.
3 mercuriàlis. w. (*gr.*) Mercury-like. ——— 1818. —— S. ☉. Rheed. mal. 10. t. 82.
4 urticæfòlia. s.s. (*gr.*) nettle-leaved. N. America. 1812. —— H. ☉.
5 hirsùta. D.L. (*gr.*) hairy. Trinidad. 1820. —— S. ☉.
6 ùrens. w. (*gr.*) stinging. Virginia. 1699. 8. H. ☉. Pluk. alm. t. 107. f. 5.
7 cannabìna. w. (*gr.*) Hemp-leaved. ——— 1699. 6. 7. S. ♃. Burm. ind. t. 63. f. 1.

MICROST'ACHYS. J. Microst'achys. Monœcia Triandria.
1 corniculàta. (*gr.*) two-horned. Trinidad. 1820. 6. 7. S. ☉.
Trùgia corniculàta. Vahl. *Cnemidostàchys Váhlii.* s.s.
2 Chamælèa. J. (*gr.*) lance-leaved. E. Indies. 1793. —— S. ☉. Rheed. mal. 2. t. 34.

ORDO CLXXXI.

EMPETREÆ. *D. Don on the affinities of the Empetreæ. p. 3.*

EMP'ETRUM. D.D. Emp'etrum. Dicœcia Triandria. L.
nìgrum. w. (*gr.*) black-berried. Britain. .... 4. 5. H. ♄. Eng. bot. v. 8. t. 526.

COR'EMA. D.D. Cor'ema. Dicœcia Triandria.
álbum. D.D. (*gr.*) white-berried. Portugal. 1774. 4. 6. H. ♄.
Empètrum álbum. W.

CERATIOLA. M. Cerat'iola. Monœcia Diandria. N.
ericoìdes. M. (*st.*) Heath-like. N. America. 1810. 4. 6. H. ♄. Pursh. fl. amer. 1. t. 13.

ORDO CLXXXII.

ANTIDESMEÆ.

ANTIDE'SMA. W. Antide'sma. Dicœcia Pentandria. L.
1 alexitèria. w. (*gr.*) Laurel-leaved. E. Indies. 1793. 5. 6. S. ½. Rheed. mal. 5. t. 11.
2 pubéscens. w. (*gr.*) pubescent. ——— 1818. —— S. ½. Roxb. corom. 2. t. 167.
3 paniculàta. w. (*gr.*) panicled. ——— 1800. —— S. ½.

STIL'AGO. W. Stil'ago. Dicœcia Triandria. W.
1 Bùnius. w. (*gr.*) Laurel-leaved. E. Indies. 1757. 8. 10. S. ½. Rheed. mal. 4. t. 56.
2 diándra. w. (*gr.*) diandrous. ——— 1800. —— S. ½. Roxb. corom. 2. t. 166.

ORDO CLXXXIII.

URTICEÆ. *Juss. gen.* 400.

FICUS. L. Fig-tree. Polygamia Dicœcia. W.
1 religiòsa. R.s. (*gr.*) Poplar-leaved. E. Indies. 1731. .... S. ½. Rheed. mal. 1. t. 27.
2 superstitiòsa. L.en. (*gr.*) superstitious. ——— .... S. ½.

3	nymphæifòlia. R.s.	(*gr.*)	Water-lily-leaved.	E. Indies.	1759.	....	S. ♄.	
4	cordàta. R.s.	(*gr.*)	heart-leaved.	C. B. S.	1802.	4. 6.	S. ♄.	Thunb. fic. p. 8. c. ic.
5	oblongàta. L.en.	(*gr.*)	oblong-leaved.	———	1816.	....	S. ♄.	
6	crassinérvia. R.s.	(*gr.*)	thick-nerved.	S. America.	——	....	S. ♄.	
7	rubrinérvia. L.en.	(*gr.*)	red-nerved.	Brazil.	1824.	....	S. ♄.	
8	rubiginòsa. R.s. *australis.* W.	(*gr.*)	ferrugineous.	N. S. W.	1789.	3. 6.	G. ♄.	Venten. malm. t. 114.
9	costàta. R.s.	(*gr.*)	rib-leaved.	E. Indies.	1763.	....	S. ♄.	
10	lævigàta. R.s.	(*gr.*)	smooth.	W. Indies.	1822.	....	S. ♄.	
11	lentiginòsa. R.s.	(*gr.*)	veined-leaved.	———	1826.	....	S. ♄.	
12	citrifòlia. R.s.	(*gr.*)	Citron-leaved.	———	1824.	....	S. ♄.	
13	coronàta. R.s.	(*gr.re.*)	red-crowned.	N. S. W.	1807.	3. 6.	G. ♄.	Colla hort. rip. t. 8.
14	lùcida. R.s.	(*gr.*)	shining-leaved.	E. Indies.	1772.	4. 6.	S. ♄.	
15	scándens. R.s.	(*gr.*)	climbing.	S. America.	1816.	——	S. ♄.	
16	stipulàta. R.s.	(*gr.*)	trailing.	China.	1771.	——	G. ♄.	
17	pedunculàta. R.s.	(*gr.*)	Willow-leaved.	S. America.	1776.	5. 7.	S. ♄.	Pluk. alm. t. 178. f. 4.
18	venòsa. R.s.	(*gr.*)	vein-leaved.	E. Indies.	1763.	6. 8.	S. ♄.	Rheed. mal. 3. t. 64.
19	leucótoma. R.s. *venòsa.* W. *non* H.K.	(*gr.*)	white-spotted.	———	....	——	S. ♄.	W. hort. ber. 1. t. 36.
20	tinctòria. R.s.	(*gr.*)	Otaheite.	Society Isl.	1788.	5. 6.	S. ♄.	
21	séptica. R.s.	(*gr.*)	rough.	E. Indies.	1826.	....	S. ♄.	Rumph. amb. 3. t. 96.
22	benjamina. R.s.	(*gr.*)	oval-leaved.	———	1757.	....	S. ♄.	Rheed. mal. 1. t. 26.
23	padifòlia. K.s.	(*gr.*)	Padus-leaved.	Mexico.	1826.	....	S. ♄.	
24	complicàta. K.s.	(*gr.*)	complicated.	———	——	....	S. ♄.	
25	glabràta. K.s.	(*gr.*)	smooth.	Teneriffe.	1816.	....	G. ♄.	
26	benghalénsis. R.s.	(*gr.*)	Bengal.	E. Indies.	1690.	4. 5.	S. ♄.	Rheed. mal. 1. t. 28.
27	microcárpa. R.s.	(*gr.*)	small-fruited.	Guinea.	1823.	——	S. ♄.	
28	americàna. R.s.	(*gr.*)	American.	Jamaica.	1822.	....	S. ♄.	Plum. spec. t. 132. f. 2.
29	racemòsa. R.s.	(*gr.*)	clustered.	E. Indies.	1759.	4. 6.	S. ♄.	Rheed. mal. 1. t. 25.
30	pertùsa. R.s.	(*gr.*)	Laurel-leaved.	S. America.	1780.	——	S. ♄.	
31	terebràta. R.s.	(*gr.*)	obovate-leaved.	Mauritius.	1822.	....	S. ♄.	Bory it t. 17.
32	pùmila. R.s.	(*gr.*)	dwarf.	China.	1759.	4. 6.	G. ♄.	Kæmp. amœn. t. 804.
33	comòsa. R.s.	(*gr.*)	tufted.	E. Indies.	1825.	....	S. ♄.	Roxb. corom. 2. t. 125.
34	glomeràta. R.s.	(*gr.*)	crowded.	———	1818.	....	S. ♄.	——————— 2. t. 123.
35	Hookèri. *nítida.* H.E.F. *nec aliorum.*	(*gr.*)	Hooker's.	W. Indies.	1816.	1. 4.	S. ♄.	Hook. ex. flor. t. 111.
36	nítida. R.s.	(*gr.*)	glossy-leaved.	E. Indies.	1786.	3. 6.	S. ♄.	Rheed. mal. 3. t. 55.
37	ciliolòsa. R.s.	(*gr.*)	fringe stipuled.	.....	1816.	——	S. ♄.	
38	rùbra. R.s.	(*re.*)	vermilion-fruited.	E. Indies.	1826.	....	S. ♄.	Rumph. amb. 3. t. 85?
39	cotinifòlia. K.s.	(*gr.*)	Cotinus-leaved.	Mexico.	1824.	3. 6.	S. ♄.	
40	obtusifòlia. K.s.	(*gr.*)	blunt-leaved.	———	——	....	S. ♄.	
41	coriàcea. R.s.	(*gr.*)	leathery-leaved.	E. Indies.	1772.	....	S. ♄.	
42	popúlnea. R.s.	(*gr.*)	Poplar-leaved.	———	....	....	S. ♄.	
43	macrophy'lla. R.s.	(*gr.*)	large-leaved.	N. Holland.	1816.	4. 6.	G. ♄.	
44	elástica. H.B.	(*gr.*)	Indian rubber.	E. Indies.	1815.	....	G. ♄.	
45	Brássii. H.T.	(*gr.*)	Brass's.	Sierra Leon.	1822.	....	S. ♄.	
46	lasiophy'lla. L.en.	(*gr.*)	downy-leaved.	.....	1816.	....	S. ♄.	
47	glaucophy'lla. R.s.	(*gr.*)	glaucous-leaved.	S. America.	1824.	....	S. ♄.	
48	insipída. R.s.	(*gr.*)	Insipid.	Caracas.	1829.	....	S. ♄.	
49	retùsa. R.s.	(*gr.*)	retuse-leaved.	E. Indies.	1793.	4. 6.	S. ♄.	
50	laurifòlia. R.s. *martinicénsis.* W.	(*gr.*)	Laurel-leaved.	W. Indies.	1759.	——	S. ♄.	Sloan. jam. 2. t. 223.
51	calyculàta. R.s.	(*gr.*)	calyculate.	Vera Cruz.	1760.	4. 6.	S. ♄.	
52	brasiliénsis. L.en.	(*gr.*)	Brazilian.	Brazil.	1820.	....	S. ♄.	
53	cuneàta. R.s.	(*gr.*)	wedge-leaved.	———	1826.	....	S. ♄.	
54	índica. R.s.	(*gr.*)	Banyan-tree.	E. Indies.	1759.	....	S. ♄.	Rheed. mal. 3. t. 63.
55	salicifòlia. R.s.	(*gr.*)	Willow-leaved.	Arabia.	1818.	....	S. ♄.	
56	aurantiaca. Lod.	(*or.*)	orange-coloured.	.....	——	....	S. ♄.	
57	péndula. L.en.	(*gr.*)	pendulous.	.....	1824.	5. 7.	S. ♄.	
58	myrtifòlia. L.en.	(*gr.*)	Myrtle-leaved.	.....	——	....	S. ♄.	
59	pubéscens. R.s.	(*gr.*)	pubescent.	E. Indies.	——	....	S. ♄.	
60	nervòsa. R.s.	(*gr.*)	strong-nerved.	———	1826.	....	S. ♄.	
61	elliptica. K.s.	(*gr.*)	elliptic-leaved.	S. America.	1824.	....	S. ♄.	
62	acuminàta. L.c.	(*gr.*)	acuminate.	.....	——	....	S. ♄.	
63	longifòlia. L.c.	(*gr.*)	long-leaved.	.....	——	....	S. ♄.	
64	caudàta. L.c.	(*gr.*)	tailed.	.....	——	....	S. ♄.	
65	dumòsa. L.c.	(*gr.*)	bushy.	.....	——	....	S. ♄.	
66	viscifòlia. L.c.	(*gr.*)	Viscum-leaved	.....	——	....	S. ♄.	
67	lanceolàta. H.B.	(*gr.*)	spear-leaved.	E. Indies.	1820.	....	S. ♄.	

68	obtusàta. L.en.	(*gr.*)	obtuse-toothed.	.....	1820.	....	S. ♄.	
69	múntia. L.en.	(*gr.*)	rough-leaved.	N. Holland.	1818.	....	G. ♄.	
70	ulmifòlia. R.s.	(*gr.*)	Elm-leaved.	Philippine.	1825.	....	S. ♄.	
71	capénsis. R.s.	(*gr.*)	Cape.	C. B. S.	1816.	....	G. ♄.	
72	exasperàta. R.s.	(*gr.*)	very rough.	Guinea.	1822.	....	S. ♄.	Willden. fic. t. 2.
	scábra. W. *non* Forst.							
73	híspida. R.s.	(*gr.*)	opposite-leaved.	E. Indies.	1802.	....	S. ♄.	Roxb. corom. 2. t. 124.
	oppositifòlia. Rox. *scábra.* Jacq. schœn. 3. t. 315.							
74	Lichtensteinii. L.en.	(*gr.*)	Lichtenstein's.	C. B. S.	1824.	....	G. ♄.	
75	aquática. w.	(*gr.*)	water.	E. Indies.	1758.	4. 6.	S. ♄.	
76	heterophy'lla. R.s.	(*gr.*)	various-leaved.	———	1816.	....	S. ♄.	Rheed. mal. 3. t. 62.
77	rèpens. R.s.	(*gr.*)	creeping-stemmed.	———	1805.	....	S. ♄.	
78	virgàta. H.B.	(*gr.*)	twiggy.	———	1817.	....	G. ♄.	
79	Carica. R.s.	(*gr.*)	common.	S. Europe.	1548.	6. 7.	H. ♄.	Trew-Ehret. t. 73. 74.
BRO'SIMUM. W.			Bread-nut.	Polygamia Diœcia. W.				
1	Alicástrum. w.	(*gr.*)	Jamaica.	Jamaica.	1776.	....	S. ♄.	Sw. fl. ind. oc. 1. t. 1. f. 1.
2	spùrium. w.	(*gr.*)	Milkwood.	———	1789.	....	S. ♄.	
3	Galactodéndron. D.D.	(*gr.*)	Cow-tree.	Caracas.	1829.	....	S. ♄.	
	Galactodéndron útile. K.s. Palo de Vacca. *Humboldt.*							
ARTOCA'RPUS. W.			Bread-fruit.	Monœcia Monandria. W.				
1	incisa. w.	(*gr.*)	true.	S. Sea Isles.	1793.	....	S. ♄.	Rumph. amb. 1. t. 33.
	a nucífera.	(*gr.*)	*nut-bearing.*	———	——	....	S. ♄.	
	β apyrèna.	(*gr.*)	*seedless.*	———	——	....	S. ♄.	Rumph. amb. 1. t. 32.
2	integrifòlia. w.	(*gr.*)	Jaca-tree.	E. Indies.	1778.	6.	S. ♄.	Rheed. mal. 3. t. 26-28.
	β heterophy'lla. Lam.		*various-leaved.*	———	——	——	S. ♄.	Rumph. amb. 1. t. 30.
MACL'URA. N.			Macl'ura.	Diœcia Tetrandria. N.				
1	anrantìaca. N.	(*gr.*)	Osage Apple.	Missouri.	1824.	....	H. ♄.	Lamb. pin. v. 2. ap. t. 12.
2	tinctòria. D.D.	(*gr.*)	Fustick-wood.	W. Indies.	1739.	....	S. ♄.	Plum. ic. t. 204.
	Mòrus tinctòria. w. *Broussonètia tinctòria.* K.s.							
BROUSSON'ETIA. W.			Paper Mulberry.	Diœcia Tetrandria. W.				
	papyrífera. w.	(*gr. br.*)	common.	Japan.	1751.	4. 7.	H. ♄.	Andr. reposit. t. 498.
MO'RUS. W.			Mulberry.	Monœcia Tetrandria. L.				
1	álba. w.	(*gr.*)	white.	China.	1596.	6.	H. ♄.	Schk. hand. 3. t. 280.
2	tatárica. w.	(*gr.*)	Tartarian.	Tartary.	1784.	——	H. ♄.	Pall. ros. 2. t. 52.
3	itálica. w.	(*gr.*)	Italian.	Italy.	....	——	H. ♄.	
4	constantinopolitàna.	(*gr.*)	Constantinople.	Constantinople. ..		——	H. ♄.	
5	nigra. w.	(*gr.*)	common.	Italy.	1548.	——	H. ♄.	Wats. dend. brit. t. 159.
6	rùbra. w.	(*gr.*)	red.	N. America.	1629.	6. 7.	H. ♄.	
7	scábra. W. en.	(*gr.*)	rough.	———	1812.	——	H. ♄.	
8	pensylvánica. L.c.	(*gr.*)	Pensylvanian.	———	——	——	H. ♄.	
9	pùmila. L.c.	(*gr.*)	dwarf.	.....	——	——	H. ♄.	
10	índica. w.	(*gr.*)	Indian.	E. Indies.	1820.	....	S. ♄.	Rheed. mal. 1. t. 49.
11	sinénsis. L.c.	(*gr.*)	Chinese.	China.	——	....	G. ♄.	
12	mauritiàna. w.	(*gr.*)	Mauritius.	Mauritius.	——	....	S. ♄.	Jacq. ic. 3. t. 617.
CONOCE'PHALUS. B.J.			Conoce'phalus.	Monœcia Tetrandria.				
	nucleifiòrus. B.R.	(*ye.*)	Nuclea-flower'd.	E. Indies.	1816.	10. 4.	S. ♄.	Bot. reg. t. 1208.
BŒHM'ERIA. W.			Bœhm'eria.	Monœcia Tetrandria. W.				
1	candàta. w.	(*gr.*)	tailed.	W. Indies.	1822.	4. 8.	S. ♄.	
2	cylíndrica. w.	(*gr.*)	cylindrical.	Virginia.	1759.	6. 8.	H. ♃.	Sloan. jam. 1. t. 82. f. 2.
3	macrophy'lla. D.P.	(*gr.*)	large-leaved.	Nepaul.	1820.	——	G. ♄.	
4	rotundifòlia. D.P.	(*gr.*)	round-leaved.	———	1819.	——	G. ♃.	
5	platyphy'lla. D.P.	(*gr.*)	rough-leaved.	———	1818.	6. 10.	G. ♄.	
6	spicàta. s.s.	(*gr.*)	spiked.	Japan.	1824.	——	H. ♃.	Hoot. syst. 10. t. 72. f. 2.
7	ramiflòra. w.	(*gr.*)	branch-flowering.	W. Indies.	1822.	——	S. ♄.	Lam. ill. t. 763.
	Catùrus ramiflòrus. L. *Pròcris ramiflòrus.* Lam.							
8	elongàta. L.en.	(*gr.*)	elongated.	Brazil.	· ——	7. 9.	H. ☉.	
9	laterifiòra. w.	(*gr.*)	side-flowering.	N. America.	1816.	6. 8.	H. ♃.	
10	rubéscens. w.	(*gr.*)	tree.	Canaries.	1779.	2. 5.	G. ♄.	Jacq. frag. n. 30. t. 5. f. 1.
	Urtìca arbòrea. L'Her. stirp. t. 20.							
11	salicifòlia. D.P.	(*gr.*)	Willow-leaved.	Nepaul.	1826.	7. 10.	G. ♄.	
12	frondòsa. D.P.	(*gr.*)	frondose.	———	1818.	——	G. ♄.	
13	terniifòlia. D.P.	(*gr.*)	three-leaved.	———	1827.	——	G. ♄.	
14	frutéscens. w.	(*gr.*)	frutescent.	———	1819.	——	G. ♄.	
URTICA. W.			Nettle.	Monœcia Tetrandria. L.				
1	pilulífera. w.	(*gr.*)	Roman.	England.	....	6. 8.	H. ☉.	Eng. bot. v. 3. t. 148.
2	baleàrica. w.	(*gr.*)	Balearic.	Balearic Isl.	1731.	6. 7.	H. ☉.	Blackw. t. 321. f. 1.
3	Dodártii. w.	(*gr.*)	Dodart's.	S. Europe.	1683.	7. 8.	H. ☉.	
4	pùmila. w.	(*gr.*)	dwarf.	N. America.	1817.	——	H. ☉.	
5	crassifòlia. w.	(*gr.*)	thick-leaved.	S. America.	1822.	——	S. ♄.	

6	grandifòlia. w.	(*gr.*)	great-leaved.	Jamaica.	1793.	7. 8.	S. ♄.	Sloan. jam. 1. t. 83. f. 2.
7	reticulàta. w.	(*gr.*)	net-leaved.	———	——	6. 8.	S. ♄.	
8	involucràta. B.M.	(*gr.*)	imbossed.	W. Indies.	1809.	10. 11.	S. ♃.	Bot. mag. t. 2481.
9	diffùsa. w.	(*gr.*)	spreading.	———	——	8. 10.	S. ♄.	
10	rùfa. w.	(*gr.*)	rusty.	Jamaica.	1793.	6. 9.	S. ♄.	
11	scabrélla. L.en.	(*gr.*)	rough.	E. Indies.	1815.	10. 12.	G. ♄.	
12	scrípta. D.P.	(*gr.*)	black-lined.	Nepaul.	1823.	6. 8.	H. ♃.	
13	rupéstris. S.S.	(*gr.*)	rock.	Sicily.	1828.	——	H. ♄.	
14	convéxa. H.H.	(*gr.*)	convex-leaved.	.....	1824.	6. 9.	H. ☉.	
15	ùrens. w.	(*gr.*)	small.	Britain.	....	6. 10.	H. ☉.	Eng. bot. v. 18. t. 1236.
16	dioíca. w.	(*gr.*)	common.	———	....	7. 9.	H. ♃.	——— v. 25. t. 1750.
17	chamædryoídes. Ph.	(*gr.*)	Germander-like.	Georgia.	1813.	——	H. ☉.	
18	membranàcea. w.	(*gr.*)	membranaceous.	S. Europe.	1818.	——	H. ♃.	
19	angustifòlia. F.	(*gr.*)	narrow-leaved.	Russia.	1824.	——	H. ♃.	
20	árdens. L.en.	(*gr.*)	burning.	Nepaul.	1819.	8. 11.	H. ☉.	
21	cannabìna. w.	(*gr.*)	Hemp-leaved.	Siberia.	1749.	7. 9.	H. ♃.	Amm. ruth. 249. t. 25.
22	rugòsa. w.	(*gr.*)	rough-leaved.	Jamaica.	1793.	5. 7.	S. ♂.	
23	grácilis. w.	(*gr.*)	slender-stalked.	Hudson's Bay.	1782.	6. 8.	H. ♃.	
24	Parietària. w.	(*gr.*)	Pellitory-leaved.	Jamaica.	1793.	7. 9.	S. ♄.	Sloan. j. 1. t. 93. f. 1.
25	ciliàta. w.	(*gr.*)	ciliated.	———	1815.	——	S. ♄.	
26	rádicans. S.S.	(*gr.*)	rooting.	———	1809.	——	H. ♄.	
27	nummulariíolia. w.	(*gr.*)	money-wort-leaved.	———	1822.	——	S. ♄.	Sloan. hist. 1. t. 131. f. 4.
28	depréssa. w.	(*gr.*)	depressed.	———	——	——	S. ♃.	
29	microphy'lla. w.	(*gr.*)	small-leaved.	W. Indies.	1793.	4. 5.	S. ♃.	Sloan. j. 1. t. 93. f. 2.
30	trianthemoídes. P.S.	(*gr.*)	branching.	———	1824.	——	S. ♃.	
31	serrulàta. S.S.	(*gr.*)	saw-leaved.	Jamaica.	——	——	S. ♃.	
32	lùcida. S.S.	(*gr.*)	glossy-leaved.	———	1808.	——	S. ♄.	
33	recúrva. H.H.	(*gr.*)	recurved.	.....	1826.	6. 9.	H. ☉.	
34	macrostàchya. L.O.	(*gr.*)	long-spiked.	S. America.	1824.	....	S. ♄.	
35	pulchélla. L.en.	(*gr.*)	neat.	E. Indies.	1816.	....	S. ♄.	
36	æ'stuans. w.	(*gr.*)	Surinam.	Surinam.	1803.	6. 7.	S. ♂.	Jacq. schœn. 3. t. 388.
37	capitàta. w.	(*gr.*)	headed.	N. America.	1820.	——	H. ♃.	
38	canadénsis. w.	(*gr.*)	Canadian.	Canada.	1656.	8. 10.	H. ♃.	Pluk. alm. t. 239. f. 2.
39	nívea. w.	(*gr.*)	white-leaved.	China.	1739.	8. 9.	H. ♃.	Jacq. vind. 2. t. 166.
40	caracasàna. w.	(*gr.*)	Caracas.	Caracas.	1820.	....	S. ♄.	Jacq. schœn. 3. t. 386.
41	caravellàna. L.en.	(*gr.*)	pointed-leaved.	S. America.	——	8. 10.	H. ☉.	
42	baccífera. w.	(*gr.*)	berry-bearing.	———	1793.	7. 8.	S. ♄.	Andr. reposit. t. 454.
43	elongàta. w.	(*gr.*)	elongated.	Philippines.	1823.	——	S. ♄.	
44	capitellàta. S.S.	(*gr.*)	small-headed.	Java.	1816.	4. 8.	S. ♄.	
45	ferocíssima. *Hórrida.* L.en. *non* K.S.	(*gr.*)	ferocious.	Nepaul.	1805.	8. 10.	H. ☉.	
46	pentándra. H.B.	(*gr.*)	pentandrous.	E. Indies.	——	——	S. ♃.	
47	arboréscens. L.en.	(*gr.*)	arborescent.	Manila.	1822.	....	S. ♄.	
48	diversifòlia. L.en.	(*gr.*)	different-leaved.	E. Indies.	1820.	....	S. ♄.	
49	heterophy'lla. D.P.	(*gr.*)	various-leaved.	Nepaul.	1823.	6. 8.	H. ♃.	
FORSKÓ'HLEA. L.			FORSKO'HLEA.	Monœcia Monandria. J.				
1	fruticòsa. w.	(*gr.*)	frutescent.	Teneriffe.	1816.	6. 8.	G. ♄.	
2	tenacíssima. w.	(*gr.*)	clammy.	Egypt.	1767.	7. 8.	H. ☉.	Jacq. vind. 1. t. 48.
3	cándida. w.	(*gr.*)	rough.	C. B. S.	1774.	6. 7.	G. ♃.	
4	víridis. B.	(*gr.*)	green.	Arabia.	1828.	——	G. ☉.	
5	angustifòlia. w.	(*gr.*)	narrow-leaved.	Teneriffe.	1779.	7. 8.	H. ☉.	Murr. c. gott. p. 24. t. 2.
PARIETARIA. W.			PELLITORY.	Polygamia Monœcia. L.				
1	índica. w.	(*gr.*)	Indian.	E. Indies.	1790.	4. 5.	S. ♃.	
2	officinàlis. w.	(*gr.*)	common.	Britain.	....	6. 9.	H. ♃.	Eng. bot. v. 13. t. 879.
3	judàica. w.	(*gr.*)	Basil-leaved.	Germany.	1728.	——	H. ♃.	Schkuh. hand. 3. t. 34.
4	pensylvánica. w.	(*gr.*)	Pensylvanian.	N. America.	1816.	——	H. ☉.	
5	urticæfòlia. w.	(*gr.*)	Nettle-leaved.	Isl. Bourbon.	1700.	——	S. ☉.	
6	lusitánica. w.	(*gr.*)	chickweed-leaved.	Spain.	1710.	7. 8.	H. ☉.	Bocc. sic. t. 24. f. 13.
7	crética. w.	(*gr.*)	Cretan.	Crete.	1818.	——	H. ☉.	
8	prostràta. L.en.	(*gr.*)	prostrate.	.....	1823.	——	H. ♃.	
9	polygonoídes. w.	(*gr.*)	Polygonum-leav'd.	Armenia.	1728.	——	H. ☉.	Mart. cent. pl. rar. t. 8.
PI'LEA. L col.			PI'LEA.	Monœcia Tetrandria.				
	muscòsa. L.col.	(*gr.*)	mossy.	W. Indies.	1793.	4. 5.	S. ♃.	Lindl. col. t. 4.
CA'NNABIS. W.			HEMP.	Dicœcia Tetrandria. L.				
	satìva. w.	(*gr.*)	common.	India.	....	6. 7.	H. ☉.	Schk. hand. 3. t. 325.
H'UMULUS. W.			HOP.	Dicœcia Tetrandria. L.				
	Lùpulus. w.	(*gr.*)	common.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 6. t. 427.
THELY'GONUM. W.			DOG'S-CABBAGE.	Monœcia Polyandria. L.				
	Cynocrámbe. w.	(*gr.*)	common.	S. Europe.	1710.	7.	H. ☉.	Schk. hand. 3. t. 209.

GN'ETUM. W.		**Gn'etum.**	**Monœcia Monadelphia. L.**					
Gnèmon. w.	(*gr.*)	Indian.	India.	1815.	....	S. ♄.	Rumph. amb. 1. t. 71.
CECR'OPIA. W.		**Snake-wood.**	**Diœcia Diandria. L.**					
1 peltàta. w.	(*gr.*)	peltated.	Jamaica.	1778.	....	S. ♄.	Lam. ill. t. 800.
2 palmàta. w.	(*gr.*)	palmated.	Brazil.	1823.	....	S. ♄.	
3 cóncolor. w.	(*gr.*)	self-coloured.	———	——	....	S. ♄.	
GUNN'ERA. W.		**Gunn'era.**	**Gynandria Diandria. L.**					
perpénsa. w.	(*gr.*)	marsh-marygold-ld.	C. B. S.	1688.	4. 6.	G. ♃.	Bot. mag. t. 2376.
DORST'ENIA. W.		**Dorst'enia.**	**Monœcia Diandria.**					
1 cordifòlia. w.	(*gr.*)	heart-leaved.	W. Indies.	1822.	5. 8.	S. ♃.	Swart. obs. t. 7. f. 2.
2 brasiliénsis. w.	(*gr.*)	Brazilian.	S. America.	1792.	3. 4.	S. ♃.	
3 Houstòni. w.	(*gr.*)	Houstoun's.	———	1747.	6. 7.	S. ♃.	Bot. mag. t. 2017.
4 arifòlia. w.	(*gr.*)	Arum-leaved.	Brazil.	1823.	——	S. ♃.	Lodd. bot. cab. t. 999.
5 Contrayérva. w.	(*gr.*)	Contrajerva-root.	S. America.	1748.	5. 8.	S. ♃.	Jacq. ic. 3. t. 614.
6 Drakèna. w.	(*gr.*)	round-rooted.	Vera Cruz.	1729.	——	S. ♃.	Lodd. bot. cab. t. 667.
7 tubicina. B.M.	(*gr.*)	tubed.	Trinidad.	1824.	7. 9.	S. ♃.	Bot. mag. t. 2804.
8 ceratosánthes. B.C.	(*gr. pu.*)	horned.	S. America.	——	4. 6.	S. ♃.	Lodd. bot. cab. t. 1216.
MERTE'NSIA. K.S.		**Merte'nsia.**	**Polygamia Monœcia. R.S.**					
1 lævigàta. K.S.	(*ye.*)	Mexican.	Mexico.	1825.	....	S. ♄.	H. et B. n. gen. 3. t. 163.
2 iguánea. R.S.	(*ye.*)	Jamaica.	Jamaica.	1791.	4. 6.	S. ♄.	
Rhámnus iguáneus. L. *Zizyphus iguánea.* P.S. *Céltis aculeàta.* W.							
3 rhamnoides. R.S.	(*ye.*)	Rhamnus-like.	———	1791.	4. 6.	S. ♄.	Cavan. ic. 3. t 294.
CE'LTIS. K.S.		**Nettle-tree.**	**Polygamia Monœcia. L.**					
1 micrántha. w.	(*gr.*)	smooth.	Jamaica.	1739.	8. 9.	S. ♄.	Plum. ic. t. 206. f. 1.
2 orientàlis. w.	(*gr.*)	oriental.	E. Indies.	1820.	——	S. ♄.	Rheed. mal. 4. t. 40.
3 pùmila. Ph.	(*gr.*)	dwarf.	N. America.	1812.	5.	H. ♄.	
4 crassifòlia. w.	(*gr.*)	heart-leaved.	———	——	5. 6.	H.5.	Duham. arb. 2. t. 9.
cordifòlia. Duh.							
5 occidentàlis. w.	(*gr.*)	American.	———	1656.	4. 5.	H.5.	Wats. dend. brit. t. 147.
β cordàta. R.S.	(*gr.*)	*heart-leaved.*	———	....	——	H.5.	
γ scabriúscula. R.S.	(*gr.*)	*rough-leaved.*	———	....	——	H.5.	
6 Willdenowiàna. R.S.	(*gr.*)	Willdenow's.	China.	....	....	H.5.	
7 sinénsis. R.S.	(*gr.*)	Chinese.	———	....	....	H.5.	
8 lævigàta. R.S.	(*gr.*)	smooth.	Louisiana.	1812.	4. 5.	H.5.	
9 Tournefórtii. w.	(*gr.*)	Tournefort's.	Levant.	1738.	....	H.5.	Tourn. it. 2. t. 41.
10 australis. w.	(*gr.*)	European.	S. Europe.	1796.	5.	H.5.	Wats. dend. brit. t. 165.
PLAN'ERA. M.		**Plan'era.**	**Tetrandria Digynia. S.S.**					
1 Richárdi. M.	(*br. gr.*)	Richard's.	N. America.	1766.	4. 5.	H.5.	
U'lmus nemoràlis. H.K.							
2 carpinifòlia. W.D.	(*gr.*)	Hornbeam-leaved.	Siberia.	——	——	H.5.	Wats. dend. brit. t. 166.
3 parvifòlia.	(*gr.*)	small-leaved.	Caucasus.	....	——	H.5.	Jacq. schœnb. t. 262.
U'lmus parvifòlia. Jacq.							
4 Gmelìni. M.	(*br. gr.*)	Gmelin's.	N. America.	1816.	——	H.5.	
aquática. N.							
U'LMUS. R.S.		**Elm-tree.**	**Pentandria Digynia. L.**					
1 campéstris. E.B.	(*pu.*)	common English.	Britain.	....	4. 5.	H.5.	Eng. bot. v. 27. t. 1886.
2 suberòsa. E.B.	(*pu.*)	cork-barked.	———	....	3. 4.	H.5.	——— v. 31. t. 2161.
3 glábra. E.B.	(*pu.*)	smooth.	———	....	——	H.5.	——— v. 32. t. 2248.
4 màjor. E.B.	(*br.*)	declining-branch'd.	———	....	——	H.5.	——— v. 36. t. 2542.
5 montàna. E.B.	(*gr.*)	Wych.	———	....	4. 5.	H.5.	——— v. 27. t. 1887.
6 effùsa. w.	(*gr.*)	spreading-flowered.	——	....	——	H.5.	Schk. hand. t. 57.
7 álba. w.	(*br.*)	white.	Hungary.	1816.	——	H.5.	
8 crispa. w.	(*br.*)	curl-leaved.	N. America.	....	——	H.5.	
9 americàna. w.	(*gr.*)	large-leaved.	———	1752.	——	H.5.	
10 pendùla. W.en.	(*gr.*)	pendulous.	———	....	——	H.5.	
11 fulva. M.	(*br.*)	slippery.	———	....	——	H.5.	Mich. arb. 3. t. 6.
12 scabra. Mill.	(*br.*)	rough.	.....	....	——	H.5.	
13 pumila. w.	(*br.*)	dwarf.	Siberia.	1771.	——	H. ♄.	Pall. ros. 1. t. 48.
14 microphy'lla. P.S.	(*br.*)	jagged-leaved.	———	....	——	H. ♄.	Pall. r. 1. t. 48. f. A. B. C.
15 alàta. M.	(*br.*)	winged.	N. America.	1816.	——	H.5.	Mich. arb. 3. t. 5.
16 chinénsis. P.S.	.....	Chinese.	China.	....	....	G. ♄.	

ORDO CLXXXIV.

JUGLANDEÆ. *DC. theor. ed.* 1. *p.* 215.

JU'GLANS. N. WALNUT-TREE. Monœcia Polyandria. L.

1	règia. w.	(*gr.*) common.	Persia.	1562.	4. 5.	H.5.	Lam. ill. t. 781.
	β máxima. P.S.	(*gr.*) *double-fruited.*	———	——	——	H.5.	
	γ serotìna. P.S.	(*gr.*) *late-fruited.*	———	——	——	H.5.	
2	nìgra. w.	(*gr.*) black.	N. America.	1629.	——	H.5.	Wats. dend. brit. t. 158.
3	cinèrea. w.	(*gr.*) shell bark.	———	1656.	——	H.5.	——— v. 1. t. 192.
	catháctica. Mich. arb. 1. t. 2.						
4	fraxinifòlia. S.S.	(*gr.*) Ash-leaved.	———	——	——	H.5.	
5	pterocárpa. S.S.	(*gr.*) winged-fruited.	Caucasus.	1828.	....	H.5.	
	Rhús obscùrum. M.B.						

C'ARYA. N. HICKORY NUT. Monœcia Tetr-Hexandria.

1	olivæfórmis. N.	(*gr.*) Pecan nut.	N. America.	....	4. 5.	H.5.	Mich. arb. 1. t. 3.
2	angustifòlia. H.K.	(*gr.*) narrow-leaved.	———	1766.	——	H.5.	
3	sulcàta. N.	(*gr.*) shell-bark.	———	1804.	——	H.5.	Mich. arb. 1. t. 8.
4	álba. N.	(*gr.*) shag-bark.	———	1730.	——	H.5.	——— 1. t. 7.
	Júglans comprèssa. W.						
5	tomentòsa. N.	(*gr.*) mocker nut.	———	1629.	——	H.5.	Mich. arb. 1. t. 6.
	Júglans álba. W. *non* M.						
	β máxima. N.	(*gr.*) *large-fruited.*	———	1824.	——	H.5.	
6	pubéscens. L.en.	(*gr.*) pubescent.	———	....	——	H.5.	
7	microcárpa. N.	(*gr.*) small-fruited.	———	1824.	——	H.5.	
8	amára. N.	(*gr.*) bitter nut.	———	1800.	5.	H.5.	
9	porcìna. N.	(*gr.*) Pig nut.	———	1812.	4. 5.	H.5.	Mich. arb. 1. t. 9. f. 3-4.
	Júglans obcordàta. W.						
10	glábra. w.	(*gr.*) smooth-leaved.	———	1799.	....	H.5.	Mich. arb. 1. t. 9. f. 1-2.
	Júglans porcìna β ficifórmis. M.						
11	aquática. N.	(*gr.*) water.	Carolina.	1826.	....	H.5.	Mich. arb. 1. t. 5.
12	integrifòlia. S.S.	(*gr.*) entire-leaved.	Louisiana.	——	....	H.5.	
	Hicòrius integrifòlius. Rafin.						

ORDO CLXXXV.

CUPULIFERÆ. *Kth. synops.* 1. *p.* 353.

QUE'RCUS. W. OAK. Monœcia Polyandria. L.

1	Phéllos. w.	(*y.gr.*) Willow-leaved.	N. America.	1723.	5. 6.	H.5.	Mich. arb. 1. t. 12.
	β hùmilis. Ph.	(*y.gr.*) *dwarf.*	———	1812.	——	H. ♄.	Catesb. car. 1. t. 22.
2	marítima. w.	(*y.gr.*) sea.	———	1811.	——	H. ♄.	Mich. querc. t. 13. f. 1.
3	serícea. w.	(*y.gr.*) running.	———	1724.	——	H. ♄.	Mich. arb. 2. t. 15.
4	vìrens. w.	(*y.gr.*) live.	———	1739.	5.	H.5.	——— 2. t. 11.
5	cinèrea. w.	(*y.gr.*) ash-coloured.	———	1789.	5. 6.	H.5.	——— 2. t. 14.
6	imbricària. w.	(*y.gr.*) tile-cupped.	———	1786.	——	H.5.	——— 2. t. 13.
7	laurifòlia. w.	(*y.gr.*) Laurel-leaved.	———	——	5.	H.5.	Mich. querc. t. 17.
	β obtùsa. Ph.	(*y.gr.*) *blunt-leaved.*	———	——	——	H.5.	——— t. 18.
8	lùtea. w.	(*y.gr.*) yellow-leaved.	Mexico.	1825.	....	H.5.	
9	glaùca. w.	(*y.gr.*) glaucous.	Japan.	1822.	....	H.5.	Banks ic. Kæmp. t. 17.
10	gramúntia. w.	(*y.gr.*) Holly-leaved.	S. France.	1730.	6.	H ♄.	
11	Ballòta. w.	(*y.gr.*) Barbary.	Barbary.	1818.	——	H. ♄.	
12	rotundifòlia. w.	(*y.gr.*) round-leaved.	Spain.	——	——	H. ♄.	
13	'Ilex. w.	(*y.gr.*) evergreen.	S. France.	1581.	5. 6.	H. ♄.	Wats. dend. brit. t. 90.
	α integrifòlia. H.K.	(*y.gr.*) *entire-leaved.*	———	——	——	H. ♄.	
	β serràta. H.K.	(*y.gr.*) *saw-leaved.*	———	——	——	H. ♄.	Duham. arb. 1. t. 123.
	γ oblónga. H.K.	(*y.gr.*) *long-leaved.*	———	——	——	H. ♄.	——— 1. t. 124.
	δ fagifòlia. L.C.	(*y.gr.*) *Beech-leaved.*	———	....	——	H. ♄.	
	ε crispa. L.C.	(*y.gr.*) *curl-leaved.*	———	....	——	H. ♄.	
14	variifòlia.	(*y.gr.*) different-leaved.	S. Europe.	....	——	H. ♄.	
	heterophy'lla. Lam. *non* Ph.						

15	crenàta. Lam. (*y.gr.*) crenated.	S. Europe.	....	5. 6.	H. ♄.		
16	lusitànica. Lam. (*y.gr.*) Portugal.	Portugal.	1824.	——	H. ♄.	Cavan. icon. 2. t. 129.	
17	calycìna. Poir. (*y.gr.*) calycine.	S. Europe.	....	——	H. ♄.		
18	expànsa. Poir. (*y.gr.*) spreading.	———	....	——	H. ♄.		
19	Lezermiàna. Poir. (*y.gr.*) glossy-leaved.	———	....	——	H. ♄.		
20	castellàna. Bosc. (*y.gr.*) subdeciduous.	———	....	——	H. ♄.		
21	Sùber. w. (*y.gr.*) Cork-tree.	S. France.	1699.	6.	H. ♄.	Wats. dend. brit. t. 89.	
22	coccífera. w. (*y.gr.*) Kermes.	———	1683.	5.	H. ♄.	——— t. 91.	
23	prasìna. Bosc. (*y.gr.*) glaucous-leaved.	Spain.	1824.	——	H. ♄.		
24	hùmilis. P.S. (*y.gr.*) low.	S. Europe.	....	——	H. ♄.	Lobel. ic. 2. p. 157.	
25	infectòria. w. (*y.gr.*) Levant.	Levant.	1812.	....	H. ♄.		
26	Turnèri. W.en. (*y.gr.*) Turner's.	———	——	....	H. 5.		
27	Prìnus. w. (*y.gr.*) Chestnut-leaved.	N. America.	1730.	5. 6.	H. 5.	Mich. arb. 2. t. 7.	
28	bícolor. w. (*y.gr.*) two-coloured.	———	1811.	5.	H. 5.		
29	montàna. w. (*y.gr.*) rock Chestnut.	———	1800.	——	H. 5.	Mich. arb. 2. t. 8.	
30	Michàuxii. N. (*y.gr.*) swamp white.	———	1812.	....	H. 5.	——— 2. t. 6.	
	Prìnos discolor. M.						
31	Castànea. w. (*y.gr.*) yellow Chestnut.	———	1816.	5.	H. 5.	Mich. arb. 2. t. 9.	
32	prinoìdes. w. (*y.gr.*) dwarf Chestnut.	———	——	——	H. ♄.	——— 2. t. 10.	
	Chinquapin. Ph.						
33	agrifòlia. w. (*y.gr.*) spiny-leaved.	———	1827.	....	H. 5.	Pluk. phyt. t. 196. f. 3.	
34	heterophy'lla. Ph. (*y.gr.*) various-leaved.	———	....	——	H. 5.	Mich. arb. 2. t. 16.	
35	aquàtica. Ph. (*y.gr.*) water.	———	1723.	——	H. 5.	——— 2. t. 17.	
36	hemisph'ærica. w. (*y.gr.*) hemispherical.	———	1816.	——	H. 5.	Mich. querc. t. 20. f. 2.	
37	nàna. w. (*y.gr.*) dwarf.	———	1738.	——	H. ♄.	Abb. ins. 2. t. 59.	
38	trilòba. w. (*y.gr.*) three-lobed.	———	1800.	——	H. 5.	Mich. querc. t. 26.	
39	nigra. w. (*y.gr.*) black.	———	1739.	——	H. ♄.	Mich. arb. 2. t. 18.	
40	tinctòria. w. (*y.gr.*) dyer's.	———	1800.	——	H. 5.	Mich. querc. t. 24.	
41	díscolor. w. (*y.gr.*) two-coloured.	———	1763.	——	H. 5.	——— t. 25.	
42	lanuginòsa. D.P. (*y.gr.*) Nepaul.	Nepaul.	1818.	....	G. 5.		
43	Phullàta. D.P. (*y.gr.*) slender-pointed.	———	1824.	....	G. 5.		
44	coccìnea. w. (*y.gr.*) scarlet.	N. America.	1691.	5.	H. 5.	Mich. arb. 2. t. 23.	
45	ambìgua. M. (*y.gr.*) gray.	———	1800.	——	H. 5.	——— 2. t. 24.	
46	rùbra. w. (*y.gr.*) champion.	———	1739.	——	H. 5.	——— 2. t. 26.	
47	Catesb'æi. w. (*y.gr.*) barren scrub.	———	1820.	——	H. ♄.	——— 2. t. 20.	
48	falcàta. M. (*y.gr.*) downy-leaved.	———	1763.	——	H. 5.	——— 2. t. 21.	
	elongàta. w.						
49	palústris. w. (*y.gr.*) marsh.	———	1800.	——	H. 5.	Mich. arb. 2. t. 25.	
50	Banistèri. M. (*y.gr.*) Banister's.	———	——	——	H. ♄.	——— 2. t. 19.	
	ilicifòlia. w.						
51	stellàta. w. (*y.gr.*) starred.	———	——	——	H. 5.	Mich. arb. 2. t. 4.	
	obtusilòba. M.						
52	macrocárpa. w. (*y.gr.*) overcup white.	———	1800.	——	H. 5.	Mich. arb. 2. t. 3.	
53	pseùdo-sùber. w. (*y.gr.*) cork-like.	Spain.	1818.	——	H. ♄.	Sant. itin. 156. t. 4.	
54	Ægilops. w. (*y.gr.*) Velanida.	S. Europe.	1731.	....	H. 5.	Mill. dict. n. 7. t. 215.	
55	álba. w. (*y.gr.*) white.	N. America.	1724.	5.	H. 5.	Mich. arb. 2. t. 1.	
56	repánda. L.en. (*y.gr.*) repand.	———	....	——	H. 5.	Mich. querc. t. 5. f. 2.	
57	E'sculus. w. (*y.gr.*) Italian.	S. Europe.	1739.	——	H. 5.		
58	Ròbur. w. (*y.gr.*) sessile-fruited.	Britain.	....	4. 5.	H. 5.	Eng. bot. v. 26. t. 1845.	
	sessiliflòra. E.B.						
59	pedunculàta. w. (*y.gr.*) common.	———	....	——	H. 5.	Eng. bot. v. 19. t. 1342.	
	Ròbur. E.B. *non* w.						
60	pubéscens. w. (*y.gr.*) Durmast.	England.	....	——	H. 5.	Second. d. chen. t. 5.	
61	fastigiàta. Lam. (*y.gr.*) Cypress.	Pyrenees.	1822.	....	H. 5.		
62	conglomeràta. P.S. (*y.gr.*) clustered.	Europe.	....	4. 5.	H. 5.		
63	olivæfórmis. M. (*y.gr.*) mossy-cup.	N. America.	1811.	5.	H. 5.	Mich. arb. 2. t. 2.	
64	lyràta. w. (*y.gr.*) lyre-leaved.	———	1786.	——	H. 5.	——— 2. t. 5.	
65	fagínea. P.S. (*y.gr.*) Beech-like.	S. Europe.	1824.	....	H. 5.		
66	haliphlèos. P.S. (*y.gr.*) hispid-cupped.	France.	....	4. 5.	H. 5.		
67	Taùzin. P.S. (*y.gr.*) soft jagged-leav'd.	S. Europe.	....	——	H. 5.		
	β laciniàta. Desv. (*y.gr.*) *cut-leaved.*	———	....	——	H. 5.		
	γ digitàta. Desv. (*y.gr.*) *fingered.*	———	....	——	H. 5.		
68	Cérris. w. (*y.gr.*) Turkey.	Turkey.	1735.	——	H. 5.	Wats. dend. brit. t. 92.	
	α frondòsa. H.K. (*y.gr.*) *common.*	———	——	——	H. 5.		
	β bullàta. H.K. (*y.gr.*) *rough-leaved.*	———	——	——	H. 5.		
	γ sinuàta. H.K. (*y.gr.*) *narrow-leaved.*	———	——	——	H. 5.		
	? δ dentàta. w.D. (*y.gr.*) *Fulham.*	———	....	6.	H. 5.	Wats. dend. brit. t. 93.	
69	Lucombeàna. (*y.gr.*) Lucombe's.	Levant.	....	5. 6.	H. 5.		
	exoniénsis. L.C.						

70 austrìaca. W.	(y.gr.) Austrian.	Austria.	....	4. 5.	H.5.	Clus. hist. 1. p. 20. c. ic.
71 mexicàna. K.s.	(y.gr.) Mexican.	Mexico.	1824.	....	G. ½.	H. et B. pl. æq. 2. t. 82.
72 spicàta. K.s.	(y.gr.) spiked.	———	——	....	G. ½.	——— 2. t. 89.
73 Bonplandiàna.	(y.gr.) Bonpland's.	———	——	....	G. ½.	——— 2. t. 93.
ambìgua. K.s. *non* M.						

FAGUS. W. BEECH. Monœcia Polyandria. L.

1 americàna.	(y.gr.) white.	N. America.	....	5.	H.5.	Mich. arb. 2. t. 8.
sylvática β americàna. N.						
2 sylvática. W.	(y.gr.) common.	Britain.	....	4. 5.	H.5.	Eng. bot. v. 26. t. 1846.
β purpùrea. H.K.	(pu.) *dark purple.*	Germany.	....	——	H.5.	
3 ferruginea. W.	(y.gr.) ferruginous.	N. America.	1796.	5. 6.	H.5.	Mich. arb. 2. t. 9.
4 comptoniæfòlia. Df.	(y.gr.) Fern-leaved.	.....	....	——	H. ½.	
sylvática γ asplenifòlia. H.S.L.						

CASTANEA. G. CHESTNUT. Monœcia Polyandria. W.

1 americàna. P.s.	(y.gr.) American.	N. America.	....	5. 6.	H.5.	Mich. arb. 2. t. 6.
vésca β americàna. N.						
2 vésca. W.	(y.gr.) common.	England.	....	——	H.5.	Eng. bot. v. 13. t. 886.
β variegàta.	(y.gr.) *striped-leaved.*	———	....	——	H.5.	
γ aspleniifòlia.	(y.gr.) *fern-leaved.*	.....	....	——	H. ½.	
3 pùmila. W.	(y.gr.) dwarf.	N. America.	1699.	7.	H. ½.	Mich. arb. 2. t. 7.

CORYLUS. W. NUT-TREE. Monœcia Polyandria. L.

1 Avellàna. W.	(y.re.) common Hazel.	Britain.	....	2. 4.	H.5.	Eng. bot. v. 11. t. 723.
β álba. H.K.	(y.re.) *white Filbert.*	.....	....	——	H.5.	
γ rùbra. H.K.	(y.re.) *red Filbert.*	.....	....	——	H.5.	
δ ovàta. Lam.	(y.re.) *oval-fruited.*	.....	....	——	H.5.	
ε barcelonénsis. L.C.	(y.re.) *Barcelona.*	Spain.	....	——	H.5.	
ζ grándis. H.K.	(y.re.) *Cob-nut.*	.....	....	——	H.5.	
η glomeràta. H.K.	(y.re.) *clustered.*	.....	....	——	H.5.	
2 tubulòsa. W.	(y.re.) Lambert's.	S. Europe.	1759.	3. 4.	H.5.	Lam. ill. t. 780.
3 heterophylla. F.	(y.re.) various-leaved.	Danube.	1829.	....	H. ½.	
4 americàna. W.	(st.re.) Cuckold.	N. America.	1798.	3. 4.	H.5.	Wang. amer. t. 29. f. 63.
5 hùmilis. W.	(st.re.) dwarf cuckold.	———	....	——	H. ½.	
6 rostràta. W.	(st.re.) common cuckold.	———	1745.	——	H.5.	Willd. arb. t. 1. f. 2.
7 Colùrna. W.	(st.re.) Constantinople.	Constantinople.	1665.	——	H.5.	Wats. dend. brit. t. 99.

ORDO CLXXXVI.

BETULINEÆ. *Kth. synops.* 1. *p.* 363.

OSTRYA. W. HOP-HORNBEAM. Monœcia Polyandria. W.

1 vulgàris. W.	(gr.) common.	Italy.	1724.	5.	H.5.	Wats. dend. brit. t. 148.
2 virgínica. W.	(gr.) American.	N. America.	1692.	5. 6.	H.5.	Abb. ins. 2. t. 75.

CARPINUS. W. HORNBEAM. Monœcia Polyandria. L.

1 Bétulus. W.	(gr.) common.	Britain.	....	3. 5.	H.5.	Eng. bot. v. 29. t. 2032.
β variegàta.	(gr.) *striped-leaved.*	———	....	——	H.5.	
γ incìsa. H.K.	(gr.) *cut-leaved.*	.....	....	——	H.5.	
δ quercifòlia. Desf.	(gr.) *Oak-leaved.*	.....	....	——	H.5.	
2 americàna. W.	(gr.) American.	N. America.	1812.	——	H.5.	Wats. dend. brit. t. 157.
3 orientàlis. W.	(gr.) eastern.	Levant.	1739.	5. 6.	H.5.	——— t. 98.

BETULA. W. BIRCH. Monœcia Polyandria. L.

1 álba. W.	(gr.) common.	Britain.	....	4. 6.	H.5.	Eng. bot. v. 31. t. 2198.
β verrucòsa. Ehr.	(gr.) *warted.*	———	....	——	H.5.	
γ péndula. Roth.	(gr.) *weeping.*	———	....	——	H.5.	
δ dalecárlica. L.	(gr.) *palmate-leaved.*	.....	....	——	H.5.	
ε macrocárpa.	(gr.) *large-fruited.*	.....	....	——	H.5.	
2 póntica. Df.	(gr.) eastern.	Asia.	....	——	H.5.	Wats. dend. brit. t. 94.
3 pubéscens. P.s.	(gr.) pubescent.	Europe.	....	4. 6.	H.5.	
4 populifòlia. W.	(gr.) Poplar-leaved.	N. America.	1750.	7.	H.5.	Wats. dend. brit. t. 151.
5 excélsa. W.	(gr.) tall.	———	1767.	5.	H.5.	——— t. 95.
6 davùrica. W.	(gr.) Daurian.	Dauria.	1786.	7.	H.5.	Pall. ros. 1. t. 39.
7 nìgra. W.	(gr.) black.	N. America.	1736.	7. 8.	H.5.	Wats. dend. brit. t. 153.
8 lùtea. M.	(gr.) yellow.	———	1816.	5. 6.	H.5.	
9 lanulòsa. M.	(gr.) woolly.	———	1812.	——	H.5.	Willd. arb. t. 2. f. 1.
rùbra. Mich. arb. 2. t. 3.						

10	papyràcea. w.	(*gr.*) paper.	N. America.	1750.	5. 6.	H.5.	Wats. dend. brit. t. 151.
11	lénta. w.	(*gr.*) soft.	———	1759.	7.	H.5.	——— t. 144.
12	carpinifòlia. W.en.	(*gr.*) Hornbeam-leaved.	———	1825.	——	H.5.	
13	carpáthica. Kit.	(*gr.*) Carpathian.	Carpathian mt.	1825.	——	H.5.	
14	ovàta. w.	(*gr.*) oval-leaved.	Europe.	....	6. 7.	H. ½.	Wats. dend. brit. t. 96.
	víridis. Vill. *A'lnus víridis.* DC.						
15	fruticòsa. w.	(*gr.*) shrubby.	Siberia.	1816.	——	H. ½.	Wats. dend. brit. t. 154.
16	glandulòsa. M.	(*gr.*) glandular.	N. America.	——	5.	H. ½.	
17	pùmila. w.	(*gr.*) hairy dwarf.	———	1762.	4. 5.	H. ½.	Wats. dend. brit. t. 97.
18	nàna. w.	(*gr.*) smooth dwarf.	Scotland.	....	5.	H. ½.	Eng. bot. v. 33. t. 2326.
	β macrophy'lla. Sch.	(*gr.*) *large-leaved.*	Switzerland.	1823.	——	H. ½.	
19	trístis. L.en.	(*gr.*) dark.	Kamtschatka.	1824.	....	H. ½.	

A'LNUS. W. ALDER. Monœcia Tetrandria. W.

1	glutinòsa. w.	(*gr.*) common.	Britain.	....	3. 4.	H.5.	Eng. bot. v. 21. t. 1508.
	β emarginàta.	(*gr.*) *emarginate.*	———	....	——	H.5.	
	γ incìsa. w.	(*gr.*) *cut-leaved.*	———	....	——	H.5.	
	δ laciniàta. w.	(*gr.*) *jagged-leaved.*	———	....	——	H.5.	
	ε quercifòlia.	(*gr.*) *Oak-leaved.*	———	....	——	H.5.	
2	incàna. w.	(*gr.*) hoary-leaved.	Europe.	1780.	6.	H.5.	
	β angulàta. H.K.	(*gr.*) *angular-leaved.*	———	——	——	H.5.	
	γ pinnàta.	(*gr.*) *pinnated.*	———	....	——	H.5.	
3	oblongàta. w.	(*gr.*) oblong-leaved.	S. Europe.	1730.	7.	H.5.	
	β elliptica.	(*gr.*) *elliptic-leaved.*	———	——	——	H.5.	
4	undulàta. w.	(*gr.*) undulate.	N. America.	1782.	5. 6.	H. ½.	
	crispa. Ph. *Bétula crispa.* H.K.						
5	glaùca. S.S.	(*gr.*) glaucous.	———	1812.	3. 4.	H.5.	
6	serrulàta. w.	(*gr.*) notch-leaved.	———	1769.	3.	H. ½.	Abb. ins. 2. t. 92.
7	rugòsa. S.S.	(*gr.*) rugged-leaved.	———	....	——	H. ½.	
8	sibírica. F.	(*gr.*) Siberian.	Siberia.	1820.	....	H. ½.	
9	cordifolia. T.P.	(*gr.*) heart-leaved.	Naples.	——	3. 4.	H. ½.	Ten. flor. nap. t. 99.
10	macrophy'lla. Df.	(*gr.*) large-leaved.	.....	——	....	H. ½.	
11	rùbra. Df.	(*gr.*) red.	.....	——	....	H. ½.	
12	pùmila. L.C.	(*gr.*) dwarf.	.....	——	....	H. ½.	
13	oxyacanthifòlia. L.C.	(*gr.*) Hawthorn-leaved.	.....	1812.	....	H. ½.	
14	subrotúnda. Df.	(*gr.*) roundish-leaved.	.....	1822.	....	H. ½.	

ORDO CLXXXVII.

SALICEÆ. *Kth. synops.* 1. *p.* 364.

SA'LIX. W. WILLOW. Diœcia 1-2-3-5-andra-Monadelpha.

1	pr'æcox. S.S.	(*g.ye.*) early.	Europe.	....	2. 3.	H.5.	Salic. woburn. t. 26.
2	pomeránica. W.en.	(*g.ye.*) Pomeranian.	Pomerania.	1816.	3. 5.	H.5.	
3	cinèrea. E.B.	(*g.ye.*) gray.	Britain.	....	5.	H.5.	Eng. bot. v. 27. t. 1897.
4	angustàta. Ph.	(*g.ye.*) narrow-leaved.	Pensylvania.	1811.	3. 4.	H.5.	
5	Wulfeniàna. S.S.	(*br.st.*) Wulfen's.	Scotland.	——	4. 5.	H.5.	Salic. woburn. t. 48.
6	silesìaca. S.S.	(*g.ye.*) Silesian.	Silesia.	1820.	——	H.5.	
7	Ammanniàna. S.S.	(*g.ye.*) Amman's.	Carinthia.	——	——	H.5.	Hoffm. salic. 1. t. 17. f. 2.
8	acutifòlia. S.S.	(*g.ye.*) acute-leaved.	Caucasus.	1824.	2. 3.	H.5.	
9	hastàta. w.	(*g.ye.*) halberd-leaved.	Lapland.	1780.	5.	H.5.	Salic. woburn. t. 35.
10	malifòlia. E.B.	(*g.ye.*) Apple-leaved.	England.	....	4.	H.5.	Eng. bot. v. 23. t. 1617.
11	serrulàta. w.	(*g.ye.*) saw-leaved.	Lapland.	1820.	5.	H.5.	Flor. dan. t. 1238.
	hastàta. F.D.						
12	Pontederàna. w.	(*g.ye.*) Pontedera's.	Germany.	1818.	——	H.5.	Salic. woburn. t. 43.
13	phylicifòlia. E.B.	(*g.ye.*) Tea-leaved.	Scotland.	....	——	H. ½.	Eng. bot. v. 28. t. 1958.
14	Andersoniàna. E.B.	(*g.ye.*) Anderson's.	———	....	——	H. ½.	——— v. 33. t. 2343.
15	tenuifòlia. E.B.	(*g.ye.*) slender-leaved.	Britain.	....	5. 6.	H. ½.	——— v. 31. t. 2186.
16	corúscans. w.	(*g.ye.*) glittering.	Switzerland.	1824.	——	H.5.	Jacq. aust. t. 408.
	Arbúscula. Jacq. *non* E.B.						
17	frágilis. E.B.	(*g.ye.*) crack.	Britain.	....	4. 5.	H.5.	Eng. bot. v. 26. t. 1807.
18	Russelliàna. E.B.	(*g.ye.*) Bedford.	England.	....	——	H.5.	——— v. 26. t. 1808.
19	Treviràni. L.en.	(*g.ye.*) Treviranus's.	Germany.	1825.	——	H.5.	
20	hippophæfòlia. L.en.	(*g.ye.*) Sea-buckthorn-ld.	——	1823.	——	H.5.	
21	viréscens. S.W.	(*g.ye.*) greenish.	Switzerland.	——	——	H.5.	Salic. woburn. t. 7.

22	triándra. E.B.	(g.ye.)	long-leaved.	Britain.	....	5. 8.	H.5.	Eng. bot. v. 20. t. 1435.
23	amygdalìna. E.B.	(g.ye.)	Almond-leaved.	———	....	4. 5.	H.5.	——— v. 27. t. 1936.
24	Hoppeàna. w.	(g.ye.)	Hoppe's.	Switzerland.	1817.	——	H.5.	
25	ambígua. Ph.	(gr.ye.)	ambiguous.	N. America.	1813.	3. 4.	H.5.	
26	decípiens. E.B.	(gr.ye.)	varnished.	England.	....	5.	H.5.	Eng. bot. v. 27. t. 1937.
27	vitellìna. E.B.	(gr.ye.)	yellow twigged.	———	....	3. 5.	H.5.	——— — v. 20. t. 1389.
28	álba. E.B.	(gr.ye.)	common white.	Britain.	....	4. 5.	H.5.	——— v. 34. t. 2430.
29	cærùlea. E.B.	(gr.ye.)	blue-leaved.	England.	....	5. 8.	H.5.	——— v. 34. t. 2431.
30	pedicellàris. s.s.	(gr.ye.)	pedicellated.	N. America.	1811.	4. 5.	H.5.	
	pensylvánica. Salic. Woburn. t. 95. ?							
31	babylònica. w.	(g.st.)	weeping.	Levant.	1692.	5. 6.	H.5.	Salic. woburn. t. 22.
32	annulàris. s.w.	(g.st.)	annular-leaved.	.....	1823.	——	H.5.	——— ——— t. 21.
33	myricoídes. s.s.	(g.ye.)	Myrica-like.	N. America.	1811.	4.	H.5.	Ann. bot. 2. t. 5. f. 2.
34	lùcida. s.s.	(g.ye.)	shining.	———	——	5.	H.5.	——— 2. t. 5. f. 7.
35	rígida. s.s.	(g.ye.)	rigid.	———	——	4. 5.	H.5.	——— 2. t. 5. f. 4.
36	cordàta. s.s.	(gr.ye.)	heart-leaved.	———	——	——	H. ½.	——— 2. t. 5. f. 8.
37	nìgra. s.s.	(g.ye.)	black.	———	——	5.	H.5.	——— 2. t. 5. f. 5.
38	ripària. w.	(g.ye.)	rivulet.	Europe.	1820.	——	H.5.	
39	incàna. DC.	(g.ye.)	hoary.	———	——	4.	H.5.	Salic. woburn. t. 90.
40	incanéscens. Sch.	(g.ye.)	incanescent.	Switzerland.	1823.	3. 4.	H.5.	——— t. 120.
41	lanàta. E.F.	(gr.ye.)	woolly.	Scotland.	——	——	H. ½.	——— t. 71.
42	pentándra. E.B.	(gr.ye.)	Bay-leaved.	Britain.	....	5. 6.	H. ½.	Eng. bot. v. 26. t. 1805.
43	Meyerìana. s.s.	(g.st.)	Meyer's.	Germany.	1823.	4. 5.	H. ½.	Salic. woburn. t. 33.
44	Fórbesii.	(g.st.)	Forbes's.	Switzerland.	——	——	H.5.	——— t. 32.
	lùcida. s.w. *nec aliorum.*							
45	tetraspérma. w.	(g.ye.)	four-seeded.	E. Indies.	1796.	——	S. ½.	Roxb. corom. 1. t. 97.
46	gariepìna. B.T.	(g.ye.)	Cape.	C. B. S.	1816.	——	G. ½.	
47	Humboldtiàna. w.	(bl.)	Humboldt's.	Peru.	1821.	....	G. ½.	H. et B. 2. t. 99, 100.
48	Bonplandiàna. K.s.	(br.)	Bonpland's.	Mexico.	——	....	G. ½.	——— 2. t. 101, 102.
49	Houstoniàna. Ph.	(gr.ye.)	Houstoun's.	America.	1812.	4. 5.	H. ½.	Salic. woburn. t. 11.
50	Lyòni. s.w.	(g.ye.)	Lyon's.	Switzerland.	1816.	——	H. ½.	——— t. 10.
51	finmárchica. s.s.	(g.ye.)	Finmark.	Sweden.	1821.	——	H. ½.	Flor. dan. t. 1051.
52	Villarsiàna. w.	(g.ye.)	Villars's.	S. France.	1818.	5. 6.	H. ½.	Salic. woburn. t. 17.
53	myrtilloídes. s.s.	(br.ye.)	Myrtle-leaved.	Sweden.	1772.	4. 8.	H. ½.	——— t. 66.
54	retùsa. w.	(g.ye.)	blunt-leaved.	Italy.	1763.	——	H. ½.	——— f. 139.
55	serpyllifólia. w.	(g.ye.)	Thyme-leaved.	Switzerland.	1818.	——	H. ½.	——— t. 65.
56	Kitaibeliàna. w.	(g.ye.)	Kitaibel's.	Carpathian m.	1816.	——	H. ½.	——— t. 64.
57	'Uva-úrsi. s.s.	(g.ye.)	Bearberry-like.	Labrador.	1811.	4. 5.	H. ½.	——— f. 151.
58	berberifólia. w.	(g.ye.)	Barberry-leaved.	Davuria.	1824.	——	H. ½.	Pall. ros. 2. t. 82.
59	herbàcea. E.B.	(g.ye.)	least.	Britain.	....	6.	H. ½.	Eng. bot. v. 27. t. 1907.
60	monándra. Ard.	(g.ye.)	monandrous.	Europe.	....	3. 4.	H. ½.	Salic. woburn. t. 4.
61	purpùrea. E.B.	(g.ye.)	bitter purple.	England.	....	3.	H. ½.	Eng. bot. v. 20. t. 1388.
62	Hèlix. E.B.	(g.ye.)	Rose.	Britain.	....	3. 4.	H. ½.	——— v. 19. t. 1343.
63	Lambertiàna. E.B.	(g.ye.)	Boyton.	England.	....	——	H. ½.	——— v. 19. t. 1359.
64	rùbra. E.B.	(g.ye.)	red-stemmed.	———	....	4. 5.	H. ½.	——— v. 16. t. 1145.
65	Forbiàna. E.B.	(g.ye.)	basket osier.	———	....	4.	H. ½.	——— v. 19. t. 1344.
66	viminàlis. E.B.	(g.ye.)	common osier.	Britain.	....	4. 5.	H. ½.	——— v. 27. t. 1898.
67	mollíssima. s.s.	(g.ye.)	softest.	Germany.	....	3. 4.	H. ½.	
68	Smithiàna. s.s.	(g.ye.)	Smith's.	England.	....	——	H. ½.	Salic. woburn. t. 134.
	mollíssima. Eng. bot. v. 21. t. 1509. *nec aliorum.*							
69	acuminàta. E.B.	(g.ye.)	acuminate.	Britain.	....	4.	H.5.	Eng. bot. v. 20. t. 1434.
70	holosericea. w.	(g.ye.)	holosericeous.	Germany.	1822.	——	H.5.	
71	aurìta. w.	(g.ye.)	eared.	Britain.	....	4. 5.	H.5.	Hoff. sal. 1. t. 22. f. 1.
72	uliginòsa. W.en.	(g.ye.)	marsh.	———	....	4. 6.	H.5.	Eng. bot. v. 21. t. 1487.
	aurìta. E.B. *non* w.							
73	paludòsa. L.en.	(g.ye.)	fen.	Germany.	....	——	H.5.	
74	aquática. E.B.	(g.ye.)	water.	Britain.	....	4.	H.5.	Eng. bot. v. 20. t. 1437.
75	spatulàta. W.en.	(g.ye.)	spatulate.	Germany.	....	——	H.5.	
76	cáprea. E.B.	(g.ye.)	great round-leaved.	Britain.	....	4. 5.	H.5.	Eng. bot. v. 21. t. 1488.
77	sphacelàta. E.B.	(g.ye.)	withered-pointed.	Scotland.	....	——	H. ½.	——— v. 33. t. 2333.
78	laurìna. w.	(g.ye.)	Laurel-leaved.	England.	....	——	H. ½.	——— v. 26. t. 1806.
	bícolor. E.B. *non* Ehr.							
79	bícolor. w.	(g.ye.)	two-coloured.	Germany.	1818.	——	H. ½.	
80	Forsteriàna. E.B.	(g.ye.)	Forster's.	Scotland.	....	——	H.5.	Eng. bot. v. 33. t. 1403.
81	nígricans. E.B.	(g.ye.)	dark broad-leaved.	England.	....	4.	H.5.	——— v. 17. t. 1213.
82	violàcea. s.s.	(g.ye.)	violet.	Russia.	....	3. 4.	H.5.	Andr. reposit. t. 581.
83	confórmis. s.w.	(g.ye.)	uniform-leaved.	.....	....	2. 3.	H.5.	Salic. woburn. t. 24.
84	Weigeliàna. s.s.	(g.ye.)	long-styled.	Silesia.	1820.	——	H.5.	——— t. 51.
85	cotinifólia. E.B.	(g.ye.)	Quince-leaved.	Britain.	....	4.	H.5.	Eng. bot. v. 20. t. 1403.

86	conífera. s.s.	(g.ye.) cone-bearing.	N. America.	1809.	5.	H.5.	Wang. amer. t. 21. f. 7.
87	prinoídes. s.s.	(g.ye.) Prinos-like.	———	1811.	3. 4.	H.5.	Salic. woburn. t. 46.
88	fuscàta. s.s.	(g.ye.) brown-stemmed.	———	——	——	H.5.	
89	recurvàta. s.s.	(g.ye.) recurve-flowered.	———	——	4.	H. h.	
90	trístis. s.s.	(g.ye.) linear-leaved.	———	1765.	3. 4.	H. h.	Salic. woburn. f. 139.
91	Muhlenbergiàna.	(re.ye.) Muhlenberg's.	———	1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 9.
92	grísea. W.en.	(br.ye.) brown.	———	1816.	——	H. h.	
93	lanceolàta. E.B.	(g.ye.) sharp-leaved.	England.	....	4. 5.	H. h.	Eng. bot. v. 20. t. 1436.
94	stipulàris. E.B.	(g.ye.) auricled.	Britain.	....	3.	H. h.	——— v. 17. t. 1214.
95	undulàta. s.s.	(g.ye.) wave-leaved.	Germany.	1819.	4. 5.	H. h.	Salic. woburn. t. 13.
96	virgàta. s.w.	(g.ye.) twiggy.	.....	....	5. 6.	H. h.	——— —— t. 12.
97	Hoffmanniàna.	(g.ye.) Hoffman's.	Switzerland.	....	5.	H. h.	——— —— t. 16.
98	montàna. w.	(g.ye.) mountain.	———	....	5. 6.	H.5.	——— —— t. 19.
99	monspeliénsis. s.w.	(g.ye.) Montpelier.	Montpelier.	....	4. 5.	H. h.	——— t. 39.
100	pátens. s.w.	(g.ye.) spreading.	.....	....	5. 8.	H. h.	——— t. 39.
101	Willdenowiàna. s.w.	(g.ye.) Willdenow's.	.....	....	4. 9.	H. h.	——— t. 41.
102	crispa. s.w.	(g.st.) curled.	.....	....	3.	H. h.	——— t. 42.
103	nítens. s.w.	(g.ye.) glossy.	Scotland.	....	4. 5.	H. h.	——— t. 44.
104	Borreriàna. s.w.	(g.st.) Borrer's.	———	....	4.	H. h.	——— t. 45.
105	Davalliàna. s.w.	(br.st.) Davall's.	———	....	——	H. h.	——— t. 47.
106	petiolàris. E.B.	(br.st.) dark long-leaved.	N. America.	....	4.	H. h.	Eng. bot. v. 16. t. 1147.
107	pátula. s.s.	(g.ye.) spreading.	Italy.	1818.	——	H. h.	
108	oleifólia. E.B.	(g.ye.) Olive-leaved.	Britain.	....	3.	H.5.	Eng. bot. v. 20. t. 1402.
109	cándida. s.s.	(r.st.) hoary.	N. America.	1811.	2. 3.	H. h.	Salic. woburn. t. 91.
110	díscolor. s.s.	(g.ye.) brown-branched.	———	——	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
111	arenària. E.B.	(g.ye.) sand.	Scotland.	....	5.	H. h.	Eng. bot. v. 26. t. 1803.
112	rèpens. E.B.	(br.ye.) creeping.	Britain.	....	5.	H. h.	——— v. 3. t. 183.
113	incubàcea. w.	(bk.ye.) trailing.	———	1775.	——	H. h.	Salic. woburn. t. 79.
114	rosmarinifólia. E.B.	(g.ye.) Rosemary-leaved.	——	....	4. 5.	H. h.	Eng. bot. v. 19. t. 1305.
115	Arbúscula. E.B.	(g.ye.) little tree.	Scotland.	....	4.	H. h.	——— v. 19. t. 1302.
116	fúsca. E.B.	(g.st.) brown.	Britain.	....	5.	H. h.	——— v. 28. t. 1903.
117	parvifólia. E.B.	(g.ye.) small-leaved.	England.	....	4. 5.	H. h.	——— v. 28. t. 1961.
118	adscéndens. E.B.	(g.ye.) ascending.	———	....	5.	H. h.	——— v. 26. t. 1902.
119	prostràta. E.B.	(g.ye.) prostrate.	Britain.	....	5.	H. h.	——— v. 28. t. 1930.
120	canéscens. W.en.	(g.ye.) canescent.	Germany.	1815.	4. 5.	H. h.	
121	leucophýlla. W.en.	(g.ye.) white-leaved.	———	——	——	H. h.	
122	elæagnoídes. L.en.	(g.ye.) Elæagnus-like.	Switzerland.	1823.	4. 8.	H. h.	Salic. woburn. t. 69.
123	argéntea. E.B.	(g.ye.) silky sand.	Britain.	....	5.	H. h.	Eng. bot. v. 19. t. 1304.
124	procúmbens. s.w.	(g.ye.) procumbent.	Scotland.	....	——	H. h.	Salic. woburn. t. 61.
125	ramifúsca. s.w.	(g.ye.) brown branched.	Britain.	....	4. 7.	H. h.	——— t. 53.
126	floribúnda. s.w.	(g.ye.) many flowered.	———	....	——	H. h.	——— t. 54.
127	versifólia. s.s.	(g.ye.) various-leaved.	N. Europe.	1824.	5.	H. h.	
128	prunifólia. E.B.	(g.ye.) Plum-leaved.	Scotland.	....	4. 5.	H. h.	Eng. bot. v. 19. t. 1303.
129	Dicksoniàna. E.B.	(g.ye.) Dickson's.	———	....	5.	H. h.	——— v. 20. t. 1392.
130	húmilis. W.en.	(g.ye.) humble.	.....	1824.	——	H. h.	
131	formósa. w.	(g.ye.) handsome.	Switzerland.	1820.	——	H. h.	
132	myrsinítes. E.B.	(g.ye.) Whortle-leaved.	Scotland.	....	4. 6.	H. h.	Eng. bot. v. 19. t. 1308.
133	venulósa. E.B.	(g.ye.) veiny-leaved.	———	....	4. 5.	H. h.	——— v. 19. t. 1302.
134	vacciniifólia. E.B.	(g.ye.) Bilberry-leaved.	———	....	——	H. h.	——— v. 23. t. 2341.
135	carinàta. E.B.	(g.ye.) folded-leaved.	———	....	——	H. h.	——— v. 19. t. 1303.
136	arbutifólia. w.	(g.ye.) Arbutus-leaved.	Switzerland.	1818.	——	H. h.	
137	rupéstris. E.B.	(g.ye.) rock.	Scotland.	....	4.	H. h.	Eng. bot. v. 33. t. 2340.
138	lappónum. w.	(g.ye.) Lapland.	Lapland.	....	——	H. h.	Salic. woburn. t. 73.
139	helvética. Vil.	(g.ye.) Swiss.	Switzerland.	1824.	4. 8.	H. h.	
140	leucophýlla. w.	(g.ye.) white-leaved.	———	——	——	H. h.	
141	lívida. s.s.	(g.ye.) livid.	Lapland.	——	4.	H. h.	
142	polàris. s.s.	(g.ye.) polar.	———	——	4. 7.	H. h.	Salic. woburn. t. 63.
143	longifólia. s.s.	(g.ye.) long-leaved.	N. America.	1819.	4. 5.	H. h.	Ann. bot. 2. t. 5. f. 6.
144	glàuca. E.B.	(g.ye.) glaucous.	Scotland.	....	5.	H. h.	Eng. bot. v. 26. t. 1810.
145	sericea. w.	(wh.ye.) silky.	Alps Europe.	1816.	——	H. h.	Salic. woburn. t. 74.
146	Stuartiàna. E.B.	(w.ye.) Stuart's.	Scotland.	....	7. 8.	H. h.	Eng. bot. v. 26. t. 1806.
147	reticulàta. E.B.	(re.) wrinkled.	Britain.	....	6. 7.	H. h.	——— v. 27. t. 1906.
148	hírta. E.B.	(g.ye.) hairy-branched.	England.	....	4. 5.	H.5.	——— v. 20. t. 1404.
149	Crowеàna. E.B.	(g.ye.) Crowe's.	———	....	——	H. h.	——— v. 16. t. 1146.
150	fagifólia. w.	(g.ye.) Beech-leaved.	Hungary.	1819.	——	H. h.	
151	cordifólia. Ph.	(g.ye.) heart-shaped.	N. America.	1811.	——	H. h.	Salic. woburn. f. 143.
152	planifólia. Ph.	(g.ye.) flat-leaved.	Labrador.	——	——	H. h.	
153	falcàta. Ph.	(g.ye.) sickle-leaved.	N. America.	——	——	H. h.	Salic. woburn. f. 146.
154	tetrápla. L.en.	(g.ye.) elegant.	Scotland.	1824.	4.	H. h.	——— t. 48.

155	obtùsa. L.en. (*g.ye.*)	blunt-leaved.	Switzerland.	1820.	4.	H. h.	
156	eriántha. L.en. (*g.ye.*)	woolly-flowered.	———	——	——	H. h.	
157	c'æsia. Vill. (*g.ye.*)	cæsious.	N. Europe.	——	4. 5.	H. h.	Vill.delph.3. t.50. f.11.
158	ulmifòlia. W.en. (*g.ye.*)	Elm-leaved.	Switzerland.	——	4.	H. h.	
159	foliòsa. w. (*g.ye.*)	leafy.	Lapland.	1818.	——	H. h.	
160	obtusifòlia. w. (*g.ye.*)	obtuse-leaved.	———	——	——	H. h.	
161	atrovirens. s.w. (*g.ye.*)	dark-green.	Switzerland.	1824.	——	H. h.	Salic. woburn. t. 108.
162	austrâlis. s.w. (*g.ye.*)	southern.	———	——	5.	H. h.	——— t. 103.
163	carpinifòlia. s.w. (*g.ye.*)	Hornbeam-leaved.	Germany.	——	3. 4.	H. h.	
164	cydoniifòlia. Sch. (*g.ye.*)	Cydonia-leaved.	Switzerland.	——	——	H. h.	
165	subalpìna. s.w. (*g.ye.*)	subalpine.	———	——	4. 5.	H. h.	Salic. woburn. t. 93.
166	proteæfòlia. s.w. (*g.ye.*)	Protea-leaved.	———	1820.	——	H. h.	——— t. 75.
167	strépida. s.w. (*g.ye.*)	creaking.	———	——	3. 4.	H. h.	——— t. 100.
168	pyrenàica. s.s. (*g.ye.*)	Pyrenean.	Pyrenees.	1823.	4.	H. h.	
169	Jacquiniàna. w. (*g.ye.*)	Jacquin's.	Austria.	1818.	——	H. h.	Jacq. aust. t. 409.
	fúsca. Jacquin. *nec aliorum.*						
170	Schraderiànum. w. (*g.ye.*)	Schrader's.	Germany.	1820.	——	H. h.	
171	finmárchica. w. (*g.ye.*)	Swedish.	Sweden.	1825.	4. 5.	H. h.	
172	serrulàta. w. (*g.ye.*)	serrulate.	Lapland.	1822.	——	H. h.	
173	versícolor. s.w. (*g.ye.*)	various-coloured.	Switzerland.	——	5.	H. h.	Salic. woburn. t. 77.
174	Doniàna. E.B. (*br.ye.*)	Mr. Don's.	Scotland.	....	4. 5.	H. h.	——— t. 88.
175	linearis. s.w. (*br.st.*)	linear-leaved.	Switzerland.	1820.	——	H. h.	——— t. 89.
176	villòsa. s.w. (*g.ye.*)	villous.	.....	....	——	H. h.	——— t. 92.
177	reflèxa. s.w. (*g.ye.*)	reflexed.	.....	....	3.	H. h.	——— t. 94.
178	petr'æa. s.w. (*g.ye.*)	rock-side.	Britain.	....	4.	H. h.	——— t. 97.
179	grisonénsis. s.w. (*g.ye.*)	Grisons.	Grisons.	1820.	3. 4.	H. h.	——— t. 99.
180	sórdida. s.w. (*g.st.*)	sordid.	Switzerland.	——	4.	H. h.	——— t. 101.
181	glabràta. Sch. (*g.ye.*)	smooth.	———	1823.	4. 5.	H. h.	
182	decúmbens. s.w. (*g.ye.*)	decumbent.	———	——	5.	H. h.	Salic. woburn. t. 88.
183	heterophy'lla. Deb. (*g.ye.*)	different-leaved.	.....	——	——	H. h.	
184	murìna. Sch. (*g.ye.*)	wall.	Switzerland.	1824.	3. 4.	H. h.	
185	nervòsa. Sch. (*g.ye.*)	nerved.	———	——	——	H. h.	
186	pannòsa. s.w. (*g.ye.*)	cloth-leaved.	———	——	4. 5.	H. h.	Salic. woburn. t. 123.
187	palléscens. Sch. (*g.st.*)	pallid.	———	——	——	H. h.	
188	pállida. s.w. (*g.ye.*)	pale.	———	——	5.	H. h.	Salic. woburn. t. 96.
189	alaternoídes. s.w. (*ye.*)	Alaternus-like.	———	1823.	4. 5.	H. h.	——— t. 76.
190	albéscens. Sch. (*g.st.*)	whitish.	———	——	——	H. h.	
191	rivulàris. s.w. (*g.ye.*)	rivulet.	———	1824.	5.	H. h.	Salic. woburn. t. 102.
192	rotundàta. s.w. (*g.ye.*)	rounded-leaved.	———	——	4. 5.	H. h.	——— t. 104.
193	dùra. s.w. (*g.ye.*)	hardy.	———	——	——	H. 5.	——— t. 105.
194	firma. s.w. (*g.ye.*)	firm.	———	——	3. 4.	H. h.	——— t. 106.
195	Ansoniàna. s.w. (*g.ye.*)	Anson's.	———	——	——	H. h.	——— t. 107.
196	coriàcea. s.w. (*g.ye.*)	leathery.	———	1822.	3.	H. h.	——— t. 112.
197	crassifòlia. s.w. (*g.ye.*)	thick-leaved.	.....	....	4. 5.	H. h.	——— t. 115.
198	vaudénsis. s.w. (*g.ye.*)	Vaudois.	Switzerland.	1824.	3. 4.	H. h.	——— t. 117.
199	latifòlia. s.w. (*g.ye.*)	broad-leaved.	———	——	3.	H. h.	——— t. 118.
200	ferruginea. s.w. (*br.st.*)	ferruginous.	Britain.	....	4.	H. h.	——— t. 128.
201	geminàta. s.w. (*g.ye.*)	twin-flowered.	———	....	3.	H. h.	——— t. 129.
202	macrostipulàcea. s.w. (*g.y.*)	large-stipul'd.	Switzerland.	1822.	4. 5.	H. 5.	——— t. 130.
203	Micheliàna. s.w. (*g.ye.*)	Michel's.	———	——	4.	H. 5.	——— t. 135.
204	atropurpùrea. s.w. (*g.ye.*)	dark-purple.	———	1824.	——	H. h.	
205	damascèna. s.w. (*g.ye.*)	Damask.	———	——	3. 4.	H. h.	
206	mutábilis. s.w. (*g.ye.*)	changeable.	———	——	——	H. h.	
207	cerasifòlia. Sch. (*g.ye.*)	Cherry-leaved.	———	——	4.	H. h.	
208	cinnamòmea. Sch. (*g.ye.*)	Cinnamon-scented.	———	——	4. 5.	H. h.	
209	clethræfòlia. Sch. (*g.ye.*)	Clethra-leaved.	———	——	——	H. h.	
210	grisophy'lla. s.w. (*g.ye.*)	gray-leaved.	———	——	4.	H. h.	Salic. woburn. t. 119.
211	lacústris. s.w. (*g.ye.*)	lake.	———	——	3.	H. h.	——— t. 116.
212	mespilifòlia. Sch. (*g.ye.*)	Mespilus-leaved.	———	——	4. 5.	H. h.	
213	obtuseserràta. Sch. (*g.ye.*)	bluntly-sawed.	———	——	——	H. h.	
214	pyrifòlia. Sch. (*g.ye.*)	Pear-leaved.	———	——	——	H. h.	
215	Schleicheriàna. s.w. (*g.ye.*)	Schleicher's.	———	——	——	H. h.	Salic. woburn. t. 98.
216	velutìna. W.en. (*g.ye.*)	velvetty.	.....	1826.	3. 4.	H. h.	
217	Starkeàna. w. (*g.ye.*)	Starke's.	Silesia.	1820.	4. 5.	H. h.	

PO'PULUS. L. POPLAR. Dioecia Octandria. L.

1	álba. E.B. (*fl.*)	Abele-tree.	Britain.	....	3. 4.	H. 5.	Eng. bot. v. 23. t. 1618.
2	canéscens. E.B. (*fl.*)	gray.	England.	....	——	H. 5.	——— v. 23. t. 1619.
3	nívea. w. (*fl.*)	snowy.	Europe.	....	——	H. 5.	
4	trépida. w. (*fl.*)	trembling.	N. America.	1812.	——	H. 5.	Mich. arb. 3. t. 8. f. 1.

86	conífera. s.s.	(g.ye.) cone-bearing.	N. America.	1809.	5.	H.5.	Wang. amer. t. 21. f. 7.
87	prinoides. s.s.	(g.ye.) Prinos-like.	———	1811.	3. 4.	H.5.	Salic. woburn. t. 40.
88	fuscàta. s.s.	(g.ye.) brown-stemmed.	———	——	——	H.5.	
89	recurvàta. s.s.	(g.ye.) recurve-flowered.	———	——	4.	H.h.	
90	trístis. s.s.	(g.ye.) linear-leaved.	———	1765.	3. 4.	H.h.	Salic. woburn. f. 189.
91	Muhlenbergiàna.	(re.ye.) Muhlenberg's.	———	1811.	4.	H.h.	Ann. bot. 2. t. 5. f. 9.
92	grísea. W.en.	(br.ye.) brown.	———	1816.	——	H.h.	
93	lanceolàta. E.B.	(g.ye.) sharp-leaved.	England.	....	4. 5.	H.h.	Eng. bot. v. 20. t. 1436.
94	stipulàris. E.B.	(g.ye.) auricled.	Britain.	....	3.	H.h.	——— v. 17. t. 1214.
95	undulàta. s.s.	(g.ye.) wave-leaved.	Germany.	1819.	4. 5.	H.h.	Salic. woburn. t. 13.
96	virgàta. s.w.	(g.ye.) twiggy.	.....	....	5. 6.	H.h.	——— —— t. 12.
97	Hoffmanniàna.	(g.ye.) Hoffman's.	Switzerland.	....	5.	H.h.	——— t. 16.
98	montàna. w.	(g.ye.) mountain.	———	....	5. 6.	H.5.	——— t. 19.
99	monspeliénsis. s.w.	(g.ye.) Montpelier.	Montpelier.	....	4. 5.	H.h.	——— t. 39.
100	pátens. s.w.	(g.ye.) spreading.	.....	....	5. 8.	H.h.	——— t. 39.
101	Willdenowiàna. s.w.	(g.ye.) Willdenow's.	.....	....	4. 8.	H.h.	——— t. 41.
102	crispa. s.w.	(g.st.) curled.	.....	....	3.	H.h.	——— t. 42.
103	nítens. s.w.	(g.ye.) glossy.	Scotland.	....	4. 5.	H.h.	——— t. 44.
104	Borreriàna. s.w.	(g.st.) Borrer's.	———	....	4.	H.h.	——— t. 45.
105	Davalliàna. s.w.	(br.st.) Davall's.	———	....	——	H.h.	——— t. 47.
106	petiolàris. E.B.	(br.st.) dark long-leaved.	N. America.	....	4.	H.h.	Eng. bot. v. 16. t. 1147.
107	pátula. s.s.	(g.ye.) spreading.	Italy.	1818.	——	H.h.	
108	oleifólia. E.B.	(g.ye.) Olive-leaved.	Britain.	....	3.	H.5.	Eng. bot. v. 20. t. 1402.
109	cándida. s.s.	(r.st.) hoary.	N. America.	1811.	2. 3.	H.h.	Salic. woburn. t. 21.
110	díscolor. s.s.	(g.ye.) brown-branched.	———	——	4.	H.h.	Ann. bot. 2. t. 3. f. 1.
111	arenària. E.B.	(g.ye.) sand.	Scotland.	....	5.	H.h.	Eng. bot. v. 26. t. 1808.
112	rèpens. E.B.	(br.ye.) creeping.	Britain.	....	5.	H.h.	——— v. 3. t. 183.
113	incubàcea. w.	(bh.ye.) trailing.	———	1775.	——	H.h.	Salic. woburn. t. 78.
114	rosmarinifólia. E.B.	(g.ye.) Rosemary-leaved.	———	....	4. 5.	H.h.	Eng. bot. v. 19. t. 1305.
115	Arbúscula. E.B.	(g.ye.) little tree.	Scotland.	....	4.	H.h.	——— v. 19. t. 1306.
116	fúsca. E.B.	(g.st.) brown.	Britain.	....	5.	H.h.	——— v. 28. t. 1998.
117	parvifólia. E.B.	(g.ye.) small-leaved.	England.	....	4. 5.	H.h.	——— v. 28. t. 1961.
118	adscéndens. E.B.	(g.ye.) ascending.	———	....	5.	H.h.	——— v. 28. t. 1962.
119	prostràta. E.B.	(g.ye.) prostrate.	Britain.	....	5.	H.h.	——— v. 28. t. 1960.
120	canéscens. W.en.	(g.ye.) canescent.	Germany.	1815.	4. 5.	H.h.	
121	leucophýlla. W.en.	(g.ye.) white-leaved.	———	——	——	H.h.	
122	elæagnoides. L.en.	(g.ye.) Elæagnus-like.	Switzerland.	1823.	4. 8.	H.h.	Salic. woburn. t. 69.
123	argéntea. E.B.	(g.ye.) silky sand.	Britain.	....	5.	H.h.	Eng. bot. v. 19. t. 1304.
124	procúmbens. s.w.	(g.ye.) procumbent.	Scotland.	....	——	H.h.	Salic. woburn. t. 61.
125	ramifúsca. s.w.	(g.ye.) brown branched.	Britain.	....	4. 7.	H.h.	——— t. 53.
126	floribúnda. s.w.	(g.ye.) many flowered.	———	....	——	H.h.	——— t. 54.
127	versifólia. s.s.	(g.ye.) various-leaved.	N. Europe.	1824.	5.	H.h.	
128	prunifólia. E.B.	(g.ye.) Plum-leaved.	Scotland.	....	4. 5.	H.h.	Eng. bot. v. 19. t. 1301.
129	Dicksoniàna. E.B.	(g.ye.) Dickson's.	———	....	5.	H.h.	——— v. 20. t. 1399.
130	húmilis. W.en.	(g.ye.) humble.	.....	1824.	——	H.h.	
131	formósa. w.	(g.ye.) handsome.	Switzerland.	1820.	——	H.h.	
132	myrsinites. E.B.	(g.ye.) Whortle-leaved.	Scotland.	....	4. 6.	H.h.	Eng. bot. v. 19. t. 1308.
133	venulósa. E.B.	(g.ye.) veiny-leaved.	———	....	4. 5.	H.h.	——— v. 19. t. 1302.
134	vacciniifólia. E.B.	(g.ye.) Bilberry-leaved.	———	....	——	H.h.	——— v. 33. t. 2341.
135	carinàta. E.B.	(g.ye.) folded-leaved.	———	....	——	H.h.	——— v. 19. t. 1303.
136	arbutifólia. w.	(g.ye.) Arbutus-leaved.	Switzerland.	1818.	——	H.h.	
137	rupéstris. E.B.	(g.ye.) rock.	Scotland.	....	4.	H.h.	Eng. bot. v. 33. t. 2340.
138	lapponum. w.	(g.ye.) Lapland.	Lapland.	....	——	H.h.	Salic. woburn. t. 73.
139	helvética. Vil.	(g.ye.) Swiss.	Switzerland.	1824.	4. 8.	H.h.	
140	leucophýlla. w.	(g.ye.) white-leaved.	———	——	——	H.h.	
141	lívida. s.s.	(g.ye.) livid.	Lapland.	——	4.	H.h.	
142	polàris. s.s.	(g.ye.) polar.	———	——	4. 7.	H.h.	Salic. woburn. t. 63.
143	longifólia. s.s.	(g.ye.) long-leaved.	N. America.	1819.	4. 5.	H.h.	Ann. bot. 2. t. 5. f. 6.
144	glàuca. E.B.	(g.ye.) glaucous.	Scotland.	....	5.	H.h.	Eng. bot. v. 26. t. 1810.
145	sericea. w.	(wh.ye.) silky.	Alps Europe.	1816.	——	H.h.	Salic. woburn. t. 74.
146	Stuartiàna. E.B.	(w.ye.) Stuart's.	Scotland.	....	7. 8.	H.h.	Eng. bot. v. 26. t. 1809.
147	reticulàta. E.B.	(re.) wrinkled.	Britain.	....	6. 7.	H.h.	——— v. 27. t. 1906.
148	hírta. E.B.	(g.ye.) hairy-branched.	England.	....	4. 5.	H.5.	——— v. 20. t. 1404.
149	Croweàna. E.B.	(g.ye.) Crowe's.	———	....	——	H.h.	——— v. 16. t. 1146.
150	fagifólia. w.	(g.ye.) Beech-leaved.	Hungary.	1819.	——	H.h.	
151	cordifólia. Ph.	(g.ye.) heart-shaped.	N. America.	1811.	——	H.h.	Salic. woburn. f. 143.
152	planifólia. Ph.	(g.ye.) flat-leaved.	Labrador.	——	——	H.h.	
153	falcàta. Ph.	(g.ye.) sickle-leaved.	N. America.	——	——	H.h.	Salic. woburn. f. 142.
154	tetrápla. L.en.	(g.ye.) elegant.	Scotland.	1824.	4.	H.h.	——— t. 48.

155	obtùsa. L.en. (*g.ye.*)	blunt-leaved.	Switzerland.	1820.	4.	H. ♄.	
156	eriántha. L.en. (*g.ye.*)	woolly-flowered.	———	——	——	H. ♄.	
157	c'æsia. Vill. (*g.ye.*)	cæsious.	N. Europe.	——	4. 5.	H. ♄.	Vill.delph.3. t.50. f.11.
158	ulmifòlia. W.en. (*g.ye.*)	Elm-leaved.	Switzerland.	——	4.	H. ♄.	
159	foliòsa. w. (*g.ye.*)	leafy.	Lapland.	1818.	——	H. ♄.	
160	obtusifòlia. w. (*g.ye.*)	obtuse-leaved.	———	——	——	H. ♄.	
161	atrovírens. s.w. (*g.ye.*)	dark-green.	Switzerland.	1824.	——	H. ♄.	Salic. woburn. t. 108.
162	austràlis. s.w. (*g.ye.*)	southern.	———	——	5.	H. ♄.	——— t. 103.
163	carpinifòlia. s.w. (*g.ye.*)	Hornbeam-leaved.	Germany.	——	3. 4.	H. ♄.	
164	cydoniifòlia. Sch. (*g.ye.*)	Cydonia-leaved.	Switzerland.	——	——	H. ♄.	
165	subalpìna. s.w. (*g.ye.*)	subalpine.	———	——	4. 5.	H. ♄.	Salic. woburn. t. 93.
166	proteæfòlia. s.w. (*g.ye.*)	Protea-leaved.	———	1820.	——	H. ♄.	——— t. 75.
167	strépida. s.w. (*g.ye.*)	creaking.	———	——	3. 4.	H. ♄.	——— t. 100.
168	pyrenàica. s.s. (*g.ye.*)	Pyrenean.	Pyrenees.	1823.	4.	H. ♄.	
169	Jacquiniàna. w. (*g.ye.*)	Jacquin's.	Austria.	1818.	——	H. ♄.	Jacq. aust. t. 409.
	fusca. Jacquin. *nec aliorum.*						
170	Schraderiànum. w. (*g.ye.*)	Schrader's.	Germany.	1820.	——	H. ♄.	
171	finmárchica. w. (*g.ye.*)	Swedish.	Sweden.	1825.	4. 5.	H. ♄.	
172	serrulàta. w. (*g.ye.*)	serrulate.	Lapland.	1822.	——	H. ♄.	
173	versícolor. s.w. (*g.ye.*)	various-coloured.	Switzerland.	——	5.	H. ♄.	Salic. woburn. t. 77.
174	Doniàna. E.F. (*br.ye.*)	Mr. Don's.	Scotland.	....	4. 5.	H. ♄.	——— t. 88.
175	linearis. s.w. (*br.st.*)	linear-leaved.	Switzerland.	1820.	——	H. ♄.	——— t. 89.
176	villòsa. s.w. (*g.ye.*)	villous.	.....	....	——	H. ♄.	——— t. 92.
177	reflèxa. s.w. (*g.ye.*)	reflexed.	.....	....	3.	H. ♄.	——— t. 94.
178	petr'æa. s.w. (*g.ye.*)	rock-side.	Britain.	....	4.	H. ♄.	——— t. 97.
179	grisonénsis. s.w. (*g.ye.*)	Grisons.	Grisons.	1820.	3. 4.	H. ♄.	——— t. 99.
180	sórdida. s.w. (*g.st.*)	sordid.	Switzerland.	——	4.	H. ♄.	——— t. 101.
181	glabràta. Sch. (*g.ye.*)	smooth.	———	1823.	4. 5.	H. ♄.	
182	decúmbens. s.w. (*g.ye.*)	decumbent.	———	——	5.	H. ♄.	Salic. woburn. t. 88.
183	heterophy'lla. Deb. (*g.ye.*)	different-leaved.	.....	——	——	H. ♄.	
184	murìna. Sch. (*g.ye.*)	wall.	Switzerland.	1824.	3. 4.	H. ♄.	
185	nervòsa. Sch. (*g.ye.*)	nerved.	———	——	——	H. ♄.	
186	pannòsa. s.w. (*g.ye.*)	cloth-leaved.	———	——	4. 5.	H. ♄.	Salic. woburn. t. 123.
187	palléscens. Sch. (*g.st.*)	pallid.	———	——	——	H. ♄.	
188	pállida. s.w. (*g.ye.*)	pale.	———	——	5.	H. ♄.	Salic. woburn. t. 96.
189	alaternoídes. s.w. (*ye.*)	Alaternus-like.	———	1823.	4. 5.	H. ♄.	——— t. 76.
190	albéscens. Sch. (*g.st.*)	whitish.	———	——	——	H. ♄.	
191	rivulàris. s.w. (*g.ye.*)	rivulet.	———	1824.	5.	H. ♄.	Salic. woburn. t. 102.
192	rotundàta. s.w. (*g.ye.*)	rounded-leaved.	———	——	4. 5.	H. ♄.	——— t. 104.
193	dùra. s.w. (*g.ye.*)	hardy.	———	——	——	H.5.	——— t. 105.
194	firma. s.w. (*g.ye.*)	firm.	———	——	3. 4.	H. ♄.	——— t. 106.
195	Ansoniàna. s.w. (*g.ye.*)	Anson's.	———	——	——	H. ♄.	——— t. 107.
196	coriàcea. s.w. (*g.ye.*)	leathery.	———	1822.	3.	H. ♄.	——— t. 112.
197	crassifòlia. s.w. (*g.ye.*)	thick-leaved.	.....	....	4. 5.	H. ♄.	——— t. 115.
198	vaudénsis. s.w. (*g.ye.*)	Vaudois.	Switzerland.	1824.	3. 4.	H. ♄.	——— t. 117.
199	latifòlia. s.w. (*g.ye.*)	broad-leaved.	———	——	3.	H. ♄.	——— t. 118.
200	ferrugínea. s.w. (*br.st.*)	ferruginous.	Britain.	....	4.	H. ♄.	——— t. 128.
201	geminàta. s.w. (*g.ye.*)	twin-flowered.	———	....	3.	H. ♄.	——— t. 129.
202	macrostipulàcea. s.w. (*g.y.*)	large-stipul'd.	Switzerland.	1822.	4. 5.	H.5.	——— t. 130.
203	Michelìana. s.w. (*g.ye.*)	Michel's.	———	——	4.	H.5.	——— t. 135.
204	atropurpùrea. s.w. (*g.ye.*)	dark-purple.	———	1824.	——	H. ♄.	
205	damascèna. s.w. (*g.ye.*)	Damask.	———	——	3. 4.	H. ♄.	
206	mutábilis. s.w. (*g.ye.*)	changeable.	———	——	——	H. ♄.	
207	cerasifòlia. Sch. (*g.ye.*)	Cherry-leaved.	———	——	4.	H. ♄.	
208	cinnamòmea. Sch. (*g.ye.*)	Cinnamon-scented.	———	——	4. 5.	H. ♄.	
209	clethræfòlia. Sch. (*g.ye.*)	Clethra-leaved.	———	——	——	H. ♄.	
210	grisophy'lla. s.w. (*g.ye.*)	gray-leaved.	———	——	4.	H. ♄.	Salic. woburn. t. 119.
211	lacústris. s.w. (*g.ye.*)	lake.	———	——	3.	H. ♄.	——— t. 116.
212	mespilifòlia. Sch. (*g.ye.*)	Mespilus-leaved.	———	——	4. 5.	H. ♄.	
213	obtuseserràta. Sch. (*g.ye.*)	bluntly-sawed.	———	——	——	H. ♄.	
214	pyrifòlia. Sch. (*g.ye.*)	Pear-leaved.	———	——	——	H. ♄.	
215	Schleicheriàna. s.w. (*g.ye.*)	Schleicher's.	———	——	——	H. ♄.	Salic. woburn. t. 98.
216	velutìna. W.en. (*g.ye.*)	velvetty.	.....	1826.	3. 4.	H. ♄.	
217	Starkeàna. w. (*g.ye.*)	Starké's.	Silesia.	1820.	4. 5.	H. ♄.	

POPULUS. L. Poplar. Dioecia Octandria. L.

1	álba. E.B.	(*fl.*)	Abele-tree.	Britain.	....	3. 4.	H.5.	Eng. bot. v. 23. t. 1618.
2	canéscens. E.B.	(*fl.*)	gray.	England.	....	——	H.5.	——— v. 23. t. 1619.
3	nívea. w.	(*fl.*)	snowy.	Europe.	....	——	H.5.	
4	trépida. w.	(*fl.*)	trembling.	N. America.	1812.	——	H.5.	Mich. arb. 3. t. 8. f. 1.

4 austràlis.	(*ye.*)	southern.	N. S. W.	....	4. 5.	F.ħ.	
Cupréssus austràlis. P.S.								
5 oblónga. R.	(*ye.*)	oblong-scaled.	———	1822.	——	G.ħ.	Rich. conif. pl. 18. f. 1.
6 rhomboídea. R.	(*ye.*)	rhomboid-scal'd.	N. Holland.	——	——	G.ħ.	——— pl. 18. f. 1.
TH'UJA. W.		ARBOR-VITÆ.	Monœcia Monadelphia. L.				
1 occidentàlis. W.	(*ye.*)	American.	N. America.	1596.	5.	H.ħ.	Wats. dend. brit. t. 150.
2 pyramidàlis. T.P.	(*ye.*)	pyramidal.	.....	1824.	——	H.ħ.	
3 orientàlis. W.	(*ye.*)	Chinese.	China.	1752.	2. 3.	H.ħ.	Wats. dend. brit. t. 148.
4 plicàta. L.P.	(*ye.*)	Nee's.	Nootka sound.	1796.	——	H.ħ.	Lamb. pin. v. 2. p. 19. t.
5 cupressoídes. W.	(*ye.*)	African.	C. B. S.	1799.	....	G.ħ.	
6 dolabràta. W.	(*ye.*)	ovate-leaved.	China.	1822.	——	H.ħ.	Lamb. pin. app. t. 1.
7 sphæroídea. S.S.	(*ye.*)	White Cedar.	N. America.	1736.	4. 5.	H.ħ.	Wats. dend. brit. t. 156.
Cupréssus thyoídes. W.							
8 péndula. L.P.	(*ye.*)	weeping.	Tartary.	1810.	2. 5.	H.ħ.	Lamb. pin. v. 2. t. 51.
CUPRE'SSUS. W.		CYPRESS.	Monœcia Monadelphia. L.				
1 sempervìrens. W.	(*ye.*)	common.	Candia.	1548.	5.	H.ħ.	Pall. ros. 2. t. 58.
α stricta.	(*ye.*)	*upright.*	———	——	——	H.ħ.	
β horizontàlis.	(*ye.*)	*horizontal.*	———	——	——	H.ħ.	
2 torulòsa. D.P.	(*ye.*)	twisting.	Nepaul.	1826.	....	H.ħ.	
3 lusitánica. W.	(*ye.*)	Cedar of Goa.	Goa.	1683.	4. 5.	F.ħ.	Lamb. pin. 95. t. 49.
4 péndula. Th.	(*ye.*)	pendulous.	Japan.	1818.	....	F.ħ.	——— t. 50.
5 baccifórmis. W.en.	(*ye.*)	berry-like.	.....	——	4. 5.	H.ħ.	
6 juniperoídes. W.	(*ye.*)	African.	C. B. S.	1756.	——	G.ħ.	
TAX'ODIUM. Rich.		TAX'ODIUM.	Monœcia Monadelphia.				
dístichum. Rich.	(*ye.*)	deciduous.	America.	1640.	5.	H.5.	Mich. arb. 3. t. 1.
Cupréssus dísticha. W. *Schubértia.* Mirb.							
α pátens. H.K.	(*ye.*)	*spreading.*	———	——	——	H.5.	
β nàtans. H.K.	(*ye.*)	*long-leaved.*	———	——	——	H.5.	
JUNI'PERUS. W.		JUNIPER.	Diœcia Monadelphia. L.				
1 thurífera. W.	(*ye.*)	Spanish.	S. Europe.	1752.	5. 6.	H.ħ.	
2 barbadénsis. W.	(*ye.*)	Barbadoes.	Barbadoes.	1811.	——	G.ħ.	Pluk. alm. t. 197. f. 4.
3 bermudiàna. W.	(*ye.*)	Bermudas Cedar.	Bermudas.	1683.	——	F.ħ.	Herm. lugd. t. 247.
4 chinénsis. W.	(*ye.*)	Chinese.	China.	1804.	——	H.ħ.	
5 excélsa. W.	(*ye.*)	tall.	Siberia.	1806.	——	H.ħ.	
6 Hermánni. S.S.	(*ye.*)	Hermann's.	.....	....	——	H.ħ.	
7 Sabìna. W.	(*ye.*)	Savin.	S. Europe.	1548.	——	H.ħ.	
β variegàta.	(*ye.*)	*variegated.*	———	——	——	H.ħ.	
8 tamariscifòlia.	(*ye.*)	Tamarisk-leav'd.	———	——	——	H.ħ.	
9 prostràta. P.S.	(*ye.*)	prostrate.	N. America.	....	——	H.ħ.	
10 daùrica. A.R.	(*ye.*)	Daurian.	Dauria.	1791.	6. 8.	H.ħ.	Andr. reposit. t. 334.
11 virginiàna. W.	(*ye.*)	red Cedar.	N. America.	1664.	5. 6.	H.ħ.	Mich. arb. 3. t. 5.
12 glaùca. W.en.	(*ye.*)	glaucous.	China.	1814.	——	H.ħ.	
13 squamàta. D.P.	(*ye.*)	scaly-branched.	Nepaul.	1824.	....	H.ħ.	
14 recúrva. D.P.	(*ye.*)	recurve-branch'd.	———	1822.	5. 6.	H.ħ.	
15 commùnis. W.	(*ye.*)	common.	Britain.	....	——	H.ħ.	Eng. bot. v. 16. t. 1100.
16 suècica. Mill.	(*ye.*)	Swedish.	N. Europe.	....	——	H.ħ.	
17 nàna. W.	(*ye.*)	dwarf.	Siberia.	1815.	——	H.ħ.	Pall. ros. 2. t. 54. f. A. B.
sibírica. Burgsd. *commùnis* γ. H.K.							
18 hemisph'ærica. S.S.	(*ye.*)	hemispherical.	Sicily.	1828.	....	H.ħ.	
19 oblónga. M.B.	(*ye.*)	oblong.	Armenia.	1829.	....	H.ħ.	
20 Oxycédrus. W.	(*ye.*)	brown-berried.	Spain.	1739.	——	H.ħ.	Duham. arb. 3. t. 126.
21 phœnícea. W.	(*ye.*)	Phœnician.	S. Europe.	1683.	——	H.ħ.	Pall. ros. 2. t. 57.
22 ly'cia. W.	(*ye.*)	Lycian.	———	1683.	——	H.ħ.	——— 2. t. 56.
23 capénsis. Lam.	(*ye.*)	Cape.	C. B. S.	1816.	....	G.ħ.	
24 drupàcea. Lab.	(*ye.*)	drupaceous.	.....	——	....	H.ħ.	Lab. pl. syr. 2. t. 8.
EPH'EDRA.		EPH'EDRA.	Diœcia Monadelphia. L.				
1 distàchya. W.	(*st.*)	great.	France.	1570.	6. 7.	H.ħ.	Schk. hand. 3. t. 239.
2 monostàchya. W.	(*st.*)	small.	Siberia.	1772.	9. 11.	H.ħ.	Wats. dend. brit. t. 142.
3 altíssima. W.	(*st.*)	tall.	Barbary.	1823.	....	H.ħ.	Desf. atl. 2. t. 263.

SUBORDO III. *ABIETINÆ.* Richard.

DA'MMARA. L.P.		DAMMAR PINE.	Monœcia Monadelphia. L.en.				
1 austràlis. L.P.	(*ye.*)	Cowrie-tree.	N. Zealand.	1820.	....	G.ħ.	Lamb. pin. 2. p. 14. t. 6.
2 orientàlis. L.P.	(*ye.*)	Amboyna pitch-tree.	Amboyna.	1804.	....	S.ħ.	—— v. 1. t. 36.—v. 2. p. 14.
loranthifòlia. L.en. *Pinus Dámmara.* W. *A'gathis loranthifòlia.* Sal.							
ARAUC'ARIA. J.		ARAUC'ARIA.	Diœcia Monadelphia. W.				
1 imbricàta. W.	(*ye.*)	Chile Pine.	Chile.	1796.	....	H.5.	Lamb. pin. 2. p. 9. t. 4. B.

2	brasiliàna. L.P.	(ye.)	Brazil Pine.	Brazil.	1816.	....	G.5.	Lamb. pin. 2. p.12. t. 5.
3	excélsa. H.K.	(ye.)	Norfolk Island.	Norfolk Isl.	1793.	....	G.5.	——— 1. t. 39. 40.
	Dombèya excélsa. L.P.							
4	Cunninghámii.	(ye.)	Cunningham's.	N. Holland.	1827.	....	G.5.	
	B'ELIS. L.T.		B'ELIS. Monœcia Monadelphia.					
	lanceolàta.	(ye.)	spear-leaved.	China.	1804.	12. 1.	G.♄.	Lamb. pin. 1. t. 34.
	jaculifólia. L.T. *Pinus lanceolàta.* L.P. *Cunninghámia lanceolàta.* Bot. mag. t. 2743.							
	PTNUS. W.		PINE or FIR. Monœcia Monadelphia. W.					
	P'INUS.		PINE-TREE.					
1	sylvéstris. W.	(ye.)	Scotch.	Scotland.	....	5.	H.5.	Lamb. pin. 1. t. 1.
2	Larício. P.S.	(ye.)	Corsican.	Corsica.	1814.	4. 5.	H.5.	——— v. 2. p. 28. t. 9.
3	uncinàta. DC.	(ye.)	hooked.	Pyrenees.	1820.	——	H.5.	
4	Pumilio. W.	(ye.)	upright-coned.	Carniola.	1779.	——	H.5.	Lamb. pin. p. 5. t. 2.
5	Múghus. W.	(ye.)	nodding-coned.	Austria.	....	——	H.5.	Jacq. ic. 1. t. 193.
6	púngens. M.	(ye.)	prickly-coned.	N. America.	1804.	....	H.5.	Mich. arb. 1. t. 5.
7	Banksiàna. Ph.	(ye.)	Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H.5.	Lamb. pin. p. 7. t. 3.
8	Pallasiàna. L.P.	(ye.)	Pallas's.	Crimea.	1804.	——	H.5.	——— v. 2. p. 1. t. 1.
9	Pináster. W.	(ye.)	cluster.	S. Europe.	1596.	4, 5.	H.5.	——— v. 1. p. 9. t. 4. 5.
10	Pìnea. W.	(ye.)	stone.	———	1548.	5.	H.5.	——— v.1. p.11.t.6.7.8.
11	marítima. W.	(ye.)	maritime.	———	1759.	5. 6.	H.5.	——— v. 2. p. 30. t. 10.
12	halepénsis. W.	(ye.)	Aleppo.	Levant.	1683.	5.	H.5.	——— v. 1. p. 15. t. 11.
13	ínops. Ph.	(ye.)	Jersey.	N. America.	1739.	——	H.5.	——— v. 1. p. 18. t. 13.
14	resinósa. Ph.	(ye.)	pitch.	———	1756.	——	H.5.	——— v. 1. p. 20. t. 14.
15	variábilis. Ph.	(ye.)	2 and 3-leaved.	———	1739.	5. 6.	H.5.	——— v. 1. p. 22. t. 15.
16	canariénsis. DC.	(ye.)	Canary.	Canaries.	1815.	3. 4.	G.5.	DC. pl. rar. gen. t. 1-2.
17	Tæda. Ph.	(ye.)	frankincense.	N. America.	1713.	5. 6.	H.♄.	Lam.p.v.1.p.23.t.16.17.
18	lùtea. Walt.	(ye.)	yellow.	———	....	....	H.5.	
19	serotìna. Ph.	(ye.)	Fox-tail.	———	1713.	5. 6.	H.5.	Mich. arb. 1. t. 7.
20	rígida. Ph.	(ye.)	three-leaved.	———	1759.	——	H.5.	Lamb.pin.p.25.t.18.19.
21	ponderòsa. D.	(ye.)	ponderous.	———	1827.	....	H.5.	
22	palústris. Ph.	(ye.)	swamp.	———	1730.	....	H.5.	Lamb. p. 27. t. 20.
23	longifólia. W.	(ye.)	long-leaved.	E. Indies.	1801.	....	S.5.	——— p. 29. t. 21.
24	Gerárdi. Wal.	(ye.)	Gerard's.	Nepaul.	1824.	....	H.5.	
25	occidentàlis. W.	(ye.)	West Indian.	W. Indies.	1826.	....	S.♄.	Plum. sp. 17. t. 161.
26	adúnca. Bosc.	(ye.)	crooked.	.....	1822.	....	H.5.	
27	romàna. H. Bel.	(ye.)	Roman.	Italy.	——	....	H.5.	
28	sibírica. Dut.	(ye.)	Siberian.	Siberia.	——	....	H.5.	
	STR'OBUS.		WEYMOUTH PINE.					
29	Cémbra. W.	(ye.)	Siberian stone.	Siberia.	1746.	5.	H.5.	Lamb. pin.p.34.t.26.24.
30	pygm'æa. P.	(ye.)	pigmy.	———	1816.	....	H.♄.	
31	Strobus. W.	(ye.)	Weymouth.	N. America.	1705.	4.	H.5.	Lamb. pin. p. 91. t. 22.
32	Lambertiàna. L.P.	(ye.)	Lambert's.	California.	1827.	....	H.5.	——— pin. c. icon.
33	excélsa. D.P.	(ye.)	Bhotan.	Nepaul.	1822.	....	H.5.	——— v. 2. p. 5. t. 3.
	C'EDRUS.		CEDAR.					
34	Cèdrus. W.	(ye.)	Cedar of Lebanon.	Levant.	1683.	5.	H.5.	Lamb. pin.v.1.p.59.t.37
35	Deodàra. L.P.	(ye.)	Indian Cedar.	Nepaul.	1822.	....	H.5.	——— v. 2. p. 8. t. 4.
	L'ARIX.		LARCH.					
36	péndula. W.	(ye.re.)	black Larch.	N. America.	1739.	5.	H.5.	Lamb. pin.v.1.p.56.t.36
37	microcárpa. W.	(ye.re.)	red Larch.	———	1760.	——	H.5.	——— p. 58. t. 37.
38	Làrix. W.	(ye.re.)	common Larch.	Germany.	1629.	3. 4.	H.5.	——— p. 53. t. 35.
39	dahùrica. P.	(ye.re.)	Dahurian.	Dahuria.	1827.	....	H.5.	
40	intermèdia. P.	(ye.re.)	intermediate.	Altay.	1828.	....	H.5.	
	PE'UCE.		SILVER FIR.					
41	canadénsis. W.	(ye.)	hemlock Spruce.	N. America.	1736.	5.	H.5.	Lamb. pin. p. 50. t. 32.
42	dumòsa. D.P.	(ye.)	bushy.	Nepaul.	1820.	....	H.5.	
43	taxifólia. Ph.	(ye.)	Yew-leaved.	Columbia.	1822.	....	H.5.	Lamb. pin.v.1.p.51.t.33
44	spectábilis. D.P.	(ye.)	purple-coned.	Nepaul.	1825.	....	H.5.	——— v. 2. p. 3. t. 2.
45	Pícea. W.	(ye.)	Silver-Fir.	Germany.	1603.	5.	H.5.	——— 1. p. 36. t. 40.
46	Pichta. P.	(ye.)	Fischer's.	Altay.	1824.	....	H.♄.	
47	Douglásii. D.	(ye.)	Douglas's.	N. America.	1827.	....	H.5.	
48	Balsamea. W.	(ye.)	Balm of Gilead.	———	1696.	5.	H.5.	Lamb.pin.v.1. p.48.t.31
49	Fraseri. Ph.	(ye.)	double Balsam.	Pensylvania.	1811.	....	H.5.	
	ABIES.		SPRUCE FIR.					
50	nígra. Ph.	(ye.)	black Spruce.	N. America.	1700.	5.	H.5.	Lamb. pin.v.1.p.41.t.27
51	rùbra. Ph.	(ye.)	red Spruce.	———	1755.	——	H.5.	——— v. 1. p. 43. t. 28.
52	Clanbrassiliàna. L.	(ye.)	dwarf.	———	1810.	....	H.♄.	
53	álba. Ph.	(ye.)	white Spruce.	———	1700.	5. 6.	H.5.	Lamb. pin.v.1.p.39.t.26
54	'Abies. W.	(ye.)	Norway Spruce.	N. Europe.	1548.	4.	H.5.	——— v. 1. p. 37. t. 25.
55	orientàlis. W.	(ye.)	oriental.	Levant.	1824.	....	H.5.	——— v. 1. p. 45. t. 29.

Classis II.

Monocotyledoneæ seu Endogenæ. DC.

* *Subclassis* 1. *Phaneroganeæ.* DC.

ORDO CXCII.

CYCADEÆ. *Brown prodr.* 346.

Z'AMIA. W.		**Z'amia.** Dicœcia Polyandria. W.						
1 púngens. w.	(*br.*)	needle.	C. B. S.	1775.	6. 8.	G. ♄.	Till. pis. 129. t. 45.
2 cycadifòlia. w.	(*br.*)	Cycas-leaved.	———	——	——	G. ♄.	Jacq. frag. 1. t. 25. 26.
3 tridentàta. w.	(*br.*)	three-toothed.	———	1820.	——	G. ♄.	
4 angustifòlia. Jac.	(*br.*)	narrow-leaved.	Bahama Isl.	....	——	S. ♄.	Jacq. ic. 3. t. 636.
5 ténuis. w.	(*br.*)	slender-leaved.	———	1823.	——	S. ♄.	
6 mèdia. w.	(*br.*)	intermediate.	W. Indies.	....	——	S. ♄.	Bot. mag. t. 1838.
7 débilis. w.	(*br.*)	weak.	———	1777.	——	S. ♄.	Comm. hort. 1. t. 56.
8 integrifòlia. w.	(*br.*)	dwarf.	———	1768.	——	S. ♄.	Bot. mag. t. 1851.
9 pygmæa. B.M.	(*g.br.*)	least.	———	....	5.	S. ♃.	——— t. 1741.
10 furfuràcea. w.	(*br.*)	chaffy.	———	1691.	7. 8.	S. ♄.	Trew. ehret. t. 61.
11 spiràlis. B.P.	(*br.*)	spiral.	N. S. W.	1796.	——	G. ♃.	
12 longifòlia. w.	(*br.*)	long-leaved.	C. B. S.	1820.	6. 7.	G. ♄.	Jacq. frag. 1. t. 29.
13 lanuginòsa. w.	(*br.*)	woolly.	———	....	——	G. ♄.	——— 1. t. 30. 31.
14 Cycàdis. w.	(*br.*)	Cycas-like.	———	1775.	5. 6.	G. ♄.	Thunb. act. ups. 2. t. 6.
15 hórrida. w.	(*br.*)	glaucous spiny.	———	1800.	6. 8.	G. ♄.	Jacq. frag. t. 27. 28.
16 latifòlia. L.C.	(*br.*)	broad-leaved.	.....	....	——	G. ♄.	
17 prunífera. L.C.	(*br.*)	Plum-like.	.....	....	——	S. ♄.	
18 pùmila. L.C.	(*ye.*)	small.	.....	1812.	——	S. ♃.	Bot. mag. t. 2006.
19 repánda. L.C.	(*br.*)	repand.	.....	....	——	S. ♄.	
C'YCAS. W.		**C'ycas.** Dicœcia Polyandria. W.					
1 circinàlis. w.	(*br.*)	broad-leaved.	E. Indies.	1700.	5. 6.	S. ♄.	Bot. mag. t. 2826. 2827.
2 glaùca. L.en.	(*br.*)	glaucous-leaved.	———	1814.	....	S. ♄.	
3 revolùta. w.	(*br.*)	narrow-leaved.	China.	1787.	7. 8.	S. ♄.	Linn. trans. 6. t. 29.
4 squamòsa. L.C.	(*br.*)	scaly.	.....	....	....	S. ♄.	

ORDO CXCIII.

HYDROCHARIDEÆ. *Brown prodr.* 344.

VALLISN'ERIA. L.		**Vallisn'eria.** Dicœcia Diandria. L.					
spiràlis. L.	(*wh.*)	spiral.	S. Europe.	1818.	....	G.*w*. ♃.	Mich. n. g. 12. t. 10. f. 1. 2.
HYDRO'CHARIS. L.		**Frog-bit.** Dicœcia Enneandria. L.					
Mórsus-ránæ. L.	(*wh.*)	common.	Britain.	....	6. 7.	H.*w*. ♃.	Eng. bot. v. 12. t. 866.
DAMAS'ONIUM. W.		**Damas'onium.** Hexandria Polygynia. W.					
1 índicum. w.	(*wh.*)	Indian.	E. Indies.	1800.	7. 9.	S.*w*. ♃.	Bot. mag. t. 1201.
2 ovalifòlium. B.P.	(*wh.*)	oval-leaved.	N. S. W.	1820.	——	G.*w*. ♃.	
STRATI'OTES. W.		**Water-soldier.** Dicœcia Dodecandria. L.					
aloìdes. w.	(*wh.*)	Aloe-like.	England.	....	6. 7.	H.*w*. ♃.	Eng. bot. v. 6. t. 379.

ORDO CXCIV.

ALISMACEÆ. *Kth. synops.* 1. *p.* 261.

SAGITTARIA. W. ARROW-HEAD. Monœcia Polyandria. L.

1	**sagittifòlia.** w.	(*wh.*)	common.	England.	....	6. 8.	H.*w.* 4.	Eng. bot. v. 2. t. 84.
2	**latifòlia.** Ph.	(*wh.*)	broad-leaved.	N. America.	1816.	——	H.*w.* 4.	
	β flòre plèno.	(*wh.*)	*double-flowered.*	———	——	——	H.*w.* 4.	
3	**sinénsis.** B.M.	(*wh.*)	Chinese.	China.	1812.	9. 11.	G.*w.* 4.	Bot. mag. t. 1731.
4	**obtusifòlia.** s.s.	(*wh.*)	blunt-leaved.	———	1804.	7. 8.	G.*w.* 4.	Rheed. mal. 11. t. 45.
5	**Doniàna.**	(*wh.*)	Don's.	Nepaul.	1820.	——	G.*w.* 4.	
	hastàta. D.P. *non* Ph.							
6	**hastàta.** Ph.	(*wh.*)	hastate-leaved.	N. America.	1816.	——	H.*w.* 4.	
7	**obtùsa.** Ph.	(*wh.*)	obtuse-leaved.	———	1822.	6. 9.	H.*w.* 4.	
8	**heterophy'lla.** Ph.	(*wh.*)	various-leaved.	———	——	6. 8.	H.*w.* 4.	
9	**lancifòlia.** w.	(*wh.*)	lance-leaved.	W. Indies.	1787.	6. 7.	G.*w.* 4.	Bot. mag. t. 1792.
10	**angustifòlia.** B.R.	(*wh.*)	narrow-leaved.	———	1827.	4. 8.	S.*w.* 4.	Bot. reg. t. 1141.
11	**falcàta.** Ph.	(*wh.*)	falcate-leaved.	Carolina.	1811.	6. 7.	H.*w.* 4.	
12	**rígida.** B.M.	(*wh.*)	brittle-leaved.	N. America.	1806.	——	H.*w.* 4.	Bot. mag. t. 1632.
13	**gramínea.** Ph.	(*wh.*)	grass-leaved.	Carolina.	1812.	7. 8.	H.*w.* 4.	
14	**nàtans.** M.	(*wh.*)	floating.	———	——	——	H.*w.* 4.	

ACTINOCA'RPUS. B.P. ACTINOCA'RPUS. Hexandria Hex-Octagynia.

1	**minor.** B.P.	(*wh.*)	small.	N. S. W.	....	5. 8.	G.*w.* 4.	
2	**Damasònium.**	(*wh.*)	common.	England.	....	6. 8.	H.*w.* 4.	Eng. bot. t. 1615.
	Alisma Damasònium. E.B. ***Damasònium stellàtum.*** P.S.							

ALI'SMA. B.P. WATER-PLANTAIN. Hexandria Polygynia. L.

1	**Plantàgo.** w.	(*wh.*)	greater.	Britain.	....	6. 7.	H.*w.* 4.	Eng. bot. t. 837.
2	**lanceolàta.** With.	(*wh.*)	spear-leaved.	.....	....	——	H.*w.* 4.	
3	**triviàlis.** Ph.	(*wh.*)	blunt-leaved.	N. America.	1816.	——	H.*w.* 4.	
4	**parnassifòlia.** w.	(*wh.*)	Parnassus-leav'd.	Italy.	1824.	——	H.*w.* 4.	
5	**nàtans.** E.B.	(*wh.*)	floating.	Wales.	....	7. 8.	H.*w.* 4.	Eng. bot. t. 775.
6	**ranunculoídes.** E.B.	(*w.*)	lesser.	Britain.	....	8.	H.*w.* 4.	——— t. 326.
7	**répens.** E.P.	(*wh.*)	creeping.	Wales.	....	9. 10.	H.*w.* 4.	Cavan. ic. 1. t. 55.

ORDO CXCV.

BUTOMEÆ. *Kth. synops.* 1. *p.* 260.

B'UTOMUS. L. FLOWERING RUSH. Enneandria Hexagynia. L.

1	**umbellàtus.** L.	(*ro.*)	umbelled.	Britain.	....	6. 7.	H.*w.* 4.	Eng. bot. v. 10. t. 651.
2	**latifòlius.** D.P.	(*wh.*)	broad-leaved.	Nepaul.	1823.	——	H.*w.* 4.	

LIMNOCH'ARIS. K.S. LIMNOCH'ARIS. Polyandria Polygynia. B.M.

	Plumièri. K.S.	(*ye.*)	Plumier's.	S. America.	1822.	6. 10.	S. ♂.	Bot. mag. t. 2525.
	emarginàta. H. et B. pl. æq. 1. t. 34. ***Alisma flàva.*** L.							

ORDO CXCVI.

JUNCAGINEÆ. *Kth. synops.* 1. *p.* 258.

SCHEUCHZ'ERIA. L. SCHEUCHZ'ERIA. Hexandria Trigynia. L.

	palústris. E.B.	(*br.gr.*)	marsh.	England.	....	5. 6.	H.*w.* 4.	Eng. bot. v. 26. t. 1801.

TRIGLO'CHIN. L. ARROW-GRASS. Hexandria Trigynia. L.

1	**elàtum.** N.	(*gr.*)	long-spiked.	N. America.	1820.	5. 8.	H.*w.* 4.	
2	**marítimum.** E.B.	(*gr.*)	sea-side.	Britain.	....	——	H.*w.* 4.	Eng. bot. v. 4. t. 255.
3	**palústre.** E.B.	(*gr.*)	marsh.	———	....	7. 8.	H.*w.* 4.	——— v. 6. t. 366.
4	**decípiens.** B.P.	(*gr.*)	New Holland.	N. S. W.	1820.	——	G. 4.	
5	**Barrelièri.** s.s.	(*gr.*)	Barrelier's.	Italy.	1825.	——	H. 4.	
6	**bulbòsum.** B.M.	(*pu.ye.*)	bulbous-rooted.	C. B. S.	1806.	10.	G. 4.	Bot. mag. t. 1445.

ORDO CXCVII.

FLUVIALES. *Kth. synops.* 1. *p.* 131.

POTAMOG'ETON. L. POND-WEED. Tetrandria Tetragynia. L.

1	nàtans. E.B.	(*br.*)	broad-leaved.	Britain.	....	7. 8.	H.*w.* ↓.	Eng. bot. v. 20. t. 1412.
2	heterophy'llum. E.B.	(*br.*)	various-leaved.	———	....	7. 9.	H.*w.* ↓.	——— v. 18. t. 1268.
3	perfoliàtum. E.B.	(*br.*)	perfoliate.	———	....	7. 8.	H.*w.* ↓.	——— v. 3. t. 168.
4	dénsum. E.B.	(*br.*)	close-leaved.	———	....	5. 7.	H.*w.* ↓.	——— v. 6. t. 397.
5	flùitans. E.B.	(*br.*)	long-leaved.	———	....	7. 9.	H.*w.* ↓.	——— v. 18. t. 1265.
6	lùcens. E.B.	(*br.*)	shining.	———	....	6. 8.	H.*w.* ↓.	——— v. 6. t. 376.
7	lanceolàtum. E.B.	(*br.*)	spear-leaved.	England.	....	7. 8.	H.*w.* ↓.	——— v. 20. t. 1395.
8	crìspum. E.B.	(*br.*)	curled.	Britain.	....	6. 7.	H.*w.* ↓.	——— v. 15. t. 1012.
9	compréssum. E.B.	(*br.*)	flat-stalked.	———	....	——	H.*w.* ↓.	——— v. 6. t. 416.
10	cuspidàtum. E.F.	(*br.*)	sharp-pointed.	———	....	7.	H.*w.* ↓.	Loes. pruss. t. 66.
11	gramíneum. E.B.	(*br.*)	Grass-leaved.	———	....	7. 8.	H.*w.* ↓.	Eng. bot. v. 32. t. 2253.
12	pusíllum. E.B.	(*br.*)	small.	———	....	——	H.*w.* ↓.	——— v. 3. t. 215.
13	pectinàtum. E.B.	(*br.*)	Fennel-leaved.	———	....	6. 7.	H.*w.* ↓.	——— v. 5. t. 333.

RU'PPIA. L. RU'PPIA. Tetrandria Tetragynia. L.

	marítima. E.B.	(*br.*)	sea.	Britain.	....	8. 9.	H.*w.* ↓.	Eng. bot. v. 2. t. 134.

APONOG'ETON. L. APONOG'ETON. Hex-Dodecandria Tri-Tetragynia.

1	monostàchyon. w.	(*wh.*)	simple-spiked.	E. Indies.	1803.	8. 10.	S.*w.* ↓.	Andr. réposit. t. 466.
2	distàchyon. w.	(*wh.*)	broad-leaved.	C. B. S.	1788.	5. 7.	G.*w.b.*	Bot. mag. t. 1299.
3	angustifòlium. w.	(*wh.*)	narrow-leaved.	———	——	4. 9.	G.*w.b.*	——— t. 1268.

N'AJAS. L. N'AJAS. Monœcia Tetrandria. L.

	monospérma. w.	(*gr.*)	single-seeded.	Europe.	1816.	7. 9.	H.*w.* ☉.	Mich. N. gen. 11. t. 8. f. 2.

ZANNICHE'LLIA. L. WATER-WEED. Monœcia Monandria. L.

	palústris. E.B.	(*gr.*)	horned.	Britain.	....	7. 8.	H.*w.* ☉.	Eng. bot. v. 20. t. 1444.

ZOST'ERA. W. SEA MATWEED. Monandria Monogynia. L.

	marìna. w.	(*gr.*)	common.	Britain.	....	8. 9.	H.*w.* ↓.	Eng. bot. v. 7. t. 467.

LE'MNA. L. DUCK-WEED. Monœcia Diandria.

1	trisúlca. E.B.	(*wh.*)	Ivy-leaved.	Britain.	....	5. 6.	H.*w.* ☉.	Eng. bot. v. 13. t. 926.
2	minor. E.B.	(*wh.*)	lesser.	———	....	6. 7.	H.*w.* ☉.	——— v. 16. t. 1095.
3	gíbba. E.B.	(*wh.*)	thick-leaved.	———	....	——	H.*w.* ☉.	——— v. 18. t. 1233.
4	polyrrhìza. E.B.	(*wh.*)	greater.	———	....	7. 8.	H.*w.* ☉.	——— v. 35. t. 2456.

ORDO CXCVIII.

PANDANEÆ. *Brown prodr.* 340.

PAND'ANUS. L. SCREW-PINE. Dicœcia Monandria. L.

1	l'ævis. Lour.	(*wh.*)	entire-leaved.	China.	1823.	....	S. ♄.	
2	odoratíssimus. w.	(*wh.*)	green-spined.	———	1771.	....	S. ♄.	Roxb. coromand. 1. t. 94–6.
3	ùtilis. W.en.	(*wh.*)	red-spined.	———	....	....	S. ♄.	
4	hùmilis. w.	(*wh.*)	dwarf.	Mauritius.	....	....	S. ♄.	Jacq. fragm. t. 14. f. 2.
5	latifòlius. L.C.	(*wh.*)	broad-leaved.	E. Indies.	1820.	....	S. ♄.	
6	f'œtidus. H.B.	(*wh.*)	strong scented.	———	1822.	....	S. ♄.	
7	marginàtus. H.B.	(*wh.*)	red-margined.	Mauritius.	1823.	....	S. ♄.	
8	furcàtus. H.B.	(*wh.*)	forked.	E. Indies.	——	....	S. ♄.	Rheed. mal. 2. t. 8.
9	pedunculàtus. B.P.	(*wh.*)	peduncled.	N. Holland.	1825.	....	S. ♄.	
10	spiràlis. B.P.	(*wh.*)	spiral.	———	1805.	....	S. ♄.	
11	candelàbrum. P.B.	(*wh.*)	chandelier.	Guinea.	1822.	....	S. ♄.	Beauv. fl. owar. 1. t. 21.
12	sèssilis. Boj.	(*wh.*)	sessile-fruited.	Pembu.	1825.	....	S. ♄.	
13	élegans. s.s.	(*wh.*)	elegant.	Isle France.	1826.	....	S. ♄.	
14	muriàtus. s.s.	(*wh.*)	oblong-leaved.	Madagascar.	——	....	S. ♄.	
15	èdulis. s.s.	(*wh.*)	eatable.	———	1825.	....	S. ♄.	
16	amaryllifòlius. H.B.	(*wh.*)	Amaryllis-leav'd.	E. Indies.	1820.	....	S. ♄.	
17	inérmis. H.B.	(*wh.*)	spineless.	———	——	....	S. ♄.	
18	álbus. L.C.	(*wh.*)	white-spined.	———	1823.	....	S. ♄.	
19	reflèxus. L.C.	(*wh.*)	reflexed-leaved.	———	1820.	....	S. ♄.	
20	longifòlius. L.C.	(*wh.*)	long-leaved.	———	1823.	....	S. ♄.	
21	turbinàtus. L.C.	(*wh.*)	top-shaped.	———	——	....	S. ♄.	

PHYTE'LEPHAS. R.P. PHYTE'LEPHAS. Dicœcia Polyandria. P.S.

	macrocárpa. R.P.	(*wh.*)	large-fruited.	Peru.	1822.	....	S. ♄.	

ORDO CXCIX.

TYPHINÆ. *Kth. synops.* 1. *p.* 132.

TYPHA. L.		Cat's-tail.	Monœcia Triandria. L.					
1 latifòlia. E.B.	(*br.*)	great.	Britain.	....	7.	H.*w.* ♃.	Eng. bot. v. 21. t. 1455.	
2 mèdia. DC.	(*br.*)	dwarf.	England.	....	——	H.*w.* ♃.	——— v. 21. t. 1457.	
minor. E.B.								
3 angustifòlia. E.B.	(*br.*)	lesser.	Britain.	....	——	H.*w.* ♃.	Eng. bot. v. 21. t. 1456.	
4 minima. W.	(*br.*)	least.	Europe.	1819.	——	H.*w.* ♃.		
5 dænática. E.	(*br.*)	Egyptian.	Egypt.	1825.	——	H.*w.* ♃.		
SPARGA'NIUM. L.		Bur-Reed.	Monœcia Triandria. L.					
1 ramòsum. E.B.	(*wh.*)	branched.	Britain.	....	7. 8.	H.*w.* ♃.	Eng. bot. v. 11. t. 744.	
2 simplex. E.B.	(*wh.*)	unbranched.	———	....	——	H.*w.* ♃.	——— v. 11. t. 745.	
3 americànum. N.	(*wh.*)	American.	N. America.	1823.	——	H.*w.* ♃.		
4 nàtans. E.B.	(*wh.*)	floating.	England.	....	7.	H.*w.* ♃.	Eng. bot. v. 4. t. 273.	

ORDO CC.

AROIDEÆ. *Juss. gen.* 23.

Sect. I. *ORONTIACEÆ.* Brown prodr. 1. p. 337.

P'OTHOS. L.		P'othos.	Tetrandria Monogynia. L.				
1 scándens. R.S.	(*gr.*)	climbing.	E. Indies.	1818.	4. 6.	S. ♄. ◡.	Rheed. mal. 7. t. 40.
2 officinàlis. F.I.	(*st.*)	officinal.	—— ——	1820.	4. 7.	S. ♄. ◡.	
3 Peèpla. F.I.	(*st.*)	Peeplee.	———	——	——	S. ♄. ◡.	
4 gigántea. F.I.	(*pu.ye.*)	gigantic.	———	1824.	....	S. ♄. ◡.	
5 pertùsa. F.I.	(*gr.*)	perforated.	———	——	....	S. ♄. ◡.	Rheed. mal. 12. t. 20. 21.
6 lanceolàta. R.S.	(*vi.*)	lance-leaved.	Barbadoes.	1790.	4. 7.	S. ♃.	Plum. amer. 47. t. 62.
7 acaùlis. R.S.	(*gr.*)	stemless.	W. Indies.	——	——	S. ♃.	Lodd. bot. cab. t. 483.
8 grácilis. R.S.	(*gr.*)	slender.	Trinidad.	1826.	——	S. ♃.	Rudg. pl. gui. 1. t. 32.
9 violàcea. R.S.	(*g.wh.*)	blue-fruited.	Jamaica.	1793.	4. 6.	S. ♃.	Hook. exot. flor. t. 55.
10 cannæfòlia. R.S.	(*wh.*)	sweet-scented.	W. Indies.	1785.	4. 5.	S. ♃.	Bot. mag. t. 603.
11 crassinérvia. R.S.	(*gr.*)	thick-nerved.	S. America.	1796.	4. 6.	S. ♃.	Jacq. ic. 3. t. 609.
12 cordàta. R.S.	(*gr.*)	heart-leaved.	———	1770.	4.	S. ♃.	Plum. ic. 26. t. 38.
13 sagittàta. B.M.	(*g.br.*)	arrow-leaved.	W. Indies.	1800.	8.	S. ♃.	Bot mag. t. 1584.
14 macrophy'lla. R.S.	(*gr.*)	large-leaved.	———	1794.	5. 6.	S. ♃.	Jacq. ic. 3. t. 610.
15 obtusifòlia. R.S.	(*g.br.*)	blunt-leaved.	Barbadoes.	1790.	——	S. ♃.	
16 coriàcea. H.E.F.	(*g.br.*)	leathery.	Brazil.	1824.	6.	S. ♃.	Hook. ex. flor. t. 210.
17 Harrísii. H.E.F.	(*g.br.*)	Harris's.	———	——	——	S. ♃.	—— ——— t. 211.
18 caudàta. F.I.	(*gr.*)	tailed.	E. Indies.	1824.	....	S. ♄. ◡.	
19 pinnàta. W.	(*gr.*)	wing-leaved.	———	1820.	....	S. ♄. ◡.	Rumph. am. 5. t. 183. f. 2.
20 decúrsiva. F.I.	(*gr.*)	pinnatifid-leaved.	———	1824.	....	S. ♄. ◡.	
21 pinnatífida. F.I.	(*gr.*)	pinnatifid.	———	1825.	....	S. ♄. ◡.	
22 heterophy'lla. F.I.	(*pu.*)	various-leaved.	———	1822.	....	S. ♄. ◡.	
23 Làsia. F.I.	(*re.*)	prickly.	———	1819.	....	S. ♃.	
24 digitàta. R.S.	(*pu.*)	fingered.	Caracas.	1823.	....	S. ♄.	Jacq. ic. 3. t. 611.
25 palmàta. R.S.	(*g.pu.*)	palmated.	S. America.	1803.	6. 7.	S. ♃.	Plum. amer. t. 64. 65.
26 pentaphy'lla. R.S.	(*bl.*)	five-leaved.	Cayenne.	——	10. 11.	S. ♄.	Bot. mag. t. 1375.
27 rubrinérvia. L.en.	(*pu.*)	red-nerved.	S. America.	1820.	....	S. ♃.	
28 microphy'lla. B.M.	(*br.*)	small-leaved.	Brazil.	——	8. 10.	S. ♃.	Bot. mag. t. 2953.
SYMPLOCA'RPUS. N.		Scunkweed.	Tetrandria Monogynia. N.				
f'œtidus. N.	(*d.pu.*)	fetid.	N. America.	1735.	3. 5.	H. ♃.	Swt. br. fl. gar. t. 57.
Pothos f'œtida B.M. 836. *Dracóntium f'œtidum.* W.							
DRACO'NTIUM. W.		Dragon.	Heptandria Monogynia. L.				
1 polyphy'llum. W.	(*d.pu.*)	purple-stalked.	India.	1759.	3. 6.	S. ♃.	Bot. reg. t. 700.
2 spinòsum. W.	(*d.pu.*)	prickly.	Ceylon.	——	4. 5.	S. ♃.	
GYMNOSTACHYS. B.P.		Gymnost'achys.	Tetrandria Monogynia.				
ancèps. B.P.	(*gr.*)	flat-stemmed.	N. S. W.	1820.	6. 8.	G. ♃.	
HOUTTU'YNIA. J.		Houttu'ynia.	Polyandria Polygynia. P.S.				
cordàta. P.S.	(*wh.*)	heart-leaved.	China.	1820.	6. 8.	G. ♃.	Bot. mag. t. 2781.

CARLUDO'VICA. R.P.		CARLUDO'VICA.	Monœcia Polyandria. P.S.				
1 palmàta. R.S.	(br.)	palmate.	S. America.	1818.	....	S. ♄.	
Sálmia palmàta. R.S. *Ludòvia palmàta.* P.S.							
2 latifòlia. R.P.	(br.)	broad-leaved.	Peru.	1819.	4. 6.	S. ♄.	Bot.mag.t.2950.et2951.
3 angustifòlia. R.P.	(br.)	narrow-leaved.	———	——	——	S. ♄.	
4 palmæfòlia. R.S.	(br.)	Palm-leaved.	St. Domingo.	1826.	....	S. ♃.	Plum. ic. t. 39.
Sálmia palmæfòlia. W.							
5 jamaicénsis. L.C.	(br.)	Jamaica.	Jamaica.	1823.	....	S. ♄.	
CYCLA'NTHUS. S.S.		CYCLA'NTHUS.	Monœcia Monadelphia.				
1 Plumíeri. S.S.	(gr.)	Plumier's.	W. Indies.	1820.	....	S. ♃.	
2 bipartítus. S.S.	(gr.)	cleft-leaved.	Trinidad.	——	....	S. ♃.	
A'CORUS. L.		SWEET-FLAG.	Hexandria Monogynia. L.				
1 Cálamus. S.S.	(gr.)	common.	Britain.	....	6. 7.	H.w. ♃.	Eng. bot. v. 5. t. 356.
2 terréstris. S.S.	(gr.)	Chinese.	China.	1822.	——	H.w. ♃.	
3 gramíneus. S.S.	(gr.)	grass-leaved.	———	1786.	2.	H.w. ♃.	Smith spic. 15. t. 17.
ORO'NTIUM. L.		ORO'NTIUM.	Hexandria Monogynia. L.				
aquáticum. S.S.	(st.)	aquatic.	N. America.	1775.	6.	H.w. ♃.	Hook. ex. flor. t. 19.
RO'HDEA. S.S.		RO'HDEA.	Hexandria Monogynia. S.S.				
japónica. S.S.	(ye.)	Japan.	Japan.	1788.	1. 4.	H. ♃.	Bot. mag. t. 898.
Orónтium japónicum. B.M.							
TUPI'STRA. B.M.		TUPI'STRA.	Hexandria Monogynia. S.S.				
1 squálida. B.M.	(br.)	brown-flowered.	E. Indies.	1810.	4. 6.	S. ♃.	Bot. reg. t. 704.
2 nùtans. B.R.	(br.)	nodding-flowered.	———	1818.	11. 12.	S. ♃.	——— t. 1223.
ASPIDI'STRA. B.R.		ASPIDI'STRA.	Octandria Monogynia. S.S.				
lùrida. B.R.	(br.pu.)	brown-flowered.	China.	1820.	2. 4.	S. ♃.	Bot. reg. t. 628.
punctàta. B.R. 977.							

Sect. II. *AROIDEÆ VERÆ.* Brown prodr. 335.

CA'LLA. K.S.		CA'LLA.	Heptandria Monogynia. L.				
1 palústris. W.	(wh.)	marsh.	N. Europe.	1768.	7. 8.	H.w. ♃.	Bot. mag. t. 1831.
2 pertùsa. K.S.	(st.)	perforated.	W. Indies.	1752.	4. 6.	S. ♃.	Jacq. schœn. 2. t.184.f.1.
Dracóntium pertùsum. Jacq.							
3 aromática. B.M.	(wh.)	aromatic.	E. Indies.	1817.	——	S. ♃.	Bot. mag. t. 2279.
4 occúlta. B.C.	(wh.)	hidden-spiked.	China.	——	5. 7.	G. ♃.	Lodd. bot. cab. t. 12.
RICHA'RDIA. Kth.		RICHA'RDIA.	Heptandria Monogynia.				
æthiòpica. Kth.	(wh.)	Ethiopian.	C. B. S.	1731.	1. 5.	G. ♃.	Bot. mag. t. 832.
Cálla æthiòpica. B.M.							
'ARUM. W.		'ARUM.	Monœcia Polyandria. L.				
1 crinìtum. W.	(d.pu.)	hairy-sheathed.	Minorca.	1777.	3. 4.	F. ♃.	Bot. reg. t. 831.
2 Dracúnculus. W.	(pu.)	common Dragon.	S.Europe.	1548.	6. 7.	H. ♃.	Moris. s. 13. t. 5. f. 46.
3 Dracóntium. W.	(gr.)	green Dragon.	N.America.	1759.	6.	H. ♃.	Bot. reg. t. 668.
4 bulbíferum. B.M.	(st.br.)	bulb-bearing.	E. Indies.	1813.	3. 6.	S. ♃.	Bot. mag. t. 2506.
5 venòsum. W.	(ye.pu.)	purple-flowered.....		1774.	3.	S. ♃.	Bot. reg. t. 1017.
6 campanulàtum. H.B.	(pu.)	bell-flowered.	E. Indies.	1816.	4. 6.	S. ♃.	
7 triphy'llum. W.	(st.)	three-leaved.	N. America.	1664.	5. 6.	H. ♃.	Lodd. bot. cab. t. 898.
β Zebrìnum. B.M.	(st.)	*striped.*	———	——	——	H. ♃.	Bot. mag. t. 950.
8 pedàtum. W en.	(bl.ye.)	pedate-leaved.	S. America.	1815.	——	S. ♃.	Pl. sel. hort. ber. t. 8.
9 polyphy'llum. L. en.	(pu.)	many-leaved.	.....	1818.	——	S. ♃.	
10 ringens. W.	(pu.)	gaping.	Japan.	1822.	——	G. ♃.	
11 atrorùbens. W.	(d.re.)	purple-stalked.	N. America.	1758.	6. 7.	H. ♃.	Pluk. alm. t. 77. f. 5.
12 ternàtum. W.	(pu.)	Japan.	Japan.	1774.	5. 7.	F. ♃.	
13 Colocàsia. W.	(br.)	Egyptian.	Levant.	1551.	6. 8.	G. ♃.	Rumph. amb. 5. t. 108.
14 orixénse. B.P.	(re.)	Orixian.	E. Indies.	1802.	8. 10.	S. ♃.	Bot. reg. t. 456.
15 macrorhizon. W.	(wh.)	long-rooted.	———	1803.	....	S. ♃.	Herm. parad. t. 73.
16 pictum. W.	(d.pu.)	white-veined.	S. Europe.	1820.	5. 6.	H. ♃.	
17 divaricàtum. W.	(gr.)	divaricated.	E. Indies.	1759.	6. 7.	S. ♃.	Rheed. mal. 11. t. 20.
18 trilobàtum. W.	(pu.)	three-lobed.	Ceylon.	1714.	5. 6.	S. ♃.	Bot. mag. t. 339.
β auriculàtum. B.M.	(pu.)	*eared.*	———	....	——	S. ♃.	——— t. 2324.
19 maculàtum. W.	(gr.)	common.	Britain.	....	5. 7.	H. ♃.	Eng. bot. v. 19. t. 1296.
20 orientàle. M.B.	(br.)	oriental.	Caucasus.	1818.	——	H. ♃.	
21 itálicum. W.	(gr.)	Italian.	Italy.	1683.	5. 6.	H. ♃.	Bot. mag. t. 2432.
22 vivìparum. L.C.	(gr.)	viviparous.	.....	1817.	——	S. ♃.	Lodd. bot. cab. t. 281.
23 minùtum. W.	(re.)	small.	E. Indies.	1812.	5. 7.	S. ♃.	Rheed. mal. 11. t. 17.
24 proboscídeum. W.	(w.pu.)	proboscis.	Apennines.	1825.	——	H. ♃.	Bocc. mus. 2. t. 50.
25 Arisàrum. W.	(gr.)	Friar's Cowl.	S. Europe.	1596.	4. 6.	F. ♃.	Jacq. schœn. 2. t. 199.
26 tenuifòlium. W.	(d.pu.)	grass-leaved.	———	1570.	——	H. ♃.	Bot. reg. t. 512.

27	spirâle. w.	(*pu.*)	spiral.	E. Indies.	1816.	4. 6.	S. ♃.	Bot. mag. t. 2220.
28	gramíneum. s.s.	(*pu.*)	grass-leaved.	S. Europe.	1824.	——	H. ♃.	
29	flagelliförme. B.C.	(*pu.*)	whip-cord.	E. Indies.	——	——	S. ♃.	Lodd. bot. cab. t. 396.
30	sagittifôlium. L.en.	..	arrow-leaved.	.....	——	....	S. ♃.	
31	hederàceum. w.	(*pu.*)	Ivy-leaved.	W. Indies.	1793.	5. 6.	S. ♄.	Jacq. amer. t. 152.
32	obtusilòbum. L.en.	(*pu.*)	blunt-lobed.	.....	1816.	——	S. ♄.	
33	índicum. Lour.	(*pu.*)	Indian.	China.	——	....	S. ♄.	
34	ramòsum. L.en.	(*pu.*)	branching.	.....	——	....	S. ♄.	
35	lingulàtum. w.	(*ye.*)	tongue-leaved.	W. Indies.	1793.	——	S. ♄.	Plum. ic. 26. t. 37.
36	integrifôlium. L.en.	(*gr.*)	entire-leaved.	.....	1820.	....	S. ♄.	

CAL'ADIUM. V. CAL'ADIUM. Monœcia Polyandria. W.

1	helleborifôlium. w.	(*wh.*)	Hellebore-leaved.	Caracas.	1796.	6. 7.	S. ♃.	Jacq. ic. 3. t. 613.
2	pinnatifidum. w.	(*pu.*)	pinnatifid.	————	1817.	——	S. ♃.	Jacq. schœn. 2. t. 187.
3	bícolor. w.	(*wh.*)	two-coloured.	Brazil.	1773.	——	S. ♃.	Bot. mag. t. 2543.
4	nymphæifôlium. w.	(*su.*)	Water-lily-leaved.	E. Indies.	1800.	....	S. ♃.	Rheed. mal. 11. t. 22.
5	esculéntum. w.	(*g.pu.*)	esculent.	America.	1739.	6. 8.	S. ♃.	Sloan. jam. 1. t. 106. f. 1.
6	odòrum. B.R.	(*gr.*)	odoriferous.	E. Indies.	1818.	5. 7.	S. ♃.	Bot. reg. t. 641.
7	vivìparum. H.P.	(*wh.*)	viviparous.	————	1816.	——	S. ♃.	Lodd. bot. cab. t. 281.
8	sagittifôlium. w.	(*wh.*)	arrow-leaved.	W. Indies.	1710.	——	S. ♃.	Jacq. vind. 2. t. 157.
9	virgínicum. H.E.F.	(*st.*)	Virginian.	N. America.	1759.	6. 7.	H. ♃.	Hook. ex. flor. t. 182.
	'Arum virgínicum. w.							
10	seguìnum. w.	(*gr.*)	Dumb Cane.	America.	——	5.	S. ♄.	Hook. ex. flor. t. 1.
11	maculàtum. B.C.	(*gr.*)	spotted.	Trinidad.	1820.	4. 12.	S. ♄.	Lodd. bot. cab. t. 608.
	seguìnum β maculàtum. Bot. mag. t. 2606.							
12	scándens. s.s.	(*wh.*)	climbing.	Guinea.	1822.	....	S. ♄.	Beauv. fl. owar. t. 3.
13	cucullàtum. P.s.	(*gr.*)	hooded.	China.	1816.	....	S. ♄.	
14	xanthorhìzum. w.	(*st.*)	yellow-rooted.	.....	——	4. 8.	S. ♄.	Jacq. schœn. 2. t. 188.
15	grandifôlium. w.	(*wh.*)	large-leaved.	Caracas.	1803.	3. 7.	S. ♄.	Bot. mag. t. 2643.
16	arboréscens. w.	(*wh.*)	tree.	W. Indies.	1759.	6. 7.	S. ♄.	Plum. amer. 44. t. 60.
17	lácerum. w.	(*gr.*)	torn-leaved.	Caracas.	1822.	....	S. ♄.	
18	tripartìtum. w.	(*wh.*)	ternate-leaved.	————	1816.	....	S. ♄.	Jacq. schœn. 2. t. 190.
19	auritum.	(*wh.*)	ear-leaved.	S. America.	1739.	6. 8.	S. ♄.	———— 2. t. 191.
20	pedàtum. H.E.F.	(*ye.*)	pedate-leaved.	Brazil.	1824.	——	S. ♄.	Hook. ex. flor. t. 206.
21	aculeàtum. s.s.	(*wh.*)	prickly.	Surinam.	1822.	....	S. ♄.	

AMBROSI'NIA. W. AMBROSI'NIA. Monœcia Monandria. W.

1	Bássii. w.	(*gr.pu.*)	flat oval-leaved.	S. Europe.	1823.	6. 8.	H. ♃.	Lam. ill. t. 737.
2	ciliàris. s.s.	(*gr.pu.*)	fringed-spathed.	E. Indies.	1824.	....	S. ♃.	

Sect. III. *TACCACEÆ.*

TA'CCA. W. TA'CCA. Hexandria Monogynia. L.

1	pinnatífida. w.	(*pu.*)	Salep.	E. Indies.	1793.	6. 8.	S. ♃.	Lodd. bot. cab. t. 692.
2	áspera. H.B.	(*pu.*)	rough-stemmed.	————	1820.	....	S. ♃.	
3	l'ævis. H.B.	(*pu.*)	smooth.	————	——	....	S. ♃.	
4	integrifólia. B.M.	(*pu.*)	entire-leaved.	————	1810.	5. 7.	S. ♃.	Bot. mag. t. 1488.

ORDO CCI.

PIPERACEÆ. *Kth. synops.* 1. *p.* 103.

SAUR'URUS. W. LIZARD'S-TAIL. Heptandria Tetragynia. L.

1	cérnuus. w.	(*wh.*)	drooping.	Virginia.	1759.	9.	H.w. ♃.	Lam. ill. t. 1.
2	lùcidus. s.s.	(*wh.*)	shining.	N. America.	1791.	8. 10.	H.w. ♃.	Jacq. ecl. t. 18.
3	chinénsis. Hort.	(*wh.*)	Chinese.	China.	1819.	——	H.w. ♃.	

PIPER. R.P. PEPPER. Diandria Trigynia. L.

1	coriàceum. R.s.	(*gr.*)	coriaceous.	E. Indies.	1815.	7. 8.	S. ♄.	Lodd. bot. cab. t. 128.
2	nítidum. R.s.	(*wh.*)	glossy.	Jamaica.	1793.	5. 6.	S. ♄.	
3	peltàtum. R.s.	(*gr.*)	peltated.	W. Indies.	1748.	....	S. ♃.	Plum. amer. t. 74.
4	umbellàtum. R.s.	(*gr.*)	umbelled.	————	——	5. 7.	S. ♄.	Flor. peruv. 1. t. 59. f. a.
5	macrophy'llum. R.s.	(*gr.*)	broad-leaved.	————	1800.	....	S. ♄.	Sloan. hist. 1. t. 88. f. 1.
6	geniculàtum. R.s.	(*gr.*)	jointed.	————	1826.	....	S. ♄.	
7	adúncum. R.s.	(*gr.*)	hooked.	Jamaica.	1748.	5.	S. ♄.	Jacq. ic. 2. t. 210.

8	hirsùtum. R.s.	(*br.*)	hairy-leaved.	Jamaica.	1793.	7.	S. ♄.	
9	hìspidum. R.s.	(*gr.*)	hispid.	S. America.	——	——	S. ♄.	
10	tuberculàtum. R.s.	(*gr.*)	tuberculate.	———	1816.	....	S. ♄.	Jacq. ic. 2. t. 211.
11	ovàtum. R.s.	(*gr.*)	oval-leaved.	Trinidad.	1824.	....	S. ♄.	
12	Amalàgo. R.s.	(*gr.*)	rough-leaved.	Jamaica.	1759.	....	S. ♄.	Sloan. hist. 1. t. 87. f. 1.
13	Bètle. R.s.	(*gr.*)	Betle.	E. Indies.	1804.	....	S. ♄.	Rheed. mal. 7. t. 15.
14	nìgrum. R.s.	(*gr.*)	black.	———	1790.	....	S. ♄.	——— 7. t. 12.
15	triofcum. F.I.	(*gr.*)	glaucous-leaved.	———	1818.	....	S. ♄.	
16	reticulàtum. R.s.	(*gr.*)	netted.	W. Indies.	1748.	8.	S. ♄.	Plum. amer. t. 75.
17	decumànum. R.s.	(*gr.*)	great.	Carthagena.	1768.	....	S. ♄.	Jacq. ic. 2. t. 215.
18	Siribòa. R.s.	(*gr.*)	Siriboa.	E. Indies.	——	....	S. ♄.	Rumph. am. 5. t. 117. f. 2.
19	lóngum. R.s.	(*gr.*)	long.	———	1788.	....	S. ♄.	Rheed. mal. 7. t. 14.
20	glábrum. H.s.s.	(*gr.*)	smooth.	Campeachy.	1768.	....	S. ♄.	
21	laurifòlium. H.s.s.	(*gr.*)	Laurel-leaved.	Jamaica.	——	....	S. ♄.	
22	racemòsum. H.s.s. *Stéphyle.* R.s.	(*gr.*)	racemed.	Campeachy.	——	....	S. ♄.	
23	acutifòlium. R.s.	(*gr.*)	acute-leaved.	Peru.	1823.	....	S. ♄.	Flor. per. 1. t. 64. f. a.
24	colubrìnum. L.en.	(*gr.*)	spotted-stalked.	Brazil.	1820.	....	S. ♄.	
25	plantagíneum. R.s. *mèdium.* Jacq.	(*gr.*)	Plantain-leaved.	W. Indies.	——	....	S. ♄.	Jacq. ic. 1. t. 8.
26	marginàtum. L.en.	(*gr.*)	purple-edged.	S. America.	1811.	....	S. ♄.	Jacq. ic. 2. t. 215.
27	unguiculàtum. R.s. *glaucéscens.* Jacq. ecl. 1. t. 76.	(*gr.*)	claw-pointed.	Peru.	1822.	....	S. ♄.	Flor. per. 1. t. 57. f. b.
28	hùmile. Mill.	(*gr.*)	humble.	Jamaica.	1768.	....	S. ♄.	
29	tomentòsum. H.s.s.	(*gr.*)	oval-leaved downy.	Vera Cruz.	——	....	S. ♄.	
30	sidæfòlium. L.en.	(*gr.*)	Sida-leaved.	S. America.	1821.	5. 7.	S. ♄.	Lk. et Ot. ic. sel. 1. t. 6.
PEPER'OMIA. R.P.			Pepe'romia.	Diandria Trigynia.				
1	brachyphy'lla. *Piper brachyphy'llum.* R.s.	(*gr.*)	short-leaved.	.....	1818.	....	S. ♄.	
2	amplexicàulis. R.s.	(*gr.*)	stem-clasping.	W. Indies.	1793.	6. 9.	S. ♃.	
3	magnolifòlia. R.s.	(*gr.*)	Magnolia-leaved.	———	——	1. 3.	S. ♃.	Jacq. ic. 2. t. 213.
4	obtusifòlia. R.s.	(*gr.*)	blunt-leaved.	S. America.	1739.	4. 7.	S. ♃.	Trew ehret. 54. t. 36.
5	clusiæfòlia. B.M.	(*gr.*)	Clusia-leaved.	———	1739.	4. 7.	S. ♄.	Bot. mag. t. 2943.
6	cuneifòlia. R.s.	(*gr.*)	wedge-leaved.	Caracas.	1809.	——	S. ♃.	Jacq. ic. 2. t. 214.
7	alàta. R.P.	(*gr.*)	winged.	S. America.	1812.	....	S. ♄.	Flor. per. 1. t. 48. f. b.
8	acuminàta. R.s.	(*gr.*)	acuminate.	W. Indies.	——	4. 9.	S. ♃.	Bot. mag. t. 1882.
9	maculòsa. R.s.	(*gr.*)	spot-stalked.	St. Domingo.	1790.	9.	S. ♄.	Hook. ex. flor. t. 92.
10	pellùcida. K.s.	(*gr.*)	pellucid.	S. America.	1748.	4. 9.	S. ☉.	Plum. amer. t. 72.
11	concínna. K.R.	(*gr.*)	small heart-leaved.	Jamaica.	1821.	——	S. ♄.	
12	rotundifòlia. K.s.	(*gr.*)	round-leaved.	S. America.	1823.	....	S. ♃.	Plum. amer. t. 69.
13	hispídula. R.s.	(*gr.*)	annual hispid.	Jamaica.	1818.	8. 10.	S. ☉.	Swartz icon. t. 4.
14	nummulariifòlia. K.s.	(*gr.*)	money-wort-leaved.	———	——	4. 9.	S. ♃.	
15	pubéscens. R.s.	(*gr.*)	pubescent.	.....	——	——	S. ♃.	
16	subrotúnda. H.s.s.	(*gr.*)	small Clusia-leav'd.	.....	1811.	——	S. ♃.	
17	rèpens. K.s.	(*gr.*)	creeping.	S. America.	1823.	——	S. ♃.	
18	sérpens. R.s.	(*gr.*)	trailing.	Jamaica.	——	——	S. ♃.	
19	incàna. H.E.F.	(*gr.*)	great downy.	Brazil.	1814.	2. 6.	S. ♄.	Hook. ex. flor. t. 66.
20	amplexifòlia. L.en.	(*gr.*)	clasping-leaved.	Jamaica.	1822.	——	S. ♄.	
21	talinifòlia. K.s.	(*gr.*)	Talinum-leaved.	S. America.	——	4. 8.	S. ♄.	H. et B. n. gen. 1. t. 8.
22	pulchélla. R.s.	(*gr.*)	small-leaved.	Jamaica.	1778.	7. 10.	S. ♃.	Lodd. bot. cab. t. 574.
23	pereskiæfòlia. K.s.	(*gr.*)	Pereskia-leaved.	S. America.	1820.	5. 6.	S. ♃.	Hook. ex. flor. t. 67.
24	blánda. K.s.	(*gr.*)	villous.	Caracas.	1802.	5. 11.	S. ♃.	——— t. 21.
25	verticillàta. R.s.	(*gr.*)	whorl-leaved.	Jamaica.	1816.	6. 10.	S. ☉.	
26	polystàchia. H.E.F.	(*gr.*)	many-spiked.	W. Indies.	1775.	6. 7.	S. ♃.	Hook. ex. flor. t. 23.
27	quadrifòlia. H.E.F.	(*gr.*)	four-leaved.	Santa Cruz.	1818.	5. 10.	S. ♃.	——— t. 22.
28	Hawórthii. *Piper pubéscens.* H.s. *non* Vahl.	(*gr.*)	Haworth's.	India.	1809.	9. 10.	S. ♃.	
29	inæqualifòlia. R.P.	(*gr.*)	unequal-leaved.	Peru.	1800.	8. 10.	S. ♃.	Flor. peruv. 1. t. 46. f. a.
30	stellàta. R.s.	(*gr.*)	starry.	Jamaica.	1802.	5. 7.	S. ♃.	Jacq. vind. 2. t. 217.
31	rubricaùle. L.en.	(*gr.*)	red-stalked.	W. Indies.	1815.	——	S. ♃.	Nees. hort. ber. t. 8.
32	rubélla. H.E.F.	(*gr.*)	red-leaved.	Jamaica.	1820.	——	S. ♃.	Hook. ex. flor. t. 58.
33	trifòlia. R.s.	(*gr.*)	three-leaved.	S. America.	1802.	6. 8.	S. ♃.	Plum. amer. t. 66.
34	distàchya. R.s.	(*gr.*)	two-rowed.	W. Indies.	1793.	——	S. ♃.	— ——— t. 67.
35	díscolor. R.s.	(*gr.*)	two-coloured.	Jamaica.	1821.	7. 8.	S. ♄.	Lodd. bot. cab. t. 616.
36	capénsis. R.s.	(*gr.*)	Cape.	C. B. S.	1816.	——	G. ♄.	
37	tricarinàta. H.s.s.	(*gr.*)	triple-keeled.	.....	1817.	——	S. ♄.	

ORDO CCII.

ORCHIDEÆ. *Juss. gen.* 64.

O'RCHIS. B.P.		O'RCHIS.	Gynandria Monandria. H.K.					
1 Mòrio. w.	(*pu.*)	meadow.	Britain.	....	4. 6.	H.b. ↄ.	Eng. bot. v. 29. t. 2059.	
2 longicórnu. w.	(*pu.*)	flat-spurred.	Barbary.	1815.	——	H.b. ↄ.	Swt. br. fl. gar. t. 249.	
3 pállens. w.	(*st.*)	pale.	Switzerland.	1825.	5. 6.	H.b. ↄ.	Jacq. aust. t. 45.	
4 máscula. w.	(*pu.*)	early purple.	Britain.	....	4. 5.	H.b. ↄ.	Eng. bot. v. 9. t. 631.	
5 palústris. w.	(*li.*)	marsh.	Europe.	1824.	——	H.b. ↄ.	Jacq. ic. t. 181.	
6 pauciflòra. T.N.	(*ye.*)	few-flowered.	Italy.	1825.	6. 7.	H.b. ↄ.	Ten. fl. nap. t. 88.	
7 Nicodèmi. T.N.	(*pu.*)	Nicodemus's.	———	——	——	H.b. ↄ.	——— t. 90.	
8 Cyrílli. T.N.	(*ye.*)	Cyrillo's.	Naples.	——	——	H.b. ↄ.	——— t. 87.	
9 parviflòra. T.N.	(*pu.*)	small-flowered.	Italy.	——	——	H.b. ↄ.		
10 ustulàta. w.	(*pu.*)	dwarf.	England	....	5. 6.	H.b. ↄ.	Eng. bot. v. 1. t. 18.	
11 militàris. w.	(*pu.*)	military.	Switzerland.	1825.	4. 6.	H.b. ↄ.	Swt. br. fl. gar. t. 163.	
12 Rivìni. B.F.G.	(*li.pu.*)	Rivinus's.	———	——	5. 6.	H.b. ↄ.	——— t. 162.	
13 Smíthii. B.F.G.	(*ro.pa.*)	Smith's.	England.	....	——	H.b. ↄ.	Eng. bot. v. 27. t. 1873.	
militàris. E.B. *non* w.								
14 fúsca. w.	(*br.re.*)	brown.	———	....	——	H.b. ↄ.	Jacq. aust. 4. t. 307.	
15 Símia. P.S.	(*pa.bh.*)	Ape.	———	....	——	H.b. ↄ.		
16 undulatifòlia. B.B.	(*li.*)	wave-leaved.	Italy.	1818.	——	H.b. ↄ.	Bot. reg. t. 375.	
17 tephrosánthos. w.	(*pa.*)	ash-coloured.	England.	....	——	H.b. ↄ.	Vaill. bot. t. 31. f. 25-26.	
18 acuminàta. w.	(*li.wh.*)	pointed-flower'd.	S. Europe.	1815.	4. 6.	H.b. ↄ.	Bot. mag. t. 1932.	
19 variegàta. w.	(*li.wh.*)	variegated.	Switzerland.	1825.	——	H.b. ↄ.	Hall. helv. t. 30.	
20 globòsa. w.	(*pu.*)	round-spiked.	———	1792.	6. 7.	H.b. ↄ.	Jacq. aust. 3. t. 265.	
21 corióphora. w.	(*pu.*)	strong-scented.	S. Europe.	1825.	5. 6.	H.b. ↄ.	Swt. br. fl. gar. t. 219.	
22 hircìna. w.	(*gr.pu.*)	Lizard.	England.	....	6. 7.	H.b. ↄ.	Eng. bot. v. 1. t. 34.	
Saty'rium hircìnum. E.B.								
23 Robertiàna. P.S.	(*pu.*)	long-bracted.	S. Europe.	1818.	5. 6.	H.b. ↄ.	Ten. fl. nap. t. 91.	
24 longibracteàta. S.S.	(*pu.*)	long-bracted.	———	——	——	H.b. ↄ.	Bot. reg. t. 357.	
25 quadripunctàta. T.N.	(*pu.*)	four-spotted.	Italy.	1828.	——	H.b. ↄ.	Ten. flor. nap. t. 89.	
26 saccàta. T.N.	(*pu.*)	saccate.	Sicily.	——	——	H.b. ↄ.		
27 papilionàcea. w.	(*pu.*)	papilionaceous.	S. Europe.	1788.	6. 7.	H.b. ↄ.	Bot. reg. t. 1155.	
28 pseudosambucìna. T.N.	(*pu.*)	Elder-smelling.	Italy.	1828.	——	H.b. ↄ.	Ten. flor. nap. t. 86.	
β lutéscens. T.N.	(*ye.*)	*pale yellow.*	———	——	——	H.b. ↄ.	——— t. 86. f. b.	
29 sulphùrea. B.M.	(*st.*)	pale-yellow.	S. Europe.	1823.	5. 6.	H.b. ↄ.	Bot. mag. t. 2569.	
30 sambucìna. w.	(*ye.*)	Elder-scented.	Europe.	1825.	4. 5.	H.b. ↄ.	Swt. br. fl. gar. t. 299.	
31 Schleichèri. B.F.G.	(*re.*)	Schleicher's.	Switzerland.	——	——	H.b. ↄ.	——— t. 199.	
sambucìna β rùbra. Sch. *non* Jacq.								
32 latifòlia. w.	(*pu.*)	broad-leaved.	Britain.	....	5. 6.	H.b. ↄ.	Eng. bot. v. 33. t. 2308.	
33 maculàta. w.	(*li.pu.*)	spotted-palmate.	———	....	6. 7.	H.b. ↄ.	——— v. 9. t. 632.	
34 spectábilis. w.	(*wh.pu.*)	showy American.	N. America.	1801.	——	H.b. ↄ.	Swt. br. fl. gar. t. 65.	
ANACA'MPTIS. R.O.		ANACA'MPTIS.	Gynandria Monandria.					
pyramidàlis. R.O.	(*cr.*)	pyramidal.	Britain.	....	6. 7.	H.b. ↄ.	Eng. bot. v. 2. t. 110.	
O'rchis pyramidàlis. E.B.								
GYMNAD'ENIA. H.K.		GYMNAD'ENIA.	Gynandria Monandria. H.K.					
1 conópsea. H.K.	(*ro.*)	fragrant.	Britain.	....	6. 7.	H.b. ↄ.	Eng. bot. v. 1. t. 10.	
O'rchis conópsea. E.B.								
2 odoratíssima. R.O.	(*li.*)	sweet-scented.	Switzerland.	1824.	——	H.b. ↄ.	Jacq. aust. 3. t. 264.	
3 víridis. R.O.	(*gr.*)	Frog.	Britain.	....	——	H.b. ↄ.	Eng. bot. v. 2. t. 94.	
Saty'rium víride. E.B. *O'rchis víridis.* H.K.								
4 álbida. R.O.	(*wh.*)	small white.	———	....	——	H.b. ↄ.	Eng. bot. v. 8. t. 505.	
HERAS. H.K.		A'CERAS.	Gynandria Monandria. H.K.					
anthropóphora. H.K.	(*gr.*)	green-man.	England.	....	6.	H.b. ↄ.	Swt. br. fl. gar. t. 168.	
HERMI'NIUM. H.K.		HERMI'NIUM.	Gynandria Monandria. H.K.					
Monòrchis. H.K.	(*st.*)	musk.	England.	....	6. 7.	H.b. ↄ.	Eng. bot. v. 1. t. 71.	
Ophrys Monórchis. E.B.								
CHAMO'RCHIS. R.O.		CHAMO'RCHIS.	Gynandria Monandria.					
alpìna. R.O.	(*wh.*)	Alpine.	Switzerland.	1825.	6. 7.	H.b. ↄ.	Jacq. vind. 1. t. 9.	
Chamærèpes alpìna. S.S. *Ophrys alpìna.* Jacq.								
NIGRITE'LLA. R.O.		NIGRITE'LLA.	Gynandria Monandria.					
angustifòlia. R.O.	(*d.pu.*)	dark-flowered.	N. Europe.	1759.	6. 7.	H.b. ↄ.	Flor. dan. t. 998.	
Saty'rium nìgrum. L. *O'rchis nìgra.* Sw. *Habenària nìgra.* H.K.								
PLATANTH'ERA. R.O.		PLATANTH'ERA.	Gynandria Monandria.					
bifòlia. R.O.	(*wh.*)	Butterfly.	Britain.	....	5. 6.	H.b. ↄ.	Eng. bot. v. 1. t. 22.	
O'rchis bifòlia. E.B. *Habenària bifòlia.* H.K.								

HABEN'ARIA. H.K.		**Haben'aria.**	**Gynandria Monandria. H.K.**					
1 leptocèras. B.M.	(*gr.ye.*)	slender-spurred.	S.America.	1825.	10.	S.b.♃.	Bot. mag. t. 2726.	
2 macrocèras. w.	(*g.wh.*)	long-horned.	Jamaica.	1828.	9. 10.	S.b.♃.	——— t. 2947.	
3 bracteàta. H.K.	(*gr.*)	long-bracted.	N. America.	1805.	5. 6.	H.b.♃.	Swt. br. fl. gar. t. 62.	
4 hyperbòrea. H.K.	(*gr.*)	northern.	N. Europe.	——	6. 7.	H.b.♃.	Retz. obs. 4. t. 3.	
5 herbìola. H.K.	(*gr.*)	American.	N. America.	1789.	——	H.b.♃.		
6 dilatàta. H.E.F.	(*wh.*)	dilated.	———	1822.	7. 8.	H.b.♃.	Hook. ex. flor. t. 95.	
7 orbiculàta. H.E.F.	(*st.*)	round-leaved.	———	1823.	——	H.b.♃.	——— t. 145.	
8 tridentàta. H.E.F.	(*wh.*)	three-toothed.	———	1819.	5. 6.	H.b.♃.	——— t. 81.	
9 ciliàris. H.K.	(*ye.*)	yellow-fringed.	———	1796.	6. 7.	H.b.♃.	Bot. mag. t. 1668.	
10 blephariglóttis. S.S.	(*w.*)	white fringed.	———	1822.	——	H.b.♃.	Hook. ex. flor. t. 87.	
11 cristàta. H.K.	(*ye.*)	yellow crested.	———	1806.	9.	H.b.♃.		
12 psycòdes. S.S.	(*ye.*)	yellow jagged.	———	1823.	6. 8.	H.b.♃.		
O'rchis psycòdes. w.								
13 lácera. B.C.	(*st.*)	torn-flowered.	———	1818.	7.	H.b.♃.	Lodd. bot. cab. t. 239.	
14 fimbriàta. H.K.	(*pu.*)	purple-fringed.	———	1777.	——	H.b.♃.	Bot. reg. t. 406.	
BARTHOL'INA. H.K.		**Barthol'ina.**	**Gynandria Monandria. H.K.**					
pectinàta. H.K.	(*wh.*)	pectinated.	C. B. S.	1787.	10.	G.b.♃.	Jour. Sc. v. 4. t. 8. f. 2.	
O'rchis Burmanniàna. Sw. *pectinàta.* w.								
BON'ATEA. W.		**Bon'atea.**	**Gynandria Monandria.**					
speciòsa. w.	(*gr.wh.*)	handsome.	C. B. S.	1820.	7. 9.	G.b.♃.	Lodd. bot. cab. t. 284.	
SER'APIAS. H.K.		**Ser'apias.**	**Gynandria Monandria. H.K.**					
1 Língua. w.	(*re.*)	tongue-lipped.	S. Europe.	1786.	5. 6.	F.b.♃.	Hook. ex. flor. t. 11.	
2 longipètala.	(*st.*)	long-flowered.	Italy.	1825.	——	H.b.♃.	Bot. reg. t. 1189.	
Helleborìne longipètala. Ten. fl. nap. t. 98.								
3 cordígera. w.	(*pu.*)	heart-lipped.	S. Europe.	1806.	7. 8.	F.b.♃.	Andr. reposit. t. 475.	
'OPHRYS. H.K.		**'Ophrys.**	**Gynandria Monandria. H.K.**					
1 apífera. w.	(*bk.*)	Bee.	England.	....	6. 7.	H.b.♃.	Eng. bot. v. 6. t. 383.	
2 tenthredinífera. w.	(*re.y.*)	Saw-fly.	S. Europe.	1815.	4. 5.	H.b.♃.	Bot. reg. t. 205.	
β minor. B.R.	(*br.ye.*)	*lesser.*	———	1826.	——	H.b.♃.	——— t. 1093.	
3 grandiflòra. T.N.	(*re.y.br.*)	large-flowered.	Italy.	1828.	——	H.b.♃.	Ten. flor. nap. t. 94.	
4 hiúlca. S.S.	(*br.ye.*)	Roman.	Rome.	1826.	——	H.b.♃.		
5 arachnites. w.	(*bk.br.*)	black Spider.	Switzerland.	1805.	——	H.b.♃.	Bot. mag. t. 2516.	
6 aranífera. w.	(*d.br.*)	common Spider.	England.	....	——	H.b.♃.	Eng. bot. v. 1. t. 65.	
limbàta. B.R.	(*da.*)	*dark-limbed.*	S. Europe.	1826.	——	H.b.♃.	Bot. reg. t. 1197.	
7 arachnoídes. A.R.	(*br.bk.*)	Spider-like.	Italy.	1805.	——	H.b.♃.	Andr. reposit. t. 479.	
8 ciliàta. T.N.	(*br.wh.*)	fringe-flowered.	———	1826.	——	H.b.♃.	Ten. flor. nap. t. 95.	
9 Spéculum. B.R.	(*br.bl.*)	looking-glass.	S. Europe.	1818.	——	H.b.♃.	Bot. reg. t. 370.	
10 lùtea. H.E.F.	(*ye.*)	yellow.	———	1821.	——	H.b.♃.	Swt. br. fl. gar. t. 206.	
11 exaltàta. T.N.	(*bk.br.*)	tall.	Italy.	1826.	——	H.b.♃.	Ten. flor. nap. t. 96.	
12 muscífera. E.B.	(*pu.bl.*)	Fly.	England.	....	5. 6.	H.b.♃.	Eng. bot. v. 1. t. 64.	
myòdes. w.								
13 fúsca. B.R.	(*br.ye.*)	dull purple.	S. Europe.	1826.	3. 4.	H.b.♃.	Bot. reg. t. 1071.	
14 atráta. B.R.	(*gr.pu.*)	dark-flowered.	Rome.	——	——	H.b.♃.	——— t. 1087.	
SATY'RIUM. H.K.		**Saty'rium.**	**Gynandria Monandria. H.K.**					
1 cucullàtum. H.K.	(*g.ye.*)	cucullate.	C. B. S.	1787.	6. 9.	F.b.♃.	Bot. reg. t. 416.	
2 parviflòrum. Sw.	(*g.bh.*)	small-flowered.	———	1787.	5. 6.	F.b.♃.	Jacq. schœnb. 2. t. 179.	
3 membranàceum. w.	(*g.y.*)	membranaceous.	———	1822.	——	F.b.♃.		
4 coriifòlium. w.	(*ye.or.*)	leather-leaved.	———	1819.	5. 6.	F.b.♃.	Swt. br. fl. gar. s. 2. t. 3.	
5 foliòsum. S.S.	(*pu.*)	leafy.	———	1828.	7. 8.	F.b.♃.		
6 cárneum. H.K.	(*bh.*)	great-flowered.	———	——	7. 9.	F.b.♃.	Bot. mag. t. 1512.	
PTERYG'ODIUM. W.		**Pteryg'odium.**	**Gynandria Monandria. H.K.**					
1 alàtum. S.S.	(*ye.*)	winged.	C. B. S.	1821.	6. 8.	F.b.♃.		
2 cathólicum. S.S.	(*ye.*)	large-flowered.	———	1826.	——	F.b.♃.		
3 volúcris. S.S.	(*ye.*)	arrow-lipped.	———	1797.	6. 7.	F.b.♃.		
D'ISA. W.		**D'isa.**	**Gynandria Monandria. H.K.**					
1 grandiflòra. w.	(*sc.*)	large-flowered.	C. B. S.	1823.	7. 8.	F.b.♃.	Bot. reg. t. 926.	
2 cornùta. w.	(*bh.*)	horned.	———	1805.	6. 7.	F.b.♃.		
3 longicórnis. w.	(*bl.*)	long-spurred.	———	1824.	5. 7.	F.b.♃.		
4 Dracònis. w.	(*wh.pu.*)	Dragon.	———	1823.	——	F.b.♃.		
5 ferrugínea. w.	(*br.*)	ferruginous.	———	1816.	6. 7.	F.b.♃.		
6 chrysostàchya. w.	(*ye.*)	golden-spiked.	———	1826.	——	F.b.♃.		
7 bracteàta. w.	(*gr.*)	small-flowered.	———	1818.	——	F.b.♃.	Bot. reg. t. 324.	
8 flexuòsa. w.	(*st.*)	flexuose.	———	1822.	——	F.b.♃.		
9 prasinàta. B.R.	(*gr.pu.*)	green-flowered.	———	1815.	——	F.b.♃.	Bot. reg. t. 269.	
10 spathulàta. w.	(*li.*)	spathulate.	———	1805.	——	F.b.♃.	Journ. sc. v. 4. t. 8. f. 3.	
11 physòdes. w.	(*pu.*)	nodding.	———	1824.	——	F.b.♃.		
12 graminifòlia. S.S.	(*bl.*)	Grass-leaved.	———	1822.	——	F.b.♃.	Journ. sc. v. 6. t. 1. f. 2.	
13 maculàta. w.	(*bl.*)	spotted-stalked.	———	1816.	7. 8.	F.b.♃.		

DI'SPERIS. W. Di'speris. Gynandria Monandria. H.K.
1 capénsis. w. (*cr.*) Cape. C. B. S. 1816. 5. 6. F.b.♃.
2 cucullàta. w. (*li.*) cucullate. ——— 1822. 6. 7. F.b.♃.
3 secúnda. w. (*st.*) side-flowering. ——— 1797. —— F.b.♃.

CORY'CIUM. W. Cory'cium. Gynandria Monandria.
1 orobanchoídes. w. (*ye.*) Orobanche-like. C. B. S. 1825. 6. 8. F.b.♃.
2 crispum. w. (*ye.*) curled-leaved. ——— —— 5. 6. F.b.♃. Buxb. cent. 3. t. 11.

GLO'SSULA. B.R. Glo'ssula. Gynandria Monandria.
tentaculàta. b.r. (*gr.*) horned. China. 1824. 5. 6. F.b.♃. Bot. reg. t. 862.

GOODY'ERA. H.K. Goody'era. Gynandria Monandria. H.K.
1 rèpens. h.k. (*wh.*) creeping. Scotland. .... 7. 8. H.♃. Eng. bot. v. 5. t. 289.
Saty'rium rèpens. e.b. *Neóttia rèpens.* w.
2 tessellàta. b.c. (*wh.*) tessellated. N. America. 1823. 6. 7. H.♃. Lodd. bot. cab. t. 952.
Neóttia rèpens. Ph. *Goodyèra pubéscens.* β *minor.* b.m. 2540.
3 pubéscens. h.k. (*wh.*) downy. N. America. 1802. —— H.♃. Swt. br. fl. gar. s. 2. t. 47.
4 pròcera. h.e.f. (*wh.*) Nepaul. Nepaul. 1821. 7. 12. G.♃. Hook. ex. flor. t. 39.
Neóttia pròcera. b.r. 639.
5 discolor. b.r. (*wh.*) red-leaved. S. America. 1815. 10. 12. S.♃. Bot. reg. t. 271.

PELE'XIA. B.R. Pele'xia. Gynandria Monandria. B.R.
spiranthoídes. b.r. (*gr.*) decurrent-lipped. W. Indies. 1823. 8. S.♃. Bot. reg. t. 965.
Neóttia adnàta. Sw.

STENORHY'NCHUS. R.O. Stenorhy'nchus. Gynandria Monandria.
1 speciósus. r.o. (*sc.*) showy. W. Indies. 1790. 3. 6. S.♃. Bot. mag. t. 1374.
Neóttia speciósa. Hook. ex. flor. t. 39.
2 orchioídes. r.o. (*pu.*) frosted-flowered. Jamaica. 1806. —— S.♃. Bot. reg. t. 701.
3 plantagìneus. h. (*pu.*) Plantain-leaved. W. Indies. 1825. —— S.♃. Hook. ex. flor. t. 226.
Neóttia plantagìnea. Hooker.
4 aphy'lla. (*br. li.*) leafless. Trinidad. —— —— S.♃. Bot. mag. t. 2797.
Neóttia aphy'lla. b.m.

NEO'TTIA. H.K. Neo'ttia. Gynandria Monandria. H.K.
1 macrántha. (*wh.*) great-flowered. W. Indies. 1827. 3. 6. S.♃. Bot. mag. t. 2956.
Neóttia? grandiflòra. b.m. t. 2956. *non* t. 2730.
2 grandiflòra. b.m. (*gr.*) large-flowered. Brazil. 1825. 2. 5. S.♃. Bot. mag. t. 2730.
Spiránthes grandiflòra. Bot. reg. t. 1043.
3 bicolor. b.r. (*wh.*) two-coloured. W. Indies. 1821. 7. 8. S.♃. Bot. reg. t. 794.
4 elàta. w. (*wh.*) tall. ——— 1790. 4. 6. S.♃. Bot. mag. t. 2026.
5 picta. h.k. (*wh.*) painted-leaved. Trinidad. 1805. 2. 4. S.♃. ——— t. 1562.
6 cérnua. h.k. (*wh.*) nodding-flowered. N. America. 1796. 8. 10. H.♃. Swt. br. fl. gar. t. 42.
7 tórtilis. w. (*wh.*) twisting-spiked. W. Indies. 1822. 6. 7. S.♃.
8 æstivàlis. m. (*wh.*) summer. N. America. —— —— H.♃.
tórtilis. Ph. *non* Sw.
9 spiràlis. h.k. (*wh.*) Ladies-traces. Britain. .... 8. 9. H.b.♃. Eng. bot. v. 8. t. 541.
Ophrys spiràlis. e.b.
10 pùdica. (*bk.*) modest. China. 1819. 9. 12. H.b.♃. Lindl. coll. t. 30.
austràlis. β. b.r. t. 602. *Spiránthes pùdica.* Lindl. col.
11 austràlis. b.p. (*wh.*) southern. N. S. W. 1826. —— F.b.♃.

CALOCH'ILUS. B.P. Caloch'ilus. Gynandria Monandria. B.P.
1 campéstris. b.p. (*wh.*) field. N. S. W. 1826. 4. 6. F.b.♃.
2 paludòsus. b.p. (*wh.*) marsh. ——— —— F.b.♃.

PONTHI'EVA. H.K. Ponthi'eva. Gynandria Monandria. H.K.
1 glandulòsa. h.k. (*gr.*) glandular. W. Indies. 1800. 1. 3. S.♃. Bot. mag. t. 842.
2 petiolàta. b.r. (*br.*) stalked. ——— 1823. 7. 8. S.♃. Bot. reg. t. 760.

PRASOPHY'LLUM. B.P. Prasophy'llum. Gynandria Monandria. B.P.
1 elàtum. b.p. .... tall. N. S. W. 1826. .... F.b.♃.
2 flàvum. b.p. (*ye.*) yellow. ——— —— 4. 6. F.b.♃.
3 striàtum. b.p. (*std.*) streaked. ——— —— .... F.b.♃.
4 fúscum. b.p. (*br.*) brown. ——— —— 5. 6. F.b.♃.
5 pátens. b.p. .... spreading. ——— —— .... F.b.♃.
6 rùfum. b.p. (*br.*) rufous. ——— —— 5. 6. F.b.♃.
7 fimbriàtum. b.p. .... fringed. ——— 1826. .... F.b.♃.

CRYPTO'STYLIS. B.P. Crypto'stylis. Gynandria Monandria. B.P.
1 erécta. b.p. (*br.*) upright. N. S. W. 1826. 4. 6. F.b.♃.
2 longifòlia. b.p. (*br.*) long-leaved. ——— 1822. 5. 6. F.b.♃. Lab. n. holl. 2. t. 212.
Malàxis subulàta. Lab.

ORTHO'CERAS. B.P. Ortho'ceras. Gynandria Monandria. B.P.
strictum. b.p. .... upright. N. S. W. 1826. .... F.b.♃.

DI'URUS. B.P. Di'urus. Gynandria Monandria. B.P.
1 maculàta. b.p. (*ye. sp.*) spotted. N. S. W. 1823. 3. 5. F.b.♃. Sm. exot. bot. 1. t. 30.
2 aùrea. b.p. (*go.*) golden-flowered. ——— 1810. 4. 5. F.b.♃. ——— 1. t. 9.

3 pedunculàta. B.P. (*ye.*) peduncled. N. S. W. 1822. 2. 4. F.b. ♃.
4 sulphùrea. B.P. (*st.*) sulphur-coloured. ——— 1826. —— F.b. ♃.
5 elongàta. B.P. (*pu.*) elongated. ——— —— —— F.b. ♃.

THELY'MITRA. B.P. THELY'MITRA. Gynandria Monandria. B.P.
1 ixioídes. B.P. (*bl.sp.*) spotted blue. N. S. W. 1810. 4. 6. F.b. ♃. Sm. ex. bot. 1. t. 29.
2 mèdia. B.P. (*bl.*) middle. ——— 1820. —— F.b. ♃.
3 pauciflòra. B.P. (*bl.*) few-flowered. ——— 1826. —— F.b. ♃.
4 angustifòlia. B.P. (*bl.*) narrow-leaved. ——— —— 5. 6. F.b. ♃.
5 cárnea. B.P. (*fl.*) flesh-coloured. ——— 1823. —— F.b. ♃.
6 venòsa. B.P. (*wh.*) veined. ——— 1826. 3. 5. F.b. ♃.

LIST'ERA. H.K. LIST'ERA. Gynandria Monandria. H.K.
1 ovàta. H.K. (*gr.*) Tway-blade. Britain. .... 5. 6. H. ♃. Eng. bot. v. 22. t. 1548.
'Ophrys ovàta. E.B. *Epipáctis ovàta.* W.
2 cordàta. H.K. (*br.gr.*) heart-leaved. Britain. .... 6. 7. H. ♃. Eng. bot. v. 5. t. 358.
3 convallarioídes. N. (*br.gr.*) small green. N. America. 1826. 5. 6. H. ♃. Bart. fl. amer. t. 39. f. 1.
4 Nidus àvis. (*br.*) Bird's-nest. Britain. .... 5. H. ♃. Eng. bot. v. 1. t. 48.
'Ophrys Nidus àvis. E.B. *Epipáctis Nidus àvis* E.F. *Neóttia Nidus àvis.* R.O.

EPIPA'CTIS. H.K. EPIPA'CTIS. Gynandria Monandria. H.K.
1 latifòlia. W. (*pu.*) broad-leaved. Britain. .... 7. 8. H. ♃. Eng. bot. v. 4. t. 269.
Serápias latifòlia. E.B.
2 palústris. W. (*pu.wh.*) marsh. ——— .... —— H. ♃. Eng. bot. v. 4. t. 270.
3 pállens. W. (*wh.*) white. ——— .... 6. H. ♃. ——— v. 4. t. 271.
Serápias grandiflòra. E.B.
4 ensifòlia. W. (*wh.*) narrow-leaved. ——— .... —— H. ♃. Eng. bot. v. 7. t. 494.
5 rùbra. W. (*pu.wh.*) purple. ——— .... 6. 7. H. ♃. ——— v. 7. t. 437.

ARETH'USA. H.K. ARETH'USA. Gynandria Monandria. H.K.
1 bulbòsa. H.K. (*pu.*) bulbous. N. America. .... 5. 6. H.b. ♃. Bot. mag. t. 2204.
2? plicàta. A.R. (*pu.*) plaited. E. Indies. 1806. 6. 8. S.b. ♃. Andr. reposit. t. 321.

POG'ONIA. H.K. POG'ONIA. Gynandria Monandria. H.K.
1 divaricàta. H.K. (*pi.*) Lily-leaved. N. America. 1787. 6. 7. H. ♃. Catesb. car. 1. t. 58.
2 ophioglossoídes. B.R. (*pi.*) Adder's-tongue. ——— 1816. —— H. ♃. Bot. reg. t. 148.
3 péndula. B.R. (*pi.*) drooping. ——— 1824. —— H. ♃. ——— t. 906.
Arethùsa péndula. W. *parviflòra.* M. *Tríphora péndula.* N.

MICR'OTIS. B.P. MICR'OTIS. Gynandria Monandria. B.P.
parviflòra. B.P. (*gr.*) small-flowered. N. S. W. 1826. 4. 6. F.b. ♃.

ACIA'NTHUS. B.P. ACIA'NTHUS. Gynandria Monandria. B.P.
1 fornicàtus. B.P. (*br.*) enclosed. N. S. W. 1822. 4. 6. F.b. ♃.
2 exsértus. B.P. (*br.*) exserted. ——— —— —— F.b. ♃.
3 candàtus. B.P. (*br.*) long-awned. ——— 1826. —— F.b. ♃.

CYRTO'STYLIS. B.P. CYRTO'STYLIS. Gynandria Monandria. B.P.
renifórmis. B.P. (*br.*) kidney-leaved. N. S. W. 1824. 4. 5. F. ♃.

CHILOGLO'TTIS. B.P. CHILOGLO'TTIS. Gynandria Monandria. B.P.
diphy'lla. B.P. (*br.*) two-leaved. N. S. W. 1826. 4. 6. F.b. ♃.

PRESC'OTIA. H.E.F. PRESC'OTIA. Gynandria Monandria.
plantaginifòlia. H.E.F. (*gr.*) Plantain-ld. Rio Janeiro. 1822. 9. 4. S. ♃. Hook. ex. flor. t. 115.

LI'PARIS. Rich. LI'PARIS. Gynandria Monandria. H.K.
1 foliòsa. B.R. (*y.gr.*) leafy. Mauritius. 1823. 9. S. ♃. Bot. reg. t. 882.
2 bituberculàta. B.R. (*gr.br.*) two-warted. Nepaul. 1822. 2. 3. S. ♃. Hook. ex. flor. t. 116.
3 Loesèlii. B.R. (*ye.*) Loesel's. Britain. .... 7. H.b. ♃. Eng. bot. v. 1. t. 47.
Malàxis Loesèlii. E.B.
4 longifòlia. B.A. (*gr.*) long-leaved. N. America. 1827. —— H.b. ♃. Bart. flor. amer. t. 75.
5 Correàna. N. (*ye.gr.*) two-leaved. ——— 1823. 5. 6. H.b. ♃.
6 liliifòlia. B.R. (*pa.bl.*) Lily-leaved. ——— 1758. 6. 7. H.b. ♃. Bot. mag. t. 2004.
Malàxis liliifòlia. B.M. *'Ophrys liliifòlia.* A.R. 65.
7 reflèxa. B.R. (*gr.*) reflexed. N. Holland. 1820. —— G.b. ♃.
8 elàta. B.R. (*br.pu.*) tall. Brazil. —— —— S. ♃. Bot. reg. t. 1175.

ERIOCH'ILUS. B.P. ERIOCH'ILUS. Gynandria Monandria. B.P.
autumnàlis. B.P. (*bh.*) autumnal. N. S. W. 1823. 9. 10. G.b. ♃. Lab. n. holl. 2. t. 211. f. 2.
Epipáctis cucullàta. Lab.

CALAD'ENIA. B.P. CALAD'ENIA. Gynandria Monandria. H.K.
1 álba. B.P. (*wh.*) white. N. S. W. 1810. 7. 8. G.b. ♃.
2 cárnea. B.P. (*fl.*) flesh-coloured. ——— 1826. 6. 7. G.b. ♃.
3 cœrùlea. B.P. (*bl.*) blue-flowered. ——— —— —— G.b. ♃.
4 alàta. B.P. (*li.*) winged. ——— 1823. 6. 8. G.b. ♃.
5 testàcea. B.P. .... fringe-flowered. ——— 1826. .... G.b. ♃.

LYPERA'NTHUS. B.P. LYPERA'NTHUS. Gynandria Monandria. B.P.
1 suavèolens. B.P. (*d.br.*) sweet-scented. N. S. W. 1822. 5. 7. F.b. ♃.
2 ellípticus. B.P. (*d.br.*) elliptic-leaved. ——— 1826. —— F.b. ♃.
3 nígricans. B.P. (*bk.*) heart-leaved. ——— —— —— F.b. ♃.

GLOSS'ODIA. B.P. Gloss'odia. Gynandria Monandria. B.P.
1 màjor. B.P. (*bl.*) larger. N. S. W. 1810. 6. 8. F.b.♃.
2 minor. B.P. (*bl.*) lesser. ——— 1826. —— F.b.♃.

PTERO'STYLIS. B.P. Ptero'stylis. Gynandria Monandria. B.P.
1 concínna. B.P. (*st.*) neat. N. S. W. 1826. 4. 6. F.b.♃.
2 ophioglóssa. B.P. (*st.*) adder's-tongue. ——— —— —— F.b.♃.
3 cúrta. B.P. (*st.*) short-lipped. ——— 1822. 4. 6. F.b.♃.
4 acuminàta. B.P. (*st.*) taper-pointed. ——— 1826. —— F.b.♃.
5 cucullàta. B.P. (*st.*) hooded. V. Diem. Isl. 1823. 5. 7. F.b.♃.
6 nùtans. B.P. (*st.*) nodding. N. S. W. 1826. —— F.b.♃.
7 obtùsa. B.P. (*st.*) blunt-lipped. ——— 1810. 7. 8. F.b.♃.
8 reflèxa. B.P. (*st.*) reflexed. ——— 1826. 4. 6. F.b.♃.
9 grandiflòra. B.P. (*st.*) large-flowered. ——— —— —— F.b.♃.
10 longifólia. B.P. (*st.*) long-leaved. ——— 1823. 6. 8. F.b.♃.
11 gibbòsa. B.P. (*st.*) gibbous. ——— 1826. 5. 6. F.b.♃.

CORYSA'NTHES. B.P. Corysa'nthes. Gynandria Monandria. B.P.
1 fimbriàta. B.P. (*br.*) fringed. N. S. W. 1822. 5. 7. F.b.♃.
2 unguiculàta. B.P. (*br.*) pendulous-flowered. —— —— —— F.b.♃.
3 bicalcaràta. B.P. (*br.*) two-spurred. ——— .... —— F.b.♃. Sal. par. lond. t. 83.?
Córybas aconitiflòrus. P.L. ?

CALEYA. H.K. Caleya. Gynandria Monandria. H.K.
1 màjor. H.K. (*br.gr.*) smooth-lipped. N. S. W. 1810. 6. 7. F.b.♃.
2 minor. (*br.gr.*) tubercle-lipped. ——— 1822. —— F.b.♃.
Caleàna minor. B.P.

CALOP'OGON. H.K. Calop'ogon. Gynandria Monandria. H.K.
pulchéllus. H.K. tuberous-rooted. N. America. 1771. 7. 8. H.b.♃. Swt. br. fl. gar. t. 115.
Limodòrum tuberòsum. B.M. 116. *Cymbídium pulchéllum.* W.

BL'ETIA. H.K. Bl'etia. Gynandria Monandria. H.K.
1 Tankervíllíæ. H.K. (*wh.pu.*) LyTankerville's. China. 1778. 3. 4. S.♃. Bot. mag. t. 1924.
Limodòrum Tankervilliæ. W.
2 pállida. B.C. (*li.*) pale-flowered. China. 1820. 4. 8. S.♃. Lodd. bot. cab. t. 629.
3 flòrida. H.K. (*pu.*) purple. W. Indies. 1786. 7. 8. S.♃. Redoute. lil. t. 83.
Limodòrum purpùreum. R.I.
4 guineénsis. G.D. (*pu.*) Guinea. Guinea. 1822. .... S.♃.
5 verecúnda. H.K. (*pu.*) tall. W. Indies. 1733. 1. 5. S.♃. Bot. mag. t. 930.
Limodòrum áltum. B.M. *Cymbídium verecúndum.* W.
6 hyacínthina. H.K. (*pu.*) hyacinthine. China. 1802. 3. 9. G.♃. Bot. mag. t. 1492.
Cymbídium hyacínthinum. B.M.
7 capitàta. H.K. (*pu.*) capitate. W. Indies. 1795. 5. 7. S.♃.
8 Woodfórdii. B.M. (*ye.or.*) Woodford's. Trinidad. 1820. 4. 8. S.♃. Bot. mag. t. 2719.

GEOD'ORUM. H.K. Geod'orum. Gynandria Monandria. H.K.
1 purpùreum. H.K. (*pu.*) purple. E. Indies. 1800. 6. 8. S.♃. Roxb. cor. 1. t. 40.
Limodòrum nùtans. R.C.
2 citrínum. H.K. (*st.*) Lemon-coloured. E. Indies. —— 10. 12. S.♃. Andr. reposit. t. 626.
3 dilatàtum. H.K. (*pi.*) shovel-lipped. ——— —— 5. 8. S.♃. Bot. reg. t. 675.
Limodòrum recúrvum. R.C. 1. t. 39.

CALY'PSO. H.K. Caly'pso. Gynandria Monandria. H.K.
americàna. H.K. (*pu.*) American. N. America. 1805. 5. 6. H.b.♃. Sal. par. lond. t. 89.
boreàlis. H.E.F. t. 12.

MALA'XIS. Rich. Mala'xis. Gynandria Monandria. H.K.
paludòsa. E.B. (*ye.*) marsh. England. .... 7. H.b.♃. Eng. bot. v. 1. t. 47.

MICRO'STYLIS. N. Micro'stylis. Gynandria Monandria. N.
ophioglossoídes. N. (*gr.*) Adder's-tongue. N. America. 1820. 4. 5. H.b.♃. Lodd. bot. cab. t. 1146.
β mexicàna B.R. (*gr.*) *Mexican.* Mexico. 1828. —— H.♃. Bot. reg. t. 1290.

CORALLORRHI'ZA. H.K. Corallorrh'iza. Gynandria Monandria. H.K.
1 innàta. H.K. (*st.*) spurless. Scotland. .... 6. 7. H.♃. Eng. bot. v. 22. t. 1547.
2 multiflòra. H.E.F. (*st.*) many-flowered. N. America. 1824. 5. 6. H.♃. Hook. ex. flor. t. 174.
3 odontorhìza. N. (*w.pu.*) tooth-rooted. ——— —— 6. 7. H.♃.

ST'ELIS. H.K. St'elis. Gynandria Monandria. H.K.
1 ophioglossoídes. H.K. (*st.*) Adder's-tongue. W. Indies. 1791. 5. 6. S.♃. Bot. reg. t. 935.
2 micrántha. H.K. (*st.*) small-flowered. Jamaica. 1805. 11. 12. S.♃. Hook. ex. flor. t. 158.

RODRIGU'EZIA. R.P. Rodrigu'ezia. Gynandria Monandria. B.R.
secúnda. K.S. (*re.*) side-flowering. S. America. 1819. 6. 12. S.♃. Bot. reg. t. 930.

GOM'EZA. B.M. Gom'eza. Gynandria Monandria. B.M.
recúrva. B.M. (*ye.*) recurved. Brazil. 1814. 5. 6. S.♃. Bot. mag. t. 1748.

NOTY'LIA. B.R. Noty'lia. Gynandria Monandria.
punctàta. B.R. (*wh.*) dotted. Trinidad. 1823. 7. 8. S.♃. Bot. reg. t. 759.
Pleurothállis punctàta. B.R. *Gomèza tenuiflòra.* Lod. bot. cab. t. 806.

CIRRHÆA. B.R. Cirrhæa. Gynandria Monandria.
depéndens. B.R.(*ye.gr.*)pendent. China. 1824. 6. 8. S.♃. Lodd. bot. cab. t. 936.
Cymbídium depéndens. B.C.

CYMBIDIUM. H.K. Cymbídium. Gynandria Monandria. H.K.
1 aloifòlium.H.K.(*d.pu.*) Aloe-leaved. China. 1789. 5. 6. S.♃. Bot. mag. t. 387.
2 sinénse. H.K. (*d.pu.*) Chinese. ——— 1793. 9. 10. S.♃. ——— t. 888.
3 lancifòlium.H.E.F.(*y.re.*)lance-leaved. E. Indies. 1823. 5. 8. S.♃. Hook. ex. flor. t. 51.
4 ensifòlium.H.K.(*st.br.*) sword-leaved. China. 1780. 6. 10. S.♃. Bot. mag. t. 1751.
5 xiphiifòlium.B.R. (*gr.*) Xiphium-leaved ——— 1814. 5. 8. S.♃. Bot. reg. t. 529.
6 iridioídes. D.P. (*wh.*) Iris-leaved. Nepaul. 1828. —— S.♃.
7 suáve. B.P. (*gr.br.*) sweet-scented. N. S. W. 1826. —— G.♃.
8 trípterum. w. (*wh.*) triangular-fruited.Jamaica. 1790. 6. 7. S.♃. Sm. ic. pict. t. 14.

ANISOPE'TALUM. H.E.F. Anisope'talum. Gynandria Monandria.
Careyànum.H.E.F.(*br.pu.*)Carey's. Nepaul. 1823. 8. 10. G.♃. Hook. ex. flor. t. 149.

BRA'SSIA. H.K. Bra'ssia. Gynandria Monandria. H.K.
1 maculàta. H.K. (*w.st.pu.*)spotted. Jamaica. 1806. 6. 7. S.♃. Bot. mag. t. 1691.
2 caudàta. B.R. (*g.y.re.*) long-tailed. W. Indies. 1823. —— S.♃. Bot. reg. t. 832.

ANGUL'OA. K.S. Angul'oa. Gynandria Monandria.
grandiflòra.K.S.(*ye.pu.*)large-flowered. S. America. 1823. 6. 8. S.♃. H. et B. pl. æq. 1. t. 27.

CATAS'ETUM. K.S. Catas'etum. Gynandria Monandria. B.M.
1 tridentàtum.H.E.F.(*ye.*)three-toothed. Trinidad. 1823. 8. 12. S.♃. Bot. mag. t. 2559.
2 Claveríngi.B.R.(*y.pu.*) Clavering's. Brazil. —— —— S.♃. Bot. reg. t. 840.
3 floribúndum.H.E.F.(*y.pu.*)many-flowered. ——— —— —— S.♃. Hook. ex. flor. t. 151.
4 semiapértum.H.E.F.(*gr.*)greenish-flowered. —— 1825. 5. S.♃. ——— t. 213.
5 Hookèri. L.col.(*y.pu.*) Hooker's. ——— 1816. —— S.♃. Lindl. coll. t. 40.
6 cristàtum. B.R.(*g.wh.*) crested. ——— 1823. —— S.♃. Bot. reg. t. 966.

CYRTOP'ODIUM.B.R. Cyrtop'odium. Gynandria Monandria. H.K.
1 Andersònii. H.K.(*ye.*) Anderson's. W. Indies. 1804. 4. 8. S.♃. Bot. mag. t. 1800.
2 glutinòsum. Mey.(*ye.*) gummy. S. America. 1825. .... S.♃.
3 Woodfórdii. B.M.(*pu.*) Woodford's. ——— 1814. 10. S.♃. Bot. mag. t. 1814.

LISSOCH'ILUS. B.R. Lissoch'ilus. Gynandria Monandria. B.R.
speciòsus. B.R. (*ye.*) showy. C. B. S. 1818. 5. 6. S.♃. Bot. reg. t. 573.

ONCI'DIUM. H.K. Onci'dium. Gynandria Monandria. H.K.
1 altíssimum. w. (*ye.*) sharp-petaled. W. Indies. 1793. 8. 9. S.♃. Jacq. amer. t. 141.
2 carthagenénse.w.(*g.br.*)spread-eagle. ——— 1791. 5. 6. S.♃. Bot. mag. t. 777.
Epidéndrum undulàtum. B.M.
3 lùridum. B.R. (*g.br.*) lurid. Trinidad. 1818. 2. 6. S.♃. Bot. reg. t. 727.
4 variegàtum.w.(*wh.pu.*)variegated. Jamaica. 1825. 7. 8. S.♃. Sloan. hist.1. t.148. f.2.
5 divaricàtum.B.R.(*br.y.re.*)spreading. Brazil. 1826. 9. 11. S.♃. Bot. reg. t. 1050.
6 pùbes. B.R. (*br.re.*) pubescent. ——— 1824. 3. 6. S.♃. ——— t. 1007.
7 ornithorhy'nchum.K.S.(*ye.*)long-beaked.Mexico. 1826. 8. 10. S.♃. H. et B. n. gen. 1. t. 60.
8 Papílio.B.R. (*y.or pu.*) Butterfly. Trinidad. 1823. 4. 6. S.♃. Bot. reg. t. 910.
9 flexuòsum. B.M. (*ye.*) Zigzag. Brazil. 1818. 6. 7. S.♃. Bot. mag. t. 2203.
10 barbàtum. L.col. (*ye.*) bearded. S. America. —— 4. 5. S.♃. Lindl. coll. t. 27.
11 pùmilum. B.R. (*ye.*) dwarf. Brazil. 1824. 6. 7. S.♃. Bot. reg. t. 920.
12 bifòlium. H.K. (*ye.*) two-leaved. S. America. 1811. 7. 8. S.♃. Bot. mag. t. 1491.
13 pulchéllum.B.M.(*bh.or.*)elegant. Demerara. 1825. 6. 7. S.♃. ——— t. 2773.
14 triquètrum. H.K. (*ye.*) triangular-leaved.Jamaica. 1793. 7. 8. S.♃.
15 tetrapétalum.w.(*pu.ye.*)four-petaled. ——— 1824. —— S.♃. Jacq. amer. t. 142.
16 Cebollèta. w. (*br.*) awl-leaved. Carthagena. —— —— S.♃. ——— t. 131. f.2.

MACRAD'ENIA. B.R. Macrad'enia. Gynandria Monandria. B.R.
lutéscens. B.R. (*ye.*) yellowish. Trinidad. 1821. 12. 2. S.♃. Bot. reg. t. 612.

CŒLO'GYNE. B.R. Cœlo'gyne. Gynandria Monandria.
1 fimbriàta. B.R. (*st.*) fringed. China. 1824. 9. S.♃. Bot. reg. t. 868.
2 nítida. L.O. (*ye.*) shining-leaved. E. Indies. 1822. .... S.♃.
3 punctulàta. L.O. (*ye.*) dot-flowered. ——— —— .... S.♃.

MEGACLI'NIUM. B.R. Megacli'nium. Gynandria Monandria. B.R.
falcàtum. B.R. (*ye.re.*) falcate. Sierra Leone. 1824. 6. 9. S.♃. Bot. reg. t. 989.

TRIZE'UXIS. L.col. Trize'uxis. Gynandria Monandria.
falcàta. L.col. (*gr.*) falcate. Trinidad. 1820. 2. 6. S.♃. Lindl. coll. t. 2.

PLEUROTHA'LLIS. H.K. Pleurotha'llis. Gynandria Monandria. H.K.
1 ruscifòlia. H.K. (*st.*) Ruscus-leaved. W. Indies. 1791. 5. 6. S.♃. Hook. ex. flor. t. 197.
2 racemiflòra.H.E.F.(*st.*) racemed. ——— 1822. 7. 8. S.♃. ——— t. 123.
3 prolífera. B.R. (*ro.*) proliferous. Brazil. 1825. 1. 12. S.♃. Bot. reg. t. 1298.
4 foliósa. B.M. (*st.ye.*) leafy. ——— —— 2. 6. S.♃. Bot. mag. t. 2746.

ORNITHOCE'PHALUS. Bird's-head. Gynandria Monandria.
gladiàtus. H.E.F. (*gr.*) sword-leaved. Trinidad. 1822. 5. 8. S.♃. Hook. ex. flor. t. 127.

OCTOM'ERIA. H.K. Octom'eria. Gynandria Monandria. H.K.
1 graminifòlia. H.K.(*st.*) Grass-leaved. W. Indies. 1793. 4. 7. S.♃. Bot. mag. t. 2764.

2 serratifòlia. B.M. (*st.br.*) saw-leaved. Brazil. 1826. 10. 12. S. ♃. Bot. mag. t. 2823.
3 spicàta. D.P. (*wh.*) spiked. Nepaul. 1823. 5. 8. S. ♃.

TRIBRA'CHIA. B.R. TRIBRA'CHIA. Gynandria Monandria.
péndula. B.R. (*gr.*) pendulous-spiked. SierraLeon. 1822. 6. 11. S. ♃. Bot. reg. t. 963.

SOPHRON'ITIS. B.R. SOPHRON'ITIS. Gynandria Monandria.
cérnua. B.R. (*ro.*) cernuous. Brazil. 1826. 11. 12. S. ♃. Bot. reg. t. 1129.

GONG'ORA. R.P. GONG'ORA. Gynandria Monandria.
1 atropurpùrea. H.E.F. (*d.pu.*) dark-flowered. Trinidad. 1824. 6. 7. S. ♃. Hook. ex. flor. t. 178.
2 speciòsa. B.M. (*ye.or.*) beautiful. Brazil. 1826. 4. 6. S. ♃. Bot. mag. t. 2755.
3 viridipurpùrea. B.M. (*g.pu.*) green & purple. ——— 1827. 6. 8. S. ♃. ——— t. 2978.

HETEROTA'XIS. B.R. HETEROTA'XIS. Gynandria Monandria.
crassifòlia. B.R. (*ye.*) thick-leaved. Jamaica. 1823. 6. 8. S. ♃. Bot. reg. t. 1028.

DIP'ODIUM. B.P. DIP'ODIUM. Gynandria Monandria. B.P.
punctàtum. B.P. (*pu.*) spotted. N. S. W. 1822. 6. 8. G. ♃. Sm. exot. bot. 1. t. 12.
Dendròbium punctàtum. Sm.

CAMARI'DIUM. B.R. CAMARI'DIUM. Gynandria Monandria. B.R.
ochroleùcum. B.R. (*st.*) pale-flowered. Trinidad. 1823. 7. 10. S. ♃. Bot. reg. t. 844.
Dendròbium? álbum. H.E.F. t. 142.

'ERIA. B.R. 'ERIA. Gynandria Monandria. B.R.
1 stellàta. B.R. (*st.*) starry. Nepaul. 1818. 5. 6. S. ♃. Bot. reg. t. 904.
2 pubéscens. B.R. (*ye.*) pubescent. E. Indies. 1820. 3. 4. S. ♃. Hook. ex. flor. t. 124.
Dendròbium pubéscens. H.E.F.
3 ròsea. B.R. (*bk.*) rose-coloured. China. 1824. 10. S. ♃. Bot. reg. t. 978.

XYL'OBIUM. B.R. XYL'OBIUM. Gynandria Monandria.
1 squálens. B.R. (*ye.br.*) squalid. Brazil. 1822. 7. 8. S. ♃. Bot. reg. t. 732.
Dendròbium squálens. B.R. *Maxillària squálens.* Bot. mag. t. 2955.
2 racemòsum. (*ye.or.*) racemed. Brazil. 1825. 6. 8. S. ♃. Bot. mag. t. 2789.
Maxillària racemòsa. B.M.

MAXILL'ARIA. R.P. MAXILL'ARIA. Gynandria Monandria. B.R.
1 pallidiflòra. B.M. (*st.*) pale-flowered. St. Vincent's. 1826. 8. 11. S. ♃. Bot. mag. t. 2806.
2 ciliàta. B.R. (*gr.*) fringe-lipped. S. America. 1827. 5. 8. S. ♃. Bot. reg. t. 1206.
3 Barringtòniæ. B.R. (*gr.*) Barrington's. W. Indies. 1790. 6. 8. S. ♃. Sm. ic. pict. t. 25.
Dendròbium Barringtòniæ. Hook. ex. flor. t. 119.
4 Harrisòniæ. B.R. (*st.pu.*) Mrs. Harrison's. Brazil. 1820. 4. 8. S. ♃. Bot. mag. t. 2927.
5 Parkèri. B.M. (*wh.pu.*) Parker's. W. Indies. 1826. —— S. ♃. ——— t. 2729.
6 párvula. H.E.F. (*st.pu.*) small. Brazil. 1824. 3. 5. S. ♃. Hook. ex. flor. t. 217.
7 aromática. H.E.F. (*ye.*) aromatic. ——— 1825. 5. S. ♃. ——— t. 219.

SARCOCH'ILUS. B.P. SARCOCH'ILUS. Gynandria Monandria. B.P.
falcàtus. B.P. (*pu.*) falcate. N. S. W. 1821. 5. 8. G. ♃.

DENDR'OBIUM. H.K. DENDR'OBIUM. Gynandria Monandria. H.K.
1 speciòsum. B.P. (*bh.re.*) showy. N. S. W. 1801. 6. 8. G. ♃. Sm. exot. bot. 1. t. 10.
2 æmulum. B.P. (*wh.*) rival. ——— 1822. 4. 2. G. ♃. Bot. mag. t. 2906.
3 rígidum. B.P. ..... rigid. N. Holland. 1824. .... S. ♃.
4 linguiformе. B.P. (*w.st.*) tongue-leaved. N. S. W. 1810. 4. 8. G. ♃. Sm. exot. bot. 1. t. 11.
5 teretifòlium. B.P. (*pu.*) filiform-leaved. ——— 1823. —— G. ♃.
6 longicórnu. B.R. (*bh.*) long-spurred. E. Indies. 1828. 4. 6. S. ♄. Bot. reg. t. 1315.
7 secúndum. B.R. (*ro.*) secund. Sumatra. —— —— S. ♄. ——— t. 1291.
8 cucullàtum. B.R. (*bh.*) cucullate. E. Indies. 1815. 3. 5. S. ♄. Bot. reg. t. 548.
9 Pierárdi. H.E.F. (*bh.*) Pierard's. ——— —— 12. 6. S. ♄. Hook. ex. flor. t. 9.
10 Calceolària. H.E.F. (*re.y.*) hollow-lipped. ——— 1820. —— S. ♄. ——— t. 184.
11 fimbriàtum. H.E.F. (*ye.*) fringed. ——— 1818. 4. 6. S. ♄. ——— t. 71.
12 chrysánthum. B.R. (*ye.*) yellow-flower'd. Nepaul. 1828. 2. 4. S. ♄. Bot. reg. t. 1299.
13 crumenàtum. W. (*pu.*) pouched. Java. 1822. 4. 6. S. ♄. Rumph. amb. 6. t. 47. f. 2.
14 moniliférme. W. (*pu.*) glassy. China. 1822. 6. 12. S. ♄. Bot. reg. t. 1314.
15 ancéps. B.R. (*st.*) two-edged. E. Indies. 1826. 2. 9. S. ♄. ——— t. 1239.

ORNITHI'DIUM. H.K. ORNITHI'DIUM. Gynandria Monandria. H.K.
1 coccíneum. H.K. (*sc.*) scarlet-flower'd. W. Indies. 1790. 1. 12. S. ♃. Hook. ex. flor. t. 38.
Cymbídium coccíneum. Bot. mag. t. 1437.
2 refléxum. Gr. (*sc.*) reflexed. W. Indies. 1825. 9. 12. S. ♃.

ISOCH'ILUS. H.K. ISOCH'ILUS. Gynandria Monandria. H.K.
1 lineàris. H.K. (*re.*) linear-leaved. W. Indies. 1791. 5. 7. S. ♃. Bot. reg. t. 745.
Epidéndrum lineàre. Jacq. amer. t. 131. f. 1. *Cymbídium lineàre.* W.
2 graminoídes. H.E.F. (*st.*) grass-like. W. Indies. 1823. —— S. ♃. Hook. ex. flor. t. 196.
3 prolífer. H.K. (*wh.*) proliferous. ——— 1793. 6. 11. S. ♃. Bot. reg. t. 825.

PHOLID'OTA. B.R. PHOLID'OTA. Gynandria Monandria.
imbricàta. B.R. (*br.wh.*) imbricated. Nepaul. 1824. 2. 8. S. ♃. Bot. reg. t. 1213.

POLYST'ACHIA. H.E.F. POLYST'ACHIA. Gynandria Monandria.
1 lutèola. H.E.F. (*y.gr.*) smooth. W. Indies. 1818. 7. 8. S. ♃. Hook. ex. flor. t. 103.
Dendròbium polystàchyum. W.

2 pubérula. B.R. (*y.gr.*) downy. Sierra Leone. 1821. 8. . S.♃. Bot. reg. t. 851.

BRASSAV'OLA. H.K. BRASSAV'OLA. Gynandria Monandria. H.K.

1 cucullàta. H.K. (*wh.*) single-flowered. W. Indies. 1793. 6. 7. S.♃. Bot. mag. t. 543.
2 tuberculàta. B.M. (*wh.st.*) tuberculated. Brazil. 1826. 6. 9. S.♃. ——— t. 2878.
3 nodòsa. Ly. (*wh.*) many-flowered. W. Indies. 1824. 10. S.♃.

BROUGHT'ONIA. H.K. BROUGHT'ONIA. Gynandria Monandria. H.K.

1 sanguínea. H.K. (*cr.*) blood-coloured. Jamaica. 1793. 6. 7. S.♃. Lodd. bot. cab. t. 793.
2 nítida. W.H. (*re.*) glossy. E. Indies. 1824. —— S.♃.

ZYGOPETALON. B.M. ZYGOPE'TALON. Gynandria Monandria.

1 Mackàii. B.M. (*gr.bl.*) Mackay's. Brazil. 1825. 2. 5. S.♃. Bot. mag. t. 2748.
2 rostràtum. B.M. (*wh.pu.*) beaked. Demarara. —— 9. 11. S.♃. ——— t. 2819.

CA'TTLEYA. L.col. CA'TTLEYA. Gynandria Monandria. H.E.F.

1 labiàta. L.col. (*vi.*) great-lipped. S. America. 1818. 4. 10. S.♃. Lindl. coll. t. 28.
2 Loddigèsii. H.E.F. (*vi.*) Loddiges'. ——— 1810. —— S.♃. Hook. ex. flor. t. 186.
Epidéndrum violàceum. Lodd. bot. cab. t. 337.
3 Fórbesii. B.R. (*ye.*) yellow. Brazil. 1823. 9. S.♃. Bot. reg. t. 953.
4 crispa. B.R. (*wh.pu.*) curled-lipped. Trinidad. 1820. —— S.♃. ——— t. 1172.
5 intermèdia. B.M. (*ro.*) intermediate. Brazil. 1824. 3. 5. S.♃. Bot. mag. t. 2851.

CERATOCH'ILUS. B.C. CERATOCH'ILUS. Gynandria Monandria.

1 grandiflòrus. B.C. (*wh.*) large-flowered. Trinidad. 1827. 3. 8. S.♃. Lodd. bot. cab. t. 1414.
2 insígnis. (*st.pu.*) splendid. S. America. 1818. 9. 4. S.♃. Bot. mag. t. 2948-2949.
Stanhòpea insignis. B.M.

EPIDE'NDRUM. H.K. EPIDE'NDRUM, Gynandria Monandria. H.K.

1 cochleàtum. W. (*d.pu.*) shell-flowered. W. Indies. 1786. 1. 12. S.♃. Bot. mag. t. 572.
2 fràgrans. W. (*st.*) sweet-scented. ——— 1778. 10. S.♃. ——— t. 1669.
3 secúndum. W. (*re.*) pale-flowered. ——— 1793. 6. 7. S.♃. Jacq. amer. t. 137.
4 polybúlbon. W. (*wh.*) many-bulbed. ——— 1822. —— S.♃. Hook. ex. flor. t. 112.
5 verrucòsum. W. (*st.*) warted. ——— 1824. —— S.♃. Lodd. bot. cab. t. 1084.
6 nùtans. W. (*gr.*) nodding. ——— 1794. —— S.♃. Hook. ex. flor. t. 50.
7 umbellàtum. W. (*st.*) umbelled. Jamaica. 1793. —— S.♃. Bot. reg. t. 80.
8 diffùsum. W. (*gr.*) diffuse. W. Indies. 1818. 4. 5. S.♃. Lodd. bot. cab. t. 846.
9 ancéps. B.C. (*gr.*) two-edged. ——— 1820. 8. 10. S.♃. ——— t. 887.
10 noctúrnum. W. (*gr.*) night-smelling. ——— —— 4. 6. S.♃. ——— t. 713.
11 pallidiflòrum. B.M. (*st.*) pale-flowered. ——— 1828. 5. 6. S.♃. Bot. mag. t. 2980.
12 fuscàtum. W. (*br.*) brown. ——— 1790. 6. 7. S.♃. Bot. reg. t. 67.
13 elongàtum. W. (*re.*) long-stalked. Caracas. 1798. 5. 8. S.♄. Bot. mag. t. 611.
14 ellípticum. H.E.F. (*re.*) elliptic-leaved. Brazil. 1824. 3. 8. S.♄. Hook. ex. flor. t. 207.
15 conópseum. H.K. (*st.*) Florida. Florida. 1775. 8. S.♃.
16 monophy'llum. H.E.F. (*gr.*) one-leaved. W. Indies. 1822. 7. S.♃. Hook. ex. flor. t. 109.
17 ciliàre. B.R. (*wh.*) fringed. ——— 1790. 6. 10. S.♃. Bot. reg. t. 784.
18 cuspidàtum. B.R. (*wh.*) pointed. ——— 1808. —— S.♃. ——— t. 783.

ENC'YCLIA. B.M. ENC'YCLIA. Gynandria Monandria.

viridiflòra. B.M. (*gr.*) green-flowered. Brazil. 1826. 2. 6. S.♃. Bot. mag. t. 2831.

FERNAND'ESIA. R.P. FERNAND'ESIA. Gynandria Monandria.

élegans. B.C. (*st.pu.*) elegant. Trinidad. 1822. 4. 10. S.♃. Lodd. bot. cab. t. 1212.
Lockhártia élegans. Bot. mag. t. 2715.

CRYPTARRH'ENA. B.R. CRYPTARRH'ENA. Gynandria Monandria. B.R.

lunàta. B.R. (*ye.*) crescent-lipped. W. Indies. 1815. 5. 8. S.♃. Bot. reg. t. 153.

EUL'OPHIA. B.R. EUL'OPHIA. Gynandria Monandria. B.R.

1 vìrens. B.R. (*gr.*) green. E. Indies. 1823. 6. 8. S.♃. Roxb. corom. 1. t. 38.
Limodòrum vìrens. R.C.
2 guineénsis. B.R. (*pi.*) Guinea. Sierra Leone. 1822. 11. 2. S.♃. Bot. reg. t. 696.
3 grácilis. B.R. (*gr.*) slender ——— —— 6. 9. S.♃. ——— t. 742.
4 streptopétala. B.R. (*ye.*) twisted-petaled. C. B. S. —— 12. 6. S.♃. ——— t. 1002.
5 ensàta. B.R. (*st.*) sword-leaved. ——— 1826. 7. 8. S.♃. ——— t. 1147.
6 trístis. B.R. (*da.*) dark-flowered. ——— 1825. 5. 6. G.♃.
7 longicórnis. B.R. (*ye.*) long-spurred. ——— —— 6. 8. G.♃.
8 barbàta. B.R. (*ye.*) bearded. ——— 1822. —— G.♃.

CALA'NTHE. B.R. CALA'NTHE. Gynandria Monandria. B.R.

1 veratrifólia. B.R. (*wh.*) Veratrum-leav'd. E. Indies. 1819. 1. 9. S.♃. Bot. reg. t. 720.
2 sylvéstris. Ly. (*wh.*) loose-spiked. Madagascar. 1823. 6. 7. S.♃.

ANGR'ÆCUM. L.col. ANGR'ÆCUM. Gynandria Monandria. B.R.

1 maculàtum. B.R. (*fl.*) spotted. S. America. 1819. 10. 12. S.♃. Bot. reg. t. 618.
2 falcàtum. L.col. (*wh.*) falcate. China. 1815. —— S.♃. ——— t. 283.
Limodòrum falcàtum. B.R.
3 lùridum. Ly. (*br.*) lurid. Sierra Leone. 1822. 7. S.♃.

IONO'PSIS. K.S. IONO'PSIS. Gynandria Monandria.

utricularioídes. L.col. (*w.*) pale-flowered. Trinidad. 1822. 6. 9. S.♃. Hook. ex. flor. t. 113.
Iántha pállida. H.E.F.

AERA'NTHES. B.R. AERA'NTHES. Gynandria Monandria. B.R.
1 grandiflòra. B.R. (*st.*) large-flowered. Madagascar. 1823. 7. 8. S.4. Bot. reg. t. 817.
2 sesquipedàlis. Ly.(*wh.*) long-flowered. ——— —— .... S.4.

A'ERIDES. H.K. AIR-PLANT. Gynandria Monandria. H.K.
1 odoràtum. H.K. (*pi.*) fragrant. China. 1800. .... S.4.
2 arachnites. W.(*br.pu.*) common. Japan. 1793. .... S.4. Kæmpf. jap. t. 869. f. 1.
3 guttàtum. W.H. (*sp.*) spotted-flowered. E. Indies. 1824. —— S.4.
4 costàtum. W.H..... ribbed. ——— —— —— S.4.

SARCA'NTHUS. L.col. SARC'ANTHUS. Gynandria Monandria. B.R.
1 paniculàtus. L.col.(*ye.*) panicled. China. 1812. 5. 8. S.♄. Bot. reg. t. 220.
2 succìsus. B.R. (*ye.br.*) bitten. ——— 1824. —— S.♄. ——— t. 1014.
3 rostràtus. B.R.(*y.or.li.*) rostrate. ——— 1819. 6. 12. S.♄. ——— t. 981.
4 teretifòlius. B.R.(*pu.ye.*) round-leaved. ——— —— —— S.♄. ——— t. 676.
Vánda teretifòlia. B.R.

TRICHORHI'ZA. Ly. TRICHORHI'ZA. Gynandria Monandria.
teretifòlia. L.C.(*br.pu.*) round-leaved. E. Indies. 1819. 10. S.♄. Hook. ex. flor. t. 72.
Vánda? trichorhìza. H.E.F.

VA'NDA. B.R. VA'NDA. Gynandria Monandria. B.R.
1 cruénta. L.C. (*cr.*) red-flowered. China. 1819. .... S.♄.
2 multiflòra. L.col. (*ye.*) many-flowered. ——— 1800. 6. 10. S.♄. Lindl. coll. t. 38.
3 Roxbúrghii. B.R.(*w.pu.*) Roxburgh's. E. Indies. 1816. 10. 12. S.♄. Bot. reg. t. 506.
4 tessellàta. L.C.(*pu.ye.*) tessellate. ——— —— .... S.♄. Roxb. cor. 1. t. 42.
Cymbìdium tessellàtum. R.C.

RENANTHE'RA. B.R. RENANTHE'RA. Gynandria Monandria.
coccínea. B.R. (*sc.*) scarlet-flowered. China. 1816. 8. 4. S.♄. Bot. reg. t. 1131.

VANI'LLA. W. VANI'LLA. Gynandria Monandria. H.K.
1 aromática. H.K. (*wh.*) aromatic. S. America. 1739. 6. 8. S.♄. Plum. ic. 183. t. 188.
2 planifòlia. H.K. (*wh.*) flat-leaved. W. Indies. 1800. 4. 6. S.♄. Andr. reposit. t. 538.

CYPRIPE'DIUM. W. LADIES'-SLIPPER. Gynandria Diandria. H.K.
1 Calcèolus. W. (*ye.*) common. England. .... 5. 7. H.4. Eng. bot. v. 1. t. 1.
2 parviflòrum. W. (*ye.*) small-flowered. N. America. 1759. —— H.4. Swt. br. fl. gar. t. 80.
3 pubéscens. W. (*ye.*) yellow-downy. ——— 1790. —— H.4. ——— t. 71.
4 guttàtum. W. (*ye.*) spotted. Siberia. 1829. 4. 5. H.4. Amman. ruth. p. 183. t. 22
5 macránthos. W. (*d.pu.*) great-flowered. ——— —— —— H.4. Bot. mag. t. 2938.
6 ventricòsum. W.(*d.pu.*) bellied. ——— —— —— H.4. Swt. br. fl. gar. s. 2. t. 1.
7 spectábile. W.(*pu.wh.*) showy. N. America. 1731. 6. 7. H.4. Lodd. bot. cab. t. 697.
álbum. Bot. mag. t. 216.
α incarnàtum. B.F.G. (*w.pu.*) *flesh-coloured.* ——— —— —— H.4. Swt. br. fl. gar. t. 240. B.
β álbum. B.F.G. (*wh.*) *white-flowered.* ——— 1827. —— H.4. ——— t. 240. A.
8 hùmile. W. (*pu.wh.*) two-leaved. ——— 1786. 5. 6. H.4. Bot. mag. t. 192.
9 arietìnum. W. (*re.*) ram's-head. ——— 1808. —— H.4. Swt. br. fl. gar. t. 213.
10 venùstum. B.R.(*pu.gr.*) handsome. Nepaul. 1816. 7. 10. S.4. Bot. reg. t. 788.
11 insígne. L.col. (*gr.pu.*) noble. ——— 1819. —— S.4. Lindl. coll. t. 32.

ORDO CCIII.

SCITAMINEÆ. *Brown prodr.* 1. *p.* 305.

GLO'BBA. L. GLO'BBA. Monandria Monogynia. L.
1 marantina. W. (*ye.*) marantine. E. Indies. 1800. 7. 8. S.4. Exot. bot. 2. t. 103.
2 bulbífera. F.I. (*ye.*) bulb-bearing. ——— 1818. —— S.4.
3 orixénsis. F.I. (*or.*) Orixian. ——— 1819. —— S.4.
4 versícolor. EX.B.(*y.vi.*) various-colour'd. ——— 1820. —— S.4. Sm. exot. bot. 2. t. 117.
Hàra. F.I.
5 péndula. F.I. (*ye.*) pendulous-flower'd. ——— 1822. 6. 8. S.4.
6 Careyàna. F.I. (*ye.*) Carey's. ——— 1821. —— S.4. Rosc. scit. t. 110.
7 sessilifòra. B.M. (*ye.*) sessile-flower'd. ——— 1807. —— S.4. Bot. mag. t. 1428.

MANTI'SIA. B.M. MANTI'SIA. Monandria Monogynia. B.M.
1 saltatòria. B.M. (*bl.ye.*) Opera-girl's. E. Indies. 1808. 6. S.4. Bot. mag. t. 1320.
Glòbba subulàta. F.I. *purpùrea.* A.R. 615. *saltatòria.* R. scit. t. 111.
2 spathulàta. R.S. (*bl.ye.*) spathulate. E. Indies. 1822. 6. 8. S.4.
Glòbba spathulàta. F.I.

CURCU'MA. W. TURMERIC. Monandria Monogynia. L.
1 aromática. P.L.(*ye.pi.*) aromatic. E. Indies. 1797. 4. 8. S.4. Sal. par. lond. t. 96.
Zerúmbet. F.I. Rheed. mal. v. 11. t. 7.

2	Zedoària. B.M. (*ye.pi.*)	silky-leaved.	E. Indies.	1797.	4. 8.	S.♃.	Bot. mag. t. 1546.
3	zanthorrhìza. F.I. (*re.cr.*)	yellow-rooted.	Amboyna.	1819.	4. 5.	S.♃.	
4	latifòlia. R.Sc. (*ye.pi.*)	broad-leaved.	E. Indies.	——	——	S.♃.	Rosc. scitam. t. 108.
5	elàta. F.I. (*ye.pu.*)	tall.	——	——	——	S.♃.	—— t. 104.
6	c'æsia. F.I. (*ye.re.*)	clouded-leaved.	——	——	5. 6.	S.♃.	
7	æruginòsa. F.I. (*ye.re.*)	verdigrease.	——	1807.	4. 8.	S.♃.	Rosc. scitam. t. 106.
8	ferruginea. F.I. (*ye.re.*)	rusty.	——	1819.	——	S.♃.	—— t. 105.
9	rubéscens. F.I. (*re.ye.*)	red.	——	——	4. 6.	S.♃.	—— t. 107.
10	comòsa. F.I. (*ye.pi.*)	close-flowered.	——	——	——	S.♃.	
11	leucorrhìza. F.I. (*y.ro.*)	white-rooted.	——	——	——	S.♃.	Rosc. scitam. t. 102.
12	angustifòlia. F.I. (*y.pu.*)	narrow-leaved.	——	1822.	——	S.♃.	
13	lónga. F.I. (*st.bh.*)	long-rooted	——	1759.	6. 8.	S.♃.	Bot. reg. t. 886.
14	Amada. F.I. (*st.li.*)	Mango-ginger.	——	1819.	——	S.♃.	Rosc. scitam. t. 99.
15	viridiflòra. F.I. (*gr.st.*)	green-flowered.	——	1820.	——	S.♃.	
16	montàna. F.I. (*ye.ro.*)	mountain.	——	1823.	4. 6.	S.♃.	Roxb. corom. 2. t. 151.
17	reclinàta. F.I. (*pi.*)	reclining.	——	1824.	——	S.♃.	
18	petiolàta. F.I. (*ye.pu.*)	petiolate.	——	1822.	——	S.♃.	Rosc. scitam. t. 100.
19	rubricaùlis. L.T. (*re.ye.*)	red-stalked.	——	1818.	——	S.♃.	
20	amarissima. R.Sc. (*re.ye.*)	bitter.	——	1822.	——	S.♃.	Rosc. scitam. t. 101.

KÆMPF'ERIA. L. KÆMPF'ERIA. Monandria Monogynia. L.

1	Galánga. w. (*pu.wh.*)	officinal.	E. Indies.	1724.	6. 9.	S.♃.	Bot. mag. t. 850.
2	rotúnda. w. (*pu.bh.*)	round-rooted.	——	1768.	7. 8.	S.♃.	—— t. 920.
3	latifòlia. s.s. (*wh.*)	broad-leaved.	——	1803.	4. 7.	S.♃.	
4	Roscoeàna. B.R. (*wh.*)	Roscoe's.	Ava.	1828.	——	S.♃.	Bot. reg. t. 1212.
5	angustifòlia. F.I. (*pu.w.*)	narrow-leaved.	E. Indies.	1797.	——	S.♃.	Rosc. scitam. t. 94.
6	panduràta. F.I. (*ro.*)	fiddle-lipped.	——	1812.	——	S.♃.	Bot. reg. t. 173.
7	ovalifòlia. F.I. (*pu.wh.*)	oval-leaved.	——	1819.	——	S.♃.	Rosc. scitam. t. 95.
8	marginàta. R.s. (*pu.*)	red-margined.	——	1820.	——	S.♃.	—— t. 93.

ROSC'OEA. L.T. ROSC'OEA. Monandria Monogynia.

1	purpùrea. L.T. (*pu.*)	purple-flower'd.	Nepaul.	1819.	7. 8.	S.♃.	Rosc. scitam. t. 64.
2	grácilis. L.T. (*pu.*)	slender.	——	1820.	——	S.♃.	
3	elàtior. L.T. (*pu.*)	tall.	——	——	——	S.♃.	
4	spicàta. L.T. (*pu.*)	spiked.	——	1821.	——	S.♃.	
5	capitàta. L.T. (*pu.*)	headed.	——	1819.	——	S.♃.	

ZI'NGIBER. L.T. GINGER. Monandria Monogynia. H.K.

1	officinàle. F.I. (*pu.st.*)	narrow-leaved.	E. Indies.	1605.	6. 8.	S.♃.	Rosc. scitam. t. 83.
2	Zerúmbet. F.I. (*st.*)	broad-leaved.	——	1690.	9. 11.	S.♃.	Sm. exot. bot. 2. t. 112.
3	Cassumùnar. B.M. (*wh.*)	downy-leaved.	——	1796.	8.	S.♃.	Bot. mag. t. 1426.
	purpùreum. L.T.	*Amòmum Cliffòrdiæ.* And. repos. t. 555.					
4	ròseum. F.I. (*ro.st.*)	rose-coloured.	E. Indies.	1822.	6. 8.	S.♃.	Roxb. corom. 2. t. 126.
5	ligulàtum. F.I. (*pi.ye.*)	ligulate.	——	——	——	S.♃.	
6	rùbens. F.I. (*re.*)	red-flowered.	——	1820.	5. 11.	S.♃.	Rosc. scitam. t. 88.
7	squarròsum. F.I. (*wh.*)	squarrose.	——	——	——	S.♃.	—— t. 89.
8	panduràtum. F.I. (*st.re.*)	fiddle-leaved.	——	1819.	5. 8.	S.♃.	
9	Mióga. L.T. (*pi.*)	Japanese.	Japan.	1796.	——	S.♃.	Kæmpf. ic. Banks. t. 1.
10	chrysánthum. R.Sc. (*ye.*)	yellow-flower'd.	Nepaul.	1821.	——	S.♃.	Rosc. scitam. t. 86.
11	capitàtum. F.I. (*ye.*)	headed.	E. Indies.	1820.	6. 9.	S.♃.	—— t. 90.
12	elàtum. F.I. (*ye.*)	tall.	——	——	——	S.♃.	—— t. 91.

AM'OMUM. F.I. AM'OMUM. Monandria Monogynia. L.

1	Afsèlii. L.T. (*pi.*)	sweet-scented.	Sierra Leone.	1795.	5. 6.	S.♃.	Ann. bot. 1. t. 13.
2	grandiflòrum. R.s. (*pi.w.*)	large-flower'd.	——	——	6. 7.	S.♃.	Sm. exot. bot. t. 3.
3	sylvéstre. R.s. (*ye.*)	wood.	Jamaica.	1804.	5. 7.	S.♃.	Sloan. hist. 1. t. 105. f. 2.
4	Cardamòmum. F.I. (*ye.*)	bastard Cardamon.	E. Indies.	1820.	4. 6.	S.♃.	Rumph. amb. 6. t. 65. f. 1.
5	angustifòlium. F.I. (*re.y.*)	narrow-leaved.	Madagascar.	——	——	S.♃.	Sonnerat. it. 2. f. 137.
6	aculeàtum. F.I. (*or.cr.*)	bristly-capsuled.	E. Indies.	1823.	6. 8.	S.♃.	
7	máximum. F.I. (*re.ye.*)	great.	——	——	——	S.♃.	Bot. reg. t. 929.
8	dealbàtum. F.I. (*wh.*)	insipid-seeded.	——	1819.	——	S.♃.	
9	subulàtum. F.I. (*ye.*)	subulate-bracted.	——	——	5. 7.	S.♃.	
10	aromáticum. F.I. (*st.*)	aromatic.	——	1823.	——	S.♃.	
11	sericeum. F.I. (*wh.pi.*)	silky-leaved.	——	1819.	6. 8.	S.♃.	
12	grána-paradisi. w. (*re.*)	Grains of Paradise.	Madagascar.....		2. 4.	S.♃.	Blackw. t. 385.

CO'STUS. F.I. CO'STUS. Monandria Monogynia. L.

1	speciòsus. F.I. (*wh.*)	large-flowered.	E. Indies.	1794.	8. 9.	S.♃.	Jacq. ic. 1. t. 1.
2	nepalénsis. R.Sc. (*wh.*)	Nepaul.	Nepaul.	1818.	——	S.♃.	Rosc. scitam. t. 80.
	speciòsus β. Bot. reg. 665.						
3	cylíndricus. R.s. (*wh.re.*)	cylindrical-spiked.	Brazil.	1822.	5. 9.	S.♃.	Rosc. scitam. t. 78.
	Pisònis. Bot. reg. t. 899.						
4	áfer. B.R. (*wh.*)	African.	Sierra Leone.	——	——	S.♃.	Bot. reg. t. 683.
5	discolor. R.Sc. (*wh.*)	two-coloured.	Maranham.	1823.	——	S.♃.	Rosc. scitam. t. 81.

6	maculàtus. R.Sc. (*wh.*) spotted-stalked.	SierraLeone.	1822.	5. 9.	S.4.	Rosc. scitam. t. 82.
7	lanàtus. L.C. (*wh.*) woolly.	.....	——	——	S.4.	
8	spicàtus. L.T. (*ye.*) spiked.	S. America.	1793.	6.	S.4.	Rosc. scitam. t. 77.
9	comòsus. L.T. (*re.ye.*) tufted.	——	1815.	——	S.4.	Jacq. ic. 3. t. 202.
	Alpínia comòsa. Jacq.					
10	spiràlis. L.T. (*re.*) spiral.	——	——	5. 7.	S.4.	Jacq. schœn. 1. t. 1.
11	villosíssima. R.S. (*ye.*) villous.	W. Indies.	1823.	——	S.4.	Jacq. fragm. t. 80.
12	arábicus. L.T. (*wh.*) Arabian.	Arabia.	1752.	8.	S.4.	
HELL'ENIA. B.P.		Hell'enia. Monandria Monogynia. W.				
	cœrùlea. B.P. (*bl.*) blue-berried.	N.Holland.	1820.	5. 6.	G.4.	Rosc. scitam. t. 76.
ALPI'NIA. L.T.		Alpi'nia. Monandria Monogynia. L.				
1	Allúghas. F.I. (*wh.re.*) glossy-leaved.	E. Indies.	1796.	2. 3.	S.4.	Rosc. scitam. t. 67.
	Hellènia Allúghas. Andr. reposit. t. 501.					
2	racemòsa. L.T. (*wh.*) clustered.	W. Indies.	1752.	7. 9.	S.4.	Plum. ic. 11. t. 20.
3	Galánga. F.I. (*g.wh.*) Galanga-major.	E. Indies.	1818.	6. 10.	S.4.	Rumph. amb. 5. t. 63.
4	Roxbúrghii. (*w.cr.*) Roxburgh's.	——	1820.	——	S.4.	
	bracteàta. F.I. *non* L.T.					
5	malaccénsis. F.I. (*w.y.cr.*) woolly-leaved.	——	1799.	4. 6.	S.4.	Bot. reg. t. 328.
6	nùtans. F.I. (*re.ye.*) nodding-flower'd.	——	1792.	——	S.4.	Bot. mag. t. 1903.
	Renealmia nùtans. A.R. 360.					
7	cérnua. B.M. (*y.wh.pu.*) drooping.	——	1790.	——	S.4.	Bot. mag. t. 1900.
8	auriculàta. R.Sc. (*y.re.*) eared.	——	1815.	——	S.4.	Rosc. scitam. t. 74.
9	diffìssa. L.T. (*ye.*) cloven.	China.	——	4. 6.	S.4.	—— t. 71.
10	màtica. F.I. (*ye.re.*) spurless.	E. Indies.	1811.	4. 9.	S.4.	—— t. 69.
11	calcaràta. F.I. (*re.or.*) upright spiked.	China.	1804.	9.	S.4.	Andr. reposit. t. 421.
12	spicàta. F.I. (*wh.pu.*) spiked.	E. Indies.	1823.	6. 9.	S.4.	
13	striàta. L.en. (*std.*) striated.	——	1818.	——	S.4.	
14	bracteàta. L.T. (*ye.re.*) bracted.	China.	1823.	5. 8.	S.4.	Rosc. scitam. t. 70.
	Roscoeàna. R.S.					
15	magnífica. R.Sc. (*sc.*) magnificent.	Madagascar.	1826.	....	S.4.	Rosc. scitam. t. 75.
RENE'ALMIA. R.Sc.		Rene'almia. Monandria Monogynia.				
1	occidentàlis. (*pa.*) occidental.	Jamaica.	1793.	5. 7.	S.4.	Gært. fruct. 1. t. 12.
	Alpínia occidentàlis. L.T.					
2	exaltàta. R.Sc. (*re.*) tubular-flowered.	Demarara.	1820.	7. 8.	S.4.	Rosc. scitam. t. 65.
	Alpínia tubulàta. Bot. reg. t. 777.					
3	punícea. (*cr.*) bright red.	E. Indies.	——	——	S.4.	
	Alpínia punícea. F.I.					
4	Cardamòmum mèdium. (*re.*) 9-winged.	——	——	——	S.4.	
5	linguifórmis. F.I. (*re.*) tongue-lipped.	——	1825.	....	S.4.	
ELETTARIA. L.T.		Cardamon. Monandria Monogynia.				
	Cardamòmum. L.T. (*w.pu.*) true.	E. Indies.	1815.	....	S.4.	Linn. trans. 10. t. 4. 5.
	Alpínia Cardamòmum. F.I. *Amòmum Cardamòmum.* L.					
HEDY'CHIUM. F.I.		Garland-flower. Monandria Monogynia. L.				
1	angustifòlium. R.Sc. (*sc.*) narrow-leaved.	E. Indies.	1815.	5. 12.	S.4.	Rosc. scitam. t. 60.
2	aurantìacum. R.Sc. (*or.*) orange-coloured.	——	——	——	S.4.	—— t. 61.
	angustifòlium. B.R. 157. *non* Roxb.					
3	coccíneum. R.Sc. (*sc.*) scarlet.	Nepaul.	1818.	5. 12.	S.4.	Rosc. scitam. t. 58.
	angustifòlium. B.M. *non* Roxb.					
4	longifòlium. R.Sc. (*sc.*) long-leaved.	E. Indies.	1819.	6. 11.	S.4.	Rosc. scitam. t. 59.
5	cárneum. R.Sc. (*re.*) flesh-coloured.	——	——	——	S.4.	Bot. mag. t. 2637.
6	flàvum. R.Sc. (*ye.*) yellow.	——	1818.	——	S.4.	Rosc. scitam. t. 49.
7	flavéscens. R.Sc. (*st.*) yellowish.	——	1821.	——	S.4.	—— t. 50.
8	thyrsifórme. s.s. (*wh.*) thyrse-flowered.	——	1819.	7. 11.	S.4.	—— t. 56.
	heteromàllum. Bot. reg. t. 767.					
9	villòsum. F.I. (*st.*) villous.	——	1815.	6. 11.	S.4.	Rosc. scitam. t. 54.
10	glaùcum. R.Sc. (*wh.*) glaucous.	——	1820.	——	S.4.	—— t. 58.
11	ellípticum. R.Sc. (*wh.*) elliptic-leaved.	——	——	5. 8.	S.4.	—— t. 55.
12	acuminàtum. R.Sc. (*w.or.*) taper-pointed.	——	1822.	——	S.4.	Bot. mag. t. 2969.
13	elàtum. B.R. (*bl.*) tall.	Nepaul.	1818.	7. 12.	S.4.	Bot. reg. t. 526.
14	speciòsum. F.I. (*ye.*) beautiful.	E. Indies.	1823.	8. 10.	S.4.	
15	máximum. R.Sc. (*wh.*) large-flowered.	——	1819.	5. 9.	S.4.	Rosc. scitam. t. 52.
16	coronàrium. F.I. (*wh.*) sweet-scented.	——	1793.	7. 9.	S.4.	Bot. mag. t. 708.
17	Gardneriànum. R.Sc. (*ye.*) Gardner's.	Nepaul.	1818.	——	S.4.	Bot. reg. t. 771.
18	spicàtum. B.M. (*bl.*) spiked.	——	1820.	8. 11.	S.4.	Bot. mag. t. 2300.
19	grácile. F.I. (*wh.*) slender.	E. Indies.	1821.	——	S.4.	

ORDO CCIV.

CANNEÆ. *Brown prodr.* 1. *p.* 307.

PHRY'NIUM. R.Sc. PHRY'NIUM. Monandria Monogynia. L.

1	dichótomum. F.I.	(*wh.*) forked.	E. Indies.	1807.	6. 9.	S.4.	Rumph. amb. 4. t. 7.
2	virgàtum. F.I.	(*wh.*) slender-stem'd.	———	1818.	——	S.4.	
3	spicàtum. F.I.	(*wh.*) spiked.	———	——	——	S.4.	
4	imbricàtum. F.I.	(*li.*) imbricated.	———	1824.	5. 8.	S.4.	
5	grandifiòrum. R.Sc.	(*st.*) great-flowered.	Brazil.	1819.	6. 8.	S.4.	Rosc. scitam. t. 33.
6	parviflòrum. F.I.	(*ye.*) small-flowered.	E. Indies.	——	5. 9.	S.4.	——— t. 34.
7	capitàtum. F.I.	(*ro.*) capitate.	———	1820.	——	S.4.	Rheed. mal. 11. t. 34.
8	violàceum. R.Sc.	(*vi.*) violet-coloured.	Brazil.	1823.	6. 8.	S.4.	Rosc. scitam. t. 37.
	Calathèa violàcea. Bot. reg. t. 961.						
9	comòsum. R.Sc.	(*ye.*) tufted.	Trinidad.	1812.	——	S.4.	Rosc. scitam. t. 35.
10	zebrìnum. R.Sc.	(*pu.*) Zebra plant.	Brazil.	1815.	4. 7.	S.4.	——— t. 36.
	Maránta zebrìna. Bot. reg. t. 385. *Calathèa zebrìna.* B.R.						
11	flavéscens.	(*ye.*) yellowish.	Brazil.	1823.	6. 8.	S.4.	Bot. reg. t. 932.
	Calathèa flavéscens. B.R.						
12	Alloùya. R.Sc.	(*wh.*) variegated.	Guiana.	1824.	——	S.4.	Rosc. scitam. t. 38.
13	Myrósma. R.Sc.	(*wh.*) Canna-like.	Surinam.	1825.	——	S.4.	——— t. 39.
14	cylíndricum. R.Sc.	(*st.*) cylindrical.	Brazil.	——	2. 3.	S.4.	——— t. 40.
15	setòsum. R.Sc.	bristly.	———	1826.	——	S.4.	——— t. 41.
	Maránta secúnda. Gr.						
16	Parkèri. R.Sc.	(*ye.*) Parker's.	Grenada.	——	——	S.4.	Rosc. scitam. t. 42.
17	Casùpo. R.Sc.	(*ye.*) two-coloured.	Trinidad.	1823.	6. 8.	S.4.	——— t. 43.
	Calathèa discolor. s. *Maránta Casùpo.* Jacq. frag. t. 63. f. 4.						
18	ellipticum. R.Sc.	(*st.*) elliptic-leaved.	Guiana.	1823.	——	S.4.	Rosc. scitam. t. 44.
19	Róssii. L.C.	(*ye.*) Ross's.	Brazil.	1825.	4. 7.	S.4.	
20	villòsum. L.C.	(*ye.*) villous.	———	——	——	S.4.	
21	lùteum.	(*wh.*) yellow-bracted.	Caracas.	1809.	6. 7.	S.4.	Jacq. ic. 2. t. 20.
	Maránta lùtea. Jacq. *Jacquìni.* R.S.						
22	obliquum. L.C.	(*ye.*) oblique-leaved.	E. Indies.	1824.	5. 9.	S.4.	
23	angustifòlium. L.C.	(*ye.*) narrow-leaved.	———	——	——	S.4.	
24	littoràle. Led.	(*ye.*) sea-side.	Brazil.	1827.	——	S.4.	
25	longibracteàtum.	(*li.*) long-bracted.	———	1824.	6. 7.	S.4.	Bot. reg. t. 1020.
26	grandifòlium.	(*ye.*) large-leaved.	Brazil.	1825.	——	S.4.	——— t. 1210.
27	maciléntum. B.R.	(*wh.*) meagre.	———	——	——	S.4.	

TH'ALIA. W. TH'ALIA. Monandria Monogynia. W.

1	dealbàta. L.T.	(*da.pu.*) mealy.	Carolina.	1791.	7. 9.	H.*w.*4.	Bot. mag. t. 1090.
2	geniculàta. R.Sc.	(*bl.*) jointed.	Demerara.	1824.	6. 8.	S.4.	Rosc. scitam. t. 45.

CANNA. W. INDIAN SHOT. Monandria Monogynia. L.

1	índica. R.Sc.	(*sc.*) common.	W. Indies.	1570.	1. 12.	S.4.	Rosc. scitam. t. 1.
2	coccínea. L.T.	(*sc.*) scarlet.	———	1731.	——	S.4.	——— t. 11.
3	lùtea. L.T.	(*ye.*) yellow.	S. America.	1629.	——	S.4.	——— t. 18.
4	orientàlis. R.Sc.	(*sc.*) oriental.	E. Indies.	1570.	——	S.4.	——— t. 12.
	β flàva.	(*ye.*) *yellow Indian.*	———	——	——	S.4.	——— t. 13.
	γ maculàta.	(*sc.ye.*) *spotted-flowered.*	———	——	——	S.4.	Bot. mag. t. 2065.
5	pàtens. B.R.	(*sc.ye.*) spreading.	China.	1771.	7. 10.	H.4.	Bot. reg. t. 576.
6	speciòsa. B.M.	(*sc.ye.*) showy.	Nepaul.	1820.	——	H.4.	Bot. mag. t. 2317.
7	gigántea. B.R.	(*or.*) gigantic.	S. America.	1788.	1. 12.	S.4.	Bot. reg. t. 206.
8	latifòlia. R.Sc.	(*sc.*) broad-leaved.	———	——	——	S.4.	Rosc. scitam. t. 4.
9	èdulis. B.R.	(*sc.*) eatable.	Peru.	1820.	6. 10.	S.4.	Bot. reg. t. 775.
10	díscolor. B.R.	(*sc.*) crimson-leaved.	Trinidad.	1827.	8. 12.	S.4.	——— t. 1231.
11	Lambérti. B.R.	(*cr.*) Mr. Lambert's.	———	1818.	5. 8.	S.4.	——— t. 470.
12	excélsa. B.C.	(*sc.*) tall.	Brazil.	1820.	1. 12.	S.4.	Lodd. bot. cab. t. 743.
13	limbàta. R.Sc.	(*sc.ye.*) bordered.	———	1818.	——	S.4.	Rosc. scitam. t. 9.
	aùro-vittàta. Lodd. bot. cab. t. 449.						
14	pállida. R.Sc.	(*st.*) pale.	W. Indies.	1823.	——	S.4.	Rosc. scitam. t. 19.
	Lagunénsis. Bot. reg. t. 1311.						
	β punctàta.	(*ye.*) *spotted-flowered.*	———	——	——	S.4.	Rosc. scitam. t. 20.
15	aurantìaca. R.Sc.	(*or.*) orange-coloured.	Brazil.	——	——	S.4.	——— t. 21.
16	compácta. R.Sc.	(*cr.*) compact.	S. America.	——	——	S.4.	——— t. 22.
17	pedunculàta. R.Sc.	(*ye.*) stalked.	Brazil.	1820.	——	S.4.	——— t. 8.
18	denudàta. R.Sc.	(*sc.ye.*) naked-stalked.	———	——	——	S.4.	——— t. 23.
19	sylvéstris. R.Sc.	(*cr.*) wood.	S. America.	1813.	——	S.4.	——— t. 10.
20	lanuginòsa. R.Sc.	(*sc.*) woolly-stem'd.	Maranham.	1823.	——	S.4.	——— t. 16.

1	cárnea. R.Sc.	(*fl.*)	flesh-coloured.	Brazil.	1822.	1. 12.	S.4.	Rosc. scitam. t. 15.
2	lanceolàta. L.C.	(*sc.*)	spear-leaved.	———	1820.	——	S.4.	
3	esculénta. L.C.	(*sc.*)	esculent.	S. America.	——	——	S.4.	
4	polymórpha. L.C.	(*sc.*)	variable.	———	1824.	——	S.4.	
5	iridiflòra. B.M.	(*cr.*)	nodding-flower'd.	Peru.	1816.	——	S.4.	Bot. reg. 609.
6	fláccida. R.Sc.	(*ye.*)	flaccid.	S. Carolina.	1788.	——	S.4.	Rosc. scitam. t. 6.
7	glaùca. L.T.	(*ye.*)	glaucous.	S. America.	1732.	——	S.4.	Sm. exot. bot. t. 102.
	β rùfa. B.M.	(*ye.*)	*brown.*	———	....	——	S.4.	Bot. mag. t. 2302.

ARA'NTA. R.S. ARROW-ROOT Monandria Monogynia. L.

1	arundinàcea. R.S.	(*wh.*)	Indian.	S. America.	1732.	7. 8.	S.4.	Bot. mag. t. 2307.
2	índica. R.S.	(*wh.*)	smooth-leaved.	India.	....	——	S.4.	Sloan. jam. t. 149.
3	divaricàta. R.Sc.	(*wh.*)	spreading.	Brazil.	1825.	——	S.4.	Rosc. scitam. t. 27.
	β purpùrea. R.Sc.	(*pu.*)	*purple-flowered.*	———	——	——	S.4.	——— t. 28.
4	Tónchat. R.S.	(*pa.bl.*)	ovate.	E. Indies.	1819.	....	S.4.	Rumph. amb. 4. t. 7.
5	angustifòlia. B.M.	(*li.*)	narrow-leaved.	W. Indies.	1820.	7. 8.	S.4.	Bot. mag. t. 2398.
6	cuspidàta. R.Sc.	(*ye.*)	cuspidate.	Sierra Leone.	1822.	——	S.4.	Rosc. scitam. t. 31.
7	bícolor. B.R.	(*wh.*)	two-coloured.	S. America.	1823.	1. 12.	S.4.	Bot. reg. t. 786.
8	gíbba. R.S.	(*wh.*)	gibbous.	———	——	——	S.4.	Rosc. scitam. t. 29.
9	obliqua. R.S.	(*re.*)	oblique.	Guiana.	1803.	10. 1.	S.4.	Rudg. gui. t. 11.
0	sylvática. L.T.	(*wh.*)	wood.	W. Indies.	1799.	8. 9.	S.4.	

ORDO CCV.

MUSACEÆ. *Juss. gen.* 61.

MUSA. L. PLANTAIN-TREE. Polygamia Monœcia. L.

1	paradisiaca. W.	(*br.cr.*)	common.	India.	1690.	10. 12.	S.♄.	Trew. ehret. 3. t. 18-20.
2	sapiéntum. W.	(*br.cr.*)	Banana-tree.	W. Indies.	1729.	10. 3.	S.♄.	——— 4. t. 21-23.
3	maculàta. W.	(*br.pi.*)	spotted-fruited.	Mauritius.	1818.	——	S.♄.	
4	rosàcea. W.	(*ro.*)	rose-coloured.	———	1805.	3. 6.	S.♄.	Bot. reg. t. 706.
5	coccínea. W.	(*sc.*)	scarlet-flower'd.	China.	1792.	12. 3.	S.♄.	Andr. reposit. t. 47.
6	ornàta. F.I.	(*li.or.*)	handsome.	E. Indies.	1823.	....	S.♄.	
7	supérba. F.L.	(*br.pa.*)	superb.	———	——	....	S.4.	
8	glàuca. F.I.	(*ye.*)	glaucous.	———	1824.	....	S.4.	

RA'NIA. W. UR'ANIA. Hexandria Monogynia. W.

	speciòsa. W.	(*wh.*)	Plantain-leaved.	Madagascar.	1813.	....	S.♄.	Jacq. schœn. 1. t. 93.
	Ravenàlia madagascariénsis. Jacq.							

TRELI'TZIA. H.K. STRELI'TZIA. Pentandria Monogynia. H.K.

1	augùsta. H.K.	(*wh.*)	Plantain-like.	C. B. S.	1791.	2. 5.	S.♄.	Ker's Strelitz. ic.
2	reginæ. H.K.	(*ye.bl.*)	Canna-leaved.	———	1773.	4. 5.	I.4.	Redout. lil. t. 77. 88.
3	ovàta. H.K.	(*ye.bl.*)	oval-leaved.	———	1777.	2. 4.	I.4.	Bot. mag. t. 119. 120.
4	hùmilis. L.en.	(*ye.bl.*)	dwarf.	———	....	——	I.4.	
5	farinòsa. H.K.	(*ye.bl.*)	mealy-stalked.	———	1795.	——	I.4.	Ker's Strelitz. ic.
6	angustifòlia. H.K.	(*ye.bl.*)	narrow-leaved.	———	1778.	5. 6.	I.4.	——— ic.
7	parvifòlia. H.K.	(*ye.bl.*)	small-leaved.	———	1796.	5. 7.	I.4.	——— ic.
	β júncea. B.R.	(*ye.bl.*)	*rush-like.*	———	——	——	I.4.	Bot. reg. t. 516.

HELICONIA. R.S. HELIC'ONIA. Pentandria Monogynia. L.

1	Bihài. W.	(*re.sn.*)	Plantain-leaved.	W. Indies.	1786.	4. 5.	S.4.	Bot. reg. t. 374.
2	hùmilis. R.S.	(*sc.*)	dwarf.	Caracas.	1798.	5. 6.	S.4.	Jacq. schœn. 1. t. 48. 49.
3	psittacòrum. R.S.	(*ye.re.*)	Parrot-beaked.	W. Indies.	1797.	8. 9.	S.4.	Andr. reposit. t. 124.
4	Swartziàna. R.S.	(*or.*)	Swartz's.	Jamaica.	——	——	S.4.	Bot. mag. t. 502.
	psittacòrum β. B.M.							
5	dealbàta. L.C.	(*ye.*)	mealy.	S. America.	1823.	——	S.4.	
6	hirsùta. R.S.	(*ye.*)	hairy-bracted.	———	——	——	S.4.	
7	buccinàta. F.I.	(*st.*)	Indian.	E. Indies.	1820.	6. 8.	S.4.	Rumph. amb. 5. t. 62. f. 2.

ORDO CCVI.

IRIDEÆ. *Brown prodr.* 302.

IRIS. B.M. FLOWER-DE-LUCE. Triandria Monogynia. L.

	susiàna. R.S.	(*br.bl.*)	Chalcedonian.	Levant.	1596.	3. 4.	H.4.	Bot. mag. t. 91.
	lívida. Trat.	(*pu.bl.*)	livid.	———	——	——	H.4.	Redout. lil. 1. t. 18.
	susiána. Redoute *non* B.M.							

3 florentìna. R.s. (*wh.*) Florentine. S. Europe. 1596. 5. 6. H.♃. Bot. mag. t. 671.
4 germánica. R.s. (*bl.*) German. Germany. 1573. —— H.♃. ——— t. 670.
5 subbiflòra. B.M. (*bl.*) double-bearing. Portugal. 1596. 4. 5. H.♃. ——— t. 1130.
6 pállida. R.s. (*pa.bl.*) pale Turkey. Turkey. —— 5. 6. H.♃. ——— t. 685.
nepalénsis. Bot. reg. 818. *non* Don. prodr.
7 longiflòra. R.s. (*pa.bl.*) long-flowered. ..... 1824. —— H.♃.
8 flavéscens. R.s. (*st.*) pale yellow. Switzerland. 1825. —— H.♃. Swt. br. fl. gar. s.2. t.56.
9 sórdida. W.en. (*pa.ye.*) dull-flowered. ——— 1818. —— H.♃. Bot. mag. t. 2861.
lutéscens. Bot. mag. t. 2861. *nec aliorum*.
10 sambucìna. R.s. (*pu.wh.*) Elder-scented. S. Europe. 1658. 6. H.♃. Bot. mag. t. 187.
11 squálens. R.s. (*pu.ye.*) brown-flowered. ——— 1768. —— H.♃. ——— t. 787.
12 lùrida. R.s. (*da.pu.*) dark brown. ——— 1758. 4. 5. H.♃. ——— t. 660. 966.
13 variegàta. R.s. (*pa.ye.*) variegated. Hungary. 1597. 5. 6. H.♃. ——— t. 16.
β limbàta. R.s. (*pu.ye.*) *yellow-limbed*. N. America. .... —— H.♃.
14 neglécta. R.s. (*bl.wh.*) Horneman's. ..... 1820. 6. H.♃. Bot. mag. t. 2435.
15 viréscens. R.L. (*st.*) greenish-flowered. ..... 1824. 5. 6. H.♃. Redout. lil. 5. t. 295.
16 Swértii. R.s. (*bl.wh.*) reflex-flowered. ..... 1748. —— H.♃. ——— 6. t. 368.
17 plicàta. R.s. (*bl.*) plaited-leaved. Hungary. 1823. —— H.♃. Bot. mag. t. 870.
18 am'œna. R.L. (*pu.wh.*) pretty. ..... —— —— H.♃. Redout. lil. 8. t. 336.
19 biflòra. R.s. (*vi.pu.*) two-flowered. S. Europe. 1596. 4. 9. H.♃. Besl. h. eyst. 8. f. 1.
20 furcàta. R.s. (*bl.*) forked. Tauria. 1822. 3. 4. H.♃. Bot. reg. t. 801.
21 cristàta. R.s. (*bl.ye.*) crested. N. America. 1756. 5. H.♃. Bot. mag. t. 412.
22 fimbriàta. v. (*bl.*) fringed. China. 1792. 5. 6. F.♃. Vent. cels. t. 9.
chinénsis. Bot. mag. t. 373.
23 dichótoma. R.s. (*vi.pu.*) forked. Dauria. 1784. 6. 8. H.♃. Swt. br. fl. gar. t. 96.
24 nudicaùlis. R.s. (*pu.wh.*) naked-stalked. ..... 1748. 5. 6. H.♃.
aphy'lla. w.
25 arenària. R.s. (*ye.*) sand. Hungary. 1802. —— H.♃. Bot. reg. t. 549.
26 lutéscens. R.s. (*ye.*) dwarf yellow. Germany. 1748. 4. 5. H.♃. Redout. lil. 5. t. 263?
pùmila. var. *lutea*. Bot. mag. t. 1209.
27 flavíssima. R.s. (*ye.*) bright yellow. Siberia. 1814. 5. 6. H.♃. Jacq. ic. 3. t. 220.
28 pùmila. R.s. (*bl.*) dwarf. Austria. 1596. 4. 5. H.♃. Bot. mag. t. 9.
29 violàcea. (*vi.*) violet-coloured. S. Europe. .... —— H.♃. ——— t. 1261.
pùmila. var. *violàcea*. B.M.
30 hungàrica. R.s. (*bl.*) Hungarian. Hungary. 1815. 5. H.♃. Swt. br. fl. gar. t. 74.
31 ibérica. R.s. (*vi.*) Iberian. Iberia. 1821. 5. 6. H.♃.
32 Pseùd-A'corus. R.s. (*ye.*) yellow-water. Britain. .... 6. H.♃. Eng. bot. v. 9. t. 578.
β pállido-flàva. B.M. (*ye.*) *pale-yellow*. N. America. 1812. —— H.♃. Bot. mag. t. 2239.
33 Monnièrii. R.s. (*ye.*) Le Monnier's. Levant. 1820. 6. 7. H.♃. Redout. lil. 4. t. 224.
34 taùrica. B.C. (*ye.*) Taurian. Tauria. 1826. 5. 6. H.♃. Lodd. bot. cab. t. 1566.
35 fœtidíssima. R.s. (*br.bl.*) Gladwyn. Britain. .... 6. H.♃. Eng. bot. v. 9. t. 596.
β variegàta. (*br.bl.*) *striped-leaved*. ——— .... —— H.♃.
36 versícolor. R.s. (*pu.ye.*) various-coloured. N. America. 1732. 5. 6. H.♃. Bot. mag. t. 21.
37 fúlva. B.M. (*co.*) copper-coloured. ——— 1812. 6. 7. H.♃. ——— t. 1496.
càprea. Ph. published 1814. *fúlva*. B.M. published 1812.
38 tridentàta. Ph. (*bl.*) three-toothed. N. America. 1824. 7. H.♃. Swt. br. fl. gar. t. 274.
tripétala. Bot. mag. t. 2886. *scarcely the same species*.
39 virgínica. R.s. (*bl.pu.*) Virginian. Virginia. 1758. 6. 7. H.♃. Bot. mag. t. 703.
40 grácilis. Bolt. (*pu.ye.*) Bolton's. N. America. 1812. —— H.♃.
Boltoniàna. R.s.
41 spùria. B.M. (*bl.*) spurious. Siberia. 1759. 7. H.♃. Bot. mag. t. 58.
42 nótha. M.B. (*bl.*) hybrid. ——— 1780. —— H.♃. Bieb. cent. pl. ros. 2. t. 77.
halóphila. Bot. mag. t. 875.
43 ochroleùca. L. (*st.*) sulphur-coloured. Levant. 1757. —— H.♃. Bot. mag. t. 61.
44 halóphila. Pal. (*st.*) long-leaved. Siberia. 1780. 7. 9. H.♃. ——— t. 1131.
45 stenógyna. R.L. (*st.*) cream-coloured. Caucasus. 1804. 7. H.♃. ——— t. 1515.
46 desertòrum. Guld. (*bl.st.*) sweet-scented. Russia. 1811. —— H.♃. ——— t. 1514.
spatulàta. W.en.
47 heterophy'lla. s.s. (*st.*) various-leaved. ..... —— —— H.♃.
48 lævigàta. F. .... smooth. Dahuria. 1828. .... H.♃.
49 vérna. M. (*bl.*) vernal. N. America. 1748. 4. 5. H.♃. Swt. br. fl. gar. t. 68.
50 ventricòsa. R.s. (*pa.bl.*) bellied. Dahuria. 1800. 6. H.♃. Pall. it. 3. t. B. f. 1.
51 sibírica. R.s. (*bl.st.*) flaccid-leaved. Siberia. 1596. 5. 6. H.♃. Bot. mag. t. 50.
52 flexuòsa. R.s. (*wh.*) flexuose. Germany. .... —— H.♃. Murr. c. gott. 7. t. 4.
sibírica. *β alba*. B.M. t. 1163. *Redoute liliac.* t. 438. *acùta β álba*. W.enum.
53 acùta. W.en. (*bl.*) straight-leaved. Siberia. .... —— H.♃.
54 triflòra. W.en. (*bl.*) three-flowered. Italy. 1816. —— H.♃.
55 hæmatophy'lla. F. (*bl.*) red-leaved. Siberia. 1790. 4. 5. H.♃. Swt. br. fl. gar. t. 118.
sanguínea. R.s. *sibírica γ sanguínea*. Bot. mag. t. 1604.

lacústris. N.	(*pa.bl.*) marsh.	N. America.	1825.	5. 6.	H. ♃.	
prismática. R.S.	(*bl.*) New Jersey.	———	1812.	——	H. ♃.	Bot. mag. t. 1504.
gramínea. R.S.	(*bl.pu.*) grass-leaved.	Austria.	1597.	6.	H. ♃.	——— t. 681.
húmilis. M.B.	(*bl.*) pigmy.	Siberia.	1804.	5. 6.	H. ♃.	——— t. 1123.
ruthénica. R.S.	(*bl.*) Russian.	Russia.	1810.	4. 5.	H. ♃.	——— t. 1393.
biglùmis. R.S.	(*bh.wh.*) two-glumed.	Siberia.	1829.	——	H. ♃.	Pall. it. 3. app. t. 6. f. 1.
tenuifòlia. W.	(*pa.bl.*) slender-leaved.	Dauria.	1796.	5.	H. ♃.	——— 3. t. C. f. 2.
nepalénsis. D.P.	(*bl.*) Nepaul.	Nepaul.	1824.	6. 7.	H. ♃.	Swt. br. fl. gar. s.2.t.11.
Pallàsii. B.M.	(*bl.*) Pallas's.	Siberia.	1820.	——	H. ♃.	
β chinénsis. B.M.	(*bl.*) *Chinese.*	China.	——	——	H. ♃.	Bot. mag. t. 2331.
longispátha. B.M.	(*bl.*) long-spathed.	Russia.	1822.	——	H. ♃.	——— t. 2528.
brachycúspis. B.M.	(*bl.*) short-pointed.	Siberia.	1819.	6.	H. ♃.	——— t. 2326.
cœlestìna. N.	(*bl.*) sky-blue.	N. America.	1824.	——	F. ♃.	
tènax. B.R.	(*pu.*) tough-leaved.	California.	1827.	4. 5.	H. ♃.	Bot. reg. t. 1218.
tuberòsa. R.S.	(*vi.*) snake's-head.	Levant.	1597.	3. 4.	H. ♃.	Bot. mag. t. 531.
reticulàta. R.S.	(*bl.*) netted-rooted.	Iberia.	1821.	4. 5.	H.b. ♃.	
Xíphium. R.S.	(*va.*) small bulbous.	Spain.	1596.	6.	H.b. ♃.	Bot. mag. t. 686.
lusitánica. R.S.	(*ye.*) Portuguese.	Portugal.	——	4. 5.	H.b. ♃.	——— t. 679.
Xiphioídes. R.S.	(*va.*) great bulbous.	Spain.	1571.	6.	H.b. ♃.	——— t. 687.
caucásica. R.S.	(*st.*) Caucasean.	Caucasus.	1821.	2. 3.	H.b. ♃.	Swt. br. fl. gar. t. 255.
alàta. Lam.	(*bl.*) winged.	S. Europe.	1801.	....	H.b. ♃.	Desf. atl. 1. t. 6?
scorpioides. Redout. liliac. t. 211.						
pérsica. R.S.	(*bl.ye.*) Persian.	Persia.	1629.	3.	H.b. ♃.	Bot. mag. t. 1.
ETES. Sal.	DI'ETES. Triandria Monogynia.					
iridioídes.	(*wh.bl.*) Iris-flowered.	C. B. S.	1758.	4. 8.	F. ♃.	Bot. mag. t. 698.
Mor'æa iridioídes. B.M. *'Iris morœoídes.* Ker.						
catenulàta.	(*wh.bl.*) chain-dotted.	Madagascar.	1826.	——	F. ♃.	Bot. reg. t. 1074.
Mor'æa catenulàta. B.R.						
)R'ÆA. B.M.	MOR'ÆA. Triandria Monogynia. L.					
Sisyrínchium. B.M.	(*bl.*) Spanish nut.	S. Europe.	1597.	5. 6.	F.b.	Bot. mag. t. 1407.
Tenoreàna. B.F.G.	(*bl.*) Tenore's.	Naples.	1824.	6. 7.	F.b.	Swt. br. fl. gar. t. 110.
'Iris fugax. Ten. flor. nap. t. 4. *nec aliorum.*						
minùta. B.R.	(*ye.*) small.	C. B. S.	1825.	——	F.b.	
papilionàcea. B.R.	(*ye.*) Butterfly.	———	1795.	5. 6.	F.b.	Bot. mag. t. 750.
ciliàta. B.R.	(*ye.*) fringed-leaved.	———	1787.	4. 6.	F.b.	——— t. 1061.
barbígera. Sal.	(*ro.*) bearded.	———	——	4. 5.	F.b.	——— t. 1012.
crispa. B.R.	(*std.*) short-spathed.	———	1803.	——	F.b.	——— t. 1284.
tristis. B.R.	(*bl.ye.*) dull-coloured.	———	1768.	——	F.b.	——— t. 577.
tricolor. A.R.	(*br.re.ye.*) three-coloured.	———	1809.	——	F.b.	Andr. reposit. t. 83.
lùrida. B.R.	(*d.pu.*) Mr. Griffin's.	———	1817.	6. 7.	F.b.	Bot. reg. t. 312.
ramòsa. B.R.	(*ye.*) branching.	———	1789.	5. 6.	F.b.	Bot. mag. t. 771.
plumària. B.R.	(*bl.*) feathered.	———	1825.	——	F.b.	
viscària. B.R.	(*br.*) bird-limed.	———	1800.	6.	F.b.	Bot. mag. t. 587.
bituminòsa. B.R.	(*ye.*) clammy.	———	1787.	4. 5.	F.b.	——— t. 1045.
polystàchya. B.R.	(*bl.*) many-spiked.	———	1825.	6. 7.	F.b.	
ongifìora. B.R.	(*ye.*) long-flowered.	———	1801.	6. 7.	F.b.	Bot. mag. t. 712.
ietàcea. B.R.	(*bl.*) bristle-leaved.	———	1825.	——	F.b.	Thunb. Ir. t. 1. f. 1.
ɔdulis. B.M.	(*li.bl.*) long-leaved.	———	1792.	5. 6.	F.b.	Bot. mag. t. 613.
ɔdòra. P.L.	(*wh.*) sweet-scented.	———	——	——	F.b.	Sal. par. lond. t. 10.
ongifòlia. A.R.	(*st.*) pale-yellow.	———	1808.	——	F.b.	Andr. reposit. t. 45.
'dulis γ lutéscens. Bot. mag. t. 1238.						
ngústa. B.R.	(*st.*) rolled-leaved.	———	1790.	——	F.b.	Bot. mag. t. 1276.
'RICA. H.K.	MA'RICA. Triandria Monogynia. H.K.					
cerùlea. B.C.	(*bl.*) blue.	Brazil.	1810.	4. 10.	S. ♃.	Bot. reg. t. 713.
Sabìni. H.T.	(*bl.*) Sabine's.	St. Thomas.	1822.	9. 11.	S. ♃.	Hort. trans. v. 6. pl. 1.
Northiána. H.K.	(*wh.br.*) broad-stemmed.	Brazil.	1789.	4. 8.	S. ♃.	Bot. mag. t. 654.
Mor'æa Northiána. Andr. rep. t. 255.						
aluddsa. B.M.	(*wh.*) marsh.	Guiana.	1792.	7. 8.	S. ♃.	Bot. mag. t. 646.
emiapérta. B.C.	(*ye.*) half-opened.	Brazil.	1820.	5. 7.	S. ♃.	Lodd. bot. cab. t. 685.
ùmilis. B.C.	(*wh.ye.*) dwarf.	———	1823.	——	S. ♃.	——— t. 1081.
ongifòlia. L.O.	(*st.*) long-leaved.	Brazil.	1830.	6. 10.	S. ♃.	Lk. et Ot. abb. t. 58.
nartinicénsis. H.K.	(*ye.*) Martinico.	W. Indies.	1782.	5. 7.	S. ♃.	Bot. mag. t. 416.
Iris martinicénsis. B.M. *Cipùra martinicénsis.* K.S. *Trimèzia lùrida.* Sal.						
RBE'RTIA. B.F.G.	HERBE'RTIA. Monadelphia Triandria.					
ulchélla. B.F.G.	(*bl.*) plaited-leaved.	Maldonado.	1827.	6. 8.	F.b.	Swt. br. fl. gar. t. 222.
usílla.	(*st.*) small.	Brazil.	1830.	——	F.b.	Lk. et Ot. abb. t. 59.
'errària pusilla. Lk. et Otto.						
'E'LLA. B.M.	CYPE'LLA. Monadelphia Triandria. B.M.					
Herbérti. B.M.	(*or.*) Mr. Herbert's.	BuenosAyres.	1823.	6. 9.	F.b.	Swt. br. fl. gar. s.2. t.33.
'igridia Herbérti. B.M. t. 2599. *Mor'æa Herbérti.* B.R. t. 949.						

VIEUSSE'UXIA. DC. VIEUSSE'UXIA. Triandria-Monadelphia Monogynia.
1 tripetaloídes. DC. (*bk.*) three petal-like. C. B. S. 1802. 4. 5. F.b. Bot. mag. t. 702.
Mor'æa tripétala. B.M. *'Iris tripetàla.* W.
2 pavònia. DC. (*or.gr.*) Peacock. ——— 1790. 5. 6. F.b. Bot. mag. t. 1247.
Mor'æa pavònia. B.M. *'Iris pavònia.* W.
3 villòsa. S.S. (*pu.bl.*) villous-leaved. C. B. S. 1789. 4. 5. F.b. Bot. mag. t. 571.
4 tricùspis. S.S. (*pu.*) trident-petaled. ——— 1776. 6. F.b. ——— t. 696.
5 glaùcopis. DC. (*wh.bl.*) white-flowered. ——— —— 5. 7. F.b. Redout. lil. 1. t. 42.
'Iris pavònia. Bot. mag. t. 168. *nec aliorum.*
6 Bellendèni. (*ye.*) Mr. Ker's. ——— 1803. 6. 7. F.b. Bot. mag. t. 772.
Mor'æa tricúspis γ *lùtea.* B.M. certainly a very distinct species.
7 ténuis. R.S. (*or.*) slender. C. B. S. 1807. 5. 6. F.b. Bot. mag. t. 1047.
8 spiràlis. R.S. (*ye.*) spiral-flowered. ——— 1825. —— F.b. De la Roch. dis. t. 5.
9 unguiculàris. R.S. (*bk.*) long-clawed. ——— 1802. —— F.b. Bot. mag. t. 598.
HOM'ERIA. V. HOM'ERIA. Monadelphia Triandria.
1 spicàta. (*ye.or.pu.*) spiked. C. B. S. 1785. 5. 6. F.b. Bot. mag. t. 1263.
Mor'æa spicàta. B.M.
2 collìna. (*pi.*) hill. ——— 1768. —— F.b. Bot. mag. t. 1088.
Mor'æa collìna. B.M.
3 ochroleùca. Sal. (*ye.*) straw-coloured. ——— —— —— F.b. Bot. mag. t. 1166.
Mor'æa collìna. γ. B.M. 1103.
4 lineàta. B.F.G. (*pi.*) lined-leaved. ——— 1825. —— F.b. Swt. br. fl. gar. t. 173.
5 porrifòlia. B.F.G. (*sc.*) leek-leaved. ——— —— —— F.b. ——— ic.
6 elégans. (*or.gr.*) elegant. ——— —— —— F.b. Jacq. schœn. 1. t. 2.
7 aurantiaca. R.S. (*or.*) flaccid-petaled. ——— 1810. —— F.b. Bot. mag. t. 1612.
Mor'æa collìna. (*a*) *miniàta minor.* B.M. 1612.
8 miniàta. B.F.G. (*pi.*) spot-flowered. ——— 1799. —— F.b. Swt. br. fl. gar. t. 132.
HEXAGLO'TTIS. Vt. HEXAGLO'TTIS. Monadelphia Triandria.
1 flexuòsa. (*ye.*) flexuose. C. B. S. 1803. 5. 6. F.b. Bot. mag. t. 696.
longifòlia. Vent. *Mor'æa flexuòsa.* B.M.
2 virgàta. (*ye.*) slender. ——— 1825. —— F.b. Jacq. icon. 2. t. 228.
PARDA'NTHUS. S.S. PARDA'NTHUS. Triandria Monogynia. S.S.
1 chinénsis. S.S. (*or.*) Chinese. China. 1759. 6. 7. H.♃. Bot. mag. t. 171.
'Ixia chinénsis. B.M. *Belamcánda chinénsis.* DC.
2 nepalénsis. (*or.*) Nepaul. Nepaul. 1823. —— H.♃.
BOBA'RTIA. L. BOBA'RTIA. Triandria Monogynia. L.
1 gladiàta. K.I. (*ye.*) hairy-stalked. C. B. S. 1815. 6. 8. G.♃. Bot. reg. t. 229.
Márica gladiàta. B.R. *Mor'æa gladiàta.* W.
2 spathàcea. L. (*ye.*) sheathed. ——— 1798. 7. G.♃. Thunb. dis. p. 8. t. 1.
SISYRI'NCHIUM. L. SISYRI'NCHIUM. Monadelphia Triandria.
1 latifòlium. H.K. (*wh.*) broad-leaved. W. Indies. 1737. 6. 8. S.♃. Bot. mag. t. 655.
Márica plicàta. B.M. *Mor'æa plicàta.* W.
2 bermudiànum. W. (*bl.*) Iris-leaved. Bermudas. 1732. 5. 7. G.♃. Bot. mag. t. 94.
iridioídes. B.M.
3 Nuttálli. (*bl.*) Nuttall's. N. America. 1823. —— H.♃.
bermudiànum. N. *nec aliorum.*
4 chilénse. B.M. (*bl.*) blue Chilian. Chile. 1826. 6. 7. F.♃. Bot. mag. t. 2786.
5 graminifòlium. B.R. (*ye.*) grass-leaved. ——— 1825. 4. 8. F.♃. Bot. reg. t. 1067.
6 flexuòsum. B.R. (*ye.*) flexuose. ——— —— —— F.♃.
7 ancéps. W. (*bl.*) narrow-leaved. N. America. 1698. 6. 7. H.♃. Bot. mag. t. 464.
8 mucronàtum. M. (*bl.*) pointed-flowered. ——— 1812. —— H.♃.
9 convolùtum. W. (*ye.*) convolute. S. America. 1816. 5. 7. F.♃. Wild. h. ber. t. 91.
10 tenuifòlium. W. (*ye.*) slender-leaved. Mexico. —— —— F.♃. ——— t. 93.
11 lùteum. L.en. (*ye.*) yellow-flowered. ——— 1823. —— H.♃.
12 califórnicum. H.K. (*ye.*) Californian. California. 1796. 5. 2. F.♃. Bot. mag. t. 963.
Márica califórnica. B.M.
13 pedunculàtum. B.M. (*ye.*) long-peduncled. Chile. 1827. 6. 8. F.♃. Bot. mag. t. 2965.
14 micránthum. W. (*st.*) small-flowered. Peru. 1822. 5. 9. F.♃. ——— t. 2116.
15 iridifòlium. K.S. (*st.vi.*) Iris-leaved. S. America. —— —— F.♃. Bot. reg. t. 646.
láxum. Bot. mag. t. 2312. *Márica iridifòlia* B.R.
16 odoratíssimum. B.R. (*std.*) sweet-scented. S. America. 1828. 6. 10. F.♃. Bot. reg. t. 1283.
17 striàtum. H.K. (*ye.std.*) streaked-flowered. Mexico. 1788. —— F.♃. Sm. ic. pict. t. 9.
Márica striàta. B.M.
18 palmifòlium. W. (*wh.*) Palm-leaved. Brazil. 1799. 1. 5. S.♃.
ORTHROSA'NTHUS. MORNING-FLOWER. Monadelphia Triandria.
multiflòrus. S.F.A. (*bl.*) many-flowered. N. Holland. 1825. 5. 8. G.♃. Swt. flor. aust. t. 11.
LIBE'RTIA. S.S. LIBE'RTIA. Triandria-Monadelphia Monogynia.
1 paniculàta. S.S. (*wh.*) panicled. N. S. W. 1823. 5. 8. F.♃.
2 grandiflòra. (*wh.*) large-flowered. N. Zealand. 1822. 4. 9. H.♃. Swt. br. fl. gar. t. 64.
Renèalmia grandiflòra. S.F.A. the old genus Renealmia is restored by Roscoe.
3 pulchélla. S.S. (*wh.*) neat. N. S. W. 1823. 4. 9. F.♃.

ATERS'ONIA. B.P. PATERS'ONIA. Monadelphia Triandria. H.K.

sericea. B.P.	(*pu.*)	silky.	N. S. W.	1803.	5. 7.	F. ♃.	Bot. mag. t. 1041.
lanàta. B.P.	(*pu.*)	woolly-spathed.	N. Holland.	1825.	5. 8.	F. ♃.	Swt. flor. aust. t. 15.
longifòlia. B.P.	(*bl.*)	long-leaved.	N. S. W.	1822.	5. 7.	F. ♃.	
mèdia. B.P.	(*bl.*)	middle.	———	1824.	——	F. ♃.	
glabràta. B.P.	(*bl.*)	smooth.	———	1814.	——	F. ♃.	Bot. reg. t. 50.
longiscàpa. S.F.A.	(*bl.*)	long-stalked.	N. Holland.	1825.	5. 8.	F. ♃.	Swt. flor. aust. t. 39.
glaùca. B.P.	(*bl.*)	glaucous.	N. S. W.	1826.	——	F. ♃.	Lab. nov. hol. 1. t. 9.

WITS'ENIA. H.K. WITS'ENIA. Triandria Monogynia.

maùra. H.K.	(*or.*)	downy-flowered.	C. B. S.	1790.	11. 1.	G. ♄.	Bot. reg. t. 5.
corymbòsa. H.K.	(*bl.*)	corymbose.	———	1803.	4. 9.	G. ♄.	Bot. mag. t. 895.
ramòsa. S.S.	(*ye.bl.*)	branching.	———	1809.	——	G. ♄.	
partìta. K.I.	(*bl.*)	parted-flowered.	———	1822.	——	G. ♄.	

RISTEA. Ker. ARIST'EA. Triandria Monogynia. L.

cyánea. H.K.	(*bl.*)	woolly-headed.	C. B. S.	1759.	4. 6.	G. ♃.	Bot. mag. t. 458.
pusílla. B.M.	(*bl.*)	flat-stemmed.	———	1806.	6. 7.	G. ♃.	——— t. 1231.
spirális. H.K.	(*wh.br.*)	spiral-flowered.	———	1795.	4. 5.	G. ♃.	——— t. 520.
capitàta. H.K.	(*bl.*)	tallest.	———	1790.	7. 8.	G. ♃.	——— t. 605.
major. A.R. 160. *Mor'æa cærùlea.* Th. mor. t. 2. f. 2.							
melaleùca. H.K.	(*bl.bk.*)	three-coloured.	C. B. S.	1786.	5. 6.	G. ♃.	Bot. mag. t. 1277.

FERR'ARIA. Ker. FERR'ARIA. Monadelphia Triandria. H.K.

angustifòlia.	(*st.*)	narrow-leaved.	C. B. S.	1825.	4. 6.	F.b.	
antheròsa. B.M.	(*gr.*)	green variegated.	———	1800.	3. 7.	F.b.	Bot. mag. t. 751.
Ferrarìda H.K. *viridiflòra.* A.R. t. 285.							
uncinàta. B.F.G.	(*br.bl.*)	hook-leaved.	———	1825.	——	F.b.	Swt. br. fl. gar. t. 161.
undulàta. W.	(*br.wh.*)	curled.	———	1755.	——	F.b.	Bot. mag. t. 144.
atràta. L.C.	(*da.*)	dark-flowered.	———	1825.	——	F.b.	Lodd. bot. cab. t. 1356.
divaricàta. B.F.G.	(*da.*)	spreading-anther'd.	———	——	——	F.b.	Swt. br. fl. gar. t. 192.
obtusifòlia. B.F.G.	(*pu.br.*)	blunt-leaved.	———	——	——	F.b.	——— ——— t. 148.

IXIA. J. TIGER-FLOWER. Monadelphia Triandria. H.K.

pavònia. H.K.	(*sc.*)	red-flowered.	Mexico.	1796.	5. 9.	H.b.	Redoute lil. t. 6.
Ferrària pavònia. A.R. 178. *Tigrídia.* B.M. 532.							
conchiflòra. B.F.G.	(*ye.*)	yellow-flowered.	Mexico.	1824.	——	H.b.	Swt. br. fl. gar. t. 128.

ALA'XIA. Ker. GALA'XIA. Monadelphia Triandria. H.K.

ovàta. W.	(*ye.*)	oval-leaved.	C. B. S.	1799.	5. 9.	F.b.	Andr. reposit. t. 94.
grandiflòra. A.R.	(*ye.*)	large-flowered.	———	——	——	F.b.	——— t. 164.
mucronulàris. Sal.	(*ro.*)	mucronated.	———	——	——	F.b.	Jac. ic. t. 291. f. inf. sin.
vernícolor. Sal.	(*ro.ye.*)	various-coloured.	———	——	——	F.b.	——— f. inf. ad. dextr.
gramínea. W.	(*ye.*)	narrow-leaved.	———	1795.	7. 8.	F.b.	Bot. mag. t. 1292.

PEYROUSIA. PEYRO'USIA. Triandria Monogynia. H.K.

corymbòsa. B.M.	(*bl.*)	level-topped.	C. B. S.	1791.	5. 6.	F.b.	Bot. mag. t. 595.
falcàta. B.M.	(*bl.*)	sickle-leaved.	———	1825.	——	F.b.	Thunb. dis. 4. t. 1. f. 3.
fasciculàta. B.M.	(*wh.*)	fascicled.	———	——	——	F.b.	Jacq. ic. 2. t. 291.
Galàxia plicàta. Jacq. *Ixia heterophýlla.* Vahl. *Ovièda fasciculàta.* S.S.							
fissifòlia. B.M.	(*ro.*)	leafy-spiked.	C. B. S.	1809.	8. 9.	F.b.	Bot. mag. t. 1246.
bracteàta. B.M.	(*wh.*)	bracteate.	———	1825.	——	F.b.	Thunb. act. haf. 6. c. ic.
aculeàta. B.F.G.	(*wh.*)	prickly-stemmed.	———	——	5. 7.	F.b.	Swt. br. fl. gar. s. 2. t. 39.
ancéps. B.F.G.	(*bl.*)	flat-stemmed.	———	——	——	F.b.	——— ser. 1. t. 143.
silenoídes. B.M.	(*pu.*)	Silene-like.	———	1822.	——	F.b.	Jacq. ic. 2. t. 270.
Fabricii. B.M.	(*wh.*)	slender-branched.	———	1825.	——	F.b.	

NOMATH'ECA. Ker. ANOMATH'ECA. Triandria Monogynia. H.K.

júncea. H.K.	(*ro.*)	cut-leaved.	C. B. S.	1791.	4. 5.	F.b.	Bot. mag. t. 606.
Lapeyrousia júncea. B.M. *Gladiolus polystàchyus.* A.R. 66.							

BABIANA. Ker. BABI'ANA. Triandria Monogynia. S.S.

nàna. S.S.	(*bl.re.*)	dwarf.	C. B. S.	1807.	4. 6.	F.b.	Andr. reposit. t. 137.
Gladiolus nànus. A.R.							
rùbro-cyánea. B.M.	(*bl.re.*)	red and blue.	———	1794.	——	F.b.	Bot. mag. t. 410.
villòsa. B.M.	(*cr.*)	dark red.	———	1778.	8.	F.b.	——— t. 588.
Ixia punícea. Jacq. ic. 2. t. 287.							
obtusifòlia. B.M.	(*vi.*)	blunt-leaved.	———	1825.	5. 6.	F.b.	Jacq. ic. 2. t. 284.
Ixia villòsa. Jacq. *non* H.K.							
purpùrea. B.M.	(*d.pu.*)	dark purple.	———	1806.	——	F.b.	Bot. mag. t. 1052.
stricta. B.M.	(*bl.wh.*)	upright.	———	1757.	——	F.b.	——— t. 621.
angustifòlia.	(*bl.*)	narrow-leaved.	———	——	——	F.b.	——— t. 637.
stricta (*a*) B.M. *Ixia villòsa var.* Jacq. frag. t. 14. f. 3.							
tenuiflòra. B.F.G.	(*bl.*)	slender-flowered.	C. B. S.	1825.	——	F.b.	Swt. br. fl. gar. ic.
sulphùrea. B.M.	(*st.*)	pale-flowered.	———	1803.	——	F.b.	Bot. mag. t. 1053.
mucronàta. B.M.	(*pu.ye.*)	mucronate.	———	1825.	——	F.b.	Jacq. ic. 2. t. 253.
plicàta. B.M.	(*pa.bl.*)	sweet-scented.	———	1774.	——	F.b.	Bot. mag. t. 576.
dísticha. B.M.	(*pa.bl.*)	two-ranked.	———	——	6. 7.	F.b.	——— t. 626.
Gladiolus plicàtus. Jacq. ic. t. 287. *nec aliorum.*							

13 pállida. W.H. (*pa.*) pale-flowered. Hybrid. .... 6. 7. F.b.
14 ochroleùca. (*st.*) cream-colour'd. C. B. S. 1825. 5. 7. F.b.
15 spathàcea. B.M. (*bl.wh.*) stiff-leaved. ——— 1801. —— F.b. Bot. mag. t. 638.
16 sambucìna. B.M. (*da.bl.*) Elder-scented. ——— 1799. 4. 5. F.b. ——— t. 1019.
17 tubàta. (*wh.re.*) long-flowered. ——— 1774. —— F.b. ——— t. 680.
Gladìolus tubàtus. Jacq. ic. 2. t. 264.
18 tubiflòra. B.M. (*wh.re.*) long-tubed. ——— —— —— F.b. Bot. mag. t. 847.
19 ríngens. B.M. (*pu.*) gaping-flowered. ——— 1752. 5. 6. F.b. Lodd. bot. cab. t. 1008.
20 Thunbérgii. B.M. (*pu.*) many-spiked. ——— 1774. —— F.b.
Anthol'yza plicàta. W.

ANTHOL'YZA. Ker. ANTHOL'YZA. Triandria Monogynia. L.
1 æthiòpica. B.M. (*sc.or.*) flag-leaved. C. B. S. 1759. 1. 4. F.b. Bot. mag. t. 561.
2 præálta. DC. (*sc.or.*) tall. ——— .... —— F.b. Redout. lil. 7. t. 387.
æthiópica. var. β. B.M. 1172. *vittígera.* Sal.
3 montàna. B.C. (*pu.*) mountain. ——— 1824. 5. 7. F.b. Lodd. bot. cab. t. 1022.
4 lùcidor. B.M. (*pu.*) shining. ——— 1825. —— F.b.

ANISA'NTHUS. B.F.G. ANISA'NTHUS. Triandria Monogynia.
1 splèndens. B.F.G. (*sc.*) splendid. C. B. S. 1825. 4. 6. F.b. Swt. br. fl. gar. ic. incd.
2 Cunònia. B.F.G. (*sc.*) scarlet. ——— 1756. 5. 6. F.b. Bot. mag. t. 343.
Anthol'yza Cunònia. B.M. *Gladìolus Cunònia.* H.K.

PETA'MENES. Sal. PETA'MENES. Triandria Monogynia.
quadrangulàris. (*ye.sc.*) four-sided. C. B. S. 1790. 4. 5. F.b. Bot. mag. t. 567.
Gladìolus quadrangulàris. B.M. *abbreviatus.* Andr. repos. t. 166.

WATS'ONIA. Ker. WATS'ONIA. Triandria Monogynia. H.K.
1 aletroídes. B.M. (*ro.*) Aletris-flower'd. C. B. S. 1774. 5. 7. F.b. Bot. mag. t. 441.
β variegàta. B.M. (*ro.*) *variegated.* ——— —— —— F.b. ——— t. 533.
2 angústa. K.I. (*sc.*) narrow-flowered. ——— 1825. —— F.b. Jacq. ic. 2. t. 231.
3 hùmilis. B.M. (*re.*) lake-coloured. ——— 1754. —— F.b. Bot. mag. t. 631.
4 Meriàna. B.M. (*ro.*) red-flowered. ——— 1750. —— F.b. ——— t. 418.
5 iridifòlia. Jac. (*fl.*) Iris-leaved. ——— 1795. —— F.b. Jacq. ic. 2. t. 234.
6 fúlgida. Sal. (*sc.*) scarlet. ——— —— —— F.b. Bot. mag. t. 600.
Anthol'yza fúlgens. A.R. 192.
7 ròseo-álba. B.M. (*w.bh.*) two-coloured. ——— .... 7. 8. F.b. Bot. mag. t. 537.
β variegàta. (*wh.ro.*) *variegated-flower'd.* ——— .... —— F.b. ——— t. 1193.
8 brevifòlia. B.M. (*sc.*) short-leaved. ——— 1794. 5. 7. F.b. ——— t. 601.
9 ròsea. B.M. (*ro.*) pyramidal. ——— 1803. 7. 8. F.b. ——— t. 1072.
10 strictifòra. B.M. (*ro.*) straight-flower'd. ——— 1810. 6. 7. F.b. ——— t. 1406.
11 marginàta. B.M. (*ro.*) broad-leaved. ——— 1774. —— F.b. ——— t. 606.
β minor. B.M. (*ro.*) *shining-leaved.* ——— 1812. —— F.b. ——— t. 1530.
12 rùbens. K.I. (*re.*) red-spathed. ——— 1825. —— F.b.
13 punctàta. H.K. (*bl.*) dotted-flowered. ——— 1800. 4. 5. F.b. Andr. reposit. t. 177.
Ixia punctàta. A.R.
14 plantagínea. B.M. (*bl.*) Fox-tail. ——— 1774. 6. 7. F.b. Bot. mag. t. 553.
15 spicàta. B.M. (*bh.*) hollow-leaved. ——— 1791. 5. F.b. ——— t. 523.
Ixia fistulòsa. B.M.

GLAD'IOLUS. Ker. CORN-FLAG. Triandria Monogynia. L.
1 viperàtus. B.M. (*gr.pu.*) perfumed. C. B. S. 1787. 4. 5. F.b. Swt. br. fl. gar. t. 158.
2 alàtus. B.M. (*sc.ye.*) wing-flowered. ——— 1795. 5. 6. F.b. ——— t. 187.
3 algoénsis. (*co.pu.y.*) Algoa bay. ——— 1824. 7. F.b. Bot. mag. t. 2666.
alàtus β algoénsis. B.M.
4 namaquénsis. B.M. (*sc.y.*) thick-leaved. ——— 1800. 5. 6. F.b. Bot. mag. t. 592.
5 permeábilis. R.S. (*re.y.*) tall. ——— 1825. —— F.b. De la Roch. dis. t. 2.
6 Watsònius. B.M. (*sc.*) Watson's. ——— 1791. 3. 5. F.b. Bot. mag. t. 450.
β variegàta. (*sc.ye.*) *variegated-flower'd.* ——— 1801. —— F.b. ——— t. 669.
7 brevifòlius. H.K. (*fl.*) short-leaved. ——— 1802. —— F.b. ——— t. 727.
8 hirsùtus. H.K. (*ro.*) rose-coloured. ——— 1795. 4. 6. F.b. ——— t. 574.
ròseus. Andr. reposit. t. 11.
9 merianéllus. K.I. (*pu.ye.*) slender-flower'd. ——— —— —— F.b.
10 puníceus. Lam. (*pu.*) dark purple. ——— —— —— F.b. Breyn. cent. 24. t. 12. f. 1.
villòsus. K.I. *Lamárckii.* R.S.
11 aphy'llus. K.I. (*fl.*) leafless. ——— —— —— F.b. Bot. mag. t. 902.
12 versícolor. B.M. (*re.ye.*) various-colour'd. ——— 1794. 5. 6. F.b. Andr. reposit. t. 19.
13 lævis. K.I. (*br.re.st.*) two-nerved. ——— 1806. —— F.b. Bot. mag. t. 1042. *t.*
versícolor ε. binérvis. B.M.
14 Breyniànus. K.I. (*br.y.*) Breynius's. ——— —— —— F.b. Breyn. afr. 2. t. 7. f. 1.
15 suavèolens. K.I. (*br.y.*) sweet-scented. ——— 1799. —— F.b. Bot. mag. t. 586.
16 elongàtus. K.I. (*bl.ye.*) long-leaved. ——— —— —— F.b. Jacq. ic. 2. t. 244.
17 recúrvus. B.M. (*pu.ye.*) Violet-scented. ——— 1758. 4. 5. F.b. Bot. mag. t. 578.
18 inflàtus. K.I. (*pa.pu.*) inflated. ——— 1825. —— F.b.
19 gràcilis. B.M. (*pa.bl.*) slender. ——— 1800. —— F.b. Bot. mag. t. 562.

débilis. B.M. (*wh.pu.*) weak.	C. B. S.	1822.	4. 5.	F.b.	Bot. mag. t. 2585.
trichonemifòlius. B.M. (*ye.*) slender-leav'd.	———	1810.	5. 6.	F.b.	——— t. 1483.
cóncolor. P.L. (*st.*) pale-yellow.	———	1790.	——	F.b.	Sal. par. lond. t. 8.
trístis. B.M. (*st.br.*) square-leaved.	———	1745.	——	F.b.	Bot. mag. t. 272.
hyalínus. K.I. (*wh.st.pu.*) transparent.	———	1825.	——	F.b.	Jacq. ic. 2. t. 242.
tenéllus. K.I. (*st.br.*) feeble.	———	——	——	F.b.	——— t. 248.
Colvíllii. B.F.G. (*re.ye.*) Colvill's.	Hybrid.	1823.	——	F.b.	Swt. br. fl. gar. t. 155.
cárneus. B.M. (*pa.pu.*) flesh-coloured.	C. B. S.	1796.	——	F.b.	Bot. mag. t. 591.
cuspidàtus. B.M. (*w.pu.*) sharp-pointed.	———	1795.	4. 5.	F.b.	——— t. 582.
angústus. B.M. (*st.re.*) narrow-leaved.	———	1757.	——	F.b.	——— t. 662.
bastàtus. Thunb. *non* B.M.					
vomérculus. K.I. (*bl.vi.*) spade.	———	1816.	——	F.b.	Bot. mag. t. 1564.
involùtus. K.I. (*ro.pu.*) involute.	———	1757.	5. 6.	F.b.	Mill. ic. t. 286. f. 1.
èdulis. B.R. (*wh.pu.ye.*) eatable-rooted.	———	——	——	F.b.	Bot. reg. t. 169.
undulàtus. B.M. (*st.pu.*) waved-flowered.	———	1760.	4. 5.	F.b.	Bot. mag. t. 647.
fasciàtus. R.s. (*pi.pu.*) fasciate.	———	——	——	F.b.	——— t. 538.
undulàtus β. Bot. mag.					
blándus. B.M. (*bl.ro.*) fairest.	———	1774.	6.	F.b.	Bot. mag. t. 625.
albidus. W. (*wh.*) white-flowered.	———	——	——	F.b.	——— t. 648.
campanulàtus. A.R. (*pu.*) bell-flowered.	———	1794.	5. 6.	F.b.	Andr. reposit. t. 188.
blándus γ purpùreo-albescens. B.M.					
excélsus. K.I. (*pi.*) painted-flower'd.	———	——	——	F.b.	Bot. mag. t. 1665.
blándus δ. excélsus. B.M.					
trimaculàtus. K.I. (*bl.pu.*) three-spotted.	———	——	——	F.b.	Lam. ill. 1. t. 32. f. 3.
flexuòsus. B.M. (*bl.*) flexuose.	———	1825.	——	F.b.	Thunb. diss. t. 1. f. 1.
floribúndus. B.M. (*pi.w.*) large-flowered.	———	1788.	5. 7.	F.b.	Bot. mag. t. 610.
Millèri. B.M. (*wh.pu.*) Miller's.	———	1751.	4. 5.	F.b.	——— t. 632.
cardinàlis. B.M. (*sc.*) superb.	———	1789.	7. 8.	F.b.	——— t. 135.
bockveldiénsis. W.H. (*co.*) Bockveld.	———	1826.	——	F.b.	
spofforthiànus. W.H. (*va.*) Blando-cardinalis.	Hybrid.	....	——	F.b.	
mitchamiénsis. W.H. (*va.*) Tristi-hirsutus.	———	....	——	F.b.	
rígidus. W.H. (*va.*) Tristi-blandus.	———	....	——	F.b.	
propínquus. W.H. (*var.*) Floribundo-blandus.	——	....	——	F.b.	
frágrans. W.H. (*va.*) Recurvo-tristis.	———	....	——	F.b.	
Haylockiànus. W.H. (*va.*) Versicolori-blandus.	——	....	——	F.b.	
Herbertiànus. (*va.*) Tristi-Spofforthianus.	——	....	——	F.b.	
odoràtus. W.H. (*va.*) Hirsuto-Spofforthianus.	—	....	——	F.b.	
delicàtus. W.H. (*va.*) Recurvo-blandus.	———	....	——	F.b.	
byzantìnus. B.M. (*pu.*) Turkish.	Turkey.	1629.	6. 7.	H.b.	Bot. mag. t. 874.
commùnis. B.M. (*re.*) common.	S. Europe.	1596.	——	H.b.	——— t. 86.
β *cárneus.* B.M. (*bh.*) *pale-flowered.*	———	——	——	H.b.	——— t. 1575.
HÆROSP'ORA.	SPHÆROSP'ORA. Triandria Monogynia.				
imbricàta. (*re.wh.*)	Europeaan. S. Europe.	1596.	6. 7.	H.b.	Bot. mag. t. 719.
Gladìolus ségetum. B.M. *Gladìolus imbricàtus.* K.I.					
triphy'lla. (*re.*) three-leaved.	Greece.	1825.	——	H.b.	Flor. græc. 1. t. 38.
NNÓTIA. B.F.G.	SYNNO'TIA. Triandria Monogynia.				
variegàta. B.F.G. (*bl.ye.*) variegated-flower'd.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. t. 150.
bícolor. B.F.G. (*ye.bl.*) two-coloured.	———	1786.	3. 4.	F.b.	Bot. mag. t. 548.
Ixia bícolor. B.M. *Sparáxis bícolor.* Ker. *Gladìolus bícolor.* W.					
galeàta. B.F.G. (*vi.ye.*) helmet-flower'd.	———	1825.	——	F.b.	Jacq. ic. 2. t. 258.
Gladìolus galeàtus. Jacq.					
LEPTANTH'ERA. B.F.G.	STREPTANTH'ERA. Triandria Monogynia.				
élegans. B.F.G. (*w.ve.y.*) elegant.	C. B. S.	1825.	6. 7.	F.b.	Swt. br. fl. gar. t. 209.
cùprea. (*co.ve.*) copper-coloured.	———	——	——	F.b.	
ARA'XIS. Ker.	SPARA'XIS. Triandria Monogynia.			H.K.	
tricolor. H.K. (*cr.ve.y.*) three-coloured.	C. B. S.	1789.	5.	F.b.	Bot. mag. t. 381.
versicolor. (*cr.bk.y.*) various-coloured.	———	1811.	——	F.b.	Swt. br. fl. gar. t. 160.
Griffìni. (*pu.ve.y.*) Mr. Griffin's.	———	——	——	F.b.	Bot. mag. t. 1482. f. inf.
tricolor γ violàceo-purpùrea. B.M.					
blánda. (*bk.*) blush-flowered.	———	——	——	F.b.	Bot. mag. t. 1482. f. med.
tricolor. δ. subrùbeo-álbida. B.M.					
grandiflòra. H.K. (*pu.*) large-flowered.	———	1758.	4. 5.	F.b.	Bot. mag. t. 541.
x *purpùrea.* (*pu.*) *velvet-flowered.*	———	——	——	F.b.	Andr. reposit. t. 87.
β *striàta.* (*pu.st.*) *streaked-flower'd.*	———	——	——	F.b.	Bot. mag. t. 779.
Liliàgo. (*wh.bk.*) Lily-flowered.	———	....	——	F.b.	Redout. lil. 2. t. 109.
Ixia Liliàgo. R.L. *Sparáxis grandiflòra γ Liliàgo.* Bot. reg. t. 258.					
bulbífera. H.K. (*ye.*) bulb-bearing.	C. B. S.	1758.	5. 6.	F.b.	Bot. mag. t. 545.
frágrans. B.M. (*ye.*) fragrant.	———	1825.	——	F.b.	Jacq. ic. 2. t. 274.
anemonæflòra. B.M. (*st.*) Anemone-flower'd.	——	——	——	F.b.	——— 2. t. 273.
Ixia anemonæflòra. Jacq.					

TRITONIA. Ker.		**Trit'onia.** Triandria Monogynia. H.K.						
1	crispa. H.K.	(*ro.wh.*)	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 678.
2	anigozanthiflòra.	(*gr.*)	Anigozanthus-fld.	———	1825.	6. 8.	F.b.	
3	víridis. B.M.	(*gr.*)	green-flowered.	———	1788.	7.	F.b.	Bot. mag. t. 1275.
4	rósea. H.K.	(*wh.ro.*)	rosy.	———	1793.	6. 7.	F.b.	——— t. 613.
5	capénsis. B.M.	(*st.pu.*)	Cape.	———	1811.	8. 10.	F.b.	——— t. 1531.
6	pállida. B.M.	(*st.*)	pale-flowered.	———	1806.	——	F.b.	Jacq. ic. 2. t. 262.
7	longiflòra. B.M.	(*st.re.*)	long-flowered.	———	1774.	6. 8.	F.b.	Bot. mag. t. 256.
	Hexaglóttis longiflòra. V. *Gladíolus longiflòrus.* Jacq. *Ixia longiflòra.* B.M.							
8	tenuiflòra. R.S.	(*st.*)	slender-flower'd.	C. B. S.	1811.	4. 6.	F.b.	Bot. mag. t. 1502.
9	cóncolor.	(*st.*)	self-coloured.	———	——	——	F.b.	——— t. 1502. *f. mino*
10	Rocheàna.	(*st.ro.*)	bending-flowered.	———	——	8.	F.b.	——— t. 1503.
11	pectinàta. B.M.	(*bk.*)	pectinated.	———	1825.	5. 6.	F.b.	
12	striàta. B.M.	(*st.vi.*)	streaked.	———	——	——	F.b.	Jacq. ic. 2. t. 260.
13	lineàta. B.M.	(*st.br.*)	pencilled.	———	1774.	——	F.b.	Bot. mag. t. 487.
14	securígera. B.M.	(*co.ye.*)	copper-coloured.	———	——	5.	F.b.	——— t. 383.
15	flàva. B.M.	(*ye.*)	yellow.	———	1780.	4. 6.	F.b.	Bot. reg. t. 747.
16	refrácta. B.R.	(*ye.*)	reflexed.	———	1815.	5. 6.	F.b.	——— t. 135.
17	squálida. B.M.	(*pi.bk.*)	sweet-scented.	———	1774.	——	F.b.	Bot. mag. t. 581.
18	fenestràta. B.M.	(*sn.*)	open-flowered.	———	1801.	——	F.b.	——— t. 704.
19	purpùrea. K.I.	(*pu.*)	purple.	———	1825.	——	F.b.	
20	crocàta. B.M.	(*sn.*)	Crocus-flowered.	———	1758.	——	F.b.	Bot. mag. t. 164.
	Ixia crocàta. B.M.							
21	deústa. B.M.	(*sn.ve.*)	spotted-flower'd.	———	1774.	——	F.b.	Bot. mag. t. 622.
22	miniàta. B.M.	(*ye.*)	late-flowered.	———	1795.	8.	F.b.	——— t. 669.
23	xanthospìla. S.S.	(*wh.*)	yellow-spotted.	———	1825.	5. 6.	F.b.	Redout. lil. 3. t. 194.
MORPHIXIA. K.I.		**Morphi'xia.** Triandria Monogynia.						
1	lineàris. K.I.	(*bk.*)	slender.	C. B. S.	1796.	4. 5.	F.b.	Bot. mag. t. 570.
	Ixia lineàris. R.S. *capillàris a gracíllima.* B.M. *Hyàlis grácilis.* Salisb.							
2	capillàris. K.I.	(*bk.*)	wire-stemmed.	C. B. S.	1774.	——	F.b.	Bot. mag. t. 617.
	Hyàlis latifólia. Salisb. *Ixia láncea.* Jacq. ic. 2. t. 281. *capillàris β stricta.* B.M.							
3	aùlica. K.I.	(*ro.*)	rose-coloured.	C. B. S.	1774.	——	F.b.	Bot. mag. t. 1013.
	Ixia aùlica. H.K. *capillàris γ aùlica.* B.M. *Hyàlis aùlica.* Salisb.							
4	incarnàta. K.I.	(*fl.*)	flesh-coloured.	C. B. S.	1774.	——	F.b.	Jacq. ic. 2. t. 282.
IXIA. Ker.		**Ixia.** Triandria Monogynia. L.						
1	fucàta. B.M.	(*bk.*)	painted.	C. B. S.	....	6. 7.	F.b.	Bot. mag. t. 1379.
2	aristàta. B.M.	(*pi.*)	salver-flowered.	———	1800.	——	F.b.	——— t. 589.
3	flexuósa. B.M.	(*va.*)	flexuose.	———	1757.	4. 5.	F.b.	——— t. 624.
4	hy'brida. B.M.	(*wh.ro.*)	spurious.	———	——	——	F.b.	——— t. 128.
5	leucántha. P.S.	(*wh.*)	white-flowered.	———	1779.	5. 8.	F.b.	Jacq. ic. 2. t. 278.
6	pátens. B.M.	(*cr.*)	spreading-flower'd.	———	——	4. 6.	F.b.	Bot. mag. t. 522.
7	crateroídes. B.M.	(*cr.*)	crimson.	———	1778.	——	F.b.	——— t. 594.
8	monadélpha. B.M.	(*bl.gr.*)	monadelphous.	———	1792.	——	F.b.	——— t. 607.
9	cúrta. A.R.	(*or.*)	shortened.	———	——	——	F.b.	Andr. reposit. t. 551.
	monadélpha β. Bot. mag. t. 1378.							
10	columellàris. B.M.	(*pu.b.ve.*)	variegated.	———	1790.	6. 8.	F.b.	Bot. mag. t. 630.
11	cònica. B.M.	(*or.ve.*)	orange-color'd.	———	1757.	4. 5.	F.b.	——— t. 539.
12	fúsco-citrìna. R.S.	(*ye.br.*)	yellow and brown.	———	——	——	F.b.	Redoute liliac. t. 88.
13	dùbia. R.S.	(*ye.pu.*)	doubtful.	———	....	——	F.b.	——— 2. t. 94.
14	viridiflòra. R.S.	(*gr.pu.*)	green-flowered.	———	1780.	5. 6.	F.b.	——— t. 476.
15	maculàta. W.	(*va.*)	spot-flowered.	———	——	——	F.b.	Jacq. schœn. t. 20. 21. &c.
16	ovàta. A.R.	(*wh.pu.*)	ovate-spiked.	———	——	——	F.b.	Andr. reposit. t. 23.
17	capitàta. A.R.	(*wh.bk.*)	headed.	———	——	——	F.b.	——— t. 159.
18	ochroleùca.	(*st.br.*)	cream-coloured.	———	1809.	——	F.b.	Bot. mag. t. 1285.
19	erécta. H.K.	(*wh.*)	upright.	———	1757.	——	F.b.	Jacq. schœn. 1. t. 18.
	a albiflòra.	(*wh.*)	*white-flowered.*	———	——	——	F.b.	Bot. mag. t. 623.
	β incarnàta.	(*fl.*)	*flesh-coloured.*	———	——	——	F.b.	Andr. reposit. t. 155.
	γ lùtea.	(*ye.*)	*yellow-flowered.*	———	——	——	F.b.	Bot. mag. t. 846.
20	odoràta.	(*ye.*)	sweet-scented.	———	——	——	F.b.	——— t. 1173.
21	retùsa. H.K.	(*ro.*)	retuse.	———	1793.	2. 4.	F.b.	Jacq. ic. 2. t. 275.
	polystàchia. Bot. mag. t. 629.							
22	scillàris. B.M.	(*ro.*)	Squill-flowered.	———	1787.	——	F.b.	Bot. mag. t. 542.
23	crispa. B.M.	(*ro.*)	curled-leaved.	———	——	4. 5.	F.b.	——— t. 599.
MELASPHÆRULA. Ker.		**Melasph'ærula.** Triandria Monogynia. H.K.						
1	iridiflòlia. B.F.G.	(*wh.br.*)	Iris-leaved.	C. B. S.	1825.	2. 4.	F.b.	Swt. br. fl. gar. ic.
2	intermèdia.	(*pu.st.*)	intermediate.	———	1787.	4. 8.	F.b.	Bot. mag. t. 615.
	graminea. B.M. *excl. synonym.*							
3	gramínea.	(*wh.br.*)	grass-leaved.	———	1825.	2. 5.	F.b.	Jacq. ic. 2. t. 336.
	Gladíolus graminéus. Jacq. *Diàsia graminifólia.* Red. lil. t. 168.							
4	parviflòra. L.C.	(*wh.*)	small-flowered.	C. B. S.	1825.	——	F.b.	Lodd. bot. cab. t. 1144.

SPERA'NTHA. Ker. EVENING-FLOWER. Triandria Monogynia. H.K.

bimamòmea. H.K. (*w.br.*) curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 1054.
falcàta. H.K. (*wh.br.*) sickle-leaved.	———	——	——	F.b.	——— t. 566.
graminifòlia. (*wh.br.*) Grass-leaved.	—— ——	1808.	8. 9.	F.b.	——— t. 1254.
pilòsa β foliis nudis, floribus minoribus. B.M.					
pilòsa. H.K. (*wh.br.*) hairy.	C. B. S.	1811.	4. 5.	F.b.	Bot. mag. t. 1475.
angùsta. B.M. (*wh.*) narrow-leaved.	———	1825.	——	F.b.	Jacq. ic. 2. t. 279.
Ixia angùsta. Jacq.					
radiàta. H.K. (*wh.br.*) nodding-flowered.	———	1794.	4. 6.	F.b.	Bot. mag. t. 573.

ISSORHI'ZA. Ker. TILE-ROOT. Triandria Monogynia. H.K.

Rocheàna. (*bl.pu.*) plaid.	C. B. S.	1790.	5.	F.b.	Bot. mag. t. 598.
monántha. (*bl.*) one-flowered.	———	——	——	F.b.	Houtt.syst.11.t.78.f.1.
setàcea. B.M. (*st.re.*) bristle-leaved.	———	1809.	6. 7.	F.b.	Bot. mag. t. 1255.
obtusàta. H.K. (*st.*) pale-yellow.	———	1801.	5.	F.b.	——— t. 672.
vaginàta. B.F.G. (*ye.*) sheathed.	———	1825.	6. 9.	F.b.	Swt. br. fl. gar. t. 138.
secúnda. B.M. (*bl.*) one-ranked.	———	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.
x carùlea. (*bl.*) *blue-flowered.*	———	——	——	F.b.	Bot. mag. t. 597.
β *albéscens.* (*wh.bl.*) *whitish-flowered.*	———	——	——	F.b.	——— t. 1105.
sublùtea. B.M. (*st.*) yellowish.	———	1825.	——	F.b.	
Ixia sublùtea. Lam.					
hùmilis. H.I. (*st.bh.*) dwarf.	———	1822.	——	F.b.	
erécta. W.H. (*st.bl.*) erect.	———	1824.	——	F.b.	
imbricàta. B.M. (*st.re.*) imbricated.	———	——	——	F.b.	
hirta. B.M. (*pa.bl.*) hairy.	———	——	——	F.b.	
ciliàris. Sal. (*st.*) fringed.	———	....	——	F.b.	
inflèxa. H.I. *Ixia inflèxa.* De la Roche.					
excisa. B.M. (*wh.pi.*) dwarf cut-leaved.	———	1789.	4. 5.	F.b.	Bot. mag. t. 584.
Ixia excisa. B.M.					

ATALA'NTHUS. B.F.G. RIBBON-FLOWER. Monadelphia Triandria.

speciòsus. B.F.G. (*sc.y.ve.*) beautiful.	C. B. S.	1825.	8. 10.	F.b.	Swt. br. fl. gar. t. 300.

ICHON'EMA. Ker. TRICHON'EMA. Triandria Monogynia. H.K.

Bulbocòdium. H.K. (*pu.*) channel-leaved.	S. Europe.	1739.	3. 4.	H.b.	Bot. mag. t. 265.
purpurascens. (*pu.*) purple.	Naples.	1825.	——	H.b.	Ten. fl. nap. v. 1. t. 2.
Ixia purpurascens. T.S.					
Colúmnæ. T.P. (*st.li.*) Columna's.	———	——	——	H.b.	Redout. lil. t. 88. f. A.
cœlestinum. (*bl.*) blue.	N. America.	1820.	——	H.b.	Bartr. it. t. 3.
Ixia cœlestina. Ph.					
ròseum. B.M. (*ro.*) rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Bot. mag. t. 1225.
speciòsum. B.M. (*ro.*) crimson.	———	——	3. 4.	F.b.	——— t. 1476.
pùdicum. B.M. (*ro.*) blush.	———	——	6. 8.	F.b.	——— t. 1244.
cruciàtum. S.S. (*ro.*) square-leaved.	———	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.
longifòlium. Sal. (*ro.*) small-flowered.	———	——	——	F.b.	Bot. mag. t. 575.
cruciàtum. B.M. *non* Jacq.					
filifòlium. H.I. (*ye.*) slender-leaved.	———	1812.	——	F.b.	Redout. lil. t. 251. f. 2.
recurvifòlium. H.I. (*st.*) recurve-flowered.	———	——	——	F.b.	——— t. 251. f. 1.
tortàsum. H.I. (*ye.*) twisted-leaved.	———	1822.	——	F.b.	
caulèscens. B.M. (*ye.*) caulescent.	———	1810.	6. 7.	F.b.	Bot. mag. t. 1892.
chloroleùcum. B.M. (*st.*) milk-coloured.	———	1825.	5. 7.	F.b.	Jacq. ic. 2. t. 270.

CROCUS. L. CR'OCUS. Triandria Monogynia. L.

vérnus. E.B. (*va.*) spring.	England.	....	2. 4.	H.b.	Eng. bot. v. 5. t. 344.
β *plúmbeus.* H.T. (*bl.*) *lead-coloured.*	.....	....	——	H.b.	Hort.t.v.7.t.11.12.f.10.
γ *álbus májor.* H.T. (*wh.*) *large-white.*	.....	....	——	H.b.	——— v.7.t.11.12.f.11.
δ *leucorhynchus.* H.T. (*w.*) *white.*	.....	....	——	H.b.	——— v.7.t.11.12.f.12.
ε *inflàtus.* H.T. (*bl.*) *bellied.*	.....	....	——	H.b.	——— v.7.t.11.12.f.13.
ζ *fucàtus.* H.T. (*bh.pu.*) *painted.*	.....	....	——	H.b.	——— v.7.t.11.12.f.14.
η *pictus.* H.T. (*li.pu.*) *pencilled.*	.....	....	——	H.b.	——— v.7.t.11.12.f.15.
θ *Andersònii.* H.T. (*wh.*) *Anderson's.*	.....	....	——	H.b.	——— v.7.t.11.12.f.16.
ι *Sabìni.* H.T. (*bl.*) *Sabine's.*	.....	....	——	H.b.	——— v.7.t.11.12.f.17.
κ *Gloriànus.* H.T. (*wh.bl.*) *Queen of Portugal's.*	.....	....	——	H.b.	——— v.7.t.11.12.f.18.
λ *pulchéllus.* H.T. (*li.bl.*) *pretty.*	.....	....	——	H.b.	——— v.7.t.11.12.f.19.
μ *neapolitànus.* B.S. (*std.*) *Neapolitan.*	Naples.	....	——	H.b.	Bot. mag. t. 860.
ν *obovàtus.* B.S. (*wh.*) *obovate-flowered.*	S. Europe.	....	——	H.b.	——— t. 2240.
striàtus. L.en. (*wh.vi.*) striated.	———	....	——	H.b.	
versicolor. H.K. (*wh.bl.*) party-coloured.	———	1629.	——	H.b.	Bot. mag. t. 1110.
α *purpùreus.* H.T. (*pu.*) *purple-flowered.*	———	——	——	H.b.	Hort.tr.v.7.t.11.12.f.6.
β *plumòsus.* H.T. (*pu.w.*) *feathered.*	.....	....	——	H.b.	——— v.7.t.11.12.f.7.
γ *élegans.* H.T. (*pu.wh.*) *elegant.*	.....	....	——	H.b.	——— v.7.t.11.12.f.8.
δ *urbànus.* H.T. (*wh.li.*) *homebred.*	....	....	——	H.b.	——— v.7.t.11.12.f.9.

4	biflòrus. H.K. (*wh.pu.*) Scotch.	Crimea.	1629.	2. 3.	H.b.	Bot. mag. t. 845.
	β Parkinsònii. H.T. (*wh.bl.*) Parkinson's.	———	——	——	H.b.	Hort. tr. v. 7. t. 11. f. 4.
5	pusíllus. R.s. (*wh.pu.*) small.	Italy.	1824.	——	H.b.	Swt. br. fl. gar. t. 186.
6	mínimus. R.L. (*pu.wh.*) small.	Corsica.	1828.	——	H.b.	Redout. lil. t. 81.
7	præcox. E.B. (*pu.wh.*) early.	Britain.	....	——	H.b.	Eng. bot. t. 2645.
8	argénteus. H.T. (*pu.wh.*) silvery.	.....	....	——	H.b.	Hort. tr. v. 7. t. 11. 12. f. 8.
9	albiflòrus. R.s. (*wh.*) white-flowered.	Hungary.	——	2. 4.	H.b.	
10	variegàtus. R.s. (*ye.pu.*) variegated.	Levant.	1828.	——	H.b.	Hop. et Hor. a. Meer. i.
11	reticulàtus. M.B. (*ye.vi.*) netted-bulbed.	Caucasus.	1825.	——	H.b.	M. B. cent. pl. rar. t. 1.
12	susiánus. H.K. (*ye.pu.*) Cloth of Gold.	Turkey.	1605.	——	H.b.	Bot. mag. t. 652.
13	stellàris. H.T. (*ye.pu.*) starry cloth of gold.	S. Europe.	1629.	——	H.b.	Hort. trans. 1. p. 136. i.
14	sulphùreus. B.M. (*st.*) pale yellow.	———	——	——	H.b.	Bot. mag. t. 1384.
15	lácteus. H.T. (*st.vi.*) milk-coloured.	.....	....	——	H.b.	
	β penicillàtus. H.T. (*st.vi.*) *pencilled.*	.....	....	——	H.b.	Hort. t. v. 7. t. 11. 12. f. 1.
16	lagenæflòrus. P.L. (*st.*) Gourd-flowered.	Greece.	....	——	H.b.	Bot. mag. t. 2655.
17	aùreus. F.G. (*go.*) golden-flowered.	———	....	——	H.b.	Eng. bot. t. 2646.
18	lùteus. R.s. (*ye.*) common yellow.	Levant.	1620.	——	H.b.	Bot. mag. t. 45.
	vérnus. B.M. *nec aliorum.*					
19	mæsiacus. B.M. (*ye.*) great yellow.	Greece.	1629.	——	H.b.	Bot. mag. t. 1111.
20	sativus. R.s. (*vi.*) saffron.	England.	....	9. 10.	H.b.	Eng. bot. v. 5. t. 341.
21	serotìnus. R.s. (*vi.*) late-flowered.	S. Europe.	1629.	9. 11.	H.b.	Bot. mag. t. 1267.
22	Pallàsii. M.B. (*vi.*) autumnal.	Tauria.	....	——	H.b.	
	autumnàlis. R.s.					
23	nudiflòrus. E.B. (*vi.*) naked-flowered.	England.	....	10. 11.	H.b.	Eng. bot. v. 7. t. 491.

ORDO CCVII.

HÆMODORACEÆ. *Brown prodr.* 299.

WACHENDO'RFIA. L. WACHENDO'RFIA. Triandria Monogynia. L.

1	thyrsiflòra. R.s. (*ye.*) tall-flowered.	C. B. S.	1759.	5. 6.	G. 4.	Bot. mag. t. 1669.
2	paniculàta. R.s. (*ye.*) panicled.	———	1700.	2. 5.	F.b.	——— t. 616.
3	Herbérti. (*ye.*) Herbert's.	———	1823.	——	F.b.	——— t. 2610.
	paniculàta. β. H. in B.M.					
4	hirsùta. R.s. (*ye.*) hairy.	———	1687.	4. 6.	F.b.	Bot. mag. t. 614.
5	breviflòlia. B.M. (*ye.*) short-leaved.	———	1795.	3. 4.	F.b.	——— t. 1166.
6	Breyniàna. R.s. (*pu.ye.*) Breynius's.	———	1825.	——	F.b.	Breyn. cent. f. 37.
7	gramínea. s.s. (*ye.*) Grass-leaved.	———	1810.	6.	G. 4.	
8	tenélla. R.s. (*pu.*) slender-leaved.	———	1816.	——	G. 4.	

XIPHI'DIUM. J. XIPHI'DIUM. Triandria Monogynia. W.

1	álbidum. s.s. (*wh.*) white.	W. Indies.	1787.	6. 8.	S. 4.	Sw. fl. ind. oc. 1. t. 2.
	floribúndum. Swartz.					
2	cærùleum. s.s. (*bl.*) blue.	———	1793.	——	S. 4.	Aub. gui. 1. t. 11.

HÆMOD'ORUM. B.P. HÆMOD'ORUM. Triandria Monogynia. R.S.

1	planifòlium. B.P. (*st.*) flat-leaved.	N. S. W.	1810.	7. 11.	F. 4.	Bot. mag. t. 1610.
2	teretifòlium. B.P. (*st.*) round-leaved.	———	1822.	——	F. 4.	

DIL'ATRIS. Ker. DIL'ATRIS. Triandria Monogynia. R.S.

1	corymbòsa. W. (*pu.*) broad-petaled.	C. B. S.	1790.	5. 6.	F. 4.	Sm. exot. bot. 1. t. 16.
	umbellàta. L.					
2	viscòsa. W. (*pu.*) clammy.	———	1795.	——	F. 4.	
3	paniculàta. W. (*pu.ye.*) panicled.	———	1825.	——	F. 4.	

GYROTH'ECA. H.T. GYROTH'ECA. Triandria Monogynia.

	tinctòria. (*re.*) red-rooted.	N. America.	1812.	6. 7.	H. 4.	Mich. amer. 1. t. 4.
	Lachnánthes tinctòria. Ell. *Dilàtris tinctòria.* Ph. *Heritièra Gmèlini.* M.					

LOPH'IOLA. B.M. LOPH'IOLA. Hexandria Monogynia. B.M.

	aùrea. B.M. (*ye.*) golden-flowered.	N. America.	1811.	5. 7.	H. 4.	Bot. mag. t. 1596.
	Conóstylis americàna. Ph.					

LAN'ARIA. W. LAN'ARIA. Hexandria Monogynia. W.

	plumòsa. W. (*pu.*) woolly.	C. B. S.	1787.	6. 7.	G. 4.	

CONO'STYLIS. B.P. CONO'STYLIS. Hexandria Monogynia. S.S.

1	aculeàta. B.P. (*st.*) prickly-leaved.	N. Holland.	1824.	9. 2.	F. 4.	Bot. mag. t. 2989.
2	serrulàta. B.P. (*st.*) serrulate.	———	——	....	F. 4.	

ANIGOZA'NTHOS. B.P. ANIGOZA'NTHOS. Hexandria Monogynia.

1	flávida. B.P. (*br.gr.*) russet-green.	N. Holland.	1803.	5. 9.	F. 4.	Bot. mag. t. 1151.
2	rùfa. B.P. (*br.gr.*) rufous.	———	1824.	——	F. 4.	Labill. voy. 1. t. 22.

ORDO CCVIII.

HYPOXIDEÆ. *Brown.*

HYPO'XIS. L.	HYPO'XIS.	Hexandria Monogynia. L.					
1 júncea. W.	(*ye.*) rushy.	Carolina.	1787.	6. 7.	H.b.	Sm. spic. 15. t. 16.
2 hygrométrica. B.P.	(*ye.*) hairy-leaved.	N. Holland.	1820.	——	F.b.	Lab. nov. holl. 1. t. 8.
3 álba. W.	(*wh.*) white.	C. B. S.	1806.	——	F.b.	Lodd. bot. cab. t. 1074.
4 lineàris. A.R.	(*ye.*) linear-leaved.	————	1792.	4. 5.	F.b.	Andr. reposit. t. 171.
5 stellàta. W.	(*ye.*) yellow starry.	————	1752.	4. 6.	F.b.	Bot. mag. t. 662.
6 élegans. P.S.	(*wh.*) white starry.	————	——	——	F.b.	———— t. 1223.
stellàta β. B.M.	*certainly a distinct species.*					
7 serràta. W.	(*ye.*) saw-leaved.	————	1788.	6. 7.	F.b.	Bot. mag. t. 709.
8 ovàta. W.	(*ye.*) smooth-leaved.	————	1806.	2. 5.	F.b.	———— t. 1010.
9 veratrifòlia. W.	(*ye.*) plaited-leaved.	————	1788.	6. 7.	F. ♃.	Jacq. ic. 2. t. 367.
plicàta. Jacq.						
10 carolinénsis. M.	(*ye.*) Carolina.	Carolina.	1822.	——	F.b.	
11 decúmbens. W.	(*ye.*) decumbent.	Jamaica.	1755.	6. 9.	S. ♃.	Mill. ic. 1. t. 89. f. 2.
12 stellipilis. B.R.	(*ye.*) starry-haired.	C. B. S.	1821.	6. 12.	F. ♃.	Bot. reg. t. 668.
13 obliqua. W.	(*ye.*) oblique-leaved.	————	1795.	6. 7.	F. ♃.	Andr. rep. t. 195.
14 pratènsis. B.P.	(*ye.*) field.	N. S. W.	1822.	——	F.b.	
15 erécta. S.S.	(*ye.*) upright.	N. America.	1752.	——	H.b.	Bot. mag. t. 710.
16 grácilis. Ot.	(*ye.*) slender.	S. America.	1828.	——	G.b.	
17 Sellòii. Ot.	(*ye.*) Sello's.	Buenos Ayres.	1827.	——	F.b.	
18 sobolífera. W.	(*ye.*) creeping.	C. B. S.	1774.	6. 9.	F. ♃.	Bot. mag. t. 711.
19 villòsa. W.	(*ye.*) villous.	————	——	——	F. ♃.	Jacq. ic. 2. t. 307.
20 obtùsa. B.R.	(*ye.*) obtuse.	————	1816.	——	F. ♃.	Bot. reg. t. 169.
21 aquática. W.	(*ye.*) water.	————	1787.	6. 7.	F. ♃.	
CURC'ULIGO. B.P.	CURC'ULIGO.	Hexandria Monogynia. S.S.				
1 plicàta. B.R.	(*ye.*) plaited.	C. B. S.	1788.	6. 7.	F.b.	Jacq. schœn. 1. t. 80.
β *glábra.*	(*ye.*) *smooth-leaved.*	————	1816.	——	F.b.	Bot. reg. t. 345.
2 orchioídes. S.S.	(*ye.*) narrow-leaved.	E. Indies.	1800.	——	S. ♃.	Roxb. corom. 1. t. 13.
3 brevifòlia. S.S.	(*ye.*) short-leaved.	————	1804.	5. 7.	S. ♃.	Bot. mag. t. 1076.
4 latifòlia. S.S.	(*ye.*) broad-leaved.	————	——	5. 8.	S. ♃.	Bot. reg. t. 754.
5 sumatràna. B.C.	(*ye.*) Sumatra.	Sumatra.	1818.	——	S. ♃.	Lodd. bot. cab. t. 443.
6 recurvàta. S.S.	(*ye.*) recurved.	Bengal.	1805.	——	S. ♃.	Bot. reg. t. 770.
BARBAC'ENIA. Vand.	BARBAC'ENIA.	Hexandria Monogynia.				
purpùrea. B.M.	(*pu.*) purple-flower'd.	Brazil.	1825.	8. 9.	S. ♄.	Bot. mag. t. 2777.
VELL'OSIA. Vand.	VELL'OSIA.	Polyandria Monogynia.				
squamàta. P.B.	(*bl.*) scaly.	Brazil.	1829.	....	S. ♄.	Pohl. bras. ic. v. 1. t. 9.

ORDO CCIX.

AMARYLLIDEÆ. *Brown prodr. p.* 296.

STERNBE'RGIA. W.K.	STERNBE'RGIA.	Hexandria Monogynia.				
1 colchiciflòra. B.R.	(*ye.*) Colchicum-flower'd.	Hungary.	1816.	9. 10.	H.b.	W. et K. hung. 2. t. 157.
2 Clusiàna. B.R.	(*ye.*) Clusius's.	Constantinople...		——	H.b.	Clus. hist. 1. t. 163.
3 lùtea. B.R.	(*ye.*) common yellow.	S. Europe.	1596.	——	H.b.	Bot. mag. t. 290.
Amaryllis lùtea. B.M.						
β *angustifòlia.*	(*ye.*) *narrow-leaved.*	————	——	——	H.b.	
ZEPHYRA'NTHES. H.A.	ZEPHYRA'NTHES.	Hexandria Monogynia.				
1 chloroleùca. H.A.	(*st.*) one-leaved.	.....	....	5. 8.	G.b.	Ker's rev. pl. 8. f. 1.
2 Atamásco. H.A.	(*wh.*) Atamasco Lily.	N. America.	1629.	5. 6.	H.b.	Bot. mag. t. 239.
Amaryllis Atamásco. B.M.						
3 tubispátha. H.A.	(*wh.*) tube-sheathed.	S. America.	....	5. 7.	S.b.	Bot. mag. t. 1586.
Amaryllis tubispátha. B.M.						
4 cándida. B.M.	(*wh.*) white-flowered.	Peru.	1822.	7. 10.	H.b.	Bot. mag. t. 2607.
Amaryllis cándida. Bot. reg. t. 724.						
5 ròsea. B.R.	(*ro.*) rose-coloured.	Havannah.	——	9. 10.	G.b.	Bot. reg. t. 821.

6 striàta. B.M. (*bk.wh.*)	striped.	Mexico.	1824.	6. 8.	H.b.	Bot. mag. t. 2593.
7 verecúnda. B.M. (*bk.*)	modest.	———	——	——	H.b.	——— t. 2583.
8 carinàta. B.M. (*ro.*)	keeled-leaved.	———	——	——	H.b.	Swt. br. fl. gar. s. 2. t.4.
9 grandiflòra. B.R. (*ro.*)	large-flowered.	———	1825.	——	H.b.	Bot. reg.excl.fol.t.902.

HABRA'NTHUS. B.M. HABRA'NTHUS. Hexandria Monogynia.

1 gracilifòlius. B.M. (*ro.*)	slender-leaved.	S. America.	1823.	9. 11.	G.b.	Bot. mag. t. 2464.
2 angústus. B.M. (*pu.*)	narrow.	BuenosAyres.	1825.	——	G.b.	——— t. 2639.
3 versícolor. B.M. (*bk.*)	changeable.	S. America.	1823.	1. 4.	G.b.	——— —— t. 2485.
4 lorifòlius. B.M. (*ro.*)	lorate-leaved.	———	1824.	....	G.b.	
5 bífidus. B.M. (*ro.*)	two-cleft.	BuenosAyres.	1825.	6. 9.	G.b.	Bot. mag. t. 2597.
6 spathàceus. B.M. (*pu.*)	broad-spathed.	———	——	....	G.b.	
7 robústa. W.H. (*li.*)	robust.	———	1827.	7. 9.	F.b.	Swt. br. fl. gar. s. 2. t.14.
8 Andersòni. W.H. (*ye.*)	Anderson's.	S. America.	1829.	5. 6.	F.b.	——— s. 2.
α aùrea. (*ye.*)	*golden.*	———	——	——	F.b.	
β cùprea. (*co.*)	*copper-coloured.*	———	——	——	F.b.	
9 advèna. W.H. (*std.*)	streaked.	———	1807.	——	F.b.	Bot. mag. t. 1125.
Amary'llis advèna. Bot. reg. t. 849.						
10 intermèdia. W.H. (*re.*)	intermediate.	Brazil.	1827.	1. 3.	S.b.	Bot. reg. t. 1148.
Amary'llis intermèdia. B.R.						

BELLADO'NNA. BELLADO'NNA LILY. Hexandria Monogynia.

1 purpuráscens. (*pu.*)	light purple.	C. B. S.	1712.	7. 9.	H.b.	Bot. mag. t. 783.
Amary'llis Belladònna. L.						
2 pállida. (*pa.li.*)	pale-flowered.	———	....	——	F.b.	Bot. reg. t. 714.
3 pùdica. (*ro.*)	modest.	———	1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2.
Amary'llis pùdica. K.R.						
4 blánda. (*bk.*)	charming.	———	1754.	——	F.b.	Bot. mag. t. 1450.

AMARY'LLIS. L. AMARY'LLIS. Hexandria Monogynia. L.

1 reticulàta. W. (*pu.wh.*)	netted-veined.	Brazil.	1777.	4. 5.	S.b.	Bot. mag. t. 657.
2 striatifòlia. (*pu.wh.*)	striped-leaved.	———	1815.	——	S.b.	Bot. reg. t. 352.
3 Sweètii. W.H. (*va.*)	Striatifòlio-Johnsoni.	Colvill's.	1821.	1. 12.	S.b.	
a brevifòlia. C.C. (*pu.w.*)	*short-leaved.*	Colvill's.	1820.	——	S.b.	
β supérba. C.C. (*cr.wh.*)	*superb-flowered.*	———	——	——	S.b.	
γ obscùra. C.C. (*re.wh.*)	*clouded.*	———	——	——	S.b.	
δ recurvàta. C.C. (*re.bk.*)	*recurved-flowered.*	———	——	——	S.b.	
ε Wellsiàna. C.C. (*re.w.*)	*Mr. Wells's.*	———	——	——	S.b.	
ζ Vallèti. (*pu.wh.*)	*Vallets'.*	———	——	——	S.b.	
η rugòsa. C.C. (*pu.wh.*)	*rugged-flowered.*	———	——	——	S.b.	
θ versícolor. (*re.wh.*)	*various-coloured.*	———	——	——	S.b.	
ι am'æna. (*re.wh.*)	*delightful.*	———	——	——	S.b.	
κ affínis. (*re.wh.*)	*likened.*	———	——	——	S.b.	
λ undulæflòra. (*pu.wh.*)	*wave-flowered.*	———	——	——	S.b.	
μ palliiflòra. (*li.wh.*)	*pale-flowered.*	———	——	——	S.b.	
ν discolor. (*re.wh.*)	*two-coloured.*	———	——	——	S.b.	
ξ expánsa. (*sc.wh.*)	*expanded.*	———	——	——	S.b.	
ο variegàta. C.C. (*re.wh.*)	*variegated-flowered.*	———	——	——	S.b.	
π nótha. (*pu.wh.*)	*bastard.*	———	——	——	S.b.	
ρ linearàta. (*re.wh.*)	*line-petaled.*	———	——	——	S.b.	
σ modésta. (*wh.re.*)	*modest.*	———	——	——	S.b.	
τ patentíssima. (*sc.*)	*spreading-flower'd.*	———	——	——	S.b.	
υ salmònea. (*re.*)	*salmon-coloured.*	———	——	——	S.b.	
φ bistriàta. (*cr.da.*)	*two-lined.*	———	——	——	S.b.	
ψ ligulæflòra. (*re.wh.*)	*strap-flowered.*	———	——	——	S.b.	
χ Annesleyàna. (*ve.wh.*)	*Lord Mountnorris's.*	———	——	——	S.b.	Miss Chapman's ic. ined.
4 Colvillii. (*va.*)	Reticulato-Johnsoni.	———	——	——	S.b.	
α atrorùbens. (*da.pu.w.*)	*dark-red.*	———	——	——	S.b.	
β purpuráscens. (*pu.re.*)	*purplish.*	———	——	——	S.b.	
γ costàta. (*re.wh.*)	*ribbed-leaved.*	———	——	——	S.b.	
δ dioïca. (*re.pu.*)	*barren-anthered.*	———	——	——	S.b.	
ε æmula. (*re.wh.*)	*red and white.*	———	——	——	S.b.	
ζ nervifòlia. (*pu.re.*)	*strong-nerved.*	———	——	——	S.b.	
η phœnícea. (*da.pu.*)	*dark purple red.*	———	——	——	S.b.	
θ stenántha. (*pa.pu.w.*)	*narrow-petaled.*	———	——	——	S.b.	
ι flaccida. (*re.pu.w.*)	*flaccid-leaved.*	———	——	——	S.b.	
κ bracteàta. (*re.pu.*)	*large-bracted.*	———	——	——	S.b.	
λ párvula. (*pu.wh.*)	*small-flowered.*	———	——	——	S.b.	
5 præclàra. W.H. (*va.*)	Johnsoni-striatifòlia.	Colvill's.	——	——	S.b.	
α pátens. (*pu.wh.*)	*spreading-flowered.*	———	——	——	S.b.	
β Colvilliàna. (*re.p.w.*)	*Colvill's.*	———	——	——	S.b.	
γ decòra. (*re.pu.*)	*neat.*	———	——	——	S.b.	

6	Johnsòni. (*sc. wh.*) Reginæ-vittàta.	Johnson.		1810.	1. 12.	G.b.	Lodd. bot. cab. t. 159.
	spectábilis. B.C. *brasiliénsis.* Redout. liliac. c. ic.						
	α Scaramùuch. W.H. (*sc.wh.*) *Mr. Herbert's.*	Mitcham.		1811.	——	G.b.	
	β Màter. W.H. (*sc.wh.*) *dame.*	——		——	——	G.b.	
	γ Sorélla. W.H. (*sc.wh.*) *sister.*	——		——	——	G.b.	
	δ quárta. W.H. (*sc.wh.*) *fourth.*	——		——	——	G.b.	
	ε péndula. W.H. (*sc.wh.*) *pendulous.*	——		——	——	G.b.	
	ζ Ponceauenélta. W.H. (*sc.wh.*) *related.*	——		——	——	G.b.	
	η bárbe blánche. W.H. (*sc.wh.*) *white-bearded.*	Highclere.		—	——	G.b.	
7	reginæ. W. (*sc.*) Mexican Lily.	S. America.		1725.	5. 7.	S.b.	Bot. mag. t. 453.
8	formòsa. W.H. (*va.*) Striatifolio-reginæ.	Colvill's.		1820.	——	S.b.	
	α grandiflòra. (*pu.wh.*) *large-flowered.*	——		——	——	S.b.	
	β palléscens. (*pa.re.w.*) *pale red and white.*	——		——	——	S.b.	
	γ rubicúnda. (*ve.re.*) *velvetty red.*	——		——	——	S.b.	
	δ coccínea. (*sc.*) *dark-veined scarlet.*	——		——	——	S.b.	
	ε ríngens. (*re.wh.*) *gaping-flowered.*	——		——	——	S.b.	
	ζ carnéscens. (*fl.wh.*) *flesh-coloured.*	——		——	——	S.b.	
	η dilàta. (*pa.re.wh.*) *stained-flowered.*	——		——	——	S.b.	
	θ imbàta. (*re.*) *stained red.*	——		——	——	S.b.	
	ι compácta. (*pa.re.*) *compact.*	——		——	——	S.b.	
9	glorìosa. (*va.*) Reticulato-reginæ.	——		——	——	S.b.	
	α sulcàta. (*re.wh.*) *channelled-leaved.*	——		——	——	S.b.	
	β rubéscens. (*re.wh.*) *pale red.*	——		——	——	S.b.	
	γ ròseo-álba. (*ro.wh.*) *rosy and white.*	——		——	——	S.b.	
	δ accèdens. (*ve.re.*) *velvetty.*	——		——	——	S.b.	
10	consanguínea. (*sc.wh.*) Valleti-reginæ.	——		1824.	——	S.b.	
	β sericea. (*pu.*) *silky-flowered.*	——		——	——	S.b.	
11	intermèdia. (*re.wh.*) Reginæ-equestris.	——		1820.	——	S.b.	
12	spathàcea. B.M. (*sc.*) large-spathed.	Hybrid.		——	——	S.b.	Bot. mag. t. 2315.
13	vittàta. W. (*sc.wh.*) striped.	S. America.		1769.	4. 5.	S.b.	—— t. 129.
	β latifólia. L.col. (*sc.wh.*) *broad-leaved.*	——		1816.	——	G.b.	Lindl. coll. bot. ic.
14	lineàta. Colla. (*sc.wh.*) lined-flowered.	——		1820.	——	S.b.	Coll. hort. rip. ic.
	vittàta γ. Harrisòniæ. Bot. reg. t. 988.						
15	magnífica. (*sc.wh.*) Striatifolio-vittata.	Colvill's.		1823.	——	S.b.	
16	púlchra. C.C. (*sc.wh.*) Reticulato-vittata.	——		——	——	S.b.	
17	rùtila. R.R. (*sc.*) fiery.	Brazil.		1815.	1. 12.	S.b.	Bot. reg. t. 28.
18	spléndens. H.A. (*sc.wh.*) Rutilo-equestri-vittata.	Spofforth.		1819.	——	F.b.	Herb. append. p. 52. ic.
	α Mars. W.H. (*sc.wh.*) *Mars.*	——		1822.	——	F.b.	
	β Vésta. W.H. (*sc.wh.*) *Vesta.*	——		——	——	F.b.	
	γ Bellòna. W.H. (*sc.wh.*) *Bellona.*	——		——	——	F.b.	
	δ álta. W.H. (*sc.wh.*) *tallest.*	——		——	——	F.b.	
	ε ignéscens. (*sc.*) *flame-coloured.*	Colvill's.		——	——	F.b.	
19	sanguínea. W.H. (*cr.wh.*) Rutilo-vittata.	Highclere.		1819.	——	G.b.	
20	micans. W.H. (*re.co.*) Rutilo-crocata.	——		1820.	——	S.b.	
21	angústa. (*sc.pu.*) Johnsoni-rutila.	Colvill's.		1822.	——	S.b.	
22	rígida. (*re.co.r.*) Crocato-rutila.	——		——	——	S.b.	
23	incl'yta. W.H. (*sc.wh.*) Fulgido-vittata.	Highclere.		1819.	——	S.b.	
24	Carnarvòni. W.H. (*sc.w.*) Vittato-reginæ.	——		——	——	G.b.	
25	árdens. W.H. (*sc.co.*) Crocato-reginæ.	Spofforth.		1820.	——	S.b.	
	α salmònea. W.H. (*pa.re.*) *salmon-coloured.*	——		——	——	S.b.	
	β charbon brulant. (*pa.r.*) *shining-flowered.*	——		——	——	S.b.	
26	fúlgida. K.R. (*sc.*) fulgid.	Brazil.		1810.	——	S.b.	Bot. reg. t. 226.
27	subbarbàta. (*or.sc.*) slightly bearded.	——		1823.	——	S.b.	Bot. mag. t. 2475.
28	flòrida. W.H. (*sc.wh.*) Fulgido-rutila.	Spofforth.		1820.	——	S.b.	
29	màjus. W.H. (*sc.co.*) Acuminato-rutila.	——		——	——	S.b.	
	β fratérna. (*sc.*) *brother.*	Colvill's.		1821.	——	S.b.	
30	venòsa. W.H. (*sc.wh.*) Vittato-Johnsoni.	Highclere.		——	——	G.b.	
31	invérsa. W.H. (*sc.wh.*) Johnsoni-vittata.	Liverpool.		1812.	——	G.b.	
	β Sáturn. W.H. (*sc.wh.*) *Saturn.*	——		——	——	G.b.	
	γ Plàto. W.H. (*sc.wh.*) *Pluto.*	Spofforth.		1814.	——	G.b.	
	δ Andromache. W.H. (*sc.*) *Andromache.*	——		——	——	G.b.	
32	sidérea. W.H. (*sc.*) Sanguineo-subbarbata.	Spofforth.		1820.	——	S.b.	
33	stellàta. W.H. (*sc.*) Subbarbato-sanguinea.	——		——	——	S.b.	
34	renovàta. W.H. (*sc.wh.*) Splendente-fulgida.	——		——	——	S.b.	
35	expánsa. W.H. (*sc.wh.*) Equestri-florida.	——		——	——	S.b.	
36	Beàtum. W.H. (*sc.co.*) Johnsoni-acuminata.	Wentworth.		—	——	S.b.	
	β Beatrice. W.H. (*sc.co.*) *Beatrice.*	——		——	——	S.b.	
	γ tricolor. (*re.pu.gr.*) three-coloured.	Colvill's.		1821.	——	S.b.	
	δ macrántha. (*re.co.*) *large-flowered.*	——		——	——	S.b.	

	ε *crispàta.*	(*re.so.*) *curled-edged:*	Colvill's.	1821.	1. 12.	S.b.	
	ζ *tricúspis.*	(*sc.or.*) *three-pointed.*	———	——	——	S.b.	
36	lugùbris. W.H.	(*sc.or.*) Styloso-Johnsoni.	Spofforth.	1814.	——	S.b.	
	α *sombrélla.* W.H.	(*co.*) *sombre.*	———	——	——	S.b.	
	β *griseîna.* W.H.	(*pa.*) *greyish.*	———	——	——	S.b.	
	γ *porporîna.* W.H.	(*br.*) *brownish.*	———	——	——	S.b.	
37	tristis. W.H.	(*sc.co.*) Johnsoni-stylosa.	———	——	——	S.b.	
38	Broòkesii. W.H.	(*sc.co.*) Crocato-Johnsoni.	Brookes's.	1820.	——	S.b.	
	β *Creusa.* W.H.	(*sc.co.*) *Creusa.*	———	——	——	S.b.	
39	aurantiaca. W.H.	(*or.*) Reginæ-acuminata.	Spofforth.	——	——	S.b.	
	α *Camillus.* W.H.	(*or.sc.*) *Camillus.*	———	——	——	S.b.	
	β *Gustavus.* W.H.	(*or.sc.*) *Gustavus.*	———	——	——	S.b.	
	γ *amábilis.*	(*sc.or.*) *brilliant.*	Colvill's.	1821.	——	S.b.	
	δ *fúlva.*	(*co.*) *coppery.*	———	——	——	S.b.	
40	platypétala.	(*sc.or.*) Acuminato-reginæ.	———	——	——	S.b.	
41	Hòodii.	(*sc.wh.*) Reginæ-fulgida.	———	1820.	——	S.b.	
42	intermíxta. C. C.	(*re.wh.*) Equestri-reginæ.	———	——	——	S.b.	
43	Coopèri. W.H.	(*co.*) Crocato-acuminata.	Wentworth.	—	——	S.b.	
	β *transpàrens.*	(*co.gr.*) *transparent.*	Colvill's.	1821.	——	S.b.	
44	élegans. W.H.	(*sc.wh.*) Formoso-vittata.	Highclere.	——	——	G.b.	
45	Burghclerìàna. W.H.	(*sc.wh.*) Splendente-vittata.	Burghclere.		——	G.b.	
46	ancéps. W.H.	(*sc.wh.*) Florido-Johnsoni.	Spofforth.	——	——	G.b.	
47	concínna. W.H.	(*sc.wh.*) Formoso-Johnsoni.	———	——	——	G.b.	
	α *Roundhead.* W.H.	(*sc.wh.*) *Roundhead.*	———	——	——	G.b.	
	β *Peter.* W.H.	(*sc.wh.*) *Peter.*	———	——	——	G.b.	
	γ *John.* W.H.	(*sc.wh.*) *John.*	———	——	——	G.b.	
	δ *Jeffrey.* W.H.	(*sc.wh.*) *Jeffrey.*	———	——	——	G.b.	
48	incónstans.	(*sc.or.*) Acuminato-Johnsoni.	Colvill's.	——	——	G.b.	
	α *vendsa.*	(*re.co.*) *purple-veined.*	———	——	——	G.b.	
	β *laterítia.*	(*re.co.*) *brick-coloured.*	———	——	——	G.b.	
	γ *glaucéscens.*	(*re.co.*) *glaucescent.*	———	——	——	G.b.	
	δ *cóncolor.*	(*co.*) *self-coloured.*	———	——	——	G.b.	
	ε *vària.*	(*re.co.*) *variable-coloured.*	———	——	——	G.b.	
	ζ *crispiflòra.*	(*sc.*) *scarlet curl-flowered.*	——	——	——	G.b.	
	η *pustulòsa.*	(*sc.co.*) *pustulose-flowered.*	———	——	——	G.b.	
	θ *breviflòra.*	(*re.co.*) *short-tubed.*	———	——	——	G.b.	
	ι *fúlvo-cincta.*	(*re.co.*) *brown-edged.*	———	——	——	G.b.	
	κ *dilécta.*	(*sc.*) *bright-scarlet.*	———	——	——	G.b.	
	λ *tortuliflòra.*	(*sc.or.*) *twisted-flowered.*	———	——	——	G.b.	
	μ *veniflòra.*	(*ye.re.*) *veined-flowered.*	———	——	——	G.b.	
	ν *lineolàta.*	(*re.*) *dark-lined.*	———	——	——	G.b.	
	ξ *basiflòra.*	(*re.pu.*) *purple-bottomed.*	———	——	——	G.b.	
	ο *imperiàlis.*	(*sc.*) *imperial.*	———	——	——	G.b.	
	π *punctulòsa.*	(*pa.sc.*) *purple spotted.*	———	——	——	G.b.	
	ρ *unipárvula.*	(*re.pu.*) *lower small petaled.*	———	——	——	G.b.	
	σ *purpùreo-rùbens.*	(*pu.re.*) *purplish red.*	———	——	——	G.b.	
	τ *flexuòsa.*	(*pu.re.*) *flexuose-petaled.*	———	——	——	G.b.	
	υ *delicàta.*	(*sc.pu.*) *purple-striped scarlet.*	———	——	——	G.b.	
49	crocàta. K.R.	(*sn.*) saffron-coloured.	Brazil.	1810.	4. 6.	S.b.	Bot. reg. t. 38.
50	stylòsa.	(*co.re.*) long-styled.	Maranham.	1821.	2. 6.	S.b.	Bot. mag. t. 2278.
	maranénsis. B.R. 719.	*Hippeástrum stylòsum.* B.M.					
51	acuminàta. B.R.	(*co.*) acute-flowered.	Maranham.	——	4. 8.	S.b.	Bot. reg. t. 534.
	Hippeástrum pulverulèntum. Bot. mag. t. 227.						
52	spùria.	(*sc.co.*) Acuminato-reginæ.	Colvill's.	1822.	——	S.b.	
	α *sórdida.*	(*co.*) *dull-copper.*	———	——	——	S.b.	
	β *carinàta.*	(*re.co.*) *keeled-flowered.*	———	——	——	S.b.	
53	striatiflòra.	(*sc.wh.*) Acuminato-Sweetii. β.	——	1823.	——	S.b.	
	β *consobrîna.*	(*pi.pu.*) *cousin.*	———	——	——	S.b.	
	γ *diversícolor.*	(*re.w.pu.*) *different-coloured.*	———	——	——	S.b.	
54	nòbile. W.H.	(*st.pu.*) Acuminato-striatifolia.	Spofforth.	1820.	——	S.b.	
55	venústa. W.H.	(*sc.pu.w.*) Fulgido-striatifolia.	———	——	——	S.b.	
56	dilécta. W.H.	(*sc.pu.*) Equestri-striatifolia.	Colvill's.	——	——	S.b.	
57	Go'weni. W.H.	(*pu.co.*) Striatifolio-acuminata.	Highclere.	—	——	S.b.	
	α *Cavalier.* W.H.	(*pu.co.*) *Cavalier.*	———	——	——	S.b.	
	β *Biondelta.* W.H.	(*pu.c.*) *Biondelta.*	———	——	——	S.b.	
	γ *Agatha.* W.H.	(*pu.co.*) *Agatha.*	———	——	——	S.b.	
58	Harrisòni. W.H.	(*sc.pu.*) Striatifolio-stylosa.	Harrison's.	1824.	——	S.b.	
59	trìplex. W.H.	(*sc.pu.w.*) Goweni-vittatum.	Highclere.	1820.	——	S.b.	

60 pulchérrima. W.H. (*p.co.*) Sweetii-pulverulenta. Spofforth. 1824. 4. 8. S.b.
α Vezzosa. (*pu.re.co.*) *Vezzosa.* ——— —— —— S.b.
β Gratian. (*pu.re.co.*) *Gratian.* ——— —— —— S.b.
γ Amorosetta. (*pu.re.co.*) *Amorosetta.* ——— —— —— S.b.
δ Salamander. (*pu.re.co.*) *changing-coloured.* ——— —— —— S.b.
ε Calisto. (*pu.re.co.*) *Calisto.* ——— —— —— S.b.
61 bélla. W.H. (*pu.re.w.*) Sweetii-Carnarvoni. —— —— —— S.b.
62 díscolor. W.H. (*sc.br.*) Johnsoni-tristis. ——— —— —— S.b.
63 variàta. W.H. (*sc.pu.*) Formoso-inversum. ——— —— —— S.b.
64 quíntuplex. W.H. (*pu.re.*) Harrisoni-tristis. ——— 1826. —— S.b.
65 exímia. W.H. (*va.*) Goweni-Highclerièna. Highclere. .. —— S.b.
66 equéstris. K.R. (*sc.*) Barbadoes Lily. W. Indies. 1710. 7. 10. S.b. Bot. mag. t. 305.
β màjor. B.R. (*sc.*) *larger.* ——— .... —— S.b. Bot. reg. t. 234.
γ plèna. (*sc.*) *double-flowered.* ——— 1809. —— S.b.
67 miniàta. R.P. (*se.*) vermilion. S. America. .... S.b.
68 solandriflòra. L.col. (*st.*) Solandra-flowered. ——— 1820. 4. 6. S.b. Lindl. coll. bot. t. 11.
α chloroleùca. (*st.*) *dull-coloured.* ——— —— —— S.b.
β rùbro-striàta. (*st.*) *red-striped.* ——— —— —— S.b. Bot. mag. t. 2573.
γ purpuráscens. (*st.pu.*) *purple-tubed.* ——— —— —— S.b.
δ striàta. (*pu.st.*) *purple-striped.* ——— —— —— S.b. Bot. reg. t. 876.
69 Haylócki. W.H. (*st.pu.*) Solandrifloro-acuminata. —— —— —— S.b.
70 Herbérti. (*va.*) Solandrifloro-stylosa. Spofforth. .... —— S.b.
α lónga. (*va.*) *long-flowered.* ——— .... —— S.b.
β carnélla. (*fl.*) *flesh-coloured.* ——— .... —— S.b.
γ magnífica. (*va.*) *magnificent.* ——— .... —— S.b.
71 Highclerièna. W.H. (*va.*) Styloso-Solandriflora. Highclere... —— S.b.
β pícta. (*va.*) *painted lady.* Spofforth. .... —— S.b.
γ Dóminie. (*va.*) *Dominie.* ——— .... —— S.b.
72 calyptràta. K.R. (*gr.*) green-flowered. Brazil. 1816. 5. 8. S.b. Bot. reg. t. 164.
73 aùlica. K.R. (*sc.gr.*) crowned. ——— —— 1. 6. S.b. ——— t. 444.
74 psittácina. K.R. (*sc.gr.*) parrot-like. ——— —— 1. 12. S.b. ——— t. 199.
75 Griffìni. W.H. (*sc.gr.*) Psittacino-Johnsoni. Griffin's. 1820. —— S.b.
α Napoleòna. W.H. (*sc.gr.*) *Napoleon's.* ——— —— —— S.b.
β Victor. W.H. (*sc.gr.*) *Victor.* ——— —— —— S.b.
γ Alompra. W.H. (*sc.gr.*) *Alompra.* ——— —— —— S.b.
δ retinérvia. (*sc.gr.*) *netted-nerved.* Colvill's. 1822. —— S.b.
ε recurviflòra. (*sc.gr.*) *recurve-pointed.* ——— —— —— S.b.
ζ campanulàta. (*re.gr.*) *bell-flowered.* ——— —— —— S.b.
η quadrilineàta. (*sc.pu.g.*) *four-lined.* ——— —— —— S.b.
θ albocincta. (*wh.sc.*) *white-edged.* ——— —— —— S.b.
ι quadrícolor. (*sc.pu.g.w.*) *four-coloured.* ——— —— —— S.b.
76 affíne. (*sc.gr.*) Psittacino-reginæ. ——— —— —— S.b.
α canaliculàta. (*sc.gr.*) *channel-leaved.* ——— —— —— S.b.
β membranàcea. (*re.pu.g.*) *membranous-edged.* ——— —— —— S.b.
γ purpurostriàta. (*re.pu.*) *purple-striped.* ——— —— —— S.b.
δ latífida. (*re.pu.g.*) *broad-segmented.* ——— —— —— S.b.
77 tortuòsa. (*sc.gr.*) Psittacino-equestris. ——— —— —— S.b.
78 multistriàta. (*sc.wh.*) Psittacino-Valleti. ——— —— —— S.b. Miss Chapman ic.
β retiflòra. (*sc.w.g.*) *netted-flowered.* ——— —— —— S.b.
79 pretiòsum. W.H. (*sc.gr.*) Psittacino-Griffini. Highclere. 1824. —— S.b.
80 sínistrum. W.H. (*sc.w.g.*) Griffini-vittatum. ——— —— —— S.b.

SPREIK'ELIA. H.A. JACOBEA LILY. Hexandria Monogynia.
formosíssima. H.A. (*cr.*) crimson. S. America. 1658. 5. 6. F.b. Bot. mag. t. 47.
Amaryllis formosissima. B.M.

LYC'ORIS. H.A. LYC'ORIS. Hexandria Monogynia.
1 aùrea. H.A. (*ye.*) golden. China. 1777. 8. 12. G.b. Bot. reg. t. 611.
Amaryllis aùrea. B.R.
2 radiàta. H.A. (*pi.*) Snowdrop-leaved. ——— 1758. 9. 10. G.b. Bot. reg. t. 596.
Amaryllis radiàta. B.R.

NER'INE. H.A. NER'INE. Hexandria Monogynia.
1 curvifòlia. H.A. (*sc.*) curve-leaved. C. B. S. 1794. 7. 9. F.b. Bot. mag. t. 725.
Amaryllis curvifòlia. B.M. *Fothergíllia.* Andr. reposit. t. 163.
2 corúsca. H.A. (*sc.*) brilliant. C. B. S. 1809. —— F.b. Bot. mag. t. 1089.
3 ròsea. B.M. (*ro.*) rose-coloured. ——— .... —— F.b. ——— t. 2124.
4 venústa. H.A. (*ro.*) poppy-coloured. ——— 1806. 6. 8. F.b. ——— t. 1090.
5 sarniénsis. H.A. (*re.*) Guernsey Lily. ——— 1659. 9. 10. F.b. ——— t. 294.
6 pulchélla. H.A. (*re.*) pretty. ——— 1820. 7. 9. F.b. ——— t. 2407.
7 flexuòsa. H.A. (*pa.re.*) zigzag. ——— 1795. 9. 10. F.b. Bot. reg. t. 172.
8 hùmilis. H.A. (*re.*) small. ——— —— 7. 10. F.b. Bot. mag. t. 726.

TRITO'NIA. Ker. TRIT'ONIA. Triandria Monogynia. H.K.

1	crispa. H.K.	(*ro.wh.*)	curled-leaved. C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 678.
2	anigozanthiflòra.	(*gr.*)	Anigozanthus-fld. ———	1825.	6. 8.	F.b.	
3	viridis. B.M.	(*gr.*)	green-flowered. ———	1788.	7.	F.b.	Bot. mag. t. 1275.
4	ròsea. H.K.	(*wh.ro.*)	rosy. ———	1793.	6. 7.	F.b.	——— t. 618.
5	capénsis. B.M.	(*st.pu.*)	Cape. ———	1811.	8. 10.	F.b.	——— t. 1531.
6	pállida. B.M.	(*st.*)	pale-flowered. ———	1806.	———	F.b.	Jacq. ic. 2. t. 262.
7	longiflòra. B.M.	(*st.re.*)	long-flowered. ———	1774.	6. 8.	F.b.	Bot. mag. t. 256.
	Hexaglóttis longiflòra. V. *Gladíolus longiflòrus.* Jacq. *I'xia longiflòra.* B.M.						
8	tenuiflòra. R.s.	(*st.*)	slender-flower'd. C. B. S.	1811.	4. 6.	F.b.	Bot. mag. t. 1562.
9	cóncolor.	(*st.*)	self-coloured. ———	———	———	F.b.	——— t. 1502 *f. minor.*
10	Rocheàna.	(*st.ro.*)	bending-flowered. ———	———	8.	F.b.	——— t. 1503.
11	pectinàta. B.M.	(*bl.*)	pectinated. ———	1825.	5. 6.	F.b.	
12	striàta. B.M.	(*st.vi.*)	streaked. ———	———	———	F.b.	Jacq. ic. 2. t. 260.
13	lineàta. B.M.	(*st.br.*)	pencilled. ———	1774.	———	F.b.	Bot. mag. t. 497.
14	securígera. B.M.	(*co.ye.*)	copper-coloured. ———	———	5.	F.b.	——— t. 353.
15	flàva. B.M.	(*ye.*)	yellow. ———	1780.	4. 6.	F.b.	Bot. reg. t. 747.
16	refrácta. B.R.	(*ye.*)	reflexed. ———	1815.	5. 6.	F.b.	——— t. 135.
17	squálida. B.M.	(*pi.bl.*)	sweet-scented. ———	1774.	———	F.b.	Bot. mag. t. 581.
18	fenestràta. B.M.	(*sn.*)	open-flowered. ———	1801.	———	F.b.	——— t. 704.
19	purpùrea. K.I.	(*pu.*)	purple. ———	1825.	———	F.b.	
20	crocàta. B.M.	(*sn.*)	Crocus-flowered. ———	1758.	———	F.b.	Bot. mag. t. 164.
	I'xia crocàta. B.M.						
21	deústa. B.M.	(*sn.ve.*)	spotted-flower'd. ———	1774.	———	F.b.	Bot. mag. t. 622.
22	miniàta. B.M.	(*ye.*)	late-flowered. ———	1795.	8.	F.b.	——— t. 668.
23	xanthospila. S.S.	(*wh.*)	yellow-spotted. ———	1825.	5. 6.	F.b.	Redout. lil. 3. t. 134.

MORPHI'XIA. K.I. MORPHI'XIA. Triandria Monogynia.

1	lineàris. K.I.	(*bl.*)	slender. C. B. S.	1796.	4. 5.	F.b.	Bot. mag. t. 570.
	I'xia lineàris. R.s. *capillàris α gracillima.* B.M. *Hyàlis grácilis.* Salisb.						
2	capillàris. K.I.	(*bl.*)	wire-stemmed. C. B. S.	1774.	———	F.b.	Bot. mag. t. 617.
	Hyàlis latifólia. Salisb. *I'xia láncea.* Jacq. ic. 2. t. 281. *capillàris β stricta.* B.M.						
3	aùlica. K.I.	(*ro.*)	rose-coloured. C. B. S.	1774.	———	F.b.	Bot. mag. t. 1013.
	I'xia aùlica. H.K. *capillàris γ aùlica.* B.M. *Hyàlis aùlica.* Salisb.						
4	incarnàta. K.I.	(*fl.*)	flesh-coloured. C. B. S.	1774.	———	F.b.	Jacq. ic. 2. t. 282.

I'XIA. Ker. I'XIA. Triandria Monogynia. L.

1	fucàta. B.M.	(*bl.*)	painted. C. B. S.	....	6. 7.	F.b.	Bot. mag. t. 1378.
2	aristàta. B.M.	(*pi.*)	salver-flowered. ———	1800.	———	F.b.	——— t. 569.
3	flexuósa. B.M.	(*va.*)	flexuose. ———	1757.	4. 5.	F.b.	——— t. 624.
4	hy'brida. B.M.	(*wh.ro.*)	spurious. ———	———	———	F.b.	——— t. 128.
5	leucántha. P.s.	(*wh.*)	white-flowered. ———	1779.	5. 8.	F.b.	Jacq. ic. 2. t. 278.
6	pátens. B.M.	(*cr.*)	spreading-flower'd. ———	———	4. 6.	F.b.	Bot. mag. t. 522.
7	crateroídes. B.M.	(*cr.*)	crimson. ———	1778.	———	F.b.	——— t. 594.
8	monadélpha. B.M.	(*bl.gr.*)	monadelphous. ———	1792.	———	F.b.	——— t. 667.
9	cúrta. A.R.	(*or.*)	shortened. ———	———	———	F.b.	Andr. reposit. t. 551.
	monadélpha β. Bot. mag. t. 1378.						
10	columellàris. B.M.	(*pu.b.ve.*)	variegated. ———	1790.	6. 8.	F.b.	Bot. mag. t. 634.
11	cònica. B.M.	(*or.ve.*)	orange-color'd. ———	1757.	4. 5.	F.b.	——— t. 539.
12	fúsco-citrìna. R.s.	(*ye.br.*)	yellow and brown. ———	———	———	F.b.	Redoute liliac. t. 88.
13	dùbia. R.s.	(*ye.pu.*)	doubtful. ———	....	———	F.b.	——— 2. t. 94.
14	viridiflòra. R.s.	(*gr.pu.*)	green-flowered. ———	1780.	5. 6.	F.b.	——— t. 495.
15	maculàta. W.	(*va.*)	spot-flowered. ———	———	———	F.b.	Jacq. schœn. t. 30. 31. &c.
16	ovàta. A.R.	(*wh.pu.*)	ovate-spiked. ———	———	———	F.b.	Andr. reposit. t. 23.
17	capitàta. A.R.	(*wh.bk.*)	headed. ———	———	———	F.b.	——— t. 159.
18	ochroleùca.	(*st.br.*)	cream-coloured. ———	1809.	———	F.b.	Bot. mag. t. 1285.
19	erécta. H.K.	(*wh.*)	upright. ———	1757.	———	F.b.	Jacq. schœn. 1. t. 18.
	α albiflòra.	(*wh.*)	*white-flowered.* ———	———	———	F.b.	Bot. mag. t. 623.
	β incarnàta.	(*fl.*)	*flesh-coloured.* ———	———	———	F.b.	Andr. reposit. t. 155.
	γ lùtea.	(*ye.*)	*yellow-flowered.* ———	———	———	F.b.	Bot. mag. t. 646.
20	odoràta.	(*ye.*)	sweet-scented. ———	———	———	F.b.	——— t. 1173.
21	retùsa. H.K.	(*ro.*)	retuse. ———	1793.	2. 4.	F.b.	Jacq. ic. 2. t. 275.
	polystàchia. Bot. mag. t. 629.						
22	scillàris. B.M.	(*ro.*)	Squill-flowered. ———	1787.	———	F.b.	Bot. mag. t. 542.
23	crispa. B.M.	(*ro.*)	curled-leaved. ———	———	4. 5.	F.b.	——— t. 599.

MELASPH'ÆRULA. Ker. MELASPH'ÆRULA. Triandria Monogynia. H.K.

1	iridifólia. B.F.G.	(*wh.br.*)	Iris-leaved. C. B. S.	1825.	2. 4.	F.b.	Swt. br. fl. gar. ic.
2	intermèdia.	(*pu.st.*)	intermediate. ———	1787.	4. 8.	F.b.	Bot. mag. t. 615.
	graminea. B.M. *excl. synonym.*						
3	graminea.	(*wh.br.*)	grass-leaved. ———	1825.	2. 5.	F.b.	Jacq. ic. 2. t. 296.
	Gladíolus graminéus. Jacq. *Diàsia graminifólia.* Red. lil. t. 162.						
4	parviflòra. L.c.	(*wh.*)	small-flowered. C. B. S.	1825.	———	F.b.	Lodd. bot. cab. t. 1144.

3	lanceæfòlius. s.s. (*re.*) spear-leaved,	C. B. S.	1794.	9. 10.	F.b.	Jacq. schœn. 1. t. 60.
4	carinàtus. P.S. (*re.*) keel-leaved.	———	1759.	8. 9.	F.b.	
5	amaryllòides. s.s. (*re.*) Amaryllis-like.	———	1825.	——	F.b.	
6	moschàtus. s.s. (*re.*) musk-scented.	———	1816.	——	F.b.	
7	sanguíneus. s.s. (*sc.*) crimson.	———	1820.	6. 8.	F.b.	
8	puníceus. s.s. (*sc.*) waved-leaved.	———	1722.	5. 9.	G.b.	Bot. mag. t. 1315.
9	multiflòrus. s.s. (*sc.*) many-flowered.	Sierra Leon.	1783.	——	S.b.	——— t. 1905 & 961.
	R'INUM. W.H.	CR'INUM.	Hexandria Monogynia.			
1	pedunculàtum. B.P. (*wh.*) New Holland.	N. S. W.	1790.	4. 8.	G.b.	Bot. reg. t. 52.
2	exaltàtum. H.A. (*wh.*) high.	E. Indies.	1820.	——	S.b.	
3	canaliculàtum. K.R. (*wh.*) channelled-leaved.	———	1810.	——	S.b.	
4	brachyándrum. K.R. (*wh.*) short-anthered.	N. Holland.	1819.	——	G.b.	
5	brevilìmbum. H.A. (*wh.*) short-limbed.	Pacific Isl.	1820.	6. 8.	S.b.	
6	pròcerum. H.A. (*bh.*) tall.	Rangoon.	1822.	——	S.b.	Bot. mag. t. 2684.
7	sínicum. H.A. (*wh.*) Chinese.	China.	1819.	——	S.b.	
8	anómalum. H.A. (*wh.*) plaited-leaved.	———	1822.	——	S.b.	
9	asiáticum. K.R. (*wh.*) Poison bulb.	———	1732.	——	S.b.	Bot. mag. t. 1073.
0	plicàtum. B.M. (*wh.*) plicate-leaved.	———	1823.	4. 6.	S.b.	——— t. 2908.
1	declinàtum. H.A. (*wh.*) declined.	E. Indies.	1819.	4. 8.	S.b.	——— t. 2231.
2	bracteàtum. W. (*wh.*) short-leaved.	Mauritius.	1810.	6. 8.	S.b.	Bot. reg. t. 179.
	brevifòlium. H.B. published 1814. *bracteàtum.* W. 1799. Jacq. schœn. 4. t. 495 in 1804.					
	β angustifòlium. H.A. (*wh.*) *narrow-leaved.*	———	——	——	S.b.	
3	erubéscens. K.R. (*re.wh.*) blush-coloured.	S. America.	1789.	——	S.b.	Bot. mag. t. 1232.
	α rubrilìmbum. (*re.*) *red-limbed.*	———	——	——	S.b.	
	β major. H.A. (*re.wh.*) *larger.*	———	——	——	S.b.	
	γ minor. H.A. (*re.wh.*) *lesser.*	———	——	——	S.b.	
	δ corant'yum. W.H. (*bh.*) *Corantyne.*	Berbice.	1820.	——	S.b.	
	ε aquáticum. W.H. (*wh.*) *water.*	Brazil.	1823.	——	S.b.	
	ζ glàbrum álbum. W.H. (*wh.*) *shining-leaved.*	Maranham.	1820.	——	S.b.	
	η glàbrum ràbrum. W.H. (*re.wh.*) *smooth red.* ———		1823.	——	S.b.	
	θ undulàtum. W.H. (*wh.*) *wave-leaved.*	Brazil.	——	——	S.b.	Hook. ex. flor. t. 200.
	Crìnum undulàtum. *Hooker.*					
4	cruéntum. B.R. (*re.*) red-flowered.	S. America.	1810.	——	S.b.	Bot. reg. t. 171.
5	sumatrànum. K.R. (*wh.*) Sumatra.	Sumatra.	——	——	S.b.	——— t. 1049.
6	macrocárpon. H.A. (*wh.*) large-fruited.	Pegu.	1820.	——	S.b.	
7	élegans. H.A. (*wh.*) elegant.	———	——	9. 11.	S.b.	Bot. mag. t. 2592.
8	venústum. H.A. .... pretty.	E. Indies.	——	....	S.b.	
9	canalifòlium. H.A. (*wh.*) channelled.	———	——	6. 9.	S.b.	
	β major. W.H. (*wh.*) *larger.*	———	1825.	——	S.b.	
0	longifòlium. K.R. (*wh.*) long-leaved.	———	1810.	——	S.b.	
1	lorifòlium. K.R. (*wh.*) lorate-leaved.	———	1819.	——	S.b.	
2	americànum. W. (*wh.*) American.	S. America.	1752.	7. 9.	S.b.	Bot. mag. t. 1034.
3	Commelini. K.R. (*wh.*) Commelin's.	———	1798.	6. 9.	S.b.	Jacq. schœn. 2. t. 202.
4	strictum. B.M. (*wh.*) upright.	S. America?	1820.	8. 10.	S.b.	Bot. mag. t. 2635.
5	defixum. K.R. (*wh.*) marsh.	E. Indies.	1810.	4. 8.	S.b.	——— t. 2208.
6	ensifòlium. K.R. (*bh.*) sword-leaved.	———	1820.	——	S.b.	——— t. 2301.
7	am'œnum. K.R. (*wh.*) delightful.	———	1810.	——	S.b.	
8	multiflòrum. Df. (*wh.*) many-flowered.	.....	1822.	——	S.b.	
9	verecúndum. H.A. (*bh.*) blush.	E. Indies.	1820.	6. 9.	S.b.	
0	hùmile. B.M. (*wh.*) humble.	———	1816.	4. 8.	S.b.	Bot. mag. t. 2636.
1	confértum. B.M. (*wh.*) crowded-flowered.	N. Holland.	1822.	6. 7.	G.b.	——— t. 2522.
2	angustifòlium. B.P. (*wh.*) rough-edged.	———	1823.	——	G.b.	
3	arenàrium. B.M. (*wh.*) sand.	———	1818.	5. 8.	G.b.	Bot. mag. t. 2355.
	β blándum. B.M. (*bh.*) *blush-flowered.*	———	1821.	——	G.b.	——— t. 2581.
4	purpuráscens. W.H. (*pu.*) purplish.	Fernando Po.	1826.	——	S.b.	
5	erythrophy'llum. W.H. (*pu.*) red-leaved.	Rangoon.	1824.	——	S.b.	
β	amábile. K.R. (*pu.wh.*) beautiful.	Sumatra.	1810.	1. 12.	S.b.	Bot. mag. t. 1605.
7	augústum. K.R. (*pu.wh.*) august.	Mauritius.	1819.	4. 8.	S.b.	——— t. 2397.
8	mauritiànum. B.C. (*wh.*) Mauritius.	———	1816.	6. 9.	S.b.	Lodd. bot. cab. t. 650.
9	submérsum. B.M. (*pu.wh.*) lake.	Brazil.	1823.	8. 10.	S.b.	Bot. mag. t. 2463.
0	scábrum. B.M. (*cr.wh.*) rough-leaved.	S. America.	1810.	1. 12.	S.b.	——— t. 2180.
1	zeylánicum. H.A. (*cr.wh.*) Ceylon.	Ceylon.	1771.	7. 8.	S.b.	——— t. 1171.
	Amary'llis zeylánica. B.M.					
2	latifòlium. H.A. (*bh.*) broad-leaved.	E. Indies.	1806.	7. 9.	S.b.	Bot. reg. t. 1297.
3	longist'ylum. W.H. (*bh.*) long-styled.	———	1819.	6. 10.	S.b.	
4	insígne. W.H. (*cr.wh.*) noble.	———	——	4. 8.	S.b.	Bot. reg. t. 579.
5	Careyànum. B.M. (*bh.*) Carey's.	Mauritius.	1820.	1. 12.	S.b.	Bot. mag. t. 2466.
6	speciòsum. B.M. (*w.ro.*) specious.	E. Indies.	1819.	6. 9.	S.b.	——— t. 2217.
7	moluccànum. B.M. (*w.bh.*) Molucca.	Moluccas.	——	——	S.b.	——— t. 2292.

48 gigánteum. A.R. (*wh.*) gigantic. SierraLeone. 1792. 7. 10. S.b. Andr. rep. t. 169.
petiolàtum. H.A. *Amaryllis gigántea.* Bot. mag. t. 92.
49 Broussonèti. H.A. (*wh.pu.*) Broussonet's. ——— —— —— S.b. Bot. mag. t. 2121.
50 yuccæides. H.A. (*re.wh.*) Yucca-flowered. ——— 1740. 6. 10. S.b.
51 dístichum. H.A. (*re.wh.*) distichous. ——— —— —— S.b. Bot. mag. t. 1253.
Amaryllis ornàta a. B.M.
52 Láncei. W.H. (*re.wh.*) Lance's. Surinam. 1825. —— S.b.
53 fláccidum. B.M. (*wh.*) flaccid. N. S. W. 1820. 7. 9. G.b. Bot. mag. t. 2133.
Amaryllis australásica. Bot. reg. t. 426.
54 Fórbesi. W.H. (*re.wh.*) Forbes's. Delagoa Bay. 1824? —— S.b.
55 longifiòrum. H.A. (*re.wh.*) long-flowered. W. Indies. 1816. 5. 8. S.b. Bot. reg. t. 303.
Amaryllis longifòlia β longifiòra. B.R.
56 capénse. H.A. (*wh.*) common Cape. C. B. S. 1752. 7. 11. H.b. Bot. mag. t. 661.
Amaryllis longifòlia. B.M.
β minor. W.H. (*re.wh.*) *lesser.* Highclere. 1819. —— G.b.
57 ripàrium. H.A. (*cr.wh.*) bank. ——— 1816. 6. 9. H.b. Bot. mag. t. 2688.
58 revolùtum. H.A. (*wh.re.*) revolute. ——— 1774. 8. 10. G.b. Bot. reg. t. 623.
Amaryllis revolùta. A.—B.R.
59 crassifòlium. H.A. (*wh.ro.*) thick-leaved. ——— —— —— G.b. Bot. reg. t. 615.
Amaryllis revolùta. B.—B.R.
60 algoénse. W.H. (*re.wh.*) Algoa-bay. C. B. S. 1826. —— G.b.
61 cáffrum. W.H. (*re.wh.*) Caffre. ——— 1825. —— G.b.
62 aquáticum. H.A. (*ro.bh.*) water. ——— 1816. 5. 8. G.b. Bot. mag. t. 2352.
63 Gowenianum. W.H. (*bh.*) zeylanico-capense. Highclere. 1813. 6. 9. G.b. Hort. trans. ic.
64 Herbertiànum. (*re.wh.*) Scabro-capense. Spofforth. 1818. —— G.b.
Spofforthiànum. Herbert Mss.
65 fértile. W.H. (*wh.*) Canaliculato-capense. ——— —— —— G.b.
β grandifiòrum. W.H. (*wh.*) *larger-flowered.* ——— —— —— G.b.
66 ingens. W.H. (*wh.*) Pedunculato-capense. Highclere. — —— G.b.
67 eréctius. W.H. (*bh.*) Corantyno-capense. Spofforth. —— —— G.b.
68 Highclerianum. W.H. (*wh.*) Asiatico-capense. Highclere —— —— G.b.
69 elongàtum. W.H. (*wh.*) Brevifolio-capense. Spofforth. 1819. —— G.b.
70 modéstum. W.H. (*bh.*) Specioso-capense. ——— —— —— G.b.
71 pùdicum. W.H. (*bh.*) Careyano-capense. ——— —— —— G.b.
72 cùpitum. W.H. (*re.wh.*) Cruento-capense. ——— —— —— G.b.
73 tortuòsum. W.H. (*wh.*) Defixo-capense. ——— —— —— G.b.
74 Fèlix. W.H. (*bh.*) Latifolio-capense. ———1828. —— G.b.
75 microspérmum. W.H. (*bh.*) Revoluto-capense. ——— —— —— G.b.
76 egrègium. W.H. (*re.wh.*) Pedunculato-riparium. ———1826. —— G.b.
77 præstans. W.H. (*re.wh.*) Canaliculato-riparium. ——— —— —— G.b.
78 vittàtum. W.H. (*re.wh.*) Scabro-exaltatum. ———1818. —— S.b.
79 Digweèdi. W.H. (*re.wh.*) Scabro-americanum. Highclere. 1826. —— S.b.
80 Coopèri. W.H. (*re.wh.*) Specioso-longifolium. Wentworth— —— S.b.
81 amàtum. W.H. (*re.wh.*) Zeylanico-pedunculatum. Highclere. —— S.b.
82 Bacòni. W.H. (*re.wh.*) Zeylanico-erubescens. Mr. Bacon's. —— S.b.
83 cándidum. W.H. (*wh.*) Americano-bracteatum. Spofforth. —— S.b.
84 rubricaùle. W.H. (*bh.*) Erubescenti-bracteatum. —— —— —— S.b.
85 púlchrum. W.H. (*re.wh.*) Scabro-erubescens. Highclere. —— —— S.b.
86 bulbulòsum. W.H. (*bh.*) Capensi-erubescens. ——— —— G.b.
87 dùplex. W.H. (*bh.*) Americano-erubescens. Spofforth.— —— S.b.
β minor W.H. (*bh.*) *lesser.* Highclere. —— —— S.b.
88 flaccídulum. W.H. (*bh.*) Specioso-defixum. Spofforth. —— —— S.b.
89 promíssum. W.H. (*re.wh.*) Forbesi-Careyanum. ——— —— —— S.b.
90 mirábile. W.H. (*wh.*) Flaccido-canaliculatum. —— —— —— S.b.
91 ùnicum. W.H. (*wh.*) Flaccido-bracteatum. ——— —— —— S.b.
92 triplex. W.H. (*wh.*) Careyano-fertile. ——— —— —— S.b.
93 divérsum. W.H. (*wh.*) Careyano-tortuosum. ——— —— —— S.b.
94 quádruplex. W.H. (*wh.*) Candido-fertile. ——— —— —— S.b.

VALLÌOTA. H.A. VALLÌOTA. Hexandria Monogynia.
purpùrea. H.A. (*re.*) purple-stalked. C. B. S. 1774. 5. 8. F.b. Jacq. schœn. 1. t. 62.
Amaryllis purpùrea. W. *elàta.* Jacq.
α màjor. (*re.*) *larger.* ——— —— —— F.b. Bot. mag. t. 1430.
β minor. (*re.*) *lesser.* ——— —— —— F.b. Bot. reg. t. 552.

GASTRON'EMA. H.A. GASTRON'EMA. Hexandria Monogynia.
clavàtum. H.A. (*re.wh.*) clavate. C. B. S. 1816. 5. 8. F.b. Bot. mag. t. 2291.
Cyrtánthus unifiòrus. Bot. reg. t. 168. *Amaryllis Pumìlio.* H.K.

CYRTA'NTHUS. W. CYRTA'NTHUS. Hexandria Monogynia. W.
1 obliquus. W. (*or.gr.*) oblique-leaved. C. B. S. 1774. 5. 8. G.b. Bot. mag. t. 1133.
2 striàtus. B.M. (*ye.sc.*) striped. ——— 1823. —— G.b. ——— t. 2534.

vittàtus. s.s.	(*std.*) ribbon.	C. B. S.	1828.	5. 8.	G.b.		
spiràlis. B.R.	(*sc.*) spiral-leaved.	———	1790.	—	G.b.	Bot. reg. t. 167.	
collìnus. B.R.	(*sc.*) hill.	———	1816.	——	G.b.	——— t. 162.	
pállidus. B.M.	(*fl.*) pale-flowered.	———	1822.	——	G.b.	Bot. mag. t. 2471.	
ventricòsus. W.	(*sc.*) bellied.	———	1770.	—	G.b.	Jacq. schœn. 1. t. 76.	
angustifòlius. W.	(*sc.*) narrow-leaved.	———	1774.	5. 6.	G.b.	Bot. mag. t. 271.	
odòrus. B.R.	(*sc.*) sweet-scented.	———	1818.	5. 7.	G.b.	Bot. reg. t. 503.	
BU'RGHIA. B.F.G.	COBU'RGHIA. Hexandria Monogynia.						
incarnàta. B.F.G.	(*sc.*) splendid.	Quito.	1820.	8. 9.	F.b.	Swt. br. fl. gar. s.2. t.17.	
ENOME'SSON. H.A.	STENOME'SSON. Hexandria Monogynia.						
flàvum. B.M.	(*ye.*) slender-toothed.	Peru.	1823.	5. 11.	G.b.	Bot. mag. t. 2641.	
Chrysiphìala flàva. B.R. 778.							
curvidentàtum. B.M.	(*ye.*) curve-toothed.	———	1824.	——	G.b.	Bot. mag. t. 2640.	
pauciflòrum.	(*ye.*) few-flowered.	———	1822.	——	G.b.	Hook. ex. flor. t. 132.	
Chrysiphìala pauciflòra. H.E.F.							
LIDA'NTHUS. H.A.	CHLIDA'NTHUS. Hexandria Monogynia.						
frágrans. H.A.	(*ye.*) yellow fragrant.	S. America.	1821.	6. 8.	G.b.	Bot. reg. t. 640.	
CR'OSIA. B.R.	EUCR'OSIA. Hexandria Monogynia.						
bícolor. B.R.	(*or.re.*) two-coloured.	Cape Horn.	1816.	4. 5.	S.b.	Bot. reg. t. 207.	
LOSTE'MMA. B.P.	CALOSTE'MMA. Hexandria Monogynia.						
lùteum. B.R.	(*ye.*) yellow.	N. Holland.	1819.	8. 10.	F.b.	Bot. reg. t. 421.	
purpùreum. B.P.	(*pu.*) purple.	———	——	——	F.b.	——— t. 422.	
álbum. B.P.	(*wh.*) white-flowered.	—— ——	1824.	— —	G.b.		
URYCLES. Sal.	EURYCLES. Hexandria Monogynia.						
nùda.	(*wh.*) naked stamen'd.	E. Indies.	1822.	5. 7.	S.b.		
Crìnum nervòsum. H.B.							
alàta.	(*wh.*) wing-stamen'd.	N. Holland.	1821.	——	S.b.	Bot. reg. t. 715.	
Pancràtium australásicum. B.R.							
coronàta.	(*wh.*) crowned.	E. Indies.	1759.	——	S.b.	Bot. mag. t. 1419.	
Pancràtium amboinénse. B.M. *Pròiphys amboinénsis.* H.A.							
Three very distinct species, all flowered at Mr. Colvill's.							
MENOCA'LLIS. H.A.	HYMENOCA'LLIS. Hexandria Monogynia.						
speciòsa. K.R.	(*wh.*) large-flowered.	W. Indies.	1759.	5. 9.	S.b.	Bot. mag. t. 1453.	
Pancràtium speciòsum. B.M.							
ovàta. K.R.	(*wh.*) broad-leaved.	———	....	——	S.b.	Bot. reg. t. 43.	
am'œna. K.R.	(*wh.*) handsome.	Guiana.	1790.	——	S.b.	Bot. mag. t. 1467.	
frágrans. L.T.	(*wh.*) fragrant.	W. Indies.	....	——	S.b.	Lodd. bot. cab. t. 834.	
guianénsis. B.R.	(*wh.*) Guiana.	Guiana.	1818.	——	S.b.	Bot. reg. t. 265.	
carib'æa. K.R.	(*wh.*) Caribean.	W. Indies.	1730.	——	S.b.	Bot. mag. t. 826.	
Pancràtium carib'æum. B.M.							
declinàta. B.C.	(*wh.*) declining.	Brazil.	....	——	S.b.	Lodd. bot. cab. t. 558.	
undulàta. K.R.	(*wh.*) wave-leaved.	S. America.	....	——	S.b.		
expánsa. B.M.	(*wh.*) expanded.	W. Indies.	1818.	——	S.b.	Bot. mag. t. 1941.	
pedàlis. B.C.	(*wh.*) foot-flowered.	Brazil.	1815.	——	S.b.	Lodd. bot. cab. t. 809.	
pátens. K.R.	(*wh.*) spreading.	W. Indies.	....	——	S.b.	Redout. lil. 6. t. 380.	
littoràlis. K.R.	(*wh.*) sea side.	S. America.	1758.	—	S.b.	Jacq. vind. 3. t. 75.	
Dryándri. K.R.	(*wh.*) Dryander's.	———	....	——	S.b.	Bot. mag. t. 825.	
dísticha. H.A.	(*wh.*) two-ranked.	———	....	——	S.b.		
angústa. K.R.	(*wh.*) narrow-leaved.	———	....	——	S.b.	Bot. reg. t. 221.	
tenuiflòra. H.A.	(*wh.*) slender-flowered.	.....	....	——	S.b.		
crassifòlia. H.A.	(*wh.*) thick-leaved.	S. America.	....	——	S.b.		
acutifòlia.	(*wh.*) acute-leaved.	Mexico.	1824.	——	G.b.	Bot. reg. t. 940.	
Pancràtium mexicànum. B.R. *nec aliorum. Hymenocállis litoràlis. δ acutifòlia.* B.M. 2621.							
rotàta. H.A.	(*wh.*) large-crowned.	Carolina.	1803.	7. 9.	G.b.	Bot. mag. t. 827.	
mexicàna. K.R.	(*wh.*) Mexican.	Mexico.	1732.	8.	G.b.	Ker's review. pl.3. f.2.	
caroliniàna. H.A.	(*wh.*) Carolina.	Carolina.	1759.	6. 7.	G.b.	——— — pl. 3. f. 1.	
Stàplesi. W.H.	(*wh.*) Mr. Staples's.	Mexico.	1826.	——	G.b.		
ovalifòlium. W.H.	(*wh.*) oval-leaved.	S. America.	1820.	——	S.b.		
NCR'ATIUM. H.A.	PANCR'ATIUM. Hexandria Monogynia.						
maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G.b.	Bot. reg. t. 161.	
carolinianum. B.R. 927. *nec aliorum.*							
canariénse. B.R.	Canary.	Canaries.	1815.	6. 7.	G.b.	Bot. reg. t. 174.	
illy'ricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G.b.	Bot. mag. t. 718.	
verecúndum. K.R.	Narcissus-leav'd.	E. Indies.	1776.	6. 8.	G.b.	Bot. reg. t. 413.	
zeylánicum. K.R.	one-flowered.	Ceylon.	1752.	——	S.b.	Bot. mag. t. 2538.	
MENE. Sal.	ISME'NE. Hexandria Monogynia.						
nùtans. H.A.	(*wh.*) nodding.	Brazil.	1810.	6. 8.	S.b.	Bot. mag. t. 1561.	
Pancràtium calathìnum. B.M. *non* R.L.							
calathìnum. H.A.	(*wh.*) cup-flowered.	———	——	6. 7.	S.b.	Bot. reg. t. 215.	

3	Amáncaes. H.A. (ye.) Narcissus-flower'd. Peru. *Pancrátium Amáncaes.* B.M. *Narcissus Amáncaes.* R.P. 3. t. 263. f. a.		1804.	6. 7.	S.b.	Bot. mag. t. 1224.
NARCI'SSUS. L.		Narci'ssus. Hexandria Monogynia. L.				
	'AJAX. H.S.S.					
1	obvallàris. H.S.S. (ye.) Sibthorp's.	S. Europe.	....	3. 4.	H.b.	Bot. mag. t. 1301. f. inf.
2	bicolor. L. (wh.ye.) two-coloured.	Spain.	1629.	4. 5.	H.b.	——— t. 1187.
	'Ajax lorifòlius. H.S.S.					
3	tubæflòrus. S.P. (wh.ye.) tube-flowered.	S. Europe.	....	3. 5.	H.b.	
	'Ajax bicolor. H.S.S.					
4	moschàtus. B.M. (wh.st.) greater white.	Spain.	1629.	4.	H.b.	Bot. mag. t. 924.
5	álbus. L.T. (wh.) white flowered.	———	1759.	3. 4.	H.b.	——— t. 1300.
	moschàtus. δ. B.M. *'Ajax álbus.* H.S.S.					
6	cérnuus. R.B. (wh.) drooping-flowered.	.....	1828.	———	H.b.	
	β *plènus.* (wh.) *double-flowered.*	.....	———	———	H.b.	
7	abecíssus. H.S.S. (ye.) clipt trunk.	.....	....	———	H.b.	Park. parad. t. 107. f. 1.
8	màjor. B.M. (ye.) large.	Spain.	1629.	———	H.b.	Bot. mag. t. 51.
9	propínquus. S.P. (ye.) great jagged.	S. Europe.	....	———	H.b.	——— t. 301. f. sup.
	màjor β. B.M. *'Ajax propínquus.* H.S.S.					
10	Telamònius. H.S.S. (ye.) Telamonian.	———	....	———	H.b.	
	β *plènus.* H.S.S. (ye.) *double Daffodil.*	———	....	———	H.b.	
	γ *grandiplènus.* H.S.S. (ye.) *great double.*	———	....	———	H.b.	Park. parad. t. 101. f. 1.
11	nòbilis. H.S.S. (ye.) noble.	———	....	———	H.b.	
12	spùrius. H.S.S. (ye.) spurious.	England.	....	———	H.b.	
13	serràtus. H.S.S. (st.ye.) serrate.	———	....	———	H.b.	Eng. bot. ic. imed.
	β *suàvis.* H.S.S. (st.ye.) *sweet-scented.*	———	....	———	H.b.	
14	Pseùdo-Narcíssus. (st.ye.) Daffodil.	———	....	3. 4.	H.b.	Eng. bot. v. 1. t. 17.
	β *scóticus.* H.S.S. (st.ye.) *Scotch Daffodil.*	Scotland.	....	———	H.b.	
	γ *plènus.* H.S.S. (ye.) *double French.*	.....	....	———	H.b.	Park. parad. t. 101. f. 2.
	δ *plenissimus.* H.S.S. (ye.) *rose double.*	.....	....	———	H.b.	——— t. 101. f. 6.
15	lobulàris. H.P. (ye.) lobe-crowned.	England.	....	———	H.b.	Eng. bot. c. ic. imed.
16	pùmilus. S.P. (ye.) small wedge-fld.	S. Europe.	....	3.	H.b.	Beal. cyst. 3. fol. 5. f. 4.
	'Ajax cuneifòrus. H.S.S.					
17	minor. B.M. (ye.) small.	Spain.	1629.	3. 5.	H.b.	Bot. mag. t. 6.
	α *minimus.* H.S.S. (ye.) *smallest.*	———	———	———	H.b.	
	β *minor.* H.S.S. (ye.) *small.*	———	———	———	H.b.	Park. parad. t. 107. f. 2.
	γ *mèdius.* H.S.S. (ye.) *middle-sized.*	———	———	———	H.b.	
	δ *conspícuus.* H.S.S. (ye.) *conspicuous.*	———	....	———	H.b.	
	ε *angústus.* H.S.S. (ye.) narrow-leaved.	———	....	———	H.b.	
	DIOM'EDES. H.S.S.					
18	Maclèaii. B.M. (st.ye.) Mac Leay's.	Levant.	....	4. 5.	H.b.	Bot. mag. t. 2588.
	Diomèdes màjor. H.P.					
19	Sabini. B.R. (st.ye.) Sabine's.	———	....	———	H.b.	Bot. reg. t. 768.
	Diomèdes minor. H.P.					
	CORBUL'ARIA. H.S.S.					
20	tenuifòlius. L.T. (ye.) slender-leaved.	Biscay.	1760.	3. 4.	H.b.	Swt. br. fl. gar. t. 114.
21	lobulàtus. H.S.S. (ye.) lobed.	.....	....	———	H.b.	Park. parad. t. 107. f. 7.
22	obèsus. S.P. (ye.) inflated.	Portugal.	1796.	———	H b.	
	β *minor.* H.S.S. (ye.) *smaller.*	———	....	———	H.b.	Park. parad. t. 107. f. 8?
23	álbicans. R.S.S. (wh.) Trompet Marin.	.....	1629.	———	H.b.	Lobel. advers. 462. ic.
24	Bulbocòdium. w. (ye.) hoop petticoat.	S. Europe.	———	———	H.b.	Bot. mag. t. 86.
	QUE'LTIA. H.S.S.					
25	aurántius. H.S.S. (ye.) orange rimmed.	———	———	———	H.b.	Park. parad. t. 71. f. 2.
	β *lúteo-aurántius.* (wh.ye.) *Butter and eggs.*	———	———	———	H.b.	
26	incomparábilis. B.M. (st.ye.) peerless.	Portugal.	———	4. 5.	H.b.	Bot. mag. t. 121.
27	sulphùreus. (st.) self coloured peerless.	.....	1629.	———	H.b.	
	Quéltia cóncolor. H.S.S.					
	β *plènus.* (st.) *double orange crown.*	....	———	———	H.b.	
28	semipartítus. H.S.S. (st.ye.) cloven-cupped.	.....	1818.	3. 4.	H.b.	
29	Quéltia. (wh.st.) peerless white.	.....	———	4.	H.b.	
	Quéltia álba. H.S.S.					
	β *níveo-aurántius.* (wh.st.) *Orange Phœnix.*	.....	....	———	H.b.	
30	montànus. B.R. (wh.) mountain.	Pyrenees.	1620.	———	H.b.	Bot. reg. t. 128.
31	galanthifòlius. H.S. (wh.) Snowdrop-leav'd.	———	1720.	5.	H.b.	Park. parad. t. 73.
32	cápax. H.S.S. (wh.) capacious.	Levant.	....	———	H.b.	Redout. lil. t. 177.
	calathìnus. R.L. *Quéltia cápax.* H.S.S.					
33	Redoùtei. (wh.) long-tubed.	———	....	———	H.b.	Redout. lil. t. 420.
	calathìnus. R.L. *non* L. *nec aliorum.*					

SCHISA'NTHES. H.S.S.

14 orientàlis. L. (*st.ye.*) oriental. Levant. 1778. 4. 5. H.b. Bot. mag. t. 948.
incomparàbilis. β. B.M. *Schisánthes orientàlis.* H.S.S.

GANYME'DES. H.S.S.

15 ochroleùcus. H.R. (*st.*) drooping. Portugal. 1620. 4. H.b. Bot. mag. t. 48.
triándrus. B.M. *non* L. *Ganymèdes cérnuus.* H.S.S. *ochroleùcus.* H.R.

16 triándrus. L. (*wh.*) white drooping. S. Europe. 1629. —— H.b. Park. parad. t. 93. f. 2.
Ganymèdes álbus. H.R.

17 nùtans. H.S.S. (*ye.*) yellow cupped. ——— 1789. 3. 5. H.b. Bot. mag. t. 945.
trilòbus. B.M. *Ganymèdes nùtans.* H.S.S.

18 cóncolor. H.S.S. (*st.*) self-coloured. ——— 1626. 4. H.b.

19 striátulus. H.S.S. (*ye.bt.*) faint-striped. ——— .... —— H.b.

10 pulchéllus. H.S.S. (*ye.wh.*) white-cupped. ——— 1620. —— H.b.

PHYLO'GYNE. H.S.S.

11 rugulòsus. H.S.S. (*ye.*) wrinkle-cupped. ——— .... —— H.b.

12 odòrus. L. (*ye.*) starry-flowered. Corsica. 1729. 3. H.b. Bot. mag. t. 934.
calathìnus. α. B.M. *Phylógyne odòra.* H.S.S.

13 interjéctus. H.S.S. (*ye.*) great curled cup. S. Europe. .... 4. H.b.

14 trilòbus. L. (*ye.*) three-lobed. Spain. 1629. 3. H.b. Bot. mag. t. 78.
odòrus. B.M. *Phylógyne trilòba.* H.S.S. *calathìna.* Sal.

15 heminàlis. H.S.S. (*ye.*) lesser curled cup..... .... 4. H.b. Park. parad. t. 93. f. 4.

16 párvulus. (*ye.*) small. ..... 1629. —— H.b.
Phylógyne minor. H.S.S.
β *rugòsus.* (*ye.*) *Queen Ann's Jonquil.* ——— —— —— H.b.

HERMI'ONE. H.S.S.

17 Jonquílla. B.M. (*ye.*) Jonquil. Spain. 1596. 4. 5. H.b. Bot. mag. t. 15.
β *plènus.* (*ye.*) *double Jonquil.* ——— .... —— H.b.

18 símilis. H.S.S. (*ye.*) lesser Jonquil. S. Europe. 1626. —— H.b.

19 bìfrons. B.M. (*ye.*) double-faced. ——— 1807. 4. H.b. Bot. mag. t. 1186.

10 compréssus. L.T. (*ye.*) Jasmine Jonquil. ——— 1790. 3. 4. H.b.

11 primulìnus. H.S. (*ye.*) Cowslip-cupped. ——— ——— —— H.b. Bot. mag. t. 1299.
bifrons. β. B.M. *Hermione primulìna.* H.S.S.

12 calathìnus. L. (*ye.*) many-flowered. Levant. .... —— H.b. Rudb. elys. 2. p. 60. f. 8.

13 tereticàulis. L.T. (*st.*) cream-coloured. ——— .... 4. H.b. Bot. mag. t. 1298?

14 citrìnus. H.S.S. (*wh.ye.*) Citronière. ——— .... —— H.b. ——— t. 946.
orientàlis. γ. B.M.

15 floribúndus. H.S.S. (*wh.ye.*) grand monarque. ——— .... —— H.b.

16 Trewiànus. B.M. (*wh.ye.*) Bazelman major. ——— .... —— H.b. Bot. mag. t. 940.
Hermione grandiflòra. H.S.S.

17 crenulàtus. H.S. (*wh.ye.*) Bazelman minor. ——— .... —— H.b. Park. parad. t. 81. f. 8.

18 Tazétta. L. (*wh.ye.*) French Daffodil. ——— 1626. —— H.b. ——— t. 81. f. 3.

19 dùbius. P.S. (*wh.*) doubtful. S. France. .... —— H.b. Redout. lil. t. 429.

10 pátulus. DC. (*wh.ye.*) spreading. Isl. Hyeres. .... —— H.b.

11 fistulòsus. H.S. (*wh.ye.*) pipe-stemmed. Levant. .... —— H.b.

12 cerìnus. H.S. (*wh.ye.*) waxen cupped. ——— .... 5. H.b.

13 Lùna. H.S.S. (*wh.*) broad white. ——— .... 4. F.b.

14 papyràtius. B.M. (*wh.*) paper white. Italy. .... 2. 3. F.b. Bot. mag. t. 947.
Hermione papyràtia. H.S.S.

15 unícolor. T.N. (*wh.*) one-coloured. Naples. .... —— H.b. Ten. fl. nap. 1. t. 26.

16 præcox. T.N. (*st.ye.*) early-flowered. ——— .... —— H.b. ——— 1. t. 27.

17 itálicus. B.M. (*st.ye.*) Italian. Italy. .... —— F.b. Bot. mag. t. 1188.
Hermione itálica. H.S.S.
α *semiplènus.* (*wh.*) *semidouble.* ——— .... 3. F.b.
β *plènus.* (*wh.*) *double Roman.* ——— .... —— F.b.

18 grácilis. B.R. (*pa.ye.*) slender. .... 4. H.b. Bot. reg. t. 816.

19 tenùior. B.M. (*pa.ye.*) slender 2-flowered. Italy. 1626. —— H.b. Bot. mag. t. 379.

20 latifòlius. H.S.S. (*ye.*) broad-ld. orange. Levant. .... 4. 5. H.b.

21 multiflòrus. H.S.S. (*ye.*) common yellow. ——— .... —— H.b. Bot. mag. t. 925.
Tazétta. B.M. *non* L.

22 intermèdius. R.L. (*pa.ye.*) intermediate. Pyrenees. .... —— H.b. Redout. lil. t. 426.
orientàlis ?. Bot. mag. t. 1026. *Hermione multiflòra.* β *aùrea.* H.S.S.?

NARCISSUS. H.S.S.

3 poéticus. L. (*wh.*) Poet's. Greece. 1620. 4. F.b. Park. parad. t. 75. f. 3.

4 angustifòlius. B.M. (*wh.*) narrow-leaved. Switzerland. 1626. —— H.b. Bot. mag. t. 193.

5 majàlis. B.M. (*wh.*) May-flowering. England? .... 5. H.b. Eng. bot. v. 4. t. 275.
poéticus. R.R. *non* L. *patellàris.* S.P.
β *exsértus.* H.S.S. (*wh.*) *long-stamened.* ——— .... —— H.b.
γ *plènus.* H.S.S. (*wh.*) *double-flowered.* ——— .... —— H.b. Park. parad. t. 75. f. 1.

6 bifiòrus. B.M. (*wh.*) two-flowered. ——— .... 4. 5. H.b. Eng. bot. v. 4. t. 276.

77 níveus. W.en. (*wh.*) snowy white. S. Europe. .... 4. 5. H.b.
CHLORA'STER. H.P.
78 viridiflòrus. B.M. (*gr.*) green-flowered. Barbary. 1629. 9. 10. F.b. Bot. mag. t. 1667.
Chloráster fissus. H.P.
79 intèger. H.P. (*gr.*) entire-cupped. ——— —— —— F.b. Park. parad. t. 93. f. 6.
80? obsolètus. H. S.S. (*w.ye.*) leafy autumnal. Spain. —— —— F.b. ——— 90. t. 89. f. A.
81? serotìnus. w. (*wh.*) late-flowered. Barbary. —— —— F.b. Clus. hist. t. 252.
GALA'NTHUS. L. SNOWDROP. Hexandria Monogynia. L.
1 nivàlis. w. (*wh.*) common. Britain. .... 1. 3. H.b. Eng. bot. v. 1. t. 19.
2 plicàtus. B.R. (*wh.*) plaited. S. Europe. 1818. 2. 4. H.b. Bot. reg. t. 545.
LEUC'OJUM. L. SNOWFLAKE. Hexandria Monogynia. L.
1 vérnum. w. (*wh.*) spring. Germany. 1596. 2. 4. H.b. Bot. mag. t. 46.
2 carpáthicum. (*wh.*) Carpathian. Carpathian mt. 1816. —— H.b. ——— t. 1903.
3 æstivum. w. (*wh.*) summer. England. .... 4. 5. H.b. ——— t. 1210.
4 pulchéllum. P.L. (*wh.*) neat. ——— .... —— H.b. Sal. par. lond. t. 74.
'ACIS. P.L. 'ACIS. Hexandria Monogynia.
1 ròsea. S.F.G. (*ro.*) rose-coloured. S. Europe. 1826. 8. 9. H.b. Swt. br. fl. gar. t. 297.
2 grandiflòra. S.F.G. (*bh.*) large-flowered. ——— 1828. —— H.b. Redout. liliac. t. 217.
3 trichophy'lla. S.F.G. (*wh.*) many-flowered. Barbary. 1812. 1. 2. F.b. Bot. reg. t. 544.
Leucójum trichophy'llum. B.R.
4 autumnàlis. P.L. (*bh.*) autumnal. Portugal. 1629. 9. F.b. Bot. mag. t. 960.
Leucójum autumnàle. B.M.
GETHY'LLIS. L. GETHY'LLIS. Hexandria Monogynia. L.
1 spiràlis. w. (*wh.*) spiral-leaved. C. B. S. 1780. 6. 7. G.b. Bot. mag. t. 1668.
2 ciliàris. w. (*wh.*) fringed. ——— 1788. — G.b. Jacq. schœn. 1. t. 79.
3 villòsa. w. (*wh.*) hairy. ——— 1787. —— G.b.
4 lanceolàta. w. (*wh.*) spear-leaved. ——— 1790. —— G.b.
ALSTRŒME'RIA. W. ÁLSTRŒME'RIA. Hexandria Monogynia. L.
1 Pelegrìna. w. (*ro.bh.*) spotted flower'd. Peru. 1753. 6. 9. H.¼. Bot. mag. t. 139.
β álbida. (*wh.gr.*) *white flowered.* ——— 1820. —— H.¼.
2 Símsii. s.s. (*sc.ye.*) red-flowered. Chili. 1822. —— H.¼. Swt. br. fl. gar. t. 287.
pulchélla. B.M. 2353. Hook. ex. flor. t. 64.
3 Hookèri. (*ro.*) rose-coloured. Chili. 1822. —— H.¼. Hook. ex. flor. t. 131.
ròsea. H.E.F. *non* R.P.
4 Flós Martìni. B.R. (*w.p.y.*) St. Martin's. ——— —— —— H.¼. Bot. reg. t. 731.
púlchra. Bot. mag. t. 2421. *tricolor.* Hook. ex. flor. t. 65.
5 bícolor. B.C. (*ye.wh.*) two-coloured. Chili. 1826. —— H.¼. Lodd. bot. cab. t. 1497.
6 psittácina. S.S. (*sc.gr.*) Parrot-like. Mexico. 1829. 7. 9. H.¼. Swt. br. fl. gar. s.2. t. 15.
7 acutifòlia. Ot. (*or.*) sharp-leaved. S. America. —— 9. 10. F.¼.
8 pállida. Ot. (*pa.*) pale-flowered. Chili. —— —— H.¼.
9 Curtisiàna. R.S. (*wh.sc.*) striped-flowered. Brazil. 1776. 2. 4. S.¼. Bot. mag. t. 125.
Ligtu. B.M. *nec aliorum.*
10 ovàta. S.S. (*sc.*) oval-leaved. Peru. 1824. .... H.¼ ⌒. Cavan. ic. 1. t. 76.
11 Salsílla. w. (*pu.gr.*) climbing. ——— 1806. 6. 7. H.¼ ⌒. Feuill. per. 2. p. 713. t. 6.
12 èdulis. Tus. (*ro.gr.*) eatable-rooted. W. Indies. 1801. 6. 9. S.¼ ⌒. Andr. reposit. t. 649.
Salsílla. Bot. mag. t. 1613. *non* L.
13 hirtélla. K.S. (*pi.gr.*) hairy. Mexico. 1824. .... H.¼ ⌒. Swt. br. fl. gar. t. 226.
CL'IVIA. B.R. CL'IVIA. Hexandria Monogynia.
nòbilis. B.R. (*sc.gr.*) scarlet. C. B. S. 1820. 7. 10. G.¼. Bot. reg. t. 1182.
Imatophy'llum Aitòni. Bot. mag. t. 2856.
DORYA'NTHES. B.P. DORYA'NTHES. Hexandria Monogynia. S.S.
excélsa. B.P. (*sc.*) gigantic. N. S. W. 1800. 7. 10. G.½. Bot. mag. t. 1665.

ORDO CCX.

HEMEROCALLIDEÆ. *Brown prodr.* 1. *p.* 295.

HEMEROCA'LLIS. S.S. DAY LILY. Hexandria Monogynia. L.
1 gramínea. B.M. (*ye.*) narrow-leaved. Siberia. 1759. 6. 7. H.¼. Bot. mag. t. 873.
2 flàva. B.M. (*ye.*) yellow. ——— 1596. —— H.¼. ——— t. 19.
3 speciòsa. W.H. (*co.*) specious. Jamaica. 1816. —— G.¼.
4 dísticha. B.F.G. (*co.*) fan-like. China. 1798. 5. 7. H.¼. Swt. br. fl. gar. t. 28.
5 fúlva. B.M. (*co.*) copper-coloured. Levant. 1596. 6. 8. H.¼. Bot. mag. t. 64.

U'NKIA. S.S. Fu'nkia. Hexandria Monogynia. S.S.
- álba. (*wh.*) white-flowered. Japan. 1790. 8. 9. H.♃. Bot. mag. t. 1433.
  - *subcordàta.* S.S. *Hemerocállis japónica.* B.M. *álba.* Andr. reposit. t. 75.
- cærùlea. (*wh.*) blue-flowered. ——— —— 6. 8. H.♃. Bot. mag. t. 894.
  - *ovàta.* S.S. *Hemerocállis cærùlea.* B.M.

GAPA'NTHUS. W. African Lily. Hexandria Monogynia. L.
- umbellàtus. W. (*bl.*) large-flowered. C. B. S. 1692. 1. 12. G.♃. Bot. mag. t. 500.
- *β variegàtus.* (*bl.*) *striped-leaved.* ——— .... —— G.♃.
- præcox. W.en. (*bl.*) early-flowering. ——— .... 1. 4. G.♃.
- mìnor. B.C. (*bl.*) small. ——— .... —— G.♃. Lodd. bot. cab. t. 42.

OLIA'NTHES. L. Polia'nthes. Hexandria Monogynia. L.
- gràcilis. L.en. (*wh.*) slender. Brazil. 1822. 8. 10. S.♃.
- tuberòsa. W. (*wh.*) common. E. Indies. 1629. —— S.♃. Bot. reg. t. 68.
  - *β flòre plèno.* (*wh.*) *double-flowered.* ——— —— —— S.♃.

LANDFO'RDIA. B.P. Blandfo'rdia. Hexandria Monogynia. S.S.
- nòbilis. B.P. (*sc.ye.*) noble. N. S. W. 1803. 7. 8. G.♃. Bot. reg. t. 286.
- grandiflòra. B.P. (*sc.ye.*) large-flowered. ——— 1824. —— G.♃. ——— t. 911.
- punícea. (*cr.*) large-leaved. N. Holland. 1812. —— G.♃. Lab. nov. hol. 1. t. 111.
  - *Alétris punícea.* Labillardiere.

RITʼOMA. B.M. Trit'oma. Hexandria Monogynia. S.S.
- Uvària. H.K. (*or.*) great. C. B. S. 1707. 8. 9. H.♃. Bot. mag. t. 758.
- Burchéllii. W.H. (*or.*) Mr. Burchell's. ——— 1816. —— H.♃.
- mèdia. H.K. (*sc.or.*) lesser. ——— 1789. 12. 6. H.♃. Bot. mag. t. 744.
- pùmila. H.K. (*sc.or.*) least. ——— 1774. 9. 11. F.♃. ——— t. 764.

ELTHʼEIMIA. B.M. Velth'eimia. Hexandria Monogynia. W.
- viridifòlia. W. (*sc.or.*) green-leaved. C. B. S. 1768. 11. 4. G.b. Bot. mag. t. 501.
  - *Alétris capénsis.* B.M.
- intermèdia. (*ro.ye.*) subglaucous. ——— 1819. —— G.b.
- glaùca. W. (*ro.ye.*) glaucous. ——— 1781. 1. 4. G.b. Bot. mag. t. 1091.

LE'TRIS. W. Colic-root. Hexandria Monogynia. L.
- farinòsa. W. (*wh.*) common. N. America. 1768. 6. H.♃. Bot. mag. t. 1418.
- aùrea. Ph. (*wh.*) golden-tipped. ——— 1811. 7. 8. H.♃. Willd. hort. ber. t. 8.

ANSEVIʼERA. W. Sansevi'era. Hexandria Monogynia. W.
- glaùca. H.S. (*wh.*) glaucous. Sierra Leon. .... 6. 10. S.♃.
- polyphyʼlla. H.S. (*wh.*) upright-glaucous. ——— .... —— S.♃.
- guineénsis. H.S. (*wh.*) Guinea. Guinea. 1690. 6. 11. S.♃. Bot. mag. t. 1180.
- læte virens. H.S. (*wh.*) light green. .... —— S.♃.
- longiflòra. B.M. (*wh.*) long-flowered. .... 7. 8. S.♃. Bot. mag. t. 2634.
- spicàta. H.S. (*wh.*) spiked. .... —— S.♃. Cavan. ic. 3. t. 246.
- fulvocincta. H.S.S. (*wh.*) brown-edged. Brazil. 1818. 6. 9. S.♃.
- zeylánica. H.S. (*wh.*) Ceylon. Ceylon. 1731. 6. 11. S.♃ Bot. reg. t. 160.
- lanuginòsa. W. (*wh.*) woolly. E. Indies. .... —— S.♃. Rheed. mal. 11. t. 42.
- ensifòlia. H.S. (*wh.*) sword-leaved. ——— .... —— S.♃.
- grandicúspis. H.S. (*wh.*) large-pointed. .... S.♃.
- pùmila. H.S. (*wh.*) dwarf. C. B. S. 1796. .... S.♃.
- stenophyʼlla. L.en. (*wh.*) slender-leaved. ..... 1818. 6. 8. S.♃.
- cárnea. A.R. (*ro.*) flesh-coloured. China. 1792. 4. 10. H.♃. Andr. reposit. t. 361.

ULBʼAGIA. W. Tulb'agia. Hexandria Monogynia. L.
- alliàcea. W. (*gr.*) Narcissus-leaved. C. B. S. 1774. 5. 7. G.♃. Bot. mag. t. 806.
- affìnis. L.en. (*gr.*) linear-leaved. ——— 1820. —— G.♃.
- cepàcea. W. (*gr.*) Onion-scented. ——— 1795. 4. G.♃.

RODIʼÆA. L.T. Brodi'æa. Triandria Monogynia. L.T.
- grandiflòra. L.T. (*bl.*) large-flowered. Georgia. 1806. 6. H.b. Bot. reg. t. 1183.
  - *Hodkera coronària.* Sal. par. lond. t. 98.
- congésta. L.T. (*bl.*) close-headed. ——— —— 5. H.b. Linn. trans. v. 10. t. 1.

HYLLʼOMA. B.M. Phyll'oma. Hexandria Monogynia.
- aloiflòrum. B.M. (*ye.*) Aloe-like. Bourbon. 1766. 4. 6. D.S.♄. Bot. mag. t. 1585.
  - *Lomatophyʼllum borbònicum.* W. *Drac'æna marginàta.* H.K. *denticulàta.* P.S.
- mácrum. L.en. (*ye.*) lean. Mauritius. 1817. 6. 7. D.S.♄.
- rufocinctum. (*ye.*) rosy-edged. E. Indies. 1818. .... D.S.♄.
  - *Aʼloe rufocincta.* H.S.S.

ACHIDEʼNDRON. H.R. Pachide'ndron. Hexandria Monogynia. H.R.
- africànum. H.R. (*ye.*) African. C. B. S. 1731. 7. D.G.♄.
  - *α látum.* H.R. (*ye.*) *broad-leaved.* ——— —— —— D.G.♄.
  - *β angústum.* H.R. (*ye.*) *narrow-leaved.* ——— —— —— D.G.♄. Bot. mag. t. 2517.
  - *Aʼloe pseùdo-africàna.* L.en. *Aʼloe africàna. β. angústior.* B.M.
- príncipis. H.R. (*ye.*) revolving red-spined. —— .... D.G.♄.
- angustifòlium. H.R. (*ye.*) narrow-leaved. ——— 1812. .... D.G.♄.
- férox. H.R. (*st.re.*) great hedgehog. ——— 1759. 4. 5. D.G.♄. Bot. mag. t. 1975.
  - *Aʼloe férox.* B.M.

5	pseùdo-fèrox. H.R. (*st.*)	false hedgehog.	C. B. S.	1759.	4. 5.	D.G. ½.	Comm. prælud. t. 20.
6	supral'æve. H.R. (*ye.*)	upright hedgehog.	——	1731.	....	D.G. ½.	
A'LOE. H.R.		Aloe. Hexandria Monogynia. L.					
1	dichótoma. H.S.	smooth-stemmed.	C. B. S.	1780.	....	D.G. ½.	
2	purpuráscens. H.S. (*re.gr.*)	purple.	——	1789.	7. 10.	D.G. ½.	Bot. mag. t. 1474.
3	soccotrìna. H.S. (*sc.g.*)	soccotrine.	——	1731.	4. 6.	D.G. ½.	—— t. 472.
4	spicàta. H.R. (*wh.gr.*)	white spotted.	——	1795.	——	D.G. ½.	
5	plùridens. H.P.	many-toothed.	——	1822.	....	D.G. ½.	
6	arboréscens. H.S. (*sc.*)	tree.	——	1731.	11. 8.	D.G. ½.	Bot. mag. t. 1366.
7	grácilis. H.P.	slender-stalked.	——	1822.	....	D.G. ½.	
8	flavispìna. H.S. (*sc.*)	yellow-spined.	——	1790.	8.	D.G. ½.	
9	mitræfórmis. H.S. (*sc.*)	mitre.	——	1732.	——	D.G. ½.	Bot. mag. t. 1270.
10	nóbilis. H.S. (*sc.*)	great mitre.	——	1800.	7. 8.	D.G. ½.	
11	Commelìni. H.R. (*sc.*)	Commeline's.	——	1818.	——	D.G. ½.	
	β mitræfórmis. H.R.	*yellowish-toothed.*	——	....	——	D.G. ½.	
12	dístans. H.S. (*sc.gr.*)	small mitre.	——	1732.	8.	D.G. ½.	Bot. mag. 1362.
	γ deprèssa. H.R. (*sc.gr.*)	*depressed.*	——	....	——	D.G. ½.	
13	xanthacántha. H.S.S. (*sc.*)	yellow mitre.	——	1817.	——	D.G. ½.	
14	vulgàris. DC. (*ye.or.*)	yellow-flowered.	W. Indies.	1596.	8.	D.S. ½.	DC. plant. gras. t. 27.
	barbadénsis. H.S.						
15	chinénsis. H.S.S. (*ye.*)	Chinese.	China.	1817.	——	D.G. ½.	
16	c'æsia. H.S.S.	cæsious tree.	C. B. S.	1818.	....	D.G. ½.	
	β elàtior. H.S.S.	*tall.*	——	——	....	D.G. ½.	
17	frutéscens. H.S.S. (*sc.*)	lesser tree.	——	....	....	D.G. ½.	
18	albispìna. H.S. (*sc.*)	white-spined.	——	1796.	....	D.G. ½.	
19	glaùca. H.S. (*sc.gr.*)	glaucous red-spined.	——	1731.	1. 9.	D.G. ½.	
	α mèjor. H.S. (*sc.gr.*)	*larger.*	——	——	——	D.G. ½.	
	β rhodacántha. B.M. (*sc.gr.*)	*lesser red-spined.*	——	——	——	D.G. ½.	Bot. mag. t. 1278.
	γ spindsior. H.R. (*sc.g.*)	*long-spined.*	——	1820.	....	D.G. ½.	
20	lineàta. H.S. (*sc.gr.*)	striped red-spined.	——	1789.	....	D.G. ½.	
	α viridis. H.R. (*sc.gr.*)	*greenest-leaved.*	——	——	....	D.G. ½.	
	β glaucéscens. H.R. (*sc.*)	*glaucescent.*	——	——	....	D.G. ½.	
21	dorsàlis. R.S. (*ye.*)	spiny-keeled.	——	1826.	....	D.G. ½.	
22	deprèssa. H.S. (*sc.ye.*)	depressed.	——	1731.	8.	D.G. ½.	Bot. mag. t. 1382.
23	brevifòlia. H.S. (*sc.gr.*)	short-leaved.	——	——	6. 8.	D.G. ½.	Bot. reg. t. 906.
24	prolífera. H.R. (*or.y.*)	proliferous.	——	1818.	——	D.G. ½.	
25	sérra. DC. (*re.gr.*)	saw-leaved.	——	——	——	D.G. ½.	Jacq. eclog. t. 61.
26	striàta. H.S. (*re.gr.*)	streaked.	——	1795.	——	D.G. ½.	Jacq. fragm. t. 68.
	paniculàta. Jacquin.						
27	striátula. H.P.	stripe-sheathed.	——	1820.	....	D.G. ½.	
28	ciliàris. H.P. (*sc.gr.*)	fringe-leaved.	——	——	....	D.G. ½.	
29	ténuior. H.P. (*ye.*)	green-sheathed.	——	1819.	....	D.G. ½.	
30	albocíncta. H.S.S. (*sc.g.*)	pearl edged.	——	1812.	....	D.G. ½.	
31	serrulàta. H.S. (*pi.*)	serrulated.	——	1789.	7. 8.	D.G. ½.	Bot. mag. t. 1415.
32	obscùra. H.S. (*sc.or.*)	great soap.	——	1727.	6. 10.	D.G. ½.	—— t. 1333.
	picta. α. B.M.						
	β glaùcior. H.R. (*sc.or.*)	*glaucous-leaved.*	——	1819.	——	D.G. ½.	
	γ mágnidens. H.R. (*sc.or.*)	*large-toothed.*	——	....	——	D.G. ½.	
33	palléscens. H.R. (*pi.gr.*)	pale serrulate.	——	1820.	——	D.G. ½.	
34	latifòlia. H.S. (*sc.or.*)	broad-leaved.	——	1795.	7. 8.	D.G. ½.	Bot. mag. t. 1346.
35	grandidentàta. R.S. (*sc.g.*)	great-toothed.	——	....	——	D.G. ½.	
36	saponària. H.S. (*sc.or.*)	common soap.	——	1727.	——	D.G. ½.	Bot. mag. t. 1469.
	β làteo-striàta. H.R. (*sc.*)	*yellow-striped.*	——	1821.	——	D.G. ½.	
37	microcántha. H.S.S. (*re.*)	small-spined.	——	1819.	——	D.G. ½.	Bot. mag. t. 2272.
38	vìrens. H.S. (*sc.*)	apple green.	——	1790.	8. 9.	D.G. ¼.	—— —— t. 1355.
39	suberécta. H.S. (*sc.ye.*)	lesser hedgehog.	——	1789.	8. 6.	D.G. ¼.	
	β semiguttàta. H.R. (*sc.g.*)	*half-warted.*	——	1819.	——	D.G. ¼.	
40	acuminàta. H.S. (*sc.ye.*)	middle hedgehog.	——	1795.	——	D.G. ¼.	Bot. mag. t. 757.
	hùmilis. B.M. *non* H.S.						
41	echinàta. H.R. (*sc.gr.*)	great tubercled.	——	1821.	8. 6.	D.G. ¼.	
42	tuberculàta. H.S. (*sc.g.*)	tubercled.	——	1796.	——	D.G. ¼.	
43	aristata. H.P. (*sc.gr.*)	bearded many-leaved.	——	1819.	——	D.G. ¼.	
44	subtuberculàta. H.P. (*sc.*)	rough & smooth.	——	——	——	D.G. ¼.	
45	hùmilis. H.S. (*sc.gr.*)	dwarf hedgehog.	——	1731.	——	D.G. ¼.	DC. plant. gras. t. 28.
46	incúrva. H.S. (*sc.gr.*)	incurved hedgehog.	——	1796.	——	D.G. ¼.	Bot. mag. t. 838.
	hùmilis β incúrva. B.M.						
47	tenuifòlia. H.R. (*sc.gr.*)	thin-leaved.	——	1821.	——	D.G. ¼.	
48	variegàta. H.S. (*sc.gr.*)	partridge-breast.	——	1720.	8. 12.	D.G. ¼.	Bot. mag. t. 513.

HIPIDODE'NDRON. W. Rhipidode'ndron. Hexandria Monogynia.

1	plicátile. H.R.	(*re.gr.*) fan.	Africa.	1723.	6. 7.	D.G. ½.	Bot. mag. t. 457.
	distichum. W.	*A'loe plicátilis.* B.M.					
	β major. H.R.	(*re.*) *larger fan.*	———	1820.	——	D.G. ½.	
1	dichótomum. W.	(*re.gr.*) dichotomous.	C. B. S.	1780.	——	D.G. ½.	Patt. journ. t. 3. 4. 5.

AST'ERIA. H.S. Tongue-Aloe. Hexandria Monogynia. H.S.

1	oblíqua. H.S.	(*ro.w.g.*) broad-marbled.	C. B. S.	1759.	6. 8.	D.G. ½.	Bot. mag. t. 979.
	maculàta. H.P.	*A'loe lingua.* a. B.M.					
2	púlchra. H.S.	(*ro.gr.*) narrow-marbled.	———	1759.	7. 8.	D.G. ½.	Bot. mag. t. 765.
	A'loe maculàta. B.M.						
3	pícta. H.P.	(*ro.gr.*) painted.	———	1824.	——	D.G. ½.	
	A'loe Bowieàna. R.S.						
1	formòsa. H.P.	(*sc.gr.*) beautiful.	———	1826.	——	D.G. ½.	
5	fasciàta. H.P.	(*ro.gr.*) marbled.	———	1820.	—	D.G. ½.	
	β láxa. H.P.	(*ro.gr.*) *loose-leaved.*	———	——	——	D.G. ½.	
3	retàta. H.P.	(*ro.gr.*) chequered.	———	1826.	——	D.G. ½.	
	A'loe dicf'yodes. R.S.						
7	nìgricans. H.S.	(*re.gr.*) dark-leaved.	———	1790.	6. 7.	D.G. ½.	Bot. mag. t. 838.
3	marmoràta. H.P.	(*re.g.*) marble-leaved.	———	——	——	D.G. ½.	
9	crassifòlia. H.P.	(*re.gr.*) thick-leaved.	———	1820.	——	D.G. ½.	
0	brevifòlia. H.S.	(*re.gr.*) short-leaved.	———	1809.	7. 8.	D.G. ½.	
	α lætevìrens. H.P.	(*re.gr.*) *pale-green.*	———	——	——	D.G. ½.	
	β pervíridis. H.P.	(*re.gr.*) *darker-green.*	———	——	——	D.G. ½.	
1	obtusifòlia. H.R.	(*re.g.*) blunt-leaved.	———	——	——	D.G. ½.	
2	móllis. H.R.	(*re.gr.*) soft muddy-leaved.	———	1819.	——	D.G. ½.	
3	subnigricans. H.P.	(*re.g.*) dark-leaved.	———	1820.	——	D.G. ½.	
	β glábrior. H.P.	(*re.gr.*) *smoother.*	———	——	——	D.G. ½.	
4	dísticha. H.P.	(*re.gr.*) distichous.	———	1819.	——	D.G. ½.	Comm. hort. ams. 2. t. 8.
	α mìnor. H.P.	(*re.gr.*) *lesser.*	———	——	——	D.G. ½.	
	β màjor. H.P.	(*re.gr.*) *larger.*	———	——	——	D.G. ½.	
5	conspurcàta. H.R.	(*re.g.*) dirtied.	———	1796.	8. 11.	D.G. ½.	
6	angulàta. H.P.	(*re.gr.*) angular.	———	——	——	D.G. ½.	Bot. mag. t. 1322. f. 3.
7	sulcàta. H.P.	(*re.w.g.*) furrowed.	———	1791.	——	D.G. ½.	——— t. 1322. f. 5.
8	excavàta. H.P.	(*re.gr.*) excavated.	———	1824.	——	D.G. ½.	——— t. 1322. f. 4.
9	angustifòlia. H.S.	(*re.g.*) narrow.	———	1731.	——	D.G. ½.	——— t. 1322. f. 2.
0	l'ævis. H.P.	(*re.gr.*) smooth.	———	1820.	——	D.G. ½.	
1	subverrucòsa. H.P.	(*re.g.*) large-warted.	———	——	——	D.G. ½.	
	α grandipunctàta. H.R.	*large-dotted.*	———	——	——	D.G. ½.	
	β parvipunctàta. H.R.	*small-dotted.*	———	——	——	D.G. ½.	
2	verrucòsa. H.S.	(*re.g.*) pearl.	———	1731.	8. 11.	D.G. ½.	Bot. mag. t. 837.
	β latifòlia. H.R.	(*re.g.*) *broad-leaved.*	———	1820.	——	D.G. ½.	
3	intermèdia. H.S.	(*re.g.*) intermediate.	———	1790.	——	D.G. ½.	Bot. mag. t. 1322. f. 1.
	β aspérrima. H.R.	(*re.g.*) *rough-leaved.*	———	1820.	——	D.G. ½.	
	γ l'ævior. H.P.	(*re.gr.*) *smoother.*	———	——	——	D.G. ½.	
	δ lìngior. H.P.	(*re.gr.*) *longer-leaved.*	———	——	——	D.G. ½.	
4	répens. H.R.	(*re.gr.*) creeping-rooted.	———	——	.....	D.G. ½.	
5	párva. H.P.	(*re.gr.*) smallest.	———	1824.	——	D.G. ½.	
6	decípiens. H.P.	(*re.gr.*) deceiving.	———	1823.	7. 10.	D.G. ½.	
7	carinàta. H.S.	(*re.gr.*) rough-keeled.	———	1731.	6. 7.	D.G. ½.	Bot. mag. t. 1331.
8	strigàta. H.P.	(*re.gr.*) rough strigate.	———	1824.	7. 10.	D.G. ½.	
9	lætipunctàta. H.P.	(*re.gr.*) pale-spotted.	———	1821.	——	D.G. ½.	
0	subcarinàta. H.S.S.	(*re.*) slightly-keeled.	———	1820.	6. 7.	D.G. ½.	
	β striàta. H.R.	(*re.gr.*) *striated.*	———	——	——	D.G. ½.	
1	undàta. H.P.	(*re.gr.*) waved.	———	1825.	——	D.G. ½.	
2	glábra H.S.	(*re.gr.*) smooth-keeled.	———	1796.	6. 7.	D.G. ½.	
	β mìnor. H.R.	(*re.gr.*) *smaller.*	———	1820.	——	D.G. ½.	
3	nítida. B.M.	(*sc.gr.*) shining.	———	——	7. 8.	D.G. ½.	Bot. mag. t. 2304.
	α parvipunctàta. H.R.	*small dotted.*	———	——	——	D.G. ½.	
	β grandipunctàta. H.R.	*large-dotted.*	———	——	——	D.G. ½.	
4	trigòna. H.R.	(*li.gr.*) trigonal.	———	——	——	D.G. ½.	
5	obtùsa. H.P.	(*re.gr.*) smooth obtuse.	———	——	——	D.G. ½.	
6	achiacifòlia. H.R.	(*ro.g.*) long sword-leaved.	———	1818.	——	D.G. ½.	Bot. mag. t. 2369
7	nltens. H.P.	(*re.gr.*) sparse-spotted.	———	1819.	——	D.G. ½.	
8	venústa. H.P.	(*re.gr.*) charming.	———	1822.	——	D.G. ½.	
9	pluripunctàta. H.P.	(*re.gr.*) many-spotted.	———	——	——	D.G. ½.	
0	ensifòlia. H.P.	(*re.gr.*) long sword-leaved.	———	1820.	....	D.G. ½.	
1	cándicans. H.R.	(*re.*) rough marbled white.	———	1818.	7. 8.	D.G. ½.	
2	linìta. H.P.	(*re.*) smeared.	———	1822.	——	D.G. ½.	
3	bícolor. H.P.	(*re.*) half-marbled.	———	——	——	D.G. ½.	

BOWI'EA. H.P. Bowi'ea. Hexandria Monogynia.

1 africàna. H.P. (*ye.*) African. C. B. S. 1820. 4. 10. D.G.♃.
2 myriacántha.H.P.(*ro.g.*)many-spined. ——— —— —— D.G.♃.

HAWO'RTHIA. H.S.S. Hawo'rthia. Hexandria Monogynia. H.S.

1 viscòsa. H.S. (*wh.re.*) clammy. C. B. S. 1732. 5. 7. D.G.♃. Bot. mag. t. 814.
A'loe viscòsa. B.M.
α màjor. (*wh.re.*) *largest.* ——— —— —— D.G.♃.
β minor. (*wh.re.*) *lesser.* ——— —— —— D.G.♃.
γ parvifòlia. (*wh.re.*) *smaller-leaved.* ——— —— —— D.G.♃.
2 áspera. H.S. (*wh.re.*) rough-triangular. ——— 1795. —— D.G.♃.
3 indurâta.H.R. (*wh.re.*)) hard branchy. ——— 1819. —— D.G.♃.
4 subtortuòsa.R.S.(*wh.re.*)twisted triangular. ——— 1818. —— D.G.♃.
5 torquâta. H.P.(*wh.re.*) long-twisted. ——— 1824. —— D.G.♃.
6 concínna.H.S.S.(*wh.re.*)neat triangular. ——— —— —— D.G.♃.
7 cordifòlia.H.S.S.(*wh.re.*)heart-leaved. ——— —— —— D.G.♃.
8 asperiúscula.H.S.S.(*w.re.*)roughish. ——— 1818. —— D.G.♃.
9 tortuòsa. H.S. (*wh.re.*) twisted. ——— 1794. 5. 9. D.G.♃. Bot. mag. t. 1337.
A'loe rígida. B.M. *non* DC.
β cúrta. H.R. (*wh.re.*) *short twisted.* ——— 1817. —— D.G.♃.
*γ tórtella.*H.R.(*wh.re.*)*lesser twisted.* ——— —— —— D.G.♃.
10 expánsa. H.S. (*wh.re.*) spreading-leaved. ——— 1795. 7. 10. D.G.♃.
11 rígida. H.R. (*wh.gr.*) great rigid. ——— 1824. —— D.G.♃. DC. plant. gras. t. 62.
12 hybrida.H.R. (*wh.re.*) bastard pearl. ——— 1821. 5. 9. D.G.♃.
13 scábra. H.R. (*wh.re.*) rugged. ——— 1818. —— D.G.♃.
14 sórdida. H.R. (*wh.re.*) sordid. ——— —— —— D.G.♃.
15 recúrva. H.R. (*wh.re.*) recurved. ——— 1795. 8. D.G.♃. Bot. mag. t. 1353.
16 nígricans.H.P.(*wh.re.*) granulated black. ——— 1820. 5. 9. D.G.♃.
17 párva. H.P. (*wh.re.*) dwarf. ——— —— —— D.G.♃.
18 tessellàta.H.P.(*wh.re.*) dark chequered. ——— 1822. —— D.G.♃.
19 aspérula. H.P. (*wh.re.*) pale rough. ——— —— —— D.G.♃.
20 multifâria.H.P.(*wh.re.*) many-leaved. ——— —— —— D.G.♃.
21 retùsa. H.S. (*wh.gr.*) smooth cushion. ——— 1720. —— D.G.♃. Bot. mag. t. 455.
A'loe retùsa. B.M.
22 mùtica. H.R. (*wh.gr.*) blunt cushion. ——— 1819. —— D.G.♃.
23 mirábilis.H.S.S.(*wh.ro.*) rough cushion. ——— 1795. —— D.G.♃. Bot. mag. t. 1354.
24 túrgida. H.S.S. (*wh.ro.*) turgid cushion. ——— 1818. —— D.G.♃.
25 l'æte-vìrens.H.S.S.(*w.re.*)light green. ——— —— —— D.G.♃.
26 papillòsa.H.S.S. (*w.re.*) papillose. ——— —— —— D.G.♄.
β semipapillòsa. H.R. *partly warted.* ——— .... —— D.G.♄.
27 erécta. H.R. (*wh.re.*) upright pearl. ——— 1818. —— D.G.♃. DC. plant. gras. t. 57.
margaritífera. DC.
28 fasciàta.H.S.S. (*wh.re.*) barred pearl. ——— —— —— D.G.♃.
29 subulàta. R.S. (*wh.re.*) awl-pointed. ——— —— —— D.G.♃.
30 claripéria.H.P.(*wh.re.*) bright-pearled. ——— 1824. —— D.G.♃.
31 granâta. H.S.S. (*wh.re.*) small pearl. ——— 1732. —— D.G.♃. Dill. elth. t. 16. f. 18.
A'loe margaritífera. γ. minima. Dill.
32 brèvis. H.S.S. (*wh.ro.*) short-leaved. ——— 1810. —— D.G.♃. Bot. mag. t. 1209.
A'loe margaritífera. γ. minima. B.M.
33 minor. H.S. (*pu.gr.*) lesser pearl. ——— .... 5. 8. D.G.♃. Bot. mag. t. 815.
34 margaritífera.H.S.S.(*wh.*)pearl. ——— 1725. —— D.G.♃. Bradl. succ. 3. t. 21.
35 semiglabràta.H.S.S.(*w.gr.*)half-smoothed. ——— 1810. —— D.G.♃.
36 rádula. H.S. (*ro.wh.*) raspy pearl. ——— 1805. 6. 9. D.G.♃. Jacq. schœn. t. 35.
37 attenuàta.H.S.(*wh.re.*) chalky pearl. ——— 1790. 5. 8. D.G.♃. Bot. mag. t. 1345.
A'loe rádula. B.M. *non* Jacq.
38 Reinwárdti.H.R.(*wh.re.*)chequered-pearl. ——— 1821. —— D.G.♃.
39 semimargaritífera.(*wh.*)semi-pearly. ——— 1801. —— D.G.♃.
*α máxima.*H.S.S.(*wh.re.*)*largest.* ——— —— —— D.G.♃. Comm. hort. 2. t. 10.
*β major.*H.S.S.(*wh.re.*) *large.* ——— 1817. —— D.G.♃.
*γ minor.*H.S.S.(*wh.re.*) *smaller.* ——— 1818. —— D.G.♃.
δ multiperlàta.(*wh.re.*)*many pearled.* ——— —— —— D.G.♃.
40 coarctàta. H.P. (*w.re.*) upright dull-spotted. ——— 1822. —— D.G.♃.
41 álbicans. H.S. (*wh.re.*) white-edged. ——— 1795. 9. 10. D.G.♃. Bot. mag. t. 1452.
42 l'ævis H.R. (*wh.re.*) narrow-bordered. ——— 1820. —— D.G.♃. Comm. hort. 2. t. 7.
43 ramífera.H.R. (*wh.re.*) branching white. ——— —— —— D.G.♃.
44 viréscens.H.R.(*wh.re.*) bordered green. ——— —— —— D.G.♃.
β minor. H.R. (*wh.re.*) *lesser.* ——— —— —— D.G.♃.
45 arachnoídes.H.S.(*li.gr.*)cobweb. ——— 1727. 8. 9. D.G.♃. Bot. mag. t. 756.
46 translùcens.H.S.S.(*bl.*) transparent. ——— 1795. 5. 8. D.G.♃. ——— t. 1417.
A'loe arachnoídes β translùcens. B.M.

47 setàta. H.S.S. (*wh.re.*) bristle-edged.	C. B. S.	1818.	5. 8.	D.G.♃.		
β nigricans. H.R. (*wh.re.*) *blackish.*	———	——	——	D.G.♃.		
γ mèdia. H.R. (*wh.re.*) *middle.*	———	——	——	D.G.♃.		
δ màjor. H.R. (*wh.re.*) *larger.*	———	——	——	D.G.♃.		
48 pállida. H.R. (*wh.re.*) pale green.	———	——	——	D.G.♃.		
49 atrovìrens. H.R. (*wh.bk.*) dark green.	———	1752.	5.	D.G.♃.	Bot. mag. t. 1361.	
A'loe atrovìrens. DC. *arachnoides pùmila.* B.M.						
50 chlorocántha. H.R. (*w.re.*) green-toothed.	———	1820.	5. 8.	D.G.♃.		
51 angustifòlia. H.P. (*w.re.*) slender-leaved.	———	——	6. 7.	D.G.♃.		
52 reticulàta. H.S. (*wh.*) netted.	———	1794.	5. 8.	D.G.♃.	Bot. mag. t. 1314.	
A'loe arachnoides γ reticulàta. B.M.						
53 cymbifórmis. H.S. (*w.pu.*) boat-leaved.	———	1795.	6. 8.	D.G.♃.	Bot. mag. t. 802.	
concàva. H.R.						
54 altilìnea. H.P. (*wh.re.*) ridge-lined.	———	1821.	——	D.G.♃.		
55 obtùsa. H.P. (*wh.re.*) small blunt-leaved.	———	——	——	D.G.♃.		
56 planifòlia. H.P. (*wh.re.*) flat oval-leaved.	———	——	——	D.G.♃.		
57 mucronàta. H.R. (*w.pu.*) membrane-pointed.	C. B. S.	1818.	——	D.G.♃.		
58 límpida. H.R. (*w.pu.*) limpid.	———	——	——	D.G.♃.		
59 aristàta. H.R. (*w.pu.*) pin-pointed.	———	——	——	D.G.♃.		
60 cuspidàta. H.R. (*w.pu.*) sharp-pointed.	———	——	——	D.G.♃.		
61 denticulàta. H.R. (*w.re.*) pale pin-pointed.	———	——	——	D.G.♃.		

A'PICRA. H.S.S. A'PICRA. Hexandria Monogynia. H.S.S.

1 spiràlis. H.S.S. (*wh.g.*) great spiral.	C. B. S.	1790.	8. 9.	D.G.♄.		
2 spirélla. H.S.S. (*wh.g.*) small spiral.	———	1808.	——	D.G.♄.		
3 bullulàta. H.S.S. (*st.gr.*) blistered.	———	1818.	——	D.G.♄.	Jacq. frag. t. 109.	
4 pentagòna. H.S.S. (*wh.*) five sided.	———	1731.	6. 8.	D.G.♄.	Bot. mag. t. 1338.	
5 quinquangulàris. R.S. (*w.st.*) five-angled.	———	....	——	D.G.♄.		
6 rígida. w. (*wh.re.*) gunpowdered.	———	1818.	——	D.G.♄.	Jacq. frag. t. 108.	
pseùdo-rígida. H.S.S.						
7 áspera. H.S.S. (*wh.st.*) rough triangled.	———	——	——	D.G.♄.		
α mìnor. H.S.S. (*wh.st.*) *lesser.*	———	——	——	D.G.♄.		
β màjor. H.S.S. (*wh.st.*) *larger.*	———	1795.	——	D.G.♄.		
8 bicarinàta. H.S.S. (*w.st.*) double-keeled.	———	1819.	——	D.G.♄.		
9 nigra. H.P. (*wh.*) rough black.	———	1820.	5. 8.	D.G.♄.		
10 imbricàta. H.R. (*st.*) rough-flowered.	———	1731.	6. 7.	D.G.♄.	Bot. mag. t. 1455.	
A'loe spiràlis. B.M. *non* H.S.						
11 foliolòsa. H.P. (*wh.*) many small-leaved.	———	1795.	6. 8.	D.S.♄.	Bot. mag. t. 1352.	

ORDO CCXI.

DIOSCOREÆ. *Brown prodr.* 1. *p.* 294.

RAJ'ANIA. W. RAJ'ANIA. Dicœcia Hexandria. L.

1 hastàta. w. (*gr.*) halberd-leaved.	W. Indies.	1822.	7. 8.	S.♃.◡.	Plum. amer. 84. t. 98.	
2 cordàta. w. (*gr.*) heart-leaved.	———	1786.	——	S.♃.◡.	Plum. ic. 155. f. 1.	
3 quinquefòlia. w. (*gr.*) five-leaved.	———	1820.	——	S.♃.◡.	——— 155. f. 2.	

DIOSCO'REA. W. YAM. Dicœcia Hexandria. L.

1 pentaphy'lla. w. (*gr.*) five-leaved.	E. Indies.	1768.	....	S.♃.◡.	Rheed. mal. 7. t. 35.	
2 triphy'lla. w. (*gr.*) three-leaved.	———	1818.	....	S.♃.◡.	Jacq. ic. t. 627.	
3 quinquelòba. w. (*gr.*) five-lobed.	Japan.	1822.	7. 9.	G.♃.◡.	Kæmpf. ic. t. 15.	
4 brasiliénsis. w. (*gr.*) Brazilian.	Brazil.	1818.	——	S.♃.◡.		
5 heterophy'lla. H.B. (*gr.*) various-leaved.	E. Indies.	——	....	S.♃.◡.		
6 aculeàta. w. (*gr.*) prickly-stemmed.	———	1803.	7. 9.	S.♃.◡.	Rheed. mal. 7. t. 37.	
7 rubélla. H.B. (*re.g.*) reddish.	———	——	——	S.♃.◡.		
8 purpùrea. H.B. (*pu.g.*) purple.	———	1816.	——	S.♃.◡.		
9 angustifòlia. s.s. (*gr.*) narrow-leaved.	Peru.	1821.	——	S.♃.◡.		
10 nummulària. w. (*gr.*) Money-wort.	E. Indies.	1820.	....	S.♃.◡.	Rumph. amb. 5. t. 162.	
11 alàta. w. (*gr.*) wing-stalked.	———	1739.	....	S.♃.◡.	Rheed. mal. 7. t. 38.	
12 bulbífera. w. (*gr.*) bulb-bearing.	———	1692.	7. 9.	S.♃.◡.	Sal. par. lond. t. 17.	
13 crispàta. H.B. (*gr.*) curl-stalked.	———	1818.	——	S.♃.◡.		
14 altíssima. s.s. (*gr.*) tallest.	Martinica.	1821.	——	S.♃.◡.	Plum. ic. 117. f. 2.	
15 coriàcea. s.s. (*gr.*) leathery.	S. America.	1818.	——	S.♃.◡.		
16 anguìna. H.B. (*gr.*) snake.	E. Indies.	1803.	——	S.♃.◡.		
17 pulchélla. H.B. (*gr.*) pretty.	———	1819.	....	S.♃.◡.		

18	atropurpùrea. H.B.	(pn.g.)	dark purple.	C. B. S.	1820.	....	S. ♃. ◡.		
19	globòsa. H.B.	(gr.)	globular.	———	1818.	....	S. ♃. ◡.		
20	fasciculàta. H.B.	(gr.)	bundled.	———	1817.	....	S. ♃. ◡.		
21	glàbra. H.B.	(gr.)	smooth.	———	1803.	7. 9.	S. ♃. ◡.		
22	satìva. W.	(gr.)	common.	W. Indies.	1733.	——	S. ♃. ◡.	Rheed. mal. 8. t. 51.	
23	piperifòlia. W.	(gr.)	Pepper-leaved.	S. America.	1817.	....	S. ♃. ◡.	Plum. ic. 117. f. 1.	
24	nepalénsis.	(gr.)	Nepaul.	Nepaul.	1816.	7. 8.	H. ♃. ◡.		
25	cinnamomifòlia. B.M.	(g.)	Cinnamon-leav'd.	Brazil.	1826.	11. 12.	S. ♃. ◡.	Bot. mag. t. 2825.	
26	quaternàta. Ph.	(re.g.)	four-leaved.	N. America.	1811.	7.	H. ♃. ◡.		
27	villòsa. Ph.	(re.g.)	pubescent.	———	1752.	8.	H. ♃. ◡.	Jacq. ic. 3. t. 626.	
28	oppositifòlia. L.	(gr.)	opposite-leav'd.	E. Indies.	1803.	....	S. ♃. ◡.	Petiv. gaz. t. 31. f. 6.	

TESTUDINARIA. B.T. TESTUDINARIA. Dioecia Hexandria.

1	Elephántipes. B.R.	(gr.)	Elephant's-foot.	C. B. S.	1774.	7. 8.	G. ♃. ◡.	Bot. reg. t. 92.	
	Tàmus Elephántipes. Bot. mag. t. 1347.								
2	montàna. B.T.	(gr.)	glaucous-leaved.	———	1816.	——	G. ♃. ◡.		

ORDO CCXII.

TAMEÆ. *Brown prodr.* 294 *in obs.*

TAMUS. L. BLACK BRYONY. Dioecia Hexandria. L.

1	communis. W.	(gr.)	common.	England.	....	5. 8.	H. ♃. ◡.	Eng. bot. t. 91.	
2	crética. W.	(gr.)	Cretan.	Candia.	1739.	7. 8.	H. ♃. ◡.		

ORDO CCXIII.

SMILACEÆ. *Brown prodr.* 292.

SMILAX. L. SM'ILAX. Dioecia Hexandria. L.

1	áspera. s.s.	(w.gr.)	rough bindweed.	S. Europe.	1648.	9.	H. ♄. ◡.	Schk. handb. 3. t. 328.	
	β auriculàta.	(w.gr.)	*ear-leaved.*	———	——	——	H. ♄. ◡.	Pluk. alm. t. 110. f. 3.	
2	nìgra. s.s.	(w.gr.)	black.	———	1817.	——	H. ♄. ◡.		
3	catalònica. s.s.	(w.gr.)	Catalonian.	———	——	——	H. ♄. ◡.		
4	mauritánica. s.s.	(w.gr.)	red-berried.	———	1820.	8. 10.	F. ♄. ◡.		
5	excélsa. s.s.	(w.gr.)	tall.	Syria.	1789.	8. 9.	F. ♄. ◡.	Buxb. cent. 1. t. 32.	
6	hórrida. s.s.	(w.gr.)	straight-spined.	N. America.	1820.	——	H. ♄. ◡.		
7	zeylánica. s.s.	(w.gr.)	Ceylon.	E. Indies.	1778.	——	S. ♄. ◡.	Rumph. amb. 5. t. 161.	
8	quadrangulàris. s.s.	(w.g.)	square-stalked.	N. America.	1812.	6. 8.	H. ♄. ◡.	Wats. dend. brit. t. 109.	
9	longifòlia. s.s.	(w.gr.)	long-leaved.	Cayenne.	1823.	....	S. ♄. ◡.		
10	Watsòni.	(w.gr.)	Watson's.	N. America.	1811.	7. 8.	H. ♄. ◡.	Wats. dend. brit. t. 110.	
	longifòlia. W.D. *non* Rich.								
11	Sarsaparílla. s.s.	(w.gr.)	medicinal.	———	1664.	——	H. ♄. ◡.	Wats. dend. brit. t. 111.	
12	brasiliénsis. s.s.	(w.gr.)	Brazilian.	Brazil.	1820.	——	S. ♄. ◡.		
13	hastàta. s.s.	(w.gr.)	halberd-leaved.	Carolina.	1822.	——	F. ♄. ◡.	Pluk. alm. t. 111. f. 3.	
14	China. s.s.	(w.gr.)	Chinese.	China.	1759.	....	G. ♄. ◡.	Kæmpf. amœn. t. 782.	
15	acuminàta. s.s.	(w.gr.)	sharp-pointed.	W. Indies.	1822.	6. 7.	S. ♄. ◡.	Plum. ic. 83.	
16	glaùca. B.M.	(wh.)	glaucous-leaved.	N. America.	1811.	5. 7.	H. ♄. ◡.	Bot. mag. t. 1846.	
17	austràlis. B.P.	(w.gr.)	oblong-leaved.	N. S. W.	1815.	....	G. ♄. ◡.		
18	rotundifòlia. s.s.	(w.g.)	round-leaved.	N. America.	1760.	7. 8.	H. ♄. ◡.		
19	laurifòlia. s.s.	(w.gr.)	Laurel-leaved.	———	1739.	——	H. ♄. ◡.	Catesb. car. 1. t. 15.	
20	tamnoìdes. s.s.	(w.gr.)	Tamus-leaved.	———	——	6. 7.	H. ♄. ◡.	——— 1. t. 32.	
21	caduca. s.s.	(w.gr.)	deciduous.	———	1759.	——	H. ♄. ◡.		
22	havanénsis. s.s.	(w.gr.)	Havannah.	S. America.	1823.	....	S. ♄. ◡.	Jacq. amer. t. 179. f. 102.	
23	ovalifòlia. D.P.	(w.gr.)	oval-leaved.	Nepaul.	1822.	....	H. ♄. ◡.		
24	Bòna-nòx. s.s.	(w.gr.)	fringed.	N. America.	1739.	6. 7.	H. ♄. ◡.	Pluk. alm. t. 111. f. 1.	
25	maculàta. D.P.	(w.gr.)	spotted.	Nepaul.	1819.	....	H. ♄. ◡.		
26	prolifera. H.B.	(w.gr.)	proliferous.	E. Indies.	——	....	S. ♄. ◡.		
27	glàbra. H.B.	(w.gr.)	smooth.	———	1820.	....	S. ♄. ◡.		
28	Alpini. s.s.	(w.gr.)	Grecian.	Greece.	——	6. 8.	F. ♄. ◡.		
29	latifòlia. B.P.	(w.gr.)	broad-leaved.	N. Holland.	1791.	....	F. ♄. ◡.		
30	lanceolàta. Ph.	(w.gr.)	spear-leaved.	N. America.	1765.	5. 6.	H. ♄. ◡.	Catesb. car. 2. t. 84.	

1 **herbàcea.** s.s. (*gr.*) herbaceous. N. America. 1669. 7. H. ♃. ⌣. Bot. mag. t. 1929.
2 **pedunculàris.** s.s. (*gr.*) long-peduncled. ——— 1812. 5. 7. H. ♃. ⌣.
3 **globìfer.** s.s. (*w.gr.*) Surinam. Surinam. 1819. .... S. ♄. ⌣.
4 **macrophy'lla.** s.s.(*w.g.*) large-leaved. W. Indies. 1822. .... S. ♄. ⌣.
5 **Pseùdo-china.** s.s.(*w.g.*) Bastard China. S. America. 1739. 5. 6. S. ♄. ⌣. Sloan. jam. 1. t. 143. f. 1.
6 **glyciphy'lla.** B.P.(*w.g.*) Botany-bay Tea. N. S. W. 1815. —— S. ♄. ⌣.
7 **canariénsis.** s.s.(*w.gr.*) Canary. Canaries. 1816. —— F. ♄. ⌣.
8 **pùbera.** s.s. (*w.gr.*) downy. N. America. 1806. —— H. ♄. ⌣.
9 **rùbens.** W.D. (*pi.*) pink-flowered. ——— 1811. 7. 8. H. ♄. ⌣. Wats. dend. brit. t. 108.

RIPOG'ONUM. B.P. RIPOG'ONUM. Hexandria Monogynia.
álbum. B.P. (*wh.*) white-flowered. N. S. W. 1820. 4. 6. G. ♄. ⌣.

RU'SCUS. L. BUTCHER'S-BROOM, Dioecia Monadelphia. L.
1 **aculeàtus.** W. (*w.gr.*) prickly. England. .... 12. 6. H. ♄. Eng. bot. v. 8. t. 560.
2 **láxus.** L.T. (*w.gr.*) loose. Europe. .... 1. 6. H. ♄.
3 **Hypophy'llum.** W.(*g.y.*) thick-leaved. Italy. 1640. 5. 6. H. ♄. Bot. mag. t. 2040.
β latifólius. W. (*g.y.*) *broad-leaved.* S. Europe. —— —— H. ♄. Dill. elt. t. 251. f. 303.
4 **Hypoglóssum.** W.(*g.y.*) double-leaved. Italy. 1596. 4. 5. H. ♄. Schk. handb. 3. t. 340.
5 **andrógynus.** W. (*g.y.*) climbing. Canaries. 1713. —— G. ♄. ⌣. Bot. mag. t. 1898.
6 **reticulàtus.** W. (*g.y.*) netted-leaved. C. B. S. 1816. —— G. ♄. ⌣.
7 **volùbilis.** W. (*g.y.*) many-nerved. ——— —— —— G. ♄. ⌣.
8 **racemòsus.** W. (*g.wh.*) Alexandrian Laurel. Portugal. 1713. 6. H. ♄. Wats. dend. brit. t. 145.

POLYGON'ATUM. D. SOLOMON'S-SEAL. Hexandria Monogynia.
1 **verticillàtum.** R.L.(*w.g.*) whorl-leaved. Scotland. .... 6. 7. H. ♃. Redout. liliac. t. 244.
Convallària verticillàta. Eng. bot. v. 9. t. 128.
2 **bracteàtum.** Th.(*wh.g.*) bracted. Switzerland. 1827. —— H. ♃.
3 **leptophy'llum.** D.P. slender-leaved. Nepaul. 1816. 6. 7. H. ♃.
4 **oppositifólium.** D.P. opposite-leaved. ——— —— —— H. ♃. Lodd. bot. cab. t. 640.
Convallària oppositifólia. B.C.
5 **vulgàre.** R.L. (*w.gr.*) common. England. .... 5. 6. H. ♃. Redout. liliac. t. 258.
Convallària Polygonàtum. Eng. bot. v. 4. t. 280.
6 **pubéscens.** Ph. (*w.g.*) pubescent. N. America. 1812. —— H. ♃. Willd. hort. ber. t. 45.
7 **canaliculàtum.** Ph.(*w.g.*) channel-leaved. ——— —— 6. H. ♃.
8 **angustifólium.** Ph.(*st.g.*) narrow-leaved. ——— 1824. 5. 6. H. ♃.
9 **multiflòrum.** R.L.(*w.g.*) many-flowered. Britain. .... —— H. ♃. Eng. bot. v. 4. t. 279.
10 **latifólium.** R.L. (*st.*) broad-leaved. Europe. 1802. —— H. ♃. Redout. liliac. t. 243.
11 **macrophy'llum.** (*w.g.*) large-leaved. N. America. 1823. —— H. ♃.
latifólium. Ph. *nec aliorum.*
12 **polyánthemum.** M.B.(*w.*) many-flowered. Caucasus. —— —— H. ♃.

SMILAC'INA. Df. SMILAC'INA. Hexandria Monogynia. Ph.
1 **racemòsa.** Df. (*wh.*) cluster-flowered. N. America. 1640. 5. 6. H. ♃. Redout. liliac. t. 236.
Convallària racemòsa. Bot. mag. t. 899.
2 **stellàta.** Df. (*wh.*) star-flowered. ——— 1633. —— H. ♃. Bot. mag. t. 185.
3 **trifòlia.** Df. (*wh.*) three-leaved. ——— 1812. 6. 7. H. ♃. Gmel. sib. 1. t. 6.
4 **canadénsis.** Ph. (*wh.*) Canadian. ——— —— —— H. ♃. Redout. lil. t. 216. f. 1.
5 **bifòlia.** Df. (*wh.*) least. N. Europe. 1596. 5. 6. H. ♃. Bot. mag. t. 510.
Convallària bifòlia. B.M. *Majánthemum bifólium.* Redout. liliac. t. 216. f. 2.
6 **boreàlis.** B.M. (*g.yc.*) oval-leaved. N. America. 1778. 5. 6. H. ♃. Bot. mag. t. 1403.
7 **umbellàta.** Df. (*wh.*) umbel-flowered. ——— —— —— H. ♃. ——— t. 1155.

OPHIOP'OGON. B.M. SNAKE'S-BEARD. Hexandria Monogynia. B.M.
1 **japónicus.** B.M. (*wh.*) Japan. Japan. 1784. 6. F. ♃. Bot. mag. t. 1063.
2 **spicàtus.** B.R. (*bl.*) spiked. China. 1821. 8. 10. F. ♄. Bot. reg. t. 598.
3 **intermèdius.** D.P.(*wh.*) intermediate. Nepaul. 1824. —— F. ♃.

CONVALL'ARIA. D. LILY OF THE VALLEY. Hexandria Monogynia. L.
majàlis. E.B. (*wh.*) common. Britain. .... 5. 6. H. ♃. Eng. bot. v. 15. t. 1036.
α álba. (*wh.*) *white-flowered.* ——— .... —— H. ♃.
β rósea. (*ro.*) *rose-coloured,* ——— .... —— H. ♃.
γ plèna. (*wh.*) *double-flowered.* ——— .... —— H. ♃.

STREPTOPUS. M. STREPTOPUS. Hexandria Monogynia. Ph.
1 **amplexifólius.** R.L.(*g.y.*) heart-leaved. Europe. 1752. 5. H. ♃. W. et K. hung. t. 167.
2 **distórtus.** M. (*g.y.*) distorted. N. America. —— —— H. ♃.
3 **róseus.** M. (*ro.*) rose-coloured. ——— 1806. 6. 7. H. ♃. Bot. mag. t. 1489.
Uvulària rósea. B.M.
4 **lanuginòsus.** M. (*g.y.*) woolly. ——— 1812. —— H. ♃. Bot. mag. t. 1490.
5 **símplex.** D.P. (*br.gr.*) simple-stalked. Nepaul. 1822. —— H. ♃.

MED'EOLA. S.S. INDIAN CUCUMBER. Hexandria Trigynia. L.
virginica. s.s. (*gr.*) Virginian. Virginia. 1759. 6. H. ♃. Bot. mag. t. 1316.
Gyrómia virgínica, N.

TRI'LLIUM. L. TRI'LLIUM, Hexandria Trigynia. L.
1 **sésile.** s.s. (*da.pu.*) sessile-flowered. N. America. 1759. 4. 5. H. ♃. Bot. mag. t. 40.

2 petiolàtum. s.s. (*d.pu.*) Plantain-leaved. N.America. 1811. 4. 5. H.♃.
3 erythrocárpum. M. (*w.re.*) painted-flowered. —— —— 5. 6. H.♃. Swt. br. fl. gar. t. 212.
pictum. Ph.
4 undulàtum. s.s. (*wh.*) wave-flowered. —— —— —— H.♃.
5 pusíllum. s.s. (*pu.*) dwarf. Carolina. 1812. —— F.♃.
6 ovàtum. s.s. (*pa.pu.*) purple-flowered. N. America. —— —— F.♃.
7 cérnuum. s.s. (*wh.*) drooping-flowered. —— 1758. 4. 5. H.♃. Bot. mag. t. 954.
8 eréctum. w. (*d.pu.*) stinking. —— —— 1759. —— H.♃. —— t. 470.
9 péndulum. s.s. (*wh.*) white-flowered. —— 1805. —— H.♃. W. hort. ber. 1. t. 35.
eréctum, β. Bot. mag. t. 1027.
10 obovàtum. s.s. (*d.ro.*) obovate-petaled. —— 1824. —— H.♃.
11 grandiflòrum. s.s. (*wh.*) large-flowered. —— 1799. 4. 6. H.♃. Sal. par. lond. t. 1.
erythrocárpum. B.M. *non* M.
12 stylòsum. N. (*ro.*) long-styled. Carolina. 1823. —— F.♃.

PARIS. L. HERB-PARIS. Octandria Tetragynia. L.
1 quadrifòlia. E.B. (*gr.*) True-love or 1-berry. England. .... 5. 6. H.♃. Eng. bot. v. 1. t. 7.
2 verticillàta. M.B. (*gr.*) whorl-leaved. Siberia. 1825. —— H.♃.
3 polyphy'lla. D.P. (*gr.*) many-leaved. Nepaul. 1816. —— H.♃.

ORDO CCXIV.

ASPHODELEÆ. *Brown prodr.* 1. *p.* 274.

ASPHO'DELUS. L. ASPHODEL. Hexandria Monogynia. L.
1 clavàtus. H.B. (*wh.*) club-seeded. E. Indies. 1808. 7. 10. S.⊙.
2 fistulòsus. s.s. (*wh.*) Onion-leaved. S. Europe. 1596. 6. 9. H.♃. Bot. mag. t. 964.
3 intermèdius. L.en. (*wh.*) intermediate. Canaries. 1824. —— F.♃.
4 álbus. s.s. (*wh.*) upright. S. Europe. .... 5. 7. H.♃. Blackw. t. 238.
5 æstivus. s.s. (*wh.*) summer. Portugal. 1819. —— H.♃.
6 asiáticus. R.s. (*wh.*) Asiatic. Lévant. .... —— H.♃.
7 ramòsus. s.s. (*wh.*) branched. S. Europe. 1551. —— H.♃. Bot. mag. t. 799.
8 prolífer. M.B. (*wh.*) proliferous. Armenia. 1824. 6. 10. H.⊙. Hoff.com. m.1.p.1.t.43.
9 tenùior. s.s. (*ye.gr.*) slender-leaved. Caucasus. 1823. 7. H.♃. Bot. mag. t. 2626.
10 créticus. s.s. (*ye.gr.*) Cretan. Candia. 1821. 6. 7. H.♃. Lodd. bot. cab. t. 915.
11 libúrnicus. R.s. (*ye.gr.*) oriental. Levant. —— —— H.♃. Jacq. f. eclog. t. 77.
12 taùricus. s.s. (*ye.gr.*) Taurian. Tauria. 1812. 5. 7. H.♃. Redout. liliac. t. 470.
13 capillàris. R.s. (*ye.gr.*) awl-leaved. —— —— —— H.♃. —— —— t. 380.
14 lùteus. s.s. (*ye.*) common yellow. Sicily. 1596. 5. 6. H.♃. Bot. mag. t. 773.

EREM'URUS. S.S. EREM'URUS. Hexandria Monogynia. S.S.
spectábilis. s.s. (*ye.*) channel-leaved. Caucasus. 1800. 5. 6. H.♃. Swt. br. fl. gar. t. 188.
Asphódelus altàicus. W.

CZA'CKIA. S.S. ST. BRUNO'S LILY. Hexandria Monogynia. S.S.
Liliástrum. s.s. (*wh.*) Savoy Spiderwort. Switzerland. 1629. 5. 6. H.♃. Bot. mag. t. 318.
Anthéricum Liliástrum. B.M. *Hemerocállis Liliástrum*. W.en.

PHALA'NGIUM. J. PHALA'NGIUM. Hexandria Monogynia.
1 Liliàgo. B.M. (*wh.*) grass-leaved. S. Europe. 1596. 5. 6. H.♃. Redout. lil. t. 269.
α *major*. B.M. (*wh.*) *larger*. —— —— —— H.♃. Bot. mag. t. 1635.
β *minor*. B.M. (*wh.*) *lesser* —— —— —— H.♃. —— t. 914.
2 ramòsum. B.M. (*wh.*) branching. —— 1570. —— H.♃. —— t. 1055.
Anthéricum ramòsum. W.
3 gr'æcum. Lam. (*wh.*) Grecian. Greece. 1828. —— F.♃. Flor. græc. t. 336.
4 nepalénse. B.R. (*wh.*) Nepaul. Nepaul. 1822. 6. 10. F.♃. Bot. reg. t. 998.
5 glaùcum. P.S. (*wh.*) glaucous. S. America. 1816. —— G.♃.
6 pomeridiànum. (*wh.*) afternoon-flower'd. —— 1818. —— G.♃. Bot. reg. t. 564.
Anthéricum pomeridiànum. B.R. *Scílla pomeridiàna*. DC.

ANTHE'RICUM. ANTHE'RICUM. Hexandria Monogynia. L.
1 hirsùtum. R.s. (*wh.*) hairy-leaved. —— —— 1822. 6. 10. G.♃.
2 blepharóphoron. R.s. (*w.pu.*) fringed. —— —— —— G.♃.
3 bipedunculàtum. (*wh.*) two-flowered. —— 1825. 4. 5. G.♃. Jacq. ic. 2. t. 410.
4 triflòrum. W. (*wh.*) three-flowered. —— 1782. 8. 10. G.♃.
5 undulàtum. W. (*wh.*) wave-leaved. —— —— 1825. 4. 6. G.♃.
6 pilòsum. W. (*wh.*) pilose. —— —— —— G.♃. Jacq. ic. 2. t. 416.
7 longifòlium. W. (*wh.*) long-leaved. —— —— —— G.♃. —— 2. t. 413.
8 graminifòlium. W. (*wh.*) grass-leaved. —— 1794. 6. 7. G.♃. —— 2. t. 411.
9 vespertìnum. W. (*w.re.*) afternoon-flower'd. —— 1803. 5. 9. G.♃. Bot. mag. t. 1040.

10 Jacquiniànum. R.s.(*w.*)Jacquin's. C. B. S. 1795. 5. 9. G.♃. Jacq. ic. 2. t. 412.
11 divaricàtum. R.s.(*wh.*) divaricate. ——— —— —— G.♃. Jacq. schœn. 4. t. 414.
12 revolùtum. W. (*wh.*) curled-flowered. ——— 1731. 9. 12. G.♃. Bot. mag. t. 1044.
13 floribúndum. W. (*st.*) thick-spiked. ——— 1774. 8. 4. G.♃.
14 squámeum. W. (*wh.*) scaly. ——— 1820. —— G.♃.
15 filifórme. W. (*wh.gr.*) thread-leaved. ——— 1774. 4. G.♃.
16 elongàtum. R.s.(*wh.g.*) long-racemed. ——— 1822. —— G.♃.
17 flexifòlium. W. (*wh.*) flexuose-leaved. ——— 1795. 5. 6. G.♃.

BULB'INE. L. BULB'INE. Hexandria Monogynia. L.
1 hispida. L. (*bh.gr.*) hairy-leaved. C. B. S. 1774. 5. 6. D.G.♃. Jacq. ic. 2. t. 409.
2 canaliculàta. s.s. (*wh.*) channel-leaved. ——— —— 4. 5. D.G.♃. Bot. mag. t. 1124.
3 semibarbàta. s.s. (*ye.*) half bearded. N. S. W. 1820. 4. 8. D.G.♃. Lodd. bot. cab. t. 820.
Anthéricum semibarbàtum. B.P.
4 aústrális. s.s. (*ye.*) bulbous. ——— 1819. —— D.G.b.
Anthéricum bulbòsum. B.P.
5 ánnua. s.s. (*ye.*) annual. C. B. S. 1731. 5. 6. H.⊙. Bot. mag. t. 1451.
Anthéricum ánnuum. B.M.
6 incúrva. R.s. (*ye.*) incurved-leaved. ——— 1822. —— D.G.♃.
7 longiscàpa. s.s. (*ye.*) glaucous-leaved. ——— 1759. 4. 8. D.G.b. Bot. mag. t. 1339.
8 favòsa. R.s. (*ye.*) conical-rooted. ——— 1824. —— D.G.♃.
9 asphodeloides. s.s.(*ye.*) upright-leaved. ——— 1759. 6. 8. D.G.♂. Jacq. vind. t. 181.
10 rostràta. s.s. (*ye.*) glaucous shrubby. ——— 1812. 3. 8. D.G.ħ. Jacq. ic. 2. t. 403.
11 frutéscens. W. (*ye.*) shrubby. ——— 1702. —— D.G.ħ. Bot. mag. t. 816.
12 pugioniformis. s.s.(*ye.*) dagger-leaved. ——— 1793. 4. 6. D.G.b. ——— t. 1454.
13 bisulcàta. H.P. (*ye.*) two-channelled. ——— 1825. —— D.G.b.
14 triquètra. s.s. (*wh.*) triquetrous. ——— —— —— D.G.♃.
15 scábra. s.s. (*wh.*) rough. ——— —— —— D.G.♃.
16 dúbia. R.s. (*wh.*) doubtful. ——— 1822. —— D.G.♃.
17 ciliàta. s.s. (*wh.re.*) fringed. ——— —— —— D.G.♃.
18 caùda-fèlis. R.s. (*wh.*) Cats-tail. ——— 1825. —— D.G.♃.
19 planifòlia. R.s. (*ro.w.*) two-coloured. S. Europe. 1824. —— H.♃. Desf. atl. 1. t. 90.
Phalángium bicolor. Redout. liliac. t. 215.
20 mesembryanthoides. H.P.(*ye.*)Figwort-like. C. B. S. 1824. —— D.G.♃.
21 crispa. R.s. (*ye.*) curled-leaved. ——— 1825. —— D.G.♃.
22 præmórsa. s.s. (*ye.*) bitten-rooted. ——— 1816. —— D.G.b. Jacq. ic. 2. t. 406.
23 graminea. H.R. (*ye.*) Grass-leaved. ——— 1819. 6. 8. D.G.b.
24 aloòides. R.s. (*ye.*) Aloe-leaved. ——— 1732. 4. 8. D.G.b. Bot. mag. t. 1317.
Anthéricum aloòides. B.M.
25 nùtans. s.s. (*st.gr.*) nodding. ——— 1812. —— D.G.♃. Jacq. ic. 2. t. 407.
26 latifòlia. s.s. (*ye.gr.*) broad-leaved. ——— —— —— D.G.♃. ——— 2. t. 408.

ARTHROP'ODIUM. B.P. ARTHROP'ODIUM. Hexandria Monogynia. S.S.
1 cirrhàtum. B.R. (*wh.*) large-flowered. N. Zealand. 1819. 5. 8. F.♃. Bot. reg. t. 709.
2 paniculàtum. B.P.(*w.pu.*)panicled. N. S. W. 1800. 6. 9. F.♃. Bot. mag. t. 1421.
minùs. Bot. reg. 866. *non* B.P. *Anthéricum milleflòrum.* Redout. liliac. t. 58.
3 minùs. B.P. (*wh.pu.*) simple-racemed. ——— 1819. —— F.♃.
4 péndulum. s.s. (*ri.*) pendulous-flowr'd. N. Holland. 1817. —— F.♃.
Anthéricum péndulum. W.en.
5 strictum. B.P. (*wh.pu.*) upright. V. Diem. Isl. 1826. —— G.♃.
6 fimbriàtum. B.P. (*wh.*) fringe-flowered. N. S. W. 1825. —— F.♃.

TYPA'NDRA. B.P. STYPA'NDRA. Hexandria Monogynia.
1 glaùca. B.P. (*bl.*) glaucous. N. S. W. 1819. 4. 6. F.♃.
2 cæspitòsa. B.P. (*bl.*) turfy. ——— 1824. —— F.♃.
3 umbellàta. B.P. (*bl.*) umbel-flowered. ——— 1820. —— F.♃.

ÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.
vittàta. B.P. (*wh.*) nodding-flowered. N.S.W. 1816. 7. 8. F.♃.

TRICO'RYNE. B.P. TRICO'RYNE. Hexandria Monogynia. S.S.
1 simplex. B.P. (*ye.*) simple-stalked. N. S. W. 1819. 7. 9. H.⊙.
2 elàtior. B.P. (*ye.*) tall. ——— 1825. —— G.♃.

CHLORO'PHYTUM. B.P. CHLORO'PHYTUM. Hexandria Monogynia. S.S.
1 inornàtum. B.M. (*gr.*) green-flowered. Sierra Leone. .... 6. 8. S.♃. Bot. mag. t. 1071.
2 orchidástrum. B.R. (*wh.*) Orchis-like. ——— 1822. 1. 12. S.♃. Bot. reg. t. 813.
3 elàtum. B.P. (*wh.*) tall. C. B. S. 1751. 8. 9. G.♃. Redout. lil. t. 191.
Anthéricum elàtum. H.K. *Phalángium elàtum.* R.L.

PUSCHK'INIA. M.B. PUSCHK'INIA. Hexandria Monogynia. M.B.
scilloides. M.B. (*w.bl.*) Squill-like. Iberia. 1819. 5. 6. H.b. Bot. mag. t. 2244.
Adámsia scilloides. Lindl. coll. bot. t. 24.

ALB'UCA. Ker. ALB'UCA. Hexandria Monogynia. L.
1 altíssima. W. (*wh.gr.*) tall. C. B. S. 1780. 4. 5. F.b. Jacq. ic. 1. t. 69.
2 cornùta. R.L. (*wh.gr.*) three-horned. ——— 1812. —— F.b. Redout. liliac. t. 70.
3 major. W. (*ye.gr.wh.*) great. ——— 1759. —— F.b. Bot. mag. t. 804.

4	mìnor. W.	(*ye.gr.*)	small.	C. B. S.	1798.	5. 6.	F.b.	Bot. mag. t. 720.
5	flàccida. W.	(*ye.gr.*)	flaccid.	———	1791.	——	F.b.	Jacq. ic. 2. t. 444.
6	viridiflòra. W.	(*ye.gr.*)	green-flowered.	———	1794.	6. 7.	F.b.	Bot. mag. t. 1666.
7	coarctàta. W.	(*ye.*)	channel-leaved.	———	1774.	5. 6.	F.b.	
8	fastigiàta. W.	(*wh.*)	level-topped.	———	——	——	F.b.	Andr. reposit. t. 486.
9	caudàta. W.	(*wh.gr.*)	upright-flowered.	———	1791.	5. 7.	F.b.	Jacq. ic. 2. t. 442.
10	setòsa. W.	(*gr.ye.*)	bristly-rooted.	———	1795.	——	F.b.	Bot. mag. t. 1481.
11	aùrea. W.	(*ye.gr.*)	golden-flowered.	———	1825.	——	F.b.	Jacq. ic. 2. t. 441.
12	abyssìnica. W.	(*w.y.g.*)	African.	———	——	——	F.b.	Redout. liliac. t. 196.
13	frágrans. W.	(*ye.gr.*)	sweet-scented.	———	1791.	6. 7.	F.b.	Jacq. schœn. 1. t. 81.
14	viscòsa. W.	(*w.y.g.*)	clammy-leaved.	———	1779.	5. 6.	F.b.	Jacq. ic. 2. t. 445.
15	spiràlis. W.	(*st.gr.*)	spiral-leaved.	———	1795.	6.	F.b.	——— 2. t. 439.
16	vittàta. B.M.	(*ye.gr.*)	ribbon.	———	1802.	7. 8.	F.b.	Bot. mag. t. 1329.
17	parviflòra. R.S.	(*ye.gr.*)	small-flowered.	———	1812.	——	F.b.	
18	physòdes. B.M.	(*w.pu.*)	dingy-flowered.	———	1804.	6. 7.	F.b.	Bot. mag. t. 1046.
19	nematòdes.	(*w.pu.*)	slender-leaved.	———	1812.	——	F.b.	
	Anthéricum nematòdes. R.S.							
20	exuviàta. B.M.	(*w.pu.*)	Adder skin.	———	1795.	5. 7.	F.b.	Bot. mag. t. 871.
	Anthéricum exuviàtum. Jacq. ic. 2. t. 415.							
21	anthericoìdes.	(*ye.gr.*)	Anthericum-like.	———	1788.	8.	F.b.	
	Anthéricum albucoìdes. W.							
22	filifòlia. Ker.	(*wh.gr.*)	filiform-leaved.	———	1825.	7. 8.	F.b.	Jacq. ic. 2. t. 414.
23	fùgax. B.R.	(*wh.pu.*)	fugacious.	———	1795.	4. 6.	F.b.	Bot. reg. t. 311.
	Anthéricum frágrans. Jacq. schœn. 1. t. 86.							
ORNITHO'GALUM. L. STAR OF BETHLEHEM.					Hexandria Monogynia. L.			
1?	unifòrum. W.	(*ye.*)	one-flowered.	Siberia.	1781.	5. 6.	H.b.	Nov.act.pet.18.t.6.f.2.
2	ixioìdes. H.K.	(*wh.*)	Ixia-like.	California.	1796.	——	H.b.	
3	montànum. T.N.	(*w.g.*)	mountain.	Naples.	1825.	——	H.b.	Swt. br. fl. gar. s.2. t. 42.
4	collìnum. R.S.	(*wh.gr.*)	hill.	Sicily.	1829.	——	H.b.	
5	umbellatum. E.B.	(*w.g.*)	common.	England.	....	4. 6.	H.b.	Eng. bot. v. 2. t. 130.
6	refractum. W.en.	(*w.g.*)	reflexed.	S. Europe.	1825.	——	H.b.	Swt. br. fl. gar. s.2. t.58.
7	tenuifòlium. R.S.	(*w.g.*)	slender-leaved.	Sicily.	1830.	——	H.b.	
8	exscàpum. T.N.	(*w.g.*)	short-stalked.	Naples.	1823.	——	H.b.	Ten. fl. nap. v. 1. t. 34.
9	fimbriàtum. M.B.	(*w.g.*)	fringed.	Tauria.	1820.	2. 3.	H.b.	Swt. br. fl. gar. s. 2.
10	comòsum. W.	(*wh.gr.*)	short-spiked.	Austria.	1596.	6. 8.	H.b.	Jacq. ic. 2. t. 426.
11	cònicum. W.	(*wh.*)	conical.	C. B. S.	1818.	——	F.b.	——— 2. t. 426.
12	nìveum. W.	(*wh.*)	snowy.	———	1774.	——	F.b.	Bot. reg. t. 225.
13	ovàtum. W.	(*wh.gr.*)	oval-leaved.	———	1816.	4. 8.	F.b.	
14	notàtum. R.S.	(*ye.br.*)	brown-marked.	———	1825.	6. 8.	F.b.	Jacq. coll. 2. t. 18. f. 13.
	maculàtum. Jacq. *non* Thunb.							
15	ciliàtum. W.	(*wh.*)	ciliated.	———	1818.	4. 6.	F.b.	
16	crenulàtum. W.	(*st.*)	crenulate.	———	1825.	6. 8.	F.b.	
17	maculàtum. R.S.	(*sa.br.*)	spotted-flowered.	———	——	——	F.b.	
18	secúndum. R.S.	(*st.br.*)	one-ranked.	———	1816.	——	F.b.	Jacq. ic. 2. t. 423.
19	graminifolium. R.S.	(*w.g.*)	grass-leaved.	———	——	——	F.b.	
20	tenéllum. W.	(*st.gr.*)	slender.	———	1816.	5. 6.	F.b.	Jacq. ic. 2. t. 427.
21	pilòsum. W.	(*wh.*)	hairy-leaved.	———	——	——	F.b.	
22	revolùtum. W.	(*wh.gr.*)	revolute-flowered.	———	1795.	4. 8.	F.b.	Bot. reg. t. 315.
23	corymbòsum. B.R.	(*wh.*)	corymbose.	Peru.	1822.	——	H.b.	——— t. 906.
24	Rudólphi. R.S.	(*wh.*)	Rudolph's.	C. B. S.	1812.	——	F.b.	Jacq. ecl. t. 20.
	tenuifòlium. Redout. liliac. t. 312. *non* Guss.							
25	prasìnum. B.R.	(*gr.*)	green-flowered.	———	1816.	6. 7.	F.b.	Bot. reg. t. 158.
26	vìrens. B.R.	(*gr.*)	greenish.	———	1823.	——	F.b.	——— t. 814.
27	suavèolens. W.	(*gr.ye.*)	fragrant.	———	1816.	——	F.b.	Jacq. ic. 2. t. 431.
28	barbàtum. W.	(*ye.gr.*)	bearded.	———	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 91.
29	polyphy'llum. W.	(*g.y.*)	many-leaved.	———	1825.	——	F.b.	Jacq. ic. 2. t. 430.
30	rupéstre. W.	(*wh.gr.*)	rock.	———	1795.	5. 8.	F.b.	
31	juncifòlium. W.	(*w.pu.*)	Rush-leaved.	———	1794.	7. 8.	F.b.	Bot. mag. t. 792.
32	fuscàtum. W.	(*br.gr.*)	brown-flowered.	———	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.
33	odoràtum. W.	(*gr.ye.*)	sweet-scented.	———	1795.	5. 6.	F.b.	Andr. reposit. t. 208.
34	elàtum. A.R.	(*wh.*)	Egyptian.	Egypt.	1804.	6. 7.	H.b.	——— t. 528.
35	pyramidàle. W.	(*wh.*)	pyramidal.	Spain.	1752.	——	H.b.	Jacq. ic. 2. t. 425.
36	latifòlium. W.	(*wh.*)	broad-leaved.	Egypt.	1629.	——	H.b.	Bot. mag. t. 876.
37	longebracteàtum. W.	(*w.*)	long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.
38	caudàtum. W.	(*wh.gr.*)	long-spiked.	———	1774.	2. 8.	F.b.	Bot. mag. t. 595.
39	scilloìdes. W.	(*wh.gr.*)	Squill-like.	———	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 88.
40	trig'ynum. R.L.	(*wh.gr.*)	three styled.	.....	1825.	——	F.b.	Redout. liliac. t. 417.
41	narbonénse. W.	(*w.g.*)	Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Bot. mag. t. 2516.
42	pyrenàicum. W.	(*st.*)	spiked.	England.	....	6. 7.	H.b.	Eng. bot. v. 7. t. 499.

13	sulfùreum. R.s. (st.) straw-coloured.	Hungary.	1818.	6. 10.	H.b.	Bot. mag. t. 2022.
	Anthéricum sulphùreum. Waldst. et Kit. pl. hung. 1. t. 95. *Phalángium sulfùreum.* Poiret.					
14	stachyoìdes. W. (*w.g.*) close-spiked.	S. Europe.	1771.	4. 7.	H.b.	Renealm. spec. t. 90.
15	làcteum. W. (*st.gr.*) milk white.	C. B. S.	1796.	6. 7.	F.b.	Bot. mag. t. 1134.
16	nùtans. W. (*wh.gr.*) nodding.	Britain.	....	4. 5.	H.b.	Eng. bot. v. 28. t. 1997.
17	conrctàtum. W. (*wh.*) close-flowered.	C. B. S.	1804.	6. 7.	F.b.	Jacq. ic. 2. t. 435.
18	aùreum. W. (*go.*) golden.	———	1790.	——	F.b.	Bot. mag. t. 190.
19	flavissimum. Jacq. (*ye.*) great yellow.	———	——	——	F.b.	Jacq. ic. 2. t. 436.
20	miniàtum. Jacq. (*ye.*) stained.	———	——	——	F.b.	——— t. 438.
21	thyrsoìdes. W. (*wh.br.*) thyrse-flowered.	———	1757.	——	F.b.	Bot. mag. t. 1164.
	α álbum. (*wh.br.*) *white-flowered.*	—— ——	——	——	F.b.	Bot. reg. t. 316.
	β flavéscens. (*st.br.*) *pale-yellow.*	———	——	——	F.b.	——— t. 305.
22	bícolor. R.s. (*wh.br.*) two-coloured.	———	1816.	——	F.b.	
23	tuberòsum. R.s. (*ye.*) large-rooted.	———	1787.	——	F.b.	
24	arábicum. W. (*wh.*) great-flowered.	Egypt.	1629.	3. 4.	F.b.	Bot. mag. t. 728.
25	brachystàchys. F. (*wh.*) short-spiked.	Daburia.	1821.	——	H.b.	
26	Bérgii. R.s. (*wh.gr.*) Bergius's.	———	1816.	——	F.b.	
27	marìtimum. Lam. (*wh.*) officinal Squill.	S. Europe.	1629.	4. 5.	F.b.	Bot. mag. t. 918.
	Squilla. B.M. *Scilla marìtima.* W.					
28	concìnnum. S.P. (*wh.*) neat.	Portugal.	1797.	——	H.b.	Bot. mag. t. 953.
29	unifòlium. B.M. (*wh.*) one-leaved.	Gibraltar.	1805.	6. 7.	F.b.	——— t. 935.

GA'AGEA. S.A.B. G'AGEA. Hexandria Monogynia.

1	fasciculàris. S.A.B. (*ye.*) bunch-rooted.	Britain.	....	3. 4.	H.b.	Bot. mag. t. 1200.
	làtea. B.M. 1200. *Ornithógalum làteum.* Eng. bot. v. 1. t. 21. *non* L.					
2	glaùca. R.F.G. (*ye.*) glaucous-leaved.	Switzerland.	1825.	——	H.b.	Swt. br. fl. gar. t. 177.
3	bracteolàris. S.A.B. (*ye.*) sheathing-bracted.	———	....	——	H.b.	——— t. 158.
	Ornithógalum làteum. L. *non* E.B. v. s. in herb. linn.					
4	mínima. R.s. (*ye.*) corn-field.	Europe.	1825.	——	H.b.	Swt. br. fl. gar. s. 2. t. 29.
	stellàris. S.A.B. *Ornithógalum arvénse.* S.S *Sternbérgii.* Hop. v. s. in herb. linn.					
5	spathàcea. R.s. (*ye.*) sheathed.	Germany.	1759.	5.	H.b.	Flor. græc. t. 331.
6	reticulàta. R.s. (*ye.*) netted-sheathed.	Tauria.	1829.	——	H.b.	Pall. it. 3. ap. t. D. f. 2.
7	pusilla. R.s. (*ye.*) small.	Bohemia.	1823.	——	H.b.	Reichenb. ic. t. 117.
8	Clusiàna. R.s. (*ye.*) Clusius's.	S. Europe.	....	——	H.b.	
9	podòlica. R.s. (*ye.*) Polish.	Poland.	1827.	——	H.b.	
10	erubéscens. R.s. (*y.bh.*) blush.	———	——	——	H.b.	
11	Lietàrdi. R.s. (*ye.*) fistulous-leaved.	S. Europe.	1825.	——	H.b.	Sternb. denks. 2. t. 3.
	Ornithógalum fistulòsum. Redout. liliac. t. 221.					
12	pygmæ̀a. R.s. (*ye.*) pigmy.	Spain.	1826.	——	H.b.	
13	arvénse. R.s. (*ye.*) villous-stalked.	Europe.	....	——	H.b.	Flor. græc. t. 332.
	Ornithógalum villòsum. M.B.					
14	bohèmicum. R.s. (*ye.g.*) Bohemian.	Bohemia.	1828.	——	H.b.	Sturm. flor. t. 23.
15	saxátilis. R.s. (*gr.ye.*) rock.	Germany.	——	——	H.b.	
16	bulbífera. R.s. (*ye.g.*) bulbiferous.	Tauria.	1629.	——	H.b.	Reichenb. ic. t. 117.

BARNA'RDIA. B.R. BARNA'RDIA. Hexandria Monogynia.

1	scilloìdes. B.R. (*ro.*) Squill-like.	China.	1824.	9. 10.	H.b.	Bot. reg. t. 1029.
2	japónica. R.s. (*pu.*) Japan.	Japan.	1821.	6. 8.	H.b.	
	Ornithógalum japónicum. W.					

LLO'YDIA. Sal. LLO'YDIA. Hexandria Monogynia.

1	serotìna. (*wh.std.*) mountain.	Wales.	....	6. 7.	H.b.	Eng. bot. v. 12. t. 793.
	Anthéricum serotìnum. E.B. *Phalángium serotìnum.* Redout. liliac. t. 270. *Gàgea serotìna.* Ker.					
2	striàta. (*wh.std.*) stripe-flowered.	Siberia.	1789.	5. 7.	H.b.	
	Ornithógalum striàtum. S.S.					

SCI'LLA. W. SQUILL. Hexandria Monogynia. L.

1	non scripta. L.en. (*bl.*) Harebells.	Britain.	....	3. 6.	H.b.	Eng. bot. v. 6. t. 377.
	nùtans. E.B. *Hyacinthus non scriptus.* L.					
2	cérnua. R.s. (*ro.*) flesh-coloured.	Spain.	....	——	H.b.	Bot. mag. t. 1461.
3	pátula. R.s. (*bl.*) spreading.	S. Europe.	1633.	4. 6.	H.b.	Redout. liliac. t. 225.
	campanulàta. B.M. t. 1102. *non* t. 128.					
4	campanulàta. W. (*bl.*) bell-flowered.	Spain.	——	5. 6.	H.b.	Bot. mag. t. 128.
5	corymbòsa. S.S. (*ro.*) Cape.	C. B. S.	1793.	8. 12.	F.b.	——— t. 991.
	Massònia corymbòsa. B.M. *Hyacinthus corymbòsus.* L.					
6	brevifòlia. R.s. (*wh.*) short-leaved.	———	1822.	1. 3.	F.b.	
7	brachyphy'lla. R.s. (*bh.*) blush.	———	1811.	——	F.b.	Bot. mag. t. 1468.
	Scilla brevifòlia. B.M. *non* Thunb.					
8	sibírica. H.K. (*bl.*) Siberian.	Siberia.	1796.	2. 3.	H.b.	Andr. rep. t. 365.
9	amœ̀na. R.s. (*bl.*) pretty.	Russia.	1822.	3. 4.	H.b.	Bot. mag. t. 2408.
10	amœ̀na. R.s. (*bl.*) nodding.	Levant.	1596.	——	H.b.	——— t. 241.
11	pùmila. R.s. (*pa.bl.*) small.	Portugal.	1819.	4. 5.	H.b.	Brot. phyt. lus. t. 46. f. 2.
	monophýllos. Link *ex* R.s.					

12	bifòlia. w.	(*va.*)	two-leaved.	England.	....	2. 4.	H.b.	Eng. bot. v. 1. t. 24.
	α cærùlea.	(*bl.*)	*blue-flowered.*	———	....	——	H.b.	
	β álba.	(*wh.*)	*white-flowered.*	———	....	——	H.b.	
13	cárnea.	(*ro.*)	rosy.	.....	——	——	H.b.	Bot. mag. t. 746. f. minia.
14	pr'æcox. w.	(*bl.*)	early-flowering.	.....	1790.	——	H.b.	
15	Lílio-hyacínthus.	w. (*bl.*)	Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. t. 295.
16	vérna. w.	(*bl.*)	vernal.	Britain.	....	4. 5.	H.b.	Eng. bot. v. 1. t. 23.
17	umbellàta. s.s.	(*bl.*)	umbel-flowered.	Pyrenees.	1817.	——	H.b.	Redout. liliac. t. 166.
18	itálica. s.s.	(*bl.*)	Italian.	Italy.	1605.	4. 7.	H.b.	Bot. mag. t. 663.
19	autumnàlis. w.	(*pu.*)	autumnal.	England.	....	8.	H.b.	Eng. bot. v. 2. t. 78.
20	intermèdia. R.s.	(*bl.*)	intermediate.	Sicily.	1829.	——	H.b.	
21	obtusifòlia. R.s.	(*vi.bl.*)	blunt-leaved.	Barbary.	1828.	——	H.b.	Redout liliac. 4. t. 198.
22	undulàta. R.s.	(*li.*)	wave-leaved.	S. Europe.	——	——	H.b.	Desf. atl. 1. t. 47.
23	lingulàta. R.s.	(*bl.*)	tongue-leaved.	Barbary.	——	——	H.b.	Redout. liliac. t. 321.
24	vincentìna. R.s.	(*bl.*)	spreading-flowered.	Portugal.	1827.	——	H.b.	
25	peruviàna. w.	(*va.*)	corymbose.	Spain.	1607.	5.	H.b.	Bot. mag. t. 749.
	α cærùlea.	(*bl.*)	*blue-flowered.*	———	——	——	H.b.	——— t. 749.
	β álba.	(*wh.*)	*white-flowered.*	———	——	——	H.b.	
26	Cupaniána. R.s.	(*bl.*)	Cupani's.	Sicily.	1826.	——	H.b.	Cup. panph. sic. 5. t. 20. l.
27	lusitánica. B.M.	(*pa.bl.*)	Portugal.	Portugal.	1777.	——	H.b.	Bot. mag. t. 1999.
28	hyacinthoídes. w.	(*bl.*)	Hyacinth-like.	Madeira.	1585.	8.	H.b.	——— t. 1140.
29	esculénta. B.M.	(*pa.bl.*)	Quamash.	N. America.	1811.	5. 7.	H.b.	——— t. 1574.
	Phalángium Quamash. Ph.							

HYACI'NTHUS. S.S. HYACINTH. Hexandria Monogynia. L.

1	orientàlis. w.	(*bl.*)	common.	Levant.	1596.	3. 5.	H.b.	Bot. reg. t. 995.
	α cærùleus.	(*bl.*)	*blue-flowered.*	———	——	——	H.b.	
	β lyricus.	(*bl.*)	*Lyra grandis.*	———	....	——	H.b.	Swt. flor. guid. t. 96.
	γ ràber.	(*re.*)	*red-flowered.*	———	1596.	——	H.b.	
	δ flàvus.	(*ye.*)	*yellow-flowered.*	———	——	——	H.b.	
	ε álbus.	(*wh.*)	*white-flowered.*	———	——	——	H.b.	
	ζ semiplènus.	(*va.*)	*semidouble.*	———	——	——	H.b.	
	η plènus.	(*va.*)	*double-flowered.*	———	——	——	H.b.	
	θ múltiplex.	(*va.*)	*full-flowered.*	———	——	——	H.b.	
	ι atrocærùleus.	(*bl.*)	*Pourpre fonce.*	———	....	——	H.b.	Swt. flor. guid. t. 99.
	κ sceptriformis.	(*pa.bl.*)	*Porcelaine sceptre.*	———	....	——	H.b.	——— t. 51.
	λ sanguinoléntus.	(*re.*)	*Waterloo.*	———	....	——	H.b.	——— t. 1.
	μ ornàtus.	(*pi.*)	*L'honneur d'Amsterdam.*	———	....	——	H.b.	——— t. 108.
	ν ranunculifòrus.	(*ye.*)	*yellow Ophir.*	———	....	——	H.b.	——— ——— t. 123.
2	amethy'stinus. w.	(*bl.*)	Amethyst-coloured.	S. Europe.	1759.	4. 5.	H.b.	Swt. br. fl. gar. t. 135.

UROPE'TALON. B.R. UROPE'TALON. Hexandria Monogynia. B.R.

1	viride. B.R.	(*gr.*)	green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. t. 203.
	Hyacínthus víridis. L. *Zuccágnia víridis.* Th. *Lachenàlia víridis.* w.							
2	glaùcum. B.R.	(*gr.br.*)	glaucous-leaved.	C. B. S.	1816.	7. 8.	F.b.	Bot. reg. t. 156.
3	crispum. B.R.	(*br.gr.*)	curled-leaved.	———	——	——	F.b.	
4	longifòlium. B.R.	(*br.gr.*)	long-leaved.	———	1822.	——	F.b.	Bot. reg. t. 974.
5	hyacinthoídes. R.s.	(*re.*)	Hyacinth-like.	———	——	——	F.b.	
6	serotìnum. B.R.	(*bl.*)	late-flowering.	Spain.	1629.	6. 8.	F.b.	Bot. mag. t. 859.
7	fúlvum. H.s.l.	(*re.br.*)	tile-red.	Mogador.	1806.	6. 9.	F.b.	——— t. 1185.
	Scílla serotìna β. B.M. *Hyacínthus fúlcus.* Cav.							

BELLE'VALIA. Lap. BELLEV'ALIA. Hexandria Monogynia.

	romàna.	(*wh.*)	Roman.	Italy.	1596.	5.	H.b.	Bot. mag. t. 939.
	operculàta. Lap. *Scílla romàna.* B.M. *Hyacínthus romànus.* L.							

MUSC'ARI. S.S. GRAPE HYACINTH. Hexandria Monogynia. S.S.

1	moschàtum. s.s.	(*br.*)	musk.	Levant.	1596.	4. 5.	H b.	Bot. mag. t. 734.
2	ambrosiacum. R.L.	(*wh.*)	strong-scented.	———	....	——	H.b.	Redout. liliac. t. 132.
3	macrocárpum. R.F.G.	(*ye.*)	large-capsuled.	Turkey.	1812.	——	H.b.	Swt. br. fl. gar. t. 216.
	moschàtum β flàvum. Bot. mag. t. 1565.							
4	comòsum. s.s.	(*br.pu.*)	purple.	S. Europe.	1596.	——	H.b.	Bot. mag. t. 132.
	β monstròsum.	(*pu.*)	*feathered.*	———	——	——	H.b.	Moris. s. 4. t. 11. f. 2.
5	ciliàtum. s.s.	(*w.pu.*)	ciliated.	Tauria.	1818.	——	H.b.	Bot. reg. t. 394.
6	pállens. s.s.	(*pa.bl.*)	pale-flowered.	———	——	——	H.b.	Swt. br. fl. gar. t. 259.
7	glaùcum. B.R.	(*pa.*)	glaucous-leaved.	Persia.	1825.	——	H.b.	Bot. reg. t. 1065.
8	racemòsum. s.s.	(*bl.*)	starch.	Britain.	....	——	H.b.	Eng. bot. v. 27. t. 1891.
9	commutàtum. R.s.	(*d.bl.*)	confused.	Sicily.	....	——	H.b.	
10	parviflòrum. R.s.	(*bl.*)	small-flowered.	———	1827.	——	H.b.	
11	botryoídes. s.s.	(*va.*)	bunch-flower'd.	Italy.	1596.	——	H.b.	Bot. mag. t. 157.
	α azùreum. B.F.G.	(*bl.*)	*bright-blue.*	———	——	——	H.b.	Swt. br. fl. gar. 15. f. a.
	β pállidum. B.F.G.	(*pa.*)	*pale blue.*	———	——	——	H.b.	——— 15. f. c.
	γ álbum. B.F.G.	(*wh.*)	*white-flowered.*	———	——	——	H.b.	——— ——— 15. f. b.

,CHEN'ALIA. W.	LACHEN'ALIA.	Hexandria Monogynia. W.				
péndula. W.	(*y.re.g.*) pendulous.	C. B. S.	1774.	3. 4.	F.b.	Jacq. ic. 2. t. 400.
α viridifòlia.	(*y.re.g.*) *green-leaved.*	———	——	——	F.b.	Bot. mag. t. 590.
β maculàta.	(*y.re.g.*) *spotted-leaved.*	———	——	——	F.b.	
quadrícolor. B.M.	(*va.*) four-coloured.	———	1789.	3. 5.	F.b.	Jacq. ic. 2. t. 388.
α viridifòlia.	(*y.sc.g.*) *green-leaved.*	———	——	——	F.b.	Bot. mag. t. 588.
β colorata.	(*y.sc.g.*) *coloured-leaved.*	———	——	——	F.b.	——— t. 1097.
lutèola. Jacq.	(*ye.*) yellow-flowered.	———	1774.	4. 5.	F.b.	Jacq. ic. 2. t. 395.
α viridifòlia.	(*ye.*) *green-leaved.*	———	——	——	F.b.	Bot. mag. t. 1020.
β maculàta.	(*ye.*) *spotted-leaved.*	———	——	——	F.b.	——— t. 1704.
trícolor. B.M.	(*y.re.g.*) three-coloured.	———	——	——	F.b.	——— t. 82.
rùbida. W.	(*re.*) dotted-flowered.	———	1803.	9. 10.	F.b.	——— t. 993.
punctàta. S.S.	(*w.re.*) spotted-flowered.	———	1825.	6. 8.	F.b.	Jacq. ic. 2. t. 397.
flàva. A.R.	(*ye.*) bright-yellow.	———	1805.	5. 6.	F.b.	Andr. reposit. t. 77.
isopétala. W.	(*pa.br.*) equal-flowered.	———	1804.	——	F.b.	Jacq. ic. 2. t. 401.
hírta. R.S.	(*w.bl.*) hairy-leaved.	———	1825.	——	F.b.	
sessilifiòra. A.R.	(*bl.*) sessile-flowered.	———	1804.	——	F.b.	Andr. rep. t. 469.
unifòlia. W.	(*bl.re.*) one-leaved.	———	1795.	3. 4.	F.b.	Bot. mag. t. 766.
ròsea. A.R.	(*ro.*) rose-coloured.	———	1800.	4. 5.	F.b.	Andr. rep. t. 296.
pusílla. W.	(*wh.*) dwarf.	———	1825.	——	F.b.	Jacq. ic. 2. t. 385.
refléxa. R.S.	(*ye.*) reflex-leaved.	———	——	——	F.b.	
bifòlia. B.M.	(*ro.wh.*) cowl-leaved.	———	1813.	3. 4.	F.b.	Bot. mag. t. 1611.
contáminata.W.	(*w.br.*) contaminated.	———	1774.	2. 4.	F.b.	——— t. 1401.
purpùrea. W.	(*pu.w.*) purple.	———	1819.	4. 5.	F.b.	Jacq. ic. 2. t. 393.
violàcea. W.	(*g.vi.*) violet.	———	1795.	3. 4.	F.b.	——— 2. t. 394.
lùcida. B.M.	(*w.br.*) glossy-leaved.	———	1798.	3. 5.	F.b.	Bot. mag. t. 1372.
racemòsa. B.M.	(*wh.*) racemed.	———	1811.	5.	F.b.	——— t. 1517.
frágrans. W.	(*wh.*) sweet-scented.	———	1798.	3. 5.	F.b.	Jacq. schœn. 1. t. 82.
unícolor. B.M.	(*li.*) self-coloured.	———	1806.	5. 6.	F.b.	Bot. mag. t. 1373.
anguínea.S.F.G.	(*w.g.*) snake.	———	1825.	4. 5.	F.b.	Swt. br. fl. gar. t. 179.
purpureo-cœrulea.(*bl.*)	purple-blue.	———	1798.	——	F.b.	Bot. mag. t. 745.
pustulàta. W.	(*w.st.*) blistered.	———	1796.	1. 4.	F.b.	——— t. 817.
liliiflòra. W.	(*wh.*) Lily-flowered.	———	1820.	4. 6.	F.b.	Jacq. ic. 2. t. 387.
orthopétala.R.S.	(*w.gr.*) wedge-flowered.	———	1825.	——	F.b.	——— 2. t. 383.
pátula. W.	(*wh.ro.*) spreading-flower'd.	———	1795.	4. 5.	F.b.	——— 2. t. 384.
nervòsa. B.M.	(*br.pu.*) nerved-leaved.	———	1810.	6.	F.b.	Bot. mag. t. 1497.
angustifòlia. W.	(*wh.*) narrow-leaved.	———	1793.	4. 5.	F.b.	——— t. 735.
hyacinthoides.W.	(*wh.*) Hyacinth-flower'd.	———	1812.	3. 4.	F.b.	Jacq. ic. 2. t. 382.
pállida. W.	(*pa.bl.*) pale-flowered.	———	1782.	——	F.b.	Bot. reg. t. 314.
mediána. R.S.	(*st.gr.*) intermediate.	———	——	——	F.b.	Jacq. ic. t. 392.
mutabilis. S.F.G.	(*ye.*) changeable.	———	1825.	2. 5.	F.b.	Swt. br. fl. gar. ser. 2.
orchioides. W.	(*ye.*) Orchis-like.	———	1752.	2. 4.	F.b.	Bot. mag. t. 1269.
glaucina. W.	(*wh.bl.*) sea-green.	———	1795.	3. 4.	F.b.	Jacq. ic. 2. t. 391.
I'MIA. S.S.	DRI'MIA.	Hexandria Monogynia. S.S.				
lanceolàta. R.S.	(*y.gr.*) spear-leaved.	C. B. S.	1774.	8. 10.	F.b.	Andr. reposit. t. 299.
Lachenàlia refléxa. Andr. rep. t. 299.						
lanceæfòlia. B.M.	(*g.pu.*) lance-leaved.	C. B. S.	1800.	9. 10.	F.b.	Bot. mag. t. 643.
longipedunculàta.	(*g.pu.*) long-stalked.	———	——	——	F.b.	Schr.pl.rar.mon.t.100.
acuminàta. B.C.	(*g.br.*) taper-leaved.	———	——	——	F.b.	Lodd. bot. cab. t. 1041.
Gawlèri. R.S.	(*gr.pu.*) revolute-flowered.	———	1774.	——	F.b.	Bot. mag. t. 1380.
Hyacinthus revolàtus. H.K.						
ovalifòlia. R.S.	(*gr.pu.*) oval-leaved.	———	1812.	——	F.b.	Lodd. bot. cab. t. 278.
undulàta. S.S.	(*g.pu.*) wave-leaved.	———	1825.	8. 10.	F.b.	Jacq. ic. 2. t. 376.
purpurascens.S.S.	(*pu.*) purplish.	———	——	——	F.b.	
ciliàris. S.S.	(*g.pu.*) ciliated.	———	....	——	F.b.	Bot. mag. t. 1444.
pusílla. S.S.	(*gr.*) dwarf.	———	1793.	5. 6.	F.b.	Jacq. ic. 2. t. 374.
mèdia. S.S.	(*w.pu.*) semicylindrical-ld.	———	1818.	7. 8.	F.b.	——— 2. t. 375.
álta. S.S.	(*g.w.*) tall.	———	1799.	10. 11.	F.b.	Bot. mag. t. 822.
altíssima. S.S	(*wh.*) tallest.	———	1791.	8. 9.	F.b.	——— t. 1074.
[OSPE'RMUM. W.	ERIOSPE'RMUM.	Hexandria Monogynia. W.				
parvifòlium. S.S.	(*wh.*) small-leaved.	C. B. S.	1795.	6. 8.	F.b.	Jacq. ic. 2. t. 422.
latifòlium. S.S.	(*wh.*) broad-leaved.	———	1800.	——	F.b.	——— 2. t. 420.
Bellendèni.	(*wh.*) Mr. Ker's.	———	——	——	F.b.	Bot. mag. t. 1382.
latifòlium α. B.M. *non* Jacq.						
lanceæfòlium. S.S.	(*st.*) lance-leaved.	———	1795.	——	F.b.	Jacq. ic. 2. t. 421.
pubéscens. S.S.	(*wh.*) pubescent.	———	1820.	——	F.b.	Bot. reg. t. 578.
lanuginòsum. S.S.	(*st.*) woolly-leaved.	———	——	——	F.b.	Jacq. schœn. 3. t. 265.
foliolíferum.B.M.	(*w.g.*) leaflet-bearing.	———	1806.	——	F.b.	Andr. reposit. t. 521.
paradóxicum.B.M.	(*w.g.*) paradoxical.	———	1820.	——	F.b.	Jacq. col. sup. 81. t. 1.

MASS'ONIA. S.S. MASS'ONIA. Hexandria Monogynia. W.

1	grandiflòra. B.R.	(*wh.*)	honey-bearing.	C. B. S.	1825.	1. 4.	F.b.	Bot. reg. t. 958.
2	cándida. B.T.	(*wh.*)	white-flowered.	———	1816.	2. 5.	F.b.	——— t. 694.
	longifòlia β. cándida. B.R.							
3	longifòlia. S.S.	(*wh.*)	long-leaved.	———	——	——	F.b.	
4	latifòlia. S.S.	(*g.pu.*)	broad-leaved.	———	1775.	3. 4.	F.b.	Bot. mag. t. 848.
5	cordàta. S.S.	(*wh.*)	heart-leaved.	———	1820.	——	F.b.	
6	muricàta. S.S.	(*wh.*)	prickly-leaved.	———	1790.	4. 5.	F.b.	Bot. mag. t. 559.
7	scábra. H.K.	(*wh.*)	shagreen-leaved.	———	——	1. 4.	F.b.	Andr. reposit. t. 220.
	pustulàta. Bot. mag. t. 642.							
8	echinàta. S.S.	(*wh.*)	rough-leaved.	———	——	5.	F.b.	
9	pauciflòra. S.S.	(*wh.*)	few-flowered.	———	——	——	F.b.	
10	angustifòlia. S.S.	(*wh.*)	narrow-leaved.	———	1775.	3. 4.	F.b.	Bot. mag. t. 736.
11	undulàta. S.S.	(*wh.*)	wave-leaved.	———	1791.	4.	F.b.	
12	ensifòlia. S.S.	(*pi.*)	trumpet-flowered.	———	1790.	9. 2.	F.b.	Bot. mag. t. 554.
	violàcea. A.R. 46. *Agapánthus ensifòlius.* W. *Hyacínthus bifòlius.* Cav.							

E'UCOMIS. S.S. E'UCOMIS. Hexandria Monogynia. W.

1	nàna. S.S.	(*gr.*)	dwarf.	C. B. S.	1774.	5.	F.b.	Bot. mag. t. 1495.
2	bifòlia. S.S.	(*gr.st.*)	two-leaved.	———	1792.	4. 5.	F.b.	——— t. 840.
3	purpureocaùlis. S.S.	(*gr.*)	purple-stalked.	———	1794.	3. 4.	F.b.	Andr. reposit. t. 369.
4	règia. S.S.	(*g.wh.*)	tongue-leaved.	———	1702.	3. 5.	F.b.	Dill. elth. t. 92. f. 109.
5	undulàta. S.S.	(*g.wh.*)	wave-leaved.	———	1760.	——	F.b.	Bot. mag. t. 1083.
6	punctàta. S.S.	(*g.wh.*)	spotted.	———	1783.	7.	F.b.	——— t. 913.
7	striàta. H.K.	(*g.wh.*)	streaked.	———	1790.	6. 12.	F.b.	——— t. 1539.

A'LLIUM. L. GARLIC. Hexandria Monogynia. L.

1	satìvum. G.D.	(*re.*)	common.	Sicily.	1548.	6. 9.	H.b.	Lobel. ic. t. 158.
2	Ophioscórodon. G.D.	(*br.*)	Rocambole.	Crete.	1596.	8.	H.b.	Clus. his. p. 191. t. 218.
3	contravérsum. G.D.	(*pu.*)	simple-rooted.	Egypt.	1823.	——	H.b.	Cord. hist. p. 144. f. 1.
	Ophioscórodon. L.en.							
4	arenàrium. G.D.	(*re.*)	sand.	Britain.	....	6. 8.	H.b.	Eng. bot. v. 19. t. 1358.
5	Scorodopràsum. G.D.	(*re.*)	wild Rocambole.	Denmark.	1596.	7.	H.b.	Flor. dan. t. 219. et 1455.
6	littòreum. G.D.	(*re.*)	Italian sand.	Italy.	1824.	8.	H.b.	
	monspessulànum. W.							
7	vineàle. G.D.	(*ro.*)	Crow.	Britain.	....	6. 8.	H.b.	Eng. bot. v. 28. t. 1974.
8	compáctum. G.D.	(*ro.*)	two-headed crow.	France.	1819.	——	H.b.	Moris. sect. 4. t. 15. f. 3.
9	Púrshii. G.D.	(*da.pu.*)	Pursh's crow.	N. America.	1824.	——	H.b.	
	vineàle. Ph. *nec aliorum.*							
10	prolíferum. G.D.	(*wh.*)	tree Onion.	Egypt.	.....	7.	H.b.	Bot. mag. t. 1469.
	Cèpa β bulbífera. B.M.							
11	Pórrum. G.D.	(*gr.pu.*)	Leek.	Switzerland.	1562.	5. 7.	H.b.	Plenck. ic. t. 421.
12	Ampelopràsum. G.D.	(*pa.*)	blue Leek.	England.	....	7. 8.	H.b.	Eng. bot. v. 24. t. 1657.
13	rotúndum. G.D.	(*pu.*)	round-headed.	S. Europe.	1819.	6. 7.	H.b.	Clus. hist. p. 195. t. 220.
14	Hallèrii. G.D.	(*pa.pu.*)	Haller's.	———	1818.	——	H.b.	Flor. græc. t. 312.
15	rubicúndum. G.D.	(*re.*)	marbled leek.	C. B. S.	....	7. 8.	F.b.	Bot. mag. t. 1560.
	ampelopràsum β. B.M.							
16	Waldstèini. G.D.	(*d.pu.*)	Waldstein's.	Smyrna.	1824.	6. 7.	H.b.	W. et K. hung. t. 82.
17	exsértum. G.D.	(*ro.*)	long-stamen'd.	Russia.	1819.	7. 8.	H.b.	
18	eréctum. G.D.	(*wh.*)	upright leek.	C. B. S.	1824.	——	F.b.	
19	acutifòlium. G.D.	(*re.*)	sharp-flowered.	France.	——	——	H.b.	Moris. sect. 4. t. 15. f. 4.
20	Synnótii. G.D.	(*li.*)	Synnot's.	C. B. S.	1825.	6. 7.	F.b.	
21	verrucòsum. G.D.	(*li.*)	warted-flower'd.	———	——	——	F.b.	
22	multifòrum. G.D.	(*vi.*)	many-flowered.	Barbary.	1826.	7. 8.	F.b.	
23	descéndens. G.D.	(*d.pu.*)	early flowering.	Switzerland.	1766.	6.	H.b.	Flor. græc. t. 316.
24	sphærocéphalon. G.D.	(*pu.*)	late-flowered.	Germany.	1759.	7.	H.b.	Bot. mag. t. 1764.
25	pruinàtum. G.D.	(*li.*)	frosted.	Portugal.	1819.	6. 8.	H.b.	
26	cárneum. G.D.	(*li.*)	blush-coloured.	France.	1816.	6. 7.	H.b.	
27	ascalonicum. G.D.	(*li.*)	Shallot.	Palestine.	1548.	——	H.b.	Moris. sect. 4. t. 14. f. 1.
	β chinénse. G.D.	(*li.*)	*Chinese Shallot.*	China.	....	——	H.b.	
28	físsile.	(*gr.*)	Scallion.	Asia minor.	....	——	H.b.	Matt. opus. p. 420. ic.
	Cèpa físsilis. Matt.							
29	Cèpa. G.D.	(*wh.gr.*)	Onion.	.....	....	6.	H. ♂.b.	Flor. græc. t. 326.
	β aggregàtum. G.D.	(*w.g.*)	*Potatoe Onion.*	.....	....	——	H.b.	
30	Schœnopràsum. G.D.	(*pu.*)	Chives.	Britain.	....	5. 6.	H.b.	Eng. bot. v. 34. t. 2411.
31	foliòsum. G.D.	(*pu.*)	leafy Chives.	France.	1820.	——	H.b.	Redout. lil. 4. t. 214.
32	sibíricum. G.D.	(*li.*)	Siberian Chives.	Siberia.	1778.	6. 8.	H.b.	Bot. mag. t. 1141.
33	fistulòsum. G.D.	(*gr.*)	Welsh Onion.	———	1629.	6. 7.	H. ♂.b.	——— t. 1230.
	β altàicum. Pallas.	(*gr.*)	*Altaic.*	Altay.	1823.	——	H.b.	Pall. it. 2. n. 108. t. F
34	cepæfórme. G.D.	(*w.g.*)	Onion-like.	.....	1824.	——	H.b.	
35	oblíquum. G.D.	(*st.*)	oblique-leaved.	Siberia.	1759.	——	H.b.	Bot. mag. t. 1406.

ramòsum. G.D.	(*st.*) branchingChives.	Siberia.	1824.	6.	H.b.	
angústum. G.D.	(*pu.*) narrow-leaved.	———	——	——	H.b.	
Pallàsii. G.D.	(*pu.*) Pallas's Chives.	Russia.	....	——	H.b.	Murr.c.got.6.1775.t.3.
pusíllum. G.D.	(*li.*) small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. 2. t. 118.
rubéllum. G.D.	(*ro.*) reddish.	Siberia.	1825.	7. 8.	H.b.	
reticulàtum. G.D.	(*wh.*) netted.	N. America.	1811.	——	H.b.	Bot. mag. t. 1840.
oxypétalum. G.D.	(*bh.*) acute-petal'd.	Switzerland.	1822.	7.	H.b.	
oleràceum. G.D.	(*st.pu.*) purple-striped.	England.	....	——	H.b.	Eng. bot. v. 7. t. 488.
carinàtum. G.D.	(*st.br.*) keeled.	———	....	5. 6.	H.b.	——— v. 24. t. 1658.
f'œtidum. W.	(*da.pu.*) twisted.	Siberia.	1823.	——	H.b.	
violàceum. G.D.	(*vi.*) violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.
flexum. W.K.						
ásperum. G.D.	(*vi.*) rough-leaved.	S. Europe.	1820.	——	H.b.	Red. lil. 7. t. 368.
carinàtum. R.L. *nec aliorum.*						
longispàthum. G.D.	(*g.pu.*) long-spathed.	———	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
pállens. Bot. mag. t. 1420.						
paniculàtum. G.D.	(*bh.*) panicled.	———	1780.	——	H.b.	Bot. mag. t. 1432.
pállens. G.D.	(*pa.wh.*) pale-flowered.	———	1779.	——	H.b.	Redout. lil. 5. t. 272.
tenuiflòrum. G.D.	(*ro.*) slender-flowered.	Italy.	1824.	——	H.b.	Ten. fl. nap. 1. t. 30.
pulchéllum. G.D.	(*vi.*) beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
paniculàtum. R.L. *coloràtum.* S.S.						
flàvum. G.D.	(*ye.*) yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Bot. mag. t. 1330.
caucásicum. G.D.	(*ro.*) Caucasian.	Caucasus.	1810.	——	H.b.	——— t. 973.
rupéstre. G.D.	(*ro.*) small Caucasian.	———	1824.	——	H.b.	
globòsum. G.D.	(*li.*) globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
montànum. G.D.	(*ro.*) mountain.	Greece.	——	6. 8.	H.b.	Flor. græc. t. 319.
parviflòrum. G.D.	(*br.*) small-flowered.	S. Europe.	1781.	6. 7.	H.b.	
moschàtum. G.D.	(*w.pu.*) small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t. 68.
setàceum. W.M.						
Stellerianum. G.D.	(*g.w.*) Steller's.	Siberia.	1829.	——	H.b.	Gmel. sib. 1. t. 16. f. 1 et 2.
saxátile. G.D.	(*wh.*) rock.	Caucasus.	1825.	6. 7.	H.b.	
stríctum. G.D.	(*ro.*) upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
lineàre. G.D.	(*re.*) linear-leaved.	———	1819.	7. 8.	H.b.	Gmel. sib. 1. t. 13. 14. f. 1.
nùtans. G.D.	(*fl.*) great nodding.	———	1785.	——	H.b.	Bot. mag. t. 1143.
senéscens. G.D.	(*li.*) Narcissus-leaved.	———	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
Andersònii. G.D.	(*li.*) Anderson's.	———	1819.	——	H.b.	
spùrium. G.D.	(*li.*) spurious.	———	....	——	H.b.	
glaùcum. G.D.	(*pu.*) glaucous.	———	1596.	6. 7.	H.b.	Bot. mag. t. 1150.
senéscens. B.M. *non* L. *baicalénse.* W.en.						
angulòsum. G.D.	(*pu.*) angular-stalked.	———	1739.	——	H.b.	Bot. mag. t. 1149.
acutángulum. G.D.	(*pu.*) acute-angled.	———	1816.	——	H.b.	Ger. emac. p. 186. ic.
danubiàle. G.D.	(*pu.*) short-leaved.	———	——	——	H.b.	
láxum. G.D.	(*pu.*) loose umbelled.	Russia.	1824.	——	H.b.	
serotìnum. G.D.	(*pu.*) late-flowering.	Switzerland.	——	8.	H.b.	
álbidum. G.D.	(*wh.*) whitish-flower'd.	Caucasus.	1823.	6. 8.	H.b.	
flavéscens. G.D.	(*st.*) half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
denudàtum. R.L.						
rubens. G.D.	(*pu.*) red-rooted.	S. Europe.	1805.	5.	H.b.	Bot. mag. t. 1318.
bisúlcum. Redout. liliac. t. 286.						
prostràtum. G.D.	(*li.*) small trailing.	Siberia.	....	6.	H.b.	
congéstum. G.D.	(*pu.*) crowded-flower'd.	———	....	——	H.b.	
pedemontànum. G.D.	(*ro.*) Piedmont.	Piedmont.	1820.	7. 8.	H.b.	Allion. ped. t. 254.
narcissiflòrum. G.D.	(*ro.*) large-flowered.	France.	1818.	——	H.b.	Vill. dauph. 2. t. 6.
suavèolens. G.D.	(*w.pu.*) sweet-scented.	———	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 364.
ochroleùcum. G.D.	(*st.*) cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
cérnuum. G.D.	(*bh.*) drooping.	N. America.	1806.	6. 7.	H.b.	Bot. mag. t. 1324.
stellàtum. G.D.	(*li.*) starry-flowered.	———	1811.	——	H.b.	——— t. 1576.
caroliniànum. G.D.	(*li.*) Carolina.	———	1819.	——	H.b.	Redout. lil. 2. t. 101.
paradóxum. G.D.	(*wh.*) paradoxical.	Siberia.	1823.	4.	H.b.	
scorzonerifòlium. G.D.	(*ye.*) Scorzonera-leaved.	S. Europe.	—	6. 7.	H.b.	Redout. liliac. 2. t. 99.
canadénse. G.D.	(*ro.*) Canadian.	N. America.	1739.	——	H.b.	Kalm. it. v. 3. p. 79.
mutábile. G.D.	(*bh.*) changeable.	———	....	7.	H.b.	Redout. lil. 4. t. 240.
mágicum. G.D.	(*st.*) broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
ambíguum. G.D.	(*ro.*) ambiguous.	Levant.	....	5. 6.	H.b.	Flor. græc. t. 327.
incarnàtum. S.S. *ròseum* β. Bot. mag. t. 978.						
am'œnum. G.D.	(*ro.*) fine red-flowered.	Italy.	1820.	——	H.b.	Ten. fl. nap. t. 28.
cárneum. T.N.						
ròseum. G.D.	(*ro.*) rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 213.
illy'ricum. G.D.	(*pi.*) Illyrian.	Austria.	....	6. 7.	H.b.	Jacq. ic. 2. t. 365.

95 subhirsùtum. G.D. (*wh.*)	hairy.	S. Europe.	1596.	6.	H.b.	Cyr. pl. r. nap. 2. t. 3.
β obtùsum. (*wh.*)	*blunt-flowered.*	———	——	——	H.b.	Bot. mag. t. 774.
96 Clusiànum. G.D. (*wh.*)	Clusius's.	———	1803.	6. 8.	H.b.	Clus. hist. 1. p. 192.
97 Chamæ-Mòly. G.D. (*w.*)	dwarf-Moly.	———	1774.	2. 4.	F.b.	Bot. mag. t. 1203.
98 majàle. G.D. (*wh.*)	large Moly.	Italy.	1825.	6.	F.b.	Ten. fl. nap. 1. t. 28.
99 brachystèmon. R.L. (*w.*)	short-stamened.	S. France.	1826.	——	H.b.	Redout. liliac. 7. t. 374.
100 longifòlium. G.D. (*pu.*)	long-leaved.	Mexico.	——	8. 10.	F.b.	Bot. reg. t. 1034.
101 Cowàni. B.R. (*wh.*)	Cowan's.	Chili.	1824.	5.	F.b.	——— t. 758.
102 neapolitànum. G.D. (*w.*)	Neapolitan.	Italy.	——	4. 5.	H.b.	Swt. br. fl. gar. t. 291.
álbum. Bivon.						
103 triquètrum. G.D. (*wh.*)	triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Bot. mag. t. 869.
104 mèdium. G.D. (*wh.*)	intermediate.	Hungary.	1824.	5.	H.b.	
105 pendulìnum. G.D. (*w.*)	pendulous Italian.	Italy.	——	4. 5.	H.b.	Ten. fl. nap. 1. t. 31.
106 nìgrum. G.D. (*wh.*)	black.	S. Europe.	1596.	6.	H.b.	Bot. mag. t. 1148.
mágicum. B.M.						
β rubéscens. (*bh.*)	*pale red-flowered.*	Greece.	....	——	H.b.	Flor. græc. t. 333.
107 atropurpùreum. G.D. (*d.pu.*)	dark purple.	Hungary.	1825.	——	H.b.	W. et K. hung. 1. t. 17.
108 Mòly. G.D. (*ye.*)	large yellow.	S. Europe.	1604.	——	H.b.	Bot. mag. t. 499.
109 tricóccum. G.D. (*wh.*)	three-seeded.	N. America.	1770.	7.	H.b.	
110 ursìnum. G.D. (*wh.*)	Ramson.	Britain.	....	4. 5.	H.b.	Eng. bot. v. 2. t. 122.
111 sulcàtum. G.D. (*wh.*)	furrowed.	.....	1823.	——	H.b.	Redout. liliac. 8. t. 482.
112 Victoriàlis. G.D. (*st.*)	long-rooted.	Austria.	1739.	5.	H.b.	Bot. mag. t. 1222.
113 odòrum. G.D. (*wh.pu.*)	sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 98.
tatáricum. Bot. mag. t. 1142.						
114 inodòrum. B.M. (*bh.*)	fragrant.	Carolina.	1776.	3. 4.	H.b.	Bot. mag. t. 1129.
frágrans. Vent. cels. t. 26. *grácile.* W.						
115 striàtum. G.D. (*bh.w.*)	striated.	America.	1800.	5. 6.	H.b.	Bot. mag. t. 1524 & 1635.
Ornithógalum graminèum. B.M. 2419.						
116 cáspium. G.D. (*bh.*)	Caspian.	Astracan.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
Amaryllis cáspica. W. *Crìnum cáspicum.* Pal.						
117 Akàka. F.	Persian.	Persia.	1829.	....	H.b.	
SOWERB'ÆA. B.P.	SOWERB'ÆA.	Hexandria Monogynia. S.S.				
júncea. B.P. (*ro.*)	Rush-leaved.	N. S. W.	1792.	5. 7.	G. ♃.	Bot. mag. t. 1104.
LAXMA'NNIA. B.P.	LAXMA'NNIA.	Hexandria Monogynia. S.S.				
grácilis. B.P. (*wh.*)	slender.	N. S. W.	1822.	5. 7.	G. ♃.	
APHYLLA'NTHES. L.	LILY PINK.	Hexandria Monogynia.				
monspeliénsis. L. (*bl.*)	Rush-like.	France.	1791.	6. 7.	H. ♃.	Bot. mag. t. 1132.
THYSAN'OTUS. B.P.	THYSAN'OTUS.	Hexandria Monogynia. S.S.				
1 tuberòsus. B.P. (*bl.*)	tuberous-rooted.	N. S. W.	1822.	7. 9.	G. ♃.	
2 elàtior. B.P. (*bl.*)	tall.	———	——	——	G. ♃.	
3 isanthèrus. B.P. (*bl.*)	equal-anthered.	V. Diem. Isl.	——	——	G. ♃.	Bot. reg. t. 655.
4 júnceus. B.P. (*bl.*)	rush-like.	N. S. W.	——	——	G. ♃.	——— t. 656.
Chlamysporum junciformium. Par. lond. t. 103.						
CYANE'LLA. L.	CYANE'LLA.	Hexandria Monogynia. L.				
1 álba. s.s. (*wh.*)	1-flowered white.	C. B. S.	1825.	4. 6.	F.b.	Th. in a. hol. 1794. t. 7. f. 3
2 lùtea. s.s. (*ye.*)	yellow-flowered.	———	1788.	5. 12.	F.b.	Bot. mag. t. 1252.
3 orchidifórmis. s.s. (*bl.*)	Orchis-like.	———	1825.	4. 8.	F.b.	Jacq. ic. 2. t. 447.
4 lineàta. B.T. (*std.*)	lined.	———	1816.	——	F.b.	Bot. reg. t. 1111.
odoratissima. B.R.						
5 capénsis. s.s. (*pu.*)	purple-flowered.	———	1768.	——	F.b.	Bot. mag. t. 568.
CONANTH'ERA. R.P.	CONANTH'ERA.	Hexandria Monogynia. P.S.				
bifòlia. R.P. (*bl.*)	two-leaved.	Chile.	1823.	3. 5.	F.b.	Lodd. bot. cab. t. 904.
CUMMI'NGIA. D.D.	CUMMI'NGIA.	Hexandria Monogynia.				
campanulàta. D.D. (*bl.*)	Hyacinth-flowered.	Chile.	1823.	4. 6.	F.b.	Swt. br. fl. gar. t. 257.
Conanthèra campanulàta. Hook. ex. flor. t. 214. *bifòlia.* B.M. 2496. *nec aliorum.*						
LEUCOCO'RYNE. B.R.	LEUCOCO'RYNE.	Hexandria Monogynia.				
1 òdoràta. B.R. (*wh.*)	sweet-scented.	Chile.	1826.	8. 9.	F. ♃.	Bot. reg. t. 1293.
2 ixioídes. B.R. (*bl.*)	Ixia-like.	———	1821.	7. 9.	F.b.	Bot. mag. t. 2382.
Brodi'æa ixioídes. B.M.						
TRITEL'EIA. B.R.	TRITEL'EIA.	Hexandria Monogynia.				
grandiflòra. B.R. (*bl.*)	large-flowered.	N. America.	1827.	7. 8.	H. ♃.	
HESPEROSCO'RDUM. B.R.	MISSOURI HYACINTH.	Hexandria Monogynia.				
hyacínthinum. B.R. (*bl.*)	largest-flowered.	N. America.	1827.	7.	H.b.	
Brodi'æa grandiflòra. Pursh *non* Smith.						
DIANE'LLA. B.P.	DIANE'LLA.	Hexandria Monogynia. W.				
1 ensifòlia. B.M. (*wh.*)	whitish-flowered.	E. Indies.	1731.	8.	S. ♃.	Bot. mag. t. 1404.
Drac'æna ensifòlia. H.K.						
2 nemoròsa. Lam. (*bl.*)	blue Indian.	———	....	6. 8.	S. ♃.	Rumph. amb. 5. t. 73.
3 cœrùlea. B.P. (*bl.*)	rough-edged.	N. S. W.	1788.	5. 8.	F. ♃.	Bot. mag. t. 505.

longifòlia. B.P.	(*bl.*) long-leaved.	N. S. W.	1820.	5. 8.	F. 4.	Bot. reg. t. 734.
l'ævis. B.P.	(*bl.*) smooth-leaved.	———	1823.	——	F. 4.	
revolùta. B.P.	(*bl.*) revolute-margined.	———	1822.	——	F. 4.	
divaricàta. B.P.	(*bl.*) divaricated.	N. Holland.	1805.	7. 8.	G. 4.	
strumòsa. B.R.	(*bl.*) strumous.	———	1822.	5. 8.	G. 4.	Bot. reg. t. 751.
UZUR'IAGA. B.P.	Luzur'iaga.	Hexandria Monogynia. S.S.				
cymòsa. B.P.	(*pu.*) cymose.	N. S. W.	1820.	4. 6.	G. ħ.	
montàna. B.P.	(*pu.*) mountain.	———	1823.	——	G. ħ.	
USTR'EPHUS. B.P.	Eustr'ephus.	Hexandria Monogynia. S.S.				
latifòlius. B.P.	(*pu.*) broadest-leaved.	N. S. W.	1800.	6. 9.	G. ħ. ⌣.	Bot. mag. t. 1245.
angustifòlius. B.P.	(*pu.*) narrow-leaved.	N. Holland.	1816.	——	G. ħ. ⌣.	
YRSIPHY'LLUM. S.S.	Myrsiphy'llum.	Hexandria Trigynia. S.S.				
asparagoìdes. S.S.	(*wh.*) broadest-leaved.	C. B. S.	1702.	10. 3.	G. ħ. ⌣.	Redout. liliac. t. 442.
Medèola asparagoìdes. L.						
angustifòlium. S.S.	(*bh.*) narrow-leaved.	———	1752.	12. 3.	G. ħ. ⌣.	Redout. liliac. t. 393.
ERR'ERIA. R.P.	Herr'eria.	Hexandria Monogynia.				
stellàta. R.P.	(*ye.*) prickly-stalked.	Chile.	1825.	6. 9.	G. h. ⌣.	Flor. peruv. 3. t. 303. f. a.
parviflòra. B.R.	(*gr.*) small-flowered.	Brazil.	——	——	S. h. ⌣.	Bot. reg. t. 1042.
SPA'RAGUS. L.	Aspa'ragus.	Hexandria Monogynia. L.				
amárus. S.S.	(*ye.*) bitter.	S. France.	1820.	6. 8.	H. 4.	Redout. liliac. t. 446.
officinàlis. S.S.	(*gr.*) common.	England.	....	——	H. 4.	Eng. bot. v. 5. t. 339.
tenuifòlius. DC.	(*ye.*) slender-leaved.	Hungary.	....	——	H. 4.	Redout. liliac. t. 434.
sylvàticus. W.et. K. hung. 3. t. 201.						
declinàtus. S.S.	(*st.*) long-leaved.	C. B. S.	1759.	——	F. 4.	
decúmbens. S.S.	(*wh.*) decumbent.	———	1792.	5.	F. ħ.	Jacq. schœn. 1. t. 97.
flexuòsus. S.S.	(*wh.*) flexuose.	———	....	7. 8.	F. ħ. ⌣.	
davuricus. S.S.	(*st.*) Daurian.	Dauria.	1819.	6. 8.	H. 4.	
cáspius. R.S.	(*gr.wh.*) Caspian.	Caucasus.	1821.	——	H. 4.	
marítimus. S.S.	(*gr.wh.*) sea-side.	Siberia.	1820.	——	H. 4.	
tricarinàtus. DC.	(*g.y.*) three-keeled.	.....	....	——	G. h. ⌣.	Redout. liliac. t. 451.
verticillàtus. S.S.	(*g.y.*) whorl-leaved.	Caucasus.	1752.	——	H. 4. ⌣.	Buxb. cent. 5. ap. t. 37.
umbellàtus. R.S.	(*g.w.*) umbel-flowered.	Canaries.	1816.	——	G. 4.	
grandiflòrus. R.S.	(*wh.*) large-flowered.	Teneriffe.	1828.	——	G. h. ⌣.	
longifòlius. F.	(*gr.ye.*) long-leaved.	Russia.	1827.	....	H. 4.	
acutifòlius. S.S.	(*ye.*) needle-leaved.	Spain.	1640.	——	H. ħ.	Flor. græc. t. 337.
racemòsus. S.S.	(*wh.*) branching.	E. Indies.	1808.	....	S. h.	
sarmentòsus. S.S.	(*wh.*) linear-leaved.	Ceylon.	1710.	8.	S. h.	Redout. liliac. t. 460.
falcàtus. S.S.	(*wh.*) sickle-leaved.	E. Indies.	1792.	....	S. h.	Burm. zeyl. t. 13 f. 2.
retrofráctus. S.S.	(*wh.*) Larch-leaved.	Africa.	1759.	8. 9.	G. 4.	Pluk. alm. t. 375. f. 3.
capénsis. S.S.	(*wh.re.*) Cape.	C. B. S.	1691.	4. 5.	G. h.	Jacq. schœn. 3. t. 266.
æthiòpicus. W.	(*wh.*) angular-stalked.	———	1816.	....	G. h.	
scándens. W.	(*wh.vi.*) climbing.	———	1795.	5. 6.	G. h. ⌣.	
asiáticus. S.S.	(*wh.*) Asiatic.	Asia.	1759.	——	G. h.	Pluk. alm. t. 14. f. 4.
subulàtus. S.S.	(*wh.*) awl-leaved.	C. B. S.	1811.	——	G. h.	
Niveniànus. R.S.	(*w.pu.*) Niven's.	———	——	——	G. ħ.	
lánceus. R.S.	(*wh.*) spear-leaved.	———	——	——	G. h. ⌣.	
laricinus. R.S.	(*wh.*) Larch-leaved.	—— ——	1816.	——	G. h.	
tetragonus. R.S.	(*wh.*) square-leaved.	———	1822.	——	G. h.	
álbus. S.S.	(*wh.*) white.	Spain.	1540.	5. 7.	F. h.	Moris. s. 1. t. 1. f. 3.
aphy'llus. S.S.	(*ye.*) prickly.	S. Europe.	1640.	——	F. h.	Flor. græc. t. 338.
hórridus. S.S.	(*ye.*) long-spined.	—— ——	1819.	——	F. h.	——— t. 239.
Broussonèti. L.en.	(*st.*) Broussonet's.	Canaries.	1815.	——	F. 4.	Jacq. eclog. 2. t. 40.
HARLWO'ODIA. S.F.A.	Charlwo'odia.	Hexandria Monogynia.				
congésta. S.F.A.	(*pu.*) crowded-panicled.	N. Holland.	1821.	5. 7.	S. h.	Swt. flor. aust. t. 18.
stricta. S.F.A.	(*bl.*) loose-panicled.	———	——	——	S. h.	Bot. reg. t. 956.
Drac'æna stricta. Bot. mag. t. 2575.						
RAC'ÆNA. W.	Dragon-tree.	Hexandria Monogynia. L.				
Drâco. S.S.	(*wh.*) common.	E. Indies.	1640.	....	S. h.	Blackw. t. 358.
ensifòlia. H.S.	(*wh.*) sword-leaved.	.....	1800.	....	S. h.	
? indivisa. S.S.	(*wh.*) undivided.	N. Zealand.	1819.	6. 8.	G. h.	
? austrâlis. S.S.	(*wh.*) Forster's.	———	——	——	G. h.	Bot. mag. t. 2835
marginàta. S.S.	(*wh.*) red-margined.	Madagascar.	1816.	....	S. h.	
tessellàta. W.enum.						
arbòrea. S.S.	(*wh.*) tree.	Africa.	1810.	3. 5.	S. h.	
frágrans. S.S.	(*wh.*) fragrant.	———	1768.	2. 5.	S. h.	Bot. mag. t. 1081.
férrea. L.	(*wh.*) dark-purple.	China.	1771.	3. 4.	S. h.	——— t. 2053.
terminàlis. W.	(*wh.*) red-leaved.	India.	1812.	4. 8.	S. h.	Lodd. bot. cab. t. 1224.
umbraculífera. S.S.	(*wh.*) umbrella.	Mauritius.	1788.	4. 6.	S. h.	——— t. 289.
cérnua. S.S.	(*st.li.*) drooping.	———	....	——	S. h.	Jacq. schœn. 1. t. 96.

12 mauritiàna. s.s. (*wh.*) Mauritius. Mauritius. 1816. .... S. ♄.
13 undulàta. s.s. (*wh.*) wave-leaved. C. B. S. —— .... G. ♄.
14 ovàta. B.M. (*li.*) oval-leaved. Sierra Leon. 1790. 8. 9. S. ♄. Bot. mag. t. 1180.
15 nodòsa. L.C. (*wh.*) knotted. ..... 1822. .... S. ♄.
16 refléxa. s.s. (*li.*) reflex-leaved. Madagascar. 1816. 5. 8. S. ♄. Redout. liliac. t. 92.
17 surculòsa. B.R. (*st.*) trailing. Sierra Leone. 1822. —— S. ♄. Bot. reg. t. 1109.

CORDYL'INE. B.P. CORDYL'INE. Hexandria Monogynia.
1 hemichr'ysa. P.S. (*wh.*) golden-leaved. Bourbon. 1823. .... S. ♄.
2 parviflòra. s.s. (*wh.*) small-flowered. Mexico. 1828. .... S. ♄. H. et B.n. gen.3. t. 671.

PHO'RMIUM. W. FLAX-LILY. Hexandria Monogynia. W.
tènax. W. (*ye.*) Iris-leaved. N. Zealand. 1788. 8. F. ♃. Redout.liliac.t.448-449.

XANTHORRH'ŒA.B.P. GUM-TREE. Hexandria Monogynia. S.S.
1 arbòrea. B.P. (*wh.*) tree. N. S. W. 1828. .... G. ♄.
2 austràlis. B.P. (*wh.*) southern. V. Diem. Isl. 1820. .... F. ♄.
3 hástile. B.P. (*wh.*) yellow gum. N. S. W. 1803. 4. 5. F. ♄.
4 mèdia. B.P. (*wh.*) intermediate. ——— 1819. —— F. ♄.
5 mìnor. B.P. (*wh.br.*) small. ——— 1804. 4. 6. F. ♃.
6 bracteàta. B.P. (*wh.*) long-bracted. ——— 1810. 4. 5. F. ♃.

ROXBU'RGHIA. W. ROXBU'RGHIA. Octandria Monogynia.
1 gloriosoìdes.R.C.(*st.pu.*)cordate-leaved. E. Indies. 1803. 4. 6. S. ♃ ⌣. Roxb. corom. 1. t. 32.
2 viridiflòra.Ex.B.(*st.cr.*)elliptic-leaved. ——— —— —— S. ♃ ⌣. Sm. exot. bot. 1. t. 57.
gloriòsa. Bot. mag. t. 1500.

ORDO CXXV.

BROMELIACEÆ. *Juss. gen.* 49.

AG'AVE. L. AG'AVE. Hexandria Monogynia. L.
1 americàna. H.S. (*gr.*) large American. S.America. 1640. 8. 10. D.G. ♃. Andr. reposit. t. 438.
2 Millèri. H.S. (*gr.*) Miller's. ——— 1768. —— D.G. ♃.
3 fláccida. H.S. (*gr.*) flaccid. ——— 1790. —— D.S. ♃.
4 lùrida. B.M. (*gr.*) Vera Cruz. Vera Cruz. 1731. 6. 7. D.S. ♃. Bot. mag. t. 1522.
5 brachystàchys. S. (*gr.*) short-spiked. Mexico. 1826. .... D.G. ♃. Redout. liliac. t. 485.
spicàta. R.L. *non* Cavan.
6 spicàta. S. (*gr.ye.*) spiked. Havannah. 1825. .... D.S. ♃. Cav.h.reg.mad.ic.ined.
7 angustifòlia. H.S. (*gr.*) narrow-leaved. St. Helena. 1770. .... D.S. ♃.
8 yuccæfòlia.H.S.S.(*y.g.*) Yucca-leaved. S. America. 1817. .... D.S. ♃. Redout.liliac.t.328,329.
9 mexicàna. H.S.S. (*gr.*) Mexican. Mexico. 1818. .... D.G. ♃.
10 Karátto. H.S. (*gr.*) Karatto. S. America. 1768. .... D.S. ♃.
11 vivìpara. H.S. (*gr.ye.*) viviparous. ——— 1731. 8. 10. D.S. ♃. Comm. præl. t. 15.
12 polyacántha.H.B.(*g.y.*) black-spined. ..... 1800. .... D.S. ♃.
13 virgínica. H.S. (*gr.ye.*) Virginian. N. America. 1765. 9. F. ♃. Bot. mag. t. 1157.

FURCR'ŒA. V. FURCR'ŒA. Hexandria Monogynia. H.S.
1 gigántea. (*gr.wh.*) gigantic. S. America. 1690. 9. 1. D.S. ♄. DC. plant. gras. t. 136.
Agàve fœ'tida. W.
2 tuberòsa.H.K.(*gr.wh.*) tuberous. ——— 1739. 8. 9. D.S. ♄. Comm. hort. 2. f. 19.
3 cubénsis. H.S. (*wh.gr.*) Cuba. ——— —— .... D.S. ♄. Jacq.am.pic.t.260.f.35.
4 rígida. H.S. (*gr.ye.*) Vera Cruz. ——— 1768. .... D.S. ♄. Spin. cat. 1812. c. ic.
5 austràlis. H.S. .... entire-leaved. N. Holland. 1811. .... D.S. ♃.
6 madagascariénsis. H. Madagascar. Madagascar. 1818. .... D.S. ♃.
7 cantàla. H.S.S. .... Canton. China. —— .... D.G. ♃.

LITT'ÆA. H.S.S. LITT'ÆA. Hexandria Monogynia. H.S.S.
geminiflòra.H.S.S.(*gr.*) twin-flowered. S. America. 1810. .... S. ♄. Bot. reg. t. 1145.
Agàve geminiflòra. Ker. *Buonapártea júncea.* H.S. *nec aliorum.*

ANANA'SSA. B.H. PINE-APPLE. Hexandria Monogynia. L.
1 satìva. B.R. (*bl.*) common. S. America. 1690. 1. 12. S. ♃. Bot. mag. t. 1554.
2 semiserràta. S.S. (*bl.*) semiserrate. ——— .... —— S. ♃.
3 lùcida. W.en. (*bl.*) shining-leaved. ——— .... —— S. ♃.
4 débilis. B.R. (*bl.*) waved-leaved. ——— 1826. —— S. ♃.
5 bracteàta. B.R. (*bl.sc.*) red-bracted. Jamaica. 1785. 9. 10. S. ♄. Bot. reg. t. 1061.

BILLBE'RGIA. Th. BILLBE'RGIA. Hexandria Monogynia.
1 zebrìna. B.M. (*ye.*) white-barred. Brazil. 1825. 6. 7. S. ♃. Bot. mag. t. 2686.
2 fasciàta. B.R. (*bl.*) banded. ——— —— 8. 10. S. ♃. Bot. reg. t. 1130.

3	iridifòlia. B.R.	(*ye.bl.*)	drooping.	Brazil.	1826.	3. 5.	S. ♃.	Bot. reg. t. 1008.
4	am'œna. B.R.	(*ye.bl.*)	pale-flowered.	S. America.	1810.	3. 11.	S. ♃.	Lodd. bot. cab. t. 76.
	Bromèlia pállida. Bot. reg. t. 344.							
5	pyramidàlis. B.R.	(*cr.*)	pyramidal.	Brazil.	....	2. 4.	S. ♃.	Bot. reg. t. 208.
	Bromèlia nudicaùlis. B.R. *pyramidàlis.* Bot. mag. t. 1732.							
	β bicolor. B.R.	(*cr.bl.*)	*two-coloured.*	S. America.	....	——	S. ♃.	Bot. reg. t. 1181.
6	nudicaùlis. B.R.	(*st.*)	naked-stalked.	Trinidad.	1822.	4. 6.	S. ♃.	Hook. ex. flor. t. 143.
7	cruénta. B.M.	(*bl.*)	blood-stained.	Brazil.	1824.	——	S. ♃.	Bot. mag. t. 2892.
BROM'ELIA. B.R.			Brom'elia.	Hexandria Monogynia.				
1	melanántha. B.R.	(*bk.*)	black-flowered.	Trinidad.	1823.	5. 7.	S. ♃.	Bot. reg. t. 766.
2	fastuòsa. L.col.	(*pu.*)	noble.	S. America.	1815.	8. 10.	S. ♄.	Lindl. col. bot. t. 1.
3	lingulàta. S.S.	(*ye.*)	tongue-leaved.	———	1759.	5. 6.	S. ♄.	Plum. ic. t. 64. f. 1.
4	Karátas. S.S.	(*ro.*)	upright-leaved.	W. Indies.	1739.	....	S. ♄.	Jacq. vind. 1. t. 31. 32.
5	hùmilis. S.S.	(*bl.*)	dwarf.	———	1789.	3.	S. ♃.	Jacq. ic. 1. t. 60.
6	Pínguin. S.S.	(*re.*)	broad-leaved.	———	1699.	3. 4.	S. ♄.	Jacq. am. ed. pict. t. 91.
7	chrysántha. S.S.	(*ye.*)	yellow-flowered.	S. America.	1820.	——	S. ♄.	Jacq. schœn. 1. t. 55.
8	exùdans. B.C.	(*ye.*)	clammy.	———	1816.	——	S. ♃.	Lodd. bot. cab. t. 801.
9	paniculígera. S.S.	(*sc.*)	panicled.	W. Indies.	1822.	——	S. ♃.	
10	sylvéstris. S.S.	(*cr.*)	wild.	S. America	1820.	7. 8.	S. ♃.	Bot. mag. t. 2392.
11	Ácánga. S.S.	(*ye.*)	recurved.	———	1824.	....	S. ♃.	Pis. bras. t. 91.
12	sessiliflòra. L.C.	....	sessile-flowered.	———	——	....	S. ♃.	
GUZMA'NNIA. R.P.			Guzma'nnia.	Hexandria Monogynia. S.S.				
	trícolor. R.P.	(*g.st.ro.*)	three-coloured.	S. America.	1818.	5. 6.	S. ♃.	Lind. coll. bot. t. 8.
PITCA'IRNIA. S.S.			Pitca'irnia.	Hexandria Monogynia. L.				
1	stamínea. S.S.	(*sc.*)	long-stamened.	S. America.	1823.	1. 3.	S. ♃.	Bot. mag. t. 2411.
2	integrifòlia. S.S.	(*sc.*)	entire-leaved.	W. Indies.	1800.	8.	S. ♃.	——— t. 1462.
3	latifòlia. S.S.	(*sc.*)	broad-leaved.	———	1785.	8. 9.	S. ♃.	——— t. 856.
4	bracteàta. R.L.	(*sc.*)	large bracted-red.	———	1799.	4. 5.	S. ♃.	——— t. 2813.
5	sulphùrea. A.R.	(*st.*)	yellow-flowered.	———	1797.	6. 8.	S. ♃.	Andr. reposit. t. 249.
	bracteàta β sulphùrea. Bot. mag. t. 1416.							
6	suavèolens. B.R.	(*st.*)	sweet-scented.	Brazil.	1820.	6. 7.	S. ♃.	Bot. reg. t. 1069.
7	álbiflos. B.M.	(*wh.*)	white-flowered.	———	1824.	9. 12.	S. ♃.	Bot. mag. t. 2642.
8	bromeliæfòlia. S.S.	(*sc.*)	Pine-apple-leaved.	Jamaica.	1781.	6. 8.	S. ♃.	——— t. 824.
9	angustifòlia. S.S.	(*sc.*)	narrow-leaved.	Santa Cruz.	1777.	12. 1.	S. ♃.	——— t. 1547.
10	furfuràcea. B.M.	(*ro.*)	mealy.	S. America.	1818.	7. 9.	S. ♃.	——— t. 2657.
11	flámmea. B.R.	(*sc.*)	flame-coloured.	Brazil.	1823.	11. 12.	S. ♃.	——— t. 1092.
12	mèdia. L.C.	(*sc.*)	intermediate.	S. America.	——	7. 9.	S. ♃.	
13	iridiflòra. L.C.	(*sc.*)	Iris-flowered.	———	——	——	S. ♃.	
14	hùmilis. L.C.	(*sc.*)	dwarf.	———	——	——	S. ♃.	
POURR'ETIA. R.P.			Pourr'etia.	Hexandria Monogynia. S.S.				
1	lanuginòsa. R.P.	(*gr.*)	woolly.	S. America.	1826.	4. 8.	S. ♃.	Flor. peruv. 3. t. 250.
2	pyramidàta. R.S.	(*st.*)	pyramidal.	———	1822.	4. 6.	S. ♃.	——— 3. t. 257.
3	coarctàta. R.P.	(*ye.*)	crowded-spiked.	Chili.	——	....	S. ♃.	Feuil. per. 3. t. 39.
TILLA'NDSIA. L.			Tilla'ndsia.	Hexandria Monogynia. L.				
1	usneoídes. S.S.	(*ye.gr.*)	moss-like.	W. Indies.	1823.	4. 8.	S. ♃.	Sloan. hist. t. 122. f. 2-3.
2	Bartràmii. S.S.		Bartram's.	Carolina.	1825.	....	S. ♃.	
3	recurvàta. S.S.	(*pu.*)	recurve-leaved.	Jamaica.	1793.	7.	S. ♃.	Sloan. jam. 1. t. 121. f. 1.
4	xiphioídes. B.R.	(*wh.*)	Xiphium-like.	BuenosAyres.	1815.	——	S. ♃.	Bot. reg. t. 105.
5	serràta. S.S.	(*ye.*)	saw-leaved.	Jamaica.	1793.	6. 7.	S. ♃.	Plum. ic. 63. t. 75. f. 1.
6	lingulàta. S.S.	(*ye.*)	tongue-leaved.	———	1776.	——	S. ♃.	Jacq. amer. t. 62.
7	acaùlis. B.R.	(*wh.*)	stemless.	Brazil.	1826.	7. 9.	S. ♃.	Bot. reg. t. 1157.
8	psittácina. B.M.	(*or.y.*)	gaudy-flowered.	———	1827.	4. 8.	S. ♃.	Bot. mag. t. 2841.
9	setàcea. S.S.	(*st.*)	bristle-leaved.	Jamaica.	1822.	——	S. ♃.	
10	stricta. S.S.	(*bl.*)	stiff-leaved.	Brazil.	1810.	11.	S. ♃.	Bot. mag. t. 1529.
11	bulbòsa. H.E.F.	(*bl.*)	bulbous.	Trinidad.	1823.	8. 9.	S. ♃.	Hook. ex. flor. t. 173.
12	aloifòlia. H.E.F.	(*st.*)	Aloe-leaved.	———	1824.	11. 12.	S. ♃.	——— t. 205.
13	púlchra. H.E.F.	(*wh.*)	pretty.	———	1822.	10. 11.	S. ♃.	——— t. 154.
14	ánceps. B.C.	(*bl.*)	two-edged.	W. Indies.	1819.	7.	S. ♃.	Lodd. bot. cab. t. 771.
15	utriculàta. S.S.	(*st.*)	bottle.	S. America.	1793.	7. 8.	S. ♃.	
16	tenuifòlia. S.S.	(*sc.*)	slender-leaved.	W. Indies.	1822.	——	S. ♃.	Plum. ic. 232. f. 2.
17	acutifòlia. L.en.	(*st.*)	acute-leaved.	Brazil.	1815.	——	S. ♃.	Bot. reg. t. 749.
	flexuòsa β pállida. B.R.							
18	flexuòsa. S.S.	(*sc.*)	flexuose.	W. Indies.	1790.	——	S. ♃.	Jacq. amer. t. 63.
19	nùtans. S.S.	(*bl.*)	nodding-spiked.	———	1793.	——	S. ♃.	
20	fasciculàta. S.S.	(*st.*)	bundled.	———	1822.	——	S. ♃.	
21	nítida. H.E.F.	(*wh.*)	shining-leaved.	Jamaica.	1823.	11. 12.	S. ♃.	Hook. ex. flor. t. 218.
22	polystàchya. S.S.	(*st.*)	many-spiked.	W. Indies.	1820.	7. 9.	S. ♃.	
23	angustifòlia. S.S.	(*st.*)	narrow-leaved.	———	1822.	——	S. ♃.	
24	paniculàta. S.S.	(*st.*)	panicled.	———	1817.	——	S. ♃.	Plum. ic. t. 237.

25	coarctàta. G.C.	crowded.	W. Indies.	1822.	....	S. ♃.	
26	comprèssa. G.C.	compressed.	———	——	....	S. ♃.	
27	grácilis. G.C.	slender.	———	——	....	S. ♃.	
28	ramòsa. G.C.	branching.	———	——	....	S. ♃.	
29	rígida. G.C.	rigid.	———	——	....	S. ♃.	

BUONAPA'RTEA. R.P. BUONAPA'RTEA. Hexandria Monogynia.

	júncea. R.P. (*bl.*)	rush-leaved.	Peru.	1800.	....	S. ♃.	Flor. peruv. 3. t. 242.

ORDO CCXVI.

TULIPACEÆ. *Kth. synops.* 1. *p.* 292.

YU'CCA. L. ADAM'S-NEEDLE. Hexandria Monogynia. L.

1	conspícua. H.S.S. (*wh.*)	broad rough-edged.....		1810.	8. 10.	F. ♄.	
2	aloifòlia. H.S.S. (*wh.*)	Aloe-leaved.	W. Indies.	1696.	——	G. ♄.	Bot. mag. t. 1700.
3	serrulàta. H.S.S. (*wh.*)	narrow saw-leaved.	Carolina.	1808.	....	F. ♄.	
4	Dracònis. H.S.S. (*wh.*)	drooping-leaved.	———	1732.	8. 9.	F. ♄.	Dill. elt. t. 324. f. 417.
5	crenulàta. H.S.S. (*wh.*)	rough-edged oblique.	——	1818.	....	F. ♄.	
6	arcuàta. H.S.S. (*wh.*)	arcuated.	———	1817.	....	F. ♄.	
7	tenuifòlia. H.S.S. (*wh.*)	slender-leaved.	Malta?	——	....	F. ♄.	
8	concàva. H.S.S. (*wh.*)	hollow-thready.	N. America.	1816.	7. 8.	H. ♃.	
9	filamentòsa. H.S.S. (*wh.*)	common-thready.	Virginia.	1675.	7. 10.	H. ♃.	Bot. mag. t. 900.
10	fláccida. H.S.S. (*wh.*)	flaccid-thready.	N. America.	1816.	——	H. ♃.	
11	pubérula. H.P. (*wh.*)	pubescent-stemmed.	——	1822.	——	H. ♃.	Swt. br. fl. gar. t. 251.
12	glaucéscens. H.S.S. (*wh.*)	glaucescent.	———	1815.	7. 8.	H. ♃.	——— t. 53.
13	recúrva. P.L. (*wh.*)	recurved-leaved.	Georgia.	1795.	8. 9.	H. ♄.	Sal. par. lond. t. 31.
14	glaùca. B.M. (*st.*)	glaucous-leaved.	Carolina.	1812.	——	H. ♃.	Bot. mag. t. 2662.
15	stricta. B.M. (*gr.pu.*)	straight-leaved.	———	1811.	——	H. ♄.	——— t. 2222.
16	angustifòlia. H.S.S. (*gr.*)	narrow-leaved.	Missouri.	——	——	H. ♄.	——— t. 2236.
17	supérba. H.S.S. (*wh.*)	superb.	.....	....	8. 10.	G. ♄.	Andr. reposit. t. 473.
	gloriòsa. A.R. *nec aliorum.*						
18	acuminàta. S.F.G. (*br.w.*)	tapering-flowered.	America.	....	7. 9.	H. ♄.	Swt. br. fl. gar. t. 195.
19	gloriòsa. H.S.S. (*wh.*)	handsome.	———	1596.	7. 8.	H. ♄.	Bot. mag. t. 1260.
20	rufocíncta. H.S.S. (*wh.*)	rufous-edged.	———	1816.	——	H. ♃.	
21	oblíqua. H.S.S. (*wh.*)	oblique-leaved.	———	1808.	——	H. ♃.	
	β májor. H.S.S. (*wh.*)	*larger.*	———	——	——	H. ♃.	
22	spinòsa. K.S. (*pu.or.*)	spiny-leaved.	Mexico.	1829.	....	G. ♄.	

TU'LIPA. L. TULIP. Hexandria Monogynia. L.

1	altàica. R.S. (*ye.*)	Altaic.	Altay mount.	1822.	4. 5.	H.b.	
2	saxátilis. R.S. (*ye.*)	rocky.	Crete.	1827.	——	H.b.	Reich. ic. rar. t. 896.
3	pàtens. R.S. (*wh.g.y.*)	spreading-flowered.	Siberia.	1829.	——	H.b.	
4	stellàta. B.M. (*bh.wh.*)	starry.	E. Indies.	1827.	3. 4.	G.b.	Bot. mag. t. 2762.
5	montàna. B.R. (*cr.*)	mountain.	Persia.	1826.	——	H.b.	Bot. reg. t. 1106.
6	biflòra. S.S. (*wh.vi.ye.*)	two-flowered.	Russia.	1806.	4.	H.b.	——— t. 535.
7	tricolor. F.	three-coloured.	———	1823.	....	H.b.	
8	Celsiàna. S.S. (*ye.re.*)	Cels's.	Levant.	....	6. 7.	H.b.	Bot. mag. t. 717.
	Breyniàna. B.M. *nec aliorum.*						
9	Biebersteiniàna. R.S. (*y.pu.*)	Bieberstein's.	Siberia.	1820.	——	H.b.	
	répens. F.?						
10	sylvéstris. S.S. (*ye.*)	wild.	England.	....	4. 5.	H.b.	Eng. bot. v. 1. t. 63.
11	túrcica. Roth. (*ye.*)	Florentine.	S. Europe.	....	——	H.b.	Swt. br. fl. gar. t. 186.
12	Clusiàna. R.S. (*sc.wh.*)	Clusius's.	Sicily.	1636.	5. 6.	H.b.	Bot. mag. t. 1300.
13	maculàta. R.S. (*ye.gr.*)	spotted-flowered.	Spain.	....	——	H.b.	
14	mèdia. R.S. (*sc.wh.*)	intermediate.	.....	1828.	——	H.b.	
15	cornùta. R.S. (*va.*)	horn-petaled.	Levant.	1816.	5.	H.b.	Bot. reg. t. 127.
16	undulàta. (*sc.ve.*)	wave-leaved.	Whitley's.	1820.	5. 6.	H.b.	
17	óculus sòlis. S.S. (*sc.ve.*)	Sun's-eye.	S. Europe.	1816.	——	H.b.	Redout. liliac. t. 219.
18	præcox. S.S. (*sc.gr.*)	early-flowering.	Naples.	1825.	3. 4.	H.b.	Swt. br. fl. gar. t. 157.
19	pérsica. (*sc.ve.*)	Persian.	Persia.	1826.	——	H.b.	Bot. reg. t. 1143.
20	suavèolens. S.S. (*sc.ye.*)	Van-Thol.	S. Europe.	1603.	——	H.b.	Bot. mag. t. 839.
21	pubéscens. S.S. (*va.*)	woolly-stalked.	———	....	——	H.b.	Swt. br. fl. gar. t. 78.
22	Gesneriàna. S.S. (*va.*)	common.	Levant.	1577.	4. 5.	H.b.	
	α coccínea. (sc.ve.)	*scarlet-flowered.*	Constantinople.	1816.	——	H.b.	Bot. reg. t. 380.
	β versícolor. (va.)	*various-coloured.*	Levant.	——	——	H.b.	Bot. mag. t. 1135.
	γ simploniénsis. (st.pu.)	*Semplon.*	.....	....	——	H.b.	Swt. flor. guid. t. 53.

δ *Alexandrìna.*(st.pu.ve.)*Alexandrina.* .... H.b. Swt. flor. guid. t. 138.
ε *Burnardiàna.*(st.pu.ve.)*Burnard's agitator.*.... .... —— H.b. —— t. 132.
ζ *Collingwòodii.*(y.pu.ve.)*Lord Collingwood.* .... —— H.b. —— t. 85.
η *Leopóldi.* (ye.ve.) *Prince Leopold.* .... —— H.b. —— t. 128.
θ *Geórgii.* (ye.ve.) *George the Fourth* .... —— H.b. —— t. 89.
ι *platyántha.* (ye.ve.) *Platonia.* .... —— H.b. —— t. 77.
κ *imperiàlis.* (ye.ve.) *Emperor of Austria.* .... —— H.b. —— t. 103.
λ *Migùeli.* (ye.ve.) *Don Miguel.* .... —— H.b. —— t. 19.
μ *Polyphèmi.* (ye.ve.) *Lawrence's Polyphemus* .. .... —— H.b. —— t. 7.
ν *sanguífera.*(ye.cr.ve.)*Bataille d' Eyleau* .... —— H.b. —— t. 4.
ξ *Duckettiàna.*(y.sc.ve.)*Sir George Duckett.* .... —— H.b. —— t. 66.
ο *Canningiàna.*(y.sc.ve.)*Strong's Canning.* .... —— H.b. —— t. 135.
π *règia.* (ye.sc.ve.) *Strong's King.* .... —— H.b. —— t. 42.
ρ *Titiána.* (ye.sc.ve.) *Titian.* .... —— H.b. —— t. 109.
σ *Jùno.* (wh.sc.pu.) *Rose Juno.* .... —— H.b. —— t. 56.
τ *Daphneána.*(wh.cr.) *Rose Daphne.* .... —— H.b. —— t. 83.
υ *retùsa.* (wh cr.) *Walworth.* .... —— H.b. —— t. 26.
φ *fulmínea.* (wh.sc.) *Bartlett's thunderbolt.* .. .... —— H.b. —— t. 95.
χ *Hilliána.* (wh.sc.) *Lord Hill.* .... —— H.b. —— t. 82.
ψ *fúlgens.* (w.ro.) *Rose brillante.* .... —— H.b. —— t. 5.
ω *Crewèæ.* (wh.sc.) *Sherwood's Lady Crewe...* .... —— H.b. —— t. 153.
αα *Victoriána.*(w.ro.cr.)*Princess Victoria.*..... .... —— H.b. —— t. 38.
ββ *Stróngii.*(w.cr.ve.)*Strong's high Admiral.* .. .... —— H.b. —— t. 11.
γγ *puélla.* (wh.ro.) *Pucelle d'Orleans.* .... —— H.b. —— t. 50.
δδ *principíssæ.*(w.ro.cr.)*Strong's Duchess of Kent.* .... —— H.b. —— t. 75.
εε *purpùreo-rósea.*(w.ro.pu.)*Rose camusa de craix.* .... —— H.b. —— t. 116.
ζζ *iridiflòra.* (wh.pu.) *Strong's rainbow.* .... —— H.b. —— t. 124.
ηη *Hollandiána.*(w.pu.ve.)*Lord Holland.* .... —— H.b. —— t. 106.
θθ *Ludoviàna.*(wh.ve.) *Louis XVI.* .... —— H.b. —— t. 150.
ιι *lancastriénsis.*(w.pu.ve.)*Lancashire hero.* .... —— H.b. —— t. 119.
κκ *marginàta.*(wh.ve.) *Davey's Trafalgar.* .... —— H.b. —— t. 145.
λλ *Penelopeàna.*(w.ve.)*Penelope.* .... —— H.b. —— t. 57.
μμ *Jenkinsòni.*(w.ve.)*Goldham's Earl of Liverpool.* .... —— H.b. —— t. 16.
νν *Fredericiàna.*(w.ve.)*Willmer's Duke of York.* .... —— H.b. —— t. 121.
ξξ *Buonaparteàna.*(w.ve.)*Buonaparte.* .... —— H.b. —— t. 72.
οο *augústa.* (wh.ve.) *Grande Monarque* .... —— H.b. —— t. 92.
ππ *Lampsoniàna.*(w.ve.)*Lampson.* .... —— H.b. —— t. 100.
ρρ *Aglaiàna.* (wh.pu.) *Aglaia.* .... —— H.b. —— t. 87.
σσ *Alexándri.*(wh.pu.) *Violet Alexander.* .... —— H.b. —— t. 30.
ττ *virgínea.* (wh.ve.) *Lady of the Lake.* .... —— H.b. —— t. 62.
υυ *Winefrediàna.*(w.v.)*Winefred.* .... —— H.b. —— t. 141.
φφ *Daveyána.*(wh.ve.) *Daveyana.* .... —— H.b. —— t. 35.
χχ *Maria.*(wh.ve.pu.) *Goldham's Maria.* .... —— H.b. —— t. 48.
ψψ *majésta.* (wh.ve.) *Majestueuse.* .... —— H.b. —— t. 39.
ωω *álbida.* (wh.ve.) *Gloria alborum.* .... —— H.b. —— t. 74.
aaa Charlotteàna.(w.pu.)*Princess Charlotte's cenotaph.* .. .... H.b. —— t. 23.
βββ *plèna.* (va.) *double-flowered.* Levant. 1577. 4. 5. H.b.
γγγ *laciniàta.*(ye.re.pu.)*Parrot.* —— —— —— H.b.

FRITILLA'RIA. L. FRITILLARY. Hexandria Monogynia. L.

1 præ'cox. (*wh.*) early white. Europe. .... 3. 4. H.b.
Meleàgris β pr'æcox. P.S.
2 Meleàgris.E.B.(*pu.wh.*)chequered. Britain. .... 3. 5. H.b. Eng. bot. v. 9. t. 622.
3 meleagroídes.R.S.(*d.vi.*)Altaic. Altay. 1827. —— H.b.
4 tenélla. M.B. (*br.pu.*) slender. Caucasus. 1824. —— H.b. Bot. mag. t. 1216.
racemòsa. a mìnor. B.M. *orientàlis.* Adam.
5 nervòsa. S.S. (*d.pu.*) nerved-leaved. —— .... 4. 5. H.b. Bot. mag. t. 853.
latifólia. β mìnor. B.M.
6 lùtea. M.B. (*ye.pu.*) large yellow. —— 1812. —— H.b. Bot. mag. t. 1538.
7 latifólia. W. (*pu.br.*) broad-leaved. —— 1604. —— H.b. —— t. 1207.
8 ruthénica. S.S. (*pu.*) Russian. —— 1820. —— H.b.
9 messanénsis.S.S.(*pu.ye.*)Italian. Italy. 1825. —— H.b.
0 lusitánica. S.S. (*vi.ye.*) Portugal. Portugal. —— —— H.b.
1 nìgra. B.M. (*d.pu.ye.*) dark-flowered. Pyrenees. 1596. 5. H.b. Bot. mag. t. 664.
pyrenàica. B.M. *nec aliorum. aquitánica.* Clusius.
2 racemòsa. R.S.(*br.pu.*) cluster-flowered. Russia. 1605. 5. 6. H.b. Bot. mag. t. 952.
3 pyrenàica. L. (*pu.*) Pyrenean. S. Europe. .... 4. 5. H.b. Flor. græc. t. 328.
4 tulipifólia.M.B.(*pu.vi.*) Tulip-leaved. Caucasus. 1816. —— H.b.
5 oblíqua. B.M. (*pu.*) oblique-leaved. —— .... 4. H.b. Bot. mag. t. 857.
6 pérsica. B.M. (*pu.*) Persian. Persia. 1596. 4. 5. H.b. —— t. 1537.
β mìnor. B.M. (*pu.*) *lesser.* —— —— —— H.b. —— t. 962.

17	verticillàta. F.	(*pu.*)	acute-leaved.	Siberia.	1820.	4. 5.	H.b.	
18	scándens. F.	(*st.*)	blunt-leaved.	———	1827.	——	H.b.	
19	leucántha. F.	(*wh.*)	white-flowered.	Altay.	——	——	H.b.	
20	Imperiàlis. W.	(*y.re.*)	Crown Imperial.	Persia.	1596.	3. 4.	H.b.	
	α rùbra.	(*re.*)	*red-flowered.*	———	——	——	H.b.	Bot. mag. t. 194.
	β flàva.	(*ye.*)	*yellow-flowered.*	———	——	——	H.b.	——— t. 1215.

CYCLOBO'THRA. S.F.G. CYCLOBO'THRA. Hexandria Monogynia.

1	barbàta. S.F.G.	(*ye.*)	bearded.	Mexico.	1827.	7. 8.	H.b.	Swt. br. fl. gar. t. 273.
	Fritillària barbàta. K.S.							
2	purpùrea. S.F.G.	(*pu.y.*)	purple-flowered.	———	——	——	H.b.	Swt.br.fl.gar.ser.2.t.29

CALOCHO'RTUS. Ph. CALOCHO'RTUS. Hexandria Monogynia.

1	macrocárpus. B.R.	(*pu.*)	long-fruited.	Columbia.	1826.	7. 8.	H.b.	Bot. reg. t. 1152.
2	nítidus. D.	(*pu.ye.*)	glossy.	———	——	——	H.b.	

AMBLI'RION. Raf. AMBLI'RION. Hexandria Monogynia.

1	pùdicum.	(*ye.*)	dwarf.	N. America.	1825.	....	H.b.	Pursh. fl. amer. t. 8.
	Lílium pùdicum. Ph.							
2	lanceolàtum.	(*pu.*)	spear-leaved.	———	1823.	....	H.b.	
	Fritillària lanceolàta. Ph. *Lílium affíne.* R.S.							
3	camtschatcénse.	(*pu.*)	Camtschatka.	Camtschatka.	1759.	5.	H.b.	Linn. trans. 10. t. 11.
	Lílium camtschatcénse. L.T.							
4	álbum.	(*wh.*)	white-flowered.	N. America.	1825.	4.	H.b.	
	Fritillària álba. N.							

LI'LIUM. L. LILY. Hexandria Monogynia. L.

1	cándidum. W.	(*wh.*)	common white.	Levant.	1596.	6. 7.	H.b.	Bot. mag. t. 278.
	β striàtum.	(*wh.re.*)	*striped-flowered.*	....	——	H.b.		
	γ spicàtum.	(*wh.*)	*monstrous-flowered.*	....	——	H.b.		
	δ variegàtum.	(*wh.*)	*striped-leaved.*	....	——	H.b.		
2	peregrìnum. R.S.	(*wh.*)	drooping-flowered.	———	——	——	H.b.	Hayn. getr. dars. 8.t.27.
3	lancifòlium. R.S.	(*wh.*)	spear-leaved.	Japan.	1824.	....	F.b.	
4	longifìorum. R.S.	(*wh.*)	long-flowered.	———	1819.	7. 9.	F.b.	
	β suavèolens. R.S.	(*wh.*)	*one-flowered.*	———	——	——	F.b.	Bot. reg. t. 560.
5	japónicum. R.S.	(*wh.*)	Japan.	———	1804.	——	F.b.	Bot. mag. t. 1591.
6	bulbíferum. R.S.	(*or.*)	bulb-bearing.	Italy.	1596.	——	H.b.	——— t. 36.
	β umbellàtum. B.M.	(*or.*)	*umbel-flowering.*	———	——	——	H.b.	——— t. 1018.
7	cròceum. R.S.	(*sn.*)	saffron-color'd.	S. Europe.	....	——	H.b.	Redout. liliac. t. 210.
8	latifòlium. L.en.	(*or.*)	broad-leaved.	———	....	——	H.b.	
9	pubéscens. R.S.	(*or.*)	pubescent.	———	....	——	H.b.	
10	spectábile. F.	(*or.*)	showy Siberian.	Siberia.	1754.	——	H.b.	Swt. br. fl. gar. t. 75.
	pensylvánicum. B.M. t. 872. *daùricum.* B.M. 1210. *in note.*							
11	monadélphum. B.M.	(*y.*)	monadelphous.	Caucasus.	1800.	6. 7.	H.b.	Bot. mag. t. 1405.
12	cóncolor. S.S.	(*sc.or.*)	self-coloured.	———	1806.	7. 8.	F.b.	——— t. 1166.
13	pùmilum. S.S.	(*sc.*)	dwarf.	Dahuria.	1816.	6. 8.	H.b.	Bot. reg. t. 132.
	linifòlium. Horn. *tenuifòlium.* R.S.							
14	andìnum. N.	(*sc.*)	umbel-flowered.	Andes.	1811.	7. 8.	H.b.	Bot. reg. t. 504.
	umbellàtum. Ph. *philadélphicum* β *andìnum.* B.R.							
15	philadélphicum. W.	(*or.*)	Philadelphian.	N. America.	1757.	——	H.b.	Bot. mag. t. 519.
16	Catesb'æi. W.	(*sc.y.*)	Catesby's.	Carolina.	1787.	7. 9.	H.b.	——— t. 259.
17	caroliniánum. M.	(*ye.*)	Carolina.	———	1820.	——	H.b.	Bot. reg. t. 580.
18	canadénse. B.M.	(*ye.*)	Canadian.	N. America.	1629.	7. 8.	H.b.	Bot. mag. t. 800.
	β penduliflòrum. R.L.		*red-flowered.*	———	——	——	H.b.	Redout. lil. t. 105.
	canadénse β. rùbra. Bot. mag. t. 858.							
19	superbum. W.	(*ye.*)	superb.	———	1727.	6. 8.	H.b.	Bot. mag. t. 936.
20	Mártagon. W.	(*va.*)	Turk's-cap.	Germany.	1596.	6. 7.	H.b.	Redout. lil. t. 146.
	α glábrum.	(*pu.*)	*smooth-stalked.*	———	——	——	H.b.	Bot. mag. t. 1634.
	β pubéscens.	(*pu.*)	*hairy-stalked.*	———	——	——	H.b.	——— t. 893.
	γ pállidum. H.	(*li.*)	*pale-flowered.*	———	——	——	H.b.	
	δ elàtum. H.	(*pu.*)	*tall.*	———	——	——	H.b.	
	ε dorsipúnctum. H.	(*pu.*)	*spotted backed.*	———	——	——	H.b.	
	ζ purpùreum. H.	(*pu.*)	*purple.*	———	——	——	H.b.	
	η perpurpùreum. H.	(*pu.*)	*dark purple.*	———	——	——	H.b.	
	θ ocellàre. H.	(*pu.*)	*eyed.*	———	——	——	H.b.	
	ι petiolàre. H.	(*pu.*)	*petioled.*	———	——	——	H.b.	
	κ purpùreo-plènum. H.	(*pu.*)	*double purple.*	———	——	——	H.b.	
	λ álbum. H.	(*wh.*)	*white-flowered.*	———	——	——	H.b.	
	μ álbo-plènum.	(*wh.*)	*double white.*	———	——	——	H.b.	
21	tigrìnum. B.M.	(*or.bh.*)	tiger-spotted.	China.	1804.	7. 9.	H.b.	Bot. mag. t. 1237.
22	pyrenàicum. S.S.	(*ye.*)	Pyrenean.	Pyrenees.	1596.	6. 7.	H.b.	Redout. liliac. t. 145.
23	chalcedónicum. W.	(*sc.*)	scarlet Martagon.	Levant.	——	——	H.b.	Bot. mag. t. 30.
24	pompònium. W.	(*sc.*)	scarlet pompone.	Siberia.	1629.	5. 6.	H.b.	——— t. 971.

25 pulchéllum. F. ..... pretty. Dahuria. 1629. .... H.b.

GLORI'OSA. L. GLORI'OSA. Hexandria Monogynia. L.
1 viréscens. B.M. (*gr.*) greenish-flowered. Mozambique. 1822. 7. 8. S. ♃.⌣. Bot. mag. t. 2530.
2 supérba. L. (*or.*) superb. E. Indies. 1690. —— S. ♃.⌣. Bot. reg. t. 77.
3 símplex. L. (*bl.*) simple-leaved. Senegal. 1756. —— S. ♃.
Methónica gloriósa. Sal.

ERYTHR'ONIUM. L. DOG'S TOOTH VIOLET. Hexandria Monogynia. L.
1 Dens cànis. W. (*pu.*) common. Europe. 1596. 3. 4. H.b. Redout. liliac. t. 194.
2 americànum. B.M. (*ye.*) yellow-flower'd. N. America. 1665. 4. 5. H.b. Bot. mag. t. 1113.
lanceolatùm. Ph.
3 álbidum. N. (*wh.*) white American. ——— 1825. —— H.b.

ORDO CCXVII.

MELANTHACEÆ. *Brown prodr.* 272.

BULBOC'ODIUM. W. BULBOC'ODIUM. Hexandria Monogynia. L.
1 vérnum. S.S. (*li.*) spring-flowering. Spain. 1629. 2. 3. H.b. Bot. mag. t. 153.
2 versícolor. S.S. (*li.ye.*) various-colour'd. Russia. 1820. 9. 10. H.b. Bot. reg. t. 571.
Cólchicum versícolor. B.R.

CO'LCHICUM. S.S. MEADOW SAFFRON. Hexandria Trigynia. L.
1 byzantìnum. S.S. (*li.*) broad-leaved. Levant. 1629. 9. 10. H.b. Bot. mag. t. 1122.
2 autumnàle. E.B. (*li.*) common. Britain. .... —— H.b. Eng. bot. v. 2. t. 138.
β álbum. (*wh.*) *white flowered.* ——— .... —— H.b.
γ multiplex. (*li.*) *double-flowered.* ——— .... —— H.b.
3 crocifiòrum. B.M. (*li.*) Crocus-flowered. ——— .... —— H.b. Bot. mag. t. 2673.
4 variegàtum. W. (*std.*) chequer-flowered. Greece. 1629. 8. 10. H.b. ——— t. 1028.
5 arenàrium. S.S. (*li.*) sand. Hungary. 1816. 9. 10. H.b. W. et K. hung. 2. t. 179.
6 umbròsum. F. (*li.*) wood. Siberia. —— —— H.b. Bot. reg. t. 541.
7 montànum. S.S. (*li.*) mountain. S. Europe. 1818. —— H.b.

UVUL'ARIA. S.S. UVUL'ARIA. Hexandria Monogynia. L.
1 perfoliàta. S.S. (*gr.ye.*) perfoliate. N. America. 1710. 5. 6. H. ♃. Sm. exot. bot. 1. t. 49.
2 flàva. S.S. (*ye.*) yellow-flowered. ——— .... —— H. ♃. ——— 1. t. 50.
3 lanceolàta. H.K. (*ye.*) spear-leaved. ——— 1710. 7. 8. H. ♃. Cornut. canad. t. 41.
4 grandiflòra. H.K. (*ye.*) large yellow. ——— 1802. 5. 6. H. ♃. Sm. exot. bot. 1. t. 51.
5 sessilifòlia. S.S. (*st.*) sessile-leaved. ——— 1790. 6. H. ♃. ——— 1. t. 52.
6 pubérula. S.S. (*ye.*) pubescent. ——— 1818. —— H. ♃. Swt. br. fl. gar. s. 2. t. 21.

DISP'ORUM. D.P. DISP'ORUM. Hexandria Monogynia.
1 parviflòrum. D.P. (*ye.*) small-flowered. Nepaul. 1823. 6. 8. F. ♃.
2 Pitsùtum. D.P. (*ye.*) umbel-flowered. ——— 1826. —— F. ♃.
3 fúlvum. Sal. (*br.pu.*) brown-flowered. China. 1801. 6. 11. F. ♃. Bot. mag. t. 916.
Uvulària chinénsis. B.M.

SCHELHAMM'ERA. B.P. SCHELHAMM'ERA. Hexandria Monogynia. S.S.
1 undulàta. B.P. (*ro.*) wave-leaved. N. S. W. 1825. 6. 9. F. ♃. Bot. mag. t. 2712.
2 multiflòra. B.P. (*ro.*) many-flowered. ——— 1826. —— F. ♃.

BURCHA'RDIA. B.P. BURCHA'RDIA. Hexandria Monogynia. S.S.
umbellàta. B.P. (*wh.*) umbel-flowered. N. S. W. 1825. 6. 8. F. ♃.

ANGUILL'ARIA. B.P. ANGUILL'ARIA. Hexandria Trigynia.
1 dioíca. B.P. (*br.*) dioecious. N. S. W. 1826. .... F. ♃.
2 biglandulòsa. B.P. (*br.*) two-glanded. ——— 1822. 6. 8. F. ♃.
3 índica. B.P. (*d.pu.*) Indian. E. Indies. —— —— F. ♃.
Melánthium índicum. L

ORNITHOGLO'SSUM. S.S. BIRD'S-TONGUE. Hexandria Trigynia. S.S.
1 undulàtum. B.F.G. (*g.pu.*) wave-leaved. C. B. S. 1825. 8. 10. F.b. Swt. br. fl. gar. t. 131.
2 víride. S.S. (*gr.br.*) green-flowered. ——— 1788. 10. 11. F.b. Sal. par. lond. t. 54.
Melánthium víride. Bot. mag. t. 994.

ANDROCY'MBIUM. W. ANDROCY'MBIUM. Hexandria Trigynia. S.S.
1 melanthioídes. S.S. (*gr.*) narrow-leaved. C. B. S. 1825. 8. 10. F.b.
2 eucomoídes. S.S. (*gr.*) Tulip-leaved. ——— 1794. 3. 5. F.b. Swt. br. fl. gar. t. 165.
Melánthium eucomoídes. B.M. 641.
3 volutàre. B.T. (*gr.*) rolled-leaved. ——— 1816. —— F.b.

MELA'NTHIUM. W. MELA'NTHIUM. Hexandria Trigynia. L.
1 júnceum. W. (*li.*) Rush-leaved. C. B. S. 1788. 6. 11. F.b. Bot. mag. t. 558.
2 secúndum. W. (*wh.*) side-flowering. ——— 1812. —— F.b. Lam. ill. t. 269. f. 2.

3 capénse. w. (*wh.*) spotted-flowered. C. B. S. 1768. 5. 6. F.b.
4 ciliàtum. w. (*wh.*) fringed. ——— 1825. —— F.b.
5 gramíneum. s.s. (*wh.*) grassy. Barbary. 1823. —— F.b. Cavan. icon. t. 587. f. 1.

KO'LBEA. R.S. Ko'lbea. Hexandria Trigynia.
Breyniàna. R.S. (*ye.*) Breynius's. C. B. S. 1787. 6. 7. F.b. Bot. mag. t. 767.
Melánthium unifiòrum. w.

WURMB'EA. W. Wurmb'ea. Hexandria Trigynia. W.
1 campanulàta. w. (*wh.*) bell-flowered. C. B. S. 1788. 5. 6. F.b. Bot. mag. t. 1291.
Melánthium monopétalum. B.M.
2 purpùrea. H.K. (*pu.*) purple. ——— —— —— F.b. Bot. mag. t. 694.
Melánthium spicàtum. B.M. *Wurmbèa capénsis.* Andr. reposit. t. 221.
3 pùmila. w. (*wh.*) dwarf. C. B. S. 1800. 5. 6. F.b.
4 longiflòra. w. (*wh.*) long-flowered. ——— —— —— F.b.

TOF'IELDIA. L.T. Tof'ieldia. Hexandria Trigynia. S.S.
1 palústris. L.T. (*st.*) Scotch. Britain. .... 7. 8. H.4. Eng. bot. v. 8. t. 536.
2 racemòsa. Hop. (*st.*) racemed. Germany. 1827. —— H.4.
3 alpìna. L.T. (*st.*) Alpine. Europe. .... 7. 8. H.4. Redout. lil. t. 256.
palústris. DC.
4 pùbens. L.T. (*st.*) downy. N. America. 1790. 4. 5. H.4. Pluk. mant. 29. t. 342. f. 3
5 glutinòsa. L.T. (*ye.*) glutinous. ——— 1827. —— H.4. Linn. trans. v. 12. t. 8. f. 2.

XEROPHY'LLUM. M. Xerophy'llum. Hexandria Trigynia. S.S.
1 gramíneum. s.s. (*wh.*) grass-leaved. N. America. 1812. 5. 6. H.4. Bot. mag. t. 1599.
Helònias gramínea. B.M.
2 tènax. s.s. (*wh.*) tough-leaved. ——— 1811. —— H.4. Pursh. amer. 1. t. 9.
3 asphodeloídes. s.s. (*wh.*) Asphodel-like. ——— 1765. —— H.4. Bot. mag. t. 748.
Helònias asphodeloídes. B.M.

HEL'ONIAS. W. Hel'onias. Hexandria Trigynia. L.
1 bullàta. w. (*pu.*) broad-leaved. N. America. 1758. 4. 5. H.4. Bot. mag. t. 747.
latifòlia. M.
2 erythrospérma. M. (*wh.*) channel-leaved. ——— 1770. 6. H.4. Bot. mag. t. 803.
l'æta. B.M. *Melánthium l'ætum.* W.
3 angustifòlia. M. (*wh.*) narrow-leaved. ——— 1812. —— H.4. Bot. mag. t. 1540.

ZIGAD'ENUS. M. Zigad'enus. Hexandria Monogynia. S.S.
1 glabérrimus. w. (*wh.*) smooth-leaved. N. America. 1811. 5. 6. H.4. Mich. amer. 1. t. 22.
Helònias glabérrima. Bot. mag. t. 1680.
2 bracteàtus. (*wh.*) bracted. ——— —— —— H.4. Bot. mag. t. 1703.
Helònias bracteàta. B.M.
3 élegans. Ph. (*wh.*) elegant. ——— 1830. 6. 7. H.4.

NOL'INA. M. Nol'ina. Hexandria Trigynia. S.S.
georgìana. M. (*wh.*) Georgian. Georgia. 1812. 7. 8. H.4. Pluk. mant. t. 342. f. 1.

LEIMA'NTHIUM. W. Leima'nthium. Polygamia Monœcia.
virgínicum. w. (*wh.*) Virginian. N. America. 1768. 6. 7. H.4. Bot. mag. t. 985.
Helònias virgínica. B.M. *Melánthium virgínicum.* Ph.
2 monoícum. (*wh.*) monoecious. ——— 1817. —— H.4.
Melánthium monoícum. Ph.
3 hy'bridum. (*wh.*) hybrid. ——— 1822. —— H.4.
Melánthium hy'bridum. Ph. *racemòsum.* M.

PELIOSA'NTHES. A.R. Peliosa'nthes. Hexandria Monogynia.
1 hùmilis. A.R. (*gr.*) small. E. Indies. 1809. 5. 6. S.4. Bot. mag. t. 1532.
2 Tèta. A.R. (*gr.*) large. ——— 1807. 4. S.4. ——— t. 1302.

CYM'ATION. S.S. Cym'ation. Hexandria Trigynia. R.S.
lævigàtum. s.s. (*bl.*) smooth. C. B. S. 1824. 4. 5. G.b.
Lichtensteínia lævigàta. W.

VER'ATRUM. L. White Hellebore. Polygamia Monœcia. L.
1 nigrum. w. (*da.pu.*) dark-flowered. Siberia. 1596. 6. 7. H.4. Bot. mag. t. 963.
2 álbum. w. (*wh.*) white-flowered. S. Europe. 1548. 6. 8. H.4. Flor. dan. t. 1120.
3 Lobelìanum. W.en. (*wh.*) Lobel's. ——— 1818. —— H.4.
4 víride. w. (*gr.*) green-flowered. N. America. 1742. 7. 8. H.4. Bot. mag. t. 1096.
5 parviflòrum. M. (*gr.*) small-flowered. ——— 1809. —— H.4.
6 angustifòlium. Ph. (*gr.*) narrow-leaved. ——— 1823. —— H.4.

CHAMÆLI'RIUM. W. Chamæli'rium. Dicœcia Hexandria.
carolinìanum. w. (*st.*) spiked-flowered. N. America. 1759. 7. 8. H.4. Bot. mag. t. 1062.
Helònias làtea. B.M. *dioíca.* Ph. *Ophyostàchys virgínica.* Redout. liliac. t. 464.

ORDO CCXVIII.

PONTEDEREÆ. *Kth. synops.* 1. *p.* 273.

PONTED'ERIA. L.		PONTED'ERIA.	Hexandria Monogynia. L.					
1 cordàta. s.s.	(*bl.*)	heart-leaved.	N. America.	1759.	6. 8.	H.*w.* ♃.	Bot. mag. t. 1156.	
2 azùrea. s.s.	(*pu.*)	large-flowered.	Jamaica.	1822.	——	S.*w.* ♃.	—— t. 2932.	
3 lanceolàta. s.s.	(*bl.*)	lanceolate.	Carolina.	....	8. 9.	G.*w.* ♃.	Lodd. bot. cab. t. 613.	
4 angustifòlia. s.s.	(*bl.*)	narrow-leaved.	N. America.	1806.	6. 8.	H.*w.* ♃.		
5 crassipès. s.s.	(*bl.*)	thick-footstalked.	Brazil.	1822.	——	S.*w.* ♃.	Mart. n. pl. bras. t. 4.	
6 dilatàta. s.s.	(*bl.*)	spreading.	E. Indies.	1806.	5.	S.*w.* ♃.	Andr. reposit. t. 490.	
HETERANTH'ERA. R.S.		HETERANTH'ERA.	Triandria Monogynia. W.					
1 renifórmis. R.S.	(*wh.*)	kidney-leaved.	S. America.	1812.	6. 7.	G.*w.* ♃.	Flor. per. 1. t. 71. f. a.	
2 acùta. w.	(*wh.*)	acute-leaved.	N. America.	——	——	H.*w.* ♃.		
3 limòsa. R.S.	(*bl.*)	oval-leaved.	W. Indies.	1822.	——	S.*w.* ♃.	Mich. amer. 1. t. 5. f. 1.	
LEPTA'NTHUS. M.		LEPTA'NTHUS.	Triandria Monogynia. Ph.					
gramíneus. M.	(*ye.*)	grass-like.	N. America.	1823.	7. 8.	H.*w.* ♃.	Hook. ex. flor. t. 94.	

Heteranthèra gramínea. Ph. *Schóllera graminifòlia.* w.

ORDO CCXIX.

COMMELINEÆ. *Brown prodr.* 1. *p.* 268.

DICHORISA'NDRA. S.S.	DICHORISA'NDRA.	Hexandria Monogynia. S.S.					
1 thyrsiflòra. s.s.	(*bl.*)	bunch-flowered.	Brazil.	1820.	8. 10.	S. ♄.	Bot. reg. t. 682.
2 grácilis. s.s.	(*bl.*)	slender.	——	1824.	——	S. ♄.	
3 oxypétala. B.M.	(*pu.*)	sharp-flowered.	——	1825.	6. 9.	S. ♃.	Bot. mag. t. 2721.
4 pubérula. s.s.	(*bl.*)	pubescent.	——	——	——	S. ♃.	
CAMP'ELIA. K.S.	CAMP'ELIA.	Hexandria Monogynia. S.S.					
Zanònia. K.S.	(*wh.*)	Gentian-leaved.	S. America.	1759.	7. 12.	S. ♃.	Redout. lil. 4. t. 192.

Commelina Zanònia. R.L. *Tradescántia Zanònia.* w. *Zanònia bibractèata.* Cram.

TRADESCA'NTIA. L.	SPIDERWORT.	Hexandria Monogynia. L.					
1 fuscàta. s.s.	(*bl.*)	rusty.	S. America.	1820.	8. 12.	S. ♃.	Bot. reg. t. 482.
2 malabárica. s.s.	(*pu.*)	Grass-leaved.	E. Indies.	1776.	7. 8.	S. ♃.	Rheed. mal. 9. t. 63.
3 tuberòsa. s.s.	(*bl.*)	tuberous-rooted.	——	1817.	——	S. ♃.	
4 speciòsa. s.s.	(*pu.*)	handsome.	Mexico.	1825.	——	S. ♃.	
5 díscolor. s.s.	(*wh.*)	purple-leaved.	S. America.	1783.	4. 9.	S. ♄.	Bot. mag. t. 1192.
6 cordifòlia. s.s.	(*pu.*)	heart-leaved.	Jamaica.	1822.	——	S. ☉.	
7 erécta. s.s.	(*bl.*)	upright.	Mexico.	1794.	7. 8.	H. ☉.	Bot. mag. t. 1340.
8 undàta. s.s.	(*bl.*)	wave-leaved.	S. America.	1817.	8. 10.	H. ☉.	
9 pulchélla. s.s.	(*pu.*)	pretty.	Mexico.	1825.	——	G. ♃.	
10 crassifòlia. s.s.	(*pu.*)	thick-leaved.	——	1796.	7. 10.	H. ♃.	Bot. mag. t. 1598.
11 subáspera. s.s.	(*bl.*)	Lyon's.	N. America.	1812.	5. 10.	H. ♃.	—— t. 1597.
12 virgínica. s.s.	(*bl.*)	Virginian.	——	1629.	5. 8.	H. ♃.	Park. parad. t. 151. f. 4.
α cærùlea.	(*bl.*)	*blue-flowered.*	——	——	——	H. ♃.	Bot. mag. t. 105.
β rùbra.	(*re.*)	*red-flowered.*	——	——	——	H. ♃.	
γ álbida.	(*wh.*)	*whitish-flowered.*	——	——	——	H. ♃.	
δ nìvea.	(*wh.*)	*snowy white.*	——	1824.	——	H. ♃.	
ε pilòsa. B.R.	(*bl.*)	*hairy.*	——	1827.	——	H. ♃.	Bot. reg. t. 1055.
13 congésta. H.E.	(*bl.*)	close-flowered.	——	1825.	——	H. ♃.	
14 ròsea. s.s.	(*ro.*)	rose-coloured.	Carolina.	1802.	5. 10.	H. ♃.	Swt. br. fl. gar. t. 181.
15 multiflòra. s.s.	(*wh.*)	many-flowered.	Jamaica.	1824.	——	S. ♃.	
16 crássula. B.M.	(*wh.*)	white-flowered.	Brazil.	1826.	12. 1.	S. ♃.	Bot. mag. t. 2935.
17 procúmbens. s.s.	(*wh.*)	procumbent.	Caracas.	1823.	——	S. ♃.	Jacq. ic. 2. t. 355.
multiflòra. Jacq. *non* w.							
18 parviflòra. s.s.	(*bl.*)	small-flowered.	Peru.	1822.	——	H. ♃.	Flor. per. 3. t. 272. f. 2.
19 latifòlia. s.s.	(*ri.*)	broad-leaved.	Lima.	1820.	9. 11.	H. ☉.	—— 3. t. 272.
20 divaricàta. s.s.	(*bl.*)	spreading.	Trinidad.	——	5. 8.	S. ♃.	Aub. gui. 1. t. 12.
21 geniculàta. s.s.	(*wh.*)	knotted.	W. Indies.	1783.	7. 8.	S. ♃.	Jacq. amer. t. 64.
22 paniculàta. s.s.	(*bl.*)	panicled.	E. Indies.	1824.	——	S. ☉.	

CYAN'OTIS. D.P.		CYAN'OTIS.	Hexandria Monogynia.					
1 axillàris. D.P.	(*bl.*)	axil-flowered.	E. Indies.	1822.	8. 10.	S.⊙.	Rheed. mal. 10. t. 13.
2 cristàta. D.P.	(*bl.*)	crest-bunched.	Ceylon.	1770.	7. 9.	S.⊙.	Bot. mag. t. 1435.
Tradescántia cristàta. B.M.							
3 barbàta. D.P.	(*bl.*)	bearded.	Nepaul.	1824.	——	H.⊙.	
CARTON'EMA. B.P.		CARTON'EMA.	Hexandria Monogynia.				
spicàtum. B.P.	(*ye.*)	spiked.	New Holland.	1822.	7. 8.	S.♃.	
CALLI'SIA. L.		CALLI'SIA.	Triandria Monogynia. L.				
rèpens. L.	(*gr.*)	creeping.	W. Indies.	1776.	6. 7.	S.♃.	Jacq. amer. t. 11.
ANEIL'EMA. B.P.		ANEIL'EMA.	Triandria Monogynia.				
1 biflòra. B.P.	(*bl.*)	two-flowered.	N. S. W.	1820.	7. 8.	F.♃.	
2 acuminàta. B.P.	(*bl.*)	sharp-pointed.	———	1822.	——	F.♃.	
3 longifòlia. H.E.F.	(*bl.*)	long-leaved.	Zanzibar.	1823.	8. 9.	S.♃.	Hook. ex. flor. t. 204.
4 sinica. B.R.	(*bl.*)	Chinese.	China.	1820.	5. 6.	G.♃.	Bot. reg. t. 659.
5 nudiflòra. B.P.	(*bl.pu.*)	naked-flowered.	E. Indies.	——	8. 10.	S.⊙.	Rheed. mal. 9. t. 63.
6 spiràta. B.P.	(*bl.*)	spear-leaved.	———	1783.	7. 8.	S.⊙.	
Commelina spiràta. L.							
7 affinis. B.P.	(*bl.*)	rough-angled.	N. S. W.	1825.	——	F.♃.	
COMMEL'INA. B.P.		COMMEL'INA.	Triandria Monogynia. L.				
1 angustifòlia. R.S.	(*bl.*)	narrow-leaved.	Carolina.	1812.	7. 8.	F.♃.	
2 truncàta. R.S.	(*pa.bl.*)	truncate-bracted.	———	1822.	7. 9.	H.♃.	
3 cyánea. B.P.	(*bl.*)	bright blue.	N. S. W.	1820.	——	F.♃.	
4 dianthifòlia. DC.	(*bl.*)	Pink-leaved.	.....	1816.	——	S.♃.	Redout. lil. 7. t. 390.
5 longicaùlis. R.S.	(*bl.*)	long-stalked.	Caracas.	1806.	8.	S.♃.	Jacq. ic. 2. t. 294.
6 hirtélla. R.S.	(*bl.*)	hairy.	N. America.	1820.	7. 8.	H.♃.	
7 virgínica. R.S.	(*bl.*)	Virginian.	———	1779.	——	H.♃.	Pluk. alm. t. 174. f. 4.
8 africàna. R.S.	(*ye.*)	yellow-flowered.	C. B. S.	1759.	5. 10.	G.♃.	Bot. mag. t. 1431.
9 fasciculàta. R.S.	(*bl.*)	woolly tubered.	Lima.	1817.	——	H.♃.	Flor. per. 1. t. 72. f. b.
10 communis. R.S.	(*bl.*)	common.	America.	1732.	6. 7.	H.⊙.	Redout. lil. 4. t. 206.
11 polygàma. R.S.	(*bl.*)	polygamous.	Japan.	....	——	H.♃.	Kæmpf. am. p. 888. ic.
12 caroliniàna. R.S.	(*bl.*)	Carolina.	Carolina.	....	——	H.♃.	
13 dùbia. R.S.	(*bl.*)	dubious.	.....	1819.	7. 9.	H.♃.	Redout. lil. 6. t. 259.
14 tuberòsa. R.S.	(*bl.*)	tuberous-rooted.	Mexico.	1732.	——	H.♃.	Andr. reposit. t. 399.
15 cœléstis. R.S.	(*bl.*)	sky-blue.	.....	1813.	7. 10.	H.♃.	Swt. br. fl. gar. t. 3.
16 pállida. R.S.	(*bl.*)	pale-flowered.	Mexico.	1822.	——	H.♃.	Willd.hort.ber.2.t.87.
ràbens. Redoute liliac. 7. t. 367.							
17 turbinàta. R.S.	(*bl.*)	top-shaped.	Santa Cruz.	1824.	——	S.♃.	
18 obliqua. R.S.	(*bl.*)	oblique-leaved.	S. America.	1827.	——	S.♃.	
19 erécta. R.S.	(*bl.*)	upright.	Virginia.	1732.	8. 9.	H.♃.	Dill. elt. 94. t. 77. f. 88.
20 móllis. R.S.	(*bl.*)	soft.	Caracas.	1804.	——	H.♃.	Jacq. ic. 2. t. 293.
21 bengalénsis. R.S.	(*bl.*)	Bengal.	Bengal.	1794.	6.	S.♃.	Burm. ind. t. 7. f. 3.
22 parviflòra. L.en.	(*bl.*)	small-flowered.	.....	1823.	——	S.♃.	
23 deficiens. B.M.	(*bl.*)	deficient.	Brazil.	1825.	1. 12.	S.♃.	Bot. mag. t. 2644.

ORDO CCXX.

PALMÆ. *Brown prodr. p.* 266.

CHAMÆD'OREA. W.		CHAMÆD'OREA.	Dicœcia Hexandria. W.					
1 grácilis. W.	(*st.*)	slender.	Caracas.	1803.	....	S.♄.	Jacq. schœn. 2. t. 217-8.
2 fràgrans. M.P.	(*st.*)	fragrant.	Peru.	1823.	....	....	Martius Palm. ic.
S'ABAL. P.S.		S'ABAL.	Hexandria Trigynia. P.S.				
1 Adansòni. B.M.	(*st.*)	dwarf.	Florida.	1810.	6. 8.	S.♃.	Bot. mag. t. 1434.
Córypha mìnor. Jacq. vind. 3. t. 8. *Cham'ærops acàulis.* M.							
2 Blackburniàna. L.C.	(*st.*)	Blackburn's.	S. America.	1824.	....	S.♃.	
3 graminifòlia. L.C.	(*st.*)	grass-leaved.	———	1822.	....	S.♃.	
4 umbraculífera. L.C.	(*st.*)	umbrella.	———	——	....	S.♃.	
RHA'PIS. W.		RHA'PIS.	Polygamia Monœcia. W.					
1 flabellifórmis. W.	(*st.*)	creeping-rooted.	China.	1774.	8.	S.♃.	Bot. mag. t. 1371.
2 arundinàcea. W.	(*st.*)	simple-leaved.	Carolina.	1765.	9.	G.♄.	
CHAM'ÆROPS. W.		CHAM'ÆROPS.	Polygamia Dicœcia. W.					
1 excélsa. L.C.	(*st.*)	tall.	Nepaul.	1822.	....	S.♄.	
2 grácilis. L.C.	(*st.*)	slender.	S. America.	——	....	S.♄.	
3 guianénsis. L.C.	(*st.*)	Guiana.	Guiana.	1824.	....	S.♄.	
4 hùmilis. S.S.	(*st.*)	dwarf fan palm.	S. Europe.	1731.	2. 3.	G.♄.	Andr. reposit. t. 599.

serrulàta. S.S.	(*st.*) saw-leaved.	N. America.	1809.	....	G. ½.	
Hy'strix. S.S.	(*st.*) Porcupine.	Georgia.	1801.	....	G. ½.	
Palmétto. S.S.	(*st.*) smooth-stemm'd.	Carolina.	1809.	....	G. ½.	
IVIST'ONA. B.P.		**Livist'ona.**	**Hexandria Monogynia. S.S.**			
inérmis. B.P.	(*st.*) spineless.	N. Holland.	1823.	....	S. ½.	
hùmilis. B.P.	(*st.*) dwarf spiny.	———	——	....	S. ½.	
ODOI'CEA. S.S.		**Double Cocoa-nut.**	**Dicœcia Monadelphia.**			
Sechellàrum. B.M.	(*st.*) Seychelle's Island.	Seychelle's Isl.	1827.	....	S. ½.	Bot. mag. t. 2734-2738.
AT'ANIA. W.		**Lat'ania.**	**Dicœcia Monadelphia. W.**			
rùbra. W.	(*st.*) red.	Mauritius.	1788.	....	S. ½.	Jacq. frag. 1. t. 8.
glaucophy'lla. L.C.	(*st.*) glaucous-leaved.	— ———	1821.	....	S. ½.	
borbònica. W.	(*st.*) Bourbon.	Bourbon.	——	....	S. ½.	Jacq. frag. 1. t. 11.
chinénsis. Jacq.	*Livistònæ species?* B.P.					
O'RYPHA. L.		**Fan Palm.**	**Hexandria Monogynia. W.**			
austràlis. B.P.	(*st.*) New Holland.	N. S. W.	1822.	....	S. ½.	
elàta. H.B.	(*st.*) tall.	E. Indies.	1820.	....	S. ½.	
glaucéscens. L.C.	(*st.*) glaucescent.	— ———	——	....	S. ½.	
umbraculífera. W.	(*st.*) great.	———	1742.	....	S. ½.	Rheed. mal. 3. t. 1-12.
Után. S.S.	(*st.*) Molucca.	———	1822.	....	S. ½.	
AL'IERA. S.S.		**Tal'iera.**	**Hexandria Monogynia. S.S.**			
bengalénsis. S.S.	(*st.*) Bengal.	E. Indies.	1822.	....	S. ½.	
Córypha Taliera. H.B.						
H'ŒNIX. W.		**Date Palm.**	**Dicœcia Hexandria. W.**			
dactylífera. W.	(*st.*) common.	Levant.	1597.	....	G. ½.	Kæmpf. am. 686. t. 1. 2.
sylvéstris. H.B.	(*st.*) wood.	E. Indies.	1820.	....	S. ½.	
paludòsa. H.B.	(*st.*) marsh.	———	——	....	S. ½.	
reclinàta. W.	(*st.*) reclining.	C. B. S.	1792.	....	G. ½.	Jacq. frag. 1. t. 24.
farinífera. W.	(*st.*) small.	E. Indies.	1800.	....	S. ½.	Roxb. corom. 1. t. 74.
acaùlis. S.S.	(*st.*) stalkless.	—— ——	1820.	....	S. ½.	
leonénsis. L.C.	(*st.*) African.	Sierra Leon.	——	....	S. ½.	
pygm'æa. L.C.	(*st.*) pigmy.	.....	——	....	S. ½.	
AGUS. W.		**Sago Palm.**	**Monœcia Hexandria. W.**			
Rúmphii. W.	(*st.*) Rumphius's.	E. Indies.	1800.	....	S. ½.	Rumph. amb. 1. t. 17. 18.
viníféra. P.S.	(*st.*) prickly-leaved.	Africa.	1820.	....	S. ½.	Beauv. fl. d'ow. t. 45.
Rúffia. W.	(*st.*) Madagascar.	Madagascar.	——	....	S. ½.	Jacq. frag. p. 7. t. 4. f. 2.
pedunculàta. Poir.	(*st.*) peduncled.	———	——	....	S. ½.	
YPH'ÆNE. G.		**Hyph'æne.**	**Dicœcia Hexandria.**			
coriàcea. G.	(*st.*) leathery.	Egypt.	1822.	....	S. ½.	
Cucífera thebàica. Del.						
R'ECA. W.		**Cabbage-tree.**	**Monœcia Monadelphia. W.**			
Cátechu. W.	(*st.*) medicinal.	E. Indies.	1690.	....	S. ½.	Roxb. corom. 1. t. 75.
hùmilis. W.	(*st.*) dwarf.	———	1814.	....	S. ½.	Rumph. amb. 1. t. 7.
rùbra. W.	(*st.*) red.	Isl. France.	1823.	....	S. ½.	
crinìta. W.	(*st.*) hairy.	———	1819.	....	S. ½.	
oleràcea. W.	(*st.*) esculent.	W. Indies.	1656.	....	S. ½.	Jacq. amer. t. 170.
triándra. H.B.	(*st.*) three-anthered.	E. Indies.	1819.	....	S. ½.	
lutéscens. W.	(*st.*) yellowish.	Mauritius.	——	....	S. ½.	
exìlis. L.C.	(*st.*) slender.	.....	1822.	....	S. ½.	
Mánicot. L.C.	(*st.*) Manicot.	.....	——	....	S. ½.	
montàna. L.C.	(*st.*) mountain.	.....	1819.	....	S. ½.	
ŒNOCA'RPUS. M.P.		**Œnoca'rpus.**	**Monœcia Hexandria.**			
Batàua. M.P.	(*st.*) American.	S. America.	1822.	....	S. ½.	Martius. palm. ic.
UTE'RPE. G.		**Eute'rpe.**	**Polygamia Monœcia.**			
globòsa. G.	(*st.*) globular.	E. Indies.	1819.	....	S. ½.	
Àrèca spicàta. Lam.						
pisífera. G.	(*st.*) Pea-bearing.	———	——	....	S. ½.	
'ALLI'CHIA. S.S.		**Walli'chia.**	**Polygamia Monœcia.**			
caryotoídes. S.S.	(*st.*) Caryota-like.	E. Indies.	1818.	....	S. ½.	Roxb. corom. ic.
L'AIS. W.		**Oily Palm.**	**Dicœcia Hexandria. W.**			
guineénsis. W.	(*st.*) Guinea.	Guinea.	1730.	....	S. ½.	Jacq. amer. t. 172.
melanocócca. G.	(*st.*) black-fruited.	S. America.	1820.	....	S. ½.	
pernambucàna. L.C.	(*st.*) Pernambuca.	———	——	....	S. ½.	
YA'GRUS. M.P.		**Sya'grus.**	**Polygamia Monœcia.**			
cocoídes. M.P.	(*st.*) Cocoa-like.	Brazil.	1823.	....	S. ½.	Mart. palm. ic.
L'ATE. W.		**El'ate.**	**Monœcia Hexandria.**			
sylvéstris. W.	(*st.*) prickly-leaved.	E. Indies.	1763.	4. 6.	S. ½.	Rheed. mal. 3. t. 22-25.
CROC'OMIA. M.P.		**Acroc'omia.**	**Monœcia Hexandria.**			
sclerocárpa. M.P.	(*st.*) dry-fruited.	Brazil.	1822.	....	S. ½.	Mart. palm. ic.
aculeàta. L.C.	(*st.*) prickly.	W. Indies.	1796.	....	S. ½.	Jacq. amer. 278. t. 169.
Còcos aculeàta. W.						

3 fusifórmis.	(*st.*)	great Macaw-tree. W.	Indies.	1731.	....	S. ħ.	
Còcos fusifórmis. W.							
4 mìnor. L.C.	(*st.*)	lesser.	S. America.	1823.	....	S. ħ.	
C'OCOS. W.		Cocoa-nut-tree. Monœcia Hexandria. W.					
1 nucífera. W.	(*st.*)	common.	E. Indies.	1690.	....	S. ħ.	Roxb. corom. 1. t. 73.
2 flexuòsa. M.P.	(*st.*)	flexuose.	Brazil.	1823.	....	S. ħ.	Mart. palm. ic.
3 plumòsa. L.C.	(*st.*)	feathered.	W. Indies.	——	....	S. ħ.	
MAXIMILI'ANA. M.P.		Maximili'ana. Polygamia Monœcia.					
règia. M.P.	(*st.*)	membranous-fld.	Brazil.	1822.	....	S. ħ.	Mart. palm. ic.
THR'INAX. W.		Thr'inax. Hexandria Monogynia. W.					
parviflòra. W.	(*st.*)	small.	Jamaica.	1778.	....	S. ħ.	
ASTROC'ARYUM. M.P.		Astroc'aryum. Monœcia Hexandria.					
1 acaùle. M.P.	(*st.*)	stalkless.	Brazil.	1823.	....	S. ↄ.	Mart. palm. ic.
2 campéstre. M.P.	(*st.*)	field.	——	1824.	....	S. ħ.	—— ic.
3 aculeàtum. S.S.	(*st.*)	prickly.	Guiana.	——	....	S. ħ.	
4 vulgàre. M.P.	(*st.*)	common.	Brazil.	1823.	....	S. ħ.	Mart. palm. ic.
5 Murumùru. M.P.	(*st.*)	tall.	——	——	....	S. ħ.	—— ic.
GEON'OMA. W.		Geon'oma. Dicœcia Hexandria.					
1 simplicifrons. W.	(*st.*)	simple-fronded.	S. America.	1823.	....	S. ↄ.	
2 macrostàchys. M.P.	(*st.*)	large-spiked.	——	——	....	S. ↄ.	Mart. palm. ic.
3 acaùlis. M.P.	(*st.*)	stalkless.	Brazil.	1822.	....	S. ↄ.	—— ic.
4 pinnàtifrons. W.	(*st.*)	pinnated.	S. America.	——	....	S. ↄ.	
5 Schottiàna. L.C.	(*st.*)	Schott's.	Brazil.	——	....	S. ↄ.	
MAURI'TIA. L.		Mauri'tia. Dicœcia Hexandria. W.					
1 flexuòsa. W.	(*st.*)	flexuose.	W. Indies.	1819.	....	S. ħ.	
2 armàta. M.P.	(*st.*)	spiny.	Brazil.	1822.	....	S. ħ.	Mart. palm. ic.
3 vinífera. M.P.	(*st.*)	straight-stem'd.	——	——	....	S. ħ.	—— ic.
LICU'ALA. W.		Licu'ala. Hexandria Monogynia. W.					
1 spinòsa. W.	(*st.*)	spiny.	E. Indies.	1802.	....	S. ħ.	Rumph. amb. 1. t. 9.
2 peltàta. H.B.	(*st.*)	peltate.	——	1819.	....	S. ħ.	
CA'LAMUS. W.		Ca'lamus. Hexandria Monogynia. S.S.					
1 vèrus. S.S.	(*st.*)	true.	E. Indies.	1820.	....	S. ħ.	Rumph. amb. 5. t. 54.
2 nìger. S.S.	(*st.*)	black.	——	——	....	S. ħ.	—— 5. t. 52.
3 rudéntum. S.S.	(*st.*)	common.	China.	1812.	....	S. ħ.	
4 Zalácca. S.S.	(*st.*)	Java.	E. Indies.	——	....	S. ħ.	Gært. fr. 2. t. 139. f. 2.
5 álbus. P.S.	(*st.*)	common.	——	——	....	S. ħ.	Rumph. amb. 5. f. 52.
6 Dràco. S.S.	(*st.*)	Dragon.	——	1819.	....	S. ħ.	—— 5. t. 58. f. 1
SEAFO'RTHIA. B.P.		Seafo'rthia. Polygamia Monœcia.					
élegans. B.P.	(*st.*)	elegant.	N. Holland.	1822.	....	S. ħ.	
CARY'OTA. W.		Cary'ota. Monœcia Polyandria. W.					
1 ùrens. W.	(*st.*)	torn-leaved.	E. Indies.	1788.	....	S. ħ.	Rheed. mal. 1. t. 11.
2 hórrida. W.	(*st.*)	horrid.	S. America.	1820.	....	S. ħ.	
DIPLOTH'EMIUM. M.P.		Diploth'emium. Polygamia Monœcia.					
1 marítimum. M.P.	(*st.*)	sea-side.	Brazil.	1823.	....	S. ↄ.	Mart. palm. ic.
2 campéstre. M.P.	(*st.*)	field.	——	——	....	S. ↄ.	—— ic.
ATT'ALEA. K.S.		Att'alea. Monœcia Polyandria.					
1 hùmilis. M.P.	(*st.*)	dwarf.	Brazil.	1823.	....	S. ħ.	Mart. palm. ic.
2 cómpta. M.P.	(*st.*)	decked.	——	——	....	S. ħ.	—— ic.
3 funífera. M.P.	(*st.*)	rope-bearing.	——	——	....	S. ħ.	—— ic.
4 excélsa. M.P.	(*st.*)	lofty.	——	——	....	S. ħ.	—— ic.
5 speciòsa. M.P.	(*st.*)	handsome.	——	1824.	....	S. ħ.	—— ic.
6 Róssii. L.C.	(*st.*)	Ross's.	——	——	....	S. ħ.	
7 spectábilis. L.C.	(*st.*)	showy.	——	——	....	S. ħ.	
GOM'UTUS. S.S.		Gom'utus. Monœcia Polyandria.					
sacchárifer. S.S.	(*st.*)	sugar-bearing.	E. Indies.	1820.	....	S. ħ.	
MANIC'ARIA. G.		Manic'aria. Polygamia Monœcia.					
saccífera. G.	(*st.*)	bag-like.	E. Indies.	1822.	....	S. ħ.	Gært. sem. 2. t. 176.
BORA'SSUS. W.		Bora'ssus. Dicœcia Hexandria. W.					
flabellifórmis. W.	(*st.*)	fan-leaved.	E. Indies.	1771.	....	S. ħ.	Roxb. corom. 1. t. 71. 72.
N'IPA. W.		N'ipa. Monœcia Monadelphia. W.					
frùticans. W.	(*st.*)	shrubby.	E. Indies.	1822.	....	S. ħ.	Rumph. amb. 1. t. 16.
DESMO'NCUS. M.P.		Desmo'ncus. Monœcia Monadelphia.					
1 polyacánthus. M.P.	(*st.*)	many-spined.	Brazil.	1822.	....	S. ħ.	Mart. palm. ic.
2 orthacánthus. M.P.	(*st.*)	long-spined.	——	——	....	S. ħ.	—— ic.
3 americànus. L.C.	(*st.*)	American.	S. America.	1823.	....	S. ħ.	
4 dùbius. L.C.	(*st.*)	doubtful.	——	——	....	S. ħ.	
BA'CTRIS. W.		Ba'ctris. Monœcia Hexandria. W.					
1 pectinàta. M.P.	(*st.*)	pectinated.	Brazil.	1825.	....	S. ħ.	Mart. palm. ic.
2 cuspidàta. M.P.	(*st.*)	sharp-pointed.	——	——	....	S. ħ.	

3 mìnor. W.	(*st.*)	lesser.	S. America.	1691.	....	S. ♄.	Jacq. amer. t. 171. f. 1.
4 macracántha. M.P.	(*st.*)	large-spined.	Brazil.	1822.	....	S. ♄.	Mart. palm. ic.
5 màjor. W.	(*st.*)	greater.	Carthagena.	1800.	....	S. ♄.	Jacq. amer. t. 171. f. 2.
6 caryotæfòlia. M.P.	(*st.*)	Caryota-leaved.	Brazil.	1825.	....	S. ♄.	Mart. palm. ic.

ORDO CCXXI.

JUNCEÆ. *Brown prodr.* 1. *p.* 257.

KI'NGIA. L.T. GRASS-TREE. Hexandria Monogynia.

austràlis. L.T.	(*st.*)	southern.	N. Holland.	1830.	....	G. ♄.	

XER'OTES. B.P. XER'OTES. Dicœcia Hexandria.

1 flexifòlia. B.P.	(*st.*)	bending-leav'd.	N. S. W.	1819.	6. 8.	F. ♃.	Thunb.diss.drac.17.f.2.
2 mucronàta. B.P.	(*st.*)	mucronated.	———	1823.	——	F. ♃.	
3 filifórmis. B.P.	(*st.*)	filiform.	———	——	——	F. ♃.	Th. dis. drac. n. 1. ic.
Drac'æna filifórmis. Th.							
4 denticulàta. B.P.	(*st.*)	toothed.	———	1825.	——	F. ♃.	
5 làxa. B.P.	(*st.*)	loose-flowered.	———	1819.	——	F. ♃.	
6 rígida. B.P.	(*st.*)	stiff-leaved.	N. Holland.	1796.	6. 7.	F. ♃.	Lodd. bot. cab. t. 798.
Lomándra rígida. Lab. n. hol. 1. t. 120.							
7 montàna. B.P.	(*st.*)	mountain.	N. S. W.	1824.	——	F. ♃.	
8 longifòlia. B.P.	(*st.*)	long-leaved.	———	1796.	——	F. ♃.	Lab. nov. hol. 1. t. 19.
Lomándra longifòlia. Lab.							
9 Hy'strix. B.P.	(*st.*)	Porcupine.	———	1823.	——	F. ♃.	
10 æmula. B.P.	(*st.*)	rival.	———	——	——	F. ♃.	
11 echinàta. M.C.	(*st.*)	bristly.	N. Holland.	1824.	——	F. ♃.	

PLE'EA. M. PLE'EA. Enneandria Trigynia. Ph.

tenuifòlia. M.	(*br.*)	slender-leaved.	Carolina.	1812.	5. 8.	F. ♃.	Bot. mag. t. 1956.

NARTH'ECIUM. E.B. NARTH'ECIUM. Hexandria Monogynia.

1 ossifràgum. E.B.	(*ye.*)	Lancashire Asphodel.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 8. t. 535.
2 americànum. B.M.	(*ye.*)	American.	N. America.	1811.	——	H. ♃.	Bot. mag. t. 1505.

LUZ'ULA. DC. WOODRUSH. Hexandria Monogynia. S.S.

1 pilòsa. R.S.	(*br.*)	spring.	Britain.	....	3. 5.	H. ♃.	Eng. bot. v. 11. t. 736.
2 flavéscens. S.S.	(*st.*)	yellowish.	S. Europe.	1817.	——	H. ♃.	Host. gram. 3. t. 94.
3 Forstèri. DC.	(*br.*)	Forster's.	England.	....	5. 6.	H. ♃.	Eng. bot. v. 18. t. 1293.
4 glabràta. S.S.	(*br.*)	smooth.	Switzerland.	1825.	——	H. ♃.	Desv. j. bot. 1. t. 5. f. 3.
5 álbida. DC.	(*wh.br.*)	white.	———	1815.	——	H. ♃.	Leers. herb. t. 13. f. 6.
6 lùtea. DC.	(*st.*)	yellow.	———	——	——	H. ♃.	
7 spadícea. DC.	(*da.br.*)	light red.	Europe.	1816.	——	H. ♃.	Vill. delph. 2. t. 6.
8 parviflòra. S.	(*br.*)	small-flowered.	Switzerland.	1824.	——	H. ♃.	Rost.junc.p.26.t.1.f.1.
9 nìvea. DC.	(*wh.*)	snowy.	———	1770.	——	H. ♃.	Scheuch. gram. t. 7. f. 7.
10 sylvática. S.	(*br.wh.*)	wood.	Britain.	....	5.	H. ♃.	Eng. bot. v. 11. t. 737.
Júncus sylváticus. E.B.							
11 palléscens. S.	(*br.*)	palish.	N. Europe.	1828.	——	H. ♃.	Linn. fl. lap. t. 10. f. 2.
12 hyperbórea. S.	(*br.*)	northern.	———	——	——	H. ♃.	
13 arcuàta. S.S.	(*wh.br.*)	fringe-bracted.	Scotland.	....	7.	H. ♃.	Wahl. lapp. t. 4.
14 spicàta. DC.	(*br.*)	spiked.	———	....	——	H. ♃.	Eng. bot. v. 17. t. 1176.
15 congésta. S.S.	(*br.*)	close-headed.	Britain.	....	6.	H. ♃.	Purt. suppl. t. 9.
Júncus liniger. Purt.							
16 sudética. DC.	(*br.*)	Swedish.	Sweden.	1824.	——	H. ♃.	Host. gram. 4. t. 99.
17 pedifórmis. DC.	(*br.*)	foot-shaped.	S. Europe.	1822.	5. 6.	H. ♃.	
18 campéstris. DC.	(*br.*)	field.	Britain.	....	4. 5.	H. ♃.	Eng. bot. v. 10. t. 672.
19 multiflòra. S.S.	(*br.*)	many-flowered.	Europe.	1822.	5. 6.	H. ♃.	

JU'NCUS. DC. RUSH. Hexandria Monogynia. L.

1 multicapitàtus. S.	(*br.*)	many-headed.	Scotland.	....	6. 7.	H. ♃.	
polycéphalus. E.F. *non* Mich.							
2 fúsco-áter. S.	(*br.*)	dark brown.	Europe.	1825.	——	H. ♃.	
3 obtusiflòrus. L.T.	(*bk.*)	blunt-flowered.	Britain.	....	7. 8.	H. ♃.	Eng. bot. v. 30. t. 2144.
4 lampocárpus. L.T.	(*br.*)	shining-fruited.	———	....	——	H. ♃.	——— v. 30. t. 2143.
5 acutiflòrus. L.T.	(*br.*)	sharp-flowered.	———	....	6. 7.	H. ♃.	——— v. 4. t. 238.
articulátus. E.B.							
6 Holosch'œnus. B.P.	(*br.*)	stripe-seeded.	N. S. W.	1824.	——	F. ♃.	
7 subverticillàtus. L.T.	(*br.*)	whorled.	Britain.	....	7. 8.	H. ♃.	Flor. dan. t. 817.
8 ténuis. S.	(*gr.pu.*)	slender.	N. America.	1826.	——	H. ♃.	
9 castàneus. E.B.	(*br.*)	black-spiked.	Scotland.	....	7.	H. ♃.	Eng. bot. v. 13. t. 900.

10	Jacquìni. s.	(*br.pu.*)	Jacquin's. *biglùmis.* Jacq. vind. t. 4. f. 2. *nec aliorum.*	S. Europe.	1824.	7.	H.♃.	Jacq. fl. aust. t. 281.
11	biglùmis. E.B.	(*br.*)	two-flowered.	Scotland.	....	8.	H.♃.	Eng. bot. v. 13. t. 898.
12	triglùmis. E.B.	(*br.*)	three-flowered.	Britain.	....	7.	H.♃.	——— v. 13. t. 899.
13	capitàtus. S.S.	(*br.g.*)	headed.	———	....	5. 7.	H.⊙.	Weig. obs. t. 2. f. 5.
14	supìnus. L.T.	(*br.*)	dwarf.	———	....	7.	H.♃.	Flor. dan. t. 1099.
15	uliginòsus. E.B.	(*br.*)	little bulbous.	———	....	7. 8.	H.♃.	Eng. bot. v. 12. t. 801.
16	trífidus. E.B.	(*br.*)	three-leaved.	Scotland.	....	———	H.♃.	——— v. 21. t. 1482.
17	Gésneri. E.F. *grácilis.* E.B. *non* B.P.	(*g.br.*)	Gesner's.	———	....	7.	H.♃.	——— v. 31. t. 2174.
18	bufònius. E.B.	(*pa.*)	toad.	Britain.	....	6. 8.	H.♃.	Eng. bot. v. 12. t. 802.
19	cœnòsus. L.T.	(*br.*)	mud.	———	....	7. 8.	H.♃.	Flor. dan. t. 431.
20	comprèssus. L.T. *bulbòsus.* E.B.	(*g.br.*)	round-fruited.	———	....	———	H.♃.	Eng. bot. v. 13. t. 934.
21	squarròsus. E.B.	(*br.*)	Goose-corn.	———	....	6. 7.	H.♃.	Eng. bot v. 13. t. 933.
22	Tenagèja. S.S.	(*g.br.*)	annual.	Europe.	1816.	———	H.⊙.	Flor. dan. t. 1160.
23	aristulatús. M.	(*br.*)	awned.	N. America.	1820.	———	H.♃.	
24	plebèius. B.P.	(*pa.pu.*)	linear-leaved.	N. S. W.	1816.	———	F.♃.	
25	planifòlius. B.P.	(*br.pu.*)	flat-leaved.	———	1822.	7. 8.	F.♃.	
26	pauciflòrus. B.P.	(*pa.*)	few-flowered.	———	———	———	F.♃.	
27	vaginàtus. B.P.	(*st.*)	sheathed.	———	1823.	———	F.♃.	
28	polycéphalus. M.	(*gr.*)	panicled.	N. America.	1828.	———	H.♃.	
29	macrostèmon. S.	(*gr.*)	large-stamened.	———	1826.	———	H.♃.	
30	filifórmis. E.B.	(*gr.*)	least.	Britain.	....	8.	H.♃.	Eng. bot. v. 17. t. 1175.
31	pállidus. B.P.	(*pa.*)	pale-flowered.	N. Holland.	1829.	———	F.♃.	
32	árcticus. W.	(*da.br.*)	arctic.	Scotland.	....	7. 8.	H.♃.	Flor. dan. t. 1095.
33	bálticus. S.	(*br.*)	Baltic.	Baltic.	1821.	———	H.♃.	
34	effùsus. E.B.	(*gr.*)	soft.	Britain.	....	5. 8.	H.♃.	Eng. bot. v. 12. t. 836.
35	conglomeràtus. E.B.	(*br.*)	common.	———	....	6. 7.	H.♃.	——— v. 12. t. 835.
36	glaùcus. E.B.	(*br.*)	glaucous.	———	....	7. 8.	H.♃.	——— v. 10. t. 685.
37	marítimus. E.B.	(*br.*)	sea-side.	———	....	8.	H.♃.	——— v. 24. t. 1725.
38	acùtus. E.B.	(*g.br.*)	great sharp sea.	———	....	7. 8.	H.♃.	——— v. 23. t. 1614.
39	globulòsus. E.	(*br.*)	globular.	Egypt.	1829.	———	H.♃.	
?	FLAGELL'ARIA. L.		FLAGELL'ARIA.	Hexandria Trigynia. L.				
	índica. L.	(*st.*)	Indian.	India.	1782.	6. 7.	S.♄.	Redout. lil. t. 257.
?	PHIL'YDRUM. B.P.		PHIL'YDRUM.	Monandria Monogynia. B.M.				
	lanuginòsum. B.P.	(*ye.*)	woolly.	N. S. W.	1801.	6. 7.	S.*w.*♂.	Bot. mag. t. 783.
?	BURMA'NNIA. L.		BURMA'NNIA.	Triandria Monogynia.				
1	distàchya. B.P.	(*bl.*)	two-spiked.	N. S. W.	1822.	6. 8.	G.*w.*♃.	Burm. zeyl. t. 20. f. 1.
2	biflòra. L.	(*bl.*)	two-flowered.	Virginia.	....	9.	G.*w.*♃.	
?	GILLI'ESIA. B.R.		GILLI'ESIA.	Hexandria Monogynia.				
	gramínea. B.R.	(*st.*)	Grass-like.	S. America.	1824.	5. 7.	G.♃.	Bot. reg. t. 992.

ORDO CCXXII.

RESTIACEÆ. *Brown prodr. p.* 243.

	X'YRIS. B.P.		X'YRIS.	Triandria Monogynia. L.				
1	l'ævis. B.P.	(*ye.*)	smooth.	N. S. W.	1819.	6. 8.	G.♃.	
2	bractèata. B.P.	(*ye.*)	bracteate.	———	1825.	———	G.♃.	
3	júncea. B.P.	(*ye.*)	rushy.	———	1822.	———	G.♃.	
4	grácilis. B.P.	(*ye.*)	slender.	V. Diem. Isl.	1821.	———	G.♃.	
5	operculàta. B.P.	(*ye.*)	rush-leaved.	N. S. W.	1804.	6. 7.	G.♃.	Bot. mag. t. 1158.
6	Púrshii. *índica.* Ph. *non* Vahl.	(*ye.*)	Pursh's.	N. America.	1825.	———	F.♃.	
7	índica. W.	(*ye.*)	Indian.	E. Indies.	1822.	5. 7.	S.♃.	Rheed. mal. 9. t. 71.
8	ancéps. R.S.	(*ye.*)	flat-edged.	Malabar.	1824.	———	S.♃.	
9	americàna. R.S.	(*bl.*)	blue-flowered.	Trinidad.	1825.	———	S.♃.	Anbl. guian. 40. t. 15.
10	caroliniána. R.S.	(*ye.*)	Carolina.	N. America.	1812.	———	G.♃.	
11	capénsis. R.S.	(*ye.*)	Cape.	C. B. S.	1822.	———	G.♃.	
12	brevifòlia. M.	(*ye.*)	short-leaved.	Carolina.	1812.	6. 8.	F.♃.	
	ERIOCA'ULON. L.		PIPEWORT.	Triandria Trigynia. L.				
1	septangulàre. E.B.	(*wh.*)	jointed.	Scotland.	....	9.	H.*w.*♃.	Eng. bot. v. 11. t. 733.
2	austràle. B.P.	(*wh.*)	New Holland.	N. S. W.	1822.	8. 10.	G.*w.*♃.	

DEVA'UXIA. B.P.		DEVA'UXIA. Monandria Monogynia.					
1 Patersòni. B.P.	(*gr.*)	Paterson's.	N. S. W.	1825.	6. 7.	F. ♃.	Linn.trans.v.10.t.12.f.2
Centrolèpis ˙æmula. L.T.							
2 Billardíeri. B.P.	(*gr.*)	Billardiere's.	———	——	——	F. ♃.	Linn.trans.v.10.t.12.f.1
Centrolèpis cuspidígera. L.T. *fasciculàris.* Lab. nov. holl. 1. p. 7. t. 1.							
HYPOL'ÆNA. B.P.		HYPOL'ÆNA. Dicœcia Triandria.					
1 fastigiàta. B.P.	(*br.*)	crowded.	N. S. W.	1821.	6. 8.	F. ♃.	
2 exsúlca. B.P.	(*br.*)	round-stalked.	———	——	——	F. ♃.	
LEPTOCA'RPUS. B.P.		LEPTOCA'RPUS. Dicœcia Triandria.					
1 tènax. B.P.	(*br.*)	tough.	N. S. W.	1824.	6. 8.	F. ♃.	Lab. nov. holl. 2. t. 229.
Schænòdum tènax fémina. Lab.							
2 imbricàtus. S.S.	(*br.*)	imbricated.	C. B. S.	——	——	G. ♃.	
EL'EGIA. W.		EL'EGIA. Dicœcia Triandria. W.					
1 júncea. W.	(*br.*)	Rush-like.	C. B. S.	1789.	7. 8.	F. ♃.	Rottb. gram.10.t.3. f.2.
2 racemòsa. W.	(*br.*)	racemed.	———	1804.	5. 6.	F. ♃.	Lam. ill. t. 884. f. 4.
LEPYR'ODIA. B.P.		LEPYR'ODIA. Dicœcia Triandria. W.					
grácilis. B.P.	(*br.*)	slender.	N. S. W.	1823.	5. 6.	F. ♃.	
WILLDEN'OVIA. S.S.		WILLDEN'OVIA. Dicœcia Triandria. W.					
1 striàta. S.S.	(*br.*)	striated.	C. B. S.	1816.	6. 8.	F. ♃.	Th.act.hol.1790. t.2.f.1.
2 tères. S.S.	(*br.*)	round-stalked.	———	1790.	——	F. ♃.	——— 1790. t. 2. f. 2.
THAMNOCHO'RTUS. B.P.		THAMNOCHO'RTUS. Dicœcia Triandria.					
1 dichótomus. B.P.	(*br.*)	forked.	C. B. S.	1816.	6. 8.	F. ♃.	Rottb. gram. t. 2. f. 1.
2 scariòsus. S.S.	(*br.*)	scariose.	———	1822.	——	G. ♃.	Berg. cap. t. 5. f. 8.
RE'STIO. B.P.		ROPE-GRASS. Dicœcia Triandria. L.					
1 austràlis. B.P.	(*br.*)	southern.	V. Diem. Isl.	1812.	4. 6.	F. ♃.	
2 grácilis. B.P.	(*br.*)	slender.	N. S. W.	1823.	6. 8.	F. ♃.	
3 complanàtus. B.P.	(*br.*)	flat-stemmed.	———	——	——	F. ♃.	
4 tectórum. S.S.	(*br.*)	thatch.	C. B. S.	1793.	5. 6.	F. ♃.	Rottb.gram.10.t.3.f.2.
5 vaginàtus. S.S.	(*br.*)	sheathed.	———	1816.	——	F. ♃.	
6 fastigiàtus. B.P.	(*br.*)	crowded.	N. S. W.	1824.	——	F. ♃.	
7 virgàtus. S.S.	(*br.*)	twiggy.	C. B. S.	1816.	——	F. ♃.	Rottb. gram. t. 1. f. 2.
8 paniculàtus. S.S.	(*br.*)	panicled.	———	——	——	F. ♃.	——— t. 2. f. 3.
9 lateriflòrus. B.P.	(*br.*)	side-flowering.	N. S. W.	1819.	——	F. ♃.	Labil. nov. hol. 2. t.228.
Calorèphus elongàta. Lab.							
10 tetraphy'llus. B.P.	(*br.*)	four-leaved.	———	1825.	——	F. ♃.	Labil. nov. hol. 2. t. 226.

ORDO CCXXIII.

CYPERACEÆ. *Brown prodr.* 1. *p.* 212.

C'AREX. L.		SEDGE. Monœcia Triandria L.					
1 diofca. W.	(*br.*)	dicœcious.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 8. t. 543.
2 Davalliàna. W.	(*br.*)	Davall's.	———	....	——	H. ♃.	——— v. 30. t. 2123.
3 pauciflòra. E.B.	(*st.*)	few-flowered.	———	....	6.	H. ♃.	——— v. 29. t. 2041.
4 pyrenàica. S.S.	(*br.*)	Pyrenean.	Pyrenees.	1816.	——	H. ♃.	Schk.caric.5.t.D.f.15.
5 pulicàris. E.B.	(*br.*)	Flea.	Britain.	....	6. 7.	H. ♃.	Eng. bot. v. 15. t. 1051.
6 Fraseriàna. H.K.	(*wh.*)	Fraser's.	N. America.	1809.	4. 6.	H. ♃.	Bot. mag. t. 1391.
7 cyperoídes. S.S.	(*br.*)	Bohemian.	Bohemia.	1801.	6. 7.	H. ♃.	Schk. caric. t. A. f. 5.
8 fœtida. S.S.	(*br.*)	stinking.	Switzerland.	1791.	7. 8.	H. ♃.	——— t. Hh. f.96.
9 incúrva. E.B.	(*br.*)	curved.	Scotland.	....	——	H. ♃.	Eng. bot. v. 13. t. 927.
10 stenophy'lla. S.S.	(*br.*)	slender-leaved.	Europe.	1824.	——	H. ♃.	Schk. caric. t. G. f. 32.
11 chordorrhìza. S.S.	(*br.*)	creeping-rooted.	Germany.	——	——	H. ♃.	——— t. G. f. 31.
12 baldénsis. S.S.	(*br.*)	three-styled.	Mount Baldo.	1829.	5. 7.	H. ♃.	——— t. Y. f. 81.
13 stellulàta. E.B.	(*br.*)	little prickly.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 12. t. 806.
14 ròsea. S.S.	(*ro.*)	Rose.	N. America.	1812.	——	H. ♃.	Schk. caric. Zzz. f.179.
15 retroflèxa. S.S.	(*br.*)	retroflexed.	Pensylvania.	1826.	——	H. ♃.	——— t.Kkk.f.140.
16 tríceps. S.S.	(*br.*)	three-headed.	N. America.	1825.	——	H. ♃.	——— t. Zzz. f. 180.
17 fœnea. S.S.	(*br.*)	short-spiked.	———	1819.	——	H. ♃.	
18 muricàta. E.B.	(*br.*)	greater prickly.	Britain.	....	——	H. ♃.	Eng. bot. v. 16. t. 1097.
19 brizoídes. S.S.	(*br.*)	Briza-like.	Germany.	1815.	5. 7.	H. ♃.	Host. gram. 36. t. 47.
20 argyroglóchin.S.S.	(*wh.*)	silver-spiked.	———	1823.	——	H. ♃.	
21 stramínea. S.S.	(*st.*)	slender-stalked.	N. America.	1803.	6. 7.	H. ♃.	Sch.caric.t.Xxx.f.174.
22 stipàta. S.S.	(*br.*)	sharp-scaled.	———	1820.	——	H. ♃.	——— t.Hhh.f.132.
23 Muhlenbérgii.S.S.	(*gr.*)	Muhlenberg's.	———	1824.	——	H. ♃.	——— t.Yyy.f.178.

24	Schrèberi. s.s.	(*br.*)	Schreber's.	Germany.	1800.	6. 7.	H.♃.	Host. gram. 1. t. 46.
25	ovàlis. E.B.	(*gr.br.*)	oval-spiked.	Britain.	....	——	H.♃.	Eng. bot. v. 5. t. 306.
26	cúrta. E.B.	(*wh.*)	white.	——	....	6.	H.♃.	—— v. 20. t. 1386.
27	divìsa. E.B.	(*bk.*)	bracteated.	——	....	5. 7.	H.♃.	—— v. 16. t. 1096.
28	sparganioídes. S.S.	(*br.*)	Sparganium-like.	N.America.	1822.	——	H.♃.	Schk.caric.t.LII.f.142.
29	arenària. E.B.	(*br.*)	sand.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 13. t. 928.
30	intermèdia. E.B.	(*br.*)	soft brown.	——	....	5. 7.	H.♃.	—— v. 29. t. 2042.
31	schœnoídes. W.	(*br.*)	Schœnus-like.	Austria.	1819.	——	H.♃.	Host. gram. 1. t. 45.
32	lagopodioídes. W.	(*br.*)	Hare's-foot.	N. America.	1805.	6. 7.	H.♃.	Schk.cari.t.Yyy.f.177.
33	elongàta. E.B.	(*br.gr.*)	elongated.	England.	....	5. 6.	H.♃.	Eng. bot. v. 27. t. 1920.
34	remòta. E.B.	(*wh.*)	remote.	Britain.	....	——	H.♃.	—— v. 12. t. 832.
35	axillàris. E.B.	(*br.*)	axillary.	England.	....	——	H.♃.	—— v. 14. t. 993.
36	divúlsa. E.B.	(*wh.*)	gray.	Britain.	....	5.	H.♃.	—— v. 9. t. 629.
37	nemoròsa. S.S.	(*gr.*)	shady wood.	Germany.	....	5. 7.	H.♃.	
38	vulpìna. E.B.	(*gr.*)	great spiked.	Britain.	....	5. 8.	H.♃.	Eng. bot. v. 5. t. 307.
39	apprèssa. B.P.	(*gr.*)	close-spiked.	N. S. W.	1802.	——	F.♃.	
40	invérsa. B.P.	(*gr.*)	inversed.	——	1820.	——	F.♃.	
41	scopària. W.	(*gr.*)	broom.	N. America.	1812.	6. 7.	H.♃.	Schk.cari.t.Xxx.f.175.
42	multiflòra. W.	(*gr.*)	many-flowered.	——	1819.	——	H.♃.	—— t. LII. f. 144.
43	paradóxa. W.	(*gr.*)	paradoxical.	Germany.	——	——	H.♃.	—— t. E. f. 21.
44	teretiúscula. E.B.	(*br.*)	lesser-panicled.	Britain.	....	5. 6.	H.♃.	Eng. bot. v. 15. t. 1065.
45	paniculàta. E.B.	(*br.*)	great panicled.	England.	....	6. 7.	H.♃.	—— v. 15. t. 1064.
46	tenélla. E.F.	(*br.*)	slender.	Scotland.	....	6.	H.♃.	Schk. caric. t. P. f.104.
47	norvègica. W.	(*gr.*)	Norway.	Norway.	1823.	——	H.♃.	—— t. S. f. 66.
48	atràta. E.B.	(*bk.*)	black.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 29. t. 2044.
49	bícolor. W.	(*br.ye.*)	two-coloured.	Switzerland.	1823.	——	H.♃.	Sch. car. t. Aaaa. f. 181.
50	pedunculàta. W.	(*gr.*)	peduncled.	N. America.	——	5. 7.	H.♃.	—— t. Ggg. f. 131.
51	longifòlia. B.P.	(*gr.*)	long-leaved.	N. S. W.	——	——	F.♃.	
52	thuringìaca. W.	(*gr.*)	Thuringian.	Hungary.	——	——	H.♃.	Schk.cari.t.Ppp.f.155.
53	Buxbàumii. W.	(*br.*)	Buxbaum's.	S. Europe.	1819.	5. 6.	H.♃.	—— t. X. f. 76.
54	glareòsa. W.	(*br.*)	narrow-leaved.	Norway.	——	——	H.♃.	—— t. Aaa. f. 97.
55	clandestìna. E.B.	(*wh.*)	dwarf silvery.	Britain.	....	5.	H.♃.	Eng. bot. v. 30. t. 2124.
56	digitàta. E.B.	(*pu.*)	fingered.	England.	....	5. 6.	H.♃.	—— v. 9. t. 615.
57	plantagínea. W.	(*br.*)	broad-leaved.	N. America.	1805.	——	H.♃.	Schk. caric. t. U. f. 70.
58	pilulífera. E.B.	(*br.*)	round-headed.	Britain.	....	4. 6.	H.♃.	Eng. bot. v. 13. t. 885.
59	montàna. S.S. *collìna.* W.	(*br.*)	mountain.	Europe.	1819.	5. 6.	H.♃.	Schk. caric. t. F. f. 29.
60	ciliàta. W.	(*br.*)	fringed.	Germany.	——	——	H.♃.	Schk. caric. t. I. f. 42.
61	præcox. E.B.	(*st.*)	vernal.	Britain.	....	4.	H.♃.	Eng. bot. v. 16. t. 1099.
62	tomentòsa. E.B.	(*st.*)	downy-fruited.	England.	....	6.	H.♃.	—— v. 29. t. 2046.
63	exténsa. E.B.	(*gr.*)	long-bracted.	Britain.	....	——	H.♃.	—— v. 12. t. 833.
64	flàva. E.B.	(*ye.*)	yellow.	——	....	5. 6.	H.♃.	—— v. 18. t. 1294.
65	Œdèri. E.B.	(*ye.*)	Œder's.	England.	....	6. 7.	H.♃.	—— —— v. 25. t. 1773.
66	álba. W.	(*wh.*)	bristle-leaved.	Germany.	1819.	——	H.♃.	Host. gram. 1 t. 59.
67	Mielichóferi. E.B.	(*gr.*)	loose-spiked.	Scotland.	....	7. 8.	H.♃.	Eng. bot. v. 32. t. 2293.
68	ferruginea. W.	(*br.*)	ferruginous.	Europe.	1820.	6. 8.	H.♃.	Schk. caric. t. M. f. 48.
69	saxátilis. W.	(*st.*)	rock.	N. Europe.	——	——	H.♃.	—— t. I. f. 40.
70	rígida. E.B.	(*bk.*)	rigid.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 29. t. 2047.
71	púlla. E.B.	(*bk.br.*)	russet.	Scotland.	....	7.	H.♃.	—— v. 29. t. 2045.
72	cæspitòsa. E.B.	(*gr.*)	tufted bog.	Britain.	....	5. 6.	H.♃.	—— v. 21. t. 1507.
73	stricta. E.B.	(*br.*)	straight-leaved.	——	....	4. 5.	H.♃.	—— v. 13. t. 914.
74	alpéstris. W.	(*br.*)	Alpine.	Europe.	1804.	5. 6.	H.♃.	Schk. caric. t. G. f. 35.
75	nítida. W.	(*br.*)	glossy.	Austria.	1805.	——	H.♃.	Host. gram. 1. t. 71.
76	umbròsa. W.	(*gr.*)	shade.	——	1818.	6. 7.	H.♃.	—— 1. t. 69.
77	granulàris. W.	(*gr.*)	grain-seeded.	N. America.	1807.	——	H.♃.	Sch.caric.t.Vvv.f.169.
78	ánceps. W.	(*gr.*)	two-edged.	——	1805.	7. 8.	H.♃.	—— t. Fff. f. 128.
79	demíssa. S.S.	(*br.*)	low.	Norway.	1825.	——	H.♃.	
80	binérvis. E.B.	(*bk.*)	green-ribbed.	Britain.	....	6.	H.♃.	Eng. bot. v. 18. t. 1235.
81	dístans. E.B.	(*br.*)	loose.	——	....	——	H.♃.	—— v. 18. t. 1234.
82	fúlva. E.B.	(*ye.br.*)	tawny.	——	....	6. 7.	H.♃.	—— v. 18. t. 1295.
83	loliàcea. W.	(*br.*)	Ray-grass-like.	Sweden.	1810.	——	H.♃.	Schk. car. t. Pp. f. 104.
84	lucòrum. W.en.	(*gr.*)	grove.	N. America.	1825.	——	H.♃.	
85	Michèlii. W.	(*br.*)	Micheli's.	Europe.	1818.	——	H.♃.	Host. gram. 1. t. 72.
86	péndula. E.B.	(*gr.*)	great pendulous.	Britain.	....	5. 6.	H.♃.	Eng. bot. v. 33. t. 2315.
87	strigòsa. E.B.	(*gr.*)	loose pendulous.	——	....	——	H.♃.	—— v. 14. t. 994.
88	depauperàta. E.B.	(*gr.*)	starved-wood.	England.	....	6. 7.	H.♃.	—— v. 16. t. 1098.
89	pilòsa. S.S.	(*gr.*)	hairy.	Germany.	1819.	——	H.♃.	Schk. caric. t. M. f. 49.
90	panícea. E.B.	(*bk.*)	Pink-leaved.	Britain.	....	5. 7.	H.♃.	Eng. bot. v. 21. t. 1505.
91	oligocárpa. W.	(*gr.*)	few-seeded.	N. America.	1825.	——	H.♃.	Schk.caric.t.Vvv.f.178.

92 rostràta. w.	(*gr.*) beaked.	N. America.	1818.	5. 7.	H.𝔍.	Schk.caric.t.Hhh.f.134
93 conglobàta. w.	(*gr.*) globular-fruited.	Hungary.	——	——	H.𝔍.	
94 sylvática. E.B. *Drimèja.* w.	(*gr.*) wood.	Britain.	....	5. 6.	H.𝔍.	Eng. bot. v. 14. t. 995.
95 Pseudocypèrus.w.	(*gr.*) Bastard Cypress.	————	....	6. 7.	H.𝔍.	Eng. bot. v. 4. t. 242.
96 júncea. S.S.	(*gr.*) rush-like.	N. America.	1823.	——	H.𝔍.	
97 pallèscens. E.B.	(*g.ye.*) pale.	Britain.	....	4. 6.	H.𝔍.	Eng. bot. v. 31. t. 2185.
98 limòsa. E.B.	(*ye.gr.*) green and gold.	————	....	6.	H.𝔍.	———— v. 29. t. 2043.
99 rariflòra. E.B.	(*bk.*) loose-flowered.	Scotland.	....	——	H.𝔍.	———— v. 35. t. 2516.
100 capillàris. E.B.	(*br.*) capillary.	Britain.	....	7. 8.	H.𝔍.	———— v. 29. t. 2069.
101 lævigàta. E.B.	(*gr.*) smooth-stalked.	————	....	5. 6.	H.𝔍.	———— v. 20. t. 1387.
102 ustulàta. E.B.	(*bk.*) scorched alpine.	Scotland.	....	6. 7.	H.𝔍.	———— v. 34. t. 2404.
103 flexuòsa. w.	(*br.*) bending.	N. America.	1807.	——	H.𝔍.	Schk. car. t. Ddd. f. 124.
104 recúrva. E.B.	(*bk.br.*) glaucous heath.	England.	....	5. 6.	H.𝔍.	Eng. bot. v. 21. t. 1506.
β Michelièna. E.B.	(*bk.*) *smooth-fruited.*	—— ——	....	——	H.𝔍.	———— v. 32. t. 2236.
105 nùtans. w.	(*br.*) nodding.	Austria.	1815.	6. 7.	H.𝔍.	Host. gram. 1. t. 83.
106 acuminàta. w.	(*br.*) taper-pointed.	Istria.	1819.	——	H.𝔍.	———— 1. t. 97.
107 hírta. E.B.	(*br.*) hairy.	Britain.	....	5. 6.	H.𝔍.	Eng. bot. v. 10. t. 685.
108 filifórmis. E.B.	(*bk.*) slender-leaved.	—— ——	....	6. 7.	H.𝔍.	———— v. 13. t. 904.
109 acùta. E.B.	(*bk.*) slender-spiked.	————	....	5. 6.	H.*w.*𝔍.	———— v. 9. t. 580.
110 paludòsa. E.B.	(*bk.*) lesser common.	————	....	——	H.*w.*𝔍.	———— v. 12. t. 807.
111 ripària. E.B.	(*bk.*) great common.	————	....	4. 6.	H.*w.*𝔍.	———— v. 9. t. 579.
112 vesicària. E.B.	(*bk.*) short-spiked.	————	....	5. 6.	H.𝔍.	———— v. 11. t. 779.
113 ampullàcea. E.B.	(*st.*) slender-beaked.	————	....	——	H.𝔍.	———— v. 11. t. 780.
114 bullàta. w.	(*st.*) blistered.	N. America.	1811.	6.	H.𝔍.	Schk. caric. Uuu. f. 166.
115 hordeifórmis. w.	(*gr.*) Barley-like.	France.	1805.	6. 7.	H.𝔍.	
116 crinìta. w.	(*gr.*) haired.	N. America.	1807.	——	H.𝔍.	Schk.caric.t.Eee f.125.
117 aquátilis. w.	(*gr.*) water.	Lapland.	1819.	——	H.*w.*𝔍.	
118 secalìna. w.	(*br.*) rye-like.	Europe.	1820.	——	H.𝔍.	Schk.caric.t.Ddd.f.121
119 salìna. w.	(*br.*) salt marsh.	Norway.	....	6.	H.𝔍.	
120 erióphora. F.	(*wh.*) wool-bearing.	Dahuria.	1828.	——	H.𝔍.	
121 pentastàchys. F.	(*br.*) five-spiked.	Kamtschatka.	1821.	——	H.𝔍.	
122 córsica. Ot.	(*br.*) Corsican.	Corsica.	1825.	——	H.𝔍.	
KOBR'ESIA. W.	KOBR'ESIA.	Monœcia Triandria. W.				
caricìna. w.	(*gr.*) Carex-like.	Britain.	....	8.	H.𝔍.	Eng. bot. v. 20. t. 1410.
Sch'œnus monoícus. E.B.	*Cárex hy'brida.* S.S.					
SCL'ERIA. W.	SCL'ERIA.	Monœcia Triandria. W.				
1 Flagéllum. S.S.	(*gr.*) climbing.	W. Indies.	1822.	....	S.𝔍.	Gært. sem. 1. p. 13. t. 2.
2 latifólia. S.S.	(*gr.*) broad-leaved.	————	1824.	....	S.𝔍.	
3 verticillàta. S.S.	(*gr.*) whorled.	N. America.	1825.	6. 7.	H.𝔍.	
4 hirtélla. S.S.	(*gr.*) hairy.	————	1822.	——	H.𝔍.	
5 auricòma. Ot.	(*ye.*) golden-locks.	————	1826.	7. 9.	H.☉.	
6 ciliàta. w.	(*gr.*) fringed.	————	1823.	——	H.𝔍.	
SCH'ŒNUS. B.P.	BOG-RUSH.	Triandria Monogynia. L.				
1 nígricans. w.	(*bk.*) black-headed.	Britain.	....	7.	H.*w.*𝔍.	Eng. bot. v. 16. t. 1121.
2 pusíllus. R.S.	(*br.*) small.	W. Indies.	1824.	7. 8.	S.𝔍.	Swtz. fl. ind. oc. ic. t. 6.
3 mucronàtus. R.S.	(*br.pu.*) clustered.	S. Europe.	1781.	4. 5.	H.*w.*𝔍.	Flor. græc. 1. t. 43.
4 imbérbis. B.P.	(*bk.*) beardless.	N. S. W.	1818.	——	F.𝔍.	
5 melanostàchys. B.R.	(*br.*) black-spiked.	————	1822.	6. 8.	F.𝔍.	
CHÆTO'SPORA. B.P.	CHÆTO'SPORA.	Triandria Monogynia. S.S.				
1 ferrugínea. S.S.	(*br.*) brown.	Switzerland.	1818.	7. 8.	H.*w.*𝔍.	Host. gram. 4. t. 71.
Sch'œnus ferrugíneus. R.S.						
2 turbinàta. B.P.	(*br.*) turbinate.	N. S. W.	1822.	——	F.𝔍.	
3 paludòsa. B.P.	(*br.*) marsh.	————	1824.	——	F.*w.*𝔍.	
LEPIDOSPE'RMA. B.P.	LEPIDOSPE'RMA.	Triandria Monogynia. S.S.				
1 gladiàta. B.P.	(*br.*) flat-stemmed.	N. Holland.	1819.	7. 8.	F.*w.*𝔍.	Lab. nov. hol. 1. t. 12.
2 concàva. B.P.	(*br.*) concave.	————	1824.	——	F.𝔍.	
3 exaltàta. B.P.	(*gr.*) tall.	————	1816.	——	H.𝔍.	
DULI'CHIUM. P.S.	DULI'CHIUM.	Triandria Monogynia. S.S.				
1 spathàceum. P.S.	(*br.*) sheathed.	N. America.	1818.	7. 8.	H.*w.*𝔍.	Pluk. alm. t. 301. f. 1.
2 canadénse. Ph.	(*gr.*) Canadian.	Canada.	1826.	——	H.𝔍.	
RHYNCHO'SPORA. R.S.	RHYNCHO'SPORA.	Triandria Monogynia. S.S.				
1 aùrea. R.S.	(*ye.*) golden.	W. Indies.	1825.	7. 8.	S.𝔍.	Rottb. gram. t. 21. f. 1.
2 láxa. R.S.	(*br.*) loose.	N. America.	1827.	——	H.*w.*𝔍.	
3 álba. R.S. *Sch'œnus álbus.* E.B.	(*wh.*) white-headed.	Britain.	....	8.	H.*w.*𝔍.	Eng. bot. v. 14. t. 985.
4 fúsca. R.S.	(*br.*) brown-headed.	————	....	——	H.*w.*𝔍.	Eng. bot. v. 23. t. 1575.
5 dístans. Ph.	(*br.*) filiform-leaved.	N. America.	1820.	7. 8.	H.*w.*𝔍.	
6 comàta. R.S.	(*br.*) leafy.	Brazil.	——	——	S.*w.*𝔍.	

CL'ADIUM. B.P. Cl'adium. Diandria Monogynia. S.S.

1	Maríscus. B.P.	(*br.*)	prickly.	England.	....	7. 8.	H.*w.*♃.	Eng. bot. v. 14. t. 950.
	germánicum. R.S. *Sch'œnus Maríscus.* E.B.							
2	occidentàle. R.S.	(*br.*)	West Indian.	W. Indies.	1824.	——	S.*w.*♃.	
3	glomeràtum. B.P.	(*br.*)	close-headed.	N. S. W.	1819.	——	F.*w.*♃.	
4	júnceum. B.P.	(*br.*)	rushy.	————	1823.	——	F.*w.*♃.	
5	schœnoídes. B.P.	(*br.*)	Bogrush-like.	————	——	——	F.*w.*♃.	Lab. nov. hol. 1. t. 18.
	Sch'œnus acùtus. Lab.							

FIMBRI'STYLIS. B.P. Fimbri'stylis. Triandria Monogynia. R.S.

1	ánnua. R.S.	(*br.*)	annual.	S. Europe.	1818.	7. 9.	H.*w.*⊙.	Host. gram. 3. t. 63.
2	pubérula. R.S.	(*br.*)	pubescent.	N. America.	1820.	7. 8.	H.♃.	
3	dichótoma. R.S.	(*br.*)	forked.	E. Indies.	1817.	7. 9.	S.*w.*⊙.	Rottb. gram. t. 13. f. 1.
4	autumnàlis. R.S.	(*br.*)	autumnal.	N. America.	1822.	7. 9.	H.♃.	
5	ferruginea. R.S.	(*br.*)	rusty.	Jamaica.	1825.	——	S.*w.*♃.	Sloan. hist. 1. t. 77. f. 1.

ABILDG'AARDIA. B.P. Abildg'aardia. Triandria Monogynia. R.S.

	monostàchya. B.P.	(*wh.*)	one-spiked.	W. Indies.	1819.	6. 8.	S.♃.	Sloan. jam. 1. t. 79. f. 2.

ELEO'CHARIS. B.P. Eleo'charis. Triandria Monogynia. R.S.

1	acùta. B.P.	(*br.*)	acute-scaled.	N. S. W.	1819.	7. 8.	F.*w.*♃.	
2	geniculàta. R.S.	(*br.*)	jointed.	America.	——	——	F.*w.*♃.	Sloan. hist. 1. t. 83. f. 3.
3	plantagínea. R.S.	(*br.*)	Plantain-like.	E. Indies.	1826.	7. 9.	S.*w.*♃.	Rottb. gram. t. 15. f. 2.
4	palústris. R.S.	(*br.*)	marsh.	Britain.	....	7.	H.*w.*♃.	Eng. bot. v. 2. t. 131.
	Scírpus palústris. E.B.							
5	ovàta. R.S.	(*br.*)	ovate.	Germany.	1818.	7. 8.	H.*w.*⊙.	Host. gram. 3. t. 56.
6	multicaùlis. E.F.	(*br.pu.*)	many-stalked.	Britain.	....	7.	H.*w.*♃.	Eng. bot. v. 17. t. 1187.
	Scírpus multicaùlis. E.B.							
7	aciculàris. R.S.	(*br.*)	upright needle.	————	....	——	H.*w.*♃.	Eng. bot. v. 11. t. 749.
8	obtùsa. R.S.	(*br.*)	obtuse-scaled.	N. America.	1818.	7. 8.	H.*w.*♃.	
9	glaucéscens. R.S.	(*br.*)	glaucous.	————	1819.	——	H.*w.*♃.	
10	ténuis. R.S.	(*br.*)	slender.	————	——	——	H.*w.*♃.	
11	capitàta. R.S.	(*br.*)	headed.	America.	1824.	——	H.*w.*♃.	Rottb. gram. t. 15. f. 3.
12	intermèdia. R.S.	(*br.*)	intermediate.	Pensylvania.	1826.	——	H.*w.*♃.	

ISOL'EPIS. B.P. Isol'epis. Triandria Monogynia. R.S.

1	flùitans. R.S.	(*br.*)	floating.	Britain.	....	7. 8.	H.*w.*♃.	Eng. bot. v. 3. t. 216.
	Scírpus flùitans. E.B.							
2	grácilis.	(*br.*)	knotted.	N. Holland.	1820.	——	G.*w.*♃.	
	nodòsa. B.P. *Scírpus grácilis.* Linn. trans. 10. t. 15. f. 2.							
3	setàcea. R.S.	(*br.gr.*)	bristle-like.	Britain.	....	——	H.*w.*⊙.	Eng. bot. v. 24. t. 1693.
4	Váhlii. R.S.	(*br.gr.*)	Vahl's.	S. America.	1828.	——	S.*w.*⊙.	
5	Micheliàna. R.S.	(*st.*)	Micheli's.	S. Europe.	——	——	H.*w.*⊙.	Host. gram. 3. t. 69.
6	Holosch'œnus. R.S.	(*br.*)	round-headed.	Britain.	....	——	H.*w.*♃.	Eng. bot. v. 23. t. 1612.
	β austràlis. R.S.	(*br.*)	*southern.*	S. Europe.	....	——	H.*w.*♃.	Pluk. phyt. t. 40. f. 5.
7	romàna. W.	(*br.*)	Roman.	England.	....	——	H.*w.*♃.	Jacq. aust. 5. t. 448.
8	complanàta. R.S.	(*br.*)	flat-stemmed.	E. Indies.	1820.	——	S.*w.*♃.	
9	angulàris. R.S.	(*br.*)	angular-stemmed.	——	1827.	——	S.*w.*♃.	
10	curvifòlia. R.S.	(*br.*)	curve-leaved.	————	——	——	S.*w.*♃.	
11	pubígera. Schr.	(*br.*)	pubescent.	.....	——	——	S.*w.*♃.	
12	Ehrenbérgii. Ot.	(*br.*)	Ehrenberg's.	Egypt.	1825.	——	H.*w.*⊙.	

SCI'RPUS. B.P. Club-Rush. Triandria Monogynia. L.

1	cæspitòsus. E.B.	(*br.*)	scaly-stalked.	Britain.	....	7.	H.*w.*♃.	Eng. bot. v. 15. t. 1029.
2	campéstris. R.S.	(*pu.st.*)	field.	S. Europe.	1824.	7. 9.	H.*w.*♃.	Hayn. term. bot. t. 25. f. 4.
3	paucifloˊrus. E.B.	(*br.*)	chocolate-headed.	————	....	8.	H.*w.*♃.	Eng. bot. v. 16. t. 1122.
	Bæóthryon. R.S.							
4	púngens. R.S.	(*br.*)	pungent.	Europe.	....	8. 9.	H.*w.*♃.	
5	mucronàtus. R.S.	(*gr.br.*)	mucronated.	Britain.	....	——	H.*w.*♃.	Scheuch. agr. t. 9. f. 14.
6	Luzùlæ. R.S.	(*br.*)	clustered.	E. Indies.	1776.	7. 9.	S.*w.*♃.	
7	lacústris. E.B.	(*br.*)	tall.	Britain.	....	7.	H.*w.*♃.	Eng. bot. v. 10. t. 666.
8	glaùcus. E.B.	(*br.*)	glaucous.	England.	....	7. 8.	H.*w.*♃.	———— v. 33. t. 2321.
9	caricìnus. S.S.	(*br.*)	compressed.	Britain.	....	7.	H.*w.*♃.	———— v. 11. t. 791.
	Sch'œnus compréssus. E.B.							
10	rùfus. S.S.	(*br.*)	rusty.	————	....	6. 7.	H.*w.*♃.	Eng. bot. v. 15. t. 1010.
	Sch'œnus rùfus. E.B.							
11	triquèter. E.B.	(*re.br.*)	triangular.	England.	....	8.	H.*w.*♃.	Eng. bot. v. 24. t. 1694.
12	carinàtus. E.B.	(*br.*)	blunt-edged.	————	....	7. 8.	H.*w.*♃.	———— v. 28. t. 1963.
13	marítimus. E.B.	(*br.*)	salt marsh.	Britain.	....	7. 9.	H.*w.*♃.	———— v. 8. t. 542.
14	sylváticus. E.B.	(*br.gr.*)	wood.	————	....	——	H.*w.*♃.	———— v. 13. t. 919.
15	rádicans. R.S.	(*br.gr.*)	rooting.	Germany.	....	——	H.*w.*♃.	Schk. in Ust. an. 4. t. 1.
16	atrovìrens. R.S.	(*da.g.*)	dark green.	N. America.	1818.	——	H.*w.*♃.	
17	quinquangulàris. R.S.	(*br.*)	five-angled.	E. Indies.	1823.	....	S.*w.*♃.	
18	thyrsifloˊrus. F.	(*br.*)	thyrse-flowered.	Siberia.	1821.	7. 9.	H.*w.*♃.	

CYPERUS. L.	CYPERUS. Triandria Monogynia. L.					
1 Aitòni. R.S. (*br.*)	Aiton's.	C. B. S.	....	6. 8.	G.*w.*♃.	
2 articulàtus. R.S. (*st.*)	jointed.	S. America.	1820.	——	S.*w.*♃.	Sloan. hist. 1. t. 81. f. 1.
3 viscòsus. R.S. (*gr.br.*)	clammy.	Jamaica.	1781.	5. 8.	S.*w.*♃.	Jacq. ic. 2. t. 295.
4 tenéllus. R.S. (*gr.br.*)	slender.	C. B. S.	1819.	7. 9.	H.⊙.	
5 mucronàtus. R.S. (*wh.*)	pointed.	Levant.	——	——	F.*w.*♃.	Flor. græc. 1. t. 49.
6 pannònicus. R.S. (*g.w.*)	dwarf.	Hungary.	1781.	7. 8.	H.⊙.	Jacq. aust. ap. t. 6.
7 margaritàceus. R.S. (*wh.*)	pearl.	Guinea.	1822.	7. 9.	S.*w.*♃.	
8 monocéphalus. P.I. (*da.br.*)	one-headed.	E. Indies.	1816.	——	S.*w.*♃.	
9 pygmæus. R.S. (*gr.*)	dwarf.	———	1827.	——	S.*w.*♃.	Rottb. gr. 20. t. 14. f. 4-5.
10 filifórmis. R.S. (*br.*)	filiform.	Jamaica.	1825.	——	S.*w.*♃.	
11 tènuis. R.S. (*gr.*)	slender.	———	——	——	S.*w.*♃.	
12 polystàchyus. R.S. (*br.*)	many-spiked.	E. Indies.	1819.	——	S.*w.*♃.	Rottb. gram. t. 11. f. 1.
13 brúnneus. R.S. (*br.*)	brown-spiked.	W. Indies.	1826.	——	S.*w.*♃.	
14 briz'æus. R.S. (*br.*)	Briza-like.	———	1824.	7. 8.	S.*w.*♃.	
15 diándrus. R.S. (*br.*)	two-stamened.	N. America.	1827.	——	H.*w.*♃.	
16 Pursh̄ii. R.S. (*br.wh.*)	Pursh's.	———	1816.	——	H.*w.*♃.	
17 Háspan. R.S. (*br.*)	digitate-spiked.	Trinidad.	1824.	——	S.*w.*♃.	
18 alternifòlius. R.S. (*br.*)	alternate-leaved.	Madagascar.	1781.	——	S.*w.*♃.	Jacq. ic. 2. t. 298.
19 élegans. R.S. (*re.*)	elegant.	Jamaica.	1801.	5. 9.	S.♂.	Sloan. jam. 1. t. 75. f. 1.
20 compréssus. R.S. (*pu.st.*)	compressed.	S. America.	1819.	——	S.*w.*♃.	Rottb. gram. t. 9. f. 3.
21 vegètus. R.S. (*br.*)	smooth.	America.	1790.	——	G.*w.*♃.	Jacq. vind. 3. t. 12.
comprèssus. Jacq. *non* w.						
22 formòsus. R.S. (*ye.*)	handsome.	N. America.	1827.	7. 9.	H.*w.*♃.	
23 Luzùlæ. R.S. (*gr.br.*)	compact.	W. Indies.	....	——	S.*w.*♃.	Rottb. gram. t. 13. f. 2.
polycéphalus. Lam. *non* L.en.						
24 confértus. R.S. (*ye.*)	crowded-spiked.	W. Indies.	1825.	7. 9.	S.*w.*♃.	
25 squarròsus. R.S. (*br.*)	globe-headed.	E. Indies.	1828.	——	S.*w.*♃.	Rottb. gram. t. 6. f. 3.
26 paniculàtus. R.S. (*br.*)	panicled.	W. Indies.	1804.	5. 7.	S.*w.*♃.	Vahl. ic. pl. am. t. 12.
27 flavéscens. R.S. (*br.ye.*)	yellowish.	Germany.	1776.	6. 9.	F.*w.*♃.	Flor. græc. t. 47.
28 fúscus. R.S. (*br.*)	brown.	Fulham.	——	7. 9.	H.⊙.	——— t. 48.
29 conglomeràtus. R.S.	many-flowered.	Java.	1820.	5. 9.	S.*w.*♃.	Rottb. gram. t. 15. f. 7.
30 erubéscens. L.en. (*bh.*)	blush.	.....	——	——	S.*w.*♃.	
31 tuberòsus. R.S. (*g.pu.*)	tuberous-rooted.	N. America.	1827.	——	H.*w.*♃.	Rottb. gram. t. 7. f. 1.
32 rotúndus. R.S. (*g.pu.*)	round-rooted.	Africa.	1828.	——	H.*w.*♃.	Scheuch. agrost. t. 9. f. 3.
33 gláber. R.S. (*br.*)	smooth.	S. Europe.	1820.	——	H.*w.*♃.	Reich. ic. C. 3. t. 204.
34 austrális. R.S. (*br.*)	southern.	———	——	——	H.⊙.	Seguier. veron. 3. t. 2. f. 2.
35 Tenoreànus. R.S. (*ye.*)	Tenore's.	Naples.	1825.	——	H.*w.*♃.	Reich. ic. C. 3. t. 212.
36 punctàtus. R.S. (*br.gr.*)	spotted-seeded.	E. Indies.	1820.	——	S.*w.*♃.	Pluck. t. 192. f. 3.
37 Ornithòpus. R.S. (*st.pu.*)	bird's-foot.	St. Domingo.	1824.	——	S.*w.*♃.	
38 esculéntus. R.S. (*st.*)	Rush-nut.	S. Europe.	1597.	7.	H.♃.	Host. gram. 3. t. 75.
39 H'ydra. M. (*gr.wh.*)	American.	N. America.	1812.	——	H.♃.	
40 Pangòrei. R.S. (*br.*)	Ceylon.	Ceylon.	1823.	7. 9.	S.*w.*♃.	Rottb. gram. t. 7. f. 3.
41 bàdius. R.S. (*br.*)	saw-leaved.	Algiers.	1800.	——	F.*w.*♃.	Desf. atl. 1. t. 7. f. 2.
42 pátulus. R.S. (*br.st.*)	spreading.	Hungary.	1818.	——	H.*w.*⊙.	Host. gram. 3. t. 74.
43 lóngus. E.B. (*br.gr.*)	sweet.	England.	....	7.	H.*w.*♃.	Eng. bot. v. 19. t. 1309.
44 pròcerus. R.S. (*br.wh.*)	tall rough.	E. Indies.	1826.	7. 9.	S.*w.*♃.	Rheed. mal. 12. t. 50.
45 tenuiflòrus. R.S. (*br.*)	slender-flower'd.	S. Europe.	1818.	7. 8.	H.*w.*♃.	Jacq. ic, 2. t. 296.
46 Mónti. R.S. (*pu.gr.*)	spreading-spiked.	———	——	——	H.*w.*♃.	Host. gram. 4. t. 67.
47 Paramátta. R.S. (*br.pu.*)	tuberous-rooted.	———	——	——	H.*w.*♃.	
48 spéctabilis. Schreb. (*pu.*)	showy.	———	1827.	——	H.*w.*♃.	
49 diándrus. R.S. (*st.br.*)	diandrous.	N. America.	1828.	——	H.*w.*♃.	
50 planifòlius. R.S. (*br.*)	flat-leaved.	W. Indies.	1824.	——	S.*w.*♃.	Sloan. his. 1. t. 74. f. 2. 3.
51 Linkiànus. R.S. (*br.gr.*)	Link's.	S. Europe.	1819.	6. 8.	H.*w.*♃.	
polycéphalus. L.enum. *non* Lam.						
52 strigòsus. R.S. (*br.st.*)	bristle-spiked.	W. Indies.	1786.	7. 9.	S.*w.*♃.	
53 Michauxiànus. R.S. (*g.w.*)	Michaux's.	N. America.	1812.	——	H.*w.*♃.	
54 flavicòmus. R.S. (*ye.*)	yellow-spiked.	———	1826.	——	H.*w.*♃.	
55 'Iria. R.S. (*st.gr.*)	tall.	E. Indies.	1802.	7.	S.*w.*♃.	Rheed. mal. 12. t. 56.
56 distans. R.S. (*br.st.*)	distant.	W. Indies.	1820.	7. 8.	S.*w.*♃.	Jacq. ic. t. 299.
57 tegètum. R.S. (*br.*)	creeping-rooted.	E. Indies.	1822.	——	S.*w.*♃.	
58 gigánteus. R.S. (*st.*)	gigantic.	Trinidad.	1824.	——	S.*w.*♃.	Rudg. guian. t. 21.
59 fastigiàtus. R.S. (*ye.*)	lofty.	E. Indies.	1800.	5. 8.	S.*w.*♃.	Rottb. gram. t. 7. f. 2.
60 alopecuroídes. R.S. (*g.br.*)	fox-tailed.	C. B. S.	1804.	——	G.*w.*♃.	——— 38. t. 8. f. 2.
61 crudéntus. R.S. (*pu.*)	purple-spotted.	Arabia.	1820.	——	S.*w.*♃.	——— 21. t. 5. f. 1.
62 glomeràtus. R.S. (*br.*)	round-headed.	Italy.	1804.	——	H.⊙.	Segu. ver. 3. p. 68. t. 2. f. 2.
63 ligulàris. R.S. (*br.gr.*)	ligulate.	C. B. S.	1820.	——	G.*w.*♃.	Rottb. gram. t. 11. f. 2.
64 difformis. R.S. (*br.*)	deformed.	Levant.	1819.	6. 8.	S.*w.*♃.	Flor. græc. t. 46.
65 protráctus. L.en. (*br.*)	protracted.	Egypt.	1820.	——	H.*w.*⊙.	Delil. æg. 152. t. 5. f. 3

66 dìves. s.s. (*ye.*) large-bracted. Egypt. 1820. 7. H.*w.*☉. Delil. æg. 149. t. 4. f. 1.
67 chlorostàchys. Stev. (*gr.*) green-spiked. Siberia. 1823. —— H.*w.*♃.
68 múltiplex. Lk. (*br.*) many-spiked. ..... 1829. —— H.*w.*♃.
69 scáber. Lag. (*br.*) rough. Spain. 1823. —— H.*w.*☉.
70 xanthócoma. Ot. (*ye.*) yellow-haired. Sicily. 1829. —— H.*w.*♃.

PAP'YRUS. S.S. PAPER-RUSH. Triandria Monogynia. S.S.
1 antiquòrum. s.s. (*br.y.*) common. Egypt. 1802. 7. 9. S.*w.*♃. Michel. gen. pl. t. 19.
C'yperus Pap'yrus. R.S.
2 laxiflòrus. s.s. (*br.*) loose-flowered. Madagascar. 1822. —— S.*w.*♃.
3 odoràtus. s.s. (*st.*) fragrant. W. Indies. 1819. —— S.*w.*♃. Rudg. guian. p. 17. t. 20.

MARI'SCUS. R.S. MARI'SCUS. Triandria Monogynia. R.S.
1 capillàris. R.S. (*st.br.*) capillary. Trinidad. 1824. 7. 10. S.*w.*♃.
2 aggregàtus. R.S. (*g.br.*) clustered. ..... 1820. 7. 9. S.*w.*♃.
3 l'ævis. B.P. (*br.g.*) smooth. N. S. W. 1819. 6. 8. G.*w.*♃.
4 ovulàris. R.S. (*br.g.*) oval-spiked. Carolina. 1818. —— F.*w.*♃. Pluk. alm. t. 91. f. 4.
5 retrofráctus. R.S. (*st.pu.*) retrofracted. N. America. 1827. —— H.*w.*♃. ——— t. 415. f. 4.
6 umbellàtus. R.S. (*br.g.*) umbelled. E. Indies. 1789. —— S.*w.*♃. Rottb. gram. t. 4. f. 2.
7 elàtus. R.S. (*br.g.*) tall. ——— 1805. —— S.*w.*♃. Jacq. ic. 2. t. 300.
8 confléxus. L.en. (*br.g.*) contracted. Brazil. 1819. 7. 8. S.*w.*♃.

KYLLI'NGA. W. KYLLI'NGA. Triandria Monogynia. L.
1 monocéphala. R.S. (*wh.*) one-headed. India. 1793. 6. 7. S.*w.*♃. Rottb. gram. t. 4. f. 4.
2 cruciformis. R.S. (*wh.*) cross-formed. E. Indies. 1825. —— S.*w.*♃. Swartz. hort. gott. ic.
3 intermèdia. B.P. (*wh.*) intermediate. N. S. W. 1822. —— G.*w.*♃.
4 tricèps. R.S. (*wh.pu.*) three-headed. E. Indies. 1776. 9. 11. S.*w.*♃. Rottb. gram. t. 4. f. 6.
5 uncinàta. L.en. (*gr.*) hook-seeded. Brazil. 1820. 7. 8. S.*w.*♃.
6 odoràta. R.S. (*gr.*) fragrant. S. America. 1822. —— S.*w.*♃.
7 polycéphala. L.en. (*wh.*) many-headed. Brazil. 1820. —— S.*w.*♃.

FUIR'ENA. B.P. FUIR'ENA. Triandria Monogynia. L.
1 umbellàta. R.S. (*br.*) umbelled. W. Indies. 1822. 6. 8. S.*w.*♃. Rottb. gram. t. 19. f. 2.
2 glomeràta. R.S. (*pu.g.*) crowded. E. Indies. 1827. —— S.*w.*☉. ——— t. 17. f. 1.

EL'YNA. R.S. EL'YNA. Triandria Monogynia. R.S.
spicàta. R.S. (*br.*) simple-spiked. Europe. 1819. 6. 8. H.*w.*♃. Vill. delph. 2. t. 6.
Cárex Bellárdi. Host. gram. 4. t. 77.

TRICHO'PHORUM. P.S. TRICHO'PHORUM. Triandria Monogynia. P.S.
1 cyperinum. P.S. (*br.st.*) cyperine. N. America. 1802. 5. 9. H.*w.*♃. Pluk. mant. t. 419. f. 3.
2 alpìnum. P.S. (*br.st.*) Alpine. Scotland. .... 7. H.*w.*♃. Eng. bot. v. 5. t. 311.
Erióphorum alpìnum. E.B.

ERIO'PHORUM. L. COTTON-GRASS. Triandria Monogynia. L.
1 vaginàtum. E.B. (*br.*) Hare's-tail. Britain. .... 3. 4. H.*w.*♃. Eng. bot. v. 13. t. 873.
2 capitàtum. E.B. (*br.*) round-headed. Scotland. .... 8. 9. H.*w.*♃. ——— v. 34. t. 2387.
3 grácile. E.B. (*bk.g.*) slender. ——— .... 7. 8. H.*w.*♃. ——— v. 34. t. 2402.
4 angustifòlium. (*pu.g.*) narrow-leaved. Britain. .... 4. 5. H.*w.*♃. ——— v. 8. t. 564.
5 virgínicum. R.S. (*pu.g.*) Virginian. N. America. 1802. 5. 8. H.*w.*♃. Pluk. alm. t. 299. f. 4.
6 polystàchion. E.B. (*pu.g.*) broad-leaved. Britain. .... 4. H.*w.*♃. Eng. bot. v. 8. t. 563.
7 pubéscens. E.F. (*bk.*) pubescent. ——— .... 4. 5. H.*w.*♃.

ORDO CCXXIV.

GRAMINEÆ. *Juss. gen. p.* 28.

REMIR'EA. R.S. REMIR'EA. Triandria Monogynia.
maritima. R.S. .... sea-side. America. 1822. 7. 8. G.*w.*♃. Anbl. guian. 1. t. 16.

NA'RDUS. R.S. MAT-GRASS. Triandria Monogynia. L.
stricta. E.B. .... upright. Britain. .... 6. 7. H.*w.*♃. Eng. bot. v. 5. t. 290.

ORYZO'PSIS. M. ORYZO'PSIS. Triandria Monogynia. R.S.
asperifòlia. M. .... rough-leaved. N. America. 1822. 7. 8. H.♃. Mich. amer. 1. t. 9.

LYG'EUM. R.S. LYG'EUM. Triandria Monogynia. L.
Spártum. R.S. .... rush-leaved. Spain. 1776. 5. 6. H.♃. Schreb. gram. t. 52. 53.

CORNUC'OPIÆ. R.S. HORN OF PLENTY. Triandria Monogynia. L.
cucullàtum. R.S. .... hooded. Levant. 1788. 8. H.☉. Flor. græc. 1. t. 51.

CE'NCHRUS. R.S. CE'NCHRUS. Triandria Monogynia. L.
1 tribuloides. R.S. .... spinous. N. America. 1818. 5. 8. H.☉. Sloan. hist. 1. t. 65. f. 1.
2 echinàtus. R.S. .... rough-spiked. W. Indies. 1691. 8. 12. S.♂. Cavan. ic. 5. p. 39. t. 462.
3 australis. B.P. .... New Holland. N. S. W. 1822. 6. 8. H.☉.

PENNIS'ETUM. R.S.		**Pennis'etum.**	**Triandria Monogynia. R.S.**					
1	setòsum. R.S.	....	setose.	W. Indies.	1804.	7. 8.	H.⊙.	
2	polystàchyum. R.S.	..	many-spiked.	E. Indies.	——	——	H.⊙.	Rumph. amb. 6. t. 7. f. 2.
3	cenchroídes. R.S.		ciliated.	C. B. S.	1777.	7. 8.	H.⊙.	Giseck. ic. 1. t. 23.
	Cénchrus ciliàris. L.							
4	orientàle. R.S.	....	oriental.	Levant.	1819.	——	F.♃.	
5	violàceum. R.S.	....	violet-spiked.	Senegal.	1829.	——	S.⊙.	
6	compréssum. B.P.	....	flat-stemmed.	N. S. W.	1820.	——	H.♃.	
7	holcoídes. R.S.	....	Holcus-like.	E. Indies.	1823.	——	S.⊙.	
	Pánicum holcoídes. P.I.							
8	barbàtum. R.S.	....	bearded.	——	——	——	S.⊙.	
9	dichótomum. R.S.	....	forked.	Egypt.	1824.	——	H.♃.	Delil. ægyp. t. 8. f. 3.
10	nepalénse. S.S.	....	Nepaul.	Nepaul.	1822.	——	H.⊙.	
11	ásperum. R.S.	....	rough-leaved.	C. B. S.	1823.	——	G.♄.	
PENICILL'ARIA. R.S.		**Penicill'aria.**	**Polygamia Monœcia. W.**					
1	spicàta. R.S.	....	spiked.	E. Indies.	1592.	6. 7.	H.⊙.	Pluk. alm. t. 32. f. 4.
2	alopecuroídes.	....	Fox-tail.	Jamaica.	1739.	7. 10.	H.⊙.	—— t. 92. f. 5.
	ciliàta. W.en. *cylíndrica.* R.S. *Pánicum alopecuroídes.* L. *Alopecùrus índicus.* L.							
SET'ARIA. R.S.		**Set'aria.**	**Triandria Digynia. R.S.**					
1	sericea. R.S.	....	silky.	W. Indies.	1780.	5. 9.	H.⊙.	
2	verticillàta. R.S.	....	rough.	England.	....	7. 8.	H.⊙.	Eng. bot. v. 13. t. 874.
3	víridis. R.S.	....	green.	——	....	——	H.⊙.	—— v. 13. t. 875.
	Pánicum víride. E.B. *Pennisètum víride.* B.P.							
4	pùmila. R.S.	....	dwarf.	.....	1819.	——	H.⊙.	
5	macroch'æta. R.S.	..	long-spiked.	.....	——	——	H.⊙.	
6	purpuráscens. R.S.	....	purplish.	S. America.	1822.	——	H.⊙.	
7	intermèdia. R.S.	....	intermediate.	E. Indies.	1819.	8. 10.	H.⊙.	
8	Weinmánni. R.S.	....	Weinman's.	Teneriffe.	1816.	——	H.⊙.	
9	glaùca. R.S.	....	glaucous.	S. Europe.	1771.	7. 8.	H.⊙.	Host. gram. 2. t. 16.
10	helvòla. R.S.	....	pale red.	E. Indies.	1822.	8. 10.	H.⊙.	
11	corrugàta. R.S.	....	rugged-flowered.	Carolina.	1828.	——	H.⊙.	
12	erubéscens. R.S.	....	blush.	S. America.	1822.	——	H.⊙.	
13	geniculàta. R.S.	....	jointed.	Antilles.	1805.	7. 8.	H.⊙.	
14	marítima. R.S.	....	sea-side.	.....	1818.	——	H.⊙.	
15	germánica. R.S.	....	German.	Germany.	1548.	——	H.⊙.	Host. gram. 2. t. 15.
16	itálica. R.S.	....	Italian.	Italy.	1616.	——	H.⊙.	Rumph. amb. 3. t. 76. f. 2.
	Pánicum itálicum. Host. gram. 4. t. 14. *Pennisètum itálicum.* B.P.							
17	compósita. R.S.	....	compound.	S. America.	1823.	——	H.⊙.	
18	cylíndrica. R.S.	....	cylindrical.	.....	——	——	H.⊙.	
19	setòsa. R.S.	....	bristly.	W. Indies.	1822.	——	H.⊙.	
20	polystàchia. R.S.	....	many-spiked.	Brazil.	1824.	——	S.♃.	
21	tenacíssima. R.S.	....	tough.	——	1819.	——	H.⊙.	
22	Pennisètum. R.S.	....	Indian.	E. Indies.	1820.	6. 8.	S.⊙.	
23	scándens. R.S.	....	climbing.	.....	——	——	H.⊙.	
24	caudàta. R.S.	....	tailed.	Trinidad.	1824.	——	H.⊙.	
25	muricàta. R.S.	....	sea-side.	N. America.	1819.	——	H.⊙.	
26	aurícoma. Lk.	....	golden-headed.	.....	1826.	——	H.⊙.	
ANTHOXA'NTHUM. R.S.		**Spring-grass.**	**Diandria Digynia. L.**					
1	odoràtum. E.B.	....	sweet-scented.	Britain.	....	5.	H.♃.	Eng. bot. v. 9. t. 647.
	β láxum.	....	*loose-spiked.*	——	....	——	H.♃.	Loes. ic. 22.
	γ pubéscens.	....	*downy-spiked.*	——	....	——	H.♃.	
	δ ramòsum.	....	*branching-spiked.*	——	....	——	H.♃.	
2	amárum. R.S.	....	bitter.	S. Europe.	1810.	7.	H.♃.	Trin. ic. gram. t. 14.
3	grácile. R.S.	....	slender.	Italy.	1825.	7. 8.	H.⊙.	—— t. 13.
4	ovàtum. R.S.	....	oval-spiked.	Spain.	1824.	——	H.⊙.	
SPART'INA. R.S.		**Spart'ina.**	**Triandria Monogynia. R.S.**					
1	cynosuroídes. R.S.	....	Dog's-tail.	N. America.	1781.	8. 9.	H.♃.	Linn. fil. fasc. 1. t. 9.
	Dáctylis cynosuroídes. L. *Trachynòtia cynosuroídes.* M. *Limnètis cynosuroídes.* P.S.							
2	stricta. R.S.	....	upright.	Britain.	....	8.	H.♃.	Eng. bot. v. 6. t. 380.
	Dáctylis stricta. E.B. *Limnètis púngens.* P.S.							
3	glàbra. R.S.	....	smooth.	N. America.	1827.	——	H.♃.	
4	alterniflòra. R.S.	....	alternate-flower'd.	S. Europe.	——	——	H.♃.	
5	polystàchia. R.S.	....	many-spiked.	N. America.	1781.	8. 9.	H.♃.	
6	pùmila. R.S.	....	dwarf.	——	1820.	——	H.♃.	
7	pectinàta.	....	pectinated.	——	1827.	——	H.♃.	
8	júncea. R.S.	....	rushy.	——	1781.	7. 8.	H.♃.	
9	pàtens. R.S.	....	spreading.	——	——	——	H.♃.	
10	geniculàta. R.S.	....	jointed.	Java.	1822.	——	S.♃.	Burm. ind. t. 12. f. 3.
11	arundinàcea. R.S.	....	Reed-like.	Tristan d'Acunha.	1820.	——	G.♃.	

ZO'YSIA. R.S. Zo'ysia. Triandria Digynia. W.
púngens. R.S. .... pungent. E. Indies. 1819. 6. 8. S.4.
LE'ERSIA. B.P. Le'ersia. Triandria Digynia. W.
1 oryzoídes. S.S. .... Rice-like. S. Europe. 1793. 7. 8. H.w.4. Host. gram. 1. t. 35.
2 virgínica. S.S. .... Virginian. N. America. —— —— H.w.4.
3 austrális. B.P. .... southern. N. S. W. 1819. —— H.w.4.
4 lenticulàris. S.S. .... round-glumed. N. America. 1825. —— H.w.4.
5 brasiliénsis. R.S. .... Brazilian. Brazil. 1826. —— S.w.4.
PER'OTIS. R.S. Per'otis. Triandria Digynia. W.
latifólia. R.S. .... broad-leaved. E. Indies. 1777. 8. 9. S.⊙. Rheed. mal. 12. t. 62.
ALOPEC'URUS. R.S. Foxtail-grass. Triandria Digynia. L.
1 agréstis. E.B. .... slender. Britain. .... 7. 8. H.⊙. Eng. bot. v. 12. t. 848.
2 utriculàtus. R.S. .... bladdered. Italy. 1777. —— H.⊙. Flor. græc. t. 68.
3 echinàtus. R.S. .... rough. C. B. S. 1822. —— G.⊙.
4 praténsis. E.B. .... meadow. Britain. .... 5. H.4. Eng. bot. v. 11. t. 758.
5 nígricans. R.S. .... blackish. Europe. 1815. 6. 7. H.4. Jacq. ecl. gram. t. 13.
Tauntoniénsis. Sinc. gr. wob. p. 232.
6 triviàlis. S.O. .... long-awned. Bohemia. 1827. —— H.4.
7 scáber. S.O. .... scabrous. ——— —— —— H.4.
8 Gieseckeànus. R.S..... Gieseke's. N. Europe. 1828. —— H.4. Flor. dan. t. 1565.
ovàtus. F.D. *non* Forst.
9 geniculàtus. E.B. .... floating. Britain. .... 5. 8. H.w.4. Eng. bot. v. 18. t. 1250.
10 fúlvus. E.B. .... orange-spiked. England. .... 6. H.w.4. ——— v. 21. t. 1467.
11 alpinus. E.B. .... Alpine. Scotland. .... 5. 6. H.4. ——— v. 16. t. 1126.
12 ramòsus. R.S. .... branching. N. America. 1823. —— H.4.
13 arundinàceus. R.S. .. Reed-like. ..... 1819. —— H.4.
14 macrostàchyos. S.S. .. large-spiked. Barbary. 1824. 6. 8. H.4.
15 bulbòsus. E.B. .... bulbous. England. .... 7. H.4. Eng. bot. v. 18. t. 1249.
16 colobachnoídes. R.S... Siberian. Siberia. 1826. 6. 7. H.4.
17 Gerárdi. Trin. .... Gerard's. S. Europe. 1820. 6. 8. H.4. Jacq. ic. t. 301.
Phlèum Gerárdi. R.S.
PHL'EUM. R.S. Cat's-tail-grass. Triandria Digynia. L.
1 praténse. R.S. .... common. Britain. .... 7. H.4. Eng. bot. v. 15. t. 1076.
a május. S.G.W. .... *greater.* ——— .... —— H.4. Sinc. gr. wob. p. 195. ic.
β mínus. S.G.W. .... *lesser.* ——— .... 7. 8. H.4. ——— p. 197. ic.
2 nodòsum. W. .... knotted. ——— .... 7. 9. H.4. Flor. dan. t. 380.
3 Bertolònii. R.S. .... Bertoloni's. France. 1818. —— H.4.
4 alpínum. R.S. .... alpine. Scotland. .... 7. H.4. Eng. bot. v. 8. t. 519.
5 commutàtum. R.S..... confused. Piedmont. 1819. —— H.4.
6 felínum. R.S. .... Grecian. Greece. 1822. —— H.⊙.
7 echinàtum. R.S. .... hedgehog. Dalmatia. —— 8. 9. H.⊙. Host. gram. 3. t. 11.
ACHNODO'NTON. R.S. Achnodo'nton. Triandria Digynia. R.S.
1 Bellárdi. R.S. .... bulbous. Spain. 1796. 6. 7. H.⊙.
Phálaris Bellárdii. W. *bulbòsa.* L.
2 ténue. R.S. .... slender. S. Europe. 1826. —— H.⊙. Host. gram. t. 36.
3 arenària. L.en. .... sand. Britain. .... 6. 7. H.⊙. Eng. bot. v. 4. t. 223.
Phálaris arenária. E.B. *Phlèum arenàrium.* F.D. t. 915. *Chilochlòa arenária.* R.S.
CHILOCHL'OA. R.S. Chilochl'oa. Triandria Digynia. R.S.
1 Bœhmèri. R.S. .... Phalaris-like. England. .... 7. 9. H.4. Eng. bot. v. 7. t. 459.
Phálaris phleoídes. E.B. *Phlèum phalaroídes.* Kœl. *Bœhmèri.* W.
2 cuspidàta. R.S. .... sharp-pointed. Tyrol. 1824. 7. 8. H.4. Host. gram. 4. t. 20.
3 Michèlii. L.en. .... Micheli's. Scotland. .... 6. 7. H.4. Eng. bot. v. 32. t. 2265.
Phlèum Michèlii. E.B.
4 áspera. R.S. .... rough. England. .... 7. H.⊙. Eng. bot. v. 15. t. 1077.
Phlèum paniculatum. E.B. *Phlèum ásperum.* Jacq. ic. t. 14. *Phálaris áspera.* W.
5 ánnua. R.S. .... annual. Caucasus. 1825. 7. 8. H.⊙.
SCHMI'DTIA. S.S. Schmi'dtia. Diandria Digynia. S.S.
súbtilis. S.S. .... close umbelled. Bohemia. 1824. 6. 8. H.⊙. Tratt. fl. aus. t. 451.
Coleánthus súbtilis. R.S.
POLYP'OGON. R.S. Polyp'ogon. Triandria Digynia. W.
1 monspeliénsis. R.S..... chaffy. Britain. .... 7. 8. H.⊙. Eng. bot. v. 24. t. 1704.
Agróstis panícea. E.B.
2 littoràlis. E.F. .... sea-side. ——— .... 8. H.4. Eng. bot. v. 18. t. 1251.
3 Lagáscæ. R.S. .... Lagasca's. Spain. 1824. —— H.4.
4 marítimus. R.S. .... shore. S. Europe. 1822. —— H.⊙.
5 glomeràtus. R.S. .... clustered. N. America. —— 7. 8. H.4.
6 tatáricus. F. .... Tartarian. Tartary. 1825. —— H.⊙.
CER'ESIA. P.S. Cer'esia. Triandria Digynia. P.S.
élegans. P.S. .... elegant. Peru. 1818. 8. 9. H.4. Jacq. frag. t. 86.
Páspalum membranàceum. S.S.

PA'SPALUM. W.		PA'SPALUM.	Triandria Digynia. L.				
1 disséctum. S.S.	....	dissected.	S. America.	1822.	8. 10.	H.⊙.	
2 scrobiculàtum. S.S.	....	dimpled.	E. Indies.	1778.	7. 9.	S.4.	Hout. n. his. t. 89. f. 3.
3 stoloníferum. S.S.	....	purple.	Peru.	1794.	——	G.4.	Jacq. ic. 2. t. 302.
4 paniculàtum. S.S.	....	panicled.	W. Indies.	1782.	——	S.⊙.	Sloan. hist. 1. t. 72. f. 2.
5 virgàtum. S.S.	....	twiggy.	——	1822.	——	S.4.	——1. t. 69. f. 2.
6 l'æve. M.	....	smooth.	N. America.	1818.	——	H.4.	Lecomt. pasp. t. 91.
7 mucronàtum. R.S.	....	mucronate.	——	1825.	——	H.⊙.	
8 Lecomteànum. R.S.	..	Lecomte's.	——	1827.	——	H.4.	Lecomt. pas. t. 91.
9 latifòlium. R.S.	....	broad-leaved.	——	——	——	H.4.	
0 platénse. R.S.	....	Monte Video.	Monte Video.	1824.	——	H.4.	
1 diffórme. R.S.	....	deformed.	N. America.	1818.	7. 9.	H.4.	Lecomt. pas. t. 91. p. 284.
2 pusíllum. R.S.	....	small.	St. Thomas.	1822.	——	S.4.	
3 conjugàtum. S.S.	....	conjugate.	W. Indies.	——	——	S.4.	Gært. fruct. 2. t. 80. f. 4.
4 notàtum. S.S.	....	two-spiked.	——	1776.	7.	S.♂.	Swartz obs. t. 2. f. 1.
5 vaginàtum. R.S.	....	sheathed.	——	1824.	——	S.4.	
6 platycaùle. R.S.	....	flat-stalked.	——	——	——	S.4.	
7 mólle. S.S.	....	soft.	St. Thomas.	1822.	——	S.4.	
8 Kòra. R.S.	....	smooth-flowered.	E. Indies.	1818.	7. 8.	S.4.	
9 longiflòrum. R.S.	....	long-flowered.	——	1824.	——	S.4.	
10 setàceum. M.	....	bristly.	N. America.	——	——	H.4.	
11 pilòsum. R.S.	....	hairy.	S. America.	1826.	——	S.4.	
12 incértum. R.S.	....	uncertain.	.....	1812.	——	H.4.	
13 dùbium. S.S.	....	doubtful.	.....	1818.	——	H.4.	
14 glábrum. S.S.	....	smooth.	W. Indies.	1823.	——	S.4.	
15 tenéllum. W.	....	elegant.	.....	1817.	——	S.4.	
élegans. S.S.							
16 láxum. R.S.	....	loose.	S. America.	1819.	——	S.4.	
17 inæquàle. L.en.	....	unequal-valved.	Manilla.	1822.	——	S.4.	
AMPHIP'OGON. B.P.		AMPHIP'OGON.	Triandria Digynia. S.S.				
stríctus. B.P.	....	upright.	N. S. W.	1823.	5. 6.	G.4.	
GASTRI'DIUM. R.S.		GASTRI'DIUM.	Triandria Digynia. R.S.				
1 austràle. R.S.	....	yellow.	England.	....	8.	H.4.	Eng. bot. v. 16. t. 1107.
Milium lendigerum. E.B.							
2 mùticum. R.S.	....	beardless.	Sicily.	1819.	7. 8.	H.⊙.	
CHÆ'TURUS. R.S.		CHÆT'URUS.	Triandria Digynia. R.S.				
fasciculàtus. R.S.	....	fascicled.	S. Europe.	1815.	7. 9.	H.⊙.	
MI'LIUM. R.S.		MILLET-GRASS.	Triandria Digynia. L.				
1 nigrícans. R.S.	....	Guinea maize.	Peru.	1824.	6. 8.	H.⊙.	
2 effùsum. E.B.	....	common.	Britain.	....	6. 7.	H.4.	Eng. bot. v. 16. t. 1106.
3 vernàle. R.S.	....	vernal.	Caucasus.	1819.	4. 5.	H.⊙.	
4 scábrum. R.S.	....	rough.	S. Europe.	1826.	——	H.⊙.	
5 confértum. R.S.	....	close-flowered.	Italy.	——	——	H.4.	
6 amphicárpon. R.S.	....	earth-fruited.	N. America.	1827.	——	H.4.	Pursh. am. sept. 2. t. 2.
7 gallècicum. R.S.	....	capillary.	Gallicia.	1819.	6. 8.	H.4.	
8 velutínum. R.S.	....	downy.	Mexico.	1823.	——	H.⊙.	
9 filifórme. Lag.	....	slender.	New Spain.	1824.	——	H.4.	
10 microspérmum. R.S.	..	small-seeded.	——	1822.	——	H.⊙.	
11 phleoídes.	....	Phleum-like.	E. Indies.	1820.	——	S.4.	
PIPTATH'ERUM. R.S.		PIPTATH'ERUM.	Triandria Digynia. R.S.				
1 paradóxum. R.S.	....	black-seeded.	France.	1771.	6. 7.	H.⊙.	Host. gram. 3. t. 23.
Agróstis paradóxa. L. *Milium paradóxum.* W. *Urachne virescens.* Trin.							
2 cœrulescens. R.S.	....	blueish.	Barbary.	1819.	——	H.4.	Desf. atl. 1. t. 12.
3 multiflòrum. R.S.	....	many-flowered.	S. Europe.	1778.	——	H.4.	Host. gram. 3. t. 45.
Milium arundinàceum. F.G. t. 66. *Agróstis miliàcea.* L.							
4 punctàtum. R.S.	....	dotted.	W. Indies.	1824.	——	S.4.	
CALAMAGRO'STIS. S.S.		CALAMAGRO'STIS	Triandria Digynia. S.S.				
1 epigèjos. S.S.	....	wood.	Britain.	....	7.	H.4.	Eng. bot. v. 6. t. 403.
2 intermèdia. R.S.	....	intermediate.	Carlsruhe.	1827.	——	H.4.	
3 littórea. S.S.	....	sea-side.	Switzerland.	1824.	7. 8.	H.4.	Schrad. fl. ger. 1. t. 4. f. 2.
4 láxa. Host.	....	loose.	——	——	——	H.4.	Host. gram. 4. t. 23.
5 glaùca. R.S.	....	glaucous.	N. America.	——	——	H.4.	
6 Halleriàna. S.S.	....	Haller's.	Switzerland.	1819.	——	H.4.	Schrad. fl. ger. 1. t. 4. f. 3.
Arúndo pseudophragmites. R.S.							
7 stricta. S.S.	....	upright.	Scotland.	....	7. 8.	H.4.	Eng. bot. v. 30. t. 2160.
8 vària. Host.	....	various.	S. Europe.	1813.	——	H.4.	Host. gram. 4. t. 47.
9 acutiflòra. DC.	....	sharp-flowered.	Germany.	1819.	——	H.4.	
0 sylvática. DC.	....	wood.	Europe.	1813.	——	H.4.	Host. gram. 4. t. 49.

arundinàcea. Roth. *Agróstis arundinàcea.* L. *pyramidàlis.* Host.

11	purpuràscens. Br.	....	purplish.	N. America.	1827.	7. 8. H.$\mathcal{Y}$.	
12	Schwábii. S.S.	....	Saxon.	Saxony.	1828.	—— H.$\mathcal{Y}$.	
13	Langsdórffii. S.S.	....	Langsdorff's.	.....	1823.	—— H.$\mathcal{Y}$.	
14	confínis. S.S.	....	hairy-flowered.	N. America.	1820.	—— H.$\mathcal{Y}$.	
15	montàna. Host.	....	mountain.	Europe.	——	—— H.$\mathcal{Y}$.	Host. gram. 4. t. 46.
16	Hóstii. R.S.	....	Host's.	———	——	—— H.$\mathcal{Y}$.	——— 4. t. 48.
	sylvática. Host. *nec aliorum.*						
17	canadénsis. N.	....	Canadian.	N. America.	1826.	—— H.$\mathcal{Y}$.	
18	lanceolàta. S.S.	....	common.	England.	....	7. H.$\mathcal{Y}$.	Eng. bot. v. 30. t. 2158.
	Arúndo Calamagróstis. E.B. *Agróstis lanceolàta.* R.S.						
19	speciòsa. Host.	....	beautiful.	Germany.	1813.	7. 8. H.$\mathcal{Y}$.	Host. gram. 4. t. 45.
	Agróstis Calamagróstis. R.S.						

STIPA. R.S. FEATHER-GRASS. Triandria Digynia. L.

1	pennàta. E.B.	....	common.	Britain.	....	7. 8. H.$\mathcal{Y}$.	Eng. bot. v. 19. t. 1354.
2	tórtilis. R.S.	....	twisted-awned.	S. Europe.	1823.	—— H.$\odot$.	Desf. atl. 1. t. 31. f. 1.
3	júncea. R.S.	....	rushy.	France.	1772.	—— H.$\mathcal{Y}$.	Flor græc. 1. t. 85.
4	gigántea. R.S.	....	gigantic.	Spain.	1823.	—— H.$\mathcal{Y}$.	
5	Lagáscæ. R.S.	....	Lagasca's.	———	1822.	—— H.$\mathcal{Y}$.	Desf. atl. 1. t. 28.
6	capillàta.	....	capillary.	S. Europe.	——	—— H.$\mathcal{Y}$.	Host. gram. 3. t. 5.
7	tenacíssima. R.S.	....	tough.	———	1822.	—— H.$\mathcal{Y}$.	Desf. atl. 1. t. 30.
8	Aristélla. R.S.	....	awned.	Montpelier.	1806.	—— H.$\mathcal{Y}$.	Host. gram. 4. t. 34.
9	Redówskii. L.A.	....	Redowski's.	Altay.	1828.	—— H.$\mathcal{Y}$.	Ledeb. ic. t. 98.
10	móllis. B.P.	....	soft.	N. S. W.	1824.	—— F.$\mathcal{Y}$.	
11	conférta. R.S.	....	close panicled.	.....	1819.	—— H.$\mathcal{Y}$.	
12	sibírica. R.S.	....	Siberian.	Siberia.	1777.	—— H.$\mathcal{Y}$.	Ledeb. ic. t. 99.

AGRA'ULUS. P.B. AGRA'ULUS. Triandria Digynia. R.S.

1	canìna. P.B.	....	brown.	Britain.	....	7. H.$\mathcal{Y}$.	Eng. bot. v. 26. t. 1856.
	Agróstis canìna. E.B. *Trichòdium canìnum.* R.S.						
2	alpìna. P.B.	....	Alpine.	S. Europe.	1818.	7. 8. H.$\mathcal{Y}$.	Host. gram. 3. t. 49.
3	rupéstris. R.S.	....	rock.	Pyrenees.	——	—— H.$\mathcal{Y}$.	——— 3. t. 50.
4	neglécta. R.S.	....	neglected.	Hungary.	1822.	—— H.$\mathcal{Y}$.	
5	flavéscens.	....	yellowish.	S. Europe.	——	—— H.$\mathcal{Y}$.	Host. gram. 4. t. 52.
6	setàcea.	....	bristly.	Britain.	....	—— H.$\mathcal{Y}$.	Eng. bot. v. 17. t. 1188.
	Agróstis setàcea. E.B. *Trichòdium setàceum.* R.S.						
7	rùbra. R.S.	....	red.	Lapland.	1820.	—— H.$\mathcal{Y}$.	
8	hy'brida. R.S.	....	hybrid.	Switzerland.	——	—— H.$\mathcal{Y}$.	
9	diffùsa. L.en.	....	spreading.	.....	1823.	—— H.$\mathcal{Y}$.	

TRICH'ODIUM. M. WINTER-GREEN-GRASS. Triandria Digynia.

1	decúmbens. R.S.	....	decumbent.	N. America.	1786.	6. 7. H.$\mathcal{Y}$.	Fraser mon. c. ic.
2	laxiflòrum. R.S.	....	loose-flowered.	———	1816.	—— H.σ.	Mich. amer. 1. t. 8.
3	élegans. R.S.	....	elegant.	France.	——	7. 9. H.$\odot$.	Lois journ. bot. 2. t. 8. f. 1.

AGRO'STIS. R.S. BENT-GRASS. Triandria Digynia. R.S.

1	stolonífera. R.S.	....	creeping.	Britain.	....	7. 8. H.$\mathcal{Y}$.	Eng. bot. v. 22. t. 1532.
	α latifòlia. S.G.W.		*Fiorin grass.*	———	....	—— H.$\mathcal{Y}$.	Sinc. gr. wob. p. 225. ic.
	β angustifòlia. S.G.W.		*narrow-leaved.*	———	....	—— H.$\mathcal{Y}$.	——— p. 346. ic.
	γ aristàta. S.G.W.		*awned.*	———	....	—— H.$\mathcal{Y}$.	——— p. 345. ic.
	δ nemoràlis. S.G.W.		*wood.*	———	....	—— H.$\mathcal{Y}$.	
	ε palústris. S.G.W.		*marsh.*	———	....	—— H.$\mathcal{Y}$.	
2	dúlcis. Df.	....	sweet.	S. France.	1824.	—— H.$\mathcal{Y}$.	
3	stolonìzans. R.S.	....	stoloniferous.	Poland.	1827.	—— H.$\mathcal{Y}$.	
4	diffùsa. R.S.	....	spreading.	Europe.	1816.	—— H.$\mathcal{Y}$.	Host. gram. 4. t. 55.
5	neglécta. R.S.	....	neglected.	Hungary.	——	—— H.$\mathcal{Y}$.	
6	capillàris. R.S.	....	capillary.	S. Europe.	——	—— H.$\odot$.	Sm. ic. ined. 3. t. 54.
7	tenélla. R.S.	....	slender.	Switzerland.	1824.	—— H.$\mathcal{Y}$.	Schad. fl. ger. 1. t. 5. f. 1.
8	álba. R.S.	....	white rooted.	Britain.	....	7. H.$\mathcal{Y}$.	Sinc. gr. wob. p. 342. ic.
	β purpuráscens.	....	*purplish.*	———	....	—— H.$\mathcal{Y}$.	Eng. bot. v. 17. t. 1189.
	γ vivípara.	....	*viviparous.*	———	....	—— H.$\mathcal{Y}$.	Leers fl. herb. t. 4. f. 3.
9	párvula. R.S.	....	small.	Hungary.	1826.	—— H.$\mathcal{Y}$.	
10	tenuifòlia. R.S.	....	slender-leaved.	Caucasus.	1819.	7. 8. H.$\mathcal{Y}$.	Trin. icon. gr. t. 35.
11	pátula. R.S.	....	knotted spreading.	Switzerland.	1824.	—— H.$\mathcal{Y}$.	
12	valentìna. R.S.	....	Valentia.	Spain.	——	—— H.$\mathcal{Y}$.	
13	dùbia. R.S.	....	doubtful.	Germany.	1818.	—— H.$\mathcal{Y}$.	Leers fl. herb. t. 4. f. 4.
14	gigántea. R.S.	....	gigantic.	Caucasus.	——	—— H.$\mathcal{Y}$.	
15	frondòsa. R.S.	....	frondose.	Naples.	1824.	—— H.$\mathcal{Y}$.	
16	vulgàris. R.S.	....	fine.	Britain.	....	—— H.$\mathcal{Y}$.	Eng. bot. v. 24. t. 1671.
17	ambígua. R.S.	....	ambiguous.	Germany.	1820.	—— H.$\mathcal{Y}$.	Host. gram. t. 56.
18	Jurési. R.S.	....	close panicled.	———	——	—— H.$\mathcal{Y}$.	Trin. ic. gram. t. 29.
19	virgínica. R.S.	....	Virginian.	N. America.	——	—— H.$\mathcal{Y}$.	Lab. nov. holl. 1. t. 23.
20	brasiliénsis. R.S.	....	Brazilian.	Brazil.	1828.	—— 6.$\mathcal{Y}$.	

21	marítima. R.S.	....	sea-side.	S. Europe.	1825.	7. 8.	H.4.
22	Forstèri. R.S.	....	Forster's.	N. Zealand.	1822.	——	H.4.
	Avèna filiformis. Forst.						
23	Billardíeri. B.P.	....	Labillardiere's.	N. Holland.	1806.	——	H.4. Lab. nov. holl. 1. t. 31.
24	plebèia. B.P.	....	plebeian.	N. S. W.	1822.	——	H.4.
25	æmula. B.P.	....	flat-leaved.	————	1806.	——	H.4.
26	retrofrácta. R.S.	....	broad-leaved.	————	——	4. 5.	F.4.
27	hirsùta. R.S.	....	hairy.	Teneriffe.	1810.	——	F.4.
28	Spìca vénti. E.B.	....	silky.	England.	....	6. 7.	H.⊙. Eng. bot. v. 14. t. 951.
29	pállida. DC.	....	pale.	France.	1818.	——	H.⊙.
30	interrúpta. R.S.	....	interrupted.	S. Europe.	——	——	H.⊙. Host. gram. 3. t. 48.
31	purpùrea. R.S.	....	purple.	————	1820.	——	H.⊙.
32	pauciflòra. R.S.	....	few-flowered.	Switzerland.	1824.	6. 8.	H.4. Schrad.fl.ger.1. t.3. f.2.
33	decúmbens.Host.	....	decumbent.	Hungary.	——	——	H.4. Host. gram. 4. t. 54.
SPORO'BOLUS. B.P.			Sporo'bolus.	Triandria Digynia.			
1	diándrus. R.S.	....	diandrous.	E. Indies.	1820.	6. 8.	S.⊙.
2	pulchéllus. R.S.	....	pretty.	N. Holland.	1828.	——	F.4.
3	índicus. B.P.	....	Indian.	India.	1773.	8. 10.	H.⊙. Sloan. hist. 1. t. 73. f. 1.
4	purpuráscens.R.S.	....	purplish.	Jamaica.	1820.	——	S.⊙.
5	tenacíssimus.L.en.	....	tough.	W. Indies.	1801.	——	S.4. Jacq. ic. 1. t. 16.
6	elongàtus. B.P.	....	elongated.	N. S. W.	1822.	——	H.⊙.
7	micránthus.	....	small-flowered.	Monte Video.	1825.	——	H.⊙.
COLP'ODIUM. Trin.			Colp'odium.	Triandria Digynia.			
1	Stevèni. Trin.	....	various-coloured.	Caucasus.	1823.	7. 8.	H.4.
	Agróstis versicolor. Stev.						
2	latifòlium. Br.	....	broad-leaved.	Melville Isl.	1821.	——	H.⊙.
TRICHOCHL'OA. Tr.			Trichochl'oa.	Triandria Digynia.			
1	tenuiflòra.	....	slender-flowered.	N.America.	1820.	7. 8.	H.4. Willd. hort. ber. t. 12.
	longisèta. Tr. *Agróstis tenuiflòra.* w. *Cinna tenuiflòra.* L.en.						
2	mexicàna. Tr.	....	Mexican.	America.	1780.	6. 9.	H.4.
3	foliósa. Tr.	....	leafy.	N. America.	1819.	7. 8.	H.4.
	Agróstis filiformis. W.en. *Cinna filiformis.* L.en.						
4	sobolífera. Tr.	....	soboliferous.	N. America.	1819.	7. 8.	H.4.
5	microspérma. DC.	....	small-seeded.	Mexico.	1818.	8. 10.	H.⊙.
6	capillàris. DC.	....	capillary.	Carolina.	——	——	H.4.
7	expánsa. DC.	....	expanded.	————	1822.	——	H.4. P.B.agros. nov. t.8. f.2.
	purpùrea. P.B.						
8	polypògon. DC.	....	many-bearded.	————	1812.	——	H.4. P.B.agros. nov.t.8. f.3.
CI'NNA. L.			Ci'nna.	Monandria Digynia. L.			
1	arundinàcea. L.	....	Reed-like.	Canada.	1789.	7.	H.4. Schreb. gram. t. 49.
2	crinìta. Tr.	....	rough-keeled.	N. Zealand.	1822.	——	F.4. Lab. nov. hol. 2. t. 263.
3	monándra. R.S.	....	monandrous.	N. America.	1826.	——	H.⊙.
KNA'PPIA. E.B.			Kn'appia.	Triandria Digynia. S.S.			
	agrostídea. E.B.	....	small.	Wales.	....	3. 4.	H.⊙. Eng. bot. v. 16. t. 1127.
	Agróstis mínima. w. *Chamagróstis mínima.* R.S. *Stúrmia vérna.* P.S.						
COLOBA'CHNE. R.S.			Coloba'chne.	Triandria Digynia. R.S.			
	vaginàta. R.S.	....	sheathed.	Levant.	1818.	4.	H.4. Flor. græc. t. 64.
	Alopecùrus angustifólius. F.G. *Polypògon vaginàtus.* W.						
HELEOCHL'OA. Host.			Heleochl'oa.	Triandria Monogynia.			
1	alopecuroídes. R.S.	..	Foxtail-like.	Germany.	1816.	7. 8.	H.⊙. Host gram. 1. t. 29.
2	phalaroídes. P.B.	....	Phalaris-like.	Caucasus.	1827.	——	H.⊙.
3	schœnoídes. R.S.	....	Schœnus-like.	S. Europe.	1783.	——	H.⊙. Jacq. ic. 1. t. 15.
CRY'PSIS. Host.			Cry'psis.	Triandria Monogynia.			
	aculeàta. R.S.	....	prickly.	S. Europe.	1783.	——	H.⊙. Host. gram. 1. t. 31.
LAPP'AGO. W.			Lapp'ago.	Triandria Digynia. W.			
1	racemòsa. W.	....	branching.	S. Europe.	1771.	——	H.⊙. Flor. græc. t. 101.
	Tràgus racemòsus. R.S. *Cénchrus racemòsus.* L.						
2	aliena. S.S.	....	Brazilian.	Brazil.	1826.	6. 8.	S.⊙.
3	biflòra. F.I.	....	two-flowered.	E. Indies.	1824.	——	S.4.
MUHLENBE'RGIA. W.			Muhlenbe'rgia.	Triandria Digynia. W.			
	diffùsa. R.S.	....	spreading.	N. America.	1816.	5. 6.	H.4. Schreb. gram. t. 51.
CHÆT'ARIA. R.S.			Chæt'aria.	Triandria Digynia. R.S.			
1	adscensiònis. R.S.	....	West Indian.	W. Indies.	1822.	7. 8.	S.4. Sloan. hist. 1. t. 2. f. 56.
	Arístida adscensiònis. w.						
2	Hy'strix. R.S.	....	Porcupine.	E. Indies.	——	....	S.4. Pluk. alm. t. 191. f. 5.
3	oligántha. R.S.	....	long-glumed.	N. America.	1826.	——	H.w.4.
4	pállens. R.S.	....	pale.	Chile.	1825.	——	H.4.
5	divaricàta. R.S.	....	spreading.	S. America.	1818.	7. 8.	G.4. Jacq. eclog. gram. t. 6.

6 gigántea. R.S.	....	gigantic.	Teneriffe.	1824.	7. 8.	F.4.	
7 cœruléscens. R.S.	....	blueish.	Canaries.	1818.	——	H.⊙.	Desf. atl. t. 21. f. 2.
CURTOP'OGON. R.S.		CURTOP'OGON.	Triandria Digynia.				
dichótomus. R.S.	....	forked.	N. America.	1826.	6. 8.	H.♂.	Spr. act. pet. 2. t. 6.
Arístida dichótoma. Ph.							
ARI'STIDA. R.S.		ARI'STIDA.	Triandria Digynia.	L.			
1 obtùsa. R.S.	....	blunt-awned.	Egypt.	1828.	6. 8.	H.⊙.	Delil. ægyp. t. 13. f. 1.
2 vàgans. R.S.	....	spreading-panicled.	N.S.W.	1820.	7. 8.	F.4.	Cavan. ic. 5. t. 471.
HO'RDEUM. R.S.		BARLEY.	Triandria Digynia.	L.			
1 vulgàre. R.S.	....	spring.	Levant.	....	7.	H.⊙.	Host. gram. 3. t. 34.
β gigánteum.	....	*giant.*	——	....	——	H.⊙.	
2 cœléste. R.S.	....	naked-seeded.	Levant.	....	——	H.⊙.	Viborg cereal. t. 1.
3 nìgrum. R.S.	....	black-seeded.	——	....	——	H.♂.	
4 hexástichon. R.S.	....	winter.	——	....	——	H.⊙.	Viborg cereal. t. 2.
5 bulbòsum. R.S.	....	bulbous.	S. Europe.	1770.	——	H.4.	Flor. græc. 1. t. 98.
6 jubàtum. R.S.	....	long-bearded.	N. America.	1782.	7. 8.	H.♂.	
7 Sieberiànum. R.S.	....	Sieber's.	Egypt.	1828.	——	H.⊙.	
8 dístichum. R.S.	....	common.	Tartary.	....	7.	H.⊙.	Viborg cereal. t. 3.
β imbérbe. R.S.	....	*beardless.*	——	....	——	H.⊙.	
9 nùdum. R.S.	....	naked seeded.	——	....	——	H.⊙.	Arduin. sag. t. II. f. 4.
10 Zeócriton. R.S.	....	Battledore.	.....	....	8.	H.⊙.	Viborg cereal. t. 4.
11 murìnum. R.S.	....	wall.	Britain.	....	4. 8.	H.⊙.	Eng. bot. v. 28. t. 1971.
12 praténse. R.S.	....	meadow.	——	....	6.	H.4.	—— v. 6. t. 409.
13 marítimum. E.B.	....	sea-side.	——	....	6. 7.	H.⊙.	—— v. 17. t. 1205.
14 nepalénse.	....	Nepaul.	Nepaul.	1825.	7. 8.	H.⊙.	
15 Hy'strix. R.S.	....	hedgehog.	Spain.	1817.	——	H.⊙.	
16 bifàrium. R.S.	....	two-ranked.	.....	1822.	——	H.⊙.	
ÆGOP'OGON. R.S.		ÆGOP'OGON.	Triandria Digynia.	R.S.			
1 pusíllus. R.S.	....	small.	S. America.	1822.	7. 8.	H.⊙.	Cav. h. r. mad. 1. t. 5. f. 2.
2 trisètus. R.S.	....	three awned.	——	——	——	H.⊙.	—— 1. t. 5. f. 3.
MICROCHL'OA. B.P.		MICROCHL'OA.	Triandria Digynia.	R.S.			
setàcea. B.P.	....	bristly.	Tropics.	1806.	7.	H.⊙.	Roxb. corom. 2. t. 132.
MEL'INIS. S.S.		MEL'INIS.	Triandria Digynia.	S.S.			
minutiflòra. S.S.	....	glutinous.	Brazil.	1822.	6. 7.	S.4.	Nees Hor. ber. 54. t. 7.
Tristègis glutinòsa. Nees. *Suárdia picta.* Schrank h. mon. 11. t. 58.							
DIGITA'RIA. R.S.		DIGITA'RIA.	Triandria Digynia.	R.S.			
1 sanguinàlis. R.S.	....	slender-spiked.	Britain.	....	8.	H.⊙.	Eng. bot. v. 12. t. 849.
Pánicum sanguinàle. E.B.							
2 bicórnis. R.S.	....	two-horned.	E. Indies.	1825.	8. 9.	H.⊙.	
3 affìnis. R.S.	....	related.	S. America.	1820.	7. 8.	H.⊙.	
4 ægyptìaca. R.S.	....	Egyptian.	Egypt.	1794.	——	H.⊙.	Jacq. obs. 3. t. 30.
5 filifórmis. S.S.	....	filiform.	N. America.	1781.	——	H.⊙.	
6 Roxbúrghii. S.S.	....	Roxburgh's.	E. Indies.	1823.	——	H.⊙.	
Pánicum filifórme. F.I.							
7 villòsa. S.S.	....	villous.	N. America.	1781.	7. 9.	H.⊙.	
8 débilis. S.S.	....	weak.	Barbary.	1824.	——	H.⊙.	
9 glábra. R.S.	....	smooth.	S. Europe.	1817.	——	H.⊙.	Schrad. germ. 1. t. 3. f. 6.
Syntherísma glábrum. Schrad.							
10 paspalòides. R.S.	....	trailing.	N. America.	——	——	H.⊙.	
11 ciliàris. R.S.	....	fringed.	S. Europe.	1804.	——	H.⊙.	Host. gram. 4. t. 15.
12 barbàta. R.S.	....	bearded.	E. Indies.	1824.	——	H.⊙.	
13 bifórmis. R.S.	....	two-formed.	Canaries.	1820.	——	H.⊙.	
14 marginàta. R.S.	....	margined.	Brazil.	1825.	——	H.⊙.	
15 lineàris. R.S.	....	linear-spiked.	India.	1804.	——	H.⊙.	Burm. ind. 25. t. 10. f. 3.
16 inæquàlis. S.S.	....	hairy-sheathed.	Manila.	1824.	7. 8.	S.⊙.	
17 serotìna. M.	....	late-flowered.	N. America.	——	——	H.⊙.	
Páspalum serotìnum. R.S.							
18 Andersòni. Ot.	....	Anderson's.	Monte Video.	1825.	6. 8.	F.4.	
19 eriogòna. Schr.	....	woolly-angled.	S. America.	——	——	S.4.	
20 molíssima. Schr.	....	soft.	—— ——	1826.	——	S.4.	
21 pilígera. Lk.	....	hairy.	Monte Video.	——	——	H.⊙.	
22 violáscens. Lk.	....	violet.	——	——	——	H.⊙.	
CYN'ODON. R.S.		CYN'ODON.	Triandria Digynia.	R.S.			
1 Dáctylon. R.S.	....	creeping.	England.	....	7. 8.	H.4.	Eng. bot. v. 12. t. 858.
β índicus.		*Doob-grass.*	India.	1820.	——	S.4.	Sinc. gr. wob. p. 290. ic.
2 lineàris. R.S.	....	linear-leaved.	E. Indies.	1796.	——	S.4.	
3 stellàtus. R.S.	....	starry.	St. Helena.	1823.	——	S.4.	
4 virgàtus. R.S.	....	twiggy.	E. Indies.	1826.	——	S.4.	

5 præcox. R.S. .... early-flowered. N. America. 1823. 6. 7. H.4.
Digitària sanguinàlis. M.

BRACHYEL'YTRUM. R.S. BRACHYEL'YTRUM. Triandria Digynia.
aristàtum. R.S. .... awned. N. America. 1827. 6. 7. H.4. Schreb. gram. t. 50.
Muhlenbérgia erécta. Ph. *Dilep'yrum aristòsum.* M.

PHA'LARIS. R.S. CANARY-GRASS. Triandria Digynia. R.S.
1 canariénsis. R.S. .... common. Britain. .... 6. 8. H.⊙. Eng. bot. v. 19. t. 1310.
2 microstàchya. DC..... small-spiked. N. America. 1818. —— H.⊙.
3 aquática. R.S. .... water. Egypt. 1778. 6. 7. H.⊙. Host. gram. 2. t. 38.
4 nítida. R.S. .... glossy. Sicily. 1824. —— H.⊙.
5 commutàta. R.S. .... changed. Italy. 1823. —— H.⊙. Barrel. ic. 700. f. 2.
6 capénsis. R.S. .... Cape. C. B. S. 1804. —— G.4.
7 bulbòsa. R.S. .... bulb-bearing. Spain. 1824. —— H.4.
8 variegàta. R.S. .... variegated. Sicily. 1825. —— H.4.
9 cæruléscens. R.S. .... blueish. S. Europe. 1824. —— H.⊙. Buxb. cent. 4. t. 53.
10 noddòsa. R.S. .... knotted. ———— 1825. —— H.4. Flor. græc. t. 56.
11 paradóxa. R.S. .... paradoxical. ———— —— —— H.⊙. ———— 1. t. 58.
12 appendiculàta. R.S. .. appendaged. Egypt. 1823. —— H.⊙.

DIGRA'PHIS. Tr. DIGRA'PHIS. Triandria Digynia.
1 arundinàcea. Tr. .... Reed-like. Britain. .... 7. H.w.4. Eng. bot. v. 6. t. 402.
Arúndo coloràta. E.B. *Phálaris arundinàcea.* L. *Baldíngera.* Fl. wet.
β variegàta. .... *striped-leaved.* ———— .... —— H.4.
2 americàna. S.S. .... American. N. America. .... —— H.4.

LAG'URUS. R.S. HARE'S-TAIL-GRASS. Triandria Digynia. L.
ovàtus. E.B. .... oval-spiked. Guernsey. .... 6. H.⊙. Eng. bot. v. 19. t. 1334.

ECHINOP'OGON. R.S. ECHINOP'OGON. Triandria Digynia.
ovàtus. R.S. .... ovate panicled. N. Holland. 1820. 7. 8. H.4. Lab. nov. holl. 1. t. 21.
Agróstis ovàta. Lab.

HIEROCHL'OA. P.B. HIEROCHL'OA. Triandria Digynia. R.S.
1 boreàlis. R.S. .... northern. Scotland. .... 5. 6. H.4. Sinc. gr. wob. p. 167. ic.
Hólcus odoràtus. P.D. t. 963. *répens.* Host. gram. 3. t. 3.
2 australis. R.S. .... southern. S. Europe. 1777. 6. 7. H.4. Host. gram. 1. t. 4.
3 frágrans. R.S. .... fragrant. N. America. —— —— H.4.
4 alpina. R.S. .... Alpine. Melville Isl. 1827. —— H.4. Flor. dan. t. 1508.
5 pauciflòra. R.S. .... few-flowered. ———— —— —— H.4.

CATABR'OSA. R.S. CATABR'OSA. Triandria Digynia. R.S.
1 aquática. R.S. .... water. Britain. .... 5. 6. H.w.4. Eng. bot. v. 22. t. 1557.
Aira aquática. E.B.
2 virídula. R.S. .... close-panicled. ..... 1718. —— H.w.4.
3 hùmilis. Tr. .... dwarf. Caucasus. 1824. 6. 7. H.4.

AI'RA. R.S. HAIR-GRASS. Triandria Digynia. L.
1 flexuòsa. E.B. .... waved. Britain. .... 7. 8. H.4. Eng. bot. v. 22. t. 1519.
2 uliginòsa. R.S. .... marsh. Germany. 1825. —— H.4. Reich. ic. r. C. 2. t. 150.
3 vérsicolor. R.S. .... various-color'd. S. Europe. 1823. —— H.4.
4 caryophy'llea. E.B. .. silver. Britain. .... —— H.⊙. Eng. bot. v. 12. t. 812.
5 élegans. R.S. .... elegant. Switzerland. 1824. —— H.⊙. Host. gram. 4. t. 35.
6 pulchélla. R.S. .... pretty. Spain. 1820. —— H.⊙.
7 péllens. R.S. .... pale. N. America. —— —— H.4.
8 arundinàcea. R.S. .... Reed-like. Cumana. 1823. —— S.4.
9 semineùtra. S.S. .... doubtful. Hungary. 1819. 6. 7. H.4.

DESCHA'MPSIA. R.S. DESCHA'MPSIA. Triandria Digynia. R.S.
1 cæspitòsa. R.S. .... turfy. Britain. .... 8. H.4. Eng. bot. v. 21. t. 1453.
Aira cæspitòsa. E.B.
2 Biebersteiniàna. R.S. Bieberstein's. Caucasus. 1823. 6. 8. H.4.
3 refrácta. R.S. .... reflexed. Spain. 1822. —— H.4.
4 alpina. R.S. Alpine. Scotland. .... 5. 6. H.4. Eng. bot. v. 30. t. 2102.
Aira lævigàta. E.B. *alpina.* L. *Avèna alpina.* Tr.
5 brevifòlia. R.S. .... short-leaved. Melville Isl. 1827. —— H.4.
6 bóttnica. Tr. .... bristle-leaved. Bottnia. 1824. —— H.4.
Aira bóttnica. R.S. *montàna.* R.S.

SCHI'SMUS. R.S. SCHI'SMUS. Triandria Digynia. R.S.
1 Gouàni. Tr. .... Gouan's. Montpelier. 1820. 6. 7. H.4.
Aira mèdia. Gouan. *Deschámpsia mèdia.* et *díscolor.* R.S.
2 marginàtus. R.S. .... margined. Spain. 1781. —— H.⊙. Cavan. ic. 1. t. 44. f. 2.
Festùca calycina. W. *Kœlèria calycina.* DC.
3 fasciculàtus. P.B. .... fascicled. St. Domingo. 1827. —— S.⊙.
Digitària horizontàlis. W.

DUPO'NTIA. R.S. DUPO'NTIA. Triandria Digynia.
Fischèri. R.S. .... Fischer's. Melville Isl. 1827. 6. 8. H.4.

CORYNE'PHORUS. R.S. Coryne'phorus. Triandria Digynia. R.S.
1 canéscens. R.S. .... canescent. England. .... 7. 8. H.♃. Eng. bot. v. 17. t. 1198.
Aira canéscens. E.B.
2 articulatus. R.S. .... jointed. S. Europe. 1824. —— H.♃. Desf. atl. 1. t. 13.
PERIBA'LLIA. Tr. Periba'llia. Triandria Digynia. R.S.
hispánica. Tr. .... Spanish. Spain. 1820. 6. 7. H.⊙. Cavan. ic. 1. t. 44. f. 1.
Aira involucràta. Cav. *Airópsis involucràta.* R.S.
AIRO'PSIS. R.S. Airo'psis. Triandria Digynia. R.S.
1 globòsa. R.S. .... globe-flowered. S. Europe. 1823. 6. 8. H.⊙. Cavan. ic. 3. t. 274. f. 1.
2 obtusàta. R.S. .... blunt-flowered. N. America. —— 6. 7. H.♃.
3 brevifòlia. R.S. .... short-leaved. Missouri. 1818. —— H.♃.
4 agrostídea. R.S. .... Agrostis-like. S. Europe. 1823. —— H.♃. DC. ic. rar. t. 1.
Pòa agrostídea. DC. *Aira agrostídea.* Lois.
ME'LICA. R.S. Melic-grass. Triandria Digynia. L.
1 ciliàta. R.S. .... ciliated. Europe. 1771. 7. H.♃. Flor. græc. 1. t. 70.
2 nùtans. R.S. .... mountain. Britain. .... 6. 7. H.♃. Eng. bot. v. 15. t. 1058.
3 uniflòra. R.S. .... wood. —— —— .... 5. 6. H.♃. —— v. 15. t. 1058.
4 minùta. R.S. .... small. S. Europe. 1825. —— H.♃. Cavan. ic. 2. t. 175. f. 2.
5 Bauhìni. R.S. .... Italian. Italy. 1806. 6. 7. H.♃. Host. gram. 4. t. 23.
6 pyramidàlis. R.S. .... pyramidal. Barbary. 1804. —— H.♃. Barrel. ic. t. 96. f. 1.
7 speciòsa. R.S. .... handsome. N. America. 1812. —— H.♃. Schreb. gram. t. 54.
glàbra. Ph. *rariflòra.* Schreb.
8 altíssima. R.S. .... tallest. Siberia. 1770. 7. 8. H.♃. Host. gram. 2. t. 9.
9 diffùsa. R.S. .... spreading. N. America. 1824. —— H.♃.
10 pállida. R.S. .... pale. Quito. 1825. —— S.♃.
11 exasperàta. R.S. .... exasperate. ..... —— —— H.♃.
12 digitàta. R.S. .... fingered. E. Indies. 1824. —— S.♃.
13 refrácta. R.S. .... reflexed. ——— —— —— S.♃.
14 latifòlia. R.S. .... broad-leaved. ——— 1822. —— S.♃.
MOLI'NIA. P.B. Moli'nia. Triandria Digynia. R.S.
1 cœrùlea. P.B. .... purple. Britain. .... 8. H.♃. Eng. bot. v. 11. t. 750.
vària. S.S. *Mélica cœrùlea.* E.B. *Enòdium cœrùleum.* R.S.
2 sylvática. R.S. .... wood. Europe. 1824. —— H.♃.
DIN'EBA. R.S. Din'eba. Triandria Digynia. R.S.
1 americàna. R.S. .... American. S. America. 1822. 6. 8. S.♃.
2 arábica. R.S. .... Arabian. Levant. 1816. 8. 9. H.⊙. Jacq. fragm. t. 121. f. 1.
3 divàricata. R.S. .... spreading. Egypt. 1823. —— H.⊙.
WANGENHE'IMIA. Tr. Wangenhe'imia. Triandria Digynia. R.S.
Lìma. Tr. .... imbricated. Spain. 1776. 7. 8. H.⊙. Cavan. ic. 1. t. 91.
Cynosùrus Lìma. Cav. *Dinèba Lìma.* R.S.
SA'CCHARUM. R.S. Sugar-cane. Triandria Digynia. L.
1 officinàrum. R.S. .... common. India. 1597. .... S.♃. Rumph. amb. 5. t. 74. f. 1.
2 sinénse. F.I. .... Chinese. China. 1822. .... S.♃. Roxb. corom. 3. t. 222.
3 pròcerum. F.I. .... lofty. E. Indies. —— .... S.♃.
4 violàceum. R.S. .... violet-coloured. W. Indies. 1816. .... S.♃.
5 caudàtum. R.S. .... tailed. ——— —— .... S.♃. Sloan. hist. 1. t. 70. f. 1.
6 contráctum. R.S. .... contracted. S. America. 1823. .... S.♃.
7 exaltàtum. F.I. .... tall. E. Indies. 1826. .... S.♄. Rheed. mal. 12. t. 46.
8 polystàchyum. R.S. .. many-spiked. W. Indies. —— .... S.♄.
9 Múnja. F.I. .... slender. E. Indies. 1805. .... S.♃.
IMPER'ATA. R.S. Imper'ata. Triandria Digynia. R.S.
1 arundinàcea. R.S..... Reed-like. N. Holland. 1820. 7. 8. F.♃. Cyril. ic. fasc. 2. t. 11.
2 Thunbérgii. R.S. .... Thunberg's. E. Indies. 1822. .... S.♄.
3 Kœnígii. R.S. .... Kœnig's. W. Indies. 1818. .... S.♄.
4 spontànea. R.S. .... spontaneous. E. Indies. —— .... S.♄. Rheed. mal. 12. t. 46.
TRICHOL'ÆNA. R.S. Trichol'æna. Triandria Digynia. R.S.
micrántha. R.S. .... small-flowered. S. Europe. 1816. 7. 8. H.♃. Jacq. ecl. gram. t. 34.
Sáccharum Teneriffæ. Jacq.
ERIA'NTHUS. R.S. Eria'nthus. Triandria Digynia. R.S.
1 saccharoídes. R.S..... Sugar-cane-like. N. America. 1816. 7. 8. H.♃.
Sáccharum giganteum. Ph.
2 brevibárbis. R.S. .... short-bearded. ——— 1822. —— H.♃.
3 strictus. R.S. .... upright. ——— 1828. —— H.♃.
RIPI'DIUM. Tr. Ripi'dium. Polygamia Monœcia. Tr.
1 Ravénnæ. Tr. .... rough. S. Europe. 1816. 7. 8. H.♃. Host. gram. 3. t. 1.
Andropògon Ravénnæ. Host. *Sáccharum Ravénnæ.* W.
2 strictum. Tr. .... upright. Hungary. 1802. — H.♃. Host. gram. 2. t. 2.
Sáccharum adprèssum. Kit. *Andropògon strictus.* Host.

ANDROP'OGON. R.S. ANDROP'OGON. Polygamia Monœcia. L.

1 alopecuroídes. R.S. ..	Foxtail.	America.	1818.	....	G. ♃.	Sloan. hist. 1. t. 14.
2 milifórmis. R.S. .... *miliàceus.* F.I. *non* Forsk.	Millet-like.	E. Indies.	——	....	S. ♃.	
3 argénteus. DC.	silvery.	Mexico.	1822.	....	G. ♃.	DC. hort. m. ined. t. 68.
4 saccharoídes. R.S.....	Sugar-cane-like.	Jamaica.	1818.	——	S. ♃.	
5 laguroídes. R.S.	hares-tail-like.	New Spain.	1820.	....	S. ♃.	DC. h. mons. ined. t. 69.
6 hírtus. R.S.	hairy.	S. Europe.	1802.	7. 8.	S. ♃.	Host. gram. 4. t. 1.
7 angustifòlius. R.S.....	narrow-leaved.	———	1818.	——	H. ♃.	Jacq. aust. 4. t. 384.
8 Isch'æmum. R.S.	woolly.	———	1768.	——	H. ♃.	Gerard. gall. p. 107. t. 4.
9 serràtus. R.S. ..... *láxus.* W.	saw-leaved.	Japan.	1816.	....	G. ♃.	
10 comòsus. R.S.	tufted.	Egypt.	1824.	....	H. ♃.	
11 annulàtus. R.S.....	annular.	———	——	....	H. ♃.	Forsk. egyp. t. 7.
12 furcàtus. R.S.	forked.	N. America.	1818.	7. 8.	H. ♃.	

CHRYSOP'OGON. Tr. CHRYSOP'OGON. Polygamia Monœcia.

1 Gry'llus. Tr..... *Andropògon Gry'llus.* F.G. *Hólcus Gry'llus.* B.P.	purple-flowered.	S. Europe.	1791.	6. 7.	H. ♃.	Flor. græc. 1. t. 67.
2 aciculàtus. Tr.	sharp-pointed.	E. Indies.	1825.	6. 8.	S. ♃.	Rheed. mal. 12. t. 43.

LEPEOCE'RCIS. Tr. LEPEOCE'RCIS. Polygamia Monœcia.

serràta. Tr. ..... *Andropògon serràtum.* W.	serrated.	E. Indies.	1812.	6. 8.	S. ♃.	

POLL'INIA. R.S. POLL'INIA. Polygamia Monœcia.

1 distàchya. R.S.	two-spiked.	S. Europe.	1805.	7. 8.	H. ♃.	Flor. græc. 1. t. 69.
2 striàta. R.S.	nerve-glumed.	E. Indies.	1793.	8.	S. ♃.	
3 undàta. R.S.	waved.	Mauritius.	1823.	7. 9.	S. ♃.	Jacq. ic. 3. t. 361.

CYMBOP'OGON. R.S. CYMBOP'OGON. Polygamia Monœcia.

1 élegans. R.S.	elegant.	E. Indies.	1816.	6. 8.	S. ♃.	
2 prostràtus. ..... *glandulòsus.* R.S. *Anthistíria prostràta.* F.I. *Andropògon prostràtus.* L.	prostrate.	———	——	——	S. ♃.	
3 Schœnánthus. R.S. .. *Andropògon Schœnánthus.* W.	Lemon-grass.	E. Indies.	1786.	....	S. ♃.	Rumph. amb. 5. t. 72. f. 2.
4 arundinàceus. R.S. ..	Reed-like.	E. Indies.	1820.	6. 8.	S. ♃.	

HETEROP'OGON. R.S. HETEROP'OGON. Polygamia Monœcia.

1 Alliònii. R.S.	Allioni's.	S. Europe.	1816.	7. 8.	H. ♃.	Allion. fl. ped. t. 91. f. 4.
2 contórtus. R.S. ..... *Andropògon contórtus.* W.	twisted.	E. Indies.	1779.	7. 9.	S. ♃.	Schk. hand. t. 342. f. a.

APL'UDA. R.S. APL'UDA. Polygamia Monœcia. L.

1 aristàta. R.S.	awned.	E. Indies.	1820.	....	S. ♃.	Schreb. gram. 2. t. 42.
2 villòsa. R.S.	villous.	———	——	....	S. ♃.	

ANATHE'RUM. R.S. ANATH'ERUM. Polygamia Monœcia.

1 muricàtum. R.S. .... *Andropògon muricàtus.* Retz. *squarròsus.* W.	muricate.	E. Indies.	1820.	....	S. ♃.	
2 virgínicum. R.S.	Virginian.	N. America.	1819.	7. 8.	H. ♃.	Sloan. jam. 1. t. 68. f. 2?
3 bicórne. R.S.	two-horned.	W. Indies.	1825.	——	S. ♃.	Sloan. hist. 1. t. 15.
4 caudàtum. R.S.....	tailed.	———	1826.	——	S. ♃.	
5 mùticum. R.S.	smooth-spiked.	C. B. S.	1794.	7. 9.	G. ♃.	

CALAM'INA. R.S. CALAM'INA. Polygamia Monœcia.

1 gigántea. R.S.	gigantic.	Isl. Luzon.	1822.	7. 8.	G. ♃.	Cavan. ic. 5. t. 458.
2 mùtica. R.S. ..... *Apìuda mùtica.* L.	awnless.	E. Indies.	1816.	——	S. ♃.	

CYMBA'CHNE. R.S. CYMBA'CHNE. Polygamia Monœcia.

ciliàta. R.S.	fringed.	E. Indies.	1824.	7. 8.	S. ♃.	

ANTHISTIRIA. R.S. ANTHIST'IRIA. Polygamia Monœcia. L.

1 ciliàta. R.S.	fringed.	Jamaica.	1821.	8. 10.	S. ☉.	Cavan. ic. 5. t. 459.
2 barbàta. R.S.	bearded.	Japan.	1816.	——	G. ☉.	Desf. j. ph. 40. p. 294. t. 2.
3 polystàchya. R.S.	many-spiked.	E. Indies.	1824.	——	S. ☉.	
4 heteroclìta. R.S.	jointed.	———	——	——	S. ☉.	
5 australìs. B.P.	New Holland.	N. Holland.	1818.	——	F. ♃.	

SO'RGHUM. R.S. SO'RGHUM. Polygamia Monœcia.

1 vulgàre. R.S.	Indian Millet.	India.	1596.	7.	H. ☉.	Host. gram. 4. t. 2.
2 nìgrum. R.S.	black-glumed.	.....	....	——	H. ☉.	Ard. sag. pad. 1. t. 5. f. 1.
3 bícolor. R.S.	two-coloured.	Persia.	1731.	——	H. ☉.	Mieg. ac. helv. 8. t. 4. f. 4.
4 cérnuum. R.S.	nodding.	.....	....	——	H. ☉.	Host. gram. 4. t. 3.
5 rùbens. R.S.	red.	Africa.	1817.	——	H. ☉.	
6 nervòsum. R.S.....	nerved-leaved.	China.	1827.	——	H. ☉.	
7 saccharàtum. R.S.....	yellow-seeded.	India.	1759.	7. 8.	S. ♂.	Host. gram. 4. t. 4.
8 caffròrum. R.S. .... *Arduìni.* Jacq. ecl. gram. t. 18.	Cape.	C. B. S.	1816.	——	H. ☉.	Ard. sag. pad. 1. t. 1. f. 1.

9 avenàceum. R.S.	Oat-like.	C. B. S.	1816.	7. 9.	H.⊙.	
10 halepénse. R.S.	panicled.	Syria.	1691.	7. 8.	H.♃.	Flor. græc. 1. t. 68.
11 elongàtum. R.S.	long-panicled.	N. Holland.	1823.	——	F.♃.	
HO'LCUS. R.S.	SOFT-GRASS.	Polygamia Monœcia. L.				
1 móllis. R.S.	creeping.	Britain.	....	7. 8.	H.♃.	Eng. bot. v. 17. t. 1170.
2 lanàtus. R.S.	meadow.	———	....	6. 7.	H.♃.	——— v. 17. t. 1169.
ARRHENATH'ERUM.	R.S. ARRHENATH'ERUM.	Polygamia Monœcia.				
1 avenàceum. R.S.	Oat-like.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 12. t. 813.
Hólcus avenàceus. E.B.	*Avèna elàtior.* F.D. t. 165.					
β mùticum.	*awnless.*	Scotland.	....	——	H.♃.	
2 bulbòsum. Presl.	bulbous.	Germany.	....	——	H.♃.	Host. gram. 4. t. 36.
Hólcus bulbòsus. Host.	*Avèna bulbòsa.* W.					
ATHEROP'OGON. R.S.	ATHEROP'OGON.	Polygamia Monœcia.				
apludoídes. R.S.	Apluda-like.	N. America.	1808.	6. 7.	H.♃.	Jacq. ecl. gram. t. 7.
Chlòris cartipéndula. M.						
CHL'ORIS. R.S.	CHL'ORIS.	Polygamia Monœcia. L.				
1 foliòsa. R.S.	leafy.	St. Thomas.	1822.	7. 9.	S.♃.	
2 ciliàta. R.S.	ciliated.	Jamaica.	1779.	——	S.⊙.	
3 radiàta. R.S.	many spiked.	W. Indies.	1739.	8. 9.	S.⊙.	Hayn.term.bot.t.40.f.2
4 pállida. R.S.	pale-spiked.	S. France.	1816.	——	H.⊙.	
5 barbàta. R.S.	bearded.	E. Indies.	1777.	6. 7.	S.⊙.	Jacq. ecl. gram. 1. t. 8.
6 Roxburghiàna. R.S. ..	Roxburgh's.	———	1824.	7. 8.	S.⊙.	
7 inflàta. R.S.	inflated.	California.	——	——	H.♃.	
8 fasciculàta. R.S.	crowded.	Brazil.	——	——	H.⊙.	
9 carib'æa. R.S.	Caribean.	W. Indies.	1827.	——	S.⊙.	
10 polydáctyla. R.S.	many-spiked.	———	1818.	——	S.⊙.	Jacq. ecl. gram. 1. t. 9.
11 élegans. R.S.	elegant.	Mexico.	1825.	——	H.⊙.	H. et B. n. gen. 1. t. 49.
12 comprèssa. R.S.	compressed.	S. France.	1820.	6. 8.	H.⊙.	
13 megastàchya. R.S. ..	long-spiked.	N. Holland.	1825.	——	F.♃.	
14 ventricòsa. B.P.	swelled.	N. S. W.	1818.	——	G.♃.	
15 truncàta. B.P.	truncated.	———	1822.	——	G.♃.	
16 pubéscens. R.S.	pubescent.	Peru.	1824.	——	H.⊙.	
17 filifórmis. R.S.	filiform.	.....	1825.	——	H.⊙.	
18 distichophy'lla. R.S. ..	fan-leaved.	Chile.	1822.	——	H.♃.	
19 retùsa. R.S.	retuse-glumed.	———	——	——	H.⊙.	
20 dolichostàchya. R.S...	long-spiked.	Philippine Isl.	1824.	7. 8.	H.⊙.	
21 crinìta. R.S.	crowded-spiked.	———	——	——	H.⊙.	
22 ruféscens. R.S.	rufescent.	———	——	——	H.⊙.	
23 tenélla. R.S.	slender.	E. Indies.	1825.	——	S.⊙.	
24 grácilis. S.S.	slender.	S. America.	1824.	——	S.♃.	
25 Durandiàna. R.S....	Durand's.	.....	——	——	H.⊙.	
EUST'ACHYS. R.S.	EUST'ACHYS.	Polygamia Monœcia.				
1 petr'æa. R.S.	flat-stalked.	Jamaica.	1779.	7. 8.	S.♃.	Jacq. ecl. gram. 1. t. 11.
Chlòris petr'æa. W.						
2 submùtica. R.S.	Mexican.	Mexico.	1827.	——	H.⊙.	H. et B. pl. am. 1. t. 50.
CHRYS'URUS. R.S.	CHRYS'URUS.	Polygamia Monœcia.				
1 aùreus. S.S.	golden-spiked.	Levant.	1770.	7.	H.⊙.	Host. gram. 3. t. 4.
cynosuroídes. R.S.	*Cynosurùs aùreus.* F.G. 1. t. 79.	*Lamárckia aùrea.* DC.				
2 echinàtus. R.S.	rough.	England.	....	8.	H.⊙.	Eng. bot. v. 19. t. 1383.
Cynosùrus echinàtus. E.B.						
3 effùsus. R.S.	spreading.	S. Europe.	1824.	7. 8.	H.⊙.	
4 élegans. R.S.	elegant.	———	——	——	H.⊙.	Desf. atl. 1. t. 17.
ISCH'ÆMUM. S.S.	ISCH'ÆMUM.	Polygamia Monœcia. L.				
1 mùticum. R.S.	awnless.	E. Indies.	1824.	6. 8.	S.♃.	Rheed. mal. 12. t. 49.
2 conjugàtum. R.S.	yoked.	—— ——	1826.	——	S.♃.	
3 austrále. B.P.	southern.	N. S. W.	1822.	7. 8.	F.♃.	
4 rugòsum. S.S.	rough.	E. Indies.	1791.	——	S.⊙.	Sal. stirp. rar. 1. t. 1.
MEO'SCHIUM. R.S.	MEO'SCHIUM.	Polygamia Monœcia.				
1 aristàtum. R.S.	awned.	E. Indies.	1808.	6. 7.	S.♃.	
Isch'æmum aristàtum. S.S.						
2 barbàtum. R.S.	bearded.	Java.	——	——	S.♃.	Houtt. syst. 12. t. 93. f. 4.
ROTTB'OELLIA. R.S.	ROTTBO'ELLIA.	Triandria Digynia. L.				
1 exaltàta. R.S.	tall.	E. Indies.	1806.	....	S.♂.	
2 perforàta. R.S.	perforated.	———	1822.	....	S.♃.	Roxb. corom. t. 182.
3 glábra. R.S.	smooth.	———	——	——	S.♃.	
HEMA'RTHRIA. B.P.	HEMA'RTHRIA.	Triandria Digynia.				
comprèssa. B.P.	flat-spiked.	N. S. W.	1822.	6. 7.	G.♃.	
LODICUL'ARIA. P.B.	LODICUL'ARIA.	Triandria Digynia.				
fasciculàta. P.B.	fascicled.	S. Europe.	1826.	6. 7.	H.♃.	P. Beauv. agros. t. 11. f. 6.
Rottbòellia fasciculàta.	Desf. atl. 1. t. 36.					

STENOTA'PHRUM. Tr.	STENOTA'PHRUM. Polygamia Monœcia.					
1 glábrum. Tr.	smooth.	Carolina.	1826.	6. 7.	H.♃.	
2 dimidiàtum. ..... *americànum.* Schk.	creeping-rooted.	W. Indies.	1822.	——	S.♃.	Schrank. h. monac. t. 98.
3 complanàtum. Sck...	flat-spiked.	E. Indies.	1824.	——	S.♃.	Burm. ind. t. 8. f. 5.
LEPTU'RUS. B.P.	HARD-GRASS.	Triandria Digynia.				
1 incurvàtus. Tr.	sea-side.	Britain.	....	7.	H.⊙.	Eng. Bot. v. 11. t. 760.
Rottbòellia incurvàta. E.B.	*Ophiùrus incurvàtus.* R.S.					
2 filifórmis. Tr.	thready.	S. Europe.	1800.	——	H.♃.	Barrel. ic. t. 6.
3 cylíndricus. Tr.	cylindrical.	Portugal.	1806.	——	H.⊙.	Giorn. pis. 4. f. 4-8.
Rottbòellia cylíndrica. W. *subulàta.* DC.		*Monérma subulàta.* R.S.				
PHOLI'URUS. Tr.....	PHOLI'URUS.	Triandria Digynia.				
pannònicus. Tr.....	Hungarian.	Hungary.	1804.	——	H.⊙.	Host. gram. 1. t. 24.
MONE'RMA. R.S.	MONE'RMA.	Monandria Digynia.				
monándra. R.S.	monandrous.	Spain.	1804.	——	H.⊙.	Cavan. ic. t. 39. f. 1.
Rottbòellia monándra. Cav.	*Nárdus aristàta.* L.	*Psilùrus nardoides.* Tr.				
MANIS'URIS. R.S.	MANIS'URIS.	Polygamia Monœcia. W.				
granulàris. R.S.	round grained.	E. Indies.	1784.	6. 7.	S.⊙.	Roxb. corom. 2. t. 118.
ANTHE'PHORA. R.S.	ANTHE'PHORA.	Triandria Monogynia.				
1 élegans. R.S.	elegant.	Jamaica.	1776.	8. 9.	S.⊙.	Schreb. gram. t. 44.
Trípsacum hermaphrodìtum. L.	*Cénchrus lævigàtus.* S.S.					
2 villòsa. R.S.	villous.	W. Indies.	1824.	——	S.⊙.	
TRI'PSACUM. S.S.	TRI'PSACUM.	Monœcia Triandria. L.				
1 dactyloídes. S.S.	rough-seeded.	Virginia.	1640.	8.	H.♃.	Lam. ill. t. 750.
2 monostàchyon. S.S. ..	single-spiked.	N. America.	1815.	——	H.♃.	Willd. hort. ber. t. 1.
ECHINOCHL'OA. R.S.	ECHINOCHL'OA.	Triandria Digynia. R.S.				
1 stagnìna. R.S.	pond.	E. Indies.	1802.	7. 8.	H.*w*.⊙.	
2 commutàta. R.S. .... *Pánicum stagnìnum.* Host.	Hungarian.	Hungary.	——	——	H.*w*.⊙.	Host. gram. 3. t. 51.
3 intermèdia. R.S.	intermediate.	.....	1816.	——	H.⊙.	
4 erythrospérma. R.S...	red-seeded.	.....	1825.	——	H.⊙.	
5 hispida. R.S.	hispid.	Egypt.	1829.	——	H.⊙.	
6 Crus-Córvi. R.S.	Crow's-foot.	E. Indies.	1781.	——	H.⊙.	
7 Crus-Gálli. R.S. .... *Pánicum Crus-Gálli.* E.B.	Cock's-foot.	England.	....	——	H.⊙.	Eng. bot. v. 13. t. 876.
8 echinàta. R.S.	bristly.	N. America.	1825.	——	H.⊙.	Jacq. ecl. gram. t. 20.
9 setígera. R.S.	setigerous.	E. Indies.	1820.	——	S.⊙.	
ORTHOP'OGON. B.P.	ORTHOP'OGON.	Triandria Digynia. S.S.				
1 hirtéllus. S.S.....	hairy.	W. Indies.	1795.	6. 7.	S.♂.	
2 setàrius. S.S.	bristly.	———	1823.	——	S.⊙.	
3 undulatifólius. S.S. .. *Pánicum hirtéllum.* Host. *non* L.	wave-leaved.	S. Europe.	1795.	6. 7.	H.⊙.	Host. gram. 3. t. 52.
4 Burmánni. R.S.	Burman's.	E. Indies.	1819.	....	S.⊙.	Burm. ind. t. 12. f. 1.
5 africànus. ..... *Oplismènus africànus.* R.S.	African.	Africa.	1822.	7. 9.	S.⊙.	Pal. fl. d'ow. 2. t. 67. f. 1.
6 compòsitus. S.S.	compound spiked.	E. Indies.	1819.	——	S.⊙.	Linn. pfl. sys. 12. t. 96. f. 1.
7 fláccidus. B.P.	flaccid.	N. S. W.	1824.	——	H.⊙.	
8 imbecíllis. B.P.	feeble.	———	——	——	H.⊙.	
PA'NICUM. R.S.	PANIC-GRASS.	Triandria Digynia. R.S.				
1 colònum. R.S.	purple.	E. Indies.	1699.	7. 8.	H.⊙.	Ehret pict. t. 3. f. 3.
2 flùitans. R.S.	floating.	———	1825.	——	S.*w*.⊙.	
3 brizoídes. R.S.	Briza-like.	———	1801.	6. 7.	S.♂.	Jacq. gram. fasc. t. 2.
4 flávidum. R.S.	yellowish.	———	1823.	——	S.♂.	
5 mólle. R.S.	soft.	W. Indies.	1824.	——	H.⊙.	
6 Michauxiànum. R.S. *Pánicum mólle.* Mich. *non* Swartz.	Michaux's.	N. America.	——	——	H.⊙.	
7 fasciculàtum. R.S. ..	fascicled.	Jamaica.	1801.	——	H.⊙.	
8 plicàtum. R.S.	plaited.	E. Indies.	1824.	6. 8.	S.♃.	
9 palmifólium. R.S.	Palm-leaved.	———	1804.	——	S.♃.	Jacq. ecl. gram. t. 1.
10 neuròdes. R.S. ..... *nervòsum.* F.I. *non* Lam.	nerved-leaved.	Nepaul.	1823.	——	G.♃.	
11 costàtum. F.I.	ribbed.	Mauritius.	1805.	——	S.♃.	
12 carthaginénse. R.S. ..	Carthagena.	S. America.	1818.	——	S.♃.	
13 conglomeràtum. R.S.	conglomerate.	E. Indies.	——	——	S.♃.	
14 índicum. F.I.	Indian.	———	——	——	S.♃.	
15 hispídulum. R.S.	hispid.	———	1804.	7. 8.	H.⊙.	
16 frumentàceum. F.I...	cultivated.	———	1810.	——	H.⊙.	
17 dichótomum. R.S.	forked.	N. America.	1817.	——	H.⊙.	Sp. m. act. pet. 1810. t. 4.
18 coloràtum. R.S.	coloured.	Egypt.	1771.	7. 9.	H.⊙.	Jacq. ic. 1. t. 58?

18	orientàle. R.s.	hairy-spiked.	Levant.	1807.	6. 7.	H. ♃.	Will.n.act.ber.2.t.4.f.2.
	Secàle orientàle. w.						
19	pátulum. Tr.	spreading.	Egypt.	1800.	——	H.⊙.	
	Tríticum squarròsum. R.s. *Buonapártis.* Spr.						
20	imbricàtum. R.s.	imbricated.	Caucasus.	1824.	6. 8.	H. ♃.	Gmel.sib.1. n.51. t.23.
21	pectiniförme. R.s.	comb-like.	Tauria.	——	——	H. ♃.	Buxb. cent. 1. t.50. f.2.
22	cristàtum. R.s.	crested.	———	——	——	H. ♃.	Eng. bot. v. 32. t. 2267.
23	desertòrum. R.s.	desert.	Altay.	1822.	——	H. ♃.	Ledeb. ic. alt. t. 246.
24	angustifòlium. R.s. ..	narrow-leaved.	Siberia.	——	——	H. ♃.	
25	muricàtum. R.s.	bristly.	———	1825.	——	H. ♃.	
26	pectinàtum. R.s.	pectinated.	V. Diem. Isl.	1822.	——	H. ♃.	
27	variegàtum. R.s.	variegated.	.....	1818.	——	H. ♃.	
L'OLIUM. R.S.		DARNEL.	Triandria Digynia.	L.			
1	peréune. R.s.	Rye-grass.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 5. t. 315.
	α vulgàre. R.s.	*common.*	———	....	——	H. ♃.	Host. gram. 1. t. 25.
	β ténue. R.s.	*slender.*	———	....	——	H. ♃.	Sinc. gra. wob. p. 211. ic.
	γ compósitum. R.s. ..	*compound.*	———	....	——	H. ♃.	Scheuch. agr. 1. f. 7. D.
	δ ramòsum. R.s.	*branching.*	———	....	——	H. ♃.	Leers gram. t. 12. f. 1.
	ε Russellianum. H.G.W.	*Russell's.*	———	....	——	H. ♃.	Sinc. gra. wob. p. 216. ic.
	ζ Whitwórthii. H.G.W.	*Whitworth's.*	———	....	——	H. ♃.	
	η Stickneyànum. H.G.W.	*Stickney's.*	———	....	——	H. ♃.	
	ϑ paniculàtum. H.G.W.	*panicled.*	———	....	——	H. ♃.	
	ι monstròsum. H.G.W.	*monstrous-flowered.*	———	....	——	H. ♃.	
	κ viviparum. R.s.	*viviparous.*	———	....	——	H. ♃.	
	λ multiflòrum. R.s. ..	*many-flowered.*	———	....	——	H. ♃.	
	μ hùmile. R.s.	*dwarf.*	———	....	——	H. ♃.	
2	multiflòrum. R.s.	many-flowered.	Europe.	1816.	——	H.⊙.	Vaill. par. t. 17. f. 3.
3	arvénse. R.s.	beardless.	England.	....	7.	H.⊙.	Eng. bot. v. 16. t. 1125.
4	canadénse. Panz.	Canadian.	Canada.	1822.	——	H.⊙.	
5	complanàtum. L.en. ..	rigid.	Switzerland.	1825.	——	H.⊙.	
	rígidum. R.s.						
6	temuléntum. R.s.	bearded.	Britain.	....	7. 8.	H.⊙.	Eng. bot. v. 16. t. 1124.
7	speciòsum. R.s.	pretty.	Tauria.	1824.	——	H.⊙.	
Æ'GILOPS. R.S.		HARD-GRASS.	Polygamia Monœcia.	L.			
1	candàta. R.s.	tailed.	Candia.	1820.	7. 8.	H.⊙.	
2	cylíndrica. R.s.	cylindrical.	Hungary.	1805.	6. 7.	H.⊙.	Host. gram. 2. t. 7.
3	ovàta. R.s.	oval-spiked.	S. Europe.	1683.	——	H.⊙.	Flor. græc. 1. t. 93.
4	triaristàta. R.s.	three-awned.	———	1739.	7. 8.	H.⊙.	Host. gram. 2. t. 6.
	triunciàlis. Host. *non* w.						
5	triunciàlis. R.s.	long-spiked.	———	——	——	H.⊙.	Schreb. gram. t. 10. f. 1.
6	comòsa. R.s.	tufted.	Greece.	1828.	——	H.⊙.	
7	squarròsa. w.	rough-spiked.	Levant.	1794.	6. 7.	H. ♃.	Schreb. gram. 2. t. 27. f. 2.
	Tríticum squarròsum. R.s.						
8	Hy'strix. N.	hedgehog.	Missouri.	1819.	7. 8.	H. ♃.	
E'LYMUS. R.S.		LYME-GRASS.	Triandria Digynia.	L.			
1	arenàrius. E.B.	sand.	Britain.	....	4. 6.	H. ♃.	Eng. bot. v. 24. t. 1672.
2	geniculàtus. E.B.	pendulous.	England.	....	7.	H. ♃.	——— v. 23. t. 1586.
3	Delileànus. R.s.	Delile's.	Egypt.	1827.	——	H.⊙.	Delil. egypt. t. 13. f. 1.
4	sabulòsus. R.s.	glaucous.	Siberia.	1806.	6. 7.	H. ♃.	
5	gigánteus. R.s.	gigantic.	N. America.	1790.	7. 8.	H. ♃.	
6	mexicànus. R.s.	Mexican.	Mexico.	1823.	6. 8.	H. ♃.	Jacq. ecl. gr. t. 19.
7	sibíricus. R.s.	Siberian.	Siberia.	1758.	6. 7.	H. ♃.	Schreb. gram. 1. t. 21. f. 1.
8	móllis. R.s.	soft.	Kamtschatka.	1829.	——	H. ♃.	
9	racemòsus. R.s.	racemed.	.....	1816.	——	H. ♃.	
10	téner. R.s.	tender.	Siberia.	1801.	——	H. ♃.	
11	philadélphicus. R.s. ..	Philadelphian.	N. America.	1790.	7. 8.	H. ♃.	
12	canadénsis. R.s.	Canadian.	———	1699.	——	H. ♃.	Moris. s. 8. t. 2. f. 10.
13	glaucifòlius. R.s.	glaucous.	———	1816.	——	H. ♃.	
14	villòsus. R.s.	villous.	———	1802.	6. 7.	H. ♃.	
15	virgínicus. R.s.	Virginian.	———	1781.	——	H. ♃.	
16	striàtus. R.s.	striated.	———	1790.	——	H. ♃.	
	β minor. R.s.	*lesser.*	———	....	——	H. ♃.	
17	europ'æus. R.s.	European.	England.	....	——	H. ♃.	Eng. bot. v. 19. t. 1317.
18	crinítus. R.s.	long-awned.	Smyrna.	1806.	7. 8.	H.⊙.	Host. gram. 1. t. 27.
19	intermèdius. R.s.	intermediate.	Iberia.	1819.	7. 9.	H.⊙.	Buxb. cent. 1. t. 52.
20	altàicus. F.	Altaic.	Altay.	1829.	——	H. ♃.	
21	pauciflorus. R.s.	few-flowered.	.....	1824.	——	H.⊙.	
22	Càput Medùsæ. R.s. ..	Portuguese.	Portugal.	1784.	——	H.⊙.	Schreb. gram. 2. t. 24. f. 2.
23	júnceus. R.s.	rushy.	Siberia.	1823.	7. 8.	H. ♃.	

24	hordeiformis. R.S.	.... Barley-like.	.....	1816.	7. 8.	H.⊙.	
25	Hy'strix. R.S.	.... rough.	Levant.	1770.	——	H.⊙.	Jacq. ic. 2. t. 305.
	Asprélla Hy'strix. W.en.						
26	pseùdo-hy'strix. R.S.	.. rough American.	N. America.	1818.	——	H.⊙.	
ENNEAP'OGON. R.S.			Enneap'ogon. Triandria Digynia. R.S.				
1	nígricans. R.S.	.... blackish.	N. S. W.	1822.	7. 8.	F.4.	
2	pállidus. R.S.	.... pale.	———	1824.	——	F.4.	
	Pappóphorum pállidum. B.P.						
3	phleoídes. R.S.	.... Phleum-like.	S. America.	1822.	——	F.4.	
PAPPO'PHORUM. B.P.			Pappo'phorum. Triandria Digynia. R.S.				
1	alopecuroídeum. R.S.	.. Foxtail-like.	S. America.	1825.	6. 8.	S.4.	
2	laguroídeum. R.S.	.. Harestail-like.	W. Indies.	1826.	——	S.4.	
ECHIN'ARIA. R.S.			Echin'aria. Triandria Digynia. R.S.				
	capitàta. R.S.	.... headed.	S. Europe.	1771.	5. 8.	H.⊙.	Flor. græc. 1. t. 100.
	Cénchrus capitàtus. F.G. *Séseleria echindta.* Host. gram. 3. t. 8.						
SESL'ERIA. R.S.			Sesl'eria. Triandria Digynia. R.S.				
1	elongàta. R.S.	.... long-spiked.	Austria.	1805.	6. 7.	H.4.	Host. gram. 2. t. 97.
2	cylíndrica. R.S.	.... cylindrical.	S. Europe.	1818.	——	H.4.	Sav. Ust. ann. 1800. ic.
3	tenuifólia. R.S.	.... slender-leaved.	———	——	4. 6.	H.4.	Host. gram. 4. t. 22.
4	cœrùlea. R.S.	.... blue.	Britain.	....	4. 5.	H.4.	Eng. bot. v. 23. t. 1613.
5	álbicans. R.S.	.... whitish.	Carpathian Mt	1826.	——	H.4.	
6	nítida. R.S.	.... glossy.	Italy.	1825.	5. 6.	H.4.	
7	tenélla. R.S.	.... weak.	Switzerland.	1810.	——	H.4.	Host. gram. 2. t. 100.
8	sphærocéphala. R.S.	.. round-headed.	———	——	——	H.4.	——— 2. t. 99.
9	dísticha. R.S.	.... distichous.	———	1824.	——	H.4.	——— 2. t. 76.
	Pòa disticha. Host.						
TRI'ODIA. B.P.			Tri'odia. Triandria Digynia. R.S.				
	decúmbens. R.S.	.... decumbent.	Britain.	....	7. 8.	H.4.	Eng. bot. v. 11. t. 792.
	Pòa decúmbens. E.B. *Festùca decúmbens.* W. *Danthònia decúmbens.* DC.						
TR'IDENS. R.S.			Redtop-grass. Triandria Digynia. R.S.				
	quinquéfida. R.S.	.... five-cleft.	N. America.	1816.	7. 8.	H.4.	Jacq. ecl. gr. 2. t. 16.
	Tridòia cupr'æa. Jacq. *Windsòria poæfórmis.* N. *Pòa quinquéfida.* Ph.						
DANTH'ONIA. DC.			Danth'onia. Triandria Digynia. R.S.				
1	longifólia. B.P.	.... long-leaved.	N. S. W.	1823.	7. 8.	F.4.	
2	semiannulàris. B.P.	.. semiannular.	N. Holland.	1822.	——	F.4.	Labill. n. holl. 1. t. 33.
	Aríndo semiannulàris. Lab.						
3	pilòsa. B.P.	.... hairy.	N. S. W.	1823.	——	F.4.	
4	provincialis. R.S.	.... Provence.	S. Europe.	1818.	6. 7.	H.4.	Vill. delph. 2. t. 2. f. 9.
5	spicàta. R.S.	.... spiked.	N. America.	1823.	——	H.4.	
6	strigòsa. R.S.	.... bristle-pointed.	Britain.	....	——	H.4.	Eng. bot. v. 18. t. 1266.
	Avèna strigòsa. E.B.						
7	macrántha. R.S.	.... large-flowered.	C. B. S.	1816.	——	H.⊙.	
8	curvifólia. R.S.	.... curve-leaved.	———	——	——	G.4.	
9	calycina. R.S.	.... glossy-calyxed.	———	1822.	——	G.4.	
KŒL'ERIA. R.S.			Kœl'eria. Triandria Digynia. R.S.				
1	cristàta. R.S.	.... crested.	Europe.	....	6. 8.	H.4.	Host. gram. 2. t. 75.
	β *glàbra.* R.S.	*smooth.*	Britain.	....	7. 8.	H.4.	Eng. bot. v. 9. t. 648.
	Aira cristàta. E.B. *Pòa cristàta.* W.						
2	grandiflòra. R.S.	.... great-flowered.	S. Europe.	1824.	6. 8.	H.4.	
3	glaùca. DC.	.... glaucous.	Germany.	1816.	——	H.4.	
4	pensylvánica. DC.	.... Pensylvanian.	N. America.	1818.	——	H.4.	Spr. mem. p 2. 1810. t. 7.
5	nítida. R.S.	.... glossy.	———	1828.	——	H.4.	
6	macrántha. R.S.	.... large-flowered.	Russia.	1824.	——	H.4.	
7	albéscens. R.S.	.... whitish.	S. France.	1829.	——	H.4.	
8	valesiaca. R.S.	.... Swiss.	Switzerland.	1824.	——	H.4.	
9	setàcea. R.S.	.... bristly.	S. Europe.	1825.	——	H.4.	
10	tuberòsa. P.S.	.... tuberous.	———	1802.	7. 8.	H.4.	Lam. ill. t. 45. f. 4.
11	hirsùta. R.S.	.... hairy.	Switzerland.	1824.	——	H.4.	
12	villòsa. R.S.	.... villous.	S. Europe.	1800.	6. 7.	H.4.	
	Aira pubéscens. W. *Phálaris pubéscens.* Lam.						
13	phleoídes. R.S.	.... cat's-tail.	Portugal.	1802.	7. 8.	H.⊙.	Desf. atl. 1. t. 23.
14	híspida. R.S.	.... hispid.	S. Europe.	1819.	6. 7.	H.⊙.	Savi fl. pis. t. 1. f. 5.
15	brachystàchya. R.S.	.. short-spiked.	.....	——	——	H.⊙.	
16	parviflòra. L.en.	.... small-flowered.	S. Europe.	——	——	H.⊙.	Desf. atl. 1. t. 32.
	Avèna parviflòra. Desf. *Trisètum parviflòrum.* R.S.						
17	ægyptiaca. Lk.	.... Egyptian.	Egypt.	1826.	——	H.⊙.	
18	láxa. Th.	.... loose-flowered.	———	1829.	——	H.⊙.	
AV'ENA. R.S.			Oat-grass. Triandria Digynia. L.				
1	pr'æcox. R.S.	.... early-flowering.	Britain.	....	5. 6.	H.⊙.	Eng. bot. v. 18. t. 1296.
	Aira pr'æcox. E.B.						

2	brèvis. R.s.	.... short.	Germany.	1804.	5. 6.	H.⊙.	Host. gram. 3. t. 42.
3	álba. R.s.	.... white.	France.	....	6. 7.	H.⊙.	
4	satìva. R.s.	.... common.	S. America.	....	——	H.⊙.	Host. gram. 2. t. 59.
	a melanospérma.	.... *black Oat.*	———	....	——	H.⊙.	
	β leucospérma.	.... *white Oat.*	———	....	——	H.⊙.	
5	orientàlis. R.s.	.... Tartarian.	Levant.	1798.	——	H.⊙.	Host. gram. 3. t. 44.
6	nùda. R.s.	.... naked.	.....	....	——	H.⊙.	——— 3. t. 43.
7	fátua. R.s.	.... wild.	Britain.	....	8.	H.⊙.	Eng. bot. v. 31. t. 2221.
8	hirsùta. R.s.	.... hairy.	S. Europe.	——	6. 8.	H.⊙.	
9	stérilis. R.s.	.... bearded.	———	1640.	7. 8.	H.⊙.	Jacq. ic. 1. t. 23.
10	sempervirens. R.s.	.. evergreen.	Pyrenees.	1816.	6. 7.	H.ɥ.	Host. gram. 3. t. 41.
11	fállax. R.s.	.... fallacious.	S. Europe.	1824.	——	H.ɥ.	
12	pállens. R.s.	.... pale.	Portugal.	——	——	H.ɥ.	
13	praténsis. R.s.	.... narrow-leaved.	Britain.	....	——	H.ɥ.	Eng. bot. v. 17. t. 1204.
14	cantábrica. R.s.	.... evergreen.	.....	1825.	——	H.ɥ.	
15	bromoides. R.s.	.... Bromus-like.	S. Europe.	....	——	H.ɥ.	
16	planicúlmis. R.s.	.... flat-stalked.	Hungary.	1822.	——	H.ɥ.	Schrad. fl. ger. 1. t. 6. f. 2.
	latifólia. Host. gram. 4. t. 32.						
17	versicolor. R.s.	.... various-colored.	Europe.	1816.	6. 8.	H.ɥ.	Host. gram. 2. t. 52.
GAUD'INIA. R.S.		.... GAUD'INIA.	Triandria Digynia. R.S.				
	frágilis. R.s.	.... brittle.	S. Europe.	1770.	7. 8.	H.⊙.	Host. gram. 2. t. 54.
	Avèna frágilis. Host.						
TRIS'ETUM. R.S.		TRISE'TUM.	Triandria Digynia. R.S.				
1	ténue. R.s.	.... slender.	Europe.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 55.
	striàtum. P.s. *Avèna ténuis.* Host.						
2	pensylvánicum. R.s.	.. Pensylvanian.	N. America.	1785.	6. 7.	H.⊙.	
3	micránthum. R.s.	.... small-flowered.	S. Europe.	1823.	——	H.⊙.	
4	negléctum. R.s.	.... neglected.	———	——	——	H.⊙.	Savi fl. pis. 1. t. 1. f. 4.
5	alopecùrus. R.s.	.... Foxtail.	.....	1816.	——	H.⊙.	
6	Loeflingiànum. R.s.	.. Loefling's.	S. Europe.	1770.	——	H.⊙.	W. beri. mag. 2. t. 8. f. 2.
7	condensàtum. R.s.	.... close-flowered.	Sicily.	1824.	——	H.⊙.	
8	pilòsum. R.s.	.... hairy.	Iberia.	——	——	H.⊙.	
9	pubéscens. R.s.	.... pubescent.	Britain.	....	7. 8.	H.ɥ.	Eng. bot. v. 23. t. 1640.
	Avèna pubéscens. E.B.						
10	rígidum. R.s.	.... rigid.	Caucasus.	1825.	——	H.ɥ.	
11	alpinum. R.s.	.... Alpine.	Scotland.	....	7.	H.ɥ.	Eng. bot. v. 30. t. 2141.
	Avèna planicúlmis. E.B. *non* Schrad.						
12	carpáthicum. R.s.	.... Carpathian.	Carp. mount.	1818.	7. 8.	H.ɥ.	Host. gram. 4. t. 31.
13	flavéscens. R.s.	.... golden.	Britain.	....	6. 7.	H.ɥ.	Eng. bot. v. 14. t. 962.
	praténse. P.s. *Avèna flavéscens.* E.B.						
14	alpéstre. R.s.	.... mountain.	S. Europe.	1816.	——	H.ɥ.	Host. gram. 3. t. 39.
15	brevifólium. R.s.	.... short-leaved.	———	——	——	H.ɥ.	——— 3. t. 40.
16	argénteum. R.s.	.... silvery.	Switzerland.	1791.	——	H.ɥ.	——— 2. t. 53.
17	distichophy'llum.	.... fan-leaved.	———	1796.	——	H.ɥ.	Vill. delph. 2. t. 4. f. 4.
18	airoides. R.s.	.... Aira-like.	———	1800.	——	H.ɥ.	Flor. dan. t. 228.
	Avèna airoides. DC. *Aira subspicàta.* W.						
19	glabràtum. R.s.	.... smooth.	Portugal.	1818.	7. 8.	H.⊙.	
CENTOTH'ECA. R.S.		CENTOTH'ECA.	Triandria Digynia. R.S.				
	lappàcea. R.s.	.... Bur.	India.	1773.	7.	S.⊙.	Pal. de Beau. ag. t. 14. f. 7.
	Cénchrus lappàceus. L.						
CABRE'RA. LG.		CABRE'RA.	Triandria Digynia.				
	chrysoblépharis. LG.	golden-spiked.	S. America.	1822.	6. 7.	S.ɥ.	
P'OA. R.S.		MEADOW-GRASS.	Triandria Digynia. L.				
1	praténsis. R.s.	.... smooth-stalked.	Britain.	....	5. 6.	H.ɥ.	Eng. bot. v. 15. t. 1073.
2	angustifòlia. DC.	.... narrow-leaved.	———	....	5.	H.ɥ.	Sinc. gra. wob. p. 184. ic.
3	hùmilis. R.s.	.... short-blueish.	———	....	5. 6.	H.ɥ.	Eng. bot. v. 14. t. 1004.
	subcærùlea. E.B.						
4	víridis. R.s.	.... green.	N. America.	1812.	——	H.ɥ.	
5	hy'brida. R.s.	.... hybrid.	Switzerland.	1824.	——	H.ɥ.	
6	Torreyàna. R.s.	.... Torrey's.	N. America.	1825.	——	H.ɥ.	
7	trivialis. E.B.	.... common.	Britain.	....	6. 8.	H.ɥ.	Eng. bot. v. 15. t. 1072.
8	Gmelìni. R.s.	.... Gmelin's.	Germany.	1825.	——	H.ɥ.	
9	ánnua. E.B.	.... annual.	———	....	1. 12.	H.⊙.	Eng. bot. v. 16. t. 1141.
10	cæspitòsa. R.s.	.... tufted.	N. Zealand.	1822.	6. 8.	H.ɥ.	
11	grácilis. R.s.	.... slender.	Siberia.	1818.	——	H.ɥ.	
12	bulbòsa. R.s.	.... bulbous.	England.	....	5. 6.	H.ɥ.	Eng. bot. v. 15. t. 1071.
13	láxa. R.s.	.... loose.	Scotland.	....	7.	H.ɥ.	Host. gram. 3. t. 15.
	flexuòsa. Eng. bot. v. 16. t. 1123.						
14	distichophy'lla. R.s.	.. fan-leaved.	Switzerland.	1829.	——	H.ɥ.	Host. gram. 4. t. 26.

15	árctica. R.S.	.... arctic.	Melville Isl.	1827.	7.	H.4.	
16	angustàta. R.S.	.... narrow.	———	——	——	H.4.	
17	abbreviàta. R.S.	.... shortened.	———	——	——	H.4.	
18	Hallèri. R.S.	.... Haller's.	Switzerland.	——	——	H.4.	
	pállens. Hall.						
19	cenísia. R.S.	.... soft.	Mt. Cenis.	1791.	7. 8.	H.4.	Host. gram. 3. t. 16.
20	alpìna. R.S.	.... Alpine.	Scotland.	....	6. 7.	H.4.	Eng. bot. v. 14. t. 1003.
21	collìna. R.S.	.... hill.	Europe.	1800.	——	H.4.	Host. gram. 2. t. 66.
22	concínna. R.S.	.... neat.	Switzerland.	1815.	——	H.4.	
23	Molinèri. R.S.	.... Molineri's.	———	1816.	——	H.4.	Balb. misc. t. 5. f. 1.
24	badénsis. W.	.... Baden.	Baden.	1826.	——	H.4.	
25	brevifòlia. DC.	.... short-leaved.	France.	1822.	——	H.4.	
26	supìna. R.S.	.... trailing.	Switzerland.	——	——	H.4.	Host. gram. 4. t. 27.
27	miliàcea. R.S.	.... Millet like.	Hungary.	1824.	——	H.4.	
28	nemoràlis. R.S.	.... wood.	———	....	6.	H.4.	Eng. bot. v. 18. t. 1265.
	β angustifòlia. H.G.W.	*narrow-leaved.*	———	....	——	H.4.	Sinc. gr. wob. p. 182. ic.
29	Gaudìni. R.S.	.... Gaudin's.	Switzerland.	1820.	——	H.4.	
	áspera. Gaud. *non* Spreng.						
30	versícolor. R.S.	.... various-color'd.	Tauria.	1825.	6. 7.	H.4.	
31	coarctàta. L.en.	.... crowded.	Europe.	....	——	H.4.	
32	glaùca. E.B.	.... glaucous.	Britain.	....	——	H.4.	Eng. bot. v. 24. t. 1720.
33	c'æsia. E.B.	.... sea-green.	Scotland.	....	——	H.4.	——— v. 24. t. 1719.
34	brachyphy'lla. R.S.	.. short-leaved.	N. America.	1816.	——	H.4.	
35	depauperàta. R.S.	.. few-flowered.	Hungary.	——	——	H.4.	
36	stérilis. R.S.	.. barren-ground.	Tauria.	1824.	——	H.4.	
37	nervàta. R.S.	.... nerved.	N. America.	1812.	——	H.4.	Sinc. gr. wob. p. 190. ic.
38	imbecílla. R.S.	.... weak.	N. Zealand.	1822.	7. 8.	H.4.	
39	ánceps. R.S.	.... flat-edged.	———	——	——	H.4.	
40	flàva. R.S.	.... yellow.	N. America.	——	——	H.4.	
41	hirsùta. R.S.	.... hairy.	———	——	——	H.4.	
42	índica. R.S.	.... Indian.	E. Indies.	——	——	S.4.	
43	Poirètii. R.S.	.... Poiret's.	.....	1816.	6. 8.	H.⊙.	
44	serotìna. R.S.	.... late-flowering.	Germany.	1800.	7. 9.	H.4.	
45	effùsa. R.S.	.... spreading.	Hungary.	1823.	6. 8.	H.4.	
46	sudética. R.S.	.... broad-leaved.	Germany.	1802.	7. 8.	H.4.	Vill. delph. 2. t. 8.
47	áspera. S.S.	.... rough-branch'd.	E. Indies.	1829.	——	S.4.	
48	víridis. Ph.	.... green.	N. America.	1812.	——	H.4.	
49	crocàta. M.	.... saffron.	———	1818.	——	H.4.	
50	commutàta. R.S.	.... changed.	Spain.	1822.	——	H.4.	
51	contrácta. R.S.	.... contracted.	E. Indies.	1823.	——	S.4.	
52	amboinénsis. R.S.	.... Amboyna.	———	1800.	6. 7.	S.4.	Rumph. amb. 6. t. 7. f. 3.
53	chinénsis. R.S.	.... China.	China.	——	——	H.⊙.	
54	austràlis. B.P.	.... southern.	N. S. W.	1822.	——	H.4.	Lab. nov. hol. 1. t. 35.
	Arúndo poæfórmis. Lab.						
55	plebèia. B.P.	.... plebeian.	———	——	——	H.4.	
56	comprèssa. E.B.	.... compressed.	Britain.	....	6. 8.	H.4.	Eng. bot. v. 6. t. 365.
57	complanàta. R.S.	.... flattened.	Sicily.	1827.	——	H.4.	
58	festucæfórmis. R.S.	.. Fescue-like.	Dalmatia.	1800.	7. 9.	H.4.	Host. gram. 3. t. 17.
59	convolùta. R.S.	.... convolute.	.....	1819.	——	H.4.	
60	atrovìrens. R.S.	.... dark green.	Barbary.	1825.	——	H.4.	Desf. atl. 1. t. 17.
61	scariòsa. R.S.	.... scariose.	Spain.	1826.	——	H.4.	
62	coromandelìana. R.S.	.. Coromandel.	E. Indies.	1824.	——	S.4.	
63	bromoídes. R.S.	.... Bromus-like.	.....	——	——	G.4.	
64	Uniòlæ. R.S.	.... Uniola-like.	C. B. S.	1826.	——	G.4.	
65	peruviàna. R.S.	.... Peruvian.	Peru.	1802.	7. 8.	H.⊙.	Jacq. ic. 1. t. 18.
66	papillòsa. R.S.	.... papillose.	C. B. S.	1816.	——	H.⊙.	
67	digitàta. B.P.	.... fingered.	N. S. W.	1800.	——	H.⊙.	
68	nùtans. R.S.	.... nodding.	E. Indies.	1820.	——	S.♂.	
69	pállens. R.S.	.... pale.	BuenosAyres.	1824.	——	H.4.	
70	diándra. F.I.	.... diandrous.	E. Indies.	1820.	——	S.⊙.	
71	unioloídes. M.S.	.... Uniola-like.	———	1824.	——	S.4.	
72	pellùcida. R.S.	.... pellucid.	N. Holland.	1829.	——	G.4.	
73	semineùtra. Tr.	.... Hairgrass-like.	Hungary.	1818.	——	H.4.	

SCLEROCHL'OA. R.S. SCLEROCHL'OA. Triandria Digynia. R.S.

1	divaricàta. R.S.	.... spreading.	S. Europe.	1802.	7. 8.	H.⊙.	Gouan. ill. 4. t. 2. f. 1.
2	procúmbens. R.S.	.... procumbent.	Britain.	....	——	H.⊙.	Eng. bot. v. 8. t. 532.
	Pòa procúmbens. E.B.	*Glycèria procúmbens.* E.F.					
3	dùra. R.S.	.... rigid.	S. Europe.	1776.	7. 8.	H.⊙.	Host. gram. 2. t. 78.
	Pòa dùra. Host. *Cynosùrus dùrus.* L.						

4	rígida. L.en.	....	hard.	England.	....	6. 7.	H.⊙.	Eng. bot. v. 20. t. 1371.
	Pòa rígida. E.B. *Glycèria rígida.* E.F. *Megastàchya rígida.* R.S.							
5	articulàta. L.en.	....	jointed.	Barbary.	1816.	——	H.⊙.	Desf. atl. 1. t. 22.
6	marítima.	....	sea-side.	Europe.	....	——	H.⊙.	Cyrill.neap.fasc.2.t.2.
	dichótoma. L.en. *Tríticum marítimum.* L. *Festùca marítima.* DC.							
HYDROCHL'OA. Har. HYDROCHL'OA. Triandria Digynia.								
1	dístans. Har.	....	distant.	Britain.	....	7.	H.w.♃.	Eng. bot. v. 14. t. 986.
	Pòa dístans. E.B. *Glycèria dístans.* E.F.							
2	aquática. Har.	....	water.	————	....	——	H.w.♃.	Eng. bot. v. 19. t. 1315.
	Pòa aquática. E.B. *Glycèria aquática.* E.F.							
3	arundinàcea.	....	Reed-like.	Caucasus.	1825.	——	H.w.♃.	
	Pòa arundinàcea. M.B.							
4	marítima. Har.	....	sea-side.	Britain.	....	——	H.w.♃.	Eng. bot. v. 16. t. 1149.
	Pòa marítima. E.B. *Glycèria marítima.* E.F.							
GLYC'ERIA. B.P.			SWEET-GRASS.	Triandria Digynia. R.S.				
	flùitans. B.P.	....	floating.	Britain.	....	5. 8.	H.♃.	Eng. bot. v. 22. t. 1529.
	Pòa flùitans. E.B. *Festùca flùitans.* W.							
ERAGRO'STIS. R.S.			ERAGRO'STIS.	Triandria Digynia. R.S.				
1	poæoídes. R.S.	....	Poa-like.	Italy.	1699.	7.	H.⊙.	Flor. græc. t. 73.
	Pòa Eragróstis. F.G.							
2	tephrosánthos. R.S.	..	Martinica.	Martinica.	1824.	7. 9.	S.⊙.	
3	pilòsa. R.S.	....	hairy.	Italy.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 68.
4	verticillàta. R.S.	....	whorled.	S. Europe.	1816.	——	H.⊙.	Cavan. ic. 1. t. 93.
5	punctàta. R.S.	....	spotted.	E. Indies.	——	——	S.⊙.	
6	ægyptíaca. R.S.	....	Egyptian.	Egypt.	1812.	——	H.⊙.	Descr. de l'Egyp. t. 18.
7	purpuráscens. R.S.	..	purplish.	.....	1822.	——	H.⊙.	
8	despíciens. R.S.	....	doubtful.	.....	——	——	H.⊙.	
9	tenélla. R.S.	....	slender.	E. Indies.	1781.	——	S.⊙.	Rheed. mal. 12. t. 41.
10	cynosuroídes. R.S.	....	Dogstail.	Egypt.	1824.	——	H.⊙.	Descr. de l'Egyp. t. 10.
	Pòa cynosuroídes. W.							
11	capillàris. L.en.	....	hair-panicled.	N. America.	1781.	10. 11.	H.⊙.	Moris. s. 8. t. 6. f. 33.
	Pòa capillàris. R.S.							
12	mexicàna. L.en.	....	Mexican.	Mexico.	1816.	9. 10.	H.⊙.	
13	abyssínica. L.en.	....	Abyssinian.	Abyssinia.	1824.	——	H.⊙.	Jacq. icon. 1. t. 17.
14	plumòsa. R.S.	....	feathered.	E. Indies.	1826.	——	S.⊙.	Rheed. mal. 12. t. 41.
MEGAST'ACHYA. R.S.			MEGAST'ACHYA.	Triandria Digynia. R.S.				
1	Eragróstis. R.S.	....	Love-grass.	S. Europe.	1776.	7. 8.	H.⊙.	Schreb. gram. t. 38.
	Pòa megastàchya. P.S. *Brìza Eragróstis.* W. *Eragróstis major.* Host. gram. 4. t. 24.							
2	nígricans. R.S.	....	blackish.	S. America.	1823.	——	S.♃.	
3	amábilis. R.S.	.....	purple.	E. Indies.	1802.	——	S.⊙.	L. pfl. syst. 12. t. 91. f. 2.
	Pòa amábilis. L.							
4	spectábilis. R.S.	....	showy.	N. America.	1816.	——	H.⊙.	
5	pulchélla. R.S.	....	pretty.	Tauria.	1825.	——	H.⊙.	
6	elongàta. R.S.	....	long-panicled.	E. Indies.	1812.	——	S.♃.	Jacq. ecl. gr. t. 3.
7	ciliàris. R.S.	....	ciliated.	Jamaica.	1776.	——	S.⊙.	Jacq. ic. 2. t. 304.
8	rupéstris. R.S.	....	rock.	E. Indies.	1823.	——	S.⊙.	
9	Boryàna. R.S.	....	Bory's.	Mauritius.	1822.	——	S.⊙.	
10	ripària. R.S.	....	crowded.	E. Indies.	1824.	——	S.⊙.	
11	mucronàta. R.S.	....	mucronated.	Africa.	1822.	7. 9.	S.♃.	Beauv. fl. ow. 1. t. 4.
12	polymórpha. R.S.	....	variable.	Tropics.	1826.	——	S.♃.	
DA'CTYLIS. R.S.			COCK'S-FOOT-GRASS.	Triandria Digynia. L.				
1	glomeràta. R.S.	....	rough.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 5. t. 335.
2	glaucéscens. R.S.	....	glaucescent.	Europe.	1816.	——	H.♃.	
3	hispánica. R.S.	....	Spanish.	Spain.	1814.	——	H.♃.	
4	glàuca. R.S.	....	glaucous.	.....	1823.	——	H.♃.	
5	capitàta. R.S.	....	headed.	Sardinia.	1824.	——	H.♃.	
6	altàica. R.S.	....	Altaic.	Altay.	1826.	——	H.♃.	
7	marítima. R.S.	....	sea-side.	Caucasus.	1823.	——	H.♃.	Schrad.fl.ger.1.t.6.f.1.
8	littoràlis. R.S.	....	shore.	S. Europe.	1816.	——	H.♃.	Lam. ill. t. 45. f. 5.
9	rèpens. R.S.	....	creeping.	————	1824.	——	H.♃.	Desf. atl. 1. t. 15.
10	adscéndens. R.S.	....	ascending.	C. B. S.	1823.	——	G.♃.	
11	lagopodioídes. R.S.	..	harefoot.	E. Indies.	1826.	——	S.♃.	Burm. ind. t. 12. f. 2.
12	brevifòlia. M.S.	....	short-leaved.	————	——	——	S.♃.	
13	cynosuroídes. R.S.	....	Dog's-tailed.	————	1823.	——	S.♃.	
14	aristàta. E.	....	awned.	Egypt.	1826.	——	H.⊙.	
BR'IZA. R.S.		....	QUAKING-GRASS.	Triandria Digynia. R.S.				
1	minor. R.S.	....	small.	England.	....	7.	H.♃.	Eng. bot. v. 19. t. 1316.
2	vìrens. R.S.	....	green.	S. Europe.	1800.	7. 8.	H.⊙.	Hayn.term. bot.t.25.f.6
3	mèdia. E.B.	....	common.	Britain.	....	5. 6.	H.♃.	Eng. bot. v. 5. t. 340.

4 Clùsii. R.S.	....	Clusius's.	S. Europe.	1823.	5. 6.	H.♃.	Fouc. j. bot. 3. t. 24. f. 2.
5 geniculàta. R.S.	....	jointed.	C. B. S.	1816.	7. 8.	H.⊙.	
6 elàtior. R.S.	....	tall.	Greece.	1788.	——	H.♃.	Flor. græc. 1. t. 75.
7 máxima. R.S.	....	great-spiked.	S. Europe.	1633.	6. 7.	H.⊙.	——— 1. t. 76.
8 hùmilis. R.S.	....	dwarf.	Tauria.	1818.	——	H.⊙.	Scheuch. agr. 4. t. 4. f. 10.
9 rùbra. R.S.	....	red.	S. Europe.	——	——	H.⊙.	
CYNOSU'RUS. R.S.		Dogstail-grass.	Triandria Digynia. L.				
cristàtus. E.B.	....	crested.	Britain.	....	8.	H.♃.	Eng. bot. v. 5. t. 316.
UNI'OLA. R.S.	....	Seaside Oat.	Triandria Digynia. L.				
1 paniculàta. R.S.	....	panicled.	N. America.	1793.	6. 7.	H.♃.	Catesb. car. 1. t. 32.
2 latifòlia. R.S.	....	broad-leaved.	———	1809.	——	H.♃.	
3 spicàta. R.S.	....	spiked.	———	1790.	7.	H.♃.	
4 distichophy'lla. R.S.	..	two-ranked.	———	1789.	6. 7.	H.♃.	
Festùca distichophy'lla. Ph.							
CERATOCHL'OA. R.S.		Ceratochl'oa.	Triandria Digynia. R.S.				
unioloides. R.S.	....	Uniola-like.	N. America.	1796.	6. 7.	H.♃.	Willd. h. ber. t. 3.
Festùca unioloides. W.							
GRAPHE'PHORUM. R.S.		Graphe'phorum.	Triandria Digynia.				
melicoides. R.S.	....	Melic-like.	N. America.	1824.	6. 8.	H.♃.	
A'ira melicoides. M.							
LEPTOCHL'OA. R.S.		Leptochl'oa.	Triandria Digynia. R.S.				
1 cynosuroides. R.S.	....	filiform.	E. Indies.	1818.	8. 9.	H.⊙.	
2 pròcera. R.S.	....	tall.	Brazil.	1823.	——	S.♃.	
3 filifórmis. R.S.	....	slender.	S. America.	1818.	——	H.⊙.	Jacq. ecl. gram. t. 4.
4 virgàta. R.S.	....	fine-spiked.	———	1727.	7. 9.	H.⊙.	Sloan. jam. 1. t. 70. f. 2.
5 tenérrima. R.S.	..	slenderest.	China.	1820.	——	H.⊙.	
6 domingénsis. L.en.	..	close-spiked.	W. Indies.	——	6. 8.	S.♃.	
ELEUSI'NE. R.S.		Eleusine.	Triandria Digynia. R.S.				
1 coracàna. R.S.	....	thick-spiked.	E. Indies.	1714.	7. 9.	H.⊙.	Schreb. gram. 2. t. 35.
2 stricta. R.S.	....	upright.	———	1822.	——	H.⊙.	
3 índica. R.S.	....	Indian.	India.	1714.	——	H.⊙.	Rheed. mal. 12. t. 69.
4 rígida. R.S.	....	rigid.	Monte Video.	1826.	——	H.⊙.	
5 verticillàta. R.S.	....	whorled.	E. Indies.	1823.	——	H.⊙.	
6 calycìna. R.S.	....	calycine.	———	——	——	H.⊙.	
7 cerealis. E.	....	Rye-like.	Egypt.	1827.	——	H.⊙.	
8 ovàlis. E.	....	oval-spiked.	———	——	——	H.⊙.	
9 tristàchya. E.	....	three-spiked.	———	——	——	H.⊙.	
DACTYLOCT'ENIUM.		Dactyloct'enium.	Triandria Digynia. R.S.				
ægyptiacum. R.S.	....	Egyptian.	Egypt.	1770.	7. 9.	H.⊙.	Moris. s. 8. t. 3. f. 7.
Cynosùrus ægy'ptius. L. *Eleusìne ægyptiaca.* P.S.							
RHABDOCHL'OA. R.S.		Rhabdochl'oa.	Triandria Digynia. R.S.				
1 cruciàta. R.S.	....	cross-spiked.	W. Indies.	1818.	7. 9.	H.⊙.	Sloan. his. 1. t. 69. f. 1.
Chlòris cruciàta. W. *Agróstis cruciàta.* L.							
2 mucronàta. R.S.	....	mucronate.	N. America.	1820.	——	H.⊙.	Lam. ill. t. 48. f. 2.
3 virgàta. R.S.	....	slender.	W. Indies.	——	——	H.⊙.	
4 domingénsis. R.S.	....	West Indian.	———	1820.	——	S.♃.	Jacq. icon. 1. t. 22.
CHONDR'OSIUM. K.S.		Chondr'osium.	Triandria Digynia. R.S.				
1 procùmbens. Desv.	..	procumbent.	Philippines.	1816.	7. 9.	H.⊙.	Jacq. ecl. gr. t. 12.
Antinochlòa procúmbens. R.S. *Atheropògon procúmbens.* Jacq.							
2 ténue. K.S.	.....	slender.	Mexico.	1823.	——	H.♃.	H. et B. n. gen. 1. t. 57.
3 prostràtum.	.....	prostrate.	———	——	——	H.⊙.	
Antinochlòa prostràta. R.S. *Bouteloùa prostràta.* Lag.							
4 hirsùtum.	.....	hairy.	———	——	——	H.⊙.	
CORYCA'RPUS. Zea.		Coryca'rpus.	Diandria Digynia. S.S.				
arundinàceus. S.S.	..	Reed-like.	N. America.	1810.	6. 7.	H.♃.	Mich. amer. 1. t. 16.
Festùca diándra. M. *Diarrhèna americàna.* R.S. *Rœmèria Zèa.* R.S.							
DIPLA'CHNE. R.S.		Dipla'chne.	Triandria Digynia. R.S.				
fasciculàris. R.S.	....	fascicled.	N. America.	1818.	6. 8.	H.⊙.	
Festùca polystàchya. M.							
SCHEDON'ORUS. R.S.		Schedon'orus.	Triandria Digynia. R.S.				
1 praténsis. R.S.	....	meadow.	Britain.	....	6. 7.	H.⊙.	Eng. bot. v. 23. t. 1592.
Festùca praténsis. E.B.							
2 phœnicoides. R.S.	..	creeping-rooted.	Switzerland.	1824.	——	H.♃.	
3 elàtior. R.S.	.....	tall.	Britain.	....	——	H.♃.	Eng. bot. v. 23. t. 1593.
Festùca elàtior. E.B. *et* Sinc. gr. wob. p. 361. ic.							
4 cœrulèscens. R.S.	....	blueish.	Barbary.	1818.	6. 7.	H.♃.	
5 spadíceus. R.S.	....	Gerard's.	Italy.	1775.	4. 6.	H.♃.	Host. gram. 3. t. 20.
6 inérmis. R.S.	.....	naked-spiked.	Hungary.	1816.	6. 7.	H.♃.	——— 1. t. 9.
7 calamàrius. R.S.	....	Reed-like.	Scotland.	....	7. 8.	H.♃.	Eng. bot. v. 14. t. 1005.

8	decíduus.	deciduous.	England.	....	6. 7.	H.ɣ.	Eng. bot. v. 32. t. 2266.
	Festùca decídua. E.B.						
9	exaltàtus. R.S.	high upright.	Sicily.	1827.	——	H.ɣ.	
10	sylváticus. R.S.	wood.	Germany.	1804.	7. 8.	H.ɣ.	Host. gram. 2. t. 78.
11	serotìnus. R.S.	late-flowering.	S. Europe.	1818.	7. 9.	H.ɣ.	——— 2. t. 92.
12	loliàceus. R.S.	spiked.	England.	....	6. 7.	H.ɣ.	Eng. bot. v. 26. t. 1821.
13	Scheuchzèri. R.S.....	Scheuchzer's.	S. Europe.	1822.	——	H.ɣ.	
14	violàceus. R.S.	violet coloured.	Europe.	....	——	H.ɣ.	
15	nùtans. R.S.	nodding.	Hungary.	1823.	——	H.ɣ.	Host. gram. 4. t. 61.
16	nigréscens. R.S.	blackish.	Switzerland.	——	——	H.ɣ.	
17	poæfórmis. R.S.	Poa-like.	———	1818.	——	H.ɣ.	Host. gram. 2. t. 81.
18	pùmilus. R.S.	dwarf.	S. Europe.	——	——	H.ɣ.	——— 2. t. 91.
19	nítidus. R.S.	glossy.	Hungary.	1827.	——	H.ɣ.	
20	tenéllus. R.S.	slender.	N. America.	1804.	7. 8.	H.⊙.	
	Festùca tenélla. Ph. *Brachypòdium festucoídes.* L.en.						
FEST'UCA. R.S.		Fescue-grass.	Triandria Digynia. L.				
1	cynosuroídes. R.S. ..	dogs-tail.	Barbary.	1825.	6. 8.	H.⊙.	Desf. atl. 1. t. 21.
2	Fènas. R.S.	tough.	Spain.	1822.	——	H.ɣ.	
	Pòa tènax. L.en.						
3	ovìna. R.S.	Sheep's.	Britain.	....	6.	H.ɣ.	Eng. bot. v. 9. t. 585.
4	brachyphy'lla. R.S. ..	short-leaved.	Melville Isl.	1827.	——	H.ɣ.	
	brevifòlia. Br. *non* Muhlenberg.						
5	tenuifòlia. L.en.	slender-leaved.	Britain.	....	——	H.ɣ.	
6	c'æsia. E.B.	gray.	England.	....	6. 7.	H.ɣ.	Eng. bot. v. 27. t. 1917.
7	vivìpara. E.B.	viviparous.	Britain.	....	7.	H.ɣ.	——— v. 19. t. 1355.
8	glaùca. R.S.	glaucous.	S. Europe.	....	6. 7.	H.ɣ.	
9	pállens. R.S.	pale.	Germany.	1816.	——	H.ɣ.	Host. gram. 2. t. 88.
10	stricta. Host.	upright.	———	——	——	H.ɣ.	——— 2. t. 86.
11	hirsùta. Host.	hairy.	———	——	——	H.ɣ.	——— 2. t. 85.
12	Hallèri. R.S.	Haller's.	Europe.	1820.	——	H.ɣ.	
13	cúrvula. R.S.	curved.	Switzerland.	——	——	H.ɣ.	
14	alpìna. R.S.	Alpine.	———	——	——	H.ɣ.	
15	amethy'stina. R.S.....	blue.	S. Europe.	1804.	——	H.ɣ.	
16	pícta. R.S.	painted.	Hungary.	1826.	——	H.ɣ.	
17	vària. R.S.	variable.	S. Europe.	1823.	——	H.ɣ.	Host. gram. 2. t. 90.
18	vallèsiaca.	Vallesian.	Vallesia.	——	——	H.ɣ.	
19	pannònica. R.S.	Hungarian.	Hungary.	——	——	H.ɣ.	Host. gram. 4. t. 62.
20	xanthìna. R.S.	yellow.	Switzerland.	1818.	——	H.ɣ.	——— 3. t. 19.
	flavéscens. Host. *non* Bellardi.						
21	flavéscens. DC.	yellowish.	———	——	——	H.ɣ.	
22	duriúscula. E.B.	hard.	Britain.	....	——	H.ɣ.	Eng. bot. v. 7. t. 470.
23	dumetòrum. S.G.W. ..	pubescent.	———	....	——	H.ɣ.	
24	glábra. S.G.W.	smooth.	———	....	6.	H.ɣ.	Sinc. gr. wob. p. 180. ic.
25	hordeifórmis. S.G.W...	Barley-like.	.....	....	——	H.ɣ.	——— p. 159. ic.
26	cámbrica. S.G.W.	Welsh.	Wales.	....	——	H.ɣ.	——— p. 157. ic.
27	heterophy'lla. R.S. ..	various-leaved.	S. Europe.	1812.	6. 7.	H.ɣ.	Host. gram. 3. t. 18.
28	rùbra. E.B.	red creeping.	Britain.	....	7.	H.ɣ.	Eng. bot. v. 29. t. 2056.
29	vaginàta. R.S.	sheathed.	Hungary.	1804.	6. 7.	H.ɣ.	
30	Kitaibeliàna. R.S.....	Kitaibel's.	———	1818.	——	H.ɣ.	
	pubéscens. L.en. *non* Zea.						
31	láxa. R.S.	loose.	Switzerland.	1824.	——	H.ɣ.	Host. gram. 2. t. 80.
32	decólorans. R.S.	discoloured.	———	——	——	H.ɣ.	
	láxa. Gaud. *nec aliorum.*						
33	nùtans. R.S.	nodding.	N. America.	1805.	——	H.ɣ.	
34	rùbens. R.S.	red.	S. Europe.	1776.	——	H.⊙.	Flor. græc. t. 83.
	Bròmus rùbens. F.G.						
35	scábra. R.S.	rough.	C. B. S.	1826.	——	G.ɣ.	
36	bracteàta. DC.	leafy-bracted.	.....	....	——	H.ɣ.	
37	l'ævis. F.	smooth.	Russia.	1806.	7.	H.ɣ.	
38	grandiflòra. Ph.	large-flowered.	N. America.	1812.	6. 7.	H.ɣ.	
39	aspérrima. Ot.	roughest.	.....	1825.	——	H.ɣ.	
40	rupéstris. Ot.	rock.	.....	——	——	H.ɣ.	
MYGAL'URUS. L.en.		Mousetail-grass.	Triandria Digynia. L.en.				
1	bromoídes. L.en.	barren.	Britain.	....	6.	H.⊙.	Eng. bot. v. 20. t. 1411.
2	caudàtus. L.en.	wall.	England.	....	——	H.⊙.	——— v. 20. t. 1412.
	Festùca Myùrus. E.B.						
3	alopecuroídes. L.en...	Fox-tail.	Barbary.	1799.	6. 8.	H.⊙.	Desf. atl. 1. t. 25.
4	ciliàta. Lk.	fringed.	Portugal.	1827.	——	H.⊙.	Host. gram. 4. t. 65.
5	uniglùmis. L.en.	single-husked.	England.	....	——	H.⊙.	Eng. bot. v. 20. t. 1430.

6	delicátulus. L.en.....	delicate.	Spain.	1817.	7. 8.	H.⊙.	
7	geniculàtus. L.en.....	jointed.	S. Europe.	1793.	6. 7.	H.⊙.	
	Brómus geniculàtus. R.S. *Festùca stipoídes.* R.S.						
BRACHYPO'DIUM. R.S.		BRACHYPO'DIUM.	Triandria Digynia. R.S.				
1	pinnàtum. R.S.	spiked heath.	Britain.	....	6. 8.	H.4.	Eng. bot. v. 11. t. 730.
	Brómus pinnàtus. E.B. *Tríticum pinnàtum.* DC. *Festùca pinnàta.* E.F.						
2	rupéstre. R.S.	rock.	S. Europe.	1816.	——	H.4.	Host. gram. 4. t. 17.
3	strigòsum. R.S.	strigose.	Tauria.	1824.	——	H.4.	
4	cæspitòsum. R.S.	tufted.	S. Europe.	——	——	H.4.	Host. gram. 4. t. 18.
5	ramòsum. R.S.	branched.	———	1818.	——	H.4.	Flor. græc. t. 84.
6	phœnicoídes. R.S.....	pointed-leaved.	S. France.	1824.	——	H.4.	
7	obtusifòlium. R.S.....	blunt-leaved.	Spain.	1818.	——	H.4.	
8	Tenoriànum. R.S.....	Tenore's.	Naples.	1824.	——	H.4.	
9	Barrelíeri. R.S.	Barrelier's.	———	1827.	——	H.⊙.	
10	longifòlium. R.S.	long-leaved.	Barbary.	1818.	——	H.4.	
11	sylváticum. R.S.	wood.	Britain.	....	——	H.4.	Eng. bot. v. 11. t. 729.
	Brómus sylváticus. E.B. *Tríticum sylváticum.* DC. *Festùca sylvática.* E.F.						
12	distàchyum. R.S.	two-spiked.	S. Europe.	1772.	——	H.4.	Host. gram. 1. t. 20.
13	megastàchyum. R.S...	long-spiked.	———	1826.	——	H.⊙.	
14	macrostàchyum. R.S..	large-spiked.	———	——	——	H.⊙.	
15	ásperum. R.S.	stiff-leaved.	Spain.	1818.	——	H.⊙.	
16	unioloídes. L.en.	Uniola-like.	Sicily.	1758.	7. 8.	H.⊙.	Jacq. icon. 2. t. 303.
17	brevisètum. R.S.	short-awned.	.....	1825.	——	H.⊙.	
18	frágile. R.S.	brittle.	Europe.	1824.	——	H.4.	
19	Hallèri. R.S.	Haller's.	S. Europe.	1818.	——	H.⊙.	Vivian.fr.fl.it. t.26.f.1.
20	hispánicum. Viv.....	slender-stem'd.	———	——	——	H.⊙.	——— t. 23. f. 2.
	tenuiculum. R.S.						
21	tenuiflòrum. R.S.....	slender-flowered.	———	1823.	——	H.⊙.	Host. gram. 2. t. 26.
22	Nárdus. L.en.	slender.	———	——	——	H.⊙.	
	tenéllum. R.S. *Tríticum Nárdus.* DC.						
23	loliàceum. R.S.	spiked sea.	Britain.	....	6. 7.	H.⊙.	Eng. bot. v. 4. t. 221.
	Tríticum loliàceum. E.B.						
24	Pòa. R.S.	meadow-grass.	France.	1824.	——	H.⊙.	Pluk. phyt. t. 32. f. 7.
25	biunciàle. R.S.	small.	S. Europe.	1818.	6. 8.	H.⊙.	Viv. fl. it. fr. t. 24.
26	unilaterále. R.S.	one-sided.	———	1824.	——	H.⊙.	Bocc. mus. t. 57. f. 2.
27	mexicànum. Bes.....	Mexican.	Mexico.	1816.	7. 9.	H.⊙.	
	Festùca mexicàna. R.S.						
TRICH'ÆTA. R.S.		TRICH'ÆTA.	Triandria Digynia. R.S.				
	ovàta. R.S.	oval-spiked.	Spain.	1824.	6. 8.	H.4.	Cavan. ic. 6. t. 591. f. 2.
	Brómus ovàtus. Cav. *Trisètum ovàtum.* P.S.						
BR'OMUS. R.S.		BROME-GRASS.	Triandria Digynia. R.S.				
1	secalínus. R.S.	smooth Rye.	England.	....	6. 8.	H.⊙.	Eng. bot. v. 17. t. 1171.
2	elongàtus. R.S.	elongated.	Switzerland.	1823.	——	H.⊙.	
3	commutàtus. R.S.....	downy Rye.	Britain.	....	——	H.⊙.	Host. gram. 1. t. 11.
4	velutínus. R.S.	hairy-headed.	———	....	——	H.⊙.	Eng. bot. v. 27. t. 1884.
	multiflòrus. E.B.						
5	Triniànus. R.S.	Trinius's.	Gilan.	1826.	——	H.4.	Trin. m.ac.pet.1813.t.9.
6	móllis. R.S.	soft.	Britain.	....	5. 7.	H.⊙.	Eng. bot. v. 15. t. 1078.
7	confértus. R.S.	close-spiked.	Iberia.	1825.	——	H.⊙.	Jacq. ecl. gr. t. 14.
8	racemòsus. R.S.	smooth.	England.	....	6. 8.	H.⊙.	Eng. bot. v. 15. t. 1079.
9	eréctus. E.B.	upright.	———	....	——	H.4.	——— v. 7. t. 471.
10	Bieberstèinii. R.S. ..	Bieberstein's.	Caucasus.	1825.	——	H.4.	
11	austràlis. E.P.	southern.	N. S. W.	1823.	——	H.⊙.	
12	lanceolàtus. R.S.	spear-leaved.	Canaries.	1798.	——	H.⊙.	Buxb. cent. ap. t. 19.
13	lanuginòsus. R.S.	woolly.	S. Europe.	1824.	——	H.⊙.	
14	variegàtus. R.S.	variegated.	Caucasus.	——	——	H.4.	
15	squarròsus. R.S.	corn.	England.	....	——	H.4.	Eng. bot. v. 27. t. 1885.
16	vestítus. R.S.	clothed.	C. B. S.	1816.	——	G.4.	
17	wolgénsis. R.S.	Wolga.	Caucasus.	——	——	H.⊙.	Jacq. ecl. gr. t. 15.
18	láxus. R.S.	loose.	.....	——	——	H.4.	
19	alopecuroídes. R.S. ..	Fox-tail.	S. Europe.	1799.	——	H.4.	Desf. atl. 1. t. 25.
	contórtus. Desf.						
20	púrgans. R.S.	purging.	Canada.	1793.	——	H.4.	
21	pubéscens. R.S.	pubescent.	N. America.	1816.	——	H.4.	
22	ásper, E.B.	hairy wood.	England.	....	——	H.4.	Eng. bot. v. 17. t. 1172.
23	hirsutíssimus. Cyr. ..	very hairy.	S. Europe.	1822.	——	H.4.	
24	pendulínus. R.S.	pendulous.	New Spain.	1823.	——	H.⊙.	
25	glaùcus. R.S.	glaucous.	Pyrenees.	——	——	H.4.	Lap. fl. pyren. t. 53. bis.
26	altíssimus. R.S.	tallest.	N. America.	1812.	——	H.4.	

27 gigánteus. R.S.	....	gigantic.	Britain.	....	7. 8.	H.♃.	Eng. bot. v. 26. t. 1830.
28 triflòrus.	....	three-flowered.	———	....	——	H.♃.	——— v. 27. t. 1913.
Festùca triflòra. E.B.							
29 montànus. R.S.	....	mountain.	Switzerland.	1827.	——	H.⊙.	
30 longiflòrus. R.S.	....	long-flowered.	.....	1818.	——	H.♃.	
31 stenophy'llus. R.S.	.....	slender-leaved.	.....	1824.	——	H.♃.	
32 angustifòlius. M.B.	.....	narrow-leaved.	Caucasus.	——	——	H.♃.	
33 ciliàtus. R.S.	....	ciliated.	N. America.	1802.	6. 8.	H.♃.	
34 arvénsis. R.S.	....	field.	Britain.	....	7.	H.♃.	Eng. bot. v. 28. t. 1961.
35 stérilis. R.S.	....	barren.	———	....	6. 7.	H.⊙.	——— v. 15. t. 1038.
36 tectòrum. R.S.	....	nodding.	Europe.	1776.	6. 8.	H.♂.	Flor. græc. t. 82.
37 matriténsis. R.S.	....	wall.	Britain.	....	6.	H.⊙.	Eng. bot. v. 14. t. 1005.
diándrus. E.B.							
38 ligústicus. R.S.	....	contracted.	Italy.	1824.	6. 8.	H.⊙.	Barrel. ic. 76. n. 2.
39 rígidus. R.S.	....	rigid.	S. France.	1822.	——	H.⊙.	Host. gram. 1. t. 18.
40 pilòsus. R.S.	....	hairy wall.	S. Europe.	——	——	H.⊙.	
41 jubàtus. R.S.	....	loose panicled.	Italy.	1824.	——	H.⊙.	
42 máximus. R.S.	....	great.	Morocca.	1804.	——	H.⊙.	Desf. atl. 1. t. 26.
43 scopàrius. R.S.	....	broom.	S. Europe.	1824.	——	H.⊙.	Cavan. ic. 1. t. 45. f. 2.
44 hùmilis. R.S.	....	low.	Spain.	——	——	H.⊙.	——— ic. 6. t. 589. f. 2.
45 scabérrimus. R.S.	....	roughest.	Italy.	——	——	H.⊙.	
46 coarctàtus. H.H.	....	close-flowered.	.....	1826.	——	H.♃.	
47 parviflòrus. Df.	....	small-flowered.	.....	1824.	——	H.♃.	
48 tórtilis. Presl.	....	twisted.	Sicily.	1825.	——	H.♃.	
49 cancásicus. F.	....	Caucasean.	Caucasus.	——	——	H.♃.	
ROSTR'ARIA. Tr.		ROSTR'ARIA.	Triandria Digynia.				
pubéscens. Tr.	....	pubescent.	.....	1824.	6. 8.	H.⊙.	
Brómus dactyloides. Roth. *Dáctylis púngens.* Horn.							
PHRAGMITES. Tr.		REED.	Triandria Digynia. R.S.				
commùnis. Tr.		common.	Britain.	...	7. 8.	H.w.♃.	Eng. bot. v. 6. t. 401.
Arúndo phragmites. E.B.							
ARU'NDO. S.S.		REED-GRASS.	Triandria Digynia. S.S.				
1 Dònax. S.S.	....	manured.	S. Europe.	1648.	7. 8.	H.♃.	Host. gram. 4. t. 38.
β versícolor.	....	*striped.*	———	....	——	H.♃.	Moris. s. 8. t. 8. f. 9.
2 tènax. S.S.	....	tough.	———	1823.	——	H.♃.	Cyril. neap. f. 2. t. 12.
3 festucàcea. W.en.	.....	Fescue-like.	Germany.	——	——	H.w.♃.	
PSA'MMA. R.S.		SEA MATWEED.	Triandria Trigynia. R.S.				
arenària. R.S.	....	common.	Britain.	....	6. 7.	H.♃.	Eng. bot. v. 8. t. 529.
Arúndo arenària. E.B.							
ARUNDIN'ARIA. R.S.		CANE-BRAKE.	Triandria Monogynia. S.S.				
1 glaucéscens. R.S.	....	glaucous.	E. Indies.	1818.	....	S.♄.	
Ludólfia glaucéscens. W.							
OL'YRA. W.		OL'YRA.	Monœcia Triandria. L.				
paniculàta. W.	....	broad-leaved.	W. Indies.	1783.	7.	S.♃.	Sloan. jam. 1. t. 64. f. 2.
Z'EA. W.		INDIAN CORN.	Monœcia Triandria. L.				
1 Máys. W.	....	common.	America.	1562.	6. 7.	H.⊙.	Lam. ill. t. 749.
2 Curágua. S.S.	....	saw-leaved.	Chile.	1820.	——	H.⊙.	
COI'IX. W.		JOB'S-TEARS.	Monœcia Triandria. L.				
1 Láchryma. S.S.	....	common.	E. Indies.	1596.	6. 7.	S.♃.	Bot. mag. t. 2479.
2 agréstis. S.S.	....	round-fruited.	———	1813.	——	S.♃.	Rumph. amb. 6. t. 9. f. 1.
3 exaltàta. S.S.	....	tall.	China.	1816.	——	S.♃.	Jacq. ic. gram.
4 arundinàcea. S.S.	....	reed-like.	Mexico.	1824.	——	S.♃.	
5 K'œnigii. S.S.	....	Kœnig's.	E. Indies.	1818.	——	S.♃.	
6 gigántea. H.B.	.....	gigantic.	Bengal.	1820.	——	H.♃.	
BAMB'USA. W.		BAMBOO-CANE.	Hexandria Monogynia. W.				
1 arundinàcea. W.	....	common.	India.	1730.	....	S.♄.	Roxb. corom. 1. t. 79.
2 verticillàta. W.	....	whorl-flowered.	———	1802.	....	S.♄.	——— 1. t. 80.
MELOCA'NNA. Tr.		MELOCA'NNA.	Hexandria Monogynia. S.S.				
bambusoídes. Tr.	.....	berry bearing.	E. Indies.	1818.	....	S.♄.	
Bambùsa baccífera. Roxb.							
PH'ARUS. W.		PH'ARUS.	Monœcia Hexandria. W.				
1 latifòlius. W.	....	broad-leaved.	Jamaica.	1793.	7. 8.	S.♃.	Brown. jam. t. 38. f. 3.
2 angustifòlius. D.L.	.....	narrow-leaved.	Trinidad.	1821.	——	S.♃.	
EHRHA'RTA. W.		EHRHA'RTA.	Hexandria Monogynia. S.S.				
1 panícea. W.	....	Panic-grass.	C. B. S.	1790.	5. 7.	G.♃.	Sm. ined. 1. t. 9.
2 melicoídes. S.S.	....	Melica-like.	———	1816.	——	G.♃.	
MICROL'ÆNA. B.P.		MICROL'ÆNA.	Tetrandria Digynia. B.P.				
stipoídes. B.P.	....	Stipa-like.	N. S. W.	1822.	7. 8.	F.♃.	Lab. n. hol. 1. t. 118.
Ehrhárta stipoídes. Lab.							

POTAMO'PHILA. B.P.		Potamo'phila.	Polygamia Monœcia. B.P.					
parvifiòra. B.P.	....	small-flowered.	N. S. W.	1820.	6. 7.	F.w.4.		
OR'YZA. W.		Rice.	Hexandria Digynia. L.					
sativa. W.	....	common.	Ethiopia.	1596.	7.	S.w.⊙.		
ZIZ'ANIA. W.		Canada Rice.	Monœcia Hexandria. W.					
1 aquática. H.K.	....	water.	N. America.	1790.	7. 9.	H.w.4.	Linn. trans. 7. t. 13.	
2 miliácea. M.	....	Millet-like.	Carolina.	1816.	——	H.w.4.		
3 fluítans. M.	....	floating.	N. America.	1824.	7. 8.	H.w.4.		
PARI'ANA. W.		Pari'ana.	Monœcia Polyandria. W.					
campéstris. W.		Cayenne.	Cayenne.	1803.	....	S.h.	Aubl. gui. 2. t. 337.	

** *Subclassis* II. *CRYPTOGAMEÆ.* DC.

ORDO CCXXV.

CHARACEÆ. *Kth. synops. v.* 1. *p.* 102.

CH'ARA. L.		Ch'ara.	Monœcia Monandria. W.				
1 vulgàris. E.B.	....	common.	Britain.	....	7. 8.	H.w.⊙.	Eng. bot. v. 5. t. 336.
2 híspida. E.B.	....	prickly.	———	....	6. 9.	H.w.⊙.	——— v. 7. t. 463.
NITE'LLA. Ag.	....	Nite'lla.	Monœcia Monandria.				
1 tomentòsa. W.	....	tomentose.	.....	....	6. 7.	H.w.⊙.	Moris. s. 15. t. 4. f. 9.
2 fléxilis. Ag.	....	smooth.	Britain.	....	7. 8.	H.w.⊙.	
3 opàca. Ag.	....	opaque.	———	....	——	H.w.⊙.	Eng. bot. v. 15. t. 1070.
Chàra fléxilis. E.B.							
4 translùcens. Ag.	....	great transparent.	———	....	——	H.w.⊙.	Eng. bot. v. 26. t. 1855.
5 nidífica. Ag.	....	proliferous.	———	....	——	H.w.⊙.	——— v. 24. t. 1703.
6 grácilis. Ag.	....	slender.	———	....	——	H.w.⊙.	——— v. 30. t. 2140.

ORDO CCXXVI.

EQUISETACEÆ. *DC. fl. fr. ed.* 3. *v.* 2. *p.* 28.

EQUIS'ETUM. W.		Horse-tail.	Cryptogamia Gonopterides. W.				
1 arvénse. W.	(*br.ye.*)	corn.	Britain.	....	3. 4.	H.4.	Eng. bot. v. 29. t. 2020.
2 fluviátile. W.	(*br.ye.*)	great water.	———	....	4. 5.	H.4.	——— v. 29. t. 2022.
3 umbròsum. W.	en.(*br.y.*)	shade.	Germany.	1818.	——	H.4.	
4 sylváticum. W.	(*br.ye.*)	wood.	Britain.	....	——	H.4.	Eng. bot. v. 27. t. 1874.
5 limòsum. W.	(*br.ye.*)	smooth naked.	———	....	6. 7.	H.4.	——— v. 13. t. 929.
6 palústre. W.	(*br.ye.*)	marsh.	———	....	——	H.4.	——— v. 29. t. 2021.
7 praténse. W.	(*br.ye.*)	meadow.	Germany.	1820.	——	H.4.	
8 scirpoídes. W.	(*br.ye.*)	American.	N. America.	1812.	——	H.4.	
9 hyèmale. W.	(*br.ye.*)	Shave grass.	Britain.	....	7. 8.	H.4.	Eng. bot. v. 13. t. 915.
10 variegàtum. W.	(*br.ye.*)	variegated.	Scotland.	....	6. 7.	H.4.	——— v. 28. t. 1967.
11 filiférme.	(*br.ye.*)	thready.	N. America.	1800.	7. 8.	H.4.	

ORDO CCXXVII.

MARSILEACEÆ. *Brown prodr. p.* 166.

PILUL'ARIA. W.		Pillwort.	Cryptogamia Hydropterides. W.				
globulífera. W.	(*br.*)	Pepper-grass.	Britain.	....	6. 9.	H.w.4.	Eng. bot. v. 8. t. 521.
ISO'ETES. W.		Quillwort.	Cryptogamia Hydropterides. W.				
lacústris. W.	....	marsh.	Britain.	....	5. 10.	H.w.4.	Eng. bot. v. 16. t. 1064.

SALVI'NIA. W.		SALVI'NIA.	Cryptogamia Hydropterides. W.					
nàtans. w.	....	floating.	Europe.	1818.	5. 8.	H.w. ♃.	Schkuhr filic. t. 173.	
MARSI'LEA. W.		MARSI'LEA.	Cryptogamia Hydropterides. W.					
quadrifòlia. w.		four-leaved.	S. Europe.	1820.	6. 8.	H.w. ♃.	J.mem.ac.sci. par.1740.	

ORDO CCXXVIII.

LYCOPODIACEÆ. *Kth. synops.* 1. *p.* 95.

LYCOP'ODIUM. W.		CLUB-MOSS.	Cryptogamia Stachyopterides. W.				
1 caroliniánum. w.	(*br.*)	Carolina.	Carolina.	1812.	7. 8.	H. ♃.	Dill. musc. t. 62. f. 5.
2 clavàtum. w.	(*br.*)	common.	Britain.	....	——	H. ♃.	Eng. bot. v. 4. t. 234.
3 complanàtum. w.	(*br.*)	ArborVitæ-leav'd.	N.America.	1770.	——	H. ♃.	Flor. dan. t. 78.
4 alpìnum. w.	(*br.*)	Savin-leaved.	Britain.	....	8.	H. ♃.	Eng. bot. v. 4. t. 234.
5 dendroídeum. w.	(*br.*)	fan.	N. America.	1770.	7.	H. ♃.	Hook. ex. flor. t. 7.
6 annotìnum. w.	(*br.*)	interrupted.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 24. t. 1727.
7 inundàtum. w.	(*br.*)	marsh.	———	....	——	H.w. ♃.	——— v. 4. t. 239.
8 alopecuroídes. w.	(*br.*)	Fox-tail.	N. America.	1816.	——	H. ♃.	Schkuhr filic. t. 169.
9 Selaginoídes. w.	(*br.*)	prickly.	Britain.	....	8.	H. ♃.	Eng. bot. v. 16. t. 1146.
10 ornithopodioídes. w.	(*br.*)	Bird's-claw.	.....	1812.	6. 8.	H. ♃.	Dill. musc. t. 66. f. 1. B.
11 helvéticum. w.	(*br.*)	Swiss.	Switzerland.	1779.	——	H. ♃.	——— t. 64. f. 2.
12 rupéstre. w.	(*br.*)	rock.	N. America.	1818.	——	H. ♃.	——— t. 63. f. 11.
13 denticulàtum. w.	(*br.*)	toothed.	Switzerland.	1779.	7.	H. ♃.	——— t. 66. f. 1. A.
14 deprésum. w.	(*br.*)	depressed.	C. B. S.	1816.	7. 8.	G. ♃.	
15 Selàgo. w.	(*br.*)	Fir.	Britain.	....	6. 8.	H. ♃.	Eng. bot. v. 4. t. 233.
16 apòdum. w.	(*br.*)	distichous.	N. America.	1815.	7.	H. ♃.	Dill. musc. t. 64. f. 3.
17 lucídulum. w.	(*br.*)	glossy.	———	1822.	——	H. ♃.	Schkuhr filic. t. 159.
18 dénsum. B.P.	(*br.*)	dense.	N. S. W.	——	7. 8.	G. ♃.	Lab.nov.hol.2.t.251.f.1
PSIL'OTUM. B.P.		PSIL'OTUM.	Cryptogamia Stachyopterides. W.				
triquètrum. B.P.	(*ye.*)	triangular.	N. S. W.	1793.	7. 8.	G. ♃.	Schkuhr filic. t. 165. b.

Lycopòdium nàdum. L. *Bernhárdia dichótoma.* w.

ORDO CCXXIX.

FILICES. *Juss. gen.* 14.

SUBORDO I. *OPHIOGLOSSEÆ.* Brown prodr. p. 163.

OPHIOGLO'SSUM. W.		ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.				
1 vulgàtum. E.B.	(*br.*)	common.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 2. t. 108.
2 bulbòsum. w.	(*br.*)	bulbous-rooted.	N. America.	....	——	H. ♃.	
3 lusitánicum. w.	(*br.*)	Portugal.	Portugal.	....	——	H. ♃.	
4 gramíneum. w.	(*br.*)	grass-like.	N. Holland.	1822.	——	G. ♃.	Willd.s.erf.1802.t.1.f.1
5 costàtum. B.P.	(*br.*)	ribbed.	N. S. W.	———	——	G. ♃.	
6 reticulàtum. w.	(*br.*)	netted.	W. Indies.	1793.	——	S. ♃.	Plum. fil. t. 164.
7 petiolàtum. w.	(*br.*)	petiolate.	———	1822.	1. 3.	S. ♃.	Hook. ex. flor. t. 56.
BOTRY'CHIUM. W.		MOONWORT.	Cryptogamia Stachyopterides. W.				
1 Lunària. w.	(*br.ye.*)	common.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 5. t. 318.
Osmúnda lunária. E.B.							
2 fumarioídes. w.	(*br.ye.*)	Fumitory-leaved.	Carolina.	1806.	7. 8.	H. ♃.	Schkuhr fil. t. 157.
3 oblíquum. w.	(*br.ye.*)	oblique.	N. America.	1821.	6. 7.	H. ♃.	Pluk. mant. t. 427. f. 7.
4 dissèctum. w.	(*br.ye.*)	cut-leaved.	———	1806.	7.	H. ♃.	Schkuhr fil. t. 158.
5 virgínicum. w.	(*br.ye.*)	Virginian.	———	1790.	8.	H. ♃.	——— t. 156.
6 austràle. B.P.	(*br.ye.*)	southern.	N. S. W.	1823.	7. 8.	H. ♃.	
7 grácile. Ph.	(*br.ye.*)	slender.	N. America.	1824.	——	H. ♃.	

SUBORDO II. *OSMUNDACEÆ.* Brown prodr. p. 161.

LYG'ODIUM. B.P. SNAKE'S-TONGUE. Cryptogamia Schismatopterides. W.

1	polymórphum. K.s.	(*br.y.*)	variable.	S. America.	1816.	5. 9.	S. 4. ⌣.	Cav. ic. 6. t. 595. f. 1.
	Ugèna polymórpha. Cav. *Hydroglóssum hirsùtum.* w.							
2	scándens. Sw.	(*br.ye.*)	climbing.	E. Indies.	1793.	5. 9.	S. 4. ⌣.	Lodd. bot. cab. t. 742.
3	microphy'llum. B.P.	(*br.y.*)	small-leaved.	N. Holland.	1818.	——	S. 4. ⌣.	Cavan. icon. 6. t. 595. f. 2.
4	venústum. Sw.	(*br.y.*)	elegant.	S. America.	1812.	——	S. 4. ⌣.	
5	circinàtum. Sw.	(*br.y.*)	rounded.	W. Indies.	1818.	——	S. 4. ⌣.	
6	palmàtum. Sw.	(*br.y.*)	palmate.	N. America.	1823.	——	S. 4. ⌣.	Schkuhr filic. t. 140.
	Hydroglóssum palmàtum. w.							

ANEI'MIA. W. ANEI'MIA. Cryptogamia Schismatopterides. W.

1	fraxinifòlia. Rad.	(*br.y.*)	Ash-leaved.	Brazil.	1829.	9. 12.	S. 4.	
2	hírta. w.	(*br.ye.*)	hairy-leaved.	W. Indies.	1824.	——	S. 4.	
3	collìna. Rad.	(*br.ye.*)	hill.	Brazil.	1829.	——	S. 4.	
4	hirsùta. w.	(*br.ye.*)	hairy.	W. Indies.	1794.	....	S. 4.	Plum. fil. t. 162.
5	laciniàta.	(*br.ye.*)	jagged.	——	——	——	S. 4.	
6	adiantifòlia. w.	(*br.ye.*)	Maiden-hair-leav'd.	——	1793.	8. 9.	S. 4.	Plum. fil. t. 158.
7	lanceolàta. w.	(*br.ye.*)	spear-leaved.	——	1820.	——	S. 4.	

OSMU'NDA. W. OSMU'NDA. Cryptogamia Schismatopterides. W.

1	cinnamòmea. w.	(*br.*)	woolly.	N. America.	1772.	6.	H. 4.	Schkuhr fil. t. 146.
2	regàlis. w.	(*br.ye.*)	flowering fern.	Britain.	....	7. 8.	H. 4.	Eng. bot. v. 8. t. 209.
3	Claytoniàna. w.	(*br.ye.*)	Clayton's.	N. America.	1772.	8.	H. 4.	
4	interrúpta. w.	(*br.ye.*)	interrupted.	——	....	6. 7.	H. 4.	Schkuhr fil. t. 144.
5	spectábilis. w.	(*br.ye.*)	showy.	——	1811.	7.	H. 4.	Pluk. alm. t. 184. f. 4.
6	hùmilis. w.	(*br.ye.*)	dwarf.	——	1823.	6. 8.	H. 4.	Hook. ex. flor. t. 28.

T'ODEA. W. T'ODEA. Cryptogamia Schismatopterides. W.

	africàna. w.	(*br.ye.*)	African.	C. B. S.	1805.	5. 8.	G. 4.	Schkuhr fil. t. 147.
	Osmúnda barbàta. B.P.							

SCHIZ'ÆA. W. SCHIZ'ÆA. Cryptogamia Schismatopterides. W.

1	penicillàta. w.	(*br.ye.*)	pencilled.	S. America.	1816.	6. 7.	S. 4.	
2	pusilla. Ph.	(*br.ye.*)	small.	N. America.	1825.	——	H. 4.	H. et G. ic. fil. t. 47.
3	rupéstris. B.P.	(*br.ye.*)	rock.	N. S. W.	1822.	——	G. 4.	—— t. 48.
4	bífida. B.P.	(*br.ye.*)	bifid.	——	——	——	G. 4.	Willd. mem. farr. t. 3. f. 2.

SUBORDO III. *GLEICHENEÆ.* Brown prodr. p. 160.

GLEICH'ENIA. B.P. GLEICH'ENIA. Cryptogamia Poropterides. W.

1	pubéscens. K.s.	(*br.*)	pubescent.	Vera Cruz.	1822.	6. 8.	S. 4.	
	Mertènsia pubéscens. w.							
2	Spelúncæ. B.P.	(*br.*)	various-leaved.	N. S. W.	——	——	G. 4.	
3	Hermánni. B.P.	(*br.*)	Hermann's.	India.	1829.	....	S. 4.	H. et G. ic. fil. t. 14.
4	microphy'lla. B.P.	(*br.*)	small-leaved.	N. S. W.	1825.	6. 8.	G. 4.	
5	flabellàta. B.P.	(*br.*)	fan-leaved.	——	1823.	——	G. 4.	

MARA'TTIA. W. MARA'TTIA. Cryptogamia Poropterides. W.

	alàta. w.	(*br.ye.*)	winged.	Jamaica.	1793.	5. 8.	S. 4.	Sm. ic. ined. t. 46.

SUBORDO IV. *PARKERIACEÆ.* Hook et Grev. ic. fil. 97.

PARK'ERIA. H.F. PARK'ERIA. Cryptogamia Poropterides.

1	pteridoídes. H.F.	(*br.*)	Brake-like.	W. Indies.	1822.	5. 10.	S. 4.	H. et G. ic. fil. t. 97.
2	Lockhárti. H.F.	(*br.*)	Lockhart's.	Trinidad.	1824.	——	S. 4.	

CERATO'PTERIS. S.S. CERATO'PTERIS. Cryptogamia Poropterides.

	thalictroídes. S.S.	(*br.*)	Thalictrum-like.	E. Indies.	1818.	6. 10.	S. 4.	Pluk. alm. t. 215. f. 3.
	Ellobocárpus oleràceus. Kaulfuss.							

SUBORDO V. *POLYPODIACEÆ.* Brown prodr. p. 145.

ACRO'STICHUM. W. ACRO'STICHUM. Cryptogamia Filices. L.

1	viscòsum. H.F.	(*br.ye.*)	viscous.	W. Indies.	1826.	6. 10.	S. 4.	H. et G. ic. fil. t. 61.
2	símplex. w.	(*br.ye.*)	simple.	Jamaica.	1793.	5. 7.	S. 4.	Lodd. bot. cab. t. 709.
3	apòdum. H.F.	(*br.ye.*)	stemless.	W. Indies.	1824.	——	S. 4.	H. et G. ic. fil. t. 99.

4 crinìtum. w.	(*br.ye.*)	hairy.	W. Indies.	1793.	5. 7.	S.4.	H. et G. ic. fil. t. 1.
5 alcicórne. B.P.	(*br.*)	Elk's-horn.	N. S. W.	1808.	8. 10.	G.4.	Bot. reg. t. 262-3.
6 Stemària. Beau.	(*br.*)	Stag's-horn.	Guinea.	1822.	5. 8.	S.4.	Beau. fl. d'ow. v. 1. pl. 2.
7 appendiculàtum. H.	(*br.*)	appendaged.	W. Indies.	1824.	6. 8.	S.4.	Hook. ex. flor. t. 108.
8 aùreum. w.	(*br.ye.*)	golden.	America.	1820.	7. 8.	G.4.	Schkuhr fil. t. 1.
NOTHOL'ÆNA. B.P.	NOTHOL'ÆNA.		Cryptogamia Filices.				
1 Marántæ. B.P.	(*br.ye.*)	Swiss.	Switzerland,	1824.	6. 8.	H.4.	Spreng. crypt. t. 2. f. 18.
Acróstichum Marántæ. w.							
2 distans. B.P.	(*br.ye.*)	distant.	N. S. W.	1823.	——	G.4.	
3 lanuginòsa. S.S.	(*br.ye*)	woolly.	Madeira.	1778.	8. 9.	G.4.	Desf. atl. 2. t. 256.
Acróstichum véllerum. H.K.							
HEMION'ITIS. W.	HEMION'ITIS.		Cryptogamia Filices. W.				
palmàta. w.	(*br.ye.*)	palmated.	W. Indies.	1793.	6. 8.	S.4.	Hook. ex. flor. t. 33.
GYMNOGRA'MMA.	GYMNOGRA'MMA.		Cryptogamia Filices.				
1 pedàta. S.S.	(*br.ye.*)	pedate.	New Spain.	1822.	6. 9.	S.4.	Swtz. syn. fil. t. 1. f. 3.
2 rùfa. S.S.	(*br.ye.*)	rusty-haired.	Jamaica.	1793.	6. 8.	S.4.	Schkuhr fil. t. 17. 21.
Hemionìtis rùfa. w.							
3 tartàrea. S.S.	(*br.ye.*)	whitened.	S. America.	1817.	——	S.4.	Willd. hort. ber. 1. t. 10.
Acróstichum tartàreum. Swtz. *Hemonìtis dealbàta.* w.							
4 peruviàna. S.S.	(*br.ye.*)	Peruvian.	Peru.	1822.	6. 8.	G.4.	
5 trifoliàta. S.S.	(*br.ye.*)	three-leaved.	Jamaica.	1810.	——	S.4.	Plum. fil. t. 144.
6 calomelànos. S.S.	(*br.y.*)	mealy.	W. Indies.	1790.	7. 8.	S.4.	Willd. hort. ber. 1. t. 11.
7 chrysophy'lla. S.S. S.	(*br.y.*)	golden-leaved.	———	1824.	——	S.4.	
8 sulphùrea. S.S.	(*br.ye.*)	sulphur-colored.	Jamaica.	1808.	——	S.4.	Schkuhr crypt. t. 4.
9 leptophy'lla. S.S. S.	(*br.ye.*)	slender-leaved.	S. Europe.	1824.	5. 8.	H.4.	H. et G. ic. fil. t. 25.
10 chærophy'lla. S.S. S.	(*br.y.*)	Chervil-leaved.	Brazil.	1825.	6. 8.	S.4.	——— ——— t. 45.
MENI'SCIUM. W.	MENI'SCIUM.		Cryptogamia Filices. W.				
1 triphy'llum. S.S.	(*br.ye.*)	three-leaved.	E. Indies.	1820.	6. 8.	S.4.	H. et G. ic. fil. t. 129.
2 sorbifòlium. S.S.	(*br.ye.*)	Service-leaved.	S. America.	1825.	——	S.4.	
3 reticulàtum. w.	(*br.ye.*)	netted.	Martinico.	1793.	6. 8.	S.4.	Plum. fil. t. 110.
XIPHO'PTERIS. K.F.	SWORD FERN.		Cryptogamia Filices.				
1 serrulàta. K.F.	(*br.ye.*)	saw-leaved.	W. Indies.	1823.	6. 8.	S.4.	Hook. ex. flor. t. 78.
Grammìtis serrulàta. w.							
2 myosuroìdes. S.S.	(*br.y.*)	Mousetail-like.	———	1824.	——	S.4.	
GRAMM'ITIS. Sw.	GRAMM'ITIS.		Cryptogamia Filices. W.				
1 austràlis. B.P.	(*br.ye.*)	southern.	N. S. W.	1822.	6. 8.	G.4.	
2 linearis. S.S.	(*br.ye.*)	linear-leaved.	Jamaica.	1823.	——	S.4.	
3 lanceolàta. S.S.	(*br.ye.*)	spear-leaved.	Mauritius.	1824.	——	S.4.	H. et G. ic. fil. t. 43.
4 elongàta. S.S.	(*br.ye.*)	long-leaved.	W. Indies.	——	——	S.4.	Schkuhr crypt. t. 7.
5 furcàta. H.F.	(*br.ye.*)	forked-leaved.	Trinidad.	1825.	——	S.4.	H. et G. ic. fil. t. 62.
CE'TERACH. W.	CE'TERACH.		Cryptogamia Filices.				
officinàrum. w.	(*br.*)	common.	Britain.	....	5. 10.	H.4.	Lodd. bot. cab. t. 15.
Scolopéndrium Céterach. Eng. bot. v. 18. t. 1244.							
POLYB'OTRYA. S.S.	POLYB'OTRYA.		Cryptogamia Filices.				
1 vivipara. H.E.F.	(*br.y.*)	viviparous.	W. Indies.	1823.	5. 8.	S.4.	Hook. ex. flor. t. 107.
2 cervìna. S.S.	(*br.ye.*)	hart's-tongue.	———	——	——	S.4.	H. et G. ic. fil. t. 81.
NIPHO'BOLUS. K.F.	NIPHO'BOLUS.		Cryptogamia Filices.				
1 pertùsus. S.S.	(*br.ye.*)	bored.	China.	1817.	7. 10.	G.4.	Hook. ex. flor. t. 163.
Polypòdium pertùsum. Hooker.							
2 rupéstris. S.S.	(*br.ye.*)	rock.	N. S. W.	1824.	——	G.4.	H. et G. ic. fil. t. 93.
3 confluens. S.S.	(*br.ye.*)	confluent.	———	1822.	——	G.4.	
4 Língua. S.S.	(*br.ye.*)	tongue-like.	Japan.	1817.	——	G.4.	Thunb. jap. t. 38.
POLYP'ODIUM. W.	POLYPODY.		Cryptogamia Filices. L.				
1 sérpens. w.	(*ye.*)	trailing.	W. Indies.	1822.	3. 8.	S.4.	Plum. fil. 105. t. 121.
2 angustifòlium. w.	(*ye.*)	narrow-leaved.	S. America.	——	——	S.4.	
3 lanceolàtum. w.	(*ye.*)	spear-leaved.	———	1824.	——	S.4.	Plum. fil. t. 137.
4 attenuàtum. B.P.	(*ye.*)	attennated.	N. S. W.	1823.	——	G.4.	
5 piloselloìdes. w.	(*ye.*)	Mouse-ear.	W. Indies.	1793.	——	S.4.	Plum. fil. t. 118.
6 vacciniifòlium. S.S.	(*ye.*)	Whortle-leaved.	Brazil.	1826.	——	S.4.	
7 tæniòsum. S.S.	(*ye.*)	jointed.	S. America.	1815.	——	S.4.	
8 lycopodioìdes. w.	(*ye.*)	Club-moss.	W. Indies.	1793.	——	S.4.	Schkuhr fil. t. 8. c. p.
9 phyllitidis. w.	(*ye.*)	Hart's-tongue.	———	——	——	S.4.	Plum. fil. 114. t. 130.
10 irioìdes. S.S.	(*ye.*)	Iris-leaved.	E. Indies.	1824.	——	S.4.	H. et G. ic. fil. t. 125.
11 crassifòlium. w.	(*ye.*)	thick-leaved.	W. Indies.	1816.	——	S.4.	Plum. fil. 107. t. 127.
12 rèpens. w.	(*ye.*)	creeping.	S. America.	——	——	S.4.	——— 115. t. 131.
13 linearе. S.S.	(*ye.*)	linear-leaved.	Japan.	1822.	——	G.4.	Thunb. ic. jap. t. 18.
14 Billardieri. B.P.	(*ye.*)	La Billardiere's.	V. Diem. Isl.	1823.	——	G.4.	Lab. nov. hol. 2. t. 249.
15 aùreum. w.	(*ye.*)	golden.	W. Indies.	1742.	3. 5.	S.4.	Plum. fil. 59. t. 76.
16 phymatòdes. w.	(*ye.*)	warted.	———	1816.	——	S.4.	

17	quercifòlium. s.s.	(ye.)	Oak-leaved.	E. Indies.	1824.	3. 5.	S.¥.	Rumph. amb. 6. t. 36.
18	curvàtum. s.s.	(ye.)	curve-leaved.	Jamaica.	1822.	——	S.¥.	
19	vulgàre. E.B.	(ye.)	common.	Britain.	....	5. 10.	H.¥.	Eng. bot. v. 16. t. 1149.
	β cámbricum.	(ye.)	*Welsh.*	Wales.	....	——	H.¥.	Bolt. fil. t. 2. f. 5. a.
20	virginiànum. w.	(ye.)	Virginian.	N. America.	....	7.	H.¥.	Plum. fil. t. 77.
21	Scoulèri. H.F.	(ye.)	Scouler's.	————	1827.	——	H.¥.	H. et G. ic. fil. t. 56.
22	pectinàtum. w.	(ye.)	comb-leaved.	W. Indies.	1793.	6. 9.	S.¥.	Lodd. bot. cab. t. 748.
23	Plùmula. w.	(ye.)	feather.	S. America.	1822.	5. 8.	S.¥.	
24	scolopendrioídes. H.F.	(y.)	hart's-tongue-ld.	Jamaica.	1824.	——	S.¥.	H. et G. ic. fil. t. 42.
25	tenuifòlium. w.	(ye.)	slender-leaved.	S. America.	1822.	——	S.¥.	Plum. fil. 66. t. 85.
26	asplenifòlium. w.	(ye.)	Spleenwort-leav'd.	Martinico.	1790.	——	S.¥.	———— 85. t. 102. f. A.
27	incànum. w.	(ye.)	hoary.	America.	1811.	7.	H.¥.	Schkuhr fil. t. 11. b.
28	trichomanoídes. w.	(ye.)	Trichomanes like.	W. Indies.	1822.	5. 8.	S.¥.	———— p. 11. t. 10.
29	decumànum. s.s.	(ye.)	robust.	Brazil.	1818.	——	S.¥.	
30	juglandifòlium. w.	(ye.)	Walnut-leaved.	S. America.	1822.	——	S.¥.	
31	proliferum. s.s.	(ye.)	proliferous.	Brazil.	1829.	9. 12.	S.¥.	
32	crenàtum. w.	(ye.)	crenated.	S. America.	1824.	....	S.¥.	
33	fraxinifòlium. w.	(ye.)	Ash-leaved.	Caracas.	1822.	5. 8.	S.¥.	
34	tenéllum. B.P.	(ye.)	slender.	N. S. W.	——	5. 7.	S.¥.	
35	tetragònum. s.s.	(ye.)	four-sided.	W. Indies.	1826.	6. 9.	S.¥.	
36	Phegópteris. E.B.	(ye.)	sun-fern.	Britain.	....	6. 7.	H.¥.	Eng. bot. v. 31. t. 2224.
37	hexagonópterum. w.	(y.)	triangular.	N. America.	1811.	——	H.¥.	Pluk. alm. t. 284. f. 2.
38	pruinàtum. w.	(ye.)	white-leaved.	Jamaica.	1793.	5. 8.	S.¥.	
39	effùsum. w.	(ye.)	spreading.	————	1769.	11.	S.¥.	Sloan. jam. 1. t. 57. f. 3.
40	Dryópteris. w.	(ye.)	tender-branched.	Britain.	....	6. 9.	H.¥.	Eng. bot. v. 9. t. 616.
41	connectile. w.	(ye.)	connected.	N. America.	1812.	7.	H.¥.	
42	calcàreum. w.	(ye.)	rigid-branched.	Britain.	....	——	H.¥.	Eng. bot. v. 22. t. 1525.

WO'ODSIA. L.T. Wo'odsia. Cryptogamia Filices. L.

1	pubéscens. s.s.	(br.ye.)	pubescent.	Brazil.	1826.	1. 12.	S.¥.	
2	glabélla. s.s.	(br.ye.)	smooth.	N. America.	1827.	6. 9.	H.¥.	
3	hyperbòrea. L.T.	(br.y.)	hairy Alpine.	Scotland.	....	7. 9.	H.¥.	Eng. bot. v. 29. t. 2023.
4	ilvénsis. L.T.	(br.ye.)	rock.	N. America.	1812.	6. 7.	H.¥.	Schkuhr fil. t. 19.
5	vestìta. Spr.	(br.ye.)	clothed.	————	1816.	——	H.¥.	
6	Perriniàna. H.F.	(br.y.)	Perrin's.	————	1825.	8. 11.	G.¥.	H. et G. ic. fil. t. 68.
	Alsóphila Perriniàna. s.s.							

PLEOPE'LTIS. K.S. Pleope'ltis. Cryptogamia Filices.

1	ensifòlia. H.E.F.	(br.y.)	sword-leaved.	C. B. S.	1823.	5. 6.	S.¥.	Hook. ex. flor. t. 62.
2	latifòlia. L.C.	(br.ye.)	broad-leaved.	————	——	——	S.¥.	
3	nùda. D.P.	(br.ye.)	naked.	Nepaul.	——	——	S.¥.	Hook. ex. flor. t. 63.
4	angústa. s.s.	(br.ye.)	narrow-leaved.	Mexico.	1826.	——	S.¥.	

ASPI'DIUM. B.P. Shield-fern. Cryptogamia Filices. W.

1	Hookèri.	(br.ye.)	Hooker's.	W. Indies.	1812.	6. 9.	S.¥.	H. et G. ic. fil. t. 96.
	prolífera. H.F. *non* B.P.							
2	rhizophy'llum. H.F.	(br.y.)	rooting-leaved.	Jamaica.	1816.	——	S.¥.	H. et G. ic. fil. t. 59.
3	trifoliàtum. w.	(br.ye.)	three-leaved.	W. Indies.	1769.	4. 8.	S.¥.	Jacq. ic. 3. t. 638.
4	cicutàrium. w.	(br.ye.)	Cicuta-leaved.	N. America.	1823.	——	H.¥.	Pluk. alm. t. 289. f. 4.
5	pátens. w.	(br.ye.)	pubescent.	W. Indies.	1784.	7. 9.	S.¥.	Schkuhr fil. t. 334.
6	dentàtum. w.	(br.ye.)	toothed.	Scotland.	....	7.	H.¥.	Eng. bot. v. 23. t. 1588.
	Cyáthea dentàta. E.B.							
7	Hallèri. w.	(br.ye.)	Haller's.	Switzerland.	1824.	4. 8.	H.¥.	
8	bulbíferum. w.	(br.ye.)	bulbiferous.	N. America.	1638.	7. 8.	H.¥.	
9	rhæticum. w.	(ye.)	stone.	Switzerland.	....	——	H.¥.	
10	frágile. w.	(ye.)	brittle.	Britain.	....	6. 8.	H.¥.	Eng. bot. v. 23. t. 1587.
11	règium. w.	(ye.)	laciniated.	————	....	6.	H.¥.	———— v. 3. t. 163.
	Cyáthea incísa. E.B.							
12	'æmulum. w.	(ye.)	dwarf.	Madeira.	1779.	....	F.¥.	
13	alpinum. w.	(ye.)	Alpine.	S. Europe.	1825.	6. 8.	H.¥.	Jacq. ic. 3. t. 642.
14	montànum. w.	(ye.)	mountain.	————	——	——	H.¥.	
15	irríguum. E.B.	(ye.)	brook.	Britain.	....	6.	H.¥.	Eng. bot. v. 31. t. 2199.
16	atomàrium. w.	(ye.)	small.	N. America.	1822.	6. 8.	H.¥.	

NEPHR'ODIUM. B.P. Nephr'odium. Cryptogamia Filices.

1	Lonchìtis. H.S.L.	(ye.)	rough Alpine.	Britain.	....	5. 8.	H.¥.	Eng. bot. v. 12. t. 797.
	Aspídium Lonchítis. E.B.							
2	auriculàtum. H.S.L.	(ye.)	eared.	E. Indies.	1793.	7.	S.¥.	Burm. zeyl. t. 44. f. 2.
3	acrostichoídes. M.	(ye.)	Acrostichum-like.	N. America.	1824.	5. 8.	H.¥.	Schkuhr fil. t. 30.
4	mucronàtum. s.s.	(ye.)	mucronate.	Jamaica.	1826.	——	S.¥.	
5	exaltàtum. B.P.	(ye.)	lofty.	————	1793.	5. 8.	S.¥.	Schkuhr fil. t. 32. b.
6	ùnitum. B.P.	(ye.)	smooth united.	E. Indies.	——	——	S.¥.	Burm. zeyl. t. 44. f. 1.
7	propínquum. B.P.	(ye.)	pubescent.	————	——	——	S.¥.	

8	mólle. B.P.	(*ye.*)	soft.	N. S. W.	1822.	5. 8. G.4.	Jacq. ic. t. 640.
9	sesquipedàle. s.s.	(*ye.*)	black-spotted.	W. Indies.	1824.	—— S.4.	
10	hirsùtulum. s.s.	(*ye.*)	hairy.	E. Indies.	1823.	—— S.4.	
11	èdule. D.P.	(*ye.*)	eatable-rooted.	Nepaul.	1826.	—— G.4.	
12	semicordàtum. s.s.	(*ye.*)	half cordate.	W. Indies.	1822.	—— S.4.	
13	noveboracénse. H.s.L.	(*y.*)	river-side.	N. America.	1812.	7. H.4.	Schkuhr fil. t. 46.
14	pectinàtum.	(*ye.*)	comb-like.	.....	1823.	5. 8. S.4.	——— t. 296.
	Aspidium trapezoides. Schk.						
15	Oreópteris. H.s.L.	(*ye.*)	Heath.	Britain.	....	7. H.4.	Eng. bot. v. 15. t. 1019.
16	Thely'pteris. H.s.L.	(*ye.*)	Lady fern.	———	....	7. 8. H.4.	——— v. 15. t. 1018.
17	sérra. s.s.	(*ye.*)	saw-like.	Jamaica.	1819.	—— S.4.	
18	parasìticum. w.	(*ye.*)	parasitical.	E. Indies.	1824.	—— S.4.	
19	Goldiànum. H.F.	(*ye.*)	Goldie's.	N. America.	1822.	—— H.4.	H. et G. ic. fil. t. 102.
20	cristàtum. H.s.L.	(*ye.*)	crested heath.	Britain.	....	6. 7. H.4.	Eng. bot. v. 30. t. 2125.
21	aculeàtum. H.s.L.	(*ye.*)	common prickly.	———	....	6. 8. H.4.	——— v. 22. t. 1562.
22	pubéscens. H.F.	(*ye.*)	pubescent.	Jamaica.	1824.	—— S.4.	H. et G. ic. fil. t. 162.
23	marginàle. H.s.L.	(*ye.*)	marginal-flower'd.	N.America.	1772.	6. 9. H.4.	Schkuhr fil. t. 45. b.
24	Filix-más. H.s.L.	(*ye.*)	Male fern.	Britain.	....	6. 8. H.4.	Eng. bot. v. 21. t. 1458.
	β Smithii.	(*ye.*)	*Smith's.*	———	....	—— H.4.	——— v. 28. t. 1949.
	Aspidium cristàtum. E.B. 1949. *non* 2125.						
	γ eròsum. Ph.	(*ye.*)	*jagged.*	N. America.	1812.	—— H.4.	Schkuhr fil. t. 45.
25	lancastriénse. s.s.	(*ye.*)	Lancaster.	———	1825.	—— H.4.	
26	frágrans. H.F.	(*ye.*)	fragrant.	Europe.	....	—— H.4.	H. et G. ic. fil. t. 70.
27	platyphy'llum. s.s.	(*ye.*)	flat-leaved.	S. America.	1826.	—— S.4.	
28	lobàtum. H.s.L.	(*ye.*)	close-leaved.	England.	....	6. 9. H.4.	Eng. bot. v. 22. t. 1563.
29	intermèdium. w.	(*ye.*)	intermediate.	N. America.	1816.	—— H.4.	
30	spinulòsum. H.s.L.	(*ye.*)	crested prickly.	Britain.	....	6. 8. H.4.	Eng. bot. v. 21. t. 1460.
31	dilatàtum. H.s.L.	(*ye.*)	great crested.	———	....	—— H.4.	——— v. 21. t. 1461.
32	obtùsum. w.	(*ye.*)	blunt leaved.	N. America.	1827.	—— H.4.	Schkuhr fil. t. 21.
33	rígidum. w.	(*ye.*)	rigid.	Germany.	1816.	—— H.4.	
34	elongàtum. H.s.L.	(*ye.*)	cut-leaved.	Madeira.	1799.	7. 8. F.4.	
35	villòsum. H.s.L.	(*ye.*)	villous.	W. Indies.	1793.	7. S.4.	Schkuhr fil. t. 46. b.
36	decompósitum. B.P.	(*ye.*)	decompound.	N. S. W.	1820.	6. 8. F.4.	
37	? Báromez.	....	Baromez.	Tartary.	1824.	.... S.4.	
	ALLANTODIA. B.P.		ALLANTODIA.	Cryptogamia	Filices.		
1	umbròsa. B.P.	(*ye.*)	Madeira.	Madeira.	1779.	6. 9. F.4.	Schkuhr fil. t. 61.
2	axillàris. s.s.	(*ye.*)	slender.	———	——	—— F.4.	
	Polypòdium axillàre. H.K. *Aspidium axillàre.* Sw.						
3	austràlis. B.P.	(*ye.*)	southern.	V. Diem. Isl.	1820.	—— F.4.	
4	ténera. B.P.	(*ye.*)	membranaceous.	N. S. W.	——	—— F.4.	
	ASPL'ENIUM. B.P.		SPLEENWORT.	Cryptogamia	Filices.	L.	
1	acùtum. s.s.	(*br.*)	acute.	Canaries.	1818.	4. 7. F.4.	
2	físsum. s.s.	(*br.*)	cleft-leaved.	Hungary.	1825.	—— H.4.	
3	fontànum. B.P.	(*st.*)	smooth rock.	England.	....	6. 8. H.4.	Eng. bot. v. 29. t. 2034.
	Aspidium fontànum. E.B.						
4	Filix-fémina. B.P.	(*st.*)	female fern.	Britain.	....	6. 9. H.4.	Eng. bot. v. 21. t. 1459.
5	Michauxii. s.s.	(*st.*)	Michaux's.	N. America.	1812.	—— H.4.	
6	Athy'rium. s.s.	(*st.*)	American.	———	1820.	—— H.4.	Schkuhr filic. t. 78.
	Nephròdium asplenioides. M.						
7	Hallèri. s.s.	(*st.*)	Haller's.	Switzerland.	1825.	—— H.4	
8	Adiántum-nìgrum. w.	(*br.*)	black.	Britain.	....	4. 10. H.4.	Eng. bot. v. 28. t. 1950.
9	lanceolàtum. E.B.	(*br.*)	lanceolate.	England.	....	6. 10. H.4.	— ——— v. 4. t. 240.
10	rádicans. s.s.	(*br.*)	rooting-branched.	W. Indies.	1822.	—— S.4.	
11	bisséctum. s.s.	(*br.*)	bifid.	Jamaica.	1821.	—— S.4.	
12	montànum. w.	(*br.*)	mountain.	N. America.	1812.	7. H.4.	
13	frágrans. w.	(*br.*)	fragrant.	Jamaica.	1793.	—— S.4.	
14	Rùta murària. w.	(*br.*)	Wall-rue.	Britain.	....	6. 10. H.4.	Eng. bot. v. 3. t. 150.
15	cicutàrium. H.s.	(*br.*)	Cicuta-like.	S. America.	1822.	—— S.4.	Plum. fil. t. 48. a.
16	formòsum. w.	(*br.*)	handsome.	Santa Cruz.	——	—— S.4.	
17	præmórsum. w.	(*br.*)	snip-leaved.	Jamaica.	1793.	—— S.4.	Pluk. alm. t. 73. f. 5.
18	striàtum. w.	(*br.*)	striated.	W. Indies.	——	6. 8. S.4.	Plum. fil. t. 18. 19.
19	thelypteroides. w.	(*br.*)	Ladyfern-like.	N. America.	1823.	7. H.4.	Schkuhr fil. t. 76. b.
20	sulcàtum. s.s.	(*br.*)	furrowed.	W. Indies.	1827.	—— S.4.	Plum. fil. t. 46.
21	pùmilum. s.s.	(*br.*)	dwarf.	———	1823.	—— S.4.	——— t. 66. A.
22	canariénse. s.s.	(*br.*)	Canary Island.	Canaries.	1824.	—— G.4.	
23	rhizóphorum. w.	(*br.*)	root-bearing.	Jamaica.	1793.	6. 8. S.4.	Sloan. j. 1. t. 29. 30. f. 1.
24	víride w.	(*br.*)	green.	Britain.	....	6. 9. H.4.	Eng. bot. v. 32. t. 2257.
25	melanocàulon. w.	(*br.*)	black-stalked.	N. America.	1812.	7. H.4.	
26	Trichómanes. w.	(*br.*)	Maiden hair.	Britain.	....	5. 10. H.4.	Eng. bot. v. 8. t. 576.

27	germánicum. W.		alternate-leaved.	Scotland.	....	6. 10.	H.♃.	Eng. bot. v. 32. t. 2258.
	alternifólium. E.B. *Brèynii.* Sw.							
28	ebèneum. W.	(*br.*)	ivory striped.	N. America.	1779.	9.	H.♃.	Lodd. bot. cab. t. 5.
	trichomanoides. M.							
29	bipartìtum. S.S.	(*br.*)	two-parted.	W. Indies.	1822.	——	S.♃.	
30	dimidiàtum. S.S.	(*br.*)	narrow-leaved.	——	1827.	——	S.♃.	
31	aùritum. S.S.	(*br.*)	eared.	——	1829.	9. 12.	S.♃.	
32	zamiæfólium. S.S.	(*br.*)	Zamia-leaved.	S. America.	1818.	6. 10.	S.♃.	Lodd. bot. cab. t. 854.
33	falcàtum. B.P.	(*br.*)	sickle-leaved.	N. S. W.	1825.	6. 7.	F.♃.	
34	monánthemum.W.	(*br.*)	one-flowered.	C. B. S.	1790.	7.	G.♃.	Sm. ined. t. 73.
35	reséctum. S.S.	(*br.*)	cut-leaved.	Mauritius.	1820.	——	S.♃.	H. et G. ic. fil t. 114.
36	marìnum. W.	(*br.*)	sea-side.	Britain.	....	6. 10.	H.♃.	Eng. bot. v. 6. t. 392.
37	dentàtum. H.F.	(*br.*)	tooth-leaved.	Jamaica.	1824.	——	S.♃.	H. et G. ic. fil. t. 72.
38	flabellifólium. W.	(*br.*)	fan-leaved.	N. S. W.	1825.	6. 7.	G.♃.	Hook. ex. flor. t. 208.
39	déntex. W.	(*br.*)	toothed.	C. B. S.	1790.	6. 10.	G.♃.	
40	diffórme. B.P.	(*br.*)	deformed.	N. S. W.	1822.	6. 7.	F.♃.	
41	Shephérdii S.S.	(*br.*)	Shepherd's.	Jamaica.	1824.	6. 9.	S.♃.	
42	angustifólium. S.S.	(*br.*)	narrow-leaved.	N. America.	1812.	——	H.♃.	Schkuhr fil. t. 69.
43	septentrionàle.W.	(*br.*)	forked.	Britain.	....	6. 10.	H.♃.	Eng. bot. v. 15. t. 1017.
44	palmàtum. S.S.	(*br.*)	palmated.	S. Europe.	1816.	7. 10.	F.♃.	Lodd. bot. cab. t. 868.
45	attenuàtum. B.P.	(*br.*)	slender.	N. S. W.	1825.	6. 7.	F.♃.	
46	rhizophy'llum. W.	(*br.*)	rooting-leaved.	N. America.	1680.	——	H.♃.	
47	serràtum. W.	(*br.*)	saw-leaved.	W. Indies.	1793.	——	S.♃.	Schkuhr fil. t. 64.
48	Nìdus. B.P.	(*br.*)	nest.	N. Holland.	1822.	——	F.♃.	

CÆNO'PTERIS. S.S. CÆNO'PTERIS. Cryptogamia Filices.

1	Odontites. S.S.	(*br.*)	long-leaved.	N. Holland.	1822.	6. 10.	G.♃.	Thunb.n.ac.pet.t.E.f.1.
	Asplènium Odontites. B.P. *Dàrea Odontites.* W.							
2	appendiculàta.S.S.	(*br.*)	loose.	V. Diem. Isl.	——	——	G.♃.	Lab. n. holl. 2. t. 243.
3	rhizophy'lla. S.S.	(*br.*)	rooting-leaved.	W. Indies.	1827.	——	S.♃.	

SCOLOPE'NDRIUM. W. HART'S-TONGUE. Cryptogamia Filices. W.

1	officinàrum. W.	(*br.ye.*)	common.	Britain.	....	7. 8.	H.♃.	Eng. bot. v. 16. t. 1150.
	β crispum.	(*br.ye.*)	*curled-leaved.*	——	....	——	H.♃.	
	γ undulàtum.	(*br.ye.*)	*waved-leaved.*	——	....	——	H.♃.	Pluk. phyt. 248. f. 1.
	δ multífidum.	(*br.ye.*)	*clustered.*	——	——	——	H.♃.	
	ε ramòsum.	(*br.ye.*)	*branching.*	——	....	——	H.♃.	Pluk. phyt. 248. f. 2.
2	Hemionìtis. S.S.	(*br.*)	Mule's fern.	Canaries.	1779.	6. 7.	G.♃.	Schkuhr crypt. t. 66.
	Asplènium Hemionìtis. L.							

DO'ODIA. B.P. DO'ODIA. Cryptogamia Filices.

1	áspera. B.P.	(*br.ye.*)	rough-stalked.	N. S. W.	1808.	8. 9.	G.♃.	Hook. ex. flor. t. 8.
2	caudàta. B.P.	(*br.ye.*)	tailed.	——	1822.	——	G.♃.	—— t. 25.

WOODWA'RDIA. W. WOODWA'RDIA. Cryptogamia Filices. W.

1	onocleoides. W.	(*br.ye.*)	Onoclea-like.	N. America.	1812.	8. 10.	H.♃.	Schkuhr fil. t. 111.
2	virgínica. W.	(*br.ye.*)	Virginian.	——	1774.	8. 9.	H.♃.	Pluk. alm. t. 179. f. 2.
3	rádicans. W.	(*br.ye.*)	rooting-leaved.	Madeira.	1779.	9. 10.	G.♃.	Schkuhr fil. t. 112.

BLE'CHNUM. W. BLE'CHNUM. Cryptogamia Filices. W.

1	brasiliénse. S.S.	(*br.ye.*)	Brazilian.	Brazil.	1828.	9. 11.	S.♃.	
2	cartilagíneum. B.P.	(*br.*)	cartilaginous.	N. S. W.	1822.	6. 8.	F.♃.	
3	denticulàtum. S.S.	(*br.y.*)	toothed.	Teneriffe.	1826.	6. 9.	F.♃.	
4	lævigatum. B.P.	(*br.*)	smooth.	N. S. W.	1820.	8. 9.	G.♃.	
5	angustifólium. S.S.	(*br.y.*)	narrow-leaved.	Trinidad.	1824.	——	S.♃.	
6	longifólium. S.S.	(*br.*)	long-leaved.	——	1826.	——	S.♃.	Bot. mag. t. 2818.
7	glandulòsum. S.S.	(*br.*)	glandular.	Brazil.	1823.	——	S.♃.	
8	occidentàle. W.	(*br.*)	American.	S. America.	1777.	——	S.♃.	Jacq. ic. 3. t. 644.
9	australe. W.	(*br.*)	Cape.	C. B. S.	1691.	——	G.♃.	Schkuhr fil. t. 110. b.
10	polypodioides. S.S.	(*br.*)	Polypody-leav'd.	Brazil.	1829.	8. 12.	S.♃.	
11	Lancèola. S.S.	(*br.*)	spear-leaved.	——	——	——	S.♃.	

LOMA'RIA. W. LOMA'RIA. Cryptogamia Filices. W.

1	nùda. W.	(*br.*)	naked.	V. Diem. Isl.	1822.	4. 8.	F.♃.	Lab. n. hol. 2. t. 246.
	Onoclèa nùda. Lab. *Stegània nùda.* B.P.							
2	Spìcant. S.S.	(*br.*)	northern.	Britain.	....	7. 9.	H.♃.	Eng. bot. v. 17. t. 1159.
	Osmúnda Spìcant. L. *Blèchnum boreàle.* E.B.							
3	onocleoides. S.S.	(*br.*)	Onoclea-like.	Jamaica.	1824.	——	S.♃.	
4	sorbifólia. S.S.	(*br.*)	Service-leaved.	W. Indies.	1793.	——	S.♃.	Plum. fil. t. 117.
	Acróstichum sorbifólium. L.							
5	longifólia. S.S.	(*br.*)	long-leaved.	——	1810.	6. 9.	S.♃.	Plum. fil. t. 117. dextr.
6	pròcera. S.S.	(*br.*)	lofty.	N. Holland.	1822.	4. 8.	F.♃.	Lab. n. hol. 2. t. 247.
	Blèchnum pròcerum. Lab. *Stegània pròcera.* B.P.							

ONOCL'EA. W. ONOCL'EA. Cryptogamia Filices. L.

1	sensíbilis. W.	(*br.*)	sensitive fern.	Virginia.	1799.	8.	H.♃.	Schkuhr fil. t. 102.
2	obtusilobàta. Ph.	(*br.*)	blunt-lobed.	N. America.	1812.	7.	H.♃.	—— t. 103.

STRUTHIO'PTERIS. W.	STRUTHIO'PTERIS.	Cryptogamia Filices.						
1 germánica. s.s.	(*br.*)	German.	Europe.	1760.	7. 8.	H. ¼.	Schkuhr fil. t. 105.
Osmúnda Struthiópteris. L. *Onoclèa Struthiópteris.* W.								
2 pensylvánica. w.	(*br.*)	Pensylvanian.	N. America.	1812.	——	H. ¼.	Schkuhr fil. t. 104.
Onoclèa nodulòsa. Schkuhr.								
VITT'ARIA. W.	VITT'ARIA.	Cryptogamia Filices. W.						
lineàta. w.	(*br.*)	linear-leaved.	America.	1793.	....	S. ¼.	Schkur fil. t. 101. b.
ANTR'OPHYUM. S.S.	ANTR'OPHYUM.	Cryptogamia Filices.						
lanceolàtum. s.s.	(*br.*)	spear-leaved.	W. Indies.	1793.	6. 10.	S. ¼.	Schkuhr fil. t. 6.
Hemionìtis lanceolàta. L.								
DIPL'AZIUM. W.	DIPL'AZIUM.	Cryptogamia Filices. W.						
1 plantagíneum. s.s.	(*br.*)	Plantain-leav'd.	W. Indies.	1822.	....	S. ¼.	
2 grandifòlium. w.	(*br.*)	large-leaved.	Jamaica.	1793.	8. 10.	S. ¼.	
3 juglandifòlium. s.s.	(*br.*)	Walnut-leaved.	——	1825.	....	S. ¼.	
4 seramporénse. s.s.	(*br.*)	East Indian.	E. Indies.	1827.	....	S. ¼.	
5 auriculàtum. s.s.	(*br.*)	eared.	S. America.	1820.	8. 10.	S. ½.	
6 barbadénse. w.	(*br.*)	Barbadoes.	W. Indies.	1822.	....	S. ¼.	
7 malabáricum. s.s.	(*br.*)	Malabar.	E. Indies.	1818.	6. 8.	S. ½.	
Asplènium ambiguum. Swartz.								
8 arboréscens. s.s.	(*br.*)	arborescent.	Mauritius.	1824.	....	S. ½.	
9 esculéntum. w.	(*br.*)	eatable.	Ceylon.	1822.	....	S. ½.	
CRYPTOGRA'MMA. Br.	CRYPTOGRA'MMA.	Cryptogamia Filices.						
1 acrostichoídes. Br.	(*st.*)	Acrostichum-like.	N. America.	1827.	7. 9.	H. ¼.	H. et G. ic. fil. t. 29.
Allosòrus acrostichoídes. s.s.								
2 crìspa. Br.	(*st.*)	curled.	Britain.	....	——	H. ¼.	Eng. bot. v. 17. t. 1160.
Allosòrus crìspus. s.s. *Ptèris crìspa.* E.B. *Osmúnda crìspa.* L.								
PT'ERIS. W.	BRAKE.	Cryptogamia Filices. L.						
1 pedàta. w.	(*st.*)	pedate.	W. Indies.	1816.	5. 8.	S. ¼.	Pet. fil. 176. t. 8. f. 12.
2 palmàta. w.	(*br.st.*)	palmated.	——	1823.	6. 7.	S. ¼.	Lodd. bot. cab. t. 1299.
3 argéntea. w.	(*st.br.*)	silvery.	Siberia.	——	——	H. ¼.	
4 longifòlia. w.	(*st.br.*)	long-leaved.	W. Indies.	1770.	7. 9.	S. ¼.	Jacq. sch. 3. t. 330. 466.
5 grandifòlia. w.	(*st.br.*)	large-leaved.	——	1793.	....	S. ¼.	Schkuhr fil. t. 99.
6 serrulàta. w.	(*st.br.*)	various-leaved.	India.	1770.	8. 9.	S. ¼.	—— —— t. 91.
7 denticulàta. s.s.	(*st.br.*)	toothed.	Brazil.	1824.	5. 9.	S. ¼.	H. et G. ic. fil. t. 28.
8 crética. w.	(*st.br.*)	Cretan.	Candia.	1818.	5. 7.	G. ¼.	
9 atropurpùrea. w.	(*br.*)	dark purple.	N. America.	1770.	8. 9.	H. ¼.	Schkuhr fil. t. 101.
10 nemoràlis. W.en.	(*st.br.*)	wood.	Africa.	1823.	5. 8.	S. ¼.	
11 biaùrita. s.s.	(*st.br.*)	two-eared.	W. Indies.	1824.	——	S. ¼.	H. et G. ic. fil. t. 142.
12 Plumíeri. s.s.	(*st.br.*)	Plumier's.	S. America.	1818.	——	S. ¼.	
13 argùta. w.	(*st.br.*)	sharp-notched.	Madeira.	1778.	8. 9.	F. ¼.	Pluk. alm. t. 290. f. 2.
14 umbròsa. B.P.	(*st.br.*)	shade.	N. S. W.	1823.	5. 8.	F. ¼.	
15 cordàta. w.	(*st.br.*)	heart-leaved.	Mexico.	1825.	——	G. ¼.	
16 sagittàta. w.	(*st.br.*)	arrow-leaved.	S. America.	1820.	——	S. ¼.	
17 vespertilliònis. B.P.	(*st.*)	Bat-winged.	N. S. W.	1823.	——	F. ¼.	Lab. nov. hol. 2. t. 245.
18 trémula. B.P.	(*st.br.*)	trembling.	——	1822.	——	F. ¼.	
19 esculénta. B.P.	(*st.br.*)	esculent.	——	1815.	——	F. ¼.	Lab. nov. hol. 2. t. 244.
20 grácilis. w.	(*st.br.*)	slender.	Canada.	1823.	7.	H. ¼.	
21 hastàta. w.	(*st.br.*)	hastate.	W. Indies.	——	5. 8.	S. ¼.	
22 aculeàta. w.	(*st.br.*)	prickly-stem'd.	——	1793.	....	S. ½.	Plum. fil. t. 5. et 11.
23 falcàta. B.P.	(*st.br.*)	falcate.	N. S. W.	1820.	5. 7.	F. ¼.	
24 caudàta. w.	(*st.br.*)	American.	N. America.	1777.	9. 12.	H. ¼.	Jacq. ic. 3. t. 645.
25 aquilìna. E.B.	(*st.br.*)	common.	Britain.	....	7. 8.	H. ¼.	Eng. bot. v. 24. t. 1679.
26 lanuginòsa. w.	(*st.br.*)	woolly.	Bourbon.	1818.	——	S. ¼.	
27 intramarginàlis. K.F.	(*br.*)	Mexican.	Mexico.	1828.	7. 12.	S. ¼.	
TÆN'ITIS. W.	TÆN'ITIS.	Cryptogamia Filices. W.						
1 lanceolàta. s.s.	(*br.*)	spear-leaved.	W. Indies.	1818.	6. 9.	S. ¼.	Plum. fil. t. 132.
2 angustifòlia. s.s.	(*br.*)	narrow-leaved.	——	1823.	——	S. ¼.	
3 graminifòlia. H.E.F.	(*br.*)	grass-leaved.	Trinidad.	1820.	6. 8.	S. ¼.	Hook. ex. flor. t. 77.
4 furcàta. s.s.	(*br.*)	forked.	——	1824.	——	S. ¼.	H. et G. ic. fil. t. 7.
5 chinénsis. s.s.	(*br.*)	Chinese.	China.	1828.	——	G. ¼.	
ADIA'NTUM. W.	MAIDENHAIR.	Cryptogamia Filices. L.						
1 renifórme. w.	(*br.*)	kidney-leaved.	Madeira.	1699.	6. 9.	G. ¼.	Lodd. bot. cab. t. 841.
2 oblíquum. s.s.	(*br.*)	oblique-leaved.	W. Indies.	1826.	4. 8.	S. ¼.	
3 macrophy'llum. w.	(*br.*)	large-leaved.	Jamaica.	1793.	——	S. ¼.	H. et G. ic. fil. t. 132.
4 lunulàtum. s.s.	(*br.*)	lunulate.	E. Indies.	1826.	——	S. ¼.	—— t. 104.
5 deltoídeum. s.s.	(*br.*)	deltoid-leaved.	Jamaica.	1824.	——	S. ¼.	
6 denticulàtum. s.s.	(*br.*)	toothed-leaved.	W. Indies.	1825.	——	S. ¼.	
7 serrulàtum. w.	(*br.*)	saw-leaved.	Jamaica.	1823.	6. 8.	S. ¼.	Sloan. j. 17. t. 36. f. 2.
8 radiàtum. w.	(*br.*)	radiated.	W. Indies.	1776.	4. 8.	S. ¼.	Plum. fil. t. 100.
9 pedàtum. w.	(*br.*)	Canadian.	N. America.	1640.	8. 9.	H. ¼.	Schkuhr fil. t. 115.

10	hispídulum. B.P.	(*br.*)	bristly.	N. Holland.	1822.	5. 8.	G. ♃.	
11	striàtum. s.s.	(*br.*)	streaked.	W. Indies.	——	——	S. ♃.	
12	villòsum. w.	(*br.*)	hairy-stalked.	Jamaica.	1775.	6. 9.	S. ♃.	Schkuhr fil. t. 120.
13	pulveruléntum. w.	(*br.*)	dusty.	W. Indies.	1793.	....	S. ♃.	—— t. 119.
14	triangulàtum. s.s.	(*br.*)	triangular.	Trinidad.	1824.	——	S. ♃.	
15	Capíllus-véneris. w.	(*br.*)	true.	Britain.	....	5. 9.	H. ♃.	Eng. bot. v. 22. t. 1564.
16	trapezifórme. w.	(*br.*)	rhomb-leaved.	——	1793.	....	S. ♃.	Schkuhr fil. t. 122.
17	pentadáctylon. s.s.	(*br.*)	five-fingered.	Brazil.	1826.	——	S. ♃.	H. et G. ic. fil. t. 98.
18	cuneàtum. s.s.	(*br.*)	wedge-leaved.	——	1824.	——	S. ♃.	—— ic. fil. t. 30.
19	assimile. B.P. *trigònum.* Lab.	(*br.*)	likened.	N. S. W.	1823.	5. 8.	G. ♃.	Lab. n. hol. 2. t. 248. f. 2.
20	formòsum. B.P.	(*br.*)	handsome.	——	1822.	——	G. ♃.	
21	ténerum. w.	(*br.*)	tender.	Jamaica.	1793.	7.	S. ♃.	Pluk. alm. t. 254. f. 1.
CHEILA'NTHES. W.		CHEILA'NTHES.		Cryptogamia Filices. W.				
1	ferrugínea. s.s.	(*br.*)	ferruginous.	Peru.	1816.	5. 8.	S. ♃.	
2	grácilis. s.s.	(*br.*)	slender.	Canada.	1827.	——	H. ♃.	
3	pteroídes. s.s.	(*br.*)	Pteris-like.	C. B. S.	1775.	7. 9.	G. ♃.	Hout. n. hist. t. 96. f. 3.
4	odòra. s.s.	(*br.*)	sweet-scented.	S. Europe.	1824.	——	F. ♃.	
5	suavèolens. s.s.	(*br.*)	scented.	Madeira.	1778.	——	G. ♃.	
6	fràgrans. s.s.	(*br.*)	fragrant.	E. Indies.	——	——	S. ♃.	Sw. syn. fil. t. 3. f. 6.
7	microphy'lla. s.s.	(*br.*)	small-leaved.	W. Indies.	1822.	5. 8.	S. ♃.	
8	vestita. s.s.	(*br.*)	clothed.	N. America.	1812.	7.	H. ♃.	Schkuhr fil. t. 124.
9	hírta. s.s.	(*br.*)	hairy.	C. B. S.	1816.	5. 8.	G. ♃.	
10	lendigera. w.	(*br.*)	chaffy.	S. America.	1822.	——	S. ♃.	
11	tenuifòlia. B.P.	(*br.*)	slender-leaved.	N. S. W.	1824.	——	G. ♃.	
12	spectábilis. s.s.	(*br.*)	showy.	Brazil.	1829.	9. 12.	S. ♃.	
13	rèpens. s.s.	(*br.*)	creeping.	W. Indies.	1824.	6. 10.	S. ♃.	
LONCH'ITIS. W.		LONCH'ITIS.		Cryptogamia Filices. W.				
1	pedàta. s.s. *Ptèris podophy'lla.* w.	(*br.*)	pedate.	Jamaica.	1793.	6. 8.	S. ♃.	Brown. jam. 89. t. 1.
2	hirsùta. s.s.	(*br.*)	hairy.	W. Indies.	——	....	S. ♃.	Schkuhr fil. t. 86.
LINDS'ÆA. B.P.		LINDS'ÆA.		Cryptogamia Filices. W.				
1	renifórmis. L.T.	(*br.*)	kidney-leaved.	Trinidad.	1826.	5. 7.	S. ♃.	Linn. trans. v. 3. t. 7. f. 1.
2	lineàris. B.P.	(*br.*)	linear-leaved.	N. S. W.	1820.	4. 6.	G. ♃.	Sw. fil. 118. t. 3. f. 3.
3	falcàta. L.T.	(*br.*)	sickle-leaved.	——	1824.	5. 8.	S. ♃.	Linn. trans. v. 3. t. 7. f. 1.
4	trapezifórmis. L.T.	(*br.*)	rhomb-leaved.	W. Indies.	1825.	——	S. ♃.	—— v. 3. t. 9.
5	microphy'lla. B.P.	(*br.*)	small-leaved.	N. S. W.	1820.	4. 6.	G. ♃.	
DAVA'LLIA. W.		DAVA'LLIA.		Cryptogamia Filices. W.				
1	pyxidàta. B.P.	(*ye.*)	shining.	N. S. W.	1808.	4. 9.	G. ♄.	
2	canariénsis. w.	(*ye.*)	Hare's-foot fern.	Canaries.	1699.	——	G. ♃.	Jacq. ic. 1. t. 200.
3	gibberòsa. s.s.	(*br. ye.*)	gibbous-flower'd.	N. Zealand.	1825.	——	G. ♃.	Swt. flor. aust. t. 31.
4	fumarioídes. s.s.	(*br. ye.*)	Fumitory-like.	W. Indies.	1828.	6. 10.	S. ♃.	
5	fláccida. B.P.	(*br. ye.*)	flaccid.	N. Holland.	1826.	——	G. ♃.	
BALA'NTIUM. K.F.		BALA'NTIUM.		Cryptogamia Filices.				
	Cúlcita. K.S. *Dicksònia Cúlcita.* w.	(*br. ye.*)	shining-leaved.	Madeira.	1779.	9. 10.	F. ♃.	
DICKS'ONIA. W.		DICKS'ONIA.		Cryptogamia Filices. W.				
1	pilosiúscula. w.	(*br. ye.*)	hairy.	N. America.	1811.	7. 9.	H. ♃.	Schkuhr fil. t. 131.
2	arboréscens. w.	(*br. ye.*)	tree.	S. Helena.	1786.	6. 12.	S. ♄.	Jacq. ic. t. 201.
3	dissécta. w.	(*br. ye.*)	cut-leaved.	Jamaica.	1793.	9. 10.	S. ♃.	
4	adiantoídes. s.s.	(*br. st.*)	Adiantum-like.	W. Indies.	1828.	8. 12.	S. ♃.	
CYATH'EA. B.P.		CYATH'EA.		Cryptogamia Filices. W.				
1	arbòrea. w.	(*br. ye.*)	tree.	W. Indies.	1793.	....	S. ♃.	Plum. fil. 1. t. 1. 2.
2	excélsa. s.s.	(*br. ye.*)	tall.	Mauritius.	1825.	....	S. ♄.	
ALSO'PHILA. B.P.		ALSO'PHILA.		Cryptogamia Filices.				
1	austràlis. B.P.	(*br. st.*)	southern.	N. S. W.	1820.	....	G. ♄.	
2	áspera. s.s.	(*br. ye.*)	rough.	W. Indies.	1824.	....	S. ♄.	
HEMIT'ELIA. B.P.		HEMIT'ELIA.		Cryptogamia Filices.				
	multifìdra. s.s.	(*br. ye.*)	many-flowered.	Jamaica.	1824.	....	S. ♄.	
TRICHO'MANES. W.		TRICHO'MANES.		Cryptogamia Filices. W.				
1	membranàceum. w.	(*br.*)	membranaceous.	W. Indies.	1820.	5. 8.	S. ♃.	Hook. ex. flor. t. 76.
2	floribúndum. s.s.	(*br. ye.*)	many-flowered.	——	1825.	——	S. ♃.	H. et G. ic. fil. t. 9.
3	brevisètum. H.K. *Hymenophy'llum alàtum.* E.B.	(*br. ye.*)	short-styled.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 20. t. 1417.
4	alàtum. s.s.	(*br. ye.*)	wing-leaved.	W. Indies.	1824.	——	S. ♃.	H. et G. ic. fil. t. 11.
5	crìspum. s.s.	(*br. ye.*)	curled.	——	1828.	——	S. ♃.	—— ic. fil. t. 12.
HYMENOPHY'LLUM.		FILMY-LEAF.		Cryptogamia Filices. W.				
1	polyánthos. s.s.	(*br. ye.*)	many-flowered.	W. Indies.	1824.	6. 9.	S. ♃.	H. et G. ic. fil. t. 128.
2	tunbridgénse. w.	(*br.*)	Tunbridge.	Britain.	....	5. 6.	H. ♃.	Eng. bot. v. 3. t. 162.
3	hirsùtum. s.s.	(*br. ye.*)	hairy.	Trinidad.	1823.	5. 9.	S. ♃.	H. et G. ic. fil. t. 84.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. *p.* 1.

CLE'MATIS. p. 1.		VIRGIN'S BOWER.					
grandiflòra. p. 1.	(*gr.*)	large-flowered.	Sierra Leone.	1822.	7. 9.	S. ♄.⌣.	Bot. reg. t. 1234.
chlorántha. B. Reg.							
43 viornoídes. Jac.	(*li.*)	Viorna-like.	N. America.	1826.	6. 9.	H. ♄.⌣.	
ANEM'ONÆ. p. 3.		ANEM'ONE.					
26 Richardsòni. H.A.	(*ye.*)	Richardson's.	N. America.	1827.	4. 7.	H. ♃.	Hook. fl. b. am. t. 4. A.
27 deltoídea. H.A.	(*wh.*)	deltoid.	Columbia.	——	——	H. ♃.	———— t. 3. A.
RANU'NCULUS. p. 4.		CROWFOOT.					
98 rhomboídeus. H.A.	(*ye.*)	rhomboid-leav'd.	N. America.	1825.	5. 6.	H. ♃.	Edin. phi. jou. 6. t. 11. f. 1.
99 glabérrimus. H.A.	(*ye.*)	smoothest.	————	1827.	——	H. ♃.	Hook. fl. b. am. t. 5. A.
100 ovàlis. H.A.	(*ye.*)	oval-leaved.	————	——	——	H. ♃.	———— t. 6. B.
101 breviculis. H.A.	(*ye.*)	short-stalked.	————	——	——	H. ♃.	———— t. 7. A.
102 cardiophy'llus. H.A.	(*y.*)	heart-leaved.	————	——	——	H. ♃.	Bot. mag. t. 2999.
103 pygmæus. DC.	(*ye.*)	pygmy.	————	——	——	H. ♃.	Wahl. lapp. t. 8. f. 1.
104 Eschschóltzii. H.A.	(*ye.*)	Eschscholtz's.	————	——	——	H. ♃.	
105 pedatífidus. DC.	(*ye.*)	pedatifid.	————	——	——	H. ♃.	
106 recurvàtus. DC.	(*ye.*)	recurved.	————	——	——	H. ♃.	
107 Schlechtendàlii. H.A.	(*ye.*)	Schlechtendahl's.	——	——	——	H. ♃.	Schlec. an. s. 2. t. 2.
fasciculàris. Schlec. *non* Muhl.							
CA'LTHA. p. 7.		MARSH MARYGOLD.					
9 biflòra. H.A.	(*wh.*)	two-flowered.	N. America.	1827.	5. 7.	H. *w.* ♃.	
10 leptosépala. H.A.	(*wh.*)	slender-sepaled.	————	——	——	H. *w.* ♃.	Hook. fl. b. am. t. 10.
CO'PTIS. p. 7.		CO'PTIS.					
2 asplenifólia. H.A.	(*wh.*)	Fern-leaved.	N. America.	1827.	6. 7.	H. ♃.	Hook. fl. b. am. t. 11.
ACON'ITUM. p. 9.		MONKSHOOD.					
129 Nuttállii.	(*pa.*)	Nuttall's.	N. America.	1828.	7. 8.	H. ♃.	
pállidum. N. *non* R.A.							
130 glábrum. DC.	(*pa.*)	smooth.	.....	1829.	——	H. ♃.	

DILLENIACEÆ. *p.* 12.

TRACHYTE'LLA. DC.		TRACHYTE'LLA. Polyandria Monogynia.					
Act'æa. DC.	(*wh.*)	spear-leaved.	China.	1826.	6. 8.	H. ♄.⌣.	

MAGNOLIACEÆ. *p.* 13.

TALA'UMA. DC.		TALA'UMA. Polyandria Polygynia.					
Candóllii. Bl.	(*st.*)	De Candolle's.	Java.	1827.	4. 6.	S. ♄.	Blum. pl. jav. c. ic.
Magnòlia odoratíssima. Hort.							

BERBERIDEÆ. *p.* 16.

BE'RBERIS. p. 16.		BARBERRY.					
19 carolinìana. N.	(*ye.*)	Carolina.	Carolina.	1828.	5. 7.	H. ♄.	
20 cratægìna. DC.	(*ye.*)	Hawthorn-like.	Levant.	1829.	....	H. ♄.	
21 glumàcea. DC.	(*ye.*)	glumaceous.	N. America.	1827.	....	H. ♄.	
A'CHLYS. DC.		A'CHLYS. Polyandria Monogynia.					
triphy'lla. DC.	(*wh.*)	three-leaved.	N. America.	1827.	4. 6.	H. ♃.	Hook. fl. b. am. t. 12.
EPIME'DIUM. p. 16.		BARRENWORT.					
2 hexándrum. H.A.	(*li.*)	hexandrous.	N. America.	1827.	4. 5.	H. ♃.	Hook. fl. b. am. t. 13.

NYMPHÆACEÆ. *p.* 17.

NYMPHÆA. p. 17. WATER-LILY.
odoràta. p. 18. sweet-scented. N. America.
β *máxima.* N. (*wh.*) *largest.* ——— 1828. 7. 8. H.*w.*4.
20 sanguínea. N. (*re.*) bloody. ——— —— —— H.*w.*4.
N'UPHAR. p. 18. N'UPHAR.
advèna. p. 18. striped-flowered. N. America.
β *lùtea.* N. (*ye.*) *yellow-flowered.* ——— 1828. —— H.*w.*4.

SARRACENIÆ. *p.* 18.

SARRAC'ENIA. p. 18. SIDE-SADDLE-FLOWER.
1 minor. N. (*pu.*) small. Carolina. 1829. 6. 7. H.4. Swt. br. fl. gar. s. 2.

PAPAVERACEÆ. *p.* 18.

ARGEM'ONE. p. 19. ARGEM'ONE.
5 intermèdia. (*wh.*) intermediate. Mexico. 1828. 7. 10. H.4.
SANGUIN'ARIA. p. 19. PUCCOON.
2 grandiflòra. Ros. (*wh.*) large-flowered. N. America. 1812. 3. 5. H.4. Rosc. flor. ill. sea. t. 8.
RŒM'ERIA. p. 19. RŒM'ERIA.
vermiculàta. Lehm. (*re.*) red-flowered. Persia. 1829. 6. 9. H.♂.
GLA'UCIUM. p. 19. HORN POPPY.
5 rùbrum. DC. (*re.*) red-flowered. Levant. —— —— H.♂. Flor. græc. t. 488.
6 pérsicum. DC. (*re.ve.*) red and velvet. Persia. —— —— H.☉.

CRUCIFERÆ. *p.* 21.

NASTU'RTIUM. p. 22. NASTU'RTIUM.
1 nàtans. DC. (*st.*) floating. N. America. 1827. 5. 9. H.*w.*4. Deles. ic. sel. 2. t. 15.
BRA'YA. p. 22. BRA'YA.
3 pilòsa. H.A. (*pu.*) hairy. N. America. —— 4. 6. H.4. Hook. fl. b. am. t. 17. f. A.
ARABIS. p. 22. WALL-CRESS.
47 retrofracta. Gr. (*bl.*) bending. N. America. —— 4. 7. H.4.
Turritis retrofracta. H.A.
48 pátula. W.K. (*pu.*) spreading. Hungary. —— —— H.4. W. et K. hung. 1. t. 59.
49 lævigàta. DC. (*wh.*) smooth. N. America. —— —— H.4.
MACROP'ODIUM. p. 2. MACROP'ODIUM.
2 laciniàtum. H.A. (*wh.*) cut-leaved. N. America. —— 6. 9. H.☉. Hook. bot. mis. p. III. ic
PA'RRYA. p. 24. PA'RRYA.
3 macrocárpa. Br. (*pu.*) large-podded. N. America. —— 5. 6. H.4. Hook. fl. b. am. t. 15.
DR'ABA. p. 25. WHILLOW-GRASS.
35 crassifòlia. Gr. (*ye.*) thick-leaved. N. America. —— 4. 5. H.4.
ERY'SIMUM. p. 30. ERY'SIMUM.
crepidifòlium. s.s. (*ye.*) Crepis-leaved. N. America. 1829. 5. 6. H.♂.
ÆTHION'EMA. p. 32. ÆTHION'EMA.
5 membranàceum. DC. (*li.*) membranous-podded. Persia. —— 6. 8. H.4. Swt. br. fl. gar. s. 2. t. 69.
SIN'APIS. p. 34. MUSTARD.
30 amplexicàulis. DC. (*ye.*) stem-clasping. Algiers. —— 6. 9. H.☉. Desf. atl. 2. t. 153.

CAPPARIDEÆ. *p.* 37.

CLE'OME. p. 37. CLE'OME.
20 speciosíssima. B.R. (*pu.*) pretty. Mexico. 1827. 8. 11. H.☉. Bot. reg. t. 1312.
CA'PPARIS. p. 38. CAPER-TREE.
acutifòlia. (*wh.*) sharp-pointed. S. America. —— 6. 8. S.ħ. Bot. reg. t. 1320.
acuminàta. Bot. reg. *nec aliorum.*

VIOLARIEÆ. *p.* 43.

V'IOLA. p. 43.		VIOLET.					
89 pedatífida. G.D.	(*bl.*)	pedatifid.	N. America.	1827.	5. 7.	H.4.	
90 attenuàta. B.F.G.	(*wh.*)	attenuated.	———	1812.	4. 8.	H.4.	Swt. br. fl. gar. s. 2.
lanceolàta. Pursh et Nuttall *non* Lin.							
91 præmórsa. B.R.	(*ye.*)	bitten-rooted.	———	1827.	4. 6.	H.4.	Bot. reg. t. 1254.
HYMENANTH'ERA. DC.		HYMENANTH'ERA.	Monadelphia Pentandria.				
dentàta. DC.	(*ye.*)	toothed.	N. S. W.	1822.	8. 5.	G.h.	

POLYGALEÆ. *p.* 46.

POLY'GALA. p. 46.		MILKWORT.					
42 rubélla. Ph.	(*ro.*)	pale red.	N. America.	1826.	6. 7.	H.4.	

FRANKENIACEÆ. *p.* 48.

FRANK'ENIA. p. 48.		SEA HEATH.					
9 corymbósa. DC.	(*ro.*)	corymb-flowered.	Barbary.	1699.	6. 8.	F.h.	Desf. atl. 1. t. 98.

CARYOPHYLLEÆ. *p.* 48.

DIA'NTHUS. p. 49.		PINK.					
97 ciliàtus. Lehm.	(*pi.*)	fringed.	.....	1829.	6. 8.	H.4.	
98 sículus. S.S.	(*pi.*)	Sicilian.	Sicily.	——	——	H.4.	
AREN'ARIA. p. 56.		SANDWORT.					
68 glomeràta. DC.	(*wh.*)	close-headed.	Tauria.	1829.	7. 9.	H.⊙.	
SPERG'ULA. p. 55.		SPURREY.					
9 pilífera. DC.	(*wh.*)	pilliferous.	Corsica.	1829.	6. 8.	H.4.	

LINEÆ. *p.* 58.

L'INUM. p. 58.		FLAX.					
41 altaícum. F.	(*bl.*)	Altay.	Altay.	1829.	6. 8.	H.4.	

MALVACEÆ.

MA'LVA. p. 59.		MALLOW.					
72 Munroàna. B.R.	(*sc.*)	Munro's.	N. America.	1827.	5. 10.	H.4.	Bot. reg. t. 1306.
HIBI'SCUS. p. 61.		HIBI'SCUS.					
86 Telfáiriæ.	(*va.*)	Mrs. Telfair's.	Hybrid.	1825.	1. 12.	S.h.	
α róseus.	(*ro.*)	*rose-coloured.*	———	——	——	S.h.	Bot. mag. t. 2891.
β lilacìnus.	(*li.*)	*pink.*	———	——	——	S.h.	
γ cárneus.	(*fl.*)	*flesh-coloured.*	———	——	——	S.h.	
δ fulvéscens.	(*bf.*)	*buff-coloured.*	———	——	——	S.h.	
ε óchroleùcus.	(*st.*)	*straw-coloured.*	———	——	——	S.h.	
S'IDA. p. 63.		S[illegible]					
59 repánda. DC.	(*st.*)	repanded.	.....	1829.	6. 8.	S.h.	

BUTTNERIACEÆ. *p.* 66.

RE'EVESIA. B.R.		RE'EVESIA.	Polyadelphia Polyandria.				
thyrsoídea. B.R.	(*wh.*)	thyrse-flowered.	China.	1818.	1. 7.	G.h.	Bot. reg. t. 1236.
STERC'ULIA. p. 66.		STERC'ULIA.					
16 lanceolàta. B.R.	(*br.*)	spear-leaved.	———	1822.	5. 6.	G.h.	Bot. reg. t. 1236.
DOMB'EYA. p. 69.		DOMB'EYA.					
4 angulàta. DC.	(*ro.*)	angle-leaved.	Mauritius.	1826.	4. 8.	S.h.	Bot. mag. t. 2905.

HYPERICINEÆ. *p.* 76.

HYPE'RICUM. p. 76. ST. JOHN'S-WORT.

77 Geblèri. Led. (*ye.*) Gebler's. Altay. 1829. 6. 8. H. ½.

GUTTIFERÆ. *p.* 78.

GARCI'NIA. p. 78. GARCI'NIA.

5 purpùrea. H.B. (*pu.*) purple. E. Indies. 1828. .... S. ½.

GERANIACEÆ. *p.* 88.

PHYMATA'NTHUS. p. 89. WART-FLOWER.

6 intertíncta. S.G. (*re.w.v.*) stained. Hybrid. 1827. 2. 10. G. ½. Swt. ger. ser. 2. t. 54.

PELARG'ONIUM. p. 92. STORK'S-BILL.

504 nodòsum. S.G. (*cr.v.*) knotted-stalked. Hybrid. 1824. 4. 11. G. ½. Swt. ger. ser. 2. t. 68.
505 bipinnatífidum. S.G. (*pu.*) bipinnatifid. —— 1827. —— G. ½. —— ser. 2. t. 62.
506 Darnleyànum. S.G. (*cr.*) Earl of Darnley's. —— 1826. —— G. ½. —— ser. 2. t. 68.
507 pullàceum. S.G. (*sc.v.*) dark brown. —— 1827. 5. 10. G. ½. —— ser. 2. t. 76.
508 contíguum. S.G. (*sc.*) contiguous. —— 1828. —— G. ½. —— ser. 2. t. 73.
509 icònicum. S.G. (*sc.bk.*) figured. —— —— —— G. ½. —— ser. 2. t. 88.
510 Bluntiànum. S.G. (*sc.ve.*) Miss Blunt's. —— —— —— G. ½. —— ser. 2. t. 79.
511 erióphoron. S.G. (*sc.ve.*) wool-bearing. —— —— —— G. ½. —— ser. 2. t. 90.
512 obtusidentàtum. S.G. (*sc.*) blunt-toothed. —— —— —— G. ½. —— ser. 2. t. 92.
513 melanchólicum. S.G. (*sc.ve.*) dark-edged. —— 1827. —— G. ½. —— ser. 2. t. 53.
514 Spéculum. S.G. (*re.ve.*) looking-glass. —— —— —— G. ½. —— ser. 2. t. 52.
515 anacampton. S.G. (*re.ve.*) recurved-calyx'd. —— —— —— G. ½. —— ser. 2. t. 64.
516 Peytòniæ. S.G. (*re.ve.*) Lady Peyton's. —— —— —— G. ½. —— ser. 2. t. 46.
517 ursìnum. S.G. (*re.*) shaggy-calyxed. —— 1828. —— G. ½. —— ser. 2. t. 94.
518 suffùsum. S.G. (*pi.re.*) suffused. —— 1827. —— G. ½. —— ser. 2. t. 47.
519 láxulum. S.G. (*ro.ve.*) loose-umbelled. —— 1828. —— G. ½. —— ser. 2. t. 75.
520 conchyllàtum. S.G. (*vi.ve.*) violet-purple. —— —— —— G. ½. —— ser 2. t. 95.
521 porphy'reon. S.G. (*pu.*) bright-purple. —— —— —— G. ½. —— ser. 2. t. 89.
522 mollifólium. S.G. (*pi.ve.*) soft-leaved. —— 1827. —— G. ½. —— ser. 2. t. 77.
523 Colleyànum. S.G. (*pu.*) Colley's. —— 1828. —— G. ½. —— ser. 2. t. 83.
524 Littleànum. S.G. (*pu.li.*) Little's. —— 1827. —— G. ½. —— ser. 2. t. 72.
525 dædàleum. S.G. (*pi.re.*) variable-coloured. —— —— —— G. ½. —— ser. 2. t. 100.
526 Veitchiànum. S.G. (*pu.*) Veitch's. —— —— —— G. ½. —— ser. 2. t. 81.
527 implicàtum. S.G. (*pu.*) implicated. —— —— —— G. ½. —— ser. 2. t. 86.
528 insculptum. S.G. (*li.pu.*) engraved-petal'd. —— 1828. —— G. ½. —— ser. 2. t. 65.
529 lanòsum. S.G. (*li.ve.*) wool-bearing. —— —— —— G. ½. —— ser. 2. t. 84.
530 flabellifòlium. S.G. (*std.*) fan-leaved. —— —— —— G. ½. —— ser. 2. t. 48.
531 cordifórme. S.G. (*bk.pu.*) heart-shaped. —— 1827. —— G. ½. —— ser. 2. t. 49.
532 præclàrum. S.G. (*wh.pu.*) clear-coloured. —— —— —— G. ½. —— ser. 2. t. 67.
533 clathràtum. S.G. (*pi.ve.*) burred-petaled. —— —— —— G. ½. —— ser. 2. t. 85.
534 instràtum. S.G. (*wh.ve.*) spreading-spotted. —— 1828. —— G. ½. —— ser. 2. t. 78.
535 Yeatmaniànum. S.G. (*pu.ve.*) Miss Yeatman's. —— 1827. —— G. ½. —— ser. 2. t. 59.
536 mirábile. S.G. (*li.ve.*) admirable. —— —— —— G. ½. —— ser. 2. t. 57.
537 laùtum. S.G. (*pi.pu.*) genteel. —— —— —— G. ½. —— ser. 2. t. 91.
538 commíxtum. S.G. (*re.ve.*) mingled. —— —— —— G. ½. —— ser. 2. t. 71.
539 compáctum. S.G. (*bk.re.*) compact. —— 1828. —— G. ½. —— set. 2. t. 70.
540 exquísitum. S.G. (*w.pu.*) dainty-flowered. —— 1824. —— G. ½. —— ser. 2. t. 55.
541 polítum. S.G. (*bk.re.*) polished. —— 1827. —— G. ½. —— ser. 2. t. 87.
542 Atkinsiànum. S.G. (*bk.pu.*) Mr. Atkins's. —— 1828. —— G. ½. —— ser. 2. t. 99.
543 atrovìrens. S.G. (*bk.pu.*) dark green-leav'd. —— 1827. —— G. ½. —— ser. 2. t. 74.
544 adventítium. S.G. (*pu.ve.*) adventitious. —— 1826. —— G. ½. —— ser. 2. t. 80.
545 perámplum. S.G. (*li.*) very large-flower'd. —— —— —— G. ½. —— ser. 2. t. 61.
546 glabréscens. S.G. (*w.pu.*) smoothish-leav'd. —— 1824. —— G. ½. —— ser. 2. t. 45.
547 Hilliànum. S.G. (*w.pu.*) Hill's. —— 1828. —— G. ½. —— ser. 2. t. 51.
548 pallídulum. S.G. (*pi.*) pale pink. —— —— —— G. ½. —— ser. 2. t. 97.
549 urbànum. S.G. (*pi.*) home bred. —— —— —— G. ½. —— ser. 2. t. 50.
550 dissímile. S.G. (*re.l.ve.*) dissimilar. —— —— —— G. ½. —— ser. 2. t. 60.
551 fastuòsum. S.G. (*re.ve.*) fastuous. —— —— —— G. ½. —— ser. 2. t. 93.
552 succuléntum. S.G. (*sc.ve.*) succulent-leav'd. —— 1827. —— G. ½. —— ser. 2. t. 69.
553 Dràkeæ. S.G. (*cr.ve.*) Mrs. Drake's. —— 1828. —— G. ½. —— ser. 2. t. 96.

554 Annesleyànum.s.G.(*re.ve.*)MissAnnesley's.Hybrid. 1828. 5. 10. G.ħ. Swt. ger. ser. 2. t. 56.
555 Glorianum.s.G.(*cr.ve.*)Queen of Portugal's. —— —— —— G.ħ. —— ser. 2. t. 82.
556 Kenrickæ.s.G.(*re.ve.*)Mrs. Kenrick's. —— —— —— G.ħ. —— ser. 2. t. 58.
557 nùtans. s.G. (*sc.ve.*) nodding-flowered. —— 1827. —— G.ħ. —— ser. 2. t. 66.
558 Sweetiànum.Sm.(*cr.ve.*)Sweet's. —— 1829. —— G.ħ.
559 staphysagroídes.s.G.(*pu.*)Stavesacre-ld. C. B. S. 1827. —— G.ħ. Swt. ger. ser. 2. t. 98.

BALSAMINEÆ. *p.* 101.

IMP'ATIENS. p. 102. TOUCH-ME-NOT.
pállida. p. 102. pale-flowered. N. America. 1812. 6. 10. H.⊙. Eng. bot. v. 14. t. 987.
Nòli-tángere. E.B. *nec aliorum.*
7 boreàlis. (*ye.*) northern. Denmark. .... —— H.⊙. Flor. dan. t. 582.
Nòli-tángere. F.D. *non* L.
Nòli-tángere. L.(*y.re.*) English. England. .... —— H.⊙.

OXALIDEÆ. *p.* 102.

O'XALIS. p. 102. WOOD-SORREL.
113 tortuòsa. B.R. (*ye.*) twisted. Chile. 1825. 6. 8. G.ħ. Bot. reg. t. 1249.
114 floribúnda. Leh. (*ro.*) many-flowered. Brazil. 1829. 4. 9. F.ɣ. Swt. br. fl. gar. s. 2.
úrbica. Hil. (*li.*) Martius's. —— 1828. 5. 9. F.ɣ.
Martiàna. Zuc. p. 102. ex S.S. Lodd. bot. cab. ic.

ZYGOPHYLLEÆ. *p.* 104.

LA'RREA. p. 104. LA'RREA.
2 divaricàta. DC. (*ye.*) spreading-lobed. BuenosAyres. 1829. 6. 9. G.ħ. Cavan. icon. 6. t. 560. f. 1.

RUTACEÆ. *p.* 105.

APLOPHY'LLUM. p. 105. APLOPHY'LLUM.
patavìna, tuberculàta, villòsa, linifòlia et dahùrica, lege patavìnum, tuberculàtum, villòsum, linifòlium, et dahùricum.
9 Buxbàumii. J.R. (*ye.*) Buxbaum's. Levant. 1828. 6. 8. H.ɣ. Buxb. cent. 2. t. 28. f. 2.
Rùta Buxbàumii. DC.
DICTA'MNUS. p. 105. FRAXINELLA.
8 angustifòlius.s.F.G.(*pu.*)narrow-leaved. Siberia. 1829. 5. 7. H.ɣ. Swt. br. fl. gar. ser. 2.

CELASTRINEÆ. *p.* 109.

EUO'NYMUS. p. 109. SPINDLE-TREE.
16 nànus. DC. (*st.*) dwarf. Caucasus. 1829. 5. 7. H.ħ.
17 grósSus. F.I. (*wh.*) large. Nepaul. 1828. 6. 8. F.ħ.

RHAMNEÆ. *p.* 112.

TRAV'OA. H.M. TRAV'OA. Pentandria Monogynia.
quinquenérvia. H.M.(*w.*)five-nerved. Chile. 1827. 5. 7. F.ħ.

HOMALINEÆ. *p.* 116.

BLACKWE'LLIA. p. 11. BLACKWE'LLIA.
7 padifòlia. B.R. (*wh.*) Padus-leaved. China. 1826. 8. 9. G.ħ. Bot. reg. t. 1308.

CASSUVIEÆ. *p.* 117.

MELANORRH'ŒA. W. MELANORRH'ŒA. Polygamia Dicœcia.
usitàta. W.I. (*re.*) useful. E. Indies. 1828. .... S.ħ. Wall. ind. pl. t. 11. 12.
HOLIGA'RNA. DC. HOLIGA'RNA. Polygamia Monœcia.
longifòlia. DC. (*wh.*) long-leaved. E. Indies. 1828. .... S.ħ. Roxb. corom. 3. t. 262.

BURSERACEÆ. *p.* 120.

IC'ICA. DC. Ic'ica. Octo-Decandria Monogynia.
1 enneándria. DC. (*wh.*) nine-stamened. Guiana. 1825. .... S. ♄. Aubl. guian. 1. t. 134.
2 decándra. DC. (*wh.*) ten-stamened. ——— —— .... S. ♄.
3 altíssima. DC. (*wh.*) tallest. ——— 1822. .... S. ♄. Aubl. guian. 1. t. 132.

LEGUMINOSÆ. *p.* 122.

Subordo I. *PAPILIONACEÆ.*

S'OPHORA. p. 122. S'ophora.
12 velutina. B.R. (*pu.*) velvetty. China. 1826. 6. 7. G. ♄. Bot. reg. t. 1185.
BAPTI'SIA. p. 128. Bapti'sia.
10 minor. Lehm. (*bl.*) lesser. N. America. .... 6. 7. H. ♃.
ANTHY'LLIS. p. 132. Kidney-Vetch.
22 polycéphala. DC. (*ye.*) many-headed. Barbary. 1829. 6. 7. H. ♃. Deaf. atl. 2. t. 195.
HOSA'CKIA. B.R. Hosa'ckia. Diadelphia Decandria.
1 bícolor. B.R. (*y.w.*) two-coloured. N. America. 1823. 7. 9. H. ♃. Bot. reg. t. 1257.
Lòtus pinnàtus. Bot. mag. t. 2913.
2 Purshiàna. B.R. (*ye.*) Pursh's. ——— 1827. —— H. ♃.
3 decúmbens. B.R. (*ye.*) decumbent. ——— —— —— H. ♃.
4 parvifòra. B.R. (*ye.*) small-flowered. ——— —— —— H. ♃.
TEPHR'OSIA. p. 141. Tephr'osia.
38 chinénsis. H.C. (*li.*) Chinese. China. 1822. 5. 8. G. ♄.
ASTRA'GALUS. p. 145. Milk Vetch.
120 succuléntus. B.R. (*pu.*) succulent. N. America. 1827. 6. 7. H. ♃. Bot. reg. t. 1324.
KENN'EDYA. p. 156. Kenn'edya.
monophy'lla. p. 157. simple-leaved. N. S. W. 1790. 3. 8. G. ♄. ⌣. Vent. malm. t. 106.
β *longeracemòsa.* (*pi.*) *long-racemed.* ——— 1828. —— G. ♄. ⌣. Bot. reg. t. 1336.
LUP'INUS. p. 159. Lupine.
34 pulchéllus. (*bl.*) handsome. Mexico. —— 6. 10. F. ♄. Swt. br. fl. gar. s. 2. t. 67.

Subordo III. *MIMOSEÆ.*

AC'ACIA. p. 164. Ac'acia.
209 gravèolens. L.C. (*ye.*) strong-scented. N. Holland. 1825. 3. 5. G. ♄. Lodd. bot. cab. t. 1460.
uncinàta. p. 165. (*st.*) hooked. N. Holland. 1823. 8. 1. G. ♄. Bot. reg. t. 1332.
210 álbida. B.R. (*ye.*) white spiny. Peru. 1824. 4. 6. G. ♄. ——— t. 1317.

Subordo IV. *CÆSALPINEÆ.*

CASTANOCA'RPUS. Moreton Bay Chestnut. Decandria Monogynia.
austràlis. (*wh.*) southern. N. Holland. 1829. .... G. ♄.
CA'SSIA. p. 169. Ca'ssia.
116 brevifòlia. DC. (*ye.*) short-leaved. Madagascar. 1824. 6. 7. S. ♄.

ROSACEÆ. *p.* 178.

R'UBUS. p. 187. Bramble and Raspberry.
85 flàvus. D.P. (*wh.*) yellow-fruited. Nepaul. 1827. .... F. ♄.
86 setòsus. DC. (*wh.*) bristly-stalked. N. America. —— 5. 7. H. ♄.
87 nutkànus. DC. (*wh.*) Nootka sound. ——— —— —— H. ♄. Swt. br. fl. gar. s. 2.
DR'YAS. p. 190. Dr'yas.
3 Drummóndii. B.M. (*ye.*) Drummond's. ——— —— 4. 8. H. ♃. Bot. mag. t. 2972.
POTENTI'LLA. p. 190. Cinquefoil.
nívea. p. 190. (*ye.*) snowy-leaved. N. Europe. 1816. 6. 8. H. ♃.
β *macrophy'lla.* B.M. (*y.*) *large-leaved.* N. America. 1827. —— H. ♃. Bot. mag. t. 2982.
101 grácilis. B.M. (*ye.*) slender. ——— —— —— H. ♃. ——— t. 2984.
102 Hopwoodiàna. S.F.G. (*ro.s.*) Hopwood's. Recto-formosa. 1829. 6. 9. H. ♃. Swt. br. fl. gar. s. 2. t. 61.

COMBRETACEÆ. *p.* 195.

POI'VREA. p. 196. POI'VREA.
6 Afzèlii. D.D. (*sc.*) Afzellus's. Sierra Leone. 1824. 7. 10. S. ½.⌣. Bot. mag. t. 2944.
Combrètum grandiflòrum. B.M. not G.D. in Linn. trans., which is a true *Combrètum*, with 8 stamens; we have adopted M. Decandolle's division of the genus, as Mr. Don informed us, he found the same distinctions as given by Decandolle, and was inclined to divide them himself, but afterwards arranged them in distinct sections, by which they might be readily divided, one genus having irregular convolute cotyledons, and the other straight plaited ones; this circumstance he mentioned to us before his paper was published, and before M. Decandolle's volume had arrived.

VOCHYSIEÆ. *p.* 197.

QU'ALEA. M.P. QU'ALEA. Monandria Monogynia.
violàcea. M.P. (*vi.*) violet-coloured. Brazil. 1824. .... S. ½. Mart. pl. bras. 1. t. 81.
ERI'SMA. DC. ERI'SMA. Monandria Monogynia.
floribùnda. DC. (*bl.*) many-flowered. Guiana. 1825. .... S. ½. Tratt. tab. t. 105.

ONAGRARIEÆ. *p.* 197.

FU'CHSIA. p. 197. FU'CHSIA.
11 thymifòlia. DC. (*re.*) Thyme-leaved. Mexico. 1829. 4. 10. F. ½. Swt. br. fl.gar. s.2. t.26.

MELASTOMACEÆ. *p.* 203.

PLER'OMA. p. 204. PLER'OMA.
3? villòsum. DC. (*pu.*) villous. S. America. 1820. 5. 10. S. ½. Bot. mag. t. 2630.
Melástoma villòsa. B.M.

PASSIFLOREÆ. *p.* 216.

PASSIFL'ORA. p. 216. PASSION-FLOWER.
65 Cavanillèsii. DC. (*co.*) Cavanille's. W. Indies. 1822. 7. 10. S. ½.⌣. Cavan. dis. 10. t. 273.
66 Andersònii. DC. (*st.*) Anderson's. St. Vincent. 1823. —— S. ½.⌣.
67 Raddiàna. DC. (*st.pu.*) Raddi's. Brazil. 1829. —— S. ½.⌣.
68 cephaleíma. DC. .... crowded-leaved. ——— 1826. .... S. ½.⌣. Bory.an.gen.2. t.22.f.2.
69 obscùra. H.C. (*gr.st.*) obscure. S. America. 1823. 2. 10. S. ½.⌣.

CACTEÆ. *p.* 235.

MAMMILL'ARIA. p.235. MAMMILL'ARIA.
23 fulvispìna. H.P. (*re.*) brown-spined. Brazil. 1822. 8. 10. D.S. ½.
24 púlchra. H.B.K. (*pu.*) pretty. Mexico. 1828. 6. 10. D.S. ½. Bot. reg. t. 1339.
25 deprèssa. DC. (*wh.re.*) depressed. S. America. 1800. 6. 8. D.S. ½. DC. dis. t. 2. f. 2.
díscolor. DC. dis. *non* Haw. *Spinii.* Colla hort. rip. ic.
díscolor. H.S. (*wh.re.*) two-coloured. S. America. —— —— D.S. ½.
26 stellàris. H.S. (*ro.*) starry. ——— 1816. 6. 9. D.S. ½. Lodd. bot. cab. t. 79.
non pusílla. DC. *ex.* H.P.
ECHINOCA'CTUS. p. 235. ECHINOCA'CTUS.
22 cornígerus. DC. (*wh.*) horn-spined. Mexico. 1830. 6. 9. D.S. ½. DC. diss. cact. t. 7.
23 nóbilis. H.P. (*wh.*) noble. ——— 1796. —— D.S. ½.
24 Hy'strix. H.P. (*wh.*) Porcupine. S. America. 1818. —— D.S. ½.
C'EREUS. p. 236. C'EREUS.
74 mágnus. H.P. (*wh.*) great 12-angled. St. Domingo. 1830. 6. 10. D.S. ½.
75 fèrox. H.P. (*wh.*) fierce upright. Brazil. 1826. —— D.S. ½.
76 Æthiops. H.P. (*wh.*) black-spined. ——— —— —— D.S. ½.
77 setíger. H.P. .... small quadrangular. ——— 1826. .... D.S. ½.
78 undàtus. H.P. .... triangular China. China. 1824. .... D.S. ½.
79 crispàtus. H.P. .... curly-edged. Brazil. 1826. .... D.S. ½.
80 Colvíllii. (*ro.*) Colvill's. Grandiflora-speciosissimus. —— D.S. ½.

OPU'NTIA. p. 237. INDIAN FIG.
38 longispìna. H.P. (*ye.*) long-spined. Brazil. 1826. 6. 10. D.S. ♄.
39 glomeràta. H.P. (*ye.*) long flat-spined. ——— —— —— D.S. ♄.
40 ròsea. DC. (*ro.*) rose-coloured. Mexico. 1830. .... D.S. ♄. DC. diss. cact. t. 15.
41 imbricàta. DC. (*ro.*) imbricated. S. America. 1820. .... D.S. ♄.
Cèreus imbricàtus. p. 237.
42 cylíndrica. DC. (*ro.*) cylindrical. Peru. 1779. .... D.S. ♄.
Cèreus cylíndricus. p. 237.
RHIPS'ALIS. p. 238. RHIPS'ALIS.
8 cereúscula. H.P. .... Cereus-like. Brazil. 1828. .... D.S. ♄.

GROSSULARIEÆ. *p.* 238.

R'IBES. p. 238. CURRANT AND GOOSEBERRY.
45 punctàtum. DC. (*st.*) spotted. Chile. 1825. 3. 5. H. ♄. Bot. reg. t. 1278.

ESCALLONEÆ. *p.* 239.

ESCALL'ONIA. p. 239. ESCALL'ONIA.
5 bífida. Ot. (*pi.*) bifid. Mexico. 1827. .... F. ♄.
6 viscòsa. Ot. (*wh.*) viscous. Mendoza. 1829. .... G. ♄.

SAXIFRAGEÆ. *p.* 239.

SAXI'FRAGA. p. 239. SAXIFRAGE.
102 spicàta. L.T. (*sp.*) spiked. N. America. 1827. 5. 6. H. ♃.
103 argùta. L.T. (*sp.*) deep-notched. ——— —— —— H. ♃.
104 nudicaùlis. L.T. (*wh.*) naked-stalked. ——— —— —— H. ♃.
105 ferrugínea. Gr. (*wh.*) ferruginous. ——— —— —— H. ♃.
106 pyrolifòlia. L.T. (*wh.*) Pyrola-leaved. ——— —— —— H. ♃.
107 tricuspidàta. L.T. (*ye.*) three-pointed. Greenland. 1827. —— H. ♃.
HEUCH'ERA. p. 242. HEUCH'ERA.
1 micrántha. B.R. (*gr.*) small-flowered. Columbia. —— 6. 7. H. ♃. Bot. reg. t. 1302.
2 Richardsòni. D. (*gr.*) Richardson's. N. America. —— —— H. ♃.
TIARE'LLA. p. 242. TIARE'LLA.
5 cólorans. Gr. (*wh.*) coloured. N. America. —— 4. 6. H. ♃.
MITE'LLA. p. 242. MITE'LLA.
5 trifida. Gr. (*wh.*) trifid. N. America. —— 5. 7. H. ♃.
DRUMMO'NDIA. DC. DRUMMO'NDIA. Pentandria Digynia.
Mitélla pentándra. Bot. mag. t. 2933.

UMBELLIFERÆ. *p.* 243.

ERY'NGIUM. p. 244. ERYNGO. Pentandria Digynia.
36 Andersòni. LG. (*bl.*) Anderson's. .... 8. 9. H. ♃.
DISCOPLE'URA. p. 245. DISCOPLE'URA.
2 capillàcea. DC. (*wh.*) capillary. N. America. 1824. 7. 9. H. ☉.
Á'mmi capillàceum. M.
FER'ULA. p. 250. GIANT-FENNEL.
21 linearis. Cerv. (*ye.*) linear-leaved. Mexico. 1828. 8. 10. F. ♃.
ANTHRI'SCUS. p. 254. ROUGH CHERVILL.
9 torquàta. DC. (*wh.*) twisted. France. 1726. 6. 7. H. ♂. Jacq. aust. 1. t. 63.
Chærophy'llum bulbosum. Jacq.
ARPI'TIUM. Neck. ARPI'TIUM. Pentandria Digynia.
simplex. (*wh.*) simple-stalked. Switzerland. 1824. 6. 8. H. ♃. Jacq. misc. 2. t. 2.
Laserpítium simplex. L. *Gáya simplex.* Gaud. fl. helv. 2. t. 6. non *Gaya.* Kth.

ARALIACEÆ. *p.* 256.

ADA'MIA. W.I. ADA'MIA. Didynamia Angiospermia.
cyánea. W.I. (*bl.*) blue-flowered. E. Indies. 1829. .... S. ♄. Wall. ind. t. 26.

CAPRIFOLIACEÆ. *p.* 257.

SYMPHO'RIA. p. 258. ST. PETER'S-WORT.
3 montàna. K.S. (*li.*) mountain. Mexico. 1829. 7. 10. H. ♄. H.et B.nov.gen.3.t.298

LORANTHEÆ. *p.* 259.

AU'CUBA. W. AU'CUBA. Dicœcia Tetrandria.
japónica. (*pa.*) blotch-leaved. Japan. 1783. 5. 7. H.♄. Bot. mag. t. 1197.
LORA'NTHUS. p. 259. LORA'NTHUS.
2 terréstris. .....terrestrial. N. Holland. 1830. .... G. ♄.

RUBIACEÆ. *p.* 260.

ASPE'RULA. p. 266. WOODRUFF.
25 nítida. F.G. (*br.*) glossy. Greece. 1829. 7. 9. H. ¼. Flor. græc. t. 124.

DIPSACEÆ. *p.* 269.

ASTEROCE'PHALUS. p. 270. STARHEAD.
pancisètus. Jac. (*st.*) few-bristled. S. Europe. 1827. 7. 9. H. ¼.

COMPOSITÆ. *p.* 271.

CR'EPIS. p. 273. CR'EPIS.
33 macrorhìza. B.M. (*ye.*) large-rooted. Madeira. 1829. 7. 9. H. ¼. Bot. mag. t. 2988.
CHUQUIR'AGA. p. 280. CHUQUIR'AGA.
2 spinòsa. L.T. (*ye.*) spiny. Peru. 1825. 4. 5. F. ♄.
Bacàzia spinòsa. p. 286.
JU'NGIA. L. JU'NGIA. *LABIATIFLORÆ.* Syngenesia Æqualis.
paniculàta. D.D. (*ye.*) panicled. Chile. 1825. 7. 9. H. ¼. DC. an. mus. 19. t. 7.
Dumerìlia paniculàta. p. 260.
CENTA'UREA. p. 285. CENTAURY.
141 argùta. S.S. (*st.*) sharp notched. Canaries. 1829. —— F. ♄.
142 decípiens. Thu. (*pu.*) deceiving. France. —— —— H. ¼.
VERN'ONIA. p. 289. VERN'ONIA.
14 tomentòsa. Ot. (*pu.*) tomentose. Brazil. 1827. 9. 11. S. ♄.
DELI'SLIA. S.S. DELI'SLIA. Syngenesia Necessaria.
Bertèrii. S.S. (*ye.*) Bertero's. Isl.Magdalen. 1829. 6. 8. G. ☉. Mart. dec. 47. f. 1.
Millèria biflòra. p. 318.
CALE'NDULA. p. 318. MARYGOLD.
22 tomentòsa. S.S. (*ye.*) tomentose. C. B. S. 1828. —— H. ☉.
CLADA'NTHUS. p. 319. CLADA'NTHUS.
2 canéscens. S.F.G. (*ye.*) canescent. Canaries. 1829. 3. 8. F. ♄. Swt. br. fl. gar. ser. 2.

LOBELIACEÆ. *p.* 322.

LOB'ELIA. p. 322. LOB'ELIA.
84 purpùrea. B.R. (*pu.*) purple. Chile. 1825. 8. 9. G. ♄. Bot. reg. t. 1225.

CAMPANULACEÆ. *p.* 325.

LIGHTFO'OTIA. p. 325. LIGHTFO'OTIA.
Loddigésii. A.DC. (*pa.*) Loddiges'. C. B. S. 1824. 6. 8. G. ♄. Lodd. bot. cab. t. 1668.
tenélla. B.C.
PLATYC'ODON. A.DC. PLATYC'ODON. Pentandria Monogynia.
grandiflòrum. DC. (*bl.*) great-flowered. Siberia. 1782. 6. 8. H. ¼. Bot. mag. t. 252.
Campánula grandiflòra. B.M. *Wahlenbérgia grandiflòra.* p. 325.

WAHLENBE'RGIA. A.DC. WAHLENBE'RGIA.

3	Kitaibèlii. A.DC.	(*vi.*) Kitaibel's.	Hungary.	1823.	6. 8.	H.♃.	W. et K. hung. 2. t. 154.
	Campánula graminifólia. p. 327. W. et K. hung. *non* Flor. græc.						
4	tenuifólia. A.DC.	(*vi.*) slender-leaved.	Hungary.	1820.	5. 9.	H.♃.	W. et K. hung. 2. t. 155.
5	capénsis. A.DC.	(*vi.*) Cape.	C. B. S.	1803.	7. 10.	H.⊙.	Bot. mag. t. 782.
	Campánula capénsis. B.M. *Roélla decúrrens.* Andr. rep. t. 238.						
6	cérnua. A.DC.	(*wh.*) nodding-flowered.	C. B. S.	1804.	7. 9.	G.♂.	
7	lineàris. A.DC.	(*wh.*) linear-leaved.	———	1822.	7. 10.	H.⊙.	
8	procúmbens. A.DC.	(*bl.*) procumbent.	———	1824.	——	H.⊙.	Alph. DC. camp. t. 15.
9	hederàcea. A.DC.	(*pa. bl.*) Ivy-leaved.	England.	....	5. 6.	H.♃.	Eng. bot. v. 2. t. 73.
	Campánula hederàcea. p. 328. *Aikínia hederàcea.* Salisb.						
10	arvática.	(*bl.*) Spanish.	Spain.	1825.	5. 7.	H.♃.	Pluk. phyt. t. 23. f. 1.
	Campánula arvática. LG.						
11	grácilis. A.DC.	(*bl.*) slender.	N. S. W.	1794.	4. 8.	G.♂.	Bot. mag. t. 691.
	Campánula grácilis. B.M.						
12	stricta.	(*bl.*) upright.	———	——	——	G.♂.	Sm. exot. bot. t. 45.
	Campánula stricta. Exot. bot. *non* Linn. *erécta.* p. 326.						
13	capillàris. B.C.	(*bl.*) capillary.	N. Holland.	1824.	——	G.♂.	Lodd. bot. cab. t. 1406.
14	littorális. Lab.	(*bl.*) sea side.	V. Diem. Isl.	1820.	——	G.♂.	Lab. nov. holl. 1. t. 70.
15	quadrífida. A.DC.	(*bl.*) four-cleft.	N. S. W.	1822.	——	G.♂.	
16	saxícola. A.DC.	(*bl.*) small rock.	V. Diem. Isl.	1825.	5. 10.	G.♂.	
17	Sieberi. A.DC.	(*bl.*) Sieber's.	N. S. W.	1826.	——	G.♂.	
18	undulàta. A.DC.	(*bl.*) waved.	C. B. S.	1822.	5. 7.	G.♃.	
	Campánula undulàta. p. 326.						
19	hispídula. A.DC.	(*bl. wh.*) hispid-calyxed.	———	1816.	6. 9.	H.⊙.	Comm. hort. 2. t. 37.
	Campánula hispídula. p. 326.						
20	capillàcea. A.DC.	(*wh.*) capillary.	C. B. S.	1822.	5. 7.	H.♃.	
	lobelioídes. A.DC.	(*bh.*) Lobelia-like.	Canaries.	1777.	7. 8.	H.⊙.	Alph. DC. camp. t. 17.
	péndula. p. 323.						

SYMPHIA'NDRA. A.DC. SYMPHIA'NDRA. Monadelphia Pentandria.

	péndula. A.DC.	(*st.*) pendulous.	Caucasus.	1824.	6. 8.	H.♃.	Swt. br. fl. gar. s. 2. t. 66.
	Campánula péndula. p. 327. n. 102.						

SPECULA'RIA. A.DC. VENUS-LOOKING-GLASS. Pentandria Monogynia.

1	Spéculum. A.DC.	(*bl.*) common.	S. Europe.	1596.	5. 8.	H.⊙.	Bot. mag. t. 102.
	Campánula Spéculum. B.M. *Primatocárpus Spéculum.* L'H. *Lagòusia arvénsis.* Dur.						
	β álba.	(*wh.*) *white-flowered.*	———	——	——	H.⊙.	
2	hirsùta. A.DC.	(*bl.*) hairy.	Italy.	1822.	5. 8.	H.⊙.	Ten. fl. nap. t. 19.
3	hy'brida. A.DC.	(*bl.*) corn.	England.	....	——	H.⊙.	Eng. bot. v. 6. t. 375.
	Campánula hy'brida. E.B. *Primatocárpus hy'bridus.* L'H.						
4	falcàta. A.DC.	(*bl.*) falcate.	Italy.	1822.	——	H.⊙.	Ten. fl. nap. t. 20.
5	pentagònia. A.DC.	(*bl.*) large-flowered.	Turkey.	1686.	——	H.⊙.	Bot. reg. t. 56.
	Campánula pentagònia. B.R.						
6	perfoliàta. A.DC.	(*bl.*) perfoliate.	N. America.	1680.	——	H.⊙.	Moris. s. 5. t. 2. f. 23.

MU'SSCHIA. A.DC. MU'SSCHIA. Pentandria Monogynia.

	aùrea. A.DC.	(*ye.*) golden-flowered.	Madeira.	1777.	7. 9.	G.♄.	Bot. reg. t. 57.
	Campánula aùrea. p. 326. n. 38.						
	α latifólia. A.DC.	(*ye.*) *broad-leaved.*	———	——	——	G.♄.	Duham. ed. nov. t. 41.
	β angustifólia. A.DC.	(*ye.*) *narrow-leaved.*	———	——	——	G.♄.	Jacq. schœn. 4. t. 472.

PETROMAR'ULA. A.DC. PETROMAR'ULA. Pentandria Monogynia.

	pinnàta. A.DC.	(*bl.*) winged-leaved.	Candia.	1640.	6. 8.	F.♃.	Flor. græc. t. 220.
	Phyteùma pinnàtum. p. 328.						

JAS'IONE. p. 328. JAS'IONE. Monadelphia Pentandria.

4	hùmilis. A.DC.	(*bl.*) dwarf.	S. France.	1824.	6. 7.	H.♃.	

. ERICEÆ. *p.* 330.

ANDRO'MEDA. p. 331. ANDRO'MEDA.

23	tetragòna. s.s.	(*bh.*) four-sided.	N. America.	1827.	....	H.♄.	Pall. ross. 2. t. 73. f. 4.

EBENACEÆ. *p.* 349.

DIO'SPYROS. p. 349. DATE PLUM.

19	Mabòla. B.R.	(*st.*) Mabola-tree.	Philippines.	1822.	4. 5.	S.♄.	Bot. reg. t. 1139.

APOCINEÆ. *p.* 353.

PACHYP'ODIUM. B.R. PACHYP'ODIUM. Pentandria Monogynia.
succuléntum. (*wh.re.*) succulent. C. B. S. 1820. 4. 6. D.G. ♄. Bot. reg. t. 1321.
tuberòsum. B.R. *Echìtes succuléntа.* Jacq. fragm. t. 117. see p. 355.

ASCLEPIADEÆ. *p.* 356.

ASCL'EPIAS. p. 360. SWALLOW-WORT.
33 Greenièna. N. Green's. N. America. 1828. 6. 8. H. ♃.

POLEMONIACEÆ. *p.* 367.

POLEM'ONIUM. p. 367. GREEK VALERIAN.
9 pulchérrimum. B.M. (*bl.*) bright blue. N. America. 1827. 7. 8. H. ♃. Bot. mag. t. 2979.
10 moschàtum. Gr. (*bl.*) musk-scented. ——— —— —— H. ♃.
GI'LIA. p. 368. GI'LIA.
8 púngens. B.M. (*bl.*) pungent-leaved. N. America. 1827. 6. 8. H. ☉. Bot. mag. t. 2977.
BONPLA'NDIA. Cav. BONPLA'NDIA. Pentandria Monogynia.
geminiflòra. Cav. (*bl.*) twin-flowered. New Spain. 1813. 5. 12. S. ☉. Bot. reg. t. 92.
Caldàsia heterophy'lla. W. non *Caldasia.* DC.

BORAGINEÆ. *p.* 374.

ONO'SMA. p. 375. ONO'SMA.
16 Gmelìni. L.A. (*st.*) Gmelin's. Altay. 1829. 4. 8. H. ♃. Ledeb. ic. alt. t. 229.
17 polyphy'llum. L.A. (*st.*) crowded-leav'd. Tauria. —— 7. 8. H. ♃. ——— t. 24.
18 rígidum. L.A. (*pa.ye.*) rigid. ——— 1826. —— H. ♃. ——— t. 238.

HYDROPHYLLEÆ. *p.* 380.

E'UTOCA. p. 380. E'UTOCA.
3 sericea. B.M. (*bl.*) silky. N. America. 1827. 5. 7. H. ♃. Bot. mag. t. 3003.
To Franklínii, p. 380, add Bot. mag. t. 2985.

SOLANEÆ. *p.* 380.

CE'LSIA. p. 380. CE'LSIA.
9 heterophy'lla. P.S. (*ye.*) various-leaved. ..... 1829. 7. 9. F. ♂.
SALPIGLO'SSIS. p. 383. SALPIGLO'SSIS.
5 intermèdia. S.F.G. (*br.ye.*) intermediate. Chile. 1829. 6. 9. F. ♃. Swt. br. fl. gar. s. 2.

SCROPHULARINÆ. *p.* 389.

SCROPHUL'ARIA. p. 391. FIGWORT.
51 lanàta. F. (*br.*) woolly. Siberia. 1828. 7. 11. H. ♃.
MI'MULUS. p. 394. MONKEY-FLOWER.
9 propínquus. B.R. (*ye.*) related. N. America. 1827. 4. 10. H. ♃. Bot. reg. t. 1330.
CALCEOL'ARIA. p. 396. SLIPPERWORT.
15 Herbertiàna. B.R. (*ye.*) Mr. Herbert's. Chile. 1828. 5. 10. G. ♃. Bot. reg. t. 1313.

LABIATÆ. *p.* 399.

ST'ACHYS. p. 406. HEDGE-NETTLE.
49 sericea. (*li.*) silky. Nepaul. 1830. 7. 9. H. ♃.
O'CYMUM. p. 413. BASIL.
21 montànum. B.M. (*wh.*) mountain. W. Indies. 1825. 5. 8. S. ☉. Bot. mag. t. 2996.
HY'PTIS. p. 414. HY'PTIS.
14 madagascariénsis. (*bl.*) Madagascar. Madagascar. 1828. 6. 8. S. ♂.

VERBENACEÆ. *p.* 415.

LANTANA. p. 417.		LANTANA.						
25 móllis. Gr.	(*ro.*)	soft.	Mexico.	1826.	4. 8.	G. ♄.		

ACANTHACEÆ. *p.* 419.

RUELLIA. p. 420.		RUELLIA.						
26 pícta. B.R.	(*bl.*)	painted.	St. Domingo.	1826.	4. 8.	S. ♄.		Lodd. bot. cab. t. 1448.
JUSTICIA. p. 421.		JUSTICIA.						
60 guttàta. B.R.	(*ye.sp.*)	spotted.	E. Indies.	1828.	4. 8.	S. ♃.		Bot. reg. t. 1334.

PRIMULACEÆ. *p.* 423.

DODECATHEON. p. 428.		AMERICAN COWSLIP.						
1 Mèadia. p. 423.		Mead's.	Virginia.	1744.	4 6.	H. ♃.		Bot. mag. t. 12.
α lilacinum.	(*li.*)	*common lilac.*	———	——	——	H. ♃.		Trew Ehret. t. 12.
β albiflòrum.	(*wh.*)	*white-flowered.*	.....	1824.	——	H. ♃.		Lodd. bot. cab. t. 1489.
γ élegans. S.F.G.	(*ro.*)	*rose-coloured.*	.....	1827.	4. 7.	H. ♃.		Swt. br. fl. gar. s.2.t.60.
δ gigántcum.	(*li.*)	*gigantic.*	.....	——	——	H. ♃.		
2 integrifòlium.	(*vi.*)	entire-leaved.	N. America.	1829.	——	H. ♃.		Pluk. alm. t. 79. f. 6.
ANDROSACE. p. 425.		ANDROSACE.						
17 carinàta. Tor.	(*st.*)	keeled.	N. America.	1827.	4. 7.	H. ♃.		
18 lineàris. Gr.	(*bl.*)	linear-leaved.	———	——	——	H. ♃.		

BEGONIACEÆ. *p.* 437.

BEGONIA. p. 437.		BEGONIA.						
40 lóngipes. B.M.	(*wh.*)	long-stalked.	Mexico.	1828.	8. 8.	S. ♄.		Bot. mag. t. 3001.

POLYGONEÆ. *p.* 438.

POLYGONUM. p. 438.		PERSICARIA.						
61 injucúndum. B.R.	(*st.*)	unattractive.	.....	1825.	5. 6.	G. ♄.		Bot. reg. t. 1250.
RHEUM. p. 440.		RHUBARB.						
15 leucorhizum. F.	(*st.*)	white-rooted.	Siberia.	1827.	5. 6.	H. ♃.		

AROIDEÆ. *p.* 479.

POTHOS. p. 479.		POTHOS.						
29 longifòlia. B.S.	(*br.*)	long-leaved.	Brazil.	1828.	9. 10.	S. ♃.		
30 reflexa. Ot.	(*br.*)	reflexed.	———	——	——	S. ♃.		
31 réptans. Ot.	(*br.*)	creeping.	———	——	——	S. ♄.		
32 rubéscens. Ot.	(*br.*)	reddish.	———	——	——	S. ♃.		

ORCHIDEÆ. *p.* 483.

APLECTRUM. N.		APLECTRUM.	Gynandria Monandria.					
hyèmale. N.	(*br.*)	winter.	N. America.	1827.	....	H. ♃.		
RODRIGUEZIA. p. 487.		RODRIGUEZIA.						
2 planifòlia. H.C.	(*re.*)	flat-leaved.	S. America.	1826.	6. 12.	S. ♃.		

CANNEÆ. *p.* 494.

PHRYNIUM. p. 494.		PHRYNIUM.						
28 coloràtum. B.M.	(*or.*)	orange-coloured.	Brazil.	1828.	4. 5.	S. ♃.		Bot. mag. t. 3010.

MUSACEÆ. *p.* 495.

MU'SA. p. 495.		PLANTAIN-TREE.					
chinénsis.	(*sc.*)	dwarf Chinese.	China.	1829.	....	S. ¼.	

IRIDEÆ. *p.* 495.

TRICHON'EMA. p. 503.		TRICHON'EMA.					
ramiflòra.	(*pu.*)	branching-flower'd.	Naples.	1830.	5. 6.	H.b.	
Ixia ramiflòra. T.N.							
CR'OCUS. p. 503.		CR'OCUS.					
24 Thomàsii. T.N.	(*bl.*)	Thomas's.	Naples.	1830.	....	H.b.	
25 odòrus. T.N.	....	sweet-scented.	———	——	....	H.b.	
26 suavèolens. T.N.	....	fragrant.	———	——	....	H.b.	
27 Imperàti. s.s.	(*vi.*)	Imperati's.	———	——	2. 4.	H.b.	Ten. mem. croc. t. 2.

AMARYLLIDEÆ. *p.* 505.

ZEPHYRA'NTHES. p. 505.		ZEPHYRA'NTHES.					
10 mesochlòa. W.H.	(*bk.*)	green-centred.	S. America.	1828.	6. 9.	F.b.	
BRUNSVI'GIA. p. 510.		BRUNSWICK-LILY.					
7 grandiflòra. B.R.	(*pi.*)	large-flowered.	C. B. S.	1827.	8. 9.	F.b.	Bot. reg. t. 1335.
PHYCE'LLA. p. 510.		PHYCE'LLA.					
3 Herbertiàna. B.R.	(*re.y.*)	Mr. Herbert's.	Chile.	1825.	5. 7.	F.b.	Bot. reg. t. 1341.
4 corúsca. Gr.	(*sc.or.*)	glossy.	———	——	——	F.b.	
NARCI'SSUS. p. 514.		NARCI'SSUS.					
82 negléctus. Ten.	(*wh.y.*)	neglected.	Naples.	1830.	4. 5.	H.b.	

ASPHODELEÆ. *p.* 524.

SCI'LLA. p. 527.		SQUILL.					
30 odoràta. R.s.	(*bl.*)	sweet-scented.	Portugal.	1818.	5. 6.	H.b.	
31 praténsis. R.s.	(*bl.*)	meadow.	Hungary.	1827.	——	H.b.	W. et K. hung. t. 182.
32 ròsea. Leh.	(*ro.*)	rose-coloured.	Numidia.	—	——	H.b.	
33 mauritànica. R.s.	(*bl.*)	Mauritanian.	Africa.	1819.	——	H.b.	
DRI'MIA. p. 513.		DRI'MIA.					
14 villòsa. B.R.	(*g.st.*)	villous.	C. B. S.	1826.	5. 6.	F.b.	Bot. reg. t. 1346.
A'LLIUM. p. 530.		GARLICK.					
118 enósmon. Ot.	(*br.*)	good-scented.	S. America.	1829.	5. 6.	F.b.	
119 glandulòsum. Ot.	(*br.*)	glandular.	———	——	——	F.b.	
120 nudicaùle. Leh.	....	naked-stalked.	Altay.	—	....	H.b.	
121 guttàtum. G.D.	(*wh.*)	spotted.	Odessa.	1819.	7. 8.	H.b.	
122 Fischèri.	....	Fischer's.	Siberia.	1829.	....	H.b.	
123 acùtum. s.s.	(*li.*)	acute.	.....	1819.	7. 8.	H.b.	
124 intermèdium. G.D.	(*w.*)	intermediate.	S. Europe.	1827.	——	H.b.	
125 fúscum. W.K.	(*br.*)	brown-flowered.	Hungary.	1820.	——	H.b.	W. et K. hung. t. 241.
126 juncifòlium. G.D.	(*wh.*)	Rush-leaved.	Chile.	1826.	——	H.b.	
127 striatéllum. G.D.	(*st.*)	striped.	———	1823.	——	H.b.	Bot. mag. t. 2419.
128 cinèreum. Lehm.	(*st.*)	grey.	Siberia.	1829.	——	H.b.	
MI'LLA. C.I.		MI'LLA. Hexandria Monogynia.					
biflòra. C.I.	(*wh.*)	two-flowered.	Mexico.	1826.	5. 6.	F. ¼.	Cavan. icon. 2. t. 196.

BROMELIACEÆ. *p.* 534.

POURR'ETIA. p. 535.		POURR'ETIA.					
4 cærùlea. Miers.	(*bl.*)	blue.	Chile.	1827.	4. 8.	S. ¼.	
5 rubricaùlis. Mier.	(*bl.re.*)	red-stemmed.	———	——	——	S. ¼.	
6 magnispátha. Col.	(*g.w.*)	large-spathed.	S. America.	1829.	——	S. ¼.	Coll. h. rip. t. 19.
CARAGU'ATA. Plum.		CARAGU'ATA. Hexandria Monogynia.					
lingulàta. Ly.	(*ye.*)	tongue-leaved.	Jamaica.	1776.	6. 7.	S. ¼.	Jacq. amer. t. 62.
Tillándsia lingulàta. p. 535.							

BUONAPA'RTEA. p. 536. BUONAPA'RTEA.
2 grácilis. ..... slender. Mexico. 1828. .... G.♃.

TULIPACEÆ. *p.* 536.

YU'CCA. p. 536. ADAM'S-NEEDLE.
23 grácilis. Lk. (*wh.*) slender. Mexico. 1829. .... G.♃.
ERYTHRO'NIUM. p. 539. DOG'S-TOOTH VIOLET.
Déns cànis. L. (*pu.*) common. Europe. 1596. 3. 4. H.b. Swt. br. fl. gar. s. 2.
Déns cànis. Redoute liliac. t. 193. *non* Bot. mag.
4 bífida. S.F.G. (*ro.*) cleft-stigma'd. Switzerland. .... —— H.b. Swt. br. fl. gar. s. 2.
β albiflòra. (*wh.*) *white-flowered.* ——— .... —— H.b. ——— s. 2.

MELANTHACEÆ. *p.* 539.

ZIGAD'ENUS. p. 540. ZIGAD'ENUS. Hexandria Trigynia.
3 élegans. Ph. (*wh.*) elegant. N. America. 1828. 5. 6. H.♃.

COMMELINEÆ. *p.* 541.

TRADESCA'NTIA. p. 541. SPIDERWORT.
23 crássipes. (*bl.*) thick-stalked. Mexico. 1827. 5. 10. H.♃.
24 diurética. M.P. (*bl.*) diuretic. Brazil. 1825. 6. 8. S.♃.
COMMEL'INA. p. 542. COMMEL'INA.
24 cuculláta. H.C. (*bl.*) hooded. Brazil. 1825. 6. 9. G.☉.
25 caripénsis. H.S. (*bl.*) rough-leaved. Trinidad. 1826. 6. 8. S.♃.

RESTIACEÆ. *p.* 546.

ERIOCA'ULON. p. 546. PIPEWORT.
3 decangulàre. Ph. (*wh.*) ten-angled. N. America. 1826. 8. 10. H.*w.*♃. Lodd. bot. cab. t. 1310.
4 fasciculàtum. R.S. (*wh.*) fascicled. Guiana. 1825. —— S.*w.*♃. Lam. enc. 3. t. 50. f. 3.

CYPERACEÆ. *p.* 547.

CA'REX. p. 547. SEDGE.
123 rupéstris. S.S. (*br.*) rock. Switzerland. 1819. 6. 7. H.♃. All. ped. t. 92. f. 1.
124 cúrvula. S.S. (*br.*) curved. S. Europe. 1824. —— H.♃. Schk. caric. t. D. f. 17.
125 lobàta. W. (*br.*) lobed. Switzerland. 1819. 5. 7. H.♃. ——— t. D. f. 18.
126 rèpens. S.S. (*br.*) creeping. ——— 1823. 6. 7. H.♃. ——— t. I. f. 11.
127 leporìna. W. (*br.*) hare. ——— 1819. —— H.♃. ——— t. Fff. f. 1. 29.
128 lóngipes. D.P. (*br.*) long-stalked. Nepaul. 1823. —— H.♃.
129 microstàchya. S.S. (*br.*) small-spiked. N. Europe. 1822. 5. 6. H.♃. Schk. caric. t. 6. f. 11.
130 mucronàta. S.S. (*br.*) bristle-pointed. S. Europe. 1819. 6. 7. H.♃. ——— t. K. f. 44.
131 phæostàchys. E.F. (*br.*) brown-spiked. Scotland. .... 6. H.♃.
132 stictocárpa. E.F. (*br.*) dotted-fruited. ——— .... 6. 7. H.♃.
133 angustifòlia. E.F. (*br.*) narrow-leaved. ——— .... —— H.♃.
134 podocárpa. S.S. (*br.*) foot-podded. N. America. 1827. —— H.♃.
135 brachystàchys. S.S. (*br.*) short-spiked. S. Europe. 1819. —— H.♃. Schk. car. t. P. f. 58.
SCH'ŒNUS. p. 549. BOG-RUSH.
6 ferrugíneus. R.S. (*br.*) rusty. Europe. 1829. 7. 8. H.*w.*♃. Host. gram. 4. t. 71.
DICHROM'ENA. R.S. DICHROM'ENA. Triandria Monogynia.
leucocéphala. R.S. (*wh.*) white-spiked. W. Indies. 1822. 9. 12. S.*w.*♃.
Sch'œnus stellàtus. W.
FIMBRI'STYLIS. p. 550. FIMBRI'STYLIS.
6 diphy'lla. R.S. (*br.*) two-leaved. E. Indies. 1822. 6. 8. S.*w.*♃.
ABILDGAA'RDIA. R.S. ABILDGAA'RDIA.
2 tristàchya. R.S. (*wh.*) three-spiked. E. Indies. 1824. 6. 8. S.♃.
ISO'LEPIS. p. 550. ISO'LEPIS.
13 supìna. R.S. (*br.*) trailing. Europe. 1826. 7. 8. H.*w.*♃. Host. gram. 3. t. 64.

SCI'RPUS. p. 550. CLUB-RUSH.
19 elongàtus. D.P. (*br.*) elongated. Nepaul. 1825. 7. 9. H.*w*.♃.
20 articulàtus. R.S. (*br.*) jointed. E. Indies. 1826. 8. 10. S.*w*.♃. Rheed. mal. 12. t. 71.
CYP'ERUS. p. 551. CYP'ERUS.
71 nilóticus. R.S. (*br.*) Nile. Egypt. 1810. 8. 10. H.♃.
72 compáctus. R.S. (*br.pu.*) compact. China. 1819. 7. 8. H.♃.
73 kyllingæoídes. R.S. (*br.*) Kyllinga-like. N. America. 1828. —— H.♃.
74 dùbius. W. (*br.*) doubtful. E. Indies. 1802. 7. 9. S.♃. Rottb. gram. t. 4. f. 5.
75 leucocéphalus. R.S. (*wh.*) white-headed. ———— 1819. —— S.♃.
76 trisúlcus. D.P. (*br.*) three-furrowed. Nepaul. 1830. —— H.♃.
77 caricìnus. D.P. (*br.*) Carex-like. ———— 1826. —— H.♃.
78 rígidus. R.S. (*re.wh.*) rigid. Madagascar. —— —— S.♃.
HYP'OELYTRUM. R. HYP'OELYTRUM. Triandria Monogynia.
argénteum. R.S. (*wh.pu.*) silvery. E. Indies. 1824. 7. 8. S.♃.
MARI'SCUS. p. 552. MARI'SCUS.
9 paníceus. R.S. (*br.st.*) Panic-like. E. Indies. 1820. 6. 7. S.*w*.♃. Rottb. gram. t. 4. f. 1.
KYLLI'NGA. p. 552. KYLLI'NGA.
8 brevifòlia. R.S. (*gr.*) short-leaved. E. Indies. 1817. 5. 6. S.*w*.♃. Rottb. gram. t. 4. f. 3.

FILICES. *p.* 576.

LYG'ODIUM. p. 577. SNAKE'S-TONGUE.
7 volùbile. S.S. (*br.*) twining. W. Indies. 1819. 5. 9. S.♃.⌣. Sloan. jam. 1. t. 46. f. 1.
8 hastàtum. W. (*br.*) halberd-leaved. Maranham. 1820. —— S.♃.⌣.
ANEI'MIA. p. 577. ANEI'MIA.
8 Phyllítidis. S.S. (*br.*) flat-leaved. Trinidad. 1824. 5. 8. S.♃.⌣. Plum. fil. t. 156.
SCHIZ'ÆA. p. 577. SCHIZ'ÆA.
5 élegans. S.S. (*br.*) elegant. Trinidad. 1825. 5. 8. S.♃. Vahl. symb. 2. t. 50.
GLEICH'ENIA. p. 577. GLEICH'ENIA.
6 pectinàta. S.S. (*br.*) pectinated. S. America. 1824. 6. 8. S.♃.
DAN'ÆA. S.S. DAN'ÆA. Cryptogamia Poropterides.
alàta. S.S. (*br.*) winged. W. Indies. 1823. 6. 8. S.♃. Plum. fil. t. 109.
ACRO'STICHUM. p. 577. ACRO'STICHUM.
9 longifólium. S.S. (*br.*) long-leaved. W. Indies. 1827. 5. 10. S.♃.
10 glandulòsum. H.F. (*br.*) glandular. Jamaica. 1825. —— S.♃. H. et G. ic. fil. t. 3.
11 fimbriàtum. S.S. (*br.*) fringed. S. America. 1824. —— S.♃.
NOTHOL'ÆNA. p. 578. NOTHOL'ÆNA.
4 piloselloídes. S.S. (*br.gc.*) simple-leaved. E. Indies. 1822. 6. 8. S.♃. Houtt. pflanz. t. 96. f. 2.
MENI'SCIUM. p. 578. MENI'SCIUM.
4 proliferum. S.S. (*br.*) prolíferous. E. Indies. 1820. 5. 6. S.♃.
NIPHO'BOLUS. p. 578. NIPHO'BOLUS.
5 adnáscens. S.S. (*br.*) woolly-leaved. E. Indies. 1824. 4. 8. S.♃.
ASPL'ENIUM. p. 580. SPLEENWORT.
49 viviparum. H.K. (*br.*) viviparous. Mauritius. 1820. 6. 9. S.♃.
50 bulbíferum. S.S. (*br.*) bulb-bearing. N. Zealand. —— —— G.♃. Schk. crypt. t. 72.
51 diffórme. B.P. (*br.*) two-formed. N. Holland. 1823. —— G.♃.
52 Petrárchæ. DC. (*br.*) Petrarch's. France. 1819. —— H.♃. H. et G. ic. fil. t. 152.
53 obtusàtum. S.S. (*br.*) obtuse. N. Zealand. 1824. —— F.♃. Lab. nov. hol. 2. t. 242.
54 cultrifólium. S.S. (*br.*) keen-leaved. W. Indies. 1820. —— S.♃. Plum. fil. t. 3. f. 1.
55 brasiliénse. S.S. (*br.*) Brazilian. Brazil. 1822. —— S.♃.
DOO'DIA. p. 581. DOO'DIA.
3 mèdia. B.P. (*br.*) middle-sized. N. Holland. 1823. 3. 9. G.♃.
BLE'CHNUM. p. 581. BLE'CHNUM.
12 pectinàtum. S.S. (*br.*) pectinate. S. America. 1827. 5. 8. S.♃.
13 serrulàtum. S.S. (*br.*) saw-leaved. N. America. 1818. —— H.♃.
14 striàtum. S.S. (*br.*) striated. N. Holland. 1824. —— F.♃.
LOM'ARIA. p. 581. LOM'ARIA.
7 falcàta. S.S. (*br.*) falcate. ———— 1823. 5. 8. F.♃. Lab. nov. hol. 2. t. 243.
DIPL'AZIUM. p. 582. DIPL'AZIUM.
10 castaneæfólium. S.S. (*br.*) Chestnut-leaved. Guinea. 1824. 8. S.♃.
PTERIS. p. 582. BRAKE.
28 sagittæfólia. S.S. (*br.*) arrow-leaved. Brazil. 1825. 6. 8. S.♃.
29 rotundifólia. S.S. (*br.*) round-leaved. N. Zealand. 1824. 7. 8. F.♃.
30 élegans. S.S. (*br.*) elegant. E. Indies. —— 8. 10. S.♃.
31 discolor. S.S. (*br.*) discoloured. Brazil. 1825. —— S.♃.
32 heterophy'lla. S.S. (*br.*) various-leaved. W. Indies. —— —— S.♃. Plum. fil. t. 37.
33 leptophy'lla. S.S. (*br.*) slender-leaved. Brazil. —— —— S.♃.
34 chinénsis. L.C. (*br.*) Chinese. China. —— —— G.♃.

35 crenulàta. L.C. (*br.*) crenulated. ..... 1827. 7. 8. S.♃.
36 Cervantèsii. H.L. (*br.*) Cervantes'. Mexico. 1824. —— G.♃.
ADIA'NTUM. p. 582. MAIDENHAIR.
22 vàrium. s.s. (*br.*) variable. S. America. 1820. 7. 9. S.♃.
23 ternàtum. s.s. (*br.*) ternate. ——— —— —— S.♃.
24 pàtens. w. (*br.*) spreading. Brazil. 1824. 8. 10. S.♃.
25 rhomboìdeum. s.s. (*br.*) rhomboid. S. America. 1820. 6. 9. S.♃.
CHEILA'NTHES. p. 583. CHEILA'NTHES.
14 caudàta. B.P. (*br.*) tailed. N. Holland. 1824. 6. 8. F.♃.
LINDS'ÆA. p. 583. LINDS'ÆA.
6 mèdia. B.P. (*br.*) intermediate. N. Holland. 1823. 4. 6. F.♃.
DAVA'LLIA. p. 583. DAVA'LLIA.
6 élegans. s.s. (*br.*) elegant. N. Holland. 1824. 4. 9. G.♃. Schk. crypt. t. 127.
7 dùbia. B.P. (*br.*) doubtful. ——— 1826. —— G.♃.
8 concavadénsis. L.C. (*br.*) Concavado. Brazil. 1823. —— S.♃.
CIB'OTIUM. S.S. CIB'OTIUM. Cryptogamia Filices.
Billardièri. s.s. (*br.*) Labillardiere's. N. Holland. 1824. .... G.♄.

VIOLARIEÆ. *p.* 43.

ANCHIE'TIA. Hil. ANCHIE'TIA. Pentandria Monogynia.
pyrifòlia. Hil. (*wh.*) Pear-leaved. Brazil. 1822. .... S.♄. Mart. bras. t. 16.
Noisèttia pyrifòlia. Martius. see our p. 43.

TILIACEÆ. *p.* 70

LUH'EA. W. LUH'EA. Polyadelphia Polyandria.
paniculàta. M.P. (*ro.*) panicled. Brazil. 1828. .... S.♄. Mart. bras. t. 62.

RUBIACEÆ. *p.* 260.

LIPO'STOMA. D.D. LIPO'STOMA. Tetrandria Monogynia.
campanuliflòra. D.D. (*bl*) bell-flowered. Brazil. 1825. 2. 10. S.♃. Bot. mag. t. 2840.
Hedyòtis campanuliflòra. p. 263. *Æginètia capitàta.* Gr.

PROTEACEÆ. *p.* 443.

SI'MSIA. B.P. SI'MSIA. Tetrandria Monogynia.
anethifòlia. B.P. (*ye.*) Dill-leaved. N. Holland. 1825. .... G.♄.
ANAD'ENIA. B.P. ANAD'ENIA. Tetrandria Monogynia.
pulchélla. B.P. (*ro.*) pretty. N. Holland. 1824. .... G.♄.
GUEV'INA. Mol. GUEV'INA. Tetrandria Monogynia.
Avellàna. L.T. (*st.*) variable-leaved. Chile. 1826. .... G.♄. Feuil. per. 3. t. 33.
Quàdria heterophy'lla. Flor. per. 1. t. 99. f. b.

NATURAL ORDER NOT DETERMINED.

BRE'XIA. B.R. BRE'XIA. Pentandria Monogynia.
1 spinòsa. B.R. (*wh.*) spiny-leaved. Madagascar. 1815. 7. 8. S.♄. Bot. reg. t. 872.
2 madagascariénsis. (*wh.*) Madagascar. ——— —— —— S.♄. ——— t. 730.
Venàna madagascariénsis. Lamarck.
3 chrysophylla. (*wh.*) golden-leaved. ——— 1820. .... S.♄.
LAUROPHY'LLUS. Th. LAUROPHY'LLUS. Polygamia Dicœcia.
capénsis. W. (*gr.*) Cape. C. B. S. 1801. .... G.♄.
PORANTH'ERA. L.T. PORANTH'ERA. Pentandria Trigynia.
ericifòlia. L.T. (*st.*) Heath-leaved. N. S. W. 1825. 5. 8. G.♄. Linn. trans. 10. t. 22. f. 2

PHLO'X. p. 368. LYCHNIDEA.
36 speciòsa. B.R. (*ro.*) showy. N. America. 1827. 5. 7. H.♃. Bot. reg. t. 1351.

STERCU'LIA. p. 66. STERCU'LIA.
Tragacántha. B.R. (*st.*) Tragacanth-tree. SierraLeone. 1822. 5. 6. S.♄. Bot. reg. t. 1353.

SCI'LLA. p. 527. SQUILL.
34 plúmbea. B.R. (*bl.*) lead-coloured. C. B. S.? 1812. 4. 6. F.b. Bot. reg. t. 1355.

LOB'ELIA. p. 322. LOB'ELIA.
85 Kraúsii. B.M. (*sc.*) Krauss's. St. Domingo. 1828. 1. 3. S.♃. Bot. mag. t. 3012.

VANGU'ERIA. p. 260. VANGU'ERIA.
3 velutìna. B.M. (*gr.*) velvetty. Madagascar. 1828. 5. 6. S.♄. Bot. mag. t. 3014.

BRACHYSTE'LMA. p. 359. BRACHYSTE'LMA.
2 spathulàtum. B.R. (*br.*) spatulate-leaved. C. B. S. 1824. 8. 10. D.G.♃. Bot. reg. t. 1113.
3 crìspum. B.M. (*br.y.*) wave-leaved. ——— 1829. —— D.G.♃. Bot. mag. t. 3016.

CEROP'EGIA. p. 359. CEROP'EGIA.
9 élegans. B.M. (*pu.*) elegant. E. Indies. 1828. 8. 10. S.♄.⌣. Bot. mag. t. 3015.

ENCY'CLIA. p. 490. ENCY'CLIA.
2 pátens. B.M. (*br.*) spreading-flowered. Brasil. 1829. 4. 8. S.♃. Bot mag. t. 3013.

Omitted at page 378.
COLD'ENIA. L. COLD'ENIA. Tetrandria Tetragynia.
procúmbens. L. (*wh.*) procumbent. E. Indies. 1699. 7. 8. S.⊙. Lamarck. illus. t. 89.

Page 75.
G'ELA. Lour. G'ELA. Octandria Monogynia
lanceolàta. B.C. (*st.*) spear-leaved. China. 1820. 4. 8. G.♄. Lodd. bot. cab. t. 998.
Ximènia.? lanceolàta. DC. *Sèlas lanceolàta.* s.s.

Page 364.
OPHIORRHI'ZA. L. SNAKE-ROOT.
Múngos. L. (*wh.*) petiolate. E. Indies. 1820. 5. 8. S.♃.

INDEX GENERUM.

Page.

Abies 475
ABIE'TINÆ .. 474
Abildgaárdia 550, 597
Abròma 67
Abrònia 430
A'brus 156
Abùta 16
Abùtilon 64
Acàcia .. 164, 589
Acàcia .. 162, 163
Ac'æna 192
Acálypha 456
ACANTH'ACEÆ 419
Acánthus 419
Acárna 285
'Acer 82
'*Acer* 82
A'ceras 483
Acèrates 361
Aceràtium 71
ACERI'NEÆ .. 82
Achània 61
Achillèa 319
Achillèa 316
Achimenes 390
A'chlys 584
Achnodónton 554
'Achras 349
Achyránthes 432
Achyránthes 431, 432, ... 433
Achyrònia 127
Achyróphorus.... 276
Aciánthus 486
Acicárpha 271
Acidòton 456
Acilèpis 284
Aciòtis 204
'Acis 516
Acisanthèra 202
Acmadènia 106
Acmélla 307
Acmèna 212
Acnìda 436
Aconìtum 9, 584
A'corus 480
Acrocéphalus 414
Acrocòmia 543
Acroglóchin 434
Acróstichum 577, 598
Acróstichum 578, 581
Acrótriche 346
Act'æa 11
Act'æa 11
Actinélla 322
Actinocárpus 477
Actinóchloa 571
Actinómeris 309
Actinophy'llum .. 256
Actinòtus 243
Ac'ynos 409
Adàmia 591

Page.

Adámsia 525
Adansònia 65
Adèlia 459
Adèlia 460
Adenándra 105
Adenándra 106
Adenanthèra 164
Adenánthos 446
Adenàrium 57
Adenocárpus 131
Adenóphora 325
Adenóstyles 302
Adenotrícha 304
Adésmia 149
Adiántum 582, 599
Adìna 263
Adlùmia 20
Adònis 4
Adóxa 242
Adysèton 25
ÆGICE'RAS .. 402
ALANGI'EÆ .. 206
Alángium 206
Albùca 525
Alchimílla 192
Alcìna 313
Aldèa 380
Aldrovánda 46
Alètris 517
Alètris 517
Aleurìtes 458
Aleurìtes 457
ALH'AGEÆ .. 15
Alhàgi 152
Alísma 477
Alísma 477
ALISM'ACEÆ 477
Allamánda 354
Allantòdia 580
Alliària 30
Alliònia 430
Alliònia 429
A'llium .. 530, 596
Allosòrus 582
A'lnus 468
A'loe 518
A'loe 517, 519, 520, 521
Alòmia 301
Alonsòa 394
Alopecùrus 554
Alopecùrus .. 553, 557
Aloy'sia 418
Alpínia 493
Alpínia 493
Alsine 55, 56
ALSI'NEÆ. .. 54
Alsodèia 45
ALSOD'INEÆ .. 45
Alsóphila 583
Alsóphila 579
Alstònia 355
Alstrœmèria 516

Page.

Agrimònia 192
Agrop'yrum 565
Agrostémma 54
Agrostémma 54
Agróstis 556
Agróstis 554, 555, 556, 557, 559, 571
Agynèja 458
Ailánthus 121
Aíra 559
Aíra 559, 560, 567, 568, ... 569, 571
Airópsis 560
Airópsis 560
Aitònia 85
Aizòon 234
Aizòon 234
A'jax 514
Ajùga 402
Ajùga 407
AJUGOI'DEÆ .. 402
ALANGI'EÆ .. 206
Alángium 206
Albùca 525
Alchimílla 192
Alcìna 313
Aldèa 380
Aldrovánda 46
Alètris 517
Alètris 517
Aleurìtes 458
Aleurìtes 457
ALH'AGEÆ .. 15
Alhàgi 152
Alísma 477
Alísma 477
ALISM'ACEÆ 477
Allamánda 354
Allantòdia 580
Alliària 30
Alliònia 430
Alliònia 429
A'llium .. 530, 596
Allosòrus 582
A'lnus 468
A'loe 518
A'loe 517, 519, 520, 521
Alòmia 301
Alonsòa 394
Alopecùrus 554
Alopecùrus .. 553, 557
Aloy'sia 418
Alpínia 493
Alpínia 493
Alsine 55, 56
ALSI'NEÆ. .. 54
Alsodèia 45
ALSOD'INEÆ .. 45
Alsóphila 583
Alsóphila 579
Alstònia 355
Alstrœmèria 516

Page.

Alternanthèra .. 432
Alternanthèra .. 432
Alth'æa 60
Alysicárpus 152
ALYSS'INEÆ .. 24
Aly'ssum 25
Aly'ssum .. 24, 25, 31
Aly'xia 353
AMARANTH'ACEÆ 430
Amaránthus 430
Amaránthus 431
AMARYLLI'DEÆ 505
Amary'llis 506
Amary'llis 505, 506, 509, 510, 511, 512, 532
Amasònia 417
Amblírion 538
AMBROSI'ACEÆ.. 314
Ambròsia 314
Ambrosínia 481
Ameláchier 177
Améllus 298
Améllus 298
Amerímnum 162
Amerímnum 143, 161
Amethy'stea 403
Ammánnia 201
A'mmi 245
A'mmi 245, 246, 248, 591
AMM'INEÆ .. 244
Ammòbium 291
Ammócharis 510
Ammyrsine 344
Amòmum 492
Amòmum .. 492, 493
Amòora 86
Amórpha 142
AMPELI'DEÆ 86
Ampelópsis 87
Ampherèphis 288
Amphicárpæa .. 156
Amphilòphium .. 366
Amphipógon .. 555
A'mphodus 157
Amsònia 355
AMYDAL'INEÆ 173
Amy'dalus 173
AMYRI'DEÆ .. 119
Am'yris 119
Am'yris 119
Anábasis 434
Anacámpseros .. 219
Anacámpseros .. 225
Anacámptis 483
Anacárdium 117
Anac'yclus 318
Anadènia 599
Anagállis 425
Anag'yris 122
Ananássa 534

Page.
Anántherix 561
Anarrhìnum 390
Anastática 28
Anastática 28
ANASTATI'CEÆ .. 28
Anathèrum 561
Anchiétia 599
ANCHON'IEÆ 32
Anchùsa 377
Anchùsa 376, 377, 378
Ancistrocárpus .. 433
Andersònia 345
Andìra 168
Andráchne 459
Andreóskia 29
Androcy'mbium .. 539
Andromáchia .. 298
Andrómeda 331, 593
Andrómeda 331, 332
Andropògon 561
Andropògon .. 560, 561
Androsàce 425
Androsàce 425
Andros'æmum .. 76
Andr'yala 274
Andr'yala 274
Anelléma 542
Aneìmia .. 577, 598
Anemòne 3
Anemòne 3
Anesorhìza 247
Anèthum 251
Anèthum 247
Angélica 249
Angélica 248, 249, 251
ANG'ELICEÆ .. 249
Angelònia 394
Anglánthus 288
Angóphora 209
Angr'æcum 490
Anguillària 539
Angulòa 488
Angùria 216
Anigozánthus .. 504
Anisánthus 500
Anisochìlus 414
Anisòdus 383
Anisómeles 403
Anisómeles 407
Anisopétalum .. 488
Anisum 246, 247
Anneslèa 17
Annesléà 163
Annòna 14, 15
Anòda 63
Anòda 63
Anodóntea 25
Anomathèca 499
Anòna 14
ANON'ACEÆ .. 14
Anópterus 239
Anredèra 434
Antenniària 291
ANTHEMI'DEÆ .. 315
A'nthemis 318
A'nthemis 317, 318, 319, ... 321
Anthéphora 563
Page.
Anthéricum 524
Anthéricum 524, 525, ... 526
Anthistíria 561
Anthistíria 561
Anthocércis 380
A'nthodon 79
Antholòma 79
Anthol'yza 500
Anthol'yza 500
Anthospérmum .. 265
Anthoxánthum .. 553
Anthríscus 254, 591
Anthríscus 254
Anthy'llis .. 132, 589
Anthy'llis 128, 147, 152
Antidésma 460
ANTIDE'SMEÆ 460
Antiphy'lla 241
Antirrhìnum 390
Antirrhìnum 390
Antròphyum 582
Àotus 124
Apalatòa 172
Apárgia 274
Apárgia 275
Apèiba 71
Aphànes 192
Aphanochìlus 400
Apheländra 420
Apheléxis 293
Aphyllánthes 532
A'picra 521
Apios 157
Apios 157
Apium 245
Apléctrum 595
Aplophy'llum 105, 588
Aplùda 561
Aplùda 561
APOCI'NEÆ .. 353
Apócynum 356
Apócynum 361
Aponogèton 478
AQUIFOLI'ACEÆ 110
Aquilària 117
AQUILA'RINEÆ 117
Aquilègia 8
A'rabis 22, 485
ARABI'DEÆ .. 21
A'rachis 167
A'rachis 149
Aràlia 256
Aràlia .. 256, 257
ARALI'ACEÆ .. 256
Araucària 474
A'rbutus 331
A'rbutus 330
Archangélica .. 249
Archemòra 251
A'rctium 280
A'rctium 284
Arctòpus 355
Arctostáphylos .. 330
Arctothèca 312
Arctòtis 312
Arctòtis .. 312, 313
Ardísia 348
Page.
Arduìna 353
Arèca 543
Arèca 543
Aremònia 192
Arenària 56, 856
Arenària 56, 57
Arethùsa 486
Arètia 425
Argània 349
Argemòne 19
Argemòne 19
Argyrèia 373
Argyroch'æta .. 314
Arístea 499
Aristìda 558
Aristìda .. 557, 558
Aristolòchia 451
Aristotèlia 117
Armeniaca 174
Armèria .. 426, 427
Armoràcia 26
A'rnica 299
A'rnica 299
Arnopògon 279
Arnóseris 275
AROI'DEÆ 475
Aròmia 177
Arpítium 591
Arracàcia 255
Arrhenathèrum .. 562
Artabòtrys 15
Artèdia 253
Artemísia 316
Arthropòdium .. 525
Arthrostémma .. 204
Arthrostémma .. 203
Artocárpus 462
Arum 480
Arum 481
Arundinària 574
Arúndo 574
Arúndo 555, 556, 559, ... 567, 569, 574
Arungàna 76
ASA'RINEÆ .. 451
A'sarum 451
Ascaricìda 289
ASCLEPI'ADEÆ 355
Asclèpias .. 360, 394
Asclèpias .. 360, 361
A'scyrum 77
Asímina 14
Aspálathus 129
Aspáragus 533
Asperùgo 377
Asperùgo 377
Aspérula 266, 592
Aspérula 264
ASPHOD'ELEÆ 524
Asphódelus 524
Asphódelus 524
Aspidístra 480
Aspídium 579
Aspídium .. 579, 580
Asplènium .. 580, 598
Asplènium .. 581, 582
Asprélla 567
Assònia 69
Page.
Astartèa 207
Astélma 292
Astélma 292
Astéphanus 362
A'ster 295
A'ster .. 294, 296, 297
AST'EREÆ .. 288
Asterocéphalus .. 279
Asterolínon 425
Astílbe 242
ASTR'AGALEÆ .. 145
Astrágalus .. 145, 589
Astrágalus 122, 145, 151
Astránthus 117
Astrántia 244
Astrántia 244
Astrap'æa 69
Astrocàryum 544
Astrolòbium 148
Astrolòma 346
Astrònium 119
Astrótricha 243
Astydàmia 251
Atalánthus 277
Atalántia 75
Athamánta 248
Athamánta 248, 250, 255
Athanàsia 315
Atheropògon 571
Athrixia 307
Atráctylis 285
Atráctylis .. 280, 285
Atragène 2
Atragène 3
Atraphàxis 438
Atrèma 256
A'triplex 435
A'tropa 383
A'tropa 382, 384, 388
Attàlea 544
Aublètia 71
Aubriètia 24
Aúcuba 592
Audibértia 399
Audouínia 116
Aúlax 442
Aulàxis 240
AURANTI'ACEÆ 75
Avèna 567
Avèna 557, 562, 567, 568
Averrhòa 102
Avicénnia 419
Axónopus 564
A'xyris 497
A'xyris 497
Ayènia 67
Azàlea 344
Azàlea 343, 344
Azìma 261
Azorélla 243
Babiàna 496
Bacàxia .. 280, 592
Báccharis 289
Báccharis .. 289, 290
Báctris 544
Bæ'ckia 210
Balanites 104
Balántium 583

Page.
Balbísia 308
Ballòta 405
Ballòta .. 405, 414
Balsamìna 101
BALSAMI'NEÆ 101
Balsamìta 315
Balsamodéndron 120
Baltimòra 314
Bambùsa 574
Bambùsa 574
Banistèria 81
BANISTERI'EÆ .. 81
Bànksia 447
Bàphia 162
Baptísia 123, 589
Baptísia 122
Barbacènia 505
Barbarèa 22
Barkhaùsia 278
Barlèria 420
Barnárdia 527
Barònma 105
Barringtònia 213
Barringtònia 213
BARRINGTONI'EÆ 213
Bartholìna 484
Bartònia 218
Bártsia 395
Bártsia 395
Baryósma 168
Basélla 443
Basélla 434
Bássia 349
Bastárdia 64
Bátschia 374
Bauèra 243
Bauhínia 172
Beaufórtia 207
Beaumóntia 356
Beckmánnia 564
Befària 345
Begònia .. 437, 595
BEGONI'ACEÆ 437
Behrínia 274
Bejària 345
Bèlis 475
Belladónna 506
Bellevàlia 528
Bellidiástrum .. 299
Bellínia 383
Béllis 299
Béllium 299
Benincàsa 214
Berárdia 116
Berárdia 284
BERBERI'DEÆ 16
Bérberis .. 16, 584
Berchèmia 112
Berckheya 312
Bergènia 239
Bergèra 75
Bérgia 55
Beringèria 405
Bernhárdia 576
Bérrya 71
Berteròa 24
Berthollètia 213
Berzèlia 115
Page.
Beslèria 329
Bèta 436
Betónica 406
BETU'LINEÆ 467
Bétula 467
Beurrèria 379
Bidens 311
Bidens 306
Bíforis 256
Bigelòvia 265
Bignònia 365
Bignònia 352, 365, 366
BIGNONI'ACEÆ 365
Billardièra 48
Billbérgia 534
Billóttia 210
Bióphytum 102
Biscutélla 27
Biscutélla 28
Biserrula 148
Bivon'æa 32
Bíxa 40
BIXI'NEÆ .. 40
Blackwéllia 116, 588
Bl'æria 332
Bl'æria 332
Blàkea 206
Blandfórdia 517
Bléchnum .. 581, 598
Bléchnum 581
Blèchum 420
Blépharis 419
Blephília 404
Blètia 487
Blighia 84
Blítum 436
Blumenbáchia .. 218
Bobártia 497
Boccònia 19
Boccònia 19
Bœbèra 305
Bœhmèria 462
Bœóbotrys 347
Boerhaàvia 430
Boerhaàvia 430
Boldòa 430
Boltònia 298
BOMB'ACEÆ .. 65
Bómbax 66
Bómbax 66, 73
Bonàtea 484
Bonnàya 396
Bonplándia 594
Bóntia 419
BORAGI'NEÆ 375
Boràgo 378
Borágo 378
Borássus 544
Borbònia 126
Borbònia .. 126, 127
Borkhousènia .. 389
Borònia 107
Bòrya 460
Bóscia 38
Bòsea 436
Bossi'æa 126
Boswéllia 120
Page.
Botry'ceras 447
Botry'chium 576
Bouteloùa 571
Bouvárdia 263
Bowièa 520
Bowlèsia 243
Brabèjum 446
Brachyach'yris .. 298
Brachyel'ytrum .. 559
Brachyl'æna .. 289
Brachypódium .. 573
Brachypódium .. 572
Brach'yris 298
Brachysèma 123
Brachystélma 359, 600
Bradléja 458
Brandèsia 433
Brasènia 17
Brassavòla 490
Brássia 488
Brássica 88
Brássica .. 31, 34, 35
BRASSI'CEÆ .. 33
Bráya 22, 485
Bréxia 599
Bridèlia 459
Brignòlia 247
Briza 570
Brìza 570
Brodi'æa 517
Brodi'æa 532
Brogniártia 166
Bromèlia 535
Bromèlia 535
BROMELI'ACEÆ 534
Brómus 573
Brómus 573
Brósimum 462
Bross'æa 332
Brotèra 288
Brótera .. 69, 287, 414
Broughtònia 490
Broussonètia 462
Broussonètia..122, 462
Browállia 394
Brównia 168
Brownlòwia 71
Brùcea 121
Brùcea 121
Brugmánsia 383
Brunéllia 121
Brunfélsia 389
Brùnia 115
Brùnia 115
BRUNI'ACEÆ.. 115
Brunnínchia 438
Brunsvígia .. 510, 596
Brunsvígia 510
Br'ya 162
Bryònia 214
Bryònia 214
Bryophy'llum .. 224
Bùbon 251
Bùbon .. 247, 248, 250
Bubròma 67
Búcco 106
Buchanània 117
Page.
Buchnèra 394
Buchnèra 394
Buchólzia 432
Bucìda 195
Búddlea 389
Buffònia 54
Bulbìne 525
Bulbocòdium 539
Bulbocòdium 539
Bulliárda 222
Bumálda 109
Bumèlia 348
Bunchòsia 81
BUNI'ADEÆ .. 36
Bùnias 36
Bùnias 28, 35
Bùnium 246
Bùnium 245, 246, 247, ... 249
Buonapártea..536, 597
Buonapártea 534
Bùphone 510
Buphthálmum .. 309
Buphthálmum .. 309
Bupleùrum 246
Bupleùrum .. 247, 251
Burchárdia 539
Burchéllia 262
Burglària 111
Burmánnia 546
Bursària 48
Bursèra 120
BURSER'ACEÆ 120
Burtònia 124
Bùtea 161
BUT'OMEÆ .. 477
Butòmus 477
Buttnèria 67
BUTTNERI'ACEÆ 66
BUTTN'ERIEÆ .. 67
Búxus 456
Búxus 472
B'yblis 46
Byrsónima 80
Bystropògon .. 401
Cabómba 17
Cabrèra 568
Cacàlia 302
Cacàlia 302, 303
Càchrys 255
Càchrys 244, 249, 252, ... 255
CA'CTEÆ 235
Cáctus 235, 236, 237, 238
Cacoùcia 196
Càdia 169
Cælestìna 301
Cænópteris 581
Cæsalpínia 168
Cæsalpínia .. 168, 169
CÆSALPI'NEÆ .. 167
C'æsia 525
Cæsùlia 288
Cajànus 159
Cakile 28
Cakile 36
CAKILI'NEÆ 28

Page.
Caladènia 486
Calàdium 481
Calamagróstis .. 555
Calamìna 561
Calamíntha 409
Calámpelis 366
Cálamus 544
Calandrínia 219
Calánthe..... 490
Calàthea 494
Calceolària .. 396, 494
Caldàsia 369, 594
Càlea 307
Càlea .. 289, 306, 307
Caleácte 307
Caléndula .. 313, 592
Calepìna..... 35
Caleàna 487
Calèya 487
Cálla 480
Cálla 480
Callicárpa 416
Callicoma 243
Calligonum 440
Calliopèa 275
Calliópsis 311
Callissàce 251
Callísia 542
Callistàchys..... 123
Callistèma 297
Callistèmon 209
Callítriche .. 201
CALLITRICHI'NEÆ 201
Cállitris 473
Callùna 332
Calochìlus 485
Calochórtus 538
Calodéndron .. 105
Calóphaca 144
CALOPHY'LLEÆ 78
Calophy'llum .. 78
Calopògon 487
Calórophus 547
Calostémma 513
Calothámnus .. 207
Calòtis 294
Calótropis 361
Cáltha 7, 584
CALYCA'NTHEÆ
..... 194
Calycánthus 194
Calycánthus 195
CALYCE'REÆ 271
CALYCIFL'ORÆ .. 109
Calycótome 131
Calymènia 429
Caly'pso 487
Calyptránthes .. 211
Calyptránthes 211, 212
Caly'ptrion 43
Calystègia .. 370
Cálythrix 206
Camarídium .. 489
Cambessèdia .. 117
Camelìna .. 31
CAMELI'NEÆ .. 31
Camélia 73
Camélia 73
Page.
CAMELLI'EÆ.. 73
Camerària 355
Camerària 354, 355
Campánula .. 324
Campánula 324, 328, 593
CAMPANULACEÆ
..... 324, 592
Campèlia 541
Camphorósma .. 437
Campomanèsia .. 210
CAMPYLOSPE'RMEÆ
..... 253
Campy'lia 90
Canarìna 324
Canàrium .. 120
Canavàlia .. 159
Candóllea 13
Canélla 79
Cánna 494
Cánnabis 463
CA'NNEÆ 494
Cánthium 261
Cántua 368
Caperònia 456
Capnophy'llum .. 251
CAPPARI'DEÆ 37
CAPPAR'EÆ .. 38
Cápparis .. 38, 585
Cápparis 38, 39
Caprària 389
Caprària 389
CAPRIFOLI'ACEÆ
..... 257
Caprifòlium..... 258
Capsélla 27
Cápsicum 384
Caragàna 144
Caraguàta 596
Carállia 197
Carallùma 359
Caràpa 86
Carapichea 264
Cardámine 23
Cardámine .. 23, 24
Cardiospérmum .. 83
Cardópatum .. 287
Carduncéllus .. 284
Cárduus 281
Cárduus 282, 283
CARDU'ACEÆ .. 280
Càrex 547, 597
Càrex 552
Carèya 213
Cargíllia 349
Cárica 216
Carissa 353
Carissa 353
Carlìna .. 284
Carlìna 281
Carlowízia 284
Carludóvica 480
Carmich'ælia .. 139
Carolínia 66
Carpèsium 290
Cárpinus 467
Carpodìnus 256
Carpodóntus .. 77
Carpopògon 159
Page.
Carrichtèra..... 35
Cárthamus 284
Cárthamus 284
Cartonèma 542
Càrum 245
Càrum 248
Carunculària .. 358
Càrya 465
Caryòcar 83
CARYOPHY'LLEÆ
..... 48
Caryophy'llus .. 212
Caryòta .. 544
Caseària 116
Cássia .. 169, 589
CASSI'EÆ 168
Cassìne 110
Cassìne 110
Cassínia .. 291
Cassinia 288
CASSUVIEÆ .. 117
Cassùvium 117
Cass'ytha 441
Castàlia .. 18
Castànea 467
Castanocárpus .. 589
Castillèja 395
Casuarina 472
Catabròsa 559
Catálpa .. 365
Catanánche .. 280
Catáppa 195
Catasètum 488
Catesb'æa 262
Cathartocárpus .. 169
Cattlèya .. 490
Catùrus 462
CAUCALI'NEÆ .. 253
Caúcalis 253
Caúcalis .. 253, 254
Caulophy'llum .. 16
Ceanóthus .. 113
Ceanóthus .. 113, 114
Cecròpia 464
Cedrèla 86
CEDR'ELEÆ .. 86
Cèdrus 475
CELASTR'INEÆ 109
Celástrus 110
Celástrus 110
Celòsia .. 431
Celòsia 431, 433
Célsia 380, 594
Célsia 394
Céltis 464
Céltis 464
Cénchrus 552
Cénchrus 553, 557, 563,
..... 567, 568
Cènia 318
Cenolòphium .. 248
Centaurèa .. 285, 592
Centaurèa 281, 285, 287
Centothèca .. 568
Centránthus .. 268
Centrocárpha .. 310
Centrolèpis 547
Centrospérmum .. 321
Page.
Centúnculus .. 426
Cephaèlis 264
CEPHALA'NTHEÆ 263
Cephalánthus .. 263
Cephalària 270
Cephalóphora .. 315
Cephalótus 192
Ceranthèra 45
Cerástium .. 57
Cerástium .. 54, 55
Cérasus 174
Ceratiola 460
Ceratocárpus .. 436
Ceratocéphalus .. 4
Ceratochilus .. 490
Ceratóchloa .. 571
Ceratònia 169
Ceratopétalum .. 243
CERATOPHY'L-
LEÆ 201
Ceratophy'llum .. 201
Ceratópteris 577
Ceratostánthes .. 215
Ceratospérmum .. 437
Cérbera .. 354
Cérbera 354
Cércis 271
Cercocárpus 193
Cercòdia 201
CERCODI'ANEÆ 200
Cerèsia 554
Cèreus 236, 590
Cèreus 591
Cerínthe 375
Ceropègia .. 359, 600
Cestrìnus 284
Céstrum 388
Céterach 578
Chærophy'llum .. 254
Chærophy'llum 254, 255,
..... 591
Chætanthèra .. 280
Chætària 557
Chætocàlyx .. 141
Chætogástra .. 204
Chætony'chia 220
Chætóspora 549
Chætùrus 556
Chaillètia 117
CHAILLETTACEÆ
..... 117
Chaitùrus 407
Chamædórea 542
CHAMÆLA'UCIEÆ 28
Chamælaùcium .. 207
Chamælaùcium .. 207
Chamælírium .. 540
Chamænèrion .. 197
Chamærèpes .. 483
Cham'ærops 542
Cham'ærops 542
Chamagróstis .. 537
Chamissòa 432
Chamissòa 432
Chamórchis 483
Chaptàlia 280
Chaptàlia 280
Chàra 575

Page.
Chàra 575
CHAR'ACEÆ .. 575
Chardínia 294
Charlwoódia 533
Chasmònia 405
Cheilánthes.. 583, 599
Cheiránthus 21
Cheiránthus 22, 29, 30 ..... 31, 32, 37
Cheirínia .. 29, 30, 31
Cheirostèmon 66
Chelidònium 19
Chelidònium 19
Chelòne 393
Chenòlea 434
CHENOP'ODEÆ 433
Chenopòdium .. 434
Chenopòdium 431, 434
Cherlèria 57
Chilóchloa 554
Chilóchloa 554
Chiloglóttis 486
Chilópsis 365
Chimáphila 341
Chimonánthus .. 195
Chiocócca 264
Chionánthus 351
Chiranthodéndron 66
Chirònia 363
Chlamy'sporum .. 532
CHLEN'ACEÆ 72
Chlidánthus 513
Chloánthes 417
Chlòra 368
CHLORA'NTHEÆ 259
Chloránthus 259
Chloráster 516
Chlòris 562
Chlòris .. 562, 571
Chloróphytum .. 525
Chloroxylon .. 86
Chomèlia 264
Chondrílla 277
Chondròsea 240
Chondròsium .. 571
Chorísma 274
Chorispora 28
Chorizèma 123
Chorozèma 123
Christia 149
Chrysanthéllum .. 308
Chrysánthemum 320
Chrysánthemum 321, ... 322
Chrysiphiala 513
CHRYSOBAL'ANEÆ 173
Chrysobálanus .. 173
Chrysócoma 298
Chrysócoma 291, 298
Chrysophy'llum .. 349
Chrysopògon 561
Chrysópsis 291
Chrysópsis 295
Chrysosplènium .. 242
Chrysùrus 562
Chuquíraga 280, 592
Cibòtium 599
Cícca 456
Cicéndia 364
Cìcer 153
Cicer 154
CICHOR'ACEÆ .. 271
Cichòrium 279
Cicònium 100
Cicùta 244
Ciliària 240
Cimicifùga 11
CINCH'ONEÆ .. 262
Cinchòna .. 260, 262
Cinerària 304
Cinerària .. 304, 305
Cínna 557
Cinnamòmum .. 441
Circ'æa 200
CIRCÆ'EÆ 200
Cirrh'æa 488
Círsium 282
Cissámpelos 15
Cissámpelos 16
Císsus 86
Cissus 87
CISTI'NEÆ .. 40
Cístus 40
Cístus 41, 42
Citharéxylum .. 417
Cítrus 75
Cladánthus 319, 592
Clàdium 550
Cladóstachys 91
Clárkia 199
Clausènia 75
Clavìja 353
Claytònia 220
CLEMATI'DEÆ .. 1
Clématis 1, 584
Clématis 2
Cleòme 37, 585
Cleòme .. 31, 37, 38
CLE'OMEÆ 37
Cleònia 410
Clerodéndrum .. 415
Clèthra 332
Cleyèra 72
Clidèmia 205
Cliffórtia 193
Cliftònia 332
Clinopòdium 409
Clintònia 324
Clitòria 140
Clitòria 140
CLIT'ORIÆ 138
Clìvia 516
Clùsia 78
CLUSI'EÆ 78
Cluy'tia 459
Clypèola 25
Cnemidóstachys .. 460
Cneòrum 121
Cnéstis 121
Cnicus.. 282, 283, 287
Cnídium 248
Cnídium 248, 249
Cnidóscolus 457
Cob'æa 367
COBÆ'ACEÆ .. 367
Cobúrgia..... 513
Coccocy'pselum .. 262
Coccocy'pselum .. 262
Coccóloba 438
Cócculus 15
Cócculus 15
Cochleària 26
Cochleària .. 26, 31
Cochlospérmum .. 73
Còcos 544
Còcos 543, 544
Codàrium 172
Còdon 383
Codonóphora 329
Cœlógyne 488
CŒLOSPE'RMEÆ 256
Coffèa 264
Coffèa 264
COFFE'ACEÆ 263
Còix 574
Colbértia 13
Cólchicum 539
Cólchicum 539
Coldènia 600
Coleánthus 554
Colebroókia 400
Coleonèma 106
Còleus 413
Coll'æa 140
Collètia 113
Collètia 113
Collínsia..... 390
Collinsònia 412
Collòmia 368
Colobáchne 557
Cologània 140
Colophònia 120
Colpòdium 557
Colubrìna 113
Columéllia 308
Colúmnea 390
Colùria 189
Colùtea 144
Colùtea 144
Comándra 450
Comarópsis 189
Cómarum 192
COMBRET'ACEÆ 195
Combrètum 196
Combrètum 196, 590
Comespérma 47
Commelìna.. 542, 597
Commelìna .. 541, 542
COMMELI'NEÆ 541
Commersònia 67
Commersònia 67
Comoclàdia 119
COMPO'SITÆ.. 271
Comptònia 472
Conanthèra 532
Cónchium 447
Condàlia..... 112
Condylocárpus .. 252
CONI'FERÆ .. 473
Conioselìnum 249
Cònium 255
Cònium 247, 251, 255
CONNAR'ACEÆ 121
Connàrus 121
Conocárpus 196
Conocéphalus 462
Conospérmum .. 446
Conostègia 205
Conóstylis 504
Conríngia 31
Convallària 523
Convallària 523
CONVOLVUL'ACEÆ 369
Convólvulus 369
Convólvulus 370, 371, ... 372, 373
Con'yza 289
Con'yza 289, 294
Coókia 75
Copaífera 171
Cóptis 7, 584
Corallorrhiza .. 487
Corbulària 514
Córchorus 70
Córchorus 194
Córdia 379
Córdia 380
Cordylìne 534
Cordylocárpus .. 36
Corèma 460
Coreópsis 311
Coreópsis 307, 309, 311
CORIA'NDREÆ .. 256
Coriándrum 256
Coriándrum 256
CORIARI'EÆ .. 109
Coriària 109
Còrion 256
Còris 425
Corispérmum .. 436
Cornucòpiæ 552
Córnus 257
Cornùtia 417
Cornùtia 417
COROLLIFL'OREÆ 347
Coronílla 143
Coronílla 143
CORONI'LLEÆ .. 148
Corónopus 31
Corrèa 107
Corrigìola 220
Cortùsa 423
Córybas 487
Corycárpus 571
Cory'cium 485
Corydàlis 20
Córylus 467
Corynélla 144
Corynéphorus .. 560
Córypha 543
Córypha 542, 543
Corysánthes .. 487
Coscínium 15
Cósmos 310
Cósmea 311
Cosmèlia 345

Page.
Cosígnia 84
Cóstus 492
Cotoneáster 176
Cótula 318
Cótula 318
Cotylèdon 224
Cotylèdon 225
Coultèria 168
Coumarouna 168
Couroúpita 213
Coursétia 143
Coutària..... 262
Coutoúbea 364
Crámbe 35
Craniolària 367
Craniótome 407
Crássula 222
Crássula 222,223, 224, ... 226
CRASSULA'CEÆ 222
Crat'ægus 175,176,177
Crat'æva 88
Credòus 259
Crepidària 452
Crèpis 273, 592
Crèpis 273, 274, 275, ... 276, 278, 279
Crescéntia 389
Crescéntia 389
Crésса 373
Crìnum 511
Crinum 513, 532
Cristària..... 68
Críthmum 249
Críthmum 251
Critònia 299
Cròcus 503, 596
Crossándra 420
Crotalària 127
Crotalària 123,126,128
Cròton 457
Cròton.. 456, 457, 458
Crówea 107
Crozóphora 457
Cruciandélla 265
CRUCI'FERÆ.. 21
Crùdya 172
Crupína 285
Cry'psis 557
Cryptándra..... 114
Cryptarrhèna .. 490
Cryptocárya 441
CRYPTOG'AMEÆ 575
Cryptográmma .. 582
Cryptólepis..... 355
Cryptospérmum.. 268
Cryptostègia 356
Cryptostémma .. 312
Cryptóstylis 485
Cryptot'ænia 246
Cucífera 543
Cucùbalus 51
Cucùbalus 51, 53
Cuculària 197
Cùcumis 214
Cùcumis 214
Cucúrbita 215

Page.
CUCURBIT'ACEÆ 213
Cullùmia..... 312
CUMI'NEÆ 252
Cumìnum 252
Cummíngia 352
Cùnila 404
Cùnila 404
Cunninghàmia .. 475
Cunònia 243
CUNONI'ACEÆ 242
Cupània..... 84
Cùphea 202
CUPRE'SSINEÆ .. 473
Cupréssus 474
Cuprèssus 474
CUPULI'FERÆ 465
Curatélla 13
Curcùligo 505
Curcùma 491
Curtísia 111
Curtógyne 223
Curtopógon 558
Cuscùta..... 373
CUSP'ARIEÆ 108
Cussònia 256
Cyámus 17
Cyanélla 532
Cyanótis 542
Cyànus 286
Cyathèa 583
Cyathèa 579
Cyathòdes 346
CYC'ADEÆ .. 476
C'ycas 476
Cy'clamen 423
Cycláuthus 400
Cyclobóthra 538
Cyclòpia..... 123
Cydònia 178
Cylipógon 141
Cylísta 160
Cymàtion 540
Cymbáchne 561
Cymbària 390
Cymbídium 488
Cymbídium 487,488,489
Cymbopógon 561
Cymbàrus 418
Cyminósma 107
Cymópterus 252
Cynánchum 361
Cynánchum 360, 361, ... 362
Cy'nara 284
Cy'nara 284
Cy'nodon 558
Cynoglóssum 378
Cynoglóssum .. 378
Cynomètra 171
Cynosàrus 571
Cynosàrus 560,562,569, ... 571
Cy'nthia 276
Cypélla 497
CYPER'ACEÆ 547
Cypèrus .. 551, 598
Cypèrus 552

Page.
Cy'phia 321
Cypripèdium .. 491
Cyrílla 332
Cyrílla 390
Cyrtánthus 512
Cyrtánthus 512
Cyrtopòdium .. 488
Cyrtóstylis 486
Cysticápnos .. 20
CYTI'NEÆ .. 452
Cy'tisus 130
Cy'tisus 123, 126, 131, ... 143, 144, 159
Czáckia 524
Dacry'dium 473
Dactylánthes .. 453
Dáctylis 570
Dáctylis .. 553, 574
Dactyloctènium .. 571
Dáklia 310
D'æmia 361
Dàis 449
Dalbérgia 161
Dalbérgia 142
DALBERGLI'EÆ.. 161
Dàlea 141
Dàlea 141
Dalechámpia 456
Dalibárda 189
Dalibárda 189
Dalry'mplea 109
Dalry'mplea 109
Damasònium .. 476
Damasònium .. 477
Dámmara 474
Dampièra 325
Dan'æa 598
Danthònia 567
Danthònia 567
Dáphne 448
Darèa 581
Darlingtònia 163
Darwínia 207
Dasystèmon 222
Datísca 39
DATI'SCEÆ .. 39
Datùra 383
Datùra 383
Daubentònia 144
Daúcus 253
DAUCI'NEÆ 253
Davállia 583, 599
Daviésia 125
Daviésia 124
Décodon 202
Decumària 206
Deeríngia 432
Delìma 13
DELIM'ACEÆ .. 12
Delísia 592
Delphínium 8
Dendròbium 489
Dendròbium 489
Dentària 24
Dentélla 263
Dermàsea 240
Dérris 161
Deschámpsia .. 559

Page.
Deschámpsia .. 559
Desmánthus 163
Desmoch'æta .. 432
Desmoch'æta .. 432
Desmòdium 149
Desmòdium 149
Desmóncus 544
DET'ARIEÆ 173
Detàrium 173
Devaúxia 547
Devérra 247
Diàlium 172
Dianélla 532
Diánthus .. 49, 586
Diapénsia 342
Diapénsia 342
Diarrhèna 571
Diáscia 394
Diàsia 562
Diastella 444
Dicèra 72
Dicérma 161
Dichílus 128
Dichóndra 373
Dichorisándra .. 126
Dichromèna 597
Dicksònia 583
Dicksònia 583
Diclíptera 422
Dicl'ytra 30
DICOTYLE'DO-NEÆ 1
Dictámnus .. 105, 586
Didélta 312
Didíscus 243
DIDYMOCA'RPEÆ 367
Didymocárpus .. 367
Diervílla 258
Diètes 497
Digitàlis 392
Digitària 556
Digitària 559
Digráphis 559
Dilàtris 504
Dilàtris 504
Dilep'yrum 569
Dillènia 13
Dillènia 13
DILLENI'ACEÆ 12
Dillwy'nia 124
Dillwy'nia 124
Dimácria 91
Dimocárpus 84
Dimórpha 171
Dinèba 560
Dinèba 560
Dinètus 373
Diòclea 150
Diòdia 265
Diomèdea 309
Diomèdea 514
Dion'æa 46
Dioscórea 521
DIOSCOR'EÆ 521
Diósma 106
Diósma 105, 106, 116
DIO'SMEÆ 105

Page.
Diosp'yros .. 349, 593
Diòtis 437
Diphyllèia 16
Diplachne 571
Diplàzium .. 582, 598
DIPLECOL'OBEÆ 36
Diplochìta 205
Diplócoma 299
Diplólepis 361
Diplopáppus 294
Diplophy'llum .. 399
Diplostègium .. 204
Diplostèphium .. 295
Diplotáxis 34
Diplothèmium .. 544
Dipòdium 489
DIPS'ACEÆ .. 269
Dipsacus 269
Díptera 240
Dipterix 168
Dírca 448
Dìsa 484
Disándra 394
Dischídia 360
Dischísma 414
Discopleùra 245, 591
Disémma 217
Disophy'lla 400
Dispèris 485
Dísporum 539
Dissolèna 354
Diùrus 485
Dodártia 390
Dodecàtheon 423, 595
Dodon'æa 85
DODONÆ'ACEÆ.. 85
Dólichos 158
Dólichos .. 158, 159
Doliocárpus 12
Dombèya .. 69, 586
Dombèya .. 367, 475
DOMBEY'ACEÆ .. 69
Dóndia 244
Dónia 298, 299
Doódia 581, 598
Doódia 149
Dorónicum 299
Dorónicum .. 298, 299
Dorstènia 464
Doryánthes 516
Dory'cnium 137
Dràba 25, 585
Dràba 25, 20
Drac'æna 533
Drac'æna 517, 532, 533
Dracocéphalum .. 408
Dracocéphalum .. 406
Dracóntium 479
Dracóntium 479, 480
Dracophy'llum .. 345
Drepània 275
Drepanocárpus .. 161
Drepanophy'llum 245
Drimia 529
Drìmys 13
Drósera 45
DROSER'ACEÆ 45
Drumméndia 591

Page.
Dryándra 448
Dr'yas 190, 589
Dr'yas 189
Drymària 55
Dr'ypis 54
Duchésnia 189
Dulíchium 549
Dumàsia 140
Dumerília 280
Dumerília 592
Dupóntia 559
Duránta 417
Duroía 261
Duvállia 356
Duvaúa 119
Dysòdia 305
EBEN'ACEÆ .. 349
E'benus 152
Ecastaphy'llum .. 162
Eccremocárpus .. 66
Eccremocárpus .. 66
Echevèria 225
Echinàcea 310
Echinária 567
Echinocáctus 235, 590
Echinóchloa 563
Echinóphora 255
Echinopògon .. 559
Echìnops 287
ECHINOPSI'DEÆ 287
Echinospérmum 377
Echìtes 355
Echìtes 356
Echium 375
Eclípta 308
Edwárdsia 122
Ehrètia 379
Ehrhárta 574
Ehrhárta 574
Ekebérgia 86
ELÆA'GNEÆ .. 451
Elæágnus 451
ELÆOCA'RPEÆ 71
Elæocárpus 71
Elæodéndron 110
Elæodéndron 111, 349
Elàis 543
Eláphrium 120
Elàte 543
Elatèrium 215
Elátine 55
Elègia 547
Eleiòtis 152
Eleócharis 550
Elephántopus .. 288
Elettària 492
Eleusìne 571
Eleusìne 571
Elichr'ysum 292, 293
Ellísia 380
Ellobocárpus 577
Elòdea 76
Elshóltzia 400
E'lymus 566
El'yna 552
Elytrària 420
Embèlia 348
E'mblica 459

Page.
Embóthrium 447
Embóthrium 447
Embryópteris .. 350
Emericia 356
'Emex 440
Emilèa 302
EMPETREÆ .. 460
Empètrum 460
Empètrum 460
Empleùrum 107
Enarthrocárpus .. 36
Encèlia 308
Enchyl'æna 434
Ency'clia 490
ENDO'GENÆ.. 476
Enkiánthus 331
Enneapògon 567
Enòdium 560
Enslènia 360
Entàda 162
Entelèa 70
EPACRI'DEÆ 345
E'pacris 45
E'pacris .. 345, 346
Epáltes 315
Ephèdra 474
Ephièlis 84
Epidéndrum 490
Epidéndrum 488, 489, ... 490
Epig'æa 342
Epilòbium 198
Epilòbium .. 197, 198
Epimèdium .. 16, 584
Epipáctis 486
Epipáctis 486
Epiphy'llum 237
EQUISET'ACEÆ 575
Equisètum 575
Eragróstis 570
Eragróstis 570
Eránthemum .. 422
Eránthemum 415, 420
Eránthus 7
Eremùrus 524
'Eria 489
Erìca 332
Erìca 332, 341
ER'ICEÆ 330
Erigènia 243
Erígeron 294
Erígeron 290
Erìnus 394
Eriobòtrya 176
Eriocàlia 243
Eriocaúlon .. 546, 597
Eriocéphalus 317
Eriochìlus 486
Eriócoma 314
Eriodéndron 66
Eriógonum 440
Eriol'æna 69
Erióphorum 552
Erióphorum 552
Eriophy'llum .. 322
Eriospérmum .. 529
Eriostèmon 107
Eriostèmon 407

Page.
Erisonýphe 260
Erísma 590
Erithalis 260
Ernòdea 264
Erodéndrum 443, 444
Eròdium 89
Eróphila 26
Erpètion 45
Erùca 35
Erucària 36
ERUCAR'IEÆ .. 36
Ervília 154
E'rvum 154
Ery'ngium .. 244, 591
Ery'simum .. 30, 585
Ery'simum 22, 29, 30, 31
Erythr'æa 363
Erythrìna 160
Erythrìna 161
Erythrol'æna .. 283
Erythrònium 539, 597
Erythrophlèum .. 163
ERYTHROXY'LEÆ 80
Erythróxylum .. 80
Erythróxylon .. 80
ESCALL'ONEÆ 239
Escallònia .. 239, 591
Eschscháltzia 19
E'sula 454, 455
Ethùlia 315
Ethùlia 315
Eucaly'ptus 206
Euchètes 106
Euchilus 124
Euchròma 395
Euclèa 457
EUCLI'DEÆ 28
Euclídium 28
Eùcomis 530
Eucròsia 513
Eudésmia 206
Eugènia 212
Eugènia 211, 212, 213
EUHEDYS'AREÆ 148
EULEPTOSPE'RMEÆ 208
Eulòphia 490
EUONY'MEÆ 109
Euónymus .. 109, 588
Euósma 364
EUPAT'OREÆ .. 299
Eupatòrium 300
Eupatòrium .. 291, 301
Euphórbia 458
Euphórbia 452
EUPHORBI'ACEÆ 452
Euphòria 84
Euphràsia 394
Eùrya 72
Eur'yale 17
Eùryales 513
Euryspérmum .. 448
Eury'coma 121
Eùstachys 562
Eustègia 361
Eùstoma 364

Page.
Eùstrephus 533
Eutáxia 124
Eutérpe 543
Eùthales 324
Euthàmia 298
Eùtoca .. 380, 594
Euxènia 315
Euzòmum 35
Evax 294
Evòdia 107
Evólvulus 373
E'xacum 364
E'xacum 364
Excæcària 459
Exocárpus 450
EXOG'ENÆ .. 1
Exostémma 262
Fàba 153
Fabrícia 210
Fabrícia 209
Fagàra 107, 120
Fagèlia 157
Fagònia 104
Fagr'æa 353
Fàgus 467
Falcària 245
Fálkia 373
Farsètia 24
Farsètia 24
Fèdia 268
Fèdia 269
Ferdinándia 318
Fernandèsia 490
Fernèlia 262
Ferònia 75
Ferrària 499
Ferrària 497, 499
Ferreòla 349
Férula 250, 501
Férula .. 249, 250, 253
Festùca 572
Festùca 559, 567, 570, .. 571, 572, 573, 574
Feuillæa 215
Fibígia 24
Ficària 7
FICOI'DEÆ .. 227
Fìcus 460
Fièldia 366
Filàgo 294
FI'LICES 576
Fimbrístylis 550, 597
Fischèria 358
Flacoúrtia 40
FLACOURTI'ANEÆ 40
Flagellària 546
Flavèria 313
Flemíngia 152
Flindérsia 86
Florestìna 306
FLUVI'ALES .. 478
Fœnículum 247
Fœnículum 245
Fontanèsia 351
Forskòhlea 463
Fothergílla 473
Fothergílla 205
Page.
Fragària 189
Fragària 192
Francìscea 389
Frankènia .. 48, 586
FRANKENI'ACÆ 48
Fransèria 315
Frasèra 363
Fráxinus 350
Fráxinus 351
Frezièra 72
FREZI'ERÆ .. 72
Frièsia 72
Fritillària 537
Fritillària 538
Fúchsia 197, 590
FUCHSI'EÆ 197
Fuirèna 552
Fumària 20
Fumària 20
FUMARI'ACEÆ 20
Fúnkia 517
Furcr'œa 534
Fusànus 450
Gærtnèra 81
Gàgea 527
Gàgea 527
Gagnebìna 163
Gaillárdia 310
GALACI'NEÆ 345
Galáctia 140
Galactìtes 285
Galactodéndron .. 462
Galánthus 516
Galarh'æus 455
Gálax 345
Galáxia 499
Galáxia 499
G'ALEÆ 265
Galedàpa 161
Galèga 141
Galèga 142, 144, 156
Galènia 437
Gæleóbdolon 405
Galeópsis 405
Galinsògea 308
Galinsògea 308
Galipèa 108
Gàlium 266
Gàlium 266
Galphímia 81
Garcìnia .. 78, 587
GARCI'NIEÆ 78
Gardènia 261
Gardènia .. 260, 261
GARD'ENIÆ .. 260
Gardòquia 409
Garidélla 8
Garùga 120
Gastèria 519
Gastònia 256
Gastrídium 555
Gastrocárpha 280
Gastroloìbium 124
Gastronèma 512
Gaudichaúdia .. 81
Gaudínia 568
Gaulthèria 331
Gaulthèria 330
Page.
Gaúra 198
Gay'a 64
Gay'a 591
Gazània 312
Geissomèria .. 420
Geissorhìza 503
Gèla 600
Gelònium 457
Gelsèmium 353
Genety'llis 207
Geniósporum 414
Genìpa 261
Genísta 129
Genísta 131
GENI'STEÆ 125
Gentiàna 362
Gentiàna 364
GENTI'ANEÆ 362
Geodòrum 487
GEO'FFREÆ 167
Geoffròya 168
Geónoma 544
Geóphila 264
Georgìna 310
GERANI'ACEÆ 88
GERANI'EÆ 88
Geránium 88
Geránium 88, 90, 91, 92, 93, 94, 97, 98, 99, ... 100, 101
Gerárdia 395
Gerárdia 396
Gerbèria 299
Geropògon 279
Gesnèria 329
Gesnèria 329
GESNER'EÆ .. 329
Gethy'llis 516
Getònia 196
Gèum 190
Gèum 189, 190
Ghìnia 418
Gília 368, 594
Gília 368
Gillènia 194
Gillièsia 546
Gingínsia 220
Ginkgo 473
Ginòria 202
Gisèkia 433
Githàgo 54
Gladíolus 500
Gladíolus 499, 500, 501, ... 502
Glaúcium 19, 585
Glaux 428
Glechòma 408
Gledítschia 168
Gleichènia 577, 598
GLEICHEN'EÆ .. 577
Glìnus 234
Glóbba 491
Glóbba 491
Globulària 426
GLOBUL'ARIEÆ 426
Globùlea 223
Gloriòsa 539
Page.
Glossòdia 497
Glóssula 486
Glottídium 143
Gloxínia 329
Glycèria 570
Glycèria 560, 570
Gly'cine 140
Gly'cine 127, 141, 149, ... 156, 157, 168
Glycósmis 75
Glycirrhìza 141
Gmelina 417
Gnaphàlium 291
Gnaphàlium 291, 292, ... 293, 308
Gnètum 464
Gnídia 449
Godóya 78
Goldbáchia 22
Gomèza 487
Gomèza 487
Gómphia 109
Gomphocárpus .. 361
Gomphocárpus .. 361
Gompholòbium .. 124
Gompholòbium .. 123
Gomphrèna 432
Gomphrèna 432
Gomùtus 544
Gongòra 489
Goniocárpus 200
Gonólobus 360
Gonostèmon 358
Gonostèmon 357
Goodènia 324
Goodènia .. 324, 325
GOODEN'OVIÆ 324
Goódia 126
Goódia 126
Goodyèra 486
Gordònia 73
GORDONI'EÆ .. 73
Gortèria 312
Gossy'pium 62
Gouánia 114
Gr'æmia 315
GRAMI'NEÆ .. 552
Grammánthes .. 223
Grammítis 578
Grammítis 578
GRAN'ATEÆ .. 196
Grángea 318
Grangèria 173
Graphéphorum .. 571
Gratíola 396
Gratíola 396
Grenvíllea 96
Grevíllea 446
Grèwia 70
Grèwia 206
Grías 213
GRI'ELEÆ 89
Griélum 89
Griffínia 510
Grindèlia 298
Grísiea 202
Gronòvia 216
GROSSULARI'EÆ 238

Page.
Guaiacum 104
Guàrea 86
Guattèria 15
Guazùma 67
Guepínia 27
Guettárda 260
GUETTA'RDEÆ .. 260
Guevìna 599
Guilandìna 168
Guilandina 168
Gundèlia 288
Gunnèra 12
Gustàvia 213
GUTTI'FERÆ .. 78
Guzmánnia 533
Gymnadènia 483
Gymnèma 360
Gymnócladus 168
Gymnográmma .. 578
Gymnolòma 309
Gymnóstachys .. 479
Gymnóstylis 317
Gynandrópsis .. 37
Gypsóphila 48
Gypsóphila 51
Gyrocárpus 442
Gyrómia 523
Gyrostèmon 71
Habenària 484
Habenària 483
Habliftzia 434
Habránthus 506
Hacquètia 244
Hæmadictyon .. 356
Hæmánthus 510
Hæmatóxylon .. 169
HÆMODOR'ACEÆ 504
Hæmodòrum .. 504
Hægea 221
Hákea 446
Halèsia 347
Halimodéndron .. 144
Hallèria 389
Hállia 127
Halochàris 282
Halocnèmum 437
HALOR'AGEÆ 200
Haloràgis 200
Haloràgis 201
HAMAMELI'DEÆ 473
Hamamèlis 473
Hamèlia 260
HAMELI'ACEÆ .. 260
Hamiltònia 451
Hamiltònia 263
Hapalostèphium 273
Hardwíckia..... 169
Harónga 76
Harpályce 274
Harráchia 420
Harrisònia 361
Hartògia 111
Hasselquístia .. 252
Hastingia 417
Havètia 78
Hawórthia 520
Hebenstreítia .. 414

Page.
Hebenstreítia 414, 415
Hedeòma 404
Hédera 256
Hédera 87
Hedy'chium .. 493
HEDYOTI'DEÆ .. 262
Hedyòtis 262
Hedyòtis..... 599
Hedy'pnois 275
Hedy'pnois 275
HEDYS'AREÆ .. 148
Hedy'sarum .. 151
Hedy'sarum 127, 140, 149, 150, 151, 152, 153
Heimia 202
Helènium 307
Heleóchloa .. 557
Heliánthemum .. 41
HELIA'NTHEÆ .. 306
Heliánthus 309
Heliánthus 312
Helichr'ysum .. 292
Helichr'ysum .. 294
Helicònia 495
Helícteres 65
Heliocárpus 70
Helióphila 36
HELIOPHI'LEÆ .. 36
Heliópsis..... 309
Heliotròpium .. 374
Heliotròpium 374, 379
Helleborine .. 485
HELLEB'OREÆ .. 7
Helléborus 7
Hellènia 493
Hellènia 493
Helmínthia 276
Helònias 540
Helònias 540
Helosciàdium .. 245
Hemárthria 562
HEMEROCALLI-DEÆ 516
Hemerocállis 516
Hemerocállis .. 517
Hemidésmus .. 356
Hemigènia 408
Hemímeris 390
Hemímeris 394
Hemionìtis .. 578
Hemionìtis 578, 582
Hemitèlia 583
Hepática..... 4
Heracántha .. 284
Herácleum 251
Herácleum 252
Herbértia 497
Heritièra 66
Heritièra 504
Hermánnia 68
Hermánnia 69
HERMANNI'EÆ .. 67
Hérmas 255
Hermínium 483
Hermíone 515
Hernándia 442
Herniària 220
Herpéstis 393
Herrèria..... 533

Page.
Hesperántha .. 503
Hésperis 29
Hésperis .. 22, 29, 30
Hesperoscórdum 532
Heteránthemis .. 321
Heteranthèra .. 541
Heteromórpha .. 247
Heteropògon .. 561
Heterópteris .. 82
Heterospérmum .. 306
Heterotáxis .. 489
Heterótrichum .. 205
Heterótrichum .. 281
Heuchèra 242
Heylándia 127
Hey'nea 86
Hexagló'ttis 498
Hexagló'ttis .. 502
Hibbértia 13
Hibíscus 61, 586
Hicòrius 465
HIER'ACIEÆ .. 271
Hieràcium 271
Hieràcium .. 273, 275
Hieróchloe 559
Hífilia 262
Hippeástrum 508
Hippia 317
Hippia 317
Hippion 364
HIPPOCAST'ANEÆ 83
Hippocràtea 79
HIPPOCRATE'ACEÆ 79
Hippocrèpis 148
Hippomàne..... 458
Hippomaráthrum 255
Hippóphae 451
Hippóphae 451
HIPPURI'DEÆ .. 201
Hippùris 201
Híptage 81
HIPT'AGEÆ 81
Hir'æa 81
Hírculus 240
Hirtélla 173
Hòarea .. 90
Hoffmanséggia .. 169
Hoítzia 368
Hólcus 562
Hólcus.. 559, 561, 562
Holigárna .. 588
Holmskiólda 417
Holósteum 55
Holósteum .. 55
HOMALI'NEÆ 116
Homàlium 116
Homèria 498
Hoódia 359
Hookèra 517
Hòpea 347
Hórdeum 558
Horkèlia 189
Hormìnum 409
Hornemánnia 393, 394
Hosáckia 589
Hósta 417
Hottònia 425

Page.
Houstònia .. 364
Houttuy'nia .. 479
Hòvea 123
Hovènia .. 118
Hóya 359
Hudsònia 43
Huérnia 359
Hugònia 72
Hùmea 291
Hùmulus 468
Hunnemánnia .. 19
Hùra 458
Hutchínsia 27
Hutchínsia .. 27
Hyacinthus .. 528
Hyacinthus 527, 528, ... 529, 530
Hyàlis 502
Hyænánche 457
Hydrángea .. 242
Hydrástis .. 4
HYDROCHARI'DEÆ 476
HYDROC'ARYEÆ 200
Hydrócharis 476
Hydróchloa 570
Hydrocótyle 243
Hydrocótyle 243
HYDROCOTYL'INEÆ 243
Hydrogléssum .. 577
Hydròlea 369
HYDROLE'ACEÆ 369
HYDROPELTI'DEÆ 17
Hydropéltis .. 17
HYDROPHY'LLEÆ 380
Hydrophy'llum .. 380
Hydrophy'llum .. 380
Hygróphila .. 420
Hymen'æa 172
Hymenanthèra .. 586
Hymenocállis .. 518
Hymenocárpus .. 132
Hymenodíctyon .. 262
Hymenógyne .. 234
Hymenopáppus .. 306
Hymenophy'llum 583
Hymenophy'llum.. 583
Hyosc'yamus 382
Hyosc'yamus 382
Hyóseris 276
Hyóseris .. 275, 276
Hypécoum 19
Hyperanthèra .. 168
HYPERICI'NEÆ 76
Hypéricum 76
Hyph'æne 548
Hypocaly'ptus .. 128
HYPOCHÆRI'DEÆ 276
Hypoch'æris 276
Hypoch'æris 276
Hypólepis 583
Hypoléstes 422
Hypol'æna 547
Hypopíthys..... 342
HYPOXI'DEÆ 505
Hypóxis 505

Page.
Hy'pis 414, 594
Hyssòpus 402
Hyssòpus 402
Iántha 490
Ibèris 27
Ibèris 27
Ibbetsònia 123
Ichnocárpus .. 356
I'cica 589
'Ilex 111
'*Ilex* 110, 111
ILLECEBREÆ .. 220
Illécebrum 220
Illécebrum 220, 221, 431, ... 432
Illícium .. 13
Imatophy'llum .. 516
Imbricària 349
Imhòfia .. 510
Impàtiens .. 102, 588
Impàtiens 101
Imperàta .. 560
Imperatòria 251
Imperatòria 249, 250, ... 251
Indigófera 139
I'nga 163
I'nga 163
Inocárpus 348
Inùla 290
Inùla 291
Ionópsis 490
Ipom'œa 370
Ipom'œa .. 373
Ipomópsis 368
Ipomópsis 368
Iresìne 433
Iresìne 433
IRI'DEÆ. 495
'Iris 495
'*Iris* 497, 498
Isáchne 564
Isánthus 399
ISATI'DEÆ 32
Isàtis 32
Isch'æmum .. 562
Isch'æmum 562
Isértia 260
Ismène 513
Isnárda 200
Isocárpha 307
Isochilus 489
Isoètes 575
Isólepis .. 550, 597
Isopétalum 101
Isopògon 442
Isop'yrum 7
Isòtoma 324
I'tea 345
I'tea 48, 332
'Iva 314
I'xia 502
I'xia 498, 499, 500, ... 501, 502
Ixiolírion 510
Ixòdia 291
Ixòra 263
Ixòra 263
Jacaránda 366
Jacksònia 124
Jacquínia 348
JACOB'EÆ 301
Jamboliféra 107
Jambòsa 212
Janipha 458
Jasìone .. 328, 593
JASMI'NEÆ .. 352
Jasminum 352
Jasònia 294
Játropha 457
Játropha .. 457, 458
Jeffersònia 17
Jenkinsònia 100
Johannia 280
Jóhnia 80
Joliffia 215
Jonèsia 169
Jonídium 45
Jonídium 43, 45
Jossínia 211
JUGLA'NDEÆ 465
Júglans 465
Júglans 465
JUNCAGI'NEÆ 477
JU'NCEÆ 545
Júncus 545
Júncus 545
Júngia 592
Juniperus 474
Jussi'æa 199
JUSSI'ÆÆ 199
Justícia .. 421, 595
Justícia .. 420, 422
Kæmpfèria 492
Kalanchòe 224
Kálmia 342
Kalosánthes 224
Kaulfúsia 305
Kennèdya 156, 589
Kernèra 26
Kérria 194
Kiggelària 40
KIGGEL'ARIEÆ.. 40
Kíngia 545
Kirganèlia 459
Kitaibèlia 60
Kleinhòvia 67
Kleinia 301
Knáppia 557
Knautia 271
Knautia 271
Knowltònia 4
Knóxia 265
Kobrèsia 549
Kòchia 434
Kòchia .. 434, 435
Kœlèria 567
Kalèria 559
Kœlpínia 275
Kœlreutèria 85
Kœnígia 440
Kólbea 540
Kòniga 25
Krígia 276
Krígia 276
Krùbera 252
Kundmánnia 247
Kùhnia 299
Kuhnistèria .. 141
Ky'dia 69
Kyllínga 552, 598
LABI'ATÆ 399
LABIATIFL'ORÆ 280
Láblab 159
Lachenàlia .. 529
Lachn'æa 449
Lachnánthes .. 504
Lactùca 277
Lactùca 277
LACT'UCEÆ .. 277
L'ætia 40
Lagásca 288
Lagáscea 288
Lagenària 213
Lagerstr'œmia .. 202
LAGERSTR'ŒMIEÆ 202
Lagétta 448
Lag'œcia 255
Lagony'chium .. 164
Lagosèris 278
Lagosèris 278
Lagunculària .. 196
Lagunèa 65
Lagun'æa 62
Lagùrus 559
Lahàya 221
Lamárckia 110, 562
Lambértia 447
Làmium 406
Làmium 406
Lanària 504
Lancísia 318
Lantàna 417, 595
Lapeyroúsia 490
LAPL'ACEÆ 73
Láppa 281
Lappàgo 557
Lapsàna 274
Lapsàna 275, 276
Larbrèa 55
Làrix 475
Lárrea 104, 588
Laserpítium 252
Laserpítium 249, 252, ... 355, 591
Lasiándra 204
Lasiospérmum 279
Lasiospérmum 308
Lasiopétalum .. 67
Lasiopétalum .. 67
Latània 543
Lathr'æa 422
Láthyrus 155
Láthyrus 143, 154
Laùgeria 260
LAURI'NEÆ 441
Laurophy'llus 599
Laúrus 141
Laúrus 141
Lavándula 408
Lavándula 414
Lavatèra 60
Lavènia 308
LAVOISI'EREÆ .. 203
Lawsònia 203
Laxmánnia 532
Lebéckia 129
Lebéckia 130
Lebretònia 61
Lecanocárpus .. 431
Lechèa 43
Lechenaúltia .. 234
LECYTHI'DEÆ .. 213
Lécythis 213
Lécythis 213
Ledebùria 246
Lèdum 344
Lèdum 344
Leèa 87
LEE'ACEÆ 87
Leérsia 554
LEGUMIN'OSÆ 123
Leimánthium 540
Leiophy'llum .. 344
Lémna 478
Léns 154
LENTIBUL'ARIEÆ 422
Leonòtis 404
Leóntice 16
Leóntodon 274
Leóntodon 275
Leontopòdium 291
Leonùrus 405
Leonùrus 407
Lepechínia 400
Lepeocércis .. 561
Lepidagáthis 420
LEPIDI'NEÆ .. 31
Lepídium 31
Lepídium 27
Lepidospérma 540
Leptándra 306
Leptánthus 541
Leptàsea 240
Leptocarp'æa .. 23
Leptocárpus 547
Leptocaúlis .. 245
Leptóchloa 571
Leptomèria .. 450
LEPTOSPE'RMEÆ 207
Leptospérmum 210
Leptospérmum 209
Leptostélma .. 209
Leptùrus 568
Lepyròdia 547
Lèria 230
Lespedèza 152
Lespedèza 149
Lessértia 144
Lestibudèsia .. 431
Lettsòmia 72
Lettsòmia 373
Leucadéndron 442
Leucadéndron .. 441
Leùcas 404
Leucèria 289
Leucocóryne .. 522
Leucójum 515
Leucopògon .. 345
Leucosceptrum 401
Leucospérmum 441

Page.
Leucosteménma .. 298
Leùsea 285
Leùsea 282
Levísticum 249
Lewísia 227
Leysèra 301
Leysèra 281, 307, 308
Liátris 289
Libandtis 248
Libértia 498
Lichtensteínia .. 247
Lichtensteínia .. 540
Licuàla 544
Lidbéckia 318
Lidbéckia 318
Lightfoótia 325, 592
Ligulària 240
Ligústicum 248
Ligústicum 245, 248, ... 249, 250, 255
Ligústrum 352
Lilium 538
Lilium 538
Limeum 220
Limnètis 553
Limnócharis .. 477
Limnódrum 487, 490
Limònia 75
Limònia 75
Limoséila 394
Linària 390
Lincònia 116
Lindérnia 394
Lindérnia 394
Linda'æa 583, 599
LI'NEÆ 58
Linn'æa 259
Linocièra 351
Lìnum 58, 586
Linum 58
Lipària 127
Lipària 127
Lìparis 486
Lipòstoma 599
Lippia 419
Lippia 418
Liquidámbar .. 472
Liriodéndron .. 14
Lisiánthus 364
Lisiánthus 364
Lissánthe 346
Lissochilus 488
Listèra 486
Lista 363
Lithospérmum 374
Litt'æa 534
Littoréila 429
Livistòna 543
Lióydia 527
Lodsa 218
Lodsa 218
LO'ASEÆ .. 218
Lobèdium 119
Lobària 240
Lobèlia .. 322, 592
Lobèlia .. 324, 325
LOBELI'ACEÆ 322
Lockhártia 490

Page.
Loddigèsia .. 128
Lodiculària 562
Lodoícea 543
Lœflíngia 222
Logània 364
Loiseleùria .. 344
Lòlium 566
Lomándra 545
Lomària 581, 598
Lomàtia 447
Lomatophy'llum 517
Lonchítis 583
Lonchocárpus .. 143
Longchámpsia 368
Lonícera 258
Lonícera 258, 259
Lopèzia 200
Lophánthus .. 402
Lophìola 504
Lophìra 259
LOPH'IREÆ .. 259
Lophosciàdium .. 253
Lophospérmum .. 390
Lopímia 63
LORA'NTHEÆ 259
Loránthus 259, 592
Lorèya 205
L'OTEÆ 125
Lòtus 137
Lòtus 132, 137, 138, ... 139
Lotrea 149
Lotreìra 460
Lówea 178
Lubínia 425
Lucùlia 260
Lucùma 349
Lùdia 40
Lùdia 40
Ludólfia 574
Ludòvia 480
Ludwígia 200
Ludwígia 200
Lúffa 214
Luhèa 599
Lumnitzèra 413, 414
Lunària 24
Lunària 24
Lupináster 137
Lupìnus 159, 589
Lùzula 545
Luzuriàga 532
Ly'chnis 54
Ly'chnis .. 52, 53, 54
Ly'cium 389
Lycopérsicum .. 385
LYCOPODI'ACEÆ 576
Lycopòdium 576
Lycopòdium 576
Lycópsis 377
Lycópsis .. 376, 377
Lycòpus 399
Lycòris 509
Lygèum 552
Lygodésmia 277
Lygòdium .. 577, 598
Lyónia 331

Page.
Lyónia 356
Lyperánthus 486
Lysimàchia 425
Lysimàchia 425
Lysinèma 345
LYTHRARI'EÆ 201
L'ythrum 202
L'ythrum 202
Màba 349
Macbrìdea 409
Macleàya 19
Maclùra 462
Macradènia 488
Macránthus 156
Macrocnèmum .. 262
Macrocnèmum .. 261
Macroldbium .. 172
Macropòdium 23, 585
Macróstylis 106
Macrótropis 122
Macròtys 11
Màdia 306
M'æsa 347
Magnòlia 14
Magnòlia 484
MAGNOLI'ACEÆ 13
Magydàris 255
Mahérnia 68
Mahònia 16
Mahùrea 78
Maiètta 205
Mairània 330
Majánthemum .. 523
Malabaila 251
Malachodéndron 73
Málachra 60
Maláxis 487
Maláxis .. 485, 486
Malcòmia 28
Mallecócca 70
Malócchia 159
Málope 58
Malpighia 80
Malpighia .. 80, 81
MALPIGHI'ACEÆ 80
Málva 59, 586
MALV'ACEÆ .. 58
Malvaviscus 61
Mammèa 78
Mammillària 235, 590
Mandrágora .. 383
Manéttia 263
Mangifera 117
Mangifera 117
Manglilla 348
Manicària 544
Manisùris 563
Mantísia 491
Manùlea 394
Máppa 458
Maránta 495
Maránta 494
Marátti'a 577
Marcgrà'via 79
MARCGRAVI'ACEÆ 79
Margyricárpus .. 192

Page.
Mariálva 78
Márica 497
Márica 498
Márila 78
Maríscus .. 552, 598
Máriea 213
Marrùbium 406
Marrùbium 405
Marsdènia 360
Marshállia 306
Marsílea 576
MARSILE'ACEÆ 576
Marty'nia 367
Masdònia 530
Masdònia 527
Matáxa 308
Matáyba 84
Mathìola 21
Matricària 319
Matthìola 260
Máttia 378
Maurándia 390
Maúria 119
Maurítia 544
Maxillària 489
Maxillària 489
Maximiliàna 544
Máyteuus 110
Màzus 393
Meconópsis 19
Medèola 523
Medèola 523
Medicàgo 132
Medùsea 453
Megacarp'æa .. 28
Megaclínium 488
Megàsea 239
Megastàchya .. 570
Melaleùca 207
Melaleùca .. 207, 210
MELALE'UCEÆ 207
Melamp'yrum .. 395
Melampòdium .. 313
Melananthèra .. 306
Melanorrh'œa .. 588
Melanoselìnum .. 253
Melanosticta .. 169
MELANTH'ACEÆ 539
Melánthium 539
Melánthium 539, 540
Melasph'ærula .. 502
Melástoma 204
Melástoma 203, 204, 205, ... 206
MELASTOM'ACEÆ 203
Melhània 69
Mèlia 85
MELI'ACEÆ .. 85
Meliánthus 104
Mélica 560
Mélica 560
Mélichrus 346
Melicócca 84
Melicope 107
Melicytus 40
Melilòtus 134

Page.
Melilòtus 134
Melìnis 558
Melìssa 409
Melissa 409
Melíttis 409
Melocáctus 235
Melocánna 574
Melòchia 67
Melodìnus 356
Meloíthria 215
MEMECY'LEÆ 195
Memècylon 195
Meniòcus 25
Meniscium .. 578, 598
MENISPERM'ACEÆ 15
Menispérmum .. 15
Menispérmum .. 15
Méntha 399
Méntha 400
MENTHOI'DEÆ .. 399
Mentzèlia 218
Menyánthes 364
Menyánthes 364
Menzièsia 341
Meóschium 562
Mercuriàlis 452
Meriània 203
Meriània 204
Merténsia 464
Merténsia 577
Mesembryánthemum 227
Mesembryánthemum 234
MESEMBRYANTH'EMEÆ 227
Méspilus 175
Méspilus .. 176, 177
Messerschmídia .. 378
Messerschmídia .. 378
Metalàsia 292
Metastélma 362
Methónica 539
Metrosidèros 209
Metrosidèros 207, 209
Mèum 249
Mèum 245, 247
Meyèra 308
Michaúxia 325
Michèlia 13
Micònia 205
MICÒNIEÆ 205
Micranthèra 78
Micránthes 240
Microcàle 364
Micróchloa 558
Microcos 70
Microdon 415
Microl'æna 574
Microlícia 203
Microlòma 362
Micropus 294
Microstàchys 460
Micróstylis 487
Microtèa 433
Microtis 486
Mikània 300
Page.
Mílium 555
Milium 555, 564
Milla 596
Millèria 313
Millingtònia 366
Mimètes 444
Mimòsa 163
Mimòsa 163, 164, 165, ... 166, 167
MIMÒSEÆ 163
Mímulus .. 394, 594
Mimùsops 349
Minuártia 221
MINUA'RTIEÆ .. 221
Mirábilis 429
Mirbèlia 125
Miscopétalum .. 240
Mitchélla 263
Mitélla 242
Mitélla 242, 591
Mitrassácme 364
Mniàrum 221
Modécca 218
Mœhríngia 55
Mœ'nchia 55
Mogiphànes 432
Moldenháweria .. 169
Molin'æa 84
Molínia 560
Móllia 221
Mollùgo 55
Mollùgo 55
Molopospérmum 255
Móltkia 375
Moluccélla 405
Moluccélla 405
Momórdica 215
Momórdica 214
Monáchne 564
Monánthes 226
Monárda 403
Monárda 404
MONA'RDEÆ .. 403
Monérma 563
Monérma 563
Monètia 261
Monnièra 108
MONOCHLAMY'DEÆ 426
MONOCOTYLED'ONEÆ 476
Monodòra 14
Monópsis 324
Monótoca 346
Monótropa 342
MONOTRÒPEÆ .. 342
Monsònia 88
Monsònia 88
Móntia 220
Montínia 197
MONTI'NIEÆ .. 197
Mor'æa 497
Mor'æa .. 497, 498
Moricándia 34
Morìna 269
Morínda 263
Moringa 168
Morisònia 39
Page.
Morondòbea 79
Morphíxia 502
Mòrus 462
Mòrus 462
Moschósma 413
Mougeòtia 68
Mourírria 195
Mozínna 460
Mucùna 159
Muhlenbérgia .. 557
Muhlenbérgia .. 559
MUL'INEÆ 243
Mullèra 142
Múndia 47
Muntíngia 71
Murált'ia 47
Murràya 75
Muruculia 218
Mùsa 495, 596
MUS'ACEÆ .. 495
Muscària 241
Muscàri 528
Mussæ'nda 260
Mussæ'nda 260, 261, 262
Músschia 593
Mutísia 280
M'yagrum 32
M'yagrum 31, 36
Mygalùrus 572
Mygínda 111
Mylocàrium 332
MYOPO'RINÆ 419
Myóporum 419
Myóseris 278
Myosòtis 377
Myosòtis 377
Myosùrus 4
My'rcia 210
Myrica 472
Myrica 472
Myricària 203
MYRI'CEÆ 472
Myriophy'llum .. 201
Myrística 442
MYRISTI'CEÆ 442
Myròdia 65
Myrospérmum .. 122
Myróxylum 122
My'rrhis 255
My'rrhis 246, 254, 255
My'rsine 348
My'rsine 348
MYRSI'NEÆ .. 347
Myrsiphy'llum .. 533
MYRT'ACEÆ .. 206
MYRT'EÆ 210
My'rtus 210
My'rtus .. 211, 212
Nagèia 472
Nàjas 472
Nàma 369
Nandìna 16
Nap'æa 64
Naravèlia 2
Narcíssus .. 514, 596
Narcissus 515
Nárdus 552
Nárdus 563
Page.
Narthècium 546
Nastúrtium .. 21, 585
Nauclèa 263
Nauenbúrgia .. 288
Nebèlia 116
Negúndo 82
Nèja 290
Nélitris 210
Nelsònia 422
Nelúmbium .. 17
NELUMB'ONÆ .. 17
Nectoúxia .. 383
Néctris 17
Negrètia 150
Nemèsia 389
Nemopánthes .. 111
Nemóphila .. 389
Neóttia 485
Neóttia .. 485, 486
Nepénthes .. 452
Nepèta 497
Nepèta .. 402, 409
NEP'ETEÆ 404
Nephèlium 84
Nephròdium .. 579
Nephròdium 580
Nerìne 509
Nèrium 354
Nèrium 354, 355
Nes'æa 202
Nes'æa 202
Néslia 31
Nestlèra 386
Neurocárpum .. 140
Neurol'æna 207
Neuroloma 24
Nicándra 383
Nicolsònia 149
Nicotiàna 382
Niebùhria 39
Nigélla 8
Nigritélla 433
Nintoòa 258
Nìpa 544
Niphóbolus 578
Nissòlia 142
Nitélla 575
Nitrària 235
Nivènia 445
Nócca 288
Noísettia 43
Nolàna 383
Nolina 540
Nonatèlia 260
Nònea 276
Norántea 79
NORA'NTEÆ 79
Notel'æa 351
Nothol'æna .. 578, 596
Notóceras 22
Nóthria 48
NOTORH'IZEÆ .. 28
Noty'lia 487
Nùphar 18, 585
Nuttállia 63
NYCTAGI'NEÆ 429
Nyctánthes 352
Nycterisítion 349

Page.
Nyctèrium .. 387
Nymph'æa .. 17, 585
Nymph'æa 18
NYMPHÆ'ACEÆ 17
Ny'ssa 451
Obèsia 358
O'chna 108
O'chna 109
OCHN'ACEÆ.. 108
Ochròma 66
Ochròsia 354
O'chrus 155
Ochthòdium .. 28
Ocòtea 441
Octomèria .. 488
O'cymum .. 413, 594
O'cymum .. 413, 414
OCYMOI'DEÆ .. 413
Odontites .. 247
Œdèra 288
Œdmánnia .. 126
Œnánthe 247
Œnánthe .. 247, 251
Œnocárpus .. 543
Œnóplia 112
Œnothèra .. 198
Œnothèra 200
OLACI'NEÆ .. 74
'Olax 74
Oldenlándia .. 262
'Olea 351
'Olea 110, 351
OLE'INÆ .. 350
Olínia 115
Olísbea 197
Olivèria 255
Ol'yra 574
Omalánthus .. 456
Omphàlea .. 458
Omphalòbium .. 121
Omphalòdes .. 378
ONAGR'ARIEÆ 197
Oncidium .. 488
Onobròma 284
Onobròma .. 284
Onobr'ychis .. 151
Onoclèa 581
Onoclèa .. 581, 582
Onònis 131
Onopórdum .. 283
Onopórdum .. 284
Onosèris 278
Onósma .. 375, 594
Onosmòdium .. 375
Operculària .. 268
Operculària .. 268
OPERCULARI'EÆ
..... 268
OPHIOGLO'SSEÆ 576
Ophioglóssum .. 576
Ophiopògon .. 523
Ophiorhìza .. 600
Ophiostàchys .. 540
Ophióxylon .. 354
Ophiùrus 563
'Ophrys 484
'Ophrys .. 483, 485
Oplismènus 563
Page.
Oplothèca 432
Opópanax 249
Oporínia 275
Opúntia .. 237, 591
OPUNTI'ACEÆ .. 235
O'rbea 357
ORCHI'DEÆ .. 483
O'rchis 483
O'rchis .. 483, 484
Oreoselìnum .. 250
Oríganum .. 402
Orláya 253
Ormocárpum .. 149
Ormòsia 122
Ornithídium .. 489
Ornithocéphalus 488
Ornithógalum .. 526
Ornithógalum 527, 532
Ornithoglóssum .. 539
Ornithopus .. 148
Ornithopus 148
Ornithrophe 84
O'rnus 351
Orobánche 422
OROBANCH'EÆ 422
O'robus 156
O'robus 143, 155, 156
ORONTI'ACEÆ .. 479
Oróntium 480
Oróntium 480
Oróstachys 225
Ortègia 221
Orthóceras 485
Orthopògon 563
Orthosánthus .. 498
Orthosìphon .. 413
ORTHOSPE'RMEÆ 243
Orvàla 406
Or'yza 575
Oryzópsis 552
Osbéckia 204
OSBE'CKIÆ 204
Osmìtes 311
Osmorhìza 255
Osmúnda 577
Osmúnda 577, 581, 582
OSMUND'ACEÆ .. 577
Oss'æa 205
Osteospérmum .. 314
Ostéricum 249
O'strya 467
OSYRI'DEÆ .. 450
Os'yris 450
Otánthus .. 315
Othónna 305
Otídia 90
Otóptera 140
Oútea 172
Ovièdia 499
OXALI'DEÆ .. 102
O'xalis 102, 588
Oxyánthus .. 261
Oxybáphus .. 429
Oxycóccus 330
Oxylòbium .. 123
Oxypétalum 361
Oxy'ria 439
Oxy'spora 203
Page.
Oxystélma 361
Oxy'tropis 145
Oxy'tropis 146
Ozothámnus .. 291
Pachidéndron .. 517
Pachìra 66
Pachypòdium .. 594
Pachyrhìzus .. 159
Pachysándra .. 456
Pachysándra .. 456
Pædèria 265
Pæderòta 396
Pælímbia 250
Pæònia 12
PÆONI'ACEÆ .. 11
Palafóxia 301
Palàvia 63
Paliùrus 112
Pallàsia 308
PA'LMÆ 542
Pànax 256
Pancràtium 513
Pancràtium 513
PAND'ANEÆ .. 478
Pandànus 478
Pánicum 563
Pánicum 553, 558, 563, ... 564
Papàver 18
PAPAVER'ACEÆ 18
PAPILION'ACEÆ 122
Pappóphorum .. 567
Pappóphorum .. 567
Pap'yrus 552
Pardánthus .. 498
Pariàna 575
Parietària .. 463
Parinàrium 173
Pàris 524
Parivòa 171
Parkèria 577
PARKERI'ACEÆ 577
Párkia 163
Parkinsònia 169
Parnássia 46
Paróchetus .. 159
Parony'chia .. 220
PARONYCHI'EÆ 220
PAROPSI'EÆ 216
Párrya 24, 485
Parsónsia 356
Parthènium 314
Pascàlia 308
Páspalum 555
Páspalum .. 554, 558
Passerina 449
Passerina 449
Passiflòra .. 216, 590
Passiflòra .. 217, 218
PASSIFL'OREÆ 216
Pastinàca 251
Pastinàca .. 249, 251
Patagònium .. 149
Patagónula 380
Patersònia .. 499
Patrínia 268
Page.
Patrìnia 40
PATRI'SIEÆ .. 40
Paullínia 84
Paullínia 84
PAULLI'NIEÆ .. 83
Pavétta 263
Pàvia 83
Pavònia 61
Pectinària 357
Péctis 306
Péctis 308
PEDALI'NEÆ.. 367
Pedàlium 367
Pediculàris 395
Pedilánthus 452
Péganum 105
Péganum 105
Pèkea 213
PELARGONI'EÆ.. 89
Pelargònium 92, 587
Pelargònium 89, 90, 91, ... 92, 100, 101
Peléxia 485
Peliosánthes .. 540
Peltària 25
Pen'æa 346
PENÆ'ACEÆ.. 346
Penicillària .. 553
Pennisètum .. 553
Pennisètum .. 553
Pentadésma .. 78
Pentápetes 69
Pentaphy'llon .. 137
Pentáptera 196
Pentatáxis 202
PENTH'OREÆ .. 227
Penthòrum 227
Pentstèmon 383
Péntzia 316
Peperòmia .. 482
Péplis 201
Peráltea 168
Perdícium 280
Perdícium 280
Peréskia 238
Pergulària 359
Pergulària 356
Peribállia 560
Perilla 400
Periplòca 356
Periplòca 356
Periptera 63
Perítoma 87
Perlèbia 255
Perojòa 346
Perótis 554
Pérsea 441
Pérsea 441
Persoónia 446
Persoónia 306
Petalácte 292
Petalòma 195
Petalostèmum .. 141
Petámenes 500
Petivèria 433
Petr'æa 417
Petròbium 306
Petrocállis 25

Page.
Petromarùla .. 598
Petróphila 443
Petroselinum .. 245
Petùnia 383
Peùce 475
PEUCED'ANEÆ .. 249
Peucédanum .. 250
Peucédanum 249, 252
Peyroúsia 499
Pfáffia 433
Phàca 145
Phàca 143, 144, 145, 147
Phacèlia 380
Phalángium .. 524
Phalángium 525, 527, ... 528
Phálaris 559
Phálaris 554, 559, 567
PHANEROG'ANEÆ 476
Pharnàceum .. 55
Pharnàceum 220
Phàrus 574
PHASE'OLEÆ .. 156
Phaseòlus 157
Phaylópsis .. 420
Phebàlium 107
Phellándrium 247, 249
PHILADE'LPHEÆ 206
Philadélphus .. 206
Philly'rea 351, 352
Philothèca 107
Philóxerus .. 432
Philóxerus 432
Phílydrum .. 546
Phlèum 554
Phlèum 554
Phlòmis 405
Phlòmis .. 404, 405
Phlóx 368, 599
Ph'œnix 543
Phœnócoma .. 293
Pholidòta 489
Pholiùrus .. 563
Phórmium 534
Photínia 176
Phragmìtes .. 574
Phr'yma 413
Phry'nium 494, 595
Phycélla .. 510, 596
Phy'lica 114
Phy'lica .. 114, 115
Phyllánthus .. 458
Phyllánthus .. 459
Phy'llis 265
Phyllocládus .. 473
Phyllòdium 151
Phyllolòbium .. 159
Phyllòma 517
Phylógyne .. 515
Phymatánthus 89, 587
Physàlis 383
Physospérmum .. 255
Physostègia .. 406
Phyteléphas .. 478
Phyteùma 328
Phyteùma 593
Phytolácca .. 433
Page.
PHYTOL'ACEÆ 433
Plaránthus 359
Pictètia 378
Picrámnia 119
Picrídium 279
Pìcris 276
Picris 273, 275
Pictètia 148
Pilea 463
Pileánthus 207
Pilulària 575
Pimelèa 450
Pimpinélla 246
Pimpinélla .. 245
Pincknèya 262
Pinguícula .. 422
Pìnus 475
Pìnus 474, 475
Pìper 481
Pìper 482
PIPER'ACEÆ .. 481
Piptánthus .. 122
Piptàtherum .. 555
Piquèria 301
Piriquèta 218
Piscídia 143
Pisònia 430
Pistàcia 119
Pistorínia 225
Pisum 154
Pisum 155
Pitcaírnia 535
PITTOSP'OREÆ 48
Pittósporum .. 48
Plagiánthus 65
Plagiolòbium .. 126
Planèra 464
PLANTAGI'NEÆ 428
Plantàgo 428
Platanthèra .. 483
PLAT'ANEÆ .. 472
Plátanus 472
Platycòdon .. 592
Platylòbium 126
Platylòbium .. 126
Platypétalum .. 24
Platy'pteris 306
Platy'stylis .. 155
Plectránthus .. 413
Plectránthus .. 413
Plectrònia 110
Plèea 545
Pleopéltis 578
Plerôma .. 204, 590
Pleurándra .. 13
PLEURORH'IZEÆ 21
Pleurospérmum .. 255
Pleurothállis .. 488
Pleurothállis .. 487
Plócama 265
Plukenètia .. 456
PLUMBAGI'NEÆ 426
Plumbàgo 427
Plumèria 355
Pòa 568
Pòa 567, 569, 570
Pocóckia 134
Page.
Podaly'ria 123
Podaly'ria 123
Podánthes .. 358
Podánthus 315
Pedocárpus .. 473
Podocárpus 473
Podólepis 299
Pedolòbium .. 123
PODOPHY'LLEÆ 17
Podophy'llum .. 17
Podophy'llum .. 17
Podópterus 440
Podospérmum 279
Podostigma .. 361
Pogònia 486
Pogònia 419
Pogostèmon .. 400
Poinciàna 169
Poirètia 149
Poit'æa 143
Poívrea 196, 590
Polanísia 38
POLEMONI'ACEÆ 367
Polemònium 367, 594
Poliánthes 517
Pollíchia 221
POLLICHI'EÆ 221
Pollínia 561
Polybótrya 578
Polycarp'æa 221
POLYCARP'EÆ .. 221
Polycárpon 221
Polycènia 414
Polycnèmum .. 427
Poly'gala 46, 586
Poly'gala 47
POLYG'ALEÆ 46
Polygonàtum .. 523
POLYGO'NEÆ 438
Poly'gonum 438, 595
Poly'gonum 434, 439
Poly'mnia 313
POLYPODIA'CEÆ 577
Polypòdium .. 578
Polypòdium 578, 580
Polypògon 554
Poly'spora . .. 72
Polystàchya 489
POM'ACEÆ 175
Pomadérris .. 113
Pomària 169
Pombàlia 45
Poncelètia 345
Pongàmia 161
PONTED'EREÆ 541
Pontedèria 541
Ponthièva 485
Pópulus 471
Poràna 373
Poràna 373
Poranthèra 599
Porlièra 104
Portenschlágia .. 110
Portlándia 262
Portlándia 262
Page.
Portulàca 219
Portulàca 219
Portulacària .. 220
PORTUL'ACEÆ 219
Posoquèria .. 261
Póssira 162
Potamogèton .. 478
Potamóphila 575
Potentílla 196, 589
POTENTI'LLÆ .. 187
Potèrium 193
Pòthos 479, 596
Pòthos 479
Poupártia 120
Pourrètia 585, 596
Pòzoa 243
PRASI'EÆ .. 413
Prásium 413
Prasophy'llum .. 485
Prémna 417
Prenánthes .. 274
Prenánthes 274, 277
Prescòtia 486
Prestònia 355
Priestléya 127
Prímula 423
Prímula 425
PRIMUL'ACEÆ .. 423
Prínos 111
Prismatocárpus .. 326
Prìva 418
Prìva 418
Próckia 40
Prìcris 402
Proíphys 513
Proserpinàca .. 201
Prósopis 164
Prostánthera .. 414
Pròtea 443
Pròtea 442, 443, 444, 445
PROTE'ACEÆ 442
Prunélla 410
Prùnus 174
Prùnus .. 173, 174
Psámma 574
Pseudosophòra .. 129
Psiàdia 299
Psídium 210
Psilòtum 576
Psilúrus 563
Psophocárpus .. 159
Psoràlea 138
Psoràlea 141
Psychìne 25
PSYCHI'NEÆ .. 25
Psychótria 264
Psychótria 260, 264
Ptèlea 121
PTELE'ACEÆ 121
Ptelídium 110
Ptèris 582, 598
Ptèris 582, 583
Pterocárpus .. 161
Pterocárpus 161, 162
Pterocéphalus 271
Pteroneùrum .. 24
Pterònia 265
Pterospérmum 60

Page.
Pteróstylis 487
Pterygódium .. 484
Ptilostèphium .. 308
Ptychòtis 245
Pucrària 140
Pulicària 291
Pulmonària 375
Pulmonària 374
Pulsatílla 3
Pulten'æa 124
Pulten'æa 123
Púnica 195
Pupàlia 432
Purgòsea 223
Púrshia 193
Puschkínia 525
Pycnánthemum .. 401
Pycnostàchys .. 414
Pyrèthrum 321
Pyrola 341
Pyrulària 451
Pyrus 177
Pyrus.. 176, 177, 178
Pyxidanthèra 342
Quádria 599
Quálea 590
Quássia .. 108
Quéltia 514
Quércus 465
Quèria 221
Quèria 220
QUERI'ACEÆ .. 221
Quisquàlis 196
Quivísia 85
Radíola 58
Ráfnia 126
Ráfnia 125, 126
Rajània 521
Ramónda .. 382
Ráudia 260
RANUNCUL'ACEÆ 1
RANUNCUL'EÆ .. 4
Ranúnculus 4
Ranúnculus .. 7
RAPH'ANEÆ .. 35
Raphànus 36
Raphiolèpis .. 176
Rapístrum .. 36
Rapístrum .. 31
Raspàlia .. 115
Rauwólfia 353
Rauwólfia 353
Ravendàlia 495
Reaumùria 235
REAUM'URIEÆ .. 235
Redoutèa 63
Reevèsia 586
Relhània 307
Remírea 552
Renanthèra .. 491
Reneálmia 493
Reneálmia .. 493, 498
Requiènia 132
Resèda .. 39
RESED'ACEÆ.. 39
RESTI'ACEÆ .. 546
Réstio 547
Page.
Retanílla 118
Rétzia 369
Rhabdóchloa 571
Rhagadíolus 275
Rhagadíolus .. 275
Rhagòdia 434
RHA'MNEÆ .. 112
Rhámnus 112
Rhámnus 112, 113, 464
Rhàpis 542
Rhapóntica .. 287
Rhèum 440
Rhéxia 203
Rhéxia .. 203, 204
RHEXI'EÆ 203
Rhinánthus .. 395
Rhipidodéndron.. 519
RHIPSALI'DEÆ .. 238
Rhípsalis 238, 591
RHIZOB'OLEÆ 83
Rhizóphora 197
RHIZOPH'OREÆ 197
Rhodíola 225
Rhododéndron .. 342
Rhodóra .. 343
RHODOR'ACEÆ .. 342
Rhopàla 447
Rhús 117
Rhús 84, 118, 119, 465
Rhynchósia .. 157
Rhynchóspora .. 549
Ribes 238, 591
Richárdia 480
Richardsònia .. 265
Rícinus 458
Rícinus .. 458
Ricòtia 24
Riedlèia 68
Rindèra 578
Ripídium 560
Ripógonum 523
Ritchièa 48
Rittèra 162
Rivìna 433
Robértia .. 276
Robertsònia .. 239, 240
Robínia 143
Robínia 141, 142, 143, ... 144, 168
Ròchea 223
Rodígia 276
Rodígia 276
Rodriguèzia .. 487
Roélla 328
Roélla 327
Rœmèria .. 19, 585
Rœmèria 571
Roepèria 104
Ròhdea 480
Rolándra 287
Rondelètia 262
Rósa 178
ROS'ACEÆ .. 178
Roscóea 492
Rosèa 433
Rosmarínus 404
Rostrària 574
Page.
Róthia 274
Róthia 156
Rottboéllia 562
Rottboéllia .. 562, 563
Rottlèra 457
Roúrea 121
Roxbúrghia 534
Royèna 350
Rùbia 266
RUBI'ACEÆ .. 260
Rùbus 187, 589
Rùbus 189
Rudbéckia .. 310
Rudbéckia .. 307, 310
Rudólphia 161
Ruéllia 420, 595
Ruéllia 420
Ruízia 69
Ruízia 84
Rulíngia 67
Rulíngia 219
Rùmex 439
Rùmex 439, 440
Rùmia 244
Rùmia 251
Rúppia 478
Rúscus 528
Russèlia 390
Rùta 105
Rùta 105
RUT'ACEÆ 105
Rùyschia 79
Ryánea .. 40
Sábal 542
Sabbàtia 363
Sabícea 260
Sáccharum .. 560
Sáccharum .. 560
Sagerétia 112
Sagína 54
Sagittària 477
Sagr'æa 205
Sàgus 543
SALIC'ARIEÆ .. 201
SALI'CEÆ 468
Salicórnia 436
Salisbùria .. 473
Sàlix 468
Sálmea 307
Sálmia 480
Salomònia 47
Salpiánthus .. 430
Salpiglósis.. 383, 594
Salsòla 434
Salsòla 434, 435
Sálvia 410
Salvínia .. 576
Sámara .. 348
Sambùcus 257
Samòlus .. 426
Sam'yda .. 116
SAMY'DEÆ .. 116
Sandóricum .. 85
Sanguinària .. 19, 585
Sanguisórba 193
SANGUISO'RBEÆ 192
Sanícula .. 244
SANIC'ULEÆ .. 243
Sansevièra 517
Page.
SANTAL'ACEÆ 450
Sántalum 450
Santolìna 315
Santolìna 315
Sanvitàlia 308
SAPIND'ACEÆ 88
Sapíndus 84
Sàpium 458
Sàpium 458
Saponària .. 51
Saponària 51
SAP'OTEÆ .. 348
Sáraca .. 169
Sáracha 383
Sarcánthus 491
Sarcocápnos .. 20
Sarcocaúlon .. 88
Sarcocéphalus .. 263
Sarcochílus .. 489
Sarcocócca 456
Sarcólobus .. 360
Sarcophy'llum .. 129
Sarcostémma .. 361
Saròthra 77
Sarracènia .. 18, 585
SARRACENI'EÆ 18
SATUREI'NÆ .. 401
Saturèja 401
Saty'rium 484
Saty'rium .. 483, 485
Saurauja .. 72
SAURAU'JEÆ .. 72
Saurùrus .. 481
Saussùrea .. 281
Sauvagèsia 45
Saxífraga .. 239, 591
SAXIFR'AGEÆ 239
Scabiòsa .. 269
Scabiòsa 269, 270, 271
Scæ'vola .. 324
Scàlia 299
SCANDICI'NEÆ .. 254
Scándix 254
Scándix .. 254
Schæfferia 115
Schedonòrus .. 571
Schelhammèra .. 539
Scheuchzèria .. 477
Schìnus .. 119
Schìnus 119
Schísmus 559
Schiveréckia .. 25
Schiz'æa .. 577, 598
Schizándra 16
SCHIZA'NDREÆ.. 16
Schizánthus 396
SCHIZOPE'TALEÆ 87
Schizopétalum .. 87
Schkuhria 306
Schmáltzia 119
Schmidèlia .. 84
Schmídtia 554
Schænòdum 547
Sch'œnus ... 549, 597
Sch'œnus .. 549, 550
Schœpfia 347
Schóllera .. 330, 541
Schòtia 172
Schotsb'æa 196

Page.
Schránkia 168
Schrebèra 111
Schubértia 474
Schúltzia 245
Schwénckia 396
Scílla .. 527, 596, 599
Scílla 527, 528
Sciodaphy'llum .. 256
Scírpus 550, 598
Scírpus 550
SCITAMI'NEÆ 491
SCLERA'NTHEÆ.. 221
Scleránthus 221
Sclèria 549
Sclerocárpus 312
Scleróchloa..... 569
Scleroscíadium .. 247
Sclerothámnus .. 124
Scolopéndrium .. 581
Scolopéndrium .. 578
Scólymus 280
Scopària 389
Scopòlia 382
Scopòlia 121
Scorpiùrus 148
Scorzonèra 278
Scorzonèra 279
SCORZON'ERÆ.. 278
Scóttia 126
Scrophulària 391, 594
SCROPHULA'RI-
NÆ 389
Scutellària 410
Scùtia 113
Scyphánthus 218
Scytàlia 84
Seaförthia 544
Seb'æa 364
Secàle 564
Secàle 566
Secamòne 356
Sèchium 215
Securidàca 47
Securígera 148
Securinèga 460
Sèdum 225
Sèdum 225
SELAGI'NEÆ.. 414
Selàgo 415
Selàgo 415
Selìnum 249
Selìnum 248, 249, 250,
..... 251
Sellòa 301
Semecárpus .. 117
Sempervìvum .. 226
Sempervìvum 226
Senàcia .. 48
Senàcia 110
Senebièra .. 81
Senecíllis 304
Senècio 302
Senècio 305
Séptas 222
Seràpias 484
Seràpias 486
Serìana 83
Seríngia 67

Page.
Serìola 276
Sertola 276
Seríphium 288
Serìssa 264
Serpícula 200
Serrátula 281
Serrátula 281, 282, 283
Serrùria 445
Sersalísia 349
SES'AMEÆ .. 367
Sésamum 367
Sesbània 143
Sesbània 143
Séseli 248
Séseli 245, 248
SESELI'NEÆ .. 247
Seslèria 567
Seslèria 567
Sesùvium 234
Setària 553
Sèthia 80
Seymèria 396
Seymoúria 92
Shephérdia .. 451
Sherárdia 266
Sherárdia 267
Sibbáldia 192
Sibthórpia 394
Sícyos 215
Sìda 63, 586
Sìda 63, 64, 65
Sideránthus .. 298
Siderìtis 407
Siderodéndron .. 264
Sideróxylon 349
Sideróxylon 115, 348, 349
Siegesbéckia .. 308
Sievérsia 190
Sievérsia 189
Silàus 249
Silène 51
SIL'ENEÆ 48
Siler 252
Siler 252
SILER'INEÆ .. 252
Sílphium 314
Sílybum 282
Simàba 108
Simaròba 108
SIMAR'UBEÆ 108
Símsia 599
Símsia 307, 311
Sinàpis 34, 585
Sinàpis 35
Singàna 79
Sinníngia 329
Siphonánthus .. 414
Siphònia 458
Sison 245
Sison 245, 246, 247, 252
SISY'MBREÆ 28
Sisy'mbrium 29
Sisy'mbrium 22, 29, 35
Sisyrínchium 498
Sìum 246
Sium 245, 246, 247, 251
Sloànea 71
Smeathmánnia .. 216

Page.
SMILA'CEÆ .. 522
Smilacìna 523
Smilax 522
Smíthia 149
SMY'RNEÆ 255
Smy'rnium 255
Smy'rnium .. 245, 251
Soboléwskia .. 32
Sòja 158
Solándra 388
SOL'ANEÆ .. 380
Solànum 385
Solànum .. 385, 387
Soldanélla 423
Soldevílla 276
Sòlea 45
Solidàgo 297
Solidàgo 296, 307
Solìva 317
Sónchus 278
Sónchus 277, 279
Sonneràtia 210
Sophòra .. 122, 589
Sophòra .. 122, 123
SOPH'OREÆ .. 122
Sophronìtis 489
Sórbus 177
Sórghum 561
Sorocéphalus .. 445
Soulángia 114
Southcóttia 66
Sowerb'æa .. 532
Spallanzània 192
Spanánthe 243
Sparáxis 501
Sparáxis 501
Spargànium .. 479
Sparganóphorus.. 315
Sparrmánnia .. 70
Spartìna 553
Spartiánthus .. 129
Spártium 129
Spártium 129, 130, 131
Spatalánthus .. 503
Spatálla 445
Spathèlia 121
Spathòdea 366
Spatulària 240
Speculària 593
Spennèra 203
Spergùla .. 55, 586
Spermacòce .. 265
Spermacòce 265
SPERMAC'OCEÆ.. 265
Spermadíctyon .. 263
Spermáxyrum.... 75
Sphácele 406
Sphæránthus .. 288
Sphærolòbium .. 124
Sphæroph'ysa .. 144
Sphæróspora .. 501
Sphallerocárpus .. 255
Sphenógyne .. 312
Sphenótoma 345
Spielmánnia .. 418
Spigèlia 364
Spilánthes 306
Spilánthes 306, 307

Page.
Spinàcia 496
Spir'æa 194
Spir'æa 194
SPIRÆ'ACEÆ 193
Spirálepis 292
Spiranthèra 108
Spiranthes 485
SPIROL'OBEÆ .. 35
SPONDI'ACEÆ 120
Spóndias 120
Sporóbolus 557
Spreikèlia 509
Sprengèlia 345
Stàvia 115
Stàchys .. 496, 504
Stàchys .. 496, 497
Stachytárpheta .. 418
STACKHOU'SEÆ
..... 452
Stackhoúsia 452
Stæhelina 285
Stæhelina 281
Stanhópea 490
Stanlèya 31
Stapèlia 357
Stapèlia 356, 357, 358,
..... 359
Staphylèa 109
STAPHYLE'ACEÆ 109
Stárkea 296
Státice 426
Stauracánthus .. 129
Stegània 501
Stèlis 497
Stellària 55
Stellària 55
Stellèra 449
Stemòdia 389
Stenanthèra .. 246
Stenocárpus 447
Stenochílus 419
Stenoménson .. 513
Stenorhy'nchus .. 495
Stenospérmum .. 209
Stenotáphrum .. 568
Stephània 89
Stercùlia .. 66, 599
STERCULI'EÆ .. 66
Stereóxylon 289
Steríguma..... 83
Steriphoma 30
Sternbéckia .. 79
Stérnbergia 505
Stevènia..... 22
Stèvia 300
Stèvia 301, 306
Stilàgo 460
Stillíngia 458
Stipa 556
Stizolòbium 159
Stob'æa 284
St'œbe 288
Stokèsia 285
Stratiótes 476
Stravàdium 213
Strelítzia 495
Streptanthèra .. 501
Stréptium 418

Page.
Streptocárpus .. 397
Stréptopus 523
Strôbus 475
Strophánthus 354
Strumária 510
Struthìola 449
Struthiópteris .. 582
Stry'chnos 353
Stuártia 73
Stuártia 73
Stérmia 557
Stylándra 361
STYLI'DEÆ .. 324
Stylídium 324
Stylosánthes .. 149
Stypándra 525
Styphèlia 346
Styphèlia 346
STYPH'ELIÆ .. 346
STYRACI'NEÆ 347
St'yrax 347
Suaèda 435
Suárdia 558
Subulária 87
SUBUL'ARIEÆ .. 87
Succisa 209
Succòwia 85
Sutherlándia .. 144
Swainsòna 144
Swártzia 162
SWARTZI'EÆ .. 162
Sweètia 156
Swértia 363
Swietènia 86
Swietènia 86
S'yagrus 543
Symphiándra .. 593
Symphònia 79
SYMPH'ONIEÆ .. 79
Symphòria 258, 592
Sy'mphytum .. 375
Sympièza 332
Symplocárpus .. 479
SYMPLOCI'NEÆ
..... 347
Sy'mplocos 347
Synándra 404
Syncárpha 281
Synedrélla 308
Synnòtia 501
Syntherísma .. 568
Syrènia 80
Syringa 352
Syzy'gium 211

Tabernæmontàna 354
Tácca 481
TACC'ACEÆ .. 481
Tachigàlia 169
Tacsònia 218
Tænìtis 582
Tagètes 305
Talièra 543
Talaúma 584
Talinum 219
Talinum 219
Tamaríndus 169
TAMARISCI'NEÆ
..... 203
Page.
Támarix 203
Támarix 203
TAMEÆ 522
Tamònia 418
Támus 522
Tanacètum 316
Tanacètum 316
Tan'acium 389
TARAX'ACEÆ.... 274
Tarchonánthus .. 315
Tasmánnia 13
Tauschèria 32
Taxánthema .. 427
Taxòdium 474
TAXI'NEÆ 473
Táxus 473
Táxus 473
Tecòma 366
Tectòna 418
Teèdia 389
Teesdàlia 27
TELEPHI'EÆ .. 220
Telèphium 220
Telfairia 215
Tellíma 242
Telopèa 447
Templetònia .. 126
Tenòria .. 247, 251
Tephròsia 141, 589
Tephrosia 156
Tephrothámnus .. 126
Terámnus 156
TEREBINTH'ACEÆ
..... 119
Terminàlia 195
TERMIN'ALIEÆ .. 195
Ternstrœmia .. 72
TERNSTRŒMI'A-
CEÆ 72
Terpnánthus .. 108
Testudinària .. 522
Tetrácera 12
Tetràdium 121
Tetragònia 234
Tetragònia 201
Tetragonólobus .. 138
Tetragonothèca .. 307
Tetramèrium .. 264
Tetranèma 149
Tetranthèra 441
Tetrapògon 564
Tetrápteris 81
Tetrathèca 47
Tetrazy'gia 205
Teúcrium 402
Thalàmia 473
THALAMIFL'ORÆ 1
Thàlia 494
Thalíctrum 2
Thamnèa 116
Thamnochórtus .. 547
Thápsia 252
Thápsia 248
THAPSI'EÆ 252
Thàspium 248
Thàspium 245
Thèa 73
Thely'gonum 463
Page.
Thely'mitra 486
Thenárdia 355
Theobròma 67
Theophrásta 353
Thermópsis 128
Thèsium 450
Thèsium 450
Thespèsia 68
Thláspi 27
Thláspi .. 27, 31, 32
THLASPI'DEÆ .. 27
Thomàsia 67
Thrìnax 544
Thríncia 275
Thryállis 81
Thùja 474
Thùja 473
Thunbérgia 419
Thy'mbra 409
Thy'mbra 409
THYMEL'ÆÆ.. 448
Th'ymus 401
Th'ymus 399, 409
Thysanòtus 532
Thyselinum 250, 251
Tiarélla 242
Tiarélla 242
Tiarídium .. . 374
Tibouchìna 204
Ticorèa 108
Tigàrea 193
Tigrídia 499
Tigrídia 497
Tília 71
TILI'ACEÆ .. 70
Tiliacòra 15
Till'æa 222
Tillándsia 535
Tithònia 312
Tithy'malus 453, 454
Tittmánnia 116
Tittmánnia .. 393, 394
Tocòca 205
Toddàlia 121
Tòdea 577
Tofièldia 540
Tólpis 275
Tonsélla 79
Tontèlea 79
TORDYLI'NEÆ .. 252
Tordy'lium 252
Tordy'lium .. 251, 252
Torènia 393
Torìlis 254
Torìlis 253
Tormentilla 190
Tórtula 418
Tournefórtia 378
Tournefórtia 374, 379
Tourrètia 367
Touchirôa 172
Trachèlium 328
Trachymène 243
Trachymène 243
Trachynòtia 553
Trachyspérmum .. 245
Trachytélla 584
Tradescántia 541, 597
Page.
Tradescántia 541, 542
Tragacántha .. 147
Tràgia 460
Tràgia 460
Tràgium 246
Tragopògon 279
Tragop'yrum .. 429
Tràgus 557
Tràpa 200
Trattenickia 306
Travòa 588
Trèisia 453
TREMA'NDREÆ 47
Trevirània 390
Tréwia 557
Triánthema 219
Tribráchia 489
Tríbulus 104
Trich'æta 573
Trichèra 269
Trichília 85
TRICHI'LIEÆ .. 85
Trichocéphalus .. 114
Trichóchloa 557
Trichodésma 378
Trichòdium 556
Trichòdium 556
Trichol'æna 560
Trichómanes 583
Trichonèma .. 503, 506
Trichóphorum .. 552
Trichophy'llum .. 322
Trichorhìza 491
Trichosánthes .. 215
Trichosánthes .. 215
Trichostèma .. 403
Trichostèma .. 399
Tricóryne 525
Tridactylites 241
Tridax 308
Tridens 567
Tridéntea 358
Trientàlis 425
TRIFOLI'EÆ 132
Trifòlium 135
Trifòlium .. 134, 137
Triglóchin 477
Trigonélla 134
Trigònia 80
Trigònis 84
Trillium 523
Trìnia 245
Triòdia 567
Triòdia 567
Triópteris 81
Triósteum 259
Triphàsia 75
Tríphora 486
Tripinnària .. 389
Tríplaris 440
Tripsacum 563
Tripsacum 563
Triptílion 280
Trisètum 568
Trisètum 567, 573
Tristània 207
Tristegis 558
Trítelela 532

Page.
Tríticum 564
Tríticum 564, 565, 566, ... 573
Tritóma 517
Tritónia 502
Triumfétta 70
Trixágo 395
Trixis 280
Trixis 280
Trizeúxis 488
Trochiscánthes .. 248
Trochocárpa .. 346
Tróllius 7
Tromótriche .. 358
TROPÆ'OLEÆ 101
Trop'æolum .. 101
Tròphis 450
Tróximon 276
Tróximon 276
Tulbágia 517
Tùlipa 536
TULIP'ACEÆ 536
Tupístra 480
Turgènia 254
Turnèra 218
TURNERI'ACEÆ 218
Turpínia 109
Turpínia .. 109, 149
Turr'æa 85
Turrítis 22
Turrítis 22, 23, 34, 585
Tussilágo 302
Tussilágo 280
Tylóphora 589
Typha 479
TY'PHINEÆ .. 479
Ugèna 577
'Ulex 129
U'lmus 464
U'lmus 464
UMBELLI'FERÆ 243
Umbílicus 225
Uncària 263
Uniola 571
Unòna 15
Urácina 555
Uránia 495
Urària 149
Uraspérmum .. 255
Urèna 60
Uropétalon .. 528
Urtica 462
Urtica 462
URTI'CEÆ 460
Urvill'æa 83
Utriculária 423
Uvària 15
Uvária 15
Uvulária 539
Uvulária 523, 539
Vaccària 51
VACCINI'EÆ 329
Vaccínium 329
Vaccínium 330
Valántia 266
Valántia 266, 267
Valeriàna 268
Valeriàna 268, 269
VALERI'ANEÆ 268
Valerianélla 269
Vallàris 356
Vallèsia 353
Vallisnèria 476
Vallòta 512
Vánda 491
Vánda 491
Vandéllia 394
Vanguèria 260, 600
Vanílla 491
Varrònia 379, 380
Vascòa 126
Vauánthes 223
Velèzia 54
Vélla 35
Vélla 35
VE'LLEÆ 35
Vellèia 324
Vellèia 324
Vellósia 505
Veltheímia 517
Venèna 599
Ventenàtia .. 224, 246
Ventilàgo 114
Veràtrum 540
Verbáscum 380
Verbáscum 382
Verbèna 418
Verbèna 418
VERBEN'ACEÆ 415
Verbesína 308
Verbesína 308
Vernònia .. 289, 592
Vernònia 289
VERNONI'ACEÆ 288
Verónica 396
Verónica .. 396, 399
Verticórdia 207
Vesicària 24
Véstia 383
Vibórgia 128
Vibúrnum 257
Vícia 153
Vícia .. 148, 154, 156
VICI'EÆ 153
Vienseúxia 498
Vígna 159
Viguièra 310
Villársia 364
Vilmorínia 140
Viminària 124
Vínca 354
VINI'FERÆ .. 86
Víola 43, 586
Víola 43, 45
VIOLARI'EÆ .. 43
Virgília 122
Virgília 122
Viscària 53
Viscum 259
Vísmia 76
VISMI'EÆ 76
Visnàga 245
Vísnea 350
Vítex .. 416
Vítex 417
Vítis 87
Vítis 87
Vittária 582
Voandzèia 168
Vochy'sia 197
VOCHY'SIEÆ.. 197
Volíria 363
Volkamèria 416
Volkamèria .. 415, 416
Vouàpa .. 172
Wachendórfia .. 504
Wahlenbérgia 325, 593
Waldsteínia 180
Waldsteínia 189
Walkèra 109
Wallíchia 543
WALLICH'IEÆ .. 69
Wallróthia 249
Wallróthia 417
Walthèria 68
Wangenheímia .. 560
Watsònia 500
Webèra 261
Webèra 261
Wedèlia 309
Wedèlia 313
Weinmánnia 242
Wendlándia .. 15
Westònia 156
Westríngia .. 402
Whitlèya 383
Wibèlia 274
Wibórgia 308
Wigándia .. 369
Willdenòvia .. 547
Willemètia 113
Willughbèia .. 356
Windsòria 567
Wintèra .. 13
Winterèna .. 13
WINT'ERÆ .. 13
Wistèria 157
Witheríngia .. 388
Witsènia 499
Wittlesbáckia .. 73
Woodfórdia .. 202
Woódsia 579
Woodwárdia .. 581
Wórmia 13
Wríghtia 354
Wulfènia 396
Wurmbèa 540
W'ylia 254
Xánthium .. 314
Xanthóchymus .. 78
Xanthorrh'æa .. 534
Xanthòsia 243
Xenopòma 419
Xeránthemum .. 294
Xeránthemum 292, 293, ... 294
Xerophy'llum .. 540
Xerótes .. 545
Ximenèsia .. 307
Ximènia 75
Ximènia 104
Xiphídium .. 564
Xiphópteris 578
Xylòbium 489
Xylomèlum .. 447
Xylophy'lla .. 459
Xylòpia .. 15
Xylósteum .. 258
X'yris 546
Xysmalòbium .. 361
Yúcca 536, 597
Zacíntha 276
Zaluzània .. 318
Zàmia .. 476
Zannichéllia 478
Zanònia 540
Zapània .. 418
Zanthorhíza .. 12
Zanthoxylum .. 107
Zèa 574
Zephyránthes .. 505
Zexmènia 309
Zièria .. 107
Zietènia .. 407
Zigadènus .. 540
Zílla 35
ZILL'EÆ .. 35
Zíngiber .. 492
Zínnia 307
Zizània 575
Zízia 245
Zizíphora 404
Zízyphus 112
Zízyphus .. 112, 464
Z'œgea .. 285
Zórnia 149
Zórnia 150
Zosímia .. 252
Zostèra .. 478
Zóysia .. 554
Zuccagnia .. 528
Zuringèra .. 108
Zygopetàlum .. 496
ZYGOPHY'LLEÆ 104
Zygophy'llum .. 104
Zygophy'llum .. 104

ENGLISH INDEX.

Page.

Abele-tree 471
Achania 61
Adam's needle .. 536
Adder's-tongue .. 576
African Almond 446
African fleabane 315
African Lily 517
African Marygold 305
Agrimony 192
Akee-tree 84
Alaternus 112
Alder 468
Alexander's 255
Alkekengi 384
Alligator Pear .. 441
All-seed 58, 221, 435
Allspice 212
Allspice-tree .. 194
Allum-root 242
Almond 173
Almond Peach .. 173
Aloe-wood 117
Althæa-frutex .. 61
Amaranth 430
Amber-tree 265
Amboyna pitch tree 474
American birds-eye 424
American Cowslip 428
Anchovy Pear .. 213
Andaman red wood 161
Angelica 249
Angelica-tree .. 256
Anise 246
Aniseed-tree .. 13
Anotta 40
Ape Orchis 483
Apple 177
Apple-berry 48
Apricot 174
Arbor-vitæ 474
Archangel 406
Arracacha 255
Arrow-grass 477
Arrow-head 477
Arrow-root 495
Artichoke 284
Asarabacca 451
Ash-tree 350
Asparagus 533
Aspen 472
Asphodel 524
Atamasco Lily .. 505
Auricula 425
Avens 190
Awl-wort 37
Azarole 176
Bahama red-wood 113
Balm 409
Balm of Gilead .. 409
Balsam 101
Balsam Apple .. 215

Page.

Balsam-herb .. 421
Balsam of Capevi 171
Balsam of Peru 122
Balsam of Tolu .. 122
Balsam-seed 122
Balsam-tree 78, 220
Balsam-wood .. 122
Bamboo-cane .. 574
Bane-berries 11
Banana tree 495
Barbadoes Gooseberry
..... 238
Barberry .. 16, 584
Barley 558
Barren-wort 16, 584
Base Rocket 89
Basil 413
Bastard Balm .. 409
Bastard Cabbage-tree
..... 168
Bastard Cardamon 492
Bastard Cedar 67, 86
Bastard Cress .. 27
Bastard Cypress 549
Bastard Flower-fence
..... 164
Bastard Hare's-ear 265
Bastard Indigo 142
Bastard Mangeneel 355
Bastard Orpine 459
Bastard Pimpernell 426
Bastard Quince .. 177
Bastard Saffron 284
Bastard Vervain 418
Bastard Vetch .. 145
Bawd-money .. 249
Bay-tree . . . 441
Bead-tree . . . 85
Bean 153
Bean-caper . . 104
Bean-trefoil . . 122
Bear-berry . . 330
Bearbind . . . 370
Bear's-breech . . 419
Bear's-ear Sanicle 423
Bedstraw . . . 266
Beech-tree . . 467
Bee Ophrys . . 484
Beet 436
Belladonna Lily 506
Bell-flower . . 325
Bengal Quince . . 75
Benjamin-tree . . 441
Bent-grass . . 556
Berry-bearing Alder
. 113
Betle 482
Betony 406
Bilimbi-tree . . 102
Billberry . . . 329
Bindweed . . . 369

Page.

Birch-tree . . . 467
Bird Cherry . . 175
Bird's-eye Primrose 424
Bird's-foot . . 148
Bird's-foot Trefoil 134,
. 137
Bird's-head . . 488
Bird's-nest . . 486
Bird Pepper . . 384
Bird's-tongue 304, 539
Birthwort . . . 451
Bishop's-weed . . 245
Bitter-sweet . . 385
Bitter Vetch . . 156
Bitter-wood . . 15
Blackberry . . 188
Black Bryony . . 522
Black Knapweed 285
Black Parsley . . 253
Black Saltwort . . 428
Bladder Ketmia 62
Bladder-nut . . 109
Bladder Senna . . 144
Bleaberry . . . 329
Blessed Thistle . . 287
Bloodwort . . . 19
Blue-bottle . . 286
Bog-rush . . . 549
Bonace-bark . . 449
Borage 378
Borecole . . . 33
Box-thorn . . . 388
Box-tree . . . 456
Brake 582
Bramble . . . 178
Brasiletto . . . 168
Bread-fruit . . 462
Bread-nut . . 462
Bread-root . . 138
Broccoli . . . 33
Brome-grass . . 573
Brook-lime . . 398
Brookweed . . 426
Broom . . . 131
Broom-rape . . 422
Brown Knapweed 286
Brussels sprouts . 33
Bryony . . . 214
Buck-bean . . 364
Buckler Mustard 27
Buck's-eye tree . 83
Buckthorn . . 112
Buck-wheat . . 438
Buck-wheat tree . 332
Buffalo-clover . 136
Bugle 403
Bugloss . . . 377
Bugwort . . . 11
Bullace-tree . . 174
Bullet-grape . . 87
Burdock . . . 280

Page.

Burnet . . . 193
Burnet Saxifrage 246
Bur Paraley . . 253
Bur-reed . . . 479
Butcher's Broom 523
Butter and eggs . 514
Butter-bur . . 302
Butterfly-plant 483, 486
Butter-nut . . 83
Butter-tree . 78, 349
Butterwort . . 422
Button-tree . . 196
Button-weed . . 265
Button-wood . . 263
Cabbage . . . 33
Cabbage-tree . . 543
Cajuputi-tree . . 207
Calabash-tree . . 389
Calaba-tree . . 78
Calamint . . . 409
Calathian Violet . 362
Calf's-snout . . 390
Caltrops . . . 104
Cammock . . . 132
Campion . . . 51
Camphire-tree . 441
Canada Rice . . 575
Canary Tea . . 68
Candleberry Myrtle 472
Candy-tuft . . 27
Cane-brake . . 574
Canterbury bells . 327
Cape Aster . . 305
Cape Holly . . 110
Cape Jasmine . . 261
Cape Phillyrea . . 110
Caper-bush . . 38, 585
Caper Spunge . . 454
Carambola-tree . 102
Caraway . . . 245
Cardamon . . . 493
Cardinal-flower . 323
Cardoon 284
Carline thistle . . 284
Carnation . . . 50
Carob-tree . . 169
Carrion-flower . . 357
Carrot 253
Cascarilla . . . 457
Cashew-nut . . 117
Cassava 458
Cassia 441
Cassioberry-bush 258
Castor-oil nut . . 458
Catalpa-tree . . 365
Catchfly 51
Cat-chop . . . 228
Catmint 407
Cat's-ear . . . 276
Cat's-tail . . . 479
Cat's-tail grass . . 554

Page.

Cat Thyme . . . 403
Cauliflower . . . 33
Cedar . . . 474, 475
Cedar of Goa . . 474
Cedar of Lebanon 475
Celandine . . . 19
Celery 245
Centaury . . 285, 592
Chamomile . . . 318
Charlock . . . 34
Chaste-tree . . . 416
Chaw-stick . . 114
Cheese-rennet . 267
Cherimolli . . . 14
Cherry-tree . . 174
Chervil . . . 254
Chestnut . . . 467
Chestnut Oak . . 466
Chicasaw . . . 174
Chickling Vetch 155
Chick Pea . . . 153
Chickweed . . . 55
Chile Pine . . 474
China Aster . . 297
Chinese varnish . 118
Chives 530
Chocho . . . 215
Chocolate-nut . . 67
Christmas Rose . 7
Christ's thorn . . 112
Cicely 254
Cinnamon . . . 441
Cinquefoil . 190, 589
Citron 75
Clary 412
Clearing-nut . . 353
Cleavers . . . 267
Cloth of Gold . . 504
Clove 49
Clover 136
Clove-tree . . . 212
Clown's all heal . 407
Club-moss . . . 576
Club-rush . . . 550
Cochineal-fig . . 237
Cockscomb . . 431
Cocksfoot-grass . 570
Cockshead . . 152
Cockspur-thorn . 175
Cocoa-nut-tree . 544
Cocoa-Plum . . 173
Codlins and cream 198
Coffee-tree . . 264
Cogwood-tree . 441
Coleseed . . . 33
Colewort . . . 35
Colic-root . . . 517
Colpoon-tree . . 110
Coltsfoot . . . 302
Columbine . . . 8
Comfrey . . . 375
Common Cress . 31
Common Dragon . 480
Common Orpine . 225
Contrajerva-root 464
Coral-tree . . . 160
Coriander . . . 256
Cork-tree . . . 466

Page.

Cornelian Cherry 257
Corn Cockle . . 54
Corn-flag . . . 500
Cornish Moneywort 394
Costmary . . . 315
Cotton-grass . . 552
Cotton-Rose . . 294
Cotton-Thistle . 283
Cotton-tree . . 63
Couch-grass . . 565
Cowbane . . . 244
Cow-berry . . 330
Cow-grass . . 135
Cowitch . . . 159
Cow Parsnep . . 251
Cowrie Pine . . 471
Cowslip . . . 423
Cow-tree . . . 462
Cow-wheat . . . 395
Crab 177
Cranberry . . . 330
Crane's-bill . . 88
Creeping Cereus . 236
Cress Rocket . . 35
Crosswort . . . 265
Crown Imperial . 538
Crow-foot . . 4, 584
Crow-garlic . . 530
Crow's-foot-grass 563
Cuckold-tree . . 166
Cuckoo-flower . 23
Cucumber . . . 214
Cumin 252
Cup-flower . . 218
Currant . . 238, 591
Custard Apple . 14
Cypress . . . 474
Daffodil . . . 514
Dahlia . . . 310
Dahoon Holly . 111
Daisy 299
Dammar Pine . 474
Dandelion . . . 274
Darnel . . . 567
Date Palm . . 543
Date Plum . . 349
Day Lily . . . 516
Deadly Carrot . 215
Deadly Nightshade 383
Dead Nettle . . 405
Deodar . . . 475
Deptford Pink . 49
Devil's-bit . . . 269
Dewberry . . . 188
Dill 251
Dittany of Crete . 402
Dock 439
Dodder . . . 373
Dog-chop . . . 227
Dog's-bane . . 356
Dog's Cabbage . 463
Dog's-tail grass . 553
Dog's-tooth Violet 539, ... 597
Dogwood . . . 257
Doob-grass . . 558
Double Cocoa-nut 543
Dragon . . . 479

Page.

Dragon's-head . 408
Dragon-tree . . 533
Dropwort . . . 194
Drumstick-tree . 169
Duck-weed . . 478
Duck's-foot . . 17
Dumb Cane . . 481
Dwarf fan palm . 542
Dyer's green-weed 130
Dyer's-weed . . 39
Earth-nut . 167, 246
Earth Pea . . 155
Egg-plant . . . 387
Egyptian-thorn . 166
Elastic gum tree 458
Elder 257
Elecampane . . 290
Elephant Apple . 75
Elephant-foot . 288
Elephant's-foot . 522
Elm-tree . . . 464
Enchanter's Nightshade 200
Endive 280
English Mercury . 434
Ermine-chop . . 228
Eryngo . . 244, 591
Evening-flower . 503
Evening Primrose 198
Evergreen Thorn 175
Everlasting . . 291
Everlasting Pea . 155
Eye-bright . . 394
Fan Palm . . 543
Feather-grass . . 556
Felwort . . . 363
Female Fern . . 580
Fennel . . . 247
Fenugreek . . 134
Fescue-grass . . 572
Feverfew . . . 321
Feverwort . . . 259
Fiddle-wood . . 417
Fig Marygold . . 227
Fig-tree . . . 460
Figwort . . . 391
Filbert . . . 467
Filmy-leaf . . . 583
Fiorin-grass . . 556
Fir-tree . . . 475
Fishbone Thistle 283
Fish-poison . . 142
Flat Pea . . . 126
Flax . . . 58, 586
Flax Lily . . . 534
Fleabane . . . 289
Fleawort . . . 291
Flixweed . . . 29
Flower de luce . 495
Flower-fence . . 169
Flowering Ash . . 351
Flowering Fern . 577
Flowering Raspberry 188
Flowering Rush . 477
Fly Honeysuckle . 258
Fly Ophrys . . 484
Fool's Parsley . 247

Page.

Fox-chop . . . 227
Foxglove . . . 392
Fox-Grape . . . 87
Foxtail-grass . . 554
Fraxinella . 105, 588
French Honeysuckle 156
French Marygold 305
French Sorrel . 440
Friar's-cowl . . 480
Fringe-tree . . 351
Fritillary . . . 537
Frog-bit . . . 476
Frog Orchis . . 483
Fumitory . . . 20
Furze 129
Fustick-wood . . 463
Gambier-tree . . 263
Garden Balsam . 421
Garland flower . 493
Garlic 530
Garlic-Pear . . 38
Genip-tree . . . 261
Gentian . . . 362
Germander . . 402
German madwort 377
Giant Fennel 250, 591
Ginger 492
Gingerbread Plum 173
Ginseng . . . 256
Gladwyn . . . 496
Glasswort . . . 436
Glastonbury-thorn 176
Globe Amaranth . 432
Globe-flower . . 7
Globe Thistle . . 287
Goat's-beard 194, 279
Goat's Rue . . . 141
Goat's Thorn . . 147
Gold of pleasure 31
Golden-pert . . 396
Golden Poley . . 403
Golden-rod . . . 297
Golden-rod tree 436
Golden Saxifrage 243
Golden Thistle . 280
Goldy-locks . . 298
Gooseberry . . 238
Goosefoot . . . 434
Gourd 213
Gout-weed . . . 235
Grains of Paradise 492
Grape 87
Grape Hyacinth . 528
Grass-tree . . . 545
Great Burnet . . 193
Greater Knapweed 286
Greek Valerian . 367
Green Dragon . . 480
Green-man . . . 483
Green Quinoa . . 435
Gromwell . . . 374
Ground Ivy . . 408
Ground Pine . . 403
Groundsel . . . 302
Groundsel-tree . 289
Guaco 300
Guava 210
Guelder Rose . . 257

Page.

Guernsey Lily . . 509
Gum Arabic . . 166
Gum Cistus . . 41
Gum Succory . . 277
Gum-tree . . . 534
Hair-grass . . . 559
Hairy green-weed 130
Hard-grass . 563, 567
Hare's-ear . . . 246
Hare's-foot Fern 583
Hare's-foot Trefoil 135
Hare's-tail Grass 559
Hart's-tongue . . 581
Hartwort . . . 252
Hassagay-tree . . 111
Hatchet Vetch . 148
Hawkweed . . . 271
Hawthorn . . . 176
Heart's-ease . . 45
Heart-seed . . . 83
Heath 332
Hedgehog . . . 134
Hedge Hyssop . 396
Hedge Mustard . 29
Hedge Nettle . . 406
Hellebore . . . 7
Hemlock . . . 255
Hemp 463
Hemp Agrimony 300
Hen and chicken 299
Henbane . . . 382
Henbit 406
Herb Paris . . 524
Herb Robert . . 89
Heron's-bill . . 89
Hickory-nut . . 465
Hog Plum . . . 120
Hogweed . . . 430
Holly 111
Hollyhock . . . 60
Honesty 24
Honey-berry . . 84
Honey-flower . . 104
Honeysuckle . . 258
Honeywort . . . 375
Hooded Milfoil . 423
Hop 463
Hop Hornbeam . 467
Horehound . . . 408
Hornbeam . . . 467
Horn Gourd . . 215
Horn Poppy 19, 585
Hornwort . . . 201
Horse Chestnut . 83
Horse Radish . . 26
Horse-radish tree 168
Horse-shoe Vetch 148
Horse-thistle . . 282
Hottentot Cherry 110
Hottentot Fig . . 230
Hound's-tongue . 378
Houseleek . . . 226
Humble plant . . 162
Hyacinth . . . 528
Hyæna-poison . . 457
Hyssop 402
Ice-plant . . . 232
Indian buckwheat 438

Page.

Indian-corn . . 574
Indian Cress . . 101
Indian Cucumber 523
Indian Fig . 237, 591
Indian Lotus . . 17
Indian Madder . 262
Indian Millet . . 561
Indian Shot . . 494
Indigo 139
Ipecacuanha . . 454
Irish Heath . . 341
Iron-tree . . . 264
Iron-wood . 209, 349
Ironwort . . . 408
Ivy 256
Jaca-tree . . . 464
Jack in a box . . 442
Jacobea Lily . . 509
Jalap 371
Jamaica Birch . . 120
Jamaica Dogwood 143
Jamaica Ebony . 162
Jambolana-tree . 211
Japan Allspice . 195
Jasmine 352
Jerusalem Artichoke
. 309
Jerusalem Sage . 405
Job's-tears . . . 574
Jonquill 515
Judas-tree . . . 172
Juniper 474
Jupiter's-beard . 132
Kanguru Vine . 86
Kentucky Coffee-tree
. 168
Kidney-bean . . 157
Kidney Vetch 132, 589
Knawel 221
Knotted Marjoram 402
Knot-grass 220, 438
Laburnum . . . 130
Lace-bark . . . 448
Lady Fern . . . 580
Ladies-mantle . 192
Ladies-slipper . 491
Ladies-smock . . 23
Ladies-traces . . 485
Lamb's-chop . . 228
Lamb's Lettuce . 269
Lamp-wick . . . 405
Lancashire Asphodel 545
Lance-wood . . 15
Larch 475
Larkspur . . . 8
Laserwort . . . 252
Laurel 175
Laurestine . . . 258
Lavender . . . 408
Lavender-cotton 315
Leadwort . . . 427
Leather-wood . . 448
Lee Chee . . . 84
Leek 530
Lemon 75
Lemon-grass . . 561
Lentil 154
Leopard's-bane . 299

Page.

Lettuce 277
Licca-tree . . . 108
Lignum vitæ . . 104
Lilac 352
Lily 538
Lily of the valley 523
Lily Pink . . . 532
Lily-thorn . . . 262
Lime 75
Lime-tree . . . 71
Lion's-ear . . . 404
Lion's-foot 274, 291
Lion's-leaf . . . 16
Liquorice . . . 141
Lizard Orchis . . 483
Lizard's-tail . . 481
Lobel's Catchfly . 53
Locust-tree 143, 172
Logwood . . . 169
London-pride . . 240
London Rocket . 29
Looking-glass plant 66
Loose-strife . . 425
Loquat 176
Lord Anson's Pea 155
Lousewort . . . 395
Lovage 249
Love Apple . . 385
Love-grass . . . 570
Love lies bleeding 431
Lucerne . . . 133
Lungwort . . . 375
Lupine . . 159, 589
Lychnidea . . . 368
Lyme-grass . . . 566
Madder 266
Madwort . . . 25
Maidenhair . . 582
Maidenhair-tree 473
Maiden Plum . . 119
Mahogany-tree . 86
Malabar nightshade 433
Malabar-nut . . 420
Malay Apple . . 212
Male Fern . . . 580
Mallow . . 59, 586
Mammee-tree . . 78
Manchineel-tree . 458
Mandrake . . . 383
Mango-ginger . . 492
Mango-tree . . . 117
Mangosteen . . 78
Manna Ash . . 351
Maple 82
Mare's-tail . . . 201
Marjoram . . . 402
Marrowfat Pea . 154
Marsh Mallow . . 60
Marsh Marygold 7, 584
Marsh Pennywort 243
Marsh Thistle . . 282
Martagon . . . 538
Marygold . 313, 592
Marvel of Peru 429
Masterwort 250, 251
Mastick-tree . . 119
May Apple . . . 17
Meadow-grass . . 568

Page.

Meadow Rue . . 2
Meadow Saffron 539
Meadow Saxifrage 248
Meadow-sweet . 194
Medick 132
Medlar 175
Medusa's-head . 453
Melic-grass . . . 560
Melilot 134
Melon 214
Melon Thistle . . 235
Mercury . . . 452
Mexican Lily . . 507
Mezereum . . . 448
Michælmas daisy 296
Mignonette . . . 39
Milfoil 319
Milk Parsley . . 249
Milk Thistle . . 282
Milk Vetch 145, 589
Milkwort . . 46, 586
Milk-wood . . . 462
Mint 399
Misseltoe . . . 259
Mocker-nut . . 465
Moldavian balm 409
Molucca balm . . 405
Moly 530
Monkey-flower . 394
Monk's Basil . . 413
Monkshood . 9, 584
Moon-seed . . . 15
Moonwort . . . 576
Moreton bay Chestnut
. 589
Morning-flower . 498
Moschatel . . . 242
Motherwort . . . 405
Mountain Ash . . 177
Mountain Rose 168, 203
Mountail Sorrel . 439
Mouse-chop . . 228
Mouse-ear . . . 271
Mouse-ear Chickweed
. 57
Mouse-tail . . . 4
Mouse-tail grass . 572
Moving-plant . . 150
Moxa 317
Mudwort . . . 394
Mugwort . . . 317
Mulberry . . . 462
Mule Fern . . . 581
Mullein 380
Musk Melon . . 215
Musk Okro . . 62
Musk Thistle . . 281
Mustard . . 24, 585
Myrobalan . . . 174
Myrrh 255
Myrtle 311
Mysore-thorn . . 169
Naseberry-tree . 340
Navelwort . . . 224
Navew 33
Nectarine . . . 173
Nettle 462
Nettle-tree . . . 464

	Page.
New Jersey Tea	113
New Zealand cork-tree	70
New Zealand Spruce	473
New Zealand Tea	210
Nicker-tree	198
Nightshade	385
Nipplewort	274
Norfolk Island Pine	475
Nutmeg	442
Nut-tree	467
Oak	465
Oat-grass	567
Oats	568
Ogechee-Lime	451
Oil-nut	451
Oil-seed	308
Oily-grain	367
Oily-Palm	543
Old man's beard	279
Oleander	354
Oleaster	451
Olibanum-tree	120
Olive	351
Olive-bark tree	195
Olive-wood	110
Omime-root	414
Onion	513
Opera girls	491
Oraché	435
Orange-Gourd	216
Orange-tree	75
Orpine	220
Osage Apple	462
Oswego Tea	404
Otaheite Apple	120
Otaheite Chestnut	348
Otaheite Myrtle	460
Ox-eye	309
Ox-eye Daisy	320
Ox-lip	424
Ox-tongue	276
Pæony	12
Palma Christi	458
Palms	542, 545
Palo de vacca	462
Panic-grass	563
Papaw-tree	216
Paper Mulberry	462
Paper Rush	552
Paraguay Tea	111
Parsley	245
Parsley-piert	192
Parsnep	251
Pasque-flower	3
Passion-flower	216, 590
Patience Dock	439
Pea	154
Peach	173
Pear	177
Pearlwort	54
Pecan-nut	465
Pellitory	463
Pellitory of Spain	318
Penny-cress	27
Pennyroyal	400
Pennyroyal-tree	401
Pennywort	225
Pepper	481
Peppermint	399
Peppermint-tree	208
Pepper Vine	87
Perriwinkle	354
Petty whin	130
Pheasant's eye	4
Phillyrea	351, 352
Physic-nut	457
Picotee	49, 50
Pigeon Pea	159
Pigeon Plum	173
Pig-nut	465
Pilewort	7
Pillwort	575
Pimpernell	425
Pine Apple	534
Pine-tree	475
Pink	49, 50, 586
Pin-pillow	237
Pipewort	546
Pishamin	355
Pistachia-tree	118
Pitcher-leaf	192
Pitcher-plant	452
Plane-tree	472
Plantain	428
Plantain-tree	495
Plank-plant	126
Plowman's spikenard	289
Plum-tree	174
Poet's Cassia	450
Poison bulb	510, 511
Poison-nut	353, 354
Poison Oak	118
Poley	403
Polypody	578
Pomegranate	195
Pond-weed	478
Poplar	478
Poppy	18
Portugal Laurel	175
Potatoe	385
Primrose	423
Prince's feather	431
Privet	352
Puccoon	98, 585
Pumpkin	215
Purslane	219
Purslane-tree	220
Pyracantha	175
Quaking-grass	570
Quamash	528
Quillwort	575
Quince	178
Radish	86
Ragged Robin	54
Ragwort	303, 305
Rambootan	84
Ramoon-tree	450
Rampion	326
Ramson	532
Rape	84
Raspberry	188
Red Cedar	474
Red Quinoa	435
Red Sandal-wood	161
Redtop-grass	567
Red-water tree	163
Reed	574
Reed-grass	574
Rest-harrow	131
Rhubarb	440
Ribbon-flower	503
Rib-grass	428
Rice	575
Rocambole	530
Rocket	29
Rock-Rose	40
Rope-grass	547
Rose	178
Rose Acacia	143
Rose Campion	54
Rosemary	404
Rose of Jericho	28
Rose-root	225
Rough Chervil	254, 591
Rough Plum	173
Rue	105
Rupture-wort	220
Rush	545
Rush-nut	551
Rye	564
Rye-grass	566
Sacred Bean	17
Sage	410
Sago-Palm	543
Saintfoin	151
St. Andrew's cross	77
St. Barnaby's thistle	287
St. Bruno's Lily	524
St. John's bread	169
St. John's wort	76, 587
St. Martin's flower	516
St. Peter's-wort	258, 592
Salep	481
Salt-tree	144
Saltwort	434
Samphire	249
Sandal-wood	450
Sandbox-tree	457
Sand Myrtle	344
Sandwort	56, 586
Sanicle	244
Sapota	349
Sappan fruit	163
Sarsaparilla	522
Satin-wood	86
Savanna-flower	355
Savin	474
Savory	401
Savoy	83
Savoy Spiderwort	524
Sawfly Ophrys	484
Sawwort	281
Saxifrage	239, 591
Scabious	269
Scallion	530
Scammony	369
Scarlet-runner	157
Scorpion-grass	377
Scorpion Senna	148
Scotch bird's-eye	424
Scotch Laburnum	130
Screw-Pine	478
Screw-tree	68
Scrubby Oak	260
Scurvy-grass	26
Sea-buckthorn	451
Sea Chickweed	57
Sea Daffodil	513
Sea-egg	134
Sea Heath	48, 586
Sea Holly	244
Sea Kale	35
Sea Lavender	427
Sea Matweed	478, 574
Sea Parsnep	265
Sea Rocket	28
Seaside Balsam	457
Seaside grape	438
Seaside Laurel	458
Seaside Oat	571
Sedge	547
Self-heal	410
Sengreen	25
Senna	170
Sensitive Fern	581
Sensitive-plant	169
Septfoil	190
Serpent-wood	253
Service-tree	177
Shaddock	75
Shallon	331
Shallot	530
Sheep's-beard	279
Sheep's Scabious	328
Sheep's Sorrel	449
Shepherd's club	380
Shepherd's Cress	27
Shepherd's purse	27
Shield Fern	579
Shore-weed	430
Shrubby-horsetail	473
Shrubby Trefoil	121
Shumee-tree	166
Siberian bird's-eye	424
Siberian Crab	177
Side-saddle flower	18, 586
Silk cotton tree	66
Silver Fir	475
Silver-tree	442
Single-seeded Cucumber	215
Skirret	246
Skull-cap	410
Slipper Spurge	452
Slipperwort	396
Sloe-tree	174
Small Burdock	314
Snail-flower	157
Snake Cucumber	214
Snake Gourd	215
Snakeroot	11, 452
Snake's-beard	528
Snake's-tongue	577
Snake's-wood	438
Snakewood	464
Snakewort	300
Snap-dragon	390
Sneezewort	319
Snowball-tree	257

Page.

Snowberry . . . 258
Snowberry-bush . 264
Snowdrop . . . 516
Snowdrop-tree . 347
Snowflake . . . 516
Soap-berry . . . 84
Soapwort . . . 51
Soft-grass . . . 562
Soldier-wood . . 163
Solomon's seal . . 523
Sorrel 440
Sorrel-tree . . . 331
Sour-gourd . . . 65
Soursop 14
Southernwood . . 316
South-sea Myrtle 210
South-sea Tea . . 111
Sow-thistle . . . 278
Soy 158
Spanish Broom . 129
Spanish Cress . . 31
Spanish Elm . . 379
Spanish-nut . . 497
Sparrow-wort . . 449
Spear-mint . . . 399
Speedwell . . . 396
Spider Ophrys . 484
Spiderwort . . . 541
Spignel 248
Spinage 436
Spindle-tree 109, 588
Spleenwort . . . 580
Sponge-tree . . 166
Spread-eagle . . 488
Spring-grass . . 553
Spruce Fir . . . 475
Spurge 453
Spurge Laurel . . 449
Spurless Violet . 45
Spurrey . . 55, 586
Squash . . . 215
Squill 527
Squirting Cucumber
. 215
Staff tree . . . 110
Star Apple . . . 345
Starch Hyacinth . 528
Starfish 357
Star-flower . . . 117
Starhead . 270, 592
Star of Bethlehem 526
Star of the earth . 429
Starry Scabious . 285
Star-thistle . . 287
Starwort . . . 295
Sterile Strawberry 192
Stichwort . . . 55
StinkingHorehound405
Stock 21
Stonecrop . . . 225
Storax 347

Page.

Stork's-bill . . 92, 587
Stramonium . . 383
Strapwort . . . 220
Strawberry . . 89
Strawberry-blite . 436
Strawberry-tree . 331
Succory . . . 279
Sugar-cane . . . 560
Sulphurwort . . 250
Sumach . . . 117
Summer Cypress . 434
Sundew . . . 45
Sunflower . . . 309
Sun-Rose . . . 41
Supple Jack . . 84
Swallow-wort . . 360
Sweet Bay . . . 441
Sweet Briar . . 179
Sweet-flag . . . 480
Sweet Gale . . 472
Sweet-grass . . 570
Sweet-gum tree . 472
Sweet Maudlin . 319
Sweet Pea . . . 155
Sweet Potatoe . 371
Sweet Scabious . 270
Sweet-sop . . . 14
Sweet Sultan . . 285
Sweet William . 40
Sword Fern . . 578
Syrian Rue . . . 105
Syringa . . . 206
Tacamahac . . 472
Tallow-tree . . 458
Tamarind . . . 169
Tamarisk . . . 203
Tangier Pea . . 155
Tansy 316
Tare 154
Tarragon . . . 317
Teak-wood . . . 418
Teasel 269
Tea-tree . . . 73
Thistle . . . 281
Thorn Apple . . 383
Thrift 426
Throatwort . . 328
Tick-seed . . . 436
Tiger-chop . . . 228
Tiger-flower . . 490
Tile-root . . . 503
Toad-flax . . . 390
Tobacco . . . 382
Tonquin Bean . . 168
Toothpick . . . 245
Toothwort . . 24, 422
Touch me not 102, 588
Tower Mustard . 22
Traveller's joy . . 1
Treacle Mustard . 25
Tree Celadine . . 19

Page.

Tree Mallow . . 60
Tree Onion . . 530
Trefoil 135
Tricolor . . . 430
Trompet Marin . 514
True Chervil . . 254
Trumpet-flower . 365
Trumpet Honeysuckle
. 259
Tuberose . . . 517
Tulip 536
Tulip-tree . . . 14
Tupelo 451
Turk's-cap . . . 235
Turmeric . . . 491
Turnep 33
Turnep Cabbage . 33
Turnsole . . . 374
Turpentine-tree . 119
Twayblade . . . 486
Umbrella-wort . 429
Valerian . . . 268
Velvet-leaf . . 15
Velvet Tamarind . 172
Venus Flytrap . 46
Venus looking-glass 593
Venus Navelwort 378
Venus's comb . . 254
Vervain . . . 418
Vetch 153
Vine 87
Violet . . 43, 586
Viper's Bugloss . 375
Viper's-grass . . 278
Virginian creeper 87
Virginian Hemp . 436
Virginian Silk . . 356
Virgin's Bower . 1
Wall-cress . 22, 585
Wallflower . . 21
Wall Rocket . . 34
Wall Rue . . . 580
Walnut-tree . . 465
Wampee-tree . . 75
Waratah . . . 447
Wart-flower . 89, 587
Wartwort . . . 455
Water-caltrops . 200
Water Chickweed 220
Water Cress . . 22
Water Dropwort . 247
Water Hemlock . 247
Water Horehound 398
Water-leaf . . 380
Water Lily . 17, 585
Water Melon . . 214
Water Milfoil . . 201
Water Parsnep . 246
Water Pepper . 439
Water Plantain . 477
Water Purslane . 201

Page.

Water-soldier . . 476
Water Starwort . 201
Water Violet . . 425
Water-weed . . 478
Waterwort . . 55
Wax Dammar . . 473
Wayfaring-tree . 257
Weasel-chop . . 228
Weymouth Pine . 475
Wheat 564
Whipcord . . . 222
Whiplash . . . 227
Whitebeam . . 177
White Cedar . . 474
White Hellebore . 540
White Ipecacuanha 85
Whitlow-grass 25, 585
Whortle-berry . 329
Widow wail . . 121
Wild Basil . . 409
Wild Bugloss . . 377
Wild Chamomile . 319
Wild Cumin . . 255
Wild Liquorice . 156
Wild Rosemary . 331
Wild Service . . 177
Wild Tansey . . 191
Willow . . . 468
Willow-herb . . 198
Winged Pea . . 138
Winter Aconite . 7
Winter-bark . . 13
Winter-berry . . 111
Winter Cherry . 383
Winter Cress . . 22
Winter Grape . 77
Winter-green 341, 425
Winter-green grass 556
Witch-Hazel . . 473
Woad 32
Wolfbane . . . 11
Wolf-chop . . . 228
Woodbine . . . 259
Wooden-pear-tree 447
Woodruff . . 266, 592
Wood-rush . . 545
Wood-sage . . 403
Wood Sorrel 102, 588
Woolhead . . . 307
Worm-grass . . 364
Wormwood . . 316
Yam 521
Yarrow 320
Yellow bird's-nest 342
Yellow Poley . . 403
Yellow rattle . . 395
Yellow-root . . 4, 12
Yellow Sultan . . 285
Yellow-wort . . 363
Yew-tree . . . 473
Zebra-plant . . 494

N.B. Mr. SWEET having now finished several of his Botanical Works, and many of his Friends having expressed a wish, that he would Cultivate some handsome, rare, and choice Plants for Sale, finding them at present so difficult to attain, has some intention of commencing in that way; and will be obliged to any of his Friends for their Orders, which will be punctually Executed, and the Plants sent with their proper Names.

TILLING, PRINTER, GROSVENOR ROW, CHELSEA.

169, *Piccadilly.*

IMPORTANT WORKS

ON

AGRICULTURE, HORTICULTURE, &c.

Just published, by

MESSRS. RIDGWAY AND SONS.

THE HOP FARMER.

In 12*mo. Price* 6*s. cloth boards.*

A Complete Account of HOP CULTURE, embracing its HISTORY, LAWS, and USES. A Theoretical and Practical Inquiry into, an improved Method of Culture, founded on scientific principles: to which is added, several useful Tables and Calculations, necessary and serviceable to the Growers, Factors, Speculators, and Consumers of HOPS.

By EDWARD J. LANCE,

Author of *The Golden Farmer, embracing Science with Practice*, and *The Cottage Farmer*: which may be had of the same Publishers.

ANIMALIZEED CARBON AND CARBONACEOUS HUMUS.

These superior Manures, prepared from Human Soil and the Refuse from London Sewers, are found to contain all the essential qualities of Bones, Gypsum, Potash, Salt, as well as Animal and Vegetable Decays,—have stood the test of experience on the Continent as well as in Britain, and are known as the Flemish and Paris fertilizing disinfecting composts. The proprietors, Messrs. LANCE and Co., have prepared and sold these Manures with success for the past three years; and would be happy in shewing any gentleman very many orders from the same persons.

For an account of the chemical nature of these composts, see the article "Manures" in "*The Hop Farmer*," and note on the base of Vegetables; —of their application on the Continent, see Dr. Granville's Report to the Thames Improvement Company, by which is shewn the superiority of human soil over all other manures.

The composts are sold in London by Mr. REDGRAVE, *No.* 25, *Albany Street, Regent's Park*; and by Agents in different parts of the Country.

The Prices are,—*Carbon* 1*s.*6*d. per bushel*:—*Humus* 1*s.*9. *ditto*;—*Carbonaceous Disinfecting Powder*, for making the Manure, 1*s.*9*d.* do.—A Mixture with fine Bone Dust, 2*s.* do.—A *Drilling Machine* for Carbon and

Seed, 30*s.* each.—A Humus for forming a steep for seed, and for wat ering flowering plants, 2*s.* per bushel, quite divested of all u npleasant odour.—The proprietors will be happy in engaging to send their Manures on the line of any Railway from London, at the rate of one penny per bushel, for 30 miles. A similar Manure is prepared by the French, and sent in great quantities to their Colonies, and the same is now recommended to be sent to the British Colonies.

ON THE

NATURE AND PROPERTY OF SOILS,

And the best means of increasing their productiveness, and on the Rent and Profits of Agriculture. By JOHN MORTON. Price 5*s.*

THE BRITISH FARMER'S MAGAZINE,

(QUARTERLY,)

Price 3*s.* each Number.

"The practical and enquiring farmer can have no better manual of reference than this useful publication, which treats on subjects connected with all the various branches of Agriculture."

*** A few complete sets of the first Series in 10 vols. have been perfected, and may now be had neatly half-bound, 17*s.*6*d.* each vol.

No. V was published April 1, 1838.

REPORTS OF THE COMMITTEE OF THE DONCASTER AGRICULTURAL ASSOCIATION, ON THE

ADVANTAGES OF BONES AS MANURE,

(Price 2*s.*)

ON MANGEL WURTZEL,

AS A FALLOW CROP, (6*d.*)

THE TURNIP FLY,

The means of its Prevention; founded on Returns received from upwards of one hundred Gentlemen farming in England and Wales. Price 2*s.* 6*d.*

ON LIQUID MANURES.

By CUTHBERT W. JOHNSON, Esq. Price 1*s.*6d.

AN ESSAY ON THE WEEDS OF AGRICULTURE,

With Practical R marks on their Destruction. By the late B. HOLDITCH, Esq. and G. SINCLAIR, F.L.S. and F.H.S., Author of Hortus Gramineus Woburnensis. A New Edition, illustrated by Copper-plates, coloured from the living Plants. Price 5*s.* 6*d.*

Second Edition. Price 1*s.*

A LETTER TO EARL SPENCER,

(President of the Smithfield Club,)

ON THE FORMATION OF

A NATIONAL AGRICULTURAL INSTITUTION.

By Henry Handley, Esq., M.P.

DAIRY HUSBANDRY.

In Octavo, 8*s.*

THE HARLEIAN DAIRY SYSTEM;

And an Account of the various methods of Dairy Husbandry pursued by the Dutch. Also a new and improved mode of Ventilating Stables, with an Appendix, containing useful hints (founded on the Author's experience) for the management of Hedge-row Fences, Fruit Trees, &c., and the means of rendering barren Land fruitful. By William Harley, founder of the celebrated "Willowbank Dairy, Glasgow."

DOMESTIC POULTRY.

A PRACTICAL TREATISE ON THE

BREEDING, REARING, AND FATTENING ALL KINDS OF DOMESTIC POULTRY,

PRESERVATION OF EGGS, &c. after plans pursued with advantage and profit in France. Dedicated to Lord Somerville. Second Edition, 5*s.*

Price One Shilling.

HODGES ON DRAINING.

The use and advantages of Pearson's Draining Plough, by Thomas Law Hodges, Esq, M.P.

Price 3*s.*6*d.*

ON UNDER-DRAINING WET AND COLD LANDS.

By Robert Green, Farmer.

Price 5*s.*

ON THE MANAGEMENT OF HEAVY AND WET LANDS, WITHOUT SUMMER FALLOWS.

By Thomas Grey, Esq.

Price 3*s*.6*d*.

ON IMPROVED SHORT HORNS AND THEIR PRETENSIONS STATED.

By the Rev. HENRY BERRY.

Price 3*s*.

TRIMMER ON THE IMPROVEMENT OF WOOL AND SHEEP HUSBANDRY.

Price 4*s*.

EARL STANHOPE ON SHEEP FARMS.

Price 1*s*.6*d*.

WRIGHT ON BREEDING CATTLE AND SHEEP.

Price 9*s*.

FINLAYSON'S BRITISH FARMER AND PLOUGHMAN'S GUIDE.

FRUIT AND FRUIT TREES.

Third Edition, in One Volume, price 6*s*.

THE FRUIT CULTIVATOR.

By JOHN ROGERS, Nurseryman, formerly of the Royal Gardens.

"Directions are given for planting, pruning, training, the formation of Fruit Tree Borders and Orchards, the gathering and storing of Fruit; in a word, everything which can be desired is handled in a plain instructive manner, in such a way as a practical man alone is capable of doing it."—*Irish Farmers' and Gardeners' Magazine.*

"It remains only to say, that we think Mr. Rogers has here produced a most valuable practical work, which deserves to be in universal use; and which adds to its other recommendation that of cheapness." *Gardeners Ma.*

COTTAGE GARDENING,

Containing plain and brief Directions for cultivating every kind of Vegetable in common use. By an old Practitioner. Second Edition, enlarged, Price 1*s*.6*d*.

TO AMATEURS OF FLOWERS.

In 1 *vol. price* 7*s*. 6*d*. *coloured, in cloth*.

THE FLORIST CULTIVATOR;

Or, Plain Directions for the Management of the principal Florist Flowers, Shrubs, &c. adapted to the Flower Garden, Shrubbery, and Greenhouse: with Select Lists of the finest Roses, Geraniums, Carnations, Pinks, Auriculas, Polyanthuses, Tulips, Dahlias, Hearts-ease, Cistus or Rock Rose, &c. To which is added the Monthly operation usual for the Flower Garden, Shrubbery, and Greenhouse. The whole arranged on a plan different from any Work hitherto published. By THOMAS WILLATS, Esq., Amateur Cultivator.

CHELSEA: PRINTED BY W. BLATCH, EXETER STREET, SLOANE STREET.

3 2044 103 115 374